

📄 Explorer

javascript

> api

> app

> array advanced

> assignment

> task2.html

> task3.html

.js positive-or-negative.js

> task1.html

> class

> default parameter

> destructuring

> DOM basics

> DOM events

> get_element_by_id

> local-storage-demo.html

> local-storage.html

> objects

> promises

> rest

> spread

> sync-async

> template literals

> Outline

> Timeline

ait-demo.js X JS sequential-async-await.js X JS parallel-async-await.js X local-storage.html X JS positive-or-negative.js X JS

assignment > task3.html > JS positive-or-negative.js > num

1 let num=-8;

2 if(num>0){

3 console.log("the number is positive");

4 }

5 else

6 {

7 console.log("the number is negative");

8 }

Run Code (Ctrl+Alt+N)

Problems Output Debug Console Terminal Ports

Filter (e.g. text, excludeText, t...

Code

[Done] exited with code=0 in 0.167 seconds

[Running] node "d:\javascript\assignment\task3.html\positive-or-negative.js"

the number is negative

[Done] exited with code=0 in 0.185 seconds

< 0 0

Ln 1, Col 11 Spaces: 4 UTF-8 CRLF JavaScript Go Live Prettier

JS sequential-async-await.js X JS parallel-async-await.js X local-storage.html X JS positive-or-negative.js X JS switch.js X JS api.js X JS implicit-explicit.js X JS promise-... > ...

assignment > task3.html > JS switch.js > ...

```
1 let day=6;
2 switch(day){
3   case 1:
4     console.log("sunday");
5     break;
6   case 2:
7     console.log("monday");
8     break;
9   case 3:
10    console.log("tuesday");
11    break;
12   case 4:
13    console.log("wednesday");
14    break;
15   case 5:
16    console.log("thursday");
17    break;
18   case 6:
19    console.log("friday");
20    break;
21   case 7:
22    console.log("saturday");
23    break;
24   default:
25    console.log("invalid");
26 }
27
28
```

Ln 19, Col 31 Spaces: 4 UTF-8 CRLF JavaScript Go Live Prettier

15 sequential-async-await.js X JS parallel-async-await.js X local-storage.html X JS positive-or-negative.js X JS switch.js X JS api.js X JS implicit-explicit.js X JS promide- X

assignment > task3.html > JS switch.js > ...

```
1 let day=6;
2 switch(day){
3     case 1:
4         console.log("sunday");
5         break;
6     case 2:
7         console.log("monday");
8         break;
9     case 3:
10        console.log("tuesday");
11        break;
12    case 4:
13        console.log("wednesday");
14        break;
15    case 5:
16        console.log("thursday");
17        break;
18    case 6:
19        console.log("friday");
```

Problems Output Debug Console Terminal Ports

Filter (e.g. text, lexcludeText, L...

Code

[Running] node "d:\javascript\assignment\task3.html\switch.js"

friday

[Done] exited with code=0 in 0.208 seconds

Ln 19, Col 31 Spaces: 4 UTF-8 CRLF JavaScript Go Live Prettier

📄 Explorer

javascript

api

app

array advanced

assignment

task2.html

task3.html

JS 1-10-usingforloop.js

JS positive-or-negative.js

JS switch.js

task1.html

class

default parameter

destructuring

DOM basics

DOM events

get_element_by_id

local-storage-demo.html

local-storage.html

objects

promises

rest

spread

Outline

Timeline

JS parallel-async-await.js

local-storage.html

JS positive-or-negative.js

JS switch.js

JS 1-10-usingforloop.js

JS

assignment > task3.html > JS 1-10-usingforloop.js > ...

```
1 for(let i=1;i<=10;i++)
2 {
3   console.log(i);
4 }
```

Problems

Output

Debug Console

Terminal

Ports

Filter (e.g. text, lexcludeText, L...

Code

[Running] node "d:\javascript\assignment\task3.html\1-10-usingforloop.js"

1

2

3

4

5

6

7

8

9

10

[Done] exited with code=0 in 0.184 seconds

< 0 0 0

Ln 1, Col 16

Spaces: 4

UTF-8

CRLF

JavaScript

Go Live

Prettier

📄 Explorer

▼ javascript

- > api
- > app
- > array advanced
- ▼ assignment
 - > task2.html
 - ▼ task3.html
 - JS 1-5-usingwhileloop.js
 - JS 1-10-usingforloop.js
 - JS positive-or-negative.js
 - JS switch.js
- > task1.html
- > class
- > default parameter
- > destructuring
- > DOM basics
- > DOM events
- > get_element_by_id
- ▼ local-storage-demo.html
 - local-storage.html
- > objects
- > promises
- > rest
- > Outline
- > Timeline

assignment > task3.html > JS 1-5-usingwhileloop.js > num

1 let num=1;

2 while(num<=5)

3 {

4 console.log(num);

5 num++;

6 }

Problems

Output

Debug Console

Terminal

Ports

Filter (e.g. text, excludeText, L...

Code

[Running] node "d:\javascript\assignment\task3.html\1-5-usingwhileloop.js"

1

2

3

4

5

[Done] exited with code=0 in 0.237 seconds

< 0 0

Ln 1, Col 10 Spaces: 4 UTF-8 CRLF JavaScript Go Live Prettier

Explorer

javascript

api

app

array advanced

assignment

task2.html

task3.html

JS 1-3-usingdowhile.js

JS 1-5-usingwhileloop.js

JS 1-10-usingforloop.js

JS positive-or-negative.js

JS switch.js

task1.html

class

default parameter

destructuring

DOM basics

DOM events

get_element_by_id

local-storage-demo.html

local-storage.html

objects

promises

Outline

Timeline

JS positive-or-negative.js

JS switch.js

JS 1-10-usingforloop.js

JS 1-5-usingwhileloop.js

JS 1-3-usingdowhile.js

JS

assignment > task3.html > JS 1-3-usingdowhile.js > ...

Run Code (Ctrl+Alt+N)

```
1 let num=1;
2 do{
3   console.log(num)
4   num++;
5 }while(num<=3)
```

Problems

Output

Debug Console

Terminal

Ports

Filter (e.g. text, excludeText, t...

Code

[Running] node "d:\javascript\assignment\task3.html\1-3-usingdowhile.js"

1

2

3

[Done] exited with code=0 in 0.169 seconds

>< 0 0 0

Ln 3, Col 17 Spaces: 4 UTF-8 CRLF JavaScript Go Live Prettier

usingwhileloop.js × JS 1-3-usingdowhile.js × JS skip-and-continue.js × JS api.js × JS implicit-explicit.js × JS promide-order-food-demo.js × JS promise.js × JS inheritance

assignment > task3.html > JS skip-and-continue.js > ...

```
1  for(let i=1;i<=10;i++)
2  {
3      if(i==5)
4      {
5          continue;
6      }
7      if(i==8)
8      {
9          break;
10     }
11     console.log(i);
12 }
```

Problems Output Debug Console Terminal Ports

Filter (e.g. text, excludeText, t...) Code

[Running] node "d:\javascript\assignment\task3.html\skip-and-continue.js"

[Done] exited with code=0 in 0.168 seconds

[Running] node "d:\javascript\assignment\task3.html\skip-and-continue.js"

```
1
2
3
4
6
7
```

< 0 0

Ln 11, Col 20 Spaces: 4 UTF-8 CRLF JavaScript Go Live Prettier