

📄 Explorer

🔍

🔗

🔧

👤

⚙️

javascript

> api

> app

> array advanced

> assignment

> task2.html

> task3.html

> task4

> task5

> task6

JS double-no-array.js

> task1.html

> class

> default parameter

> destructuring

> DOM basics

> DOM events

> get_element_by_id

> local-storage-demo.html

> objects

> promises

> rest

> spread

> Outline

> Timeline

JS print-array-forloop.js

JS double-no-array.js

session-storage.html

JS positive-or-negative.js

JS switch.js

JS

assignment > task6 > JS double-no-array.js > value_double

1 let value=[3,5,7,9,8,12];

2 let value_double=value.map(function(val){

3 return val*2;

4 }

5 }

6 console.log(value_double)

Problems

Output

Debug Console

Terminal

Ports

Filter (e.g. text, excludeText, L...

Code

🔍

🔒

⋮

🔄

✕

[Done] exited with code=0 in 0.189 seconds

[Running] node "d:\javascript\assignment\task6\double-no-array.js"

[6, 10, 14, 18, 16, 24]

OVR

Ln 5, Col 3

Spaces: 4

UTF-8

CRLF

JavaScript

Go Live

Prettier

🔔

📄 Explorer

▼ javascript

▼ assignment

> task3.html

> task4

JS arrow-sub.js

JS function-addition-of-numbers.js

JS multiply-two-numbers.js

JS with-parameter.js

▼ task5

JS globalscope-vs-localscope.js

JS print-array-forloop.js

JS push,pop,shift,unshift.js

▼ task6

JS double-no-array.js

JS even-no-filters.js

task1.html

> class

> default parameter

> destructuring

> DOM basics

> DOM events

> get_element_by_id

> local-storage-demo.html

> Outline

> Timeline

ge.html X

theme-setter.html X

JS function-addition-of-numbers.js X

JS multiply-two-numbers.js X

JS even-no-filters.js X

JS ▶

⌵

...

assignment > task6 > JS even-no-filters.js > ...

1 let value=[3,5,4,24,67,76,90,80];

2 let even_value=value.filter(function(val){

3 return val%2==0;

4 });

5 console.log(even_value);

Problems

Output

Debug Console

Terminal

Ports

Filter (e.g. text, excludeText, t...

Code

⌵

⌵

⌵

⌵

⌵

⌵

[Running] node "d:\javascript\assignment\task6\even-no-filters.js"

[4, 24, 76, 90, 80]

[Done] exited with code=0 in 0.173 seconds

< ⓧ 0 ⚠ 0

Ln 5, Col 25

Spaces: 4

UTF-8


CRLF

{ } JavaScript

Go Live

Prettier

🔔



bers.js × JS multiply-two-numbers.js × JS even-no-filters.js × JS reduce-to-sum-of-array.js × JS number-greater-thn-10.js × JS ▶ □ ...

assignment > task6 > JS number-greater-thn-10.js > grt_value > value.find() callback

1 let value=[2,4,56,43,6,76,8,9];

2 let grt_value=value.find(function(val){

3 return val>10;

4 });

5 console.log(grt_value)

javascript

assignment

task4

task4.html

JS multiply-two-numbers.js

JS with-parameter.js

task5

JS globalscope-vs-localscope.js

JS print-array-forloop.js

JS push,pop,shift,unshift.js

task6

JS double-no-array.js

JS even-no-filters.js

JS number-greater-thn-10.js

JS reduce-to-sum-of-array.js

task1.html

class

default parameter

destructuring

DOM basics

DOM events

get_element_by_id

local-storage-demo.html

Outline

Timeline

Problems

Output

Debug Console

Terminal

Ports

Filter (e.g. text, lexclude;text, t...

Code

⌵

⌵

⌵

⌵

⌵

⌵

⌵

⌵

⌵

⌵

[Done] exited with code=1 in 0.159 seconds

[Running] node "d:\javascript\assignment\task6\number-greater-thn-10.js"

56

