

my-react-project > src > task > Header.jsx > Header

```
1  import React from "react";
2  function Header({text}){
3    return(
4      <div>
5        <header>
6          <h1>{text}</h1>
7        </header>
8      </div>
9    )
10 }export default Header
11
```

Ln 7, Col 18 Spaces: 4 UTF-8 CRLF { } JavaScript JSX Go Live Prettier

my-react-project > src > task > Layout.jsx > Layout

```
1  import React from "react";
2
3  function Layout({ children }) {
4    return (
5      <div>
6        <header>
7          <h1>My React App</h1>
8        </header>
9
10       <main>
11         {children}
12       </main>
13
14       <footer>
15         <p>© 2026 My React App</p>
16       </footer>
17     </div>
18   );
19 }
20
21 export default Layout;
```

Ln 11, Col 19 Spaces: 2 UTF-8 CRLF { } JavaScript JSX Go Live Prettier

TextPreview.jsx × Focus.jsx × Buttoncom.jsx × Header.jsx × Footer.jsx × Layout.jsx × Usecard.jsx ×

my-react-project > src > task > Usecard.jsx > default

```
1  import React from "react";
2
3  function UserCard({ name, age }) {
4    return (
5      <div>
6        <h2>User Details</h2>
7        <p>Name: {name}</p>
8        <p>Age: {age}</p>
9      </div>
10   );
11 }
12
13 export default UserCard;
```

Ln 13, Col 25 Spaces: 2 UTF-8 CRLF { } JavaScript JSX Go Live Prettier

TextPreview.jsx × Focus.jsx × Buttoncom.jsx × Header.jsx × Footer.jsx × Layout.jsx × Usecard.jsx ×

my-react-project > src > task > Footer.jsx > default

```
1  import React from "react";
2  function Footer(){
3    return (
4      <footer>
5        <p>{text}</p>
6      </footer>
7    );
8  }export default Footer
```

Ln 8, Col 23 Spaces: 2 UTF-8 CRLF { } JavaScript JSX Go Live Prettier

TextPreview.jsx × Focus.jsx × Buttoncom.jsx × Header.jsx × Footer.jsx × Layout.jsx × Usecard.jsx × ▶ □ ...

my-react-project > src > task > Buttoncom.jsx > default

```
1  import React from "react";
2
3  function Buttoncom({ label, onClick }) {
4    return (
5      <div>
6        <button onClick={onClick}>
7          {label}
8        </button>
9      </div>
10    );
11  }
12
13  export default Buttoncom;
```

```
App.jsx X FlexBoxDemo.jsx X MuiButton.jsx X MuiTextField.jsx X MuiTypography.jsx X LoginScreen.jsx X ...
my-react-project > src > App.jsx > App
35 import FlexBoxDemo from './pages/tailwindcss/FlexBoxDemo.jsx'
36 import MuiButton from './pages/material Ui/MuiButton.jsx'
37 import MuiTextField from './pages/material Ui/MuiTextField.jsx'
38
39 import LoginScreen from './pages/material Ui/LoginScreen.jsx'
40 import ThemeToggle from './task2/ThemeToggle.jsx'
41 import Layout from './task/Layout.jsx'
42 import UserCard from './task/Usecard.jsx'
43
44 import Buttoncom from './task/Buttoncom.jsx'
45
46 function App() {
47   // const [id,setId]=useState(0);
48   // const[compname,setcompname]=useState();
49   // const navigate=useNavigate();
50   // function handleClick(){
51   //   navigate(`/user/${id}`)
52   // }
53   // function doSubtract(){
54   //   alert (20-5);
55   // }
56   function handleClick(){
57     alert("button clicked");
58   }
59
60   return (
61     <>
62
63     {/* <Sayhello/> */}
```

```
App.jsx X FlexBoxDemo.jsx X MuiButton.jsx X MuiTextField.jsx X MuiTypography.jsx X LoginScreen.jsx X < > < > ...
my-react-project > src > App.jsx > App
46  function App() {
114      /* <FlexBoxDemo/> */
115      /* <MuiButton/> */
116      /* <MuiTextField/> */
117      /* <MuiTypography/> */
118      /* <LoginScreen/> */
119      /* <ThemeToggle/> */
120      <Layout>
121        <header text="this is a header"/>
122        <UserCard name="Obin" age="21" />
123        <Buttoncom onClick={handleClick}label={"click here"}/>
124        <footer text="© 2026 My React App"/>
125      </Layout>
126    </>
127  )
128 }
129
130 export default App
131
```

My React App
User Details
Name: Obin
Age: 21
[click here](#)
© 2026 My React App

