

3task 4task 5task 6task 7task 8task 9task 10task 11task 13task 14SQL File 15*SQL File 16*task 15*

Limit to 1000 rows

```
38 AFTER DELETE
39 ON employees
40 FOR EACH ROW
41 BEGIN
42     INSERT INTO employees_archive
43     VALUES
44     (
45         OLD.emp_id,
46         OLD.emp_name,
47         OLD.salary,
48         NOW()
49     );
50 END//
51
52 DELIMITER ;
53 • DELETE FROM employees WHERE emp_id = 2;
```

Result Grid

Filter Rows:

Export:

Wrap Cell Content: [IA](#)

	emp_id	emp_name	salary	deleted_on
▶	2	Maria	60000.00	2026-07-26 11:29:54

Limit to 1000 rows

```

60     price DECIMAL(10,2),
61     last_modified TIMESTAMP
62 );
63 • CREATE TABLE update_last_modified(last_modified timestamp);
64 DELIMITER //
65
66 • CREATE TRIGGER update_last_modified
67 BEFORE UPDATE
68 ON products
69 FOR EACH ROW
70 BEGIN
71     SET NEW.last_modified = NOW();
72 END//
73
74 DELIMITER ;
75 • UPDATE products SET price = 900 WHERE product_id = 1;
76

```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 15	11:35:57	SELECT * FROM update_last_modified LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
✓ 16	11:37:07	UPDATE products SET price = 900 WHERE product_id = 1	0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0	0.000 sec

```

80 );
81 DELIMITER //
82
83 • CREATE TRIGGER prevent_null_student_name
84 BEFORE INSERT
85 ON students
86 FOR EACH ROW
87 BEGIN
88     IF NEW.student_name IS NULL THEN
89         SIGNAL SQLSTATE '45000'
90         SET MESSAGE_TEXT = 'Student Name cannot be NULL';
91     END IF;
92 END//
93
94 DELIMITER ;
95 • INSERT INTO students VALUES (1, NULL, 'abc@gmail.com');
96

```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓	18 11:38:40	CREATE TRIGGER prevent_null_student_name BEFORE INSERT ON students FO...	0 row(s) affected	0.062 sec
✗	19 11:39:12	INSERT INTO students VALUES (1,NULL,'abc@gmail.com')	Error Code: 1644, Student Name cannot be NULL	0.000 sec

```

113
114 • CREATE TRIGGER check_customer_status
115 BEFORE INSERT
116 ON orders
117 FOR EACH ROW
118 BEGIN
119     DECLARE customer_status VARCHAR(20);
120
121     SELECT status
122     INTO customer_status
123     FROM customers
124     WHERE customer_id = NEW.customer_id;
125
126     IF customer_status = 'Inactive' THEN
127         SIGNAL SQLSTATE '45000'
128         SET MESSAGE_TEXT = 'Inactive customer cannot place orders';
129     END IF;

```

Output :

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 24	11:41:27	CREATE TRIGGER check_customer_status BEFORE INSERT ON orders FOR EAC...	0 row(s) affected	0.063 sec
✗ 25	11:44:03	INSERT INTO orders VALUES (101,2,1500)	Error Code: 1644. Inactive customer cannot place orders	0.000 sec

