

```
1 create table sales(id int primary key,product varchar(100),amount int);
2 insert into sales values(1,'laptop',60000),
3 (2,'computer',30000),
4 (3,'hard disk',2000),
5 (4,'laptop',60000),
6 (5,'hard disk',2000);
7 select id,product,amount,sum(amount) over(order by product) as running_total from sales;
```

Result Grid		Filter Rows:	Export:	Wrap Cell Content:
	id	product	amount	running_total
▶	2	computer	30000	30000
	3	hard disk	2000	34000
	5	hard disk	2000	34000
	1	laptop	60000	154000
	4	laptop	60000	154000

Result 2 

Read On

Output :

⌵ Action Output

#	Time	Action	Message	Duration / Fetch
22	19:30:07	select id,product,amount,sum(amount) over(order by product)from sales	5 row(s) returned	0.000 sec / 0.000 sec
23	19:32:50	select id,product,amount,sum(amount) over(order by product) as running_total from ...	5 row(s) returned	0.000 sec / 0.000 sec

assignment
task 2
task 3
task 4
task 5
task 6
task 7
task 8
task 9
task 10
task 11
task 13
task 14*

Limit to 1000 rows

```

5      (4,'laptop',60000),
6      (5,'hard disk',2000);
7 •    select id,product,amount,sum(amount) over(order by product) as running_total from sales;
8 •    with cte_sales as
9      (
10     select id,product,amount as sales_above_average from sales where amount>(select avg(amount) from sales)
11     )select * from cte_sales;
12
13

```

Result Grid
Filter Rows:
Export:
Wrap Cell Content:

	id	product	amount
▶	1	laptop	60000
	4	laptop	60000

Result 7 × Read On

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 30	19:47:01	WITH cte_sales AS (SELECT id, product, amount FROM sale...	2 row(s) returned	0.000 sec / 0.000 sec
✓ 31	19:47:10	WITH cte sales AS (SELECT id, product, amount FROM sale...	2 row(s) returned	0.016 sec / 0.000 sec

```

13 • create procedure stored_emp_insert()
14 • begin
15 •   insert into employees(emp_id,emp_name,gender,salary) values(10,'akash','m',45000);
16 •   select * from employees;
17 • end//
18 • delimiter ;
19 • call stored_emp_insert;
20 • drop procedure stored_emp_insert;
21

```

Result Grid Filter Rows: Export: Wrap Cell Content: 1/1

emp_id	emp_name	gender	salary
1	arun	M	NA
2	priya	F	NA
9	akash	m	45000.00
10	akash	m	45000.00

Result 1 x Read O

Output

Action Output

#	Time	Action	Message	Duration / Fetch
5	16:33:09	create procedure stored_emp_insert() begin insert into employees(emp_id,emp_name,gender,salary) values(10,'akash','m',45000);	0 row(s) affected	0.000 sec
6	16:33:14	call stored_emp_insert	4 row(s) returned	0.000 sec / 0.000 sec

```

21 delimiter //
22 • create procedure update_table(in id int)
23 • begin
24 •     update employees set emp_name='john' where emp_id=id;
25 • end//
26 delimiter ;
27 • call update_table(9);
28 • select * from employees;
```

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:

	emp_id	emp_name	gender	salary
▶	1	arun	M	NULL
	2	priya	F	NULL
	9	john	m	45000.00
	10	akash	m	45000.00
*	NULL	NULL	NULL	NULL

employees 2 Apply

Output

Action Output				
#	Time	Action	Message	Duration / Fetch
✓ 11	16:51:29	call update_table(9)	0 row(s) affected	0.000 sec
✓ 12	16:51:39	select * from employees LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec