


```

43      (5, 'David', 'Sales', 65000),
44      (6, 'James', 'Sales', 62000);
45  •   SELECT emp_id,
46         emp_name,
47         department,
48         salary
49  FROM employees e1
50  WHERE salary =
51  (
52      SELECT MAX(salary)
53      FROM employees e2
54      WHERE e1.department = e2.department
55  );

```

Result Grid				Filter Rows:	Edit:	Export/Import:	Wrap Cell Content:
	emp_id	emp_name	department	salary			
▶	2	Alice	IT	75000.00			
	4	Maria	HR	50000.00			
	5	David	Sales	65000.00			
•	<u>HIDE</u>	<u>HIDE</u>	<u>HIDE</u>	<u>HIDE</u>			

sk 2task 3task 4task 5task 6task 7task 8task 9task 10task 11task 13task 14SQL File 15*SQL File 16*

Limit to 1000 rows

```
53     FROM employees e2
54     WHERE e1.department = e2.department
55 );
56 • CREATE TABLE products (
57     product_id INT PRIMARY KEY,
58     product_name VARCHAR(100),
59     price DECIMAL(10,2)
60 );
61
62 • INSERT INTO products VALUES
63 (1, 'Laptop', 70000),
64 (2, 'Mouse', 500),
65 (3, 'Keyboard', 1500);
66 • select product_id,product_name from products where exists(select * from products where product_name='laptop');
```

Result Grid

Filter Rows:

Edit: Export/Import: Wrap Cell Content:

	product_id	product_name
▶	1	Laptop
	2	Mouse
	3	Keyboard
•	NULL	NULL