

```
1 • use companydb;
2 • create table customers(customer_id int primary key, customer_name varchar(100), customer_address varchar(100), order_id int,
3   foreign key (order_id) references orders(order_id));
4 • create table orders(order_id int primary key, order_name varchar(100));
5
```

Output

 Action Output

#	Time	Action	Message	Duration / Fetch
✓ 16	22:07:19	create table orders(order_id int primary key, order_name varchar(100))	0 row(s) affected	0.078 sec
✓ 17	22:07:27	create table customers(customer_id int primary key, customer_name varchar(100), cus...	0 row(s) affected	0.047 sec

Limit to 1000 rows

```

1 • use companydb;
2 • create table customers(customer_id int primary key,customer_name varchar(100),customer_address varchar(100),order_id int,
3   foreign key (order_id) references orders(order_id));
4 • create table orders(order_id int primary key,order_name varchar(100));
5 • insert into customers(customer_id,customer_name,customer_address,order_id)values
6   (1,'obin','abc street',101),
7   (2,'nimil','def street',102),
8   (3,'dharshan','ghi street',103),
9   (4,'ajay','jkl street',104),
10  (5,'sanjay','mno street',105);
11 • insert into orders(order_id,order_name) values
12  (101,'laptop'),
13  (102,'mouse'),
14  (103,'keyboard'),
15  (104,'cpu'),
16  (105,'hard disk');
17 • insert into customers(customer_id,customer_name) values(6,'rohit');
```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 19	22:08:40	insert into orders(order_id,order_name) values (101,laptop), (102,mouse), (103,keyboard), (104,cpu), (105,hard disk);	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.062 sec
✓ 20	22:08:44	insert into customers(customer_id,customer_name,customer_address,order_id)values (1,'obin','abc street',101), (2,'nimil','def street',102), (3,'dharshan','ghi street',103), (4,'ajay','jkl street',104), (5,'sanjay','mno street',105);	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.063 sec

assignment
task 2
task 3
task 4
task 5
task 6
task 7
task 8
task 9

Limit to 1000 rows

```

14  (103,'keyboard'),
15  (104,'cpu'),
16  (105,'hard disk');
17  • insert into customers(customer_id,customer_name) values(6,'rohit');
18  • select c1.customer_name,o1.order_name from
19    customers c1 inner join orders o1
20    on c1.order_id=o1.order_id;
21  • select c1.customer_name,o1.order_name from
22    customers c1 left join orders o1

```

Result Grid
Filter Rows:
Export:
Wrap Cell Content:

	customer_name	order_name
▶	obin	laptop
	nimil	mouse
	dharshan	keyboard
	ajay	cpu
	sanjay	hard disk
	rohit	

Result 3
Read On

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 23	22:15:01	select c1.customer_name,o1.order_name from customers c1 inner join orders o1 o...	5 row(s) returned	0.000 sec / 0.000 sec
✓ 24	22:15:39	select c1.customer_name,o1.order_name from customers c1 left join orders o1 on ...	6 row(s) returned	0.016 sec / 0.000 sec