
localhost:5173
Home Page
Open Modal
About Page
Open Modal


localhost:5173
Home Page
Open Modal
Home Modal
Welcome to the Home Page.
Close
About Page
Open Modal


localhost:5173
Home Page
Open Modal
Home Modal
Welcome to the Home Page.
Close
About Page
Open Modal
About Modal
This modal is reused on the About Page.
Close


Explorer
Redux
Redux-app
src
pages
About.jsx
Home.jsx
store
constants.js
utils
helpers.js
action.js
App.css
App.jsx
Counter.jsx
counterReducer.js
index.css
main.jsx
store.js
.gitignore
eslint.config.js
index.html
package-lock.json
Outline
Timeline
App.jsx
Counter.jsx
action.js
Modal.jsx
useToggle.js
Home.jsx
About.jsx
Redux-app > src > App.jsx > ...
import { useState } from 'react'
import heroImg from './assets/hero.png'
import reactLogo from './assets/react.svg'
import viteLogo from './assets/vite.svg'
import './App.css'
import Counter from './Counter'
import Home from "@pages/Home";
import About from "@pages/About";
function App() {
return (
<>
{/* <Counter/> */}

<Home />
<hr />
<About />

</>
)
}
export default App
Ln 8, Col 34
Spaces: 2
UTF-8
LF
JavaScript JSX
Go Live
Prettier


Explorer
Redux
Redux-app
node_modules
public
src
assets
components
Modal.jsx
hooks
useToggle.js
pages
About.jsx
Home.jsx
store
constants.js
utils
helpers.js
action.js
App.css
App.jsx
Counter.jsx
counterReducer.js
index.css
Outline
Timeline
App.jsx
Counter.jsx
action.js
Modal.jsx
useToggle.js
Home.jsx
About.jsx
Redux-app > src > components > Modal.jsx > default
import React from "react";
function Modal({ title, children, onClose }) {
return (

<h2>{title}</h2>

{children}

<button onClick={onClose}>
Close
</button>

);
}
export default Modal;


Explorer
Redux
Redux-app
node_modules
public
src
assets
components
Modal.jsx
hooks
useToggle.js
pages
About.jsx
Home.jsx
store
constants.js
utils
helpers.js
action.js
App.css
App.jsx
Counter.jsx
counterReducer.js
index.css
Outline
Timeline
App.jsx
Counter.jsx
action.js
Modal.jsx
useToggle.js
Home.jsx
About.jsx
Redux-app > src > hooks > useToggle.js > default
import { useState } from "react";
function useToggle(initialValue = false) {
const [value, setValue] = useState(initialValue);
function toggle() {
setValue(!value);
}
return [value, toggle];
}
export default useToggle;
Ln 13, Col 26
Spaces: 4
UTF-8
CRLF
JavaScript
Go Live
Prettier


Explorer
Redux
Redux-app
node_modules
public
src
assets
components
Modal.jsx
hooks
useToggle.js
pages
About.jsx
Home.jsx
store
constants.js
utils
helpers.js
action.js
App.css
App.jsx
Counter.jsx
counterReducer.js
index.css
Outline
Timeline
App.jsx
Counter.jsx
action.js
Modal.jsx
useToggle.js
Home.jsx
About.jsx
Redux-app > src > pages > About.jsx > default
import React from "react";
import Modal from "../components/Modal";
import useToggle from "../hooks/useToggle";
function About() {
const [showModal, toggleModal] = useToggle(false);
return (

<h1>About Page</h1>
<button onClick={toggleModal}>
Open Modal
</button>
{showModal && (
<Modal
title="About Modal"
onClose={toggleModal}
>

This modal is reused on the About Page.

</Modal>
)}

);
}
Ln 31, Col 22
Spaces: 4
UTF-8
CRLF
JavaScript JSX
Go Live
Prettier


Explorer
Redux
Redux-app
node_modules
public
src
assets
components
Modal.jsx
hooks
useToggle.js
pages
About.jsx
Home.jsx
store
utils
helpers.js
action.js
App.css
App.jsx
Counter.jsx
counterReducer.js
index.css
main.jsx
Outline
Timeline
App.jsx
Counter.jsx
action.js
Modal.jsx
useToggle.js
Home.jsx
About.jsx
Redux-app > src > pages > Home.jsx > default
import React from "react";
import Modal from "@components/Modal";
import useToggle from "@hooks/useToggle";
function Home() {
const [showModal, toggleModal] = useToggle(false);
return (

<h1>Home Page</h1>
<button onClick={toggleModal}>
Open Modal
</button>
{showModal && (
<Modal
title="Home Modal"
onClose={toggleModal}
>

Welcome to the Home Page.

</Modal>
)}

);
}
Ln 31, Col 21
Spaces: 4
UTF-8
CRLF
JavaScript JSX
Go Live
Prettier


Explorer
Redux
Redux-app
node_modules
public
src
assets
components
Modal.jsx
hooks
useToggle.js
pages
About.jsx
Home.jsx
store
constants.js
utils
helpers.js
action.js
App.css
App.jsx
Counter.jsx
counterReducer.js
index.css
Outline
Timeline
Counter.jsx
action.js
Modal.jsx
useToggle.js
Home.jsx
About.jsx
constants.js
Redux-app > src > store > constants.js > ...
export const APP_NAME = "My React Application";
export const NAV_ITEMS = [
"Home",
"About",
"Contact"
];
export const MODAL_TITLE = "Welcome";


Explorer
Redux
Redux-app
node_modules
public
src
assets
components
Modal.jsx
hooks
useToggle.js
pages
About.jsx
Home.jsx
store
constants.js
utils
helpers.js
action.js
App.css
App.jsx
Counter.jsx
counterReducer.js
index.css
Outline
Timeline
action.js
Modal.jsx
useToggle.js
Home.jsx
About.jsx
constants.js
helpers.js
Redux-app > src > utils > helpers.js > formatName
export function capitalize(text) {
return text.charAt(0).toUpperCase() + text.slice(1);
}
export function add(a, b) {
return a + b;
}
export function formatName(name) {
return capitalize(name.trim());
}
Ln 11, Col 2
Spaces: 4
UTF-8
CRLF
JavaScript
Go Live
Prettier


Explorer
Redux
Redux-app
src
store
constants.js
utils
helpers.js
action.js
App.css
App.jsx
Counter.jsx
counterReducer.js
index.css
main.jsx
store.js
.gitignore
eslint.config.js
index.html
package-lock.json
package.json
README.md
vite.config.js
Outline
Timeline
Modal.jsx
useToggle.js
Home.jsx
About.jsx
constants.js
helpers.js
vite.config.js
Redux-app > vite.config.js > default
// import { defineConfig } from 'vite'
// // https://vite.dev/config/
// export default defineConfig({
//   plugins: [react()],
// })
import { defineConfig } from "vite";
import react from "@vitejs/plugin-react";
import path from "path";
export default defineConfig({
plugins: [react()],
resolve: {
alias: {
"@": path.resolve(__dirname, "./src"),
"@components": path.resolve(__dirname, "./src/components"),
"@pages": path.resolve(__dirname, "./src/pages"),
"@hooks": path.resolve(__dirname, "./src/hooks"),
"@store": path.resolve(__dirname, "./src/store"),
"@utils": path.resolve(__dirname, "./src/utils")
}
}
});
0 0
Ln 25, Col 4
Spaces: 2
UTF-8
LF
JavaScript
Go Live
Prettier