

screenwidth.html × css-transition.html temp.html \ index.html temp.html css code box_shadow.html position_prop.html a ▶ 🌐 📄 ...

assignment > screenwidth.html > html > body > div.box

```
1 <!DOCTYPE html>
2 <html>
3   <head><title>
4     80% screen width
5   </title>
6   <style>
7     .box{
8       width: 80%;
9       max-width: 600px;
10      background-color: aqua;
11      height: 200px;
12      margin: auto;
13    }
14  </style>
15 </head>
16 <body>
17   <div class="box">
18     |
19   </div>
20 </body>
21
22 </html>
```

🔍 0 ⚠️ 0 Ln 18, Col 9 Spaces: 4 UTF-8 CRLF {} HTML 🗑️ 🔄 Port : 5500 ✓ Prettier 🔔



mlcss-task4.html ×css-transition.htmltemp.html \index.htmltemp.html css codebox_shadow.htmlposition_prop.html


assignment > css-task4.html > html > head > style > p

```
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4    <meta charset="UTF-8">
5    <meta name="viewport" content="width=device-width, initial-scale=1.0">
6    <title>Document</title>
7    <style>
8      p{
9        font-size: 1.5rem;
10     }
11     h1{
12       font-size: 5vw;
13     }
14   </style>
15 </head>
16 <body>
17   <h1>heading using vw</h1>
18   <p>this is a paragraph</p>
19
20 </body>
21 </html>
```

Ln 10, Col 10 · Sources · 4 · UTF-8 · GBLE · 1 · HTML · Port: 5500 · Prettier

heading using vw

this is a paragraph





Responsive Website

