

Explorer

javascript

assignment

task3.html

task4

JS arrow-sub.js

JS function-addition-of-numbers.js

JS multiply-two-numbers.js

JS with-parameter.js

task5

task6

task7

task8

task9

task10

task11

task12

task13

JS function-callback.js

task1.html

class

default parameter

destructuring

DOM basics

Outline

Timeline

spread.js

JS rest-function.js

JS sync-async.js

JS print-after-2sec.js

JS counter-1sec.js

JS function-callback.js

assignment > task13 > JS function-callback.js > obin

```
1 function obin(name,callback){
2   console.log("welcome " +name)
3   callback();
4 }
5 function message(){
6   console.log("message printed successfully");
7 }
8 obin("obin",message);
```

Problems

Output

Debug Console

Terminal

Ports

Filter (e.g. text, excludeText, L...

Code

[Done] exited with code=0 in 0.207 seconds

[Running] node "d:\javascript\assignment\task13\function-callback.js"

welcome obin

message printed successfully

[Done] exited with code=0 in 0.213 seconds

Ln 2, Col 26

Spaces: 4

UTF-8

CRLF

JavaScript

Go Live

Prettier

📄 Explorer

▼ javascript

▼ assignment

▼ task4

JS with parameter.js

> task5

> task6

> task7

> task8

> task9

> task10

> task11

> task12

▼ task13

JS function-callback.js

JS promise obj.js

> task1.html

> class

> default parameter

> destructuring

> DOM basics

> DOM events

> get_element_by_id

> local-storage-demo.html

> Outline

> Timeline

unction.js X JS sync-async.js X JS print-after-2sec.js X JS counter-1sec.js X JS function-callback.js X JS promise obj.js X

assignment > task13 > JS promise obj.js > promise > <function>

```
1 let promise=new Promise((resolve,reject)=>{
2 let success=true;
3 if(success){
4 console.log("answer is true")
5
6 }
7 else{
8 console.log("the answer is false");
9 }
10 })
```

Problems Output Debug Console Terminal Ports

Filter (e.g. text, excludeText, L...

Code

≡ ☰ ... [] X

```
[Done] exited with code=0 in 0.176 seconds

[Running] node "d:\javascript\assignment\task13\promise obj.js"
answer is true

[Done] exited with code=0 in 0.166 seconds
```

< 0 0

Ln 8, Col 40 Spaces: 4 UTF-8 CRLF JavaScript Go Live Prettier

✎

🔍

🔗

🐛

📦

👤

⚙️

Explorer

▼ javascript

▼ assignment

> task5

> task6

> task7

> task8

> task9

> task10

> task11

> task12

▼ task13

JS function-callbackjs

JS handling promisejs

JS promise objjs

<> task1.html

> class

> default parameter

> destructuring

> DOM basics

> DOM events

> get_element_by_id

> local-storage-demo.html

> Outline

> Timeline

js X JS print-after-2secjs X JS counter-1secjs X JS function-callbackjs X JS promise objjs X JS handling promisejs X

assignment > task13 > JS handling promisejs > ...

```
1  promise=new Promise((resolve,reject)=>{
2  let success=true;
3  if(success)
4  {
5      console.log("this is correct")
6  }
7  }
8  else{
9      console.log("not correct")
10 }
11 })
12 promise
13 .then((result)=>{
14     console.log(result);
15 })
16 .catch((error)=>{
17     console.log(error);
18 })
```

Problems

Output

Debug Console

Terminal

Ports

Filter (e.g. text, excludeText, t...

Code

⌵

🔗

⋮

🔄

✕

[Done] exited with code=1 in 0.167 seconds

[Running] node "d:\javascript\assignment\task13\handling promise.js"

this is correct

[Done] exited with code=0 in 0.236 seconds

OVR

Ln 15, Col 3

Spaces: 4

UTF-8

CRLF

JavaScript

Go Live

Prettier

🔔