

assignment
task 2
task 3
task 4
task 5
task 6
task 7
task 8
task 9
task 10
task 11

Limit to 1000 rows

```

1 • create table employeetb(emp_id int primary key,emp_name varchar(100),salary int, dept_id int);
2 • insert into employeetb(emp_id,emp_name,salary,dept_id)values(1,'obin',30000,101),
3   (2,'rohit',35000,102),
4   (3,'karthik',40000,102),
5   (4,'nimil',45000,102),
6   (5,'abinesh',20000,101);
7 • select * from employeetb where salary>(select avg(salary) from employeetb);

```

Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content:

	emp_id	emp_name	salary	dept_id
▶	2	rohit	35000	102
	3	karthik	40000	102
	4	nimil	45000	102
*	NULL	NULL	NULL	NULL

employeetb 1
Apply
Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
❌ 2	21:22:57	insert into employeetb(emp_id,emp_name,salary,dept_id)values(1,'obin',30000,101),...	Error Code: 1062. Duplicate entry '1' for key 'employeetb.PRIMARY'	0.000 sec
✅ 3	21:23:03	select * from employeetb where salary>(select avg(salary) from employeetb) LIMIT 0,...	3 row(s) returned	0.000 sec / 0.000 sec

```
12 • insert into products (product_id, product_name, price) values
13 (1, 'Laptop', 60000),
14 (2, 'Mouse', 500),
15 (3, 'Keyboard', 1500),
16 (4, 'Monitor', 12000),
17 (5, 'Headphones', 2500);
18 • select * from products where price > (select min(price) from products);
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: |

	product_id	product_name	price
▶	1	Laptop	60000
	3	Keyboard	1500
	4	Monitor	12000
	5	Headphones	2500
•	NULL	NULL	NULL

products 2 x

Apply Revert

#	Time	Action	Message	Duration / Fetch
5	21:23:54	insert into products (product_id, product_name, price) values (1, 'Laptop', 60000); (2...	Error Code: 1062. Duplicate entry '1' for key 'products.PRIMARY'	0.000 sec
6	21:23:58	select * from products where price > (select min(price) from products) LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec

assignment
task 2
task 3
task 4
task 5
task 6
task 7
task 8
task 9
task 10
task 11*

Limit to 1000 rows

```

35  (4, 'Rahul', 'Mumbai'),
36  (5, 'Priya', 'Delhi');
37  • insert into orders (order_id, customer_id, order_date) values
38  (101, 1, '2026-07-01'),
39  (102, 3, '2026-07-05'),
40  (103, 5, '2026-07-10');
41  • select *from customers where customer_id in (select customer_id from orders);

```

Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content:

	customer_id	customer_name	city
▶	1	Obin	Chennai
	3	Arun	Hyderabad
	5	Priya	Delhi
•	NULL	NULL	NULL

customers 3 x Apply Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 10	21:24:34	insert into orders (order_id, customer_id, order_date) values (101, 1, '2026-07-01'), (...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.000 sec
✓ 11	21:24:38	select *from customers where customer_id in (select customer_id from orders) LIMIT...	3 row(s) returned	0.000 sec / 0.000 sec