

odel.html task3.html task4.html ✕ flex_box.html inactivetags.html target.html fog.png.png realmadrid.jpg home.html

assignment > task4.html > html > body

```
2 <html>
3 </html>
4
5 </head>
6 <body>
7     <h1 id="top" class="color">hyperlinks</h1>
8     <a href="https://google.com" target="_blank">open google</a>
9     <br><br>
10    <a href="index.html">html page</a>
11    <br><br>
12    <h1>inputs</h1>
13
14    <a href="#top">back to top</a>
15
16 </body>
17 </html>
```

hyperlinks

[open google](#)

[html page](#)

[back to top](#)

odel.html task3.html task4.html flex_box.html ineractivetags.html target.html fog.png.png realmadrid.jpg home.html

assignment > task4.html > html > body > br

```
2 <html>
6 <body>
12 <div>mini form</div>
13 <br />
14 <form>
15 <div>
16 <label>username:</label>
17 <input type="text" placeholder="username" />
18 </div><br>
19 <div>
20 <label>password:</label>
21 <input type="password" placeholder="password" />
22 </div><br>
23 <div>
24 <label>email:</label>
25 <input type="email" placeholder="email" />
26 </div>
27 <div>
28 <label>skills</label>
29 <br>
30 <input type="checkbox" name="skills" />HTML<br>
31 <input type="checkbox" name="skills">css<br>
32 <input type="checkbox" name="skills">javascript<br>
33 </div><br>
34 <div>
35 <label>gender</label><br>
36 <input type="radio" name="gender">male<br>
37 <input type="radio" name="gender">female<br>
38 </div>
39 </form>
```

Ln 40, Col 9 Spaces: 4 UTF-8 CRLF HTML 5500 Prettier

hyperlinks

[open google](#)

[html page](#)

mini form

username:

password:

email:

skills

☒ HTML

☒ CSS

☒ javascript

gender

☒ male

☐ female

odel.html task3.html task4.html X flex_box.html ineractivetags.html target.html fog.png.png realmadrid.jpg home.html

assignment > task4.html > html > body > br

```
2  <html>
44  <head>
46    <style>
47      .alter{
50      }
51    </style>
52  </head>
53
54  <body>
55    <h2 class="alter">href attribute</h2>
56    <a href="about.html">about</a><br>
57    <h2 class="alter">src attribute</h2>
58    </a><br>
59    <h2 class="alter">alt attribute</h2>
60    </a><br>
61    <h2 class="alter">id</h2>
62    <p id="alter">this ia a id attribute</p><br>
63    <h2 class="alter">class attribute</h2>
64    <p class="para">this ia a class attribute</p><br>
65    <h2 class="alter">type attribute</h2>
66    <input type="button" value="button"><br>
67    <h2 class="alter">placeholder</h2>
68    <input type="text" placeholder="enter your name"><br>
69
70
71  </body>
72 </html>
73
```

href attribute

[about](#)

src attribute



alt attribute

real amdrid team

id

this ia a id attribute

odel.html task3.html task4.html flex_box.html inactivetags.html target.html fog.png.png realmadrid.jpg home.html

assignment > task4.html > html > head

2 <html>

39 </form>

40

41

42 back to top

43 </body> -->

44 <head>

45 <title>css style using class</title>

46 <style>

47 .alter{

48 color: blue;

49 font-style: italic;

50 }

51 </style>

52 </head>

53

54 <body>

55 <h2 class="alter">href attribute</h2>

56 about

57 <h2 class="alter">src attribute</h2>

58

59 <h2 class="alter">alt attribute</h2>

60

61 <h2 class="alter">id</h2>

62 <p id="alter">this ia a id attribute</p>

63 <h2 class="alter">class attribute</h2>

64 <p class="para">this ia a class attribute</p>

65 <h2 class="alter">type attribute</h2>

66 <input type="button" value="button">

Ln 51, Col 14 Spaces: 4 UTF-8 CRLF {} HTML Port: 5500 Prettier

href attribute

[about](#)

src attribute



alt attribute

 real amdrid team

id

this ia a id attribute