

ClaudeOS — Manual QA Test Plan

Version: 1.0 | **System:** Flask :5000 + Streamlit :8501

How to use: Work top-to-bottom. Mark each item PASS / FAIL / SKIP. Fix all FAILs before client handover.

PRE-FLIGHT (Do this first, every session)

```
# Terminal 1 – start both servers
.\scripts\start.ps1
```

Wait ~10 seconds, then verify:

Check	How	Expected
Flask alive	Browser → `http://localhost:5000/api/v1/health`	`{"status":"ok"}`
Streamlit alive	Browser → `http://localhost:8501`	Login page loads
DB exists	File exists: `data/claudeos.db`	File present, non-zero size
ChromaDB exists	Folder exists: `data/chromadb`	Folder present

If Flask returns nothing: check terminal for import errors. Common cause: missing package → `pip install -r requirements.txt`

SECTION 0 — AUTH (prerequisite for everything)

0.1 Login

1. Open `http://localhost:8501`
2. Enter username admin + correct password
3. Click Login (or press Enter)

Expected: Dashboard loads, sidebar shows all nav items, username visible bottom-left.

Fail signals: "Invalid credentials", blank page, spinner that never resolves.

0.2 Token auto-refresh (background check)

- Stay logged in for 60+ minutes → dashboard should NOT log you out
- If it does log out: token refresh is broken (check `dashboard/app.py` auto-refresh logic)

0.3 Logout

1. Click **Logout** button in sidebar
2. **Expected:** Returns to login page, session cleared

0.4 Wrong password logout

1. Logout, then attempt login with wrong password 5 times
2. **Expected:** Account locked message appears
3. Login as admin → Admin → Users → Unlock the account

SECTION 1 — OVERVIEW PAGE

Navigate to: Overview (first item in sidebar)

1.1 KPI Cards

Expected: Six metric cards visible:

- Memories | Agent Runs | Active Workflows | Projects | Outputs | Open Tickets
- All show numbers (0 is acceptable, "—" or error is NOT)

1.2 System Status (admin-visible)

Expected: Three status badges visible:

- API Status → green "online"
- Database → green "online"
- ChromaDB → green "online" (or yellow "degraded" if chromadb not indexed yet)

If Database shows red: Flask can't reach SQLite → restart server

1.3 Memory Breakdown

Expected: Per-namespace memory entry counts listed (may be 0 if no memories added yet)

1.4 Quick Dispatch (agent run from Overview)

1. Select any agent from dropdown
2. Select namespace `global`
3. Type a short prompt: `say hello`
4. Click Run

Expected: Response appears in the chat area within 30 seconds, no error banner.

Fail signals: "Stream error", "API unreachable", spinner forever.

1.5 Live Activity Feed

Expected: After completing 1.4, the feed shows the new run with status badge.

1.6 Auto-refresh toggle

1. Toggle on **Auto-refresh**
2. Wait 8–10 seconds
3. **Expected:** Page data refreshes without manual reload, no crash

SECTION 2 — AGENTS PAGE

Navigate to: Agents

2.1 Catalog Tab

1. Click **Catalog** tab
2. **Expected:** Grid of agent cards, each showing name, category badge, model, description
3. Try the search box — type `analysis`
4. **Expected:** Filters to matching agents only

If "No agents registered" appears: run ``python scripts/seed_agents.py`` then restart

2.2 Basic Chat (text only)

1. Click **Chat** tab
2. Select `analysis-agent` (or any enabled agent)
3. Namespace: `global`

4. Type prompt: What is 2 + 2?
5. Press Enter

Expected: Streaming response appears token-by-token, ends within 30s. Token count shown below response.

2.3 Image Upload (multimodal)

1. In Chat tab, use **Attach** panel to upload any .jpg or .png
2. Image thumbnail appears below uploader
3. Type prompt: Describe what you see in this image
4. Press Enter

Expected: Agent responds describing the image content. Response must NOT say "no image received."

Fail signal: "only text was received" → image pipeline broken (fixed in commit 291eece — verify server was restarted after that commit)

2.4 Multi-turn Conversation

1. Send message: My name is Test User
2. Send follow-up: What is my name?
3. **Expected:** Agent recalls "Test User" from earlier in conversation

2.5 Clear Conversation

1. Click **Clear conversation** button
2. Send: What is my name?
3. **Expected:** Agent does NOT recall "Test User" — fresh context

2.6 A2A Agent Card

1. Expand **Agent Card (A2A)** section in left panel
2. **Expected:** JSON block showing agent name, capabilities, endpoint URLs

2.7 Run History Tab

1. Click **Run History** tab
2. **Expected:** Table showing recent runs with columns: Agent, Namespace, Status, Quality, Tokens, Duration
3. Runs from steps 2.2–2.4 should appear here

2.8 Voice Input (OPTIONAL — requires whisper)

1. Click microphone button, speak a sentence, stop recording
2. **Expected:** Text transcribed and placed in prompt field
3. **If error:** "openai-whisper not installed" → acceptable, mark SKIP

SECTION 3 — MEMORY PAGE

Navigate to: Memory

3.1 Add a Memory Entry

1. Click **Add Entry** tab
2. Fill in:
 - Namespace: global
 - Category: fact
 - Key: test_entry_001
 - Value: ClaudeOS QA test entry – created during manual test
 - Source: manual_test

- Confidence: 1.0
3. Click **Save**
 4. **Expected:** Success message, no error

3.2 Browse Entries

1. Click **Browse** tab
2. **Expected:** Table of memory entries, test_entry_001 visible
3. Try the namespace filter — select global
4. **Expected:** Filters to global entries only

3.3 Text Search

1. Click **Search** tab
2. Mode: text
3. Namespace: global
4. Query: QA test entry
5. **Expected:** test_entry_001 appears in results

3.4 Semantic Search

1. Same Search tab
2. Mode: semantic
3. Query: manual testing
4. **Expected:** Results returned (may include test_entry_001 or related entries)
5. **Fail signal:** Error about ChromaDB → vector DB issue. Check data/chromadb folder exists.

3.5 Hybrid Search

1. Mode: both (hybrid BM25+vector)
2. Same query
3. **Expected:** Combined results, no error

3.6 Delete Entry

1. In Browse tab, find test_entry_001
2. Delete it
3. **Expected:** Entry removed from list after refresh

SECTION 4 — WORKFLOWS PAGE

Navigate to: Workflows

4.1 Workflows List

1. **Workflows** tab
2. **Expected:** List of workflows with trigger type (schedule/manual), enabled toggle, step count
3. If empty: run python scripts/seed_workflows.py → restart

4.2 Manual Trigger a Workflow

1. Find any workflow with trigger type manual or schedule
2. Click **Run / Trigger** button
3. Context input (optional): leave blank or enter {"test": true}
4. Confirm trigger

Expected: Success toast or run record appears. No 500 error.

4.3 Workflow Run History

1. Click **Run History** tab
2. **Expected:** Table shows the run triggered in 4.2, with status done or running

4.4 Scheduler Tab

1. Click **Scheduler** tab
2. **Expected:** List of scheduled jobs with cron expression and next run time
3. Click **Reload Scheduler**
4. **Expected:** Success message, no crash

4.5 Webhooks Tab

1. Click **Webhooks** tab
2. Pick any workflow → click **Enable Webhook**
3. **Expected:** Webhook URL and secret displayed
4. Test via curl (in a new terminal):

```
# Replace <secret> and <workflow-name> with actual values
$secret = "<your-webhook-secret>"
$body = '{"test": true}'
Invoke-WebRequest -Uri "http://localhost:5000/api/v1/workflows/<workflow-name>/trigger" `
-Method POST `
-Headers @{"X-Webhook-Secret" = $secret; "Content-Type" = "application/json"} `
-Body $body
```

Expected: HTTP 200 response, run record created

SECTION 5 — PROJECTS PAGE

Navigate to: Projects

5.1 Namespace List

1. **Namespaces** tab
2. **Expected:** Grid/list of namespaces with name, slug, type, project count
3. Toggle **Show disabled** — disabled namespaces appear if any exist

If empty: run `python scripts/seed_namespaces.py`

5.2 Workspace Stats

1. Click any namespace to expand / select it
2. **Expected:** File counts per subdirectory (documents, outputs, context, etc.)

5.3 Projects Tab

1. Click **Projects** tab
2. Select a namespace from dropdown
3. **Expected:** Project cards with name, status badge, priority, tech stack

5.4 Create a Project

1. Click **New Project** (or equivalent button)
2. Fill: Name=QA Test Project, Namespace=global, Status=active
3. Save
4. **Expected:** Project appears in list

5.5 Context Files

1. Click **Context Files** tab
 2. Select namespace `global`
 3. Upload a small `.txt` file
 4. **Expected:** File appears in context file list for that namespace
-

SECTION 6 — OUTPUTS PAGE

Navigate to: Outputs

Note: Outputs are auto-created when agents run with "Save output" checked. Ensure you ran at least one agent run with save enabled (Section 2.2).

6.1 Browse Outputs

1. **Browse** tab
2. **Expected:** Table of outputs with type icon, title, namespace, tags, size, date
3. Bulk select checkbox works
4. Delete a test output with 2-click confirmation

6.2 Search Outputs

1. **Search** tab
2. Query: agent name used in Section 2
3. **Expected:** Matching outputs appear

6.3 Export an Output

1. Browse tab → click any output
2. Export as **Markdown**
3. **Expected:** File download or rendered content, no 404/500

6.4 Stats Tab

1. **Stats** tab
 2. **Expected:** Total count, per-namespace breakdown, per-type breakdown, no error
-

SECTION 7 — TICKETS PAGE

Navigate to: Tickets

7.1 Create a Ticket

1. Click **Create** tab
2. Fill:
 - Title: QA Test Ticket
 - Description: Testing ticket creation during QA
 - Category: bug
 - Priority: medium
 - Namespace: `global`
3. Submit
4. **Expected:** Success, ticket appears in Browse tab

7.2 Browse Tickets

1. **Browse** tab
2. **Expected:** QA Test Ticket visible, with SLA due date, status=open

3. Status filter works (filter by open)
4. Priority filter works

7.3 Advance Ticket Status

1. Click on QA Test Ticket
2. Change status: open → assigned → work_in_progress → completed
3. **Expected:** Each transition saves successfully

7.4 My Tickets Tab

1. Click **My Tickets**
2. **Expected:** QA Test Ticket appears (you are creator)

7.5 Bulk Delete

1. Browse tab → select QA Test Ticket via checkbox
 2. Click **Delete Selected**
 3. Confirm
 4. **Expected:** Ticket removed
-

SECTION 8 — OBSERVABILITY PAGE

Navigate to: Observability

(Only visible to admin and operator roles)

8.1 Quality Scores Tab

1. **Expected:** Bar chart of per-agent quality averages (0–5 scale)
2. Scores from agent runs in Section 2 should appear here
3. Agents with 0 runs show 0 or are absent

8.2 Latency Tab

1. **Expected:** Table showing p50/p95/p99 latency per agent
2. Agents run in Section 2 should have values

8.3 Token Cost Tab

1. **Expected:** Token usage breakdown per agent, cost estimate in USD

8.4 Memory Health Tab

1. **Expected:**
 - Total memory entries count
 - Stale entries count
 - Consolidation status (last run time)
 - Suggestion to run consolidation if stale entries > threshold
-

SECTION 9 — SETTINGS PAGE

Navigate to: Settings

9.1 Email / Notification Config

1. **Expected:** SMTP fields visible (host, port, from, to)
2. Values should match .env (smtp.gmail.com, port 587)

3. Edit a field → Save → Reload page → value persists

9.2 Supabase Sync Status

1. **Expected:** Status badge visible
2. If Supabase is configured: click **Test Connection** → should return success or clear error
3. Click **Manual Push** → status updates
4. If Supabase not configured: badge shows "not configured" or "disabled" → mark SKIP

SECTION 10 — ADMIN PAGE

Navigate to: Admin

(Admin role required)

10.1 Users Tab

1. **Expected:** Table of all users with role, namespace, active status
2. Admin user (yourself) visible
3. Click **Create User**:
 - Username: qa_test_user
 - Password: TestUser123!
 - Role: viewer
 - Namespace: global
4. **Expected:** User appears in table

10.2 API Keys Tab

1. Click **Create API Key**
2. Name: QA Test Key, Permissions: read, Namespace: global
3. **Expected:** Key created, token displayed (copy it — shown only once)
4. Test the key:

```
Invoke-WebRequest -Uri "http://localhost:5000/api/v1/health" `
-Headers @{ "X-API-Key" = "<your-key>" }
```

5. **Expected:** 200 OK

10.3 Audit Log Tab

1. **Expected:** Table of recent events (login_success, user_created, etc.)
2. Actions from this test session should appear
3. Filter by event type login_success → only login events shown

10.4 Sessions Tab

1. **Expected:** List of active sessions with IP, user-agent, expiry
2. Your current session visible
3. Revoke the qa_test_user session if one exists → no error

10.5 Security Settings Tab

1. **Expected:** Fields for:
 - Max failed attempts (default: 5)
 - Lockout minutes (default: 15)
 - Access token TTL minutes (default: 60)
 - Allow self-registration (toggle)
2. Change a value → Save → **Expected:** Success message, value persists on refresh

10.6 Cleanup test data

- 1. Delete qa_test_user from Users tab
- 2. Revoke QA Test Key from API Keys tab

SECTION 11 — CROSS-CUTTING CHECKS

These apply to ALL pages.

11.1 Role Scoping

- 1. Login as qa_test_user (viewer role, created in 10.1 — recreate if deleted)
- 2. **Expected nav visible:** Overview, Agents, Memory, Projects, Outputs, Tickets
- 3. **Expected nav HIDDEN:** Workflows, Observability, Settings, Admin
- 4. Try navigating directly to Admin → should redirect to login or show "Access denied"
- 5. Logout, re-login as admin

11.2 Dark/Light Mode

- 1. Click the circular toggle button (bottom-left, fixed)
- 2. **Expected:** Entire dashboard switches theme — background, text, cards, sidebar all update
- 3. Switch back — state persists during session

11.3 Error Handling

For each page, check:

- No red Python tracebacks visible to user (internal errors should show friendly message)
- No NoneType or KeyError stack traces in the UI

11.4 API Key Auth (alternative to JWT)

```
# Replace with actual API key from Section 10.2
$key = "<your-api-key>"
Invoke-WebRequest "http://localhost:5000/api/v1/agents" -Headers @{ "X-API-Key" = $key }
```

Expected: 200 with agents list

KNOWN ISSUES TO VERIFY FIXED

Issue	Fix Commit	How to Verify
Images not sent to agent chat	`291eece`	Section 2.3 — image analysis works
Overview stats failed on non-main thread	`bed94f7`	Section 1.1 — KPI cards load without error
Browser refresh loses active page	`64c4140`	Navigate to Agents, press F5 — stays on Agents
XSS escaping / security hardening	`63a83d6`	Inputs accept text; no script injection renders

PASS/FAIL SUMMARY SHEET

Copy this to track results:

SECTION 0 – AUTH

- 0.1 Login []
- 0.2 Token refresh []
- 0.3 Logout []
- 0.4 Lockout []

SECTION 1 – OVERVIEW

- 1.1 KPI Cards []
- 1.2 System Status []
- 1.3 Memory Breakdown []
- 1.4 Quick Dispatch []
- 1.5 Activity Feed []
- 1.6 Auto-refresh []

SECTION 2 – AGENTS

- 2.1 Catalog []
- 2.2 Basic Chat []
- 2.3 Image Upload []
- 2.4 Multi-turn []
- 2.5 Clear Conversation []
- 2.6 A2A Agent Card []
- 2.7 Run History []
- 2.8 Voice Input [SKIP if no whisper]

SECTION 3 – MEMORY

- 3.1 Add Entry []
- 3.2 Browse []
- 3.3 Text Search []
- 3.4 Semantic Search []
- 3.5 Hybrid Search []
- 3.6 Delete Entry []

SECTION 4 – WORKFLOWS

- 4.1 List []
- 4.2 Manual Trigger []
- 4.3 Run History []
- 4.4 Scheduler []
- 4.5 Webhooks []

SECTION 5 – PROJECTS

- 5.1 Namespace List []
- 5.2 Workspace Stats []
- 5.3 Projects Tab []
- 5.4 Create Project []
- 5.5 Context Files []

SECTION 6 – OUTPUTS

- 6.1 Browse []
- 6.2 Search []
- 6.3 Export []
- 6.4 Stats []

SECTION 7 – TICKETS

- 7.1 Create []
- 7.2 Browse + Filter []
- 7.3 Status Transitions []
- 7.4 My Tickets []
- 7.5 Bulk Delete []

SECTION 8 – OBSERVABILITY

```
8.1 Quality Scores [ ]
8.2 Latency [ ]
8.3 Token Cost [ ]
8.4 Memory Health [ ]

SECTION 9 – SETTINGS
9.1 Email Config [ ]
9.2 Supabase Sync [SKIP if not configured]

SECTION 10 – ADMIN
10.1 Users [ ]
10.2 API Keys [ ]
10.3 Audit Log [ ]
10.4 Sessions [ ]
10.5 Security Settings [ ]
10.6 Cleanup [ ]

SECTION 11 – CROSS-CUTTING
11.1 Role Scoping [ ]
11.2 Dark/Light Mode [ ]
11.3 Error Handling [ ]
11.4 API Key Auth [ ]
```

REPORTING A FAILURE

When a test fails, note:

1. **Section + step number** (e.g. "3.4 Semantic Search")
2. **Exact error message** shown in UI
3. **Flask terminal output** — any Python traceback at the time of the failure
4. **Browser console errors** (F12 → Console tab)

This gives enough info to diagnose and fix quickly.