

Context Login:

```
inv: if Self.Clients.all_clients -> select(Client) -> notEmpty() then
    username = Client.username
    pwd = Client.pwd
    current_client = Self.Clients.all_clients -> select(Client)
    if current_client.username == username then
        if current_client.pwd == pwd then
            type = LoginType.Client
        else
            current_client = nul
        endif
    else
        current_client = nul
    endif

endif
```

```
inv: if Self.Employees.all_employees -> select(Employee) -> notEmpty() then
    username = Employee.username
    pwd = Employee.pwd
    current_employee = Self.Employee.all_employees -> select(Employee)
    if current_employee.username == username then
        if current_employee.pwd == pwd then
            type = LoginType.Employee
        else
            current_employee = nul
        endif
    else
        current_employee = nul
    endif

endif
```

```
inv: (self.Login.updates_info) implies (type = LoginType.Client )
```

Context Message:

```
inv : if self.Login -> select(to) -> notEmpty() then
    store = false
    self.Message.sends
else
```

```

    if self.Employees.all_employees -> select(to) -> notEmpty() then
        store = true
    else
        store = false
    endif
endif

```

```

inv: if (Login.type = Employee && self.Message.store == true) then
    self.Chat.gets
endif

```

Context Invoice:

```

    Inv: if limit_to_pay == 3 then
        Self.SMTP.to = Client.Email Address
        Self.SMTP.from = Email
        Self.SMTP.content = "Payment reminder, days left: self.limit_to_pay
                             , invoice number: self.Invoice.id"
        Self.SMTP.sends.EMAIL
    Endif

```

Context Report :

```

    inv: If (Date.day == 01) then
        self.Clients.all_clients -> forAll(c:Client)
            self.SMTP.to = c.EMAIL
            self.SMTP.from = EMAIL
            self.Report.client = c
            self.Report.customized_content = ""
            self.SMTP.sends.Report
        endif
    endif

```

Context Details Check/Updates:

```

Inv : if (new_email != nul && new_email != self.Login.current_client.Email Address) then
    Self.Login.current_client.EMAIL = new_email
Endif

```

```
Inv: if (new_address != "" && new_address != self.Login.current_client.address) then
    Self.Login.current_client.address = new_address
Endif
```

```
Inv: if (new_phone != "" && new_phone != self.Login.current_client.phone) then
    Self.Login.current_client.phone = new_phone
Endif
```