

1. A research company needs to provide access to a group of employees from different departments to manage the customer support portal that's hosted on AWS. Which AWS Identity and Access Management (IAM) identity type would be most suitable for this scenario?

- ☐ IAM user with only CLI access
- ☐ IAM user
- ☐ IAM role
- ☒ IAM group

[Back to Results Summary](#)

Correct



2. A large organization uses AWS to host their web applications. They want to define fine-grained access control for their applications, ensuring that developers only have access to specific resources within their respective projects. Which permission mechanism best fits this use case?

- ☒ Identity policy
- ☐ Resource policy
- ☐ Permission boundaries
- ☐ Service control policy (SCP)

[Back to Results Summary](#)

Correct



3. A developer wants to store 10 years of data logs cost efficiently. Which service can support this workload?

- ☐ Amazon FSx
- ☐ Amazon Elastic File System (Amazon EFS)
- ☒ Amazon S3
- ☐ Amazon Elastic Block Store (Amazon EBS)

[Back to Results Summary](#)

Correct



4. A company is required to keep customer data for 10 years for regulatory compliance. How can they transition data between storage classes without using manual processes?

- ☐ AWS Transfer Family
- ☐ Amazon S3 Transfer Acceleration
- ☒ Amazon S3 lifecycle policy
- ☐ Amazon S3 bucket policy

[Back to Results Summary](#)

Correct



5. A company needs to launch 300 Linux EC2 instances. All 300 Linux instances need to have access to shared files. Which storage solution should they choose to share files among the 300 Linux instances?

- ☐ Amazon instance store
- ☐ Amazon FSx for Windows File Server
- ☐ Amazon Elastic Block Store (Amazon EBS)
- ☒ Amazon Elastic File System (Amazon EFS)

[Back to Results Summary](#)

Correct



6. An architect needs an EC2 instance that runs for at least 1 year. In that year, the needs of the workload might change to require that the instance be moved to a new Region. They must keep costs low and guarantee that the computing cost will remain the same if the Region changes. Which pricing option should they choose?

- ☒ Compute Savings Plans
- ☐ Reserved Instances
- ☐ On-Demand Instances
- ☐ EC2 Instance Savings Plans

[Back to Results Summary](#)

Correct



- 
7. A cloud architect has a development PostgreSQL database running on Amazon RDS. It was being used to test a production database with a heavy read-write workload. Testing is complete, and they want to delete the database. Company policy requires storage of development database backups for 6 months after deletion. How can you accomplish this?

- ☐ Enable automatic backups, and store it for 6 months.
- ☒ Take a snapshot, and store it for 6 months.
- ☐ Enable continuous backups, and store it for 6 months.
- ☐ Enable Multi-AZ deployments before deleting the database.

[Back to Results Summary](#)

Correct



8. A company wants to reduce database costs by migrating global account data from a legacy Oracle database to Amazon Aurora. Which services should be used for this migration? (Select TWO.)

- ☒ AWS Schema Conversion Tool (AWS SCT)
- ☐ AWS Migration Hub
- ☐ AWS DMS Schema Conversion
- ☒ AWS Database Migration Service (AWS DMS)
- ☐ AWS DMS Fleet Advisor

[Back to Results Summary](#)

Correct



9. An EC2 instance hosts a publicly accessible application. The security team identified a malicious IP address that needs to be blocked. How should they block the malicious IP address, without disrupting traffic to other users?

- ☐ Modify the security group inbound rule to deny traffic from the malicious IP address.
- ☒ Modify the network access control list (network ACL) inbound rule to deny traffic from the malicious IP address.
- ☐ Modify the network access control list (network ACL) outbound rule to deny traffic from the malicious IP address.
- ☐ Modify the security group outbound rule to deny traffic from the malicious IP address.

[Back to Results Summary](#)

Correct



10. A database is hosted in a private subnet. A NAT instance in the public subnet routes traffic from the EC2 instances out to the internet. The operations team is receiving alerts that the NAT instance is exceeding its network activity threshold. What should they do to increase the performance of the architecture?

- ☐ Place the NAT instance closer to the database by placing it in the private subnet.
- ☐ Modify the private subnet's route table to connect it to the internet gateway.
- ☒ Use a NAT gateway instead of a NAT instance in the public subnet.
- ☐ Move the database to the public subnet with the EC2 instances.

[Back to Results Summary](#)

Correct



---

11. An architecture requires a consumer virtual private cloud (VPC) to interact with a service provider VPC. The two VPCs might have overlapping IP address ranges. Which solution should the architect use to connect the VPCs?

- ☐ AWS Site-to-Site VPN
- ☒ AWS PrivateLink
- ☐ Amazon VPC peering
- ☐ AWS Direct Connect

[Back to Results Summary](#)

Correct



12. An architecture spans across two Regions and has multiple virtual private clouds (VPCs) in each Region. The architect sets up an AWS Transit Gateway hub in each Region to peer the VPCs. They need to connect the Transit Gateway hubs in each Region together so that traffic can flow between Regions. Which solution should they use to connect the Transit Gateway hubs?

- ☐ AWS PrivateLink
- ☐ AWS Site-to-Site VPN
- ☒ Transit gateway peering attachments
- ☐ AWS Direct Connect

[Back to Results Summary](#)

Correct



13. A company needs a way for its users to login to AWS services using their existing corporate identities. Which option should they choose to accomplish this?

- ☐ Amazon Cognito
- ☒ AWS IAM Identity Center
- ☐ AWS Identity and Access Management (IAM) users
- ☐ Service control policy

[Back to Results Summary](#)

Correct



14. A company needs to store massive amounts of PDF files in the cloud. There is a requirement that the data is secured using server-side encryption and that the MOST cost effective storage for the files is used. Which combination of services should the company use? (Select TWO.)

- ☐ Use AWS Security Hub for server-side encryption.
- ☒ Use AWS Key Management Service (AWS KMS) for sever-side encryption.
- ☒ Use Amazon S3 to store the data.
- ☐ Use AWS Secrets Manager for server-side encryption.
- ☐ Use Amazon Elastic Block Store (Amazon EBS) to store the data.

[Back to Results Summary](#)

Correct



15. A chief technology officer (CTO) asks their team whether AWS provides a service that can help view and manage security alerts in one place. The CTO wants to understand the overall security posture for the AWS account and automate security checks. Which AWS service should the team recommend?

- ☐ Amazon Inspector
- ☐ Amazon Detective
- ☒ AWS Security Hub
- ☐ AWS Audit Manager

[Back to Results Summary](#)

Correct



16. A solutions architect is architecting an application that will receive a high volume of traffic. User traffic should be directed to specific AWS Lambda functions based on the application API call route. Which load balancer is appropriate to be part of the design?

- ☒ Application Load Balancer
- ☐ Classic Load Balancer
- ☐ Network Load Balancer
- ☐ Gateway Load Balancer

[Back to Results Summary](#)

Correct





17. An internal facing web application is used intermittently and should be extremely cost efficient. The relational database should require minimal human administration and automatically scale horizontally using configured limits. Over weekends, the database should be stopped. Which Amazon database would satisfy these requirements?

- ☒ Amazon Aurora Serverless
- ☐ Amazon Aurora cluster
- ☐ Amazon DynamoDB
- ☐ Amazon RDS MySQL

[Back to Results Summary](#)

Correct



18. A development team is using AWS CloudFormation to launch the infrastructure for an application. Security for the application needs to be upgraded, but the team is concerned that the update might impact the performance of the application. What can be done to preview how these updates will impact the infrastructure?

- ☐ Conditions
- ☒ Change sets
- ☐ Nested stacks
- ☐ Mappings

[Back to Results Summary](#)

Correct



19. A company is hosting a WordPress eCommerce site with the records being stored in an Amazon RDS database. After a few days, the Amazon RDS database is experiencing serious performance issues due to the high volume of database read requests. Which is the most cost-effective way to deal with the performance issues?

- ☐ Configure Amazon CloudFront to cache content from the database.
- ☐ Place a load balancer in front of the database.
- ☒ Configure Amazon ElastiCache to cache content from the database.
- ☐ Enable the Multi-AZ feature for the Amazon RDS database.

[Back to Results Summary](#)

Correct



20. An e-commerce platform currently uses dependent Amazon EC2 instances for operations. During high-traffic periods like sales events, increased load on one service disrupts all the interconnected services, affecting the overall performance. Which Amazon service should be added to solve this problem?

- ☐ Amazon Simple Notification Service (Amazon SNS)
- ☐ Amazon API Gateway
- ☒ Amazon Simple Queue Service (Amazon SQS)
- ☐ Amazon EventBridge

[Back to Results Summary](#)

Correct



21. A company has five consuming applications that need to process a single event. How can they accomplish this?

- ☐ Create the event using Amazon EventBridge.
- ☐ Build the event using Amazon MQ and send directly to the applications.
- ☒ Broadcast the event using Amazon Simple Notification Service (Amazon SNS) to five Amazon Simple Queue Service (Amazon SQS) subscribers that the applications can poll.
- ☐ Use synchronous messaging with an elastic load balancer.

[Back to Results Summary](#)

Correct



22. A development team is troubleshooting an AWS Lambda function that connects with an Amazon RDS MySQL database in a customer's virtual private cloud (VPC) to store data. Currently the function times out with a "too many database connections" error. Which architecture option would fix this problem?

- ☐ Launch an Amazon EC2 bastion host instance and connect the Lambda function to the bastion host. Ensure the bastion host has access to the RDS database.
- ☐ Launch an RDS proxy service on an EC2 instance in the customer's VPC. Connect the Lambda function to the RDS proxy service.
- ☐ Ensure that the Lambda function is connected to the Lambda service VPC-to-VPC NAT gateway which connects to the customer's VPC elastic network interface.
- ☒ Ensure the that Lambda function is attached to the RDS MySQL VPC. Use the Lambda service to configure an RDS connection using RDS proxy.

[Back to Results Summary](#)

Correct



23. A system designer working for a bank has to choose an AWS workflow orchestration service. They choose the AWS Step Functions service. Which statements are true about AWS Step Functions workflow types? (Select TWO.)

- ☐ Standard Workflows offer synchronous and asynchronous processing.
- ☐ Standard Workflows are charged based on the number of requests for the workflow and its duration.
- ☐ Express Workflows are charged based on the number of state transitions.
- ☒ Express Workflows offer synchronous and asynchronous workflows.
- ☒ Standard Workflows offer an exactly-once run model for workflows.

[Back to Results Summary](#)

Correct



24. A solutions architect is designing a work flow that needs real-time data ingestion. They are considering either Amazon Data Firehose or Amazon Kinesis Data Streams for this solution. Which service should the solutions architect choose to meet the requirement of data delivery of less than 10 seconds?

- ☐ Amazon Kinesis Data Streams because it has higher latency when compared to Amazon Data Firehose.
- ☐ Amazon Data Firehose because it has higher latency when compared to Amazon Kinesis Data Streams.
- ☐ Amazon Data Firehose because it has lower latency when compared to Amazon Kinesis Data Streams.
- ☒ Amazon Kinesis Data Streams because it has lower latency when compared to Amazon Data Firehose, which has a minimum buffer of 60 seconds.

[Back to Results Summary](#)

Correct



25. A consultant needs to recommend a disaster recovery solution for a company with a 7 TB Amazon Redshift cluster. The company requires a backup in another Region from the primary Region. Which is the most cost-effective solution?

- ☐ Modify the existing Amazon Redshift cluster to enable Multi-AZ.
- ☒ Enable cross-Region snapshots to a different region.
- ☐ Create an AWS Lambda function to copy a snapshot of the database to another Region.
- ☐ Deploy the Amazon Redshift cluster in a second Region using AWS CloudFormation.

[Back to Results Summary](#)

Correct

