https://github.com/t-o-k/Maxima-bezier/bezier differentiated.wxmx

Copyright (c) 2020 Tor Olav Kristensen, http://subcube.com

Use of this source code is governed by the GNU Lesser General Public License version 3, which can be found in the LICENSE file.

```
(%i1) kill(all)$
(%i1) load("bezier")$
(%i2) define(
          g(u, v),
          bezier function 2a(
            matrix(
               [4, 2, 3, 5],
               [5, 3, 2, 4],
               [2, 5, 4, 3],
               [3, 4, 5, 2]
            ),
            u, v
          )
       )$
(\%i3)
       define(der_u_g(u, v), diff(g(u, v), u))$
       define(der v g(u, v), diff(g(u, v), v))$
(\%i4)
       define(der2 u g(u, v), diff(g(u, v), u, 2))\$
(\%i5)
       define(der2 v g(u, v), diff(g(u, v), v, 2))\$
(%i6)
(%i7)
       define(der u der v g(u, v), diff(diff(g(u, v), u), v))$
(%i8) define(der v der u g(u, v), diff(diff(g(u, v), v), u))$
(\%i9) expand(g(u, v));
(\%09) -8 u^3 v^3 + 36 u^2 v^3 - 36 u v^3 + 8 v^3 - 6 u^3 v^2 - 27 u^2 v^2 + 45
       uv^{2}-12v^{2}+12u^{3}v-18u^{2}v+3v-2u^{3}+9u^{2}-6u+4
(%i10) expand(der u g(u, v));
(\%010) -24u^2v^3+72uv^3-36v^3-18u^2v^2-54uv^2+45v^2+36
       u^{-}v - 36 u v - 6 u^{-} + 18 u - 6
```

```
(\%i11) expand(der v g(u, v));
(%o11) -24u^3v^2 + 108u^2v^2 - 108uv^2 + 24v^2 - 12u^3v - 54u^2v
       +90 u v - 24 v + 12 u - 18 u + 3
(\%i12) expand(der2 u g(u, v));
(%o12) -48 u v^3 + 72 v^3 - 36 u v^2 - 54 v^2 + 72 u v - 36 v - 12 u + 18
(\%i13) expand(der2 v g(u, v));
(%o13) -48u^{3}v+216u^{2}v-216uv+48v-12u^{3}-54u^{2}+90u-
      24
(%i14) expand(der u der v g(u, v));
(\%014) -72u^2v^2+216uv^2-108v^2-36u^2v-108uv+90v+36
      u - 36 u
(%i15) expand(der_v_der_u_g(u, v));
(\%015) -72u^2v^2+216uv^2-108v^2-36u^2v-108uv+90v+36
      u^{-} - 36 u
(%i16) define(
         f(s, t),
         bezier function 2a(
           matrix(
              [ a 11, a 12, a 13, a 14],
             [ a 21, a 22, a 23, a 24],
             [ a 31, a 32, a 33, a 34 ]
           ),
           s, t
      )$
```

```
(\%i17) expand(f(s, t));
a_{14}s^{3}t+6a_{13}s^{3}t-6a_{12}s^{3}t+2a_{11}s^{3}t+6a_{23}s^{2}t-12a_{22}s^{2}t+
    6 a_{12} st + 6 a_{11} st + 2 a_{21} t - 2 a_{11} t + a_{14} s - 3 a_{13} s + 3 a_{12} s -
    a_{11}s + 3 a_{13}s - 6 a_{12}s + 3 a_{11}s + 3 a_{12}s - 3 a_{11}s + a_{11}
(\%i18) expand(f(0, 0));
(%o18) a<sub>11</sub>
(\%i19) expand(f(0, 1));
(%o19) a<sub>31</sub>
(\%i20) expand(f(1, 0));
(%o20) a<sub>14</sub>
(\%i21) expand(f(1, 1));
(%o21) a<sub>34</sub>
(\%i22) expand(f(u, 0));
3 3 3 3 2 2 (\%022) a_{14}u - 3a_{13}u + 3a_{12}u - a_{11}u + 3a_{13}u - 6a_{12}u + 3
    a_{11}u^{2} + 3 a_{12}u - 3 a_{11}u + a_{11}
(\%i23) expand(f(u, 1));
a_{31}u^{2} + 3 a_{32}u - 3 a_{31}u + a_{31}
```

(%i24) expand(f(0, v));

(%024)
$$a_{31}v^2 - 2 a_{21}v^2 + a_{11}v^2 + 2 a_{21}v - 2 a_{11}v + a_{11}$$

(%i25) expand(f(1, v));

(%025)
$$a_{34}v^2 - 2 a_{24}v^2 + a_{14}v^2 + 2 a_{24}v - 2 a_{14}v + a_{14}$$