NetExam

Sri Lanka Institute of Information Technology

1

answered

out of 1.0

g question

If a view named V1 is created in such a way that it references every column in a table named EMPLOYEE except a column named SALARY, which of the following is **not** a statement?

Select one or more:

- [x] a. All data, except SALARY data that is stored in the EMPLOYEE table is copied to a seperate physical location when V1 is created
- [ ] b. View V1 can be used in the same context as the EMPLOYEE table for all data retrieval operations that do not acquire SALARY information
- [ ] c. View V1 cannot be used as a data source for other views
- [ ] d. No data is copied to a seperate physical location when V1 is created
- [x] e. View V1 can be used as a data source for other views

5

wered

of 1.0

stion

Which of the following are true?

Select one or more:

- [ ] a. Before running a job SQL server agent should be started
- [ ] b. A job can be scheduled in a manner that it runs when the server workload is less
- [ ] c. A job can have multiple steps
- [ ] d. Jobs could run in only one schedules
- [ ] e. A job could be started using stored procedure start_job

NetExam

Sri Lanka Institute of Information Technology

Given the following statements:

```
CREATE TABLE tbl (col1 INTEGER, col2 CHAR(5));
CREATE TABLE tblAudit (user VARCHAR(20), date DATE, action VARCHAR(20));
CREATE TRIGGER trig_tblAudit ON tbl INSTEAD OF INSERT AS
BEGIN
INSERT INTO tblAudit VALUES (CURRENT USER, CURRENT DATE,'Insert');
END
```

If user USER1 executes the following statements:

```
INSERT INTO tbl VALUES (1, 'abc');
INSERT INTO tbl (col1) VALUES (2);
UPDATE tbl SET col2 = 'Hacked' WHERE col1 = 1;
```

How many new records will be written to the database tables?

Select one:

- a. 5
- b. 4
- c. 2
- d. 3
- e. 0

Which of the following is **not** an accurate statement about views?

Select one or more:

- [x] a. Views are publicly referenced names and no special authority or privilege is needed to use them.
- [ ] b. Views can be used to restrict access to columns in a base table that contain sensitive data
- [ ] c. Views can be used to store queries that multiple applications execute on a regular basis in a database
- [x] d. All views are updatable
- [ ] e. Views may degrade the performance of the database

Next page

Moodle

NetExamn

Sri Lanka Institute of Information Technology

tion 2
yet answered
ed out of 1.0
lag question

In which of the following scenarios would a stored procedure be beneficial?

Select one or more:

- [ ] a. An application running on a remote client needs to calculate and store an employee's salary which is obtained by multiplying the number of hours he has worked with the rate he is paid. Both the number of hours and rate are also stored in a table in the databse.
- [ ] b. An application running on a remote client needs to collect three input values, perform a calculation using the values provided, and store the input data, along with the results of the calculation in two different base tables
- [x] c. An application running on a remote client needs to track every modification made to a table that contains sensitive data
- [ ] d. An application running on a remote client needs to ensure that every new employee that joins the company is assigned a unique, sequential employee number when his information is stored in the database.
- [ ] e. All of the given answers

Next page

NetExam

Sri Lanka Institute of Information Technology

Which of the following statements are **true** about views?

Select one:

- a. A view is readonly
- b. A view must have aliases defined for the column names in the SELECT statement.
- c. A view can be created as a join on two or more tables.
- d. A view cannot have an ORDER BY clause in the SELECT statement.
- e. A view cannot be created with a GROUP BY clause in the SELECT statement.

ASUS VivoBook

on 8
t answered
d out of 1.0
g question

Which of the following statements are **true** about views?

Select one:

- a. A view cannot be created with a GROUP BY clause in the SELECT statement.
- b. A view cannot have an ORDER BY clause in the SELECT statement.
- c. A view must have aliases defined for the column names in the SELECT statement.
- d. A view can be created as a join on two or more tables.
- e. A view is readonly

NetExam

Sri Lanka Institute of Information Technology

Question 1

Not yet answered

Marked out of 1.0

Flag question

Which of the following is **not** an accurate statement about views?

Select one or more:

- [x] a. Views are publicly referenced names and no special authority or privilege is needed to use them.
- [x] b. All views are updatable
- [ ] c. Views can be used to store queries that multiple applications execute on a regular basis in a database
- [x] d. Views may degrade the performance of the database
- [ ] e. Views can be used to restrict access to columns in a base table that contain sensitive data

stion 10

yet answered

rked out of 1.0

Flag question

Which of the following is a proprietary extension of SQL for Microsoft SQL Server?

Select one:

- a. PL-SQL
- b. MS-SQL
- c. PG-SQL
- d. P-SQL
- e. T-SQL

Which statement/s would be **correct** with regards to SQL-stored procedure

Select one or more:

- [x] a. Procedure can have zero or more output parameters
- [x] b. Procedures can have input/output parameters
- [x] c. Inside procedures data retrievels (e.g. Select) and data manupilations (e.g. insert) could be performed
- [ ] d. Procedure can have only input parameters
- [ ] e. None of the given answers

NetExam

Sri Lanka Institute of Information Technology

Which of the following statements are true?

Select one or more:

- a. Backup could be used to restore small numbers of files after they have been accidentally deleted
- b. To secure data a schedule could be set for automatic backups
- c. SQL Server Agent allows you to automate a variety of administrative task
- d. SQL server agent is used to set a schedule for automatic backups to be done on a regular basis
- e. A customized maintenance plan could be created using jobs

NetExam

Sri Lanka Institute of Information Technology

Question 11

Not yet answered

Marked out of 1.0

Flag question

Which of the following is/are true related to BCP tool?

Select one or more:

- a. BCP is a GUI utility
- b. BCP tool is installed default with Windows OS
- c. BCP tool is used to copy a bulk of data
- d. With BCP data could be migrated from a view
- e. BCP tool is used to migrate data from SQL server to files

Question 19

Not yet answered

Marked out of 1.0

Flag question

Consider the following code segment. What is/are false related to CallableStatement ?

```
CallableStatement cstmt = null;
try {
   String SQL = "{call getEmpName (?, ?)}";
   cstmt = conn.prepareCall (SQL);
   . . .
}
catch (SQLException e) {
   . . .
}
finally {
   . . .
}
```

Select one or more:

- a. String variable SQL, represents the stored procedure, with parameter placeholders
- b. Bind values to all the parameters before executing the statement, or will receive an SQLException
- c. The SQLException is occured when prepareCall () is connected
- d. SQLException is handled by introducing a try catch block
- e. The callable statement is prepated by calling the conn.prepareCall ()

Next page

Question 19
Not yet answered
Marked out of 1.0
Flag question

Consider the following code segment. What is true related to CallableStatement ?

```
CallableStatement cs=con.prepareCall("{?=call getAvailableSeats(?)}");
cs.setString(2, "Cinnemaworld");
cs.registerOutParameter(1, java.sql.Types.INTEGER);
cs.execute();
```

Select one or more:

- a. The string object can be retrieved by calling the method registerOutParameter()
- b. The CallableStatement object is used for IN parameters only
- c. A description of the error can be called by providing the index 1 and 2
- d. An SQLException is occured when prepareCall () method is connected
- e. The CallableStatement contains the information to execute a call to a database stored procedure, getAvailableSeats

Next page

Consider the following code segment. Which is/are true related to the PreparedStatement ?

```
PreparedStatement ps = con.prepareStatement("insert into Customer (custID, lastName) values (?,?)");
```

Select one or more:

- [ ] a. In the PreparedStatement you cannot provide insert fields
- [ ] b. You cannot have more than one parameter in the PreparedStatement
- [ ] c. Once a PreparedStatement is prepared, it cannot be reused after execution
- [ ] d. The (?) mark is used to pass parameters into the insert command
- [ ] e. The value will be set by calling the setter methods of PreparedStatement

NetExam

Sri Lanka Institute of Information Technology

Examinations Lockdown Browser Practice Test

Which of the following are common tasks that could be included in a maintenance plan?

Select one or more:

- [ ] a. Clean up history
- [ ] b. Backup database
- [ ] c. Restore database
- [ ] d. Verify the Integrity of Database
- [ ] e. creating tables

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 26

Not yet answered

Marked out of 1.0

Flag question

Tech SriLanka is a software company who has expertise in developing secure software applicat
such, one of the leading private bank has given the responsibility of automating their tasks to
includes developing a database to record customer details, account details, branch details and
related to a bank.

Malaka is the senior project manager responsible for the entire project. Malaka has asked Ishar
handle the database development and management process. This includes creating a secure da
Accordingly, she has designed the bankdb. Since there will be lot of users for the project, Kalpa i
responsibility of creating logins to the system. Surani is assigned to create tables, required view
triggers. Aruna and Malithi who are data entry operators are given the responsibility of inserting
Heshan should be able to generate reports as well as directly query the data or call functions and

Assuming that Heshan has a login name heshan.d Which of the following/s T-SQL statements req
tasks he is responsible of.

Select one or more:

- a. ALTER ROLE db_ddladmin ADD MEMBER heshan.d
- b. ALTER ROLE dataEntry ADD MEMBER heshan.d
- c. ALTER ROLE datareader ADD MEMBER heshan.d
- d. ALTER ROLE db_owner ADD MEMBER heshan.d
- e. CREATE USER heshan FOR LOGIN heshan.d

Moodle

NetExam

Sri Lanka Institute of Information Technology

tion 26

Tech SriLanka is a software company who has expertise in developing secure software applications the banking sector. As such, one of the leading private bank has given the responsibility of automating their tasks to Tech SriLanka. This includes developing a database to record customer details, account details, branch details and all the other functions related to a bank.

Malaka is the senior project manager responsible for the entire project. Malaka has asked Ishara who is the senior DBA, to handle the database development and management process. This includes creating a secure database to the bank. Accordingly, she has designed the bankdb. Since there will be lot of users for the project, Kalpa is assigned with the responsibility of creating logins to the system. Surani is assigned to create tables, required views, stored procedures and triggers. Aruna and Malithi who are data entry operators are given the responsibility of inserting the data to the tables. Heshan should be able to generate reports as well as directly query the data or call functions and procedures.

Which of the following T-SQL statement/s T-SQL statement/s required to allow Surani to create tables, functions, procedures and triggers. Assume her login name is surani.b

Select one or more:

- a. ALTER ROLE db_owner ADD MEMBER surani.b
- b. ALTER ROLE dbcreator add member surani.b
- c. ALTER ROLE db_ddladmin add member surani.b
- d. ALTER ROLE db_datareader add member surani.b
- e. ALTER ROLE sysadmin add member surani.b

Next page

Consider the following code segment. What is true related to CallableStatement ?

```
CallableStatement cs=con.prepareCall("{?=call getAvailableSeats(?)}");
cs.setString(2, "Cinnemaworld");
cs.registerOutParameter(1, java.sql.Types.INTEGER);
cs.execute();
```

Select one or more:

- a. An SQLException is occured when prepareCall () method is connected
- b. The string object can be retrieved by calling the method registerOutParameter()
- c. A description of the error can be called by providing the index 1 and 2
- d. The CallableStatement object is used for IN parameters only
- e. The CallableStatement contains the information to execute a call to a database stored procedure, getAvailableSeats

Consider the following code segment. Which is/are true related to the PreparedStatement ?

```
PreparedStatement ps = con.prepareStatement("insert into Customer (custID, lastName) values (?,?)");
```

Select one or more:

- [ ] a. In the PreparedStatement you cannot provide insert fields
- [ ] b. You cannot have more than one parameter in the PreparedStatement
- [ ] c. Once a PreparedStatement is prepared, it cannot be reused after execution
- [ ] d. The (?) mark is used to pass parameters into the insert command
- [ ] e. The value will be set by calling the setter methods of PreparedStatement

Moodle

Dashboard | Examinations | Lockdown Browser | Practice Test

Flag question

the project manager responsible for the entire project . Nalaka has asked Malani who is the s
database development and management process .This includes creating a secure database t
responsible for handling all the hotel reservations and bookings. Accordingly, she has designe
will be lot of users for the project, Sonal is assigned with the responsibility of handling logins t
assigned to create tables , required views, stored procedures and triggers. Palika and Mahesh
operators are given the responsibility of inserting the data to the tables. With the data added t
should be able to generate reports as well as directly query the data or call functions and proc

Which of the following commands will Malani use to create login to Sonal.

Select one or more:

- a. CREATE LOGIN Sonal
  FROM WINDOWS
- b. CREATE LoGIN Sonal
  FROM hoteldb
- c. CREATE LOGIN Sonal
  WITH PASSWORD = 'Sonal@123'
  MUST_CHANGE, CHECK_EXPIRATION = ON, CHECK_POLICY = ON,
  DEFAULT_DB = Master
- d. CREATE LOGIN Sonal
  WITH PASSWORD = 'Sonal@123'
  MUST_CHANGE, CHECK_EXPIRATION = ON, CHECK_POLICY = ON,
  DEFAULT_DATABASE = System
- e. CREATE LOGIN staff\Sonal
  FROM WINDOWS WITH DEFAULT_DATABASE = Master

Consider the following code segment. Which is/are true related to the PreparedStatement ?

```
PreparedStatement ps = con.prepareStatement("insert into Customer (custID, lastName) values (?,?)");
```

Select one or more:

- a. You cannot have more than one parameter in the PreparedStatement
- b. In the PreparedStatement you cannot provide insert fields
- c. Once a PreparedStatement is prepared, it cannot be reused after execution
- d. The value will be set by calling the setter methods of PreparedStatement
- e. The (?) mark is used to pass parameters into the insert command

Consider the following code segment. Which is/are true related to the PreparedStatement ?

```
PreparedStatement ps = con.prepareStatement("insert into Customer (custID, lastName) values (?,?)");
```

Select one or more:

- a. The value will be set by calling the setter methods of PreparedStatement
- b. You cannot have more than one parameter in the PreparedStatement
- c. Once a PreparedStatement is prepared, it cannot be reused after execution
- d. The (?) mark is used to pass parameters into the insert command
- e. In the PreparedStatement you cannot provide insert fields

Question 18

Not yet answered

Marked out of 1.0

Flag question

Consider the following code segment. What is/are false related to CallableStatement ?

```
CallableStatement cstmt = null;
try {
   String SQL = "{call getEmpName (?, ?)}";
   cstmt = conn.prepareCall (SQL);
   . . .
}
catch (SQLException e) {
   . . .
}
finally {
   . . .
}
```

Select one or more:

- a. The SQLException is occured when prepareCall () is connected
- b. String variable SQL represents the stored procedure, with parameter placeholders
- c. Bind values to all the parameters before executing the statement, or will receive an SQLException
- d. SQLException is handled by introducing try catch block
- e. The callable statement is prepated by calling the conn.prepareCall ()

Tech SriLanka is a software company who has expertise in developing secure software applications the banking sector. As such, one of the leading private bank has given the responsibility of automating their tasks to Tech SriLanka. This includes developing a database to record customer details, account details, branch details and all the other functions related to a bank.

Malaka is the senior project manager responsible for the entire project. Malaka has asked Ishara who is the senior DBA, to handle the database development and management process. This includes creating a secure database to the bank. Accordingly, she has designed the bankdb. Since there will be lot of users for the project, Kalpa is assigned with the responsibility of creating logins to the system. Surani is assigned to create tables, required views, stored procedures and triggers. Aruna and Malithi who are data entry operators are given the responsibility of inserting the data to the tables. Heshan should be able to generate reports as well as directly query the data or call functions and procedures.

Assume that Surani's user name is Surani.a of the following will give permission to Surani to perform the work she is reponsible for

Select one or more:

- a. alter role db_admin add member Surani.a
- b. alter server role db_creator add Surani.a
- c. grant execute to Surani.a
- d. alter role db_ddladmin add member Surani.a
- e. grant create table,alter to Surani.a

Quiz n

Finish

Tim

uestion 26

ot yet answered

larked out of 1.0

Flag question

Tech SriLanka is a software company who has expertise in developing secure software applications the banking sector. As such, one of the leading private bank has given the responsibility of automating their tasks to Tech SriLanka. This includes developing a database to record customer details, account details, branch details and all the other functions related to a bank.

Malaka is the senior project manager responsible for the entire project. Malaka has asked Ishara who is the senior DBA, to handle the database development and management process. This includes creating a secure database to the bank. Accordingly, she has designed the bankdb. Since there will be lot of users for the project. Kalpa is assigned with the responsibility of creating logins to the system. Surani is assigned to create tables, required views, stored procedures and triggers. Aruna and Malithi who are data entry operators are given the responsibility of inserting the data to the tables. Heshan should be able to generate reports as well as directly query the data or call functions and procedures.

Assuming that Kalpa's login name is kalpa.c which of the following statements is capable of giving him the only the permission to create logins.

Select one or more:

- [ ] a. alter server role securityadmin add member kalpa.c
- [ ] b. alter server role sysadmin add member kalpa.c
- [ ] c. alter server role dbcreator add member kalpa.c
- [ ] d. alter server role db_owner add member kalpa.c
- [ ] e. alter server role dbowner add member kalpa.c

NetExam

Sri Lanka Institute of Information Technology

Which of the following statements are correct?

Select one or more:

- a. Prepared statements are more secure because they use bind variables
- b. Statement encapsulates an SQL statement which is passed to the database to be parsed and compiled
- c. executeQuery method could be used to execute a query and get results
- d. forName() method is used to load the driver to the memory
- e. PreparedStatement is efficient since it is pre-compiled

Question 34

Not yet answered

Marked out of 1.0

Flag question

Techwire Lanka is a software company who has expertise in developing secure software applications the hotel industry. As such , a reputed global hotel chain has given the responsibility of automating their tasks to Techwire Lanka. Nalaka is the project manager responsible for the entire project . Nalaka has asked Malani who is the senior DBA to handle the database development and management process .This includes creating a secure database to the hotel. Malani is responsible for handling all the hotel reservations and bookings. Accordingly, she has designed the hoteldb . Since there will be lot of users for the project, Sonal is assigned with the responsibility of handling logins to the system. Akram is assigned to create tables , required views, stored procedures and triggers. Palika and Mahesh who are data entry operators are given the responsibility of inserting the data to the tables. With the data added to the database, Aruni should be able to generate reports as well as directly query the data or call functions and procedures.

Assuming that Malani has a login by the name malani.k. Which of the following T-SQL statement/s required to assign her with the responsibility of handling the hoteldb.

Select one or more:

- a. ALTER ROLE db_datareader add member malani.k
- b. ALTER ROLE dbcreator add member malani.k
- c. ALTER ROLE db_owner ADD MEMBER malani.k
- d. ALTER ROLE sysadmin add member malani.k
- e. ALTER ROLE db_ddladmin add member malani.k

Next page

Fini

Tim

1

8

15

22

29

Tech SriLanka is a software company who has expertise in developing secure software applications the banking sector. As such, one of the leading private bank has given the responsibility of automating their tasks to Tech SriLanka. This includes developing a database to record customer details, account details, branch details and all the other functions related to a bank.

Malaka is the senior project manager responsible for the entire project. Malaka has asked Ishara who is the senior DBA, to handle the database development and management process. This includes creating a secure database to the bank. Accordingly, she has designed the bankdb. Since there will be lot of users for the project. Kalpa is assigned with the responsibility of creating logins to the system. Surani is assigned to create tables, required views, stored procedures and triggers. Aruna and Malithi who are data entry operators are given the responsibility of inserting the data to the tables. Heshan should be able to generate reports as well as directly query the data or call functions and procedures.

Which of the following commands will Ishara use to create logins to Kalpa.

Select one or more:

- a. CREATE LOGIN Kalpa
  WITH PASSWORD = 'Kalpa@123'
  MUST_CHANGE, CHECK_EXPIRATION = ON, CHECK_POLICY = ON,
  DEFAULT_DATABASE = System
- b. CREATE LOGIN Kalpa
  FROM bankdb
- c. CREATE LOGIN SKalpa
  WITH PASSWORD = 'Kalpa@123'
  MUST_CHANGE, CHECK_EXPIRATION = ON, CHECK_POLICY = ON,
  DEFAULT_DB = Master
- d. CREATE LOGIN staff\Kalpa
  FROM WINDOWS WITH DEFAULT_DATABASE = bankdb

Sri Lanka Institute of Information Technology

Which of the following statements are true ?

Select one or more:

- [x] a. Consider the following statements :
  declare @tot int
  select @tot=count(*) from student
  executing the above statements will not display any output

- [x] b. Consider the following T-SQL statements:
  declare @cnt int
  set @cnt=100
  if (@cnt>75)
  print 'inside the if statement'
  print 'count is greater than 75'
  The output for the above code is as follows :
  inside the if statement
  count is greater than 75

- [x] c. Consider the following T-SQL statements
  declare @cnt int
  set @cnt=100
  if (@cnt>75)
  print 'inside the if statement'
  print 'count is greater than 75'
  else
  print 'inside the else statement'
  the above code will result an error

- [ ] d. variables declared could be used in where clause only

- [ ] e. "declare @ID int,@ sum int" is a valid T-SQL statement

NetExam

Sri Lanka Institute of Information Technology

Which statement/s would be **correct** with regards to SQL-st

Select one or more:

- [x] a. Procedure can have zero or more output parameters
- [x] b. Procedures can have input/output parameters
- [ ] c. Inside procedures data retrievels (e.g. Select) and data insert) could be performed
- [ ] d. Procedure can have only input parameters
- [ ] e. None of the given answers

NetExam

Sri Lanka Institute of Information Technology

Which statement/s would be **correct** with regards to SQL-st

Select one or more:

- [x] a. Procedure can have zero or more output parameters
- [x] b. Procedures can have input/output parameters
- [ ] c. Inside procedures data retrievels (e.g. Select) and data insert) could be performed
- [ ] d. Procedure can have only input parameters
- [ ] e. None of the given answers

NetExam

Sri Lanka Institute of Information Technology

The default parameter type in stored procedures is

Select one:

- a. OUT
- b. INOUT
- c. OUTPUT
- d. IN
- e. There is no default type

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 7

Not yet answered

Marked out of 1.0

Flag question

Which of the following is/are related to triggers?

Select one or more:

- [ ] a. Before a trigger is created for insert operation, the inserted table should be created by the user
- [ ] b. The updated table stores the values which a table is updated with after an update operation
- [x] c. Inserted table have the same number of the columns as the table to which data are inserted
- [x] d. Deleted is a virtual table
- [x] e. The for clause in creating triggers are useful to specify the operations which will execute the trigger

2
wered
of 1.0
estion

Which of the following are common tasks that could be included in a maintenance plan?

Select one or more:

- [ ] a. creating tables
- [ ] b. Clean up history
- [ ] c. Restore database
- [ ] d. Backup database
- [ ] e. Verify the Integrity of Database

NetExamn

Sri Lanka Institute of Information Technology

Question 9

Not yet answered

Marked out of 1.0

Flag question

Which of the following statements are **true** about T-SQL functions?

Select one or more:

- a. A Function in SQL is a set of sql statements that accepts both input and output parameters and return the result
- b. A Function in SQL is a set of sql statements that accepts only input parameters, perform actions and return the result.
- c. Functions are helpful to reduce network traffic between a client application and the database server
- d. Once a TSQL function is created it can be called any number of times in a client application using 'exec' statement
- e. None of the given

Next page

Quiz navigation

Finish attempt ...

Time left 0:35:28

1	2	3	4
8	9	10	11
15	16	17	18
22	23	24	25
29	30	31	32

Activate Wind
Go to Settings

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 6

Not yet answered

Marked out of 1.0

Flag question

The default parameter type in stored procedures is

Select one:

- a. INOUT
- b. There is no default type
- c. IN
- d. OUTPUT
- e. OUT

Moodle

NetExam

Sri Lanka Institute of Information Technology

estion 14

t yet answered

rked out of 1.0

Flag question

Which of the following are true?

Select one or more:

- a. Before running a job SQL server agent should be started
- b. A job can have multiple steps
- c. A job can be scheduled in a manner that it runs when the server workload is less
- d. Jobs could run in only one schedules
- e. A job could be started using stored procedure start_job

NetExamn

Sri Lanka Institute of Information Technology

Which of the following are true?

Select one or more:

- [x] a. A job can be scheduled in a manner that it runs when the server wo
- [x] b. A job can have multiple steps
- [ ] c. Jobs could run in only one schedules
- [ ] d. Before running a job SQL server agent should be started
- [ ] e. A job could be started using stored procedure start_job

NetExam

Sri Lanka Institute of Information Technology

Which of the following are true related to jobs?

Select one or more:

- [x] a. A job can run one or many times depending on how it is scheduled
- [ ] b. A job can be altered by only its creator
- [x] c. Only system admin role could create jobs
- [ ] d. Job can run in response to an alert
- [x] e. Success or failure status of the job is notified to the creator

Which of the following is/are true related to SQL Server import/export wizard?

Select one or more:

- [ ] a. The wizard is available in the SQL server enterprise edition
- [ ] b. Source in migrating data using import/export wizard could be a table in SQL server
- [ ] c. When a source in SQL server import/export wizard is a file the wizard identifies the structure of a file
- [ ] d. In migrating data to the SQL server data could be migrated to an existing table or a new table
- [ ] e. Source in migrating data using import/export wizard could be an Excel file

NetExam

Sri Lanka Institute of Information Technology

Which of the following is/are true related to SQL Server import/export wizard?

Select one or more:

- a. Source in migrating data using import/export wizard could be an Excel file
- b. Source in migrating data using import/export wizard could be a table in SQL server
- c. The wizard is available in the SQL server enterprise edition
- d. In migrating data to the SQL server data could be migrated to an existing table or a new table
- e. When a source in SQL server import/export wizard is a file the wizard identifies the structure of a file

NetExam

Sri Lanka Institute of Information Technology

Consider the following statements to create a view

Create view product_suppies (PID,Name,Supplier,TotalItems,TotPay)
as
select p.ProductID,p.ProductName,s.supplierName, Sum(sp.numItems), SUM(sp.numItems*sp.price)
from Product p, Supplier s, Supplies sp
where p.productID=sp.productID and sp.supplierID=s.supplierID
group by ProductID,ProductName,supplierName

Which of the following statements are true related to the above.

Select one or more:

- [ ] a. Renaming the columns in this view is not mandatory
- [x] b. Any query written over Products, Suppliers or Supplies tables could be performed on this view
- [ ] c. This view is not updatable
- [x] d. This view is helpful for stakeholders who only need to see information such as total pay and do not need to edit it.
- [ ] e. The query "select supplierName from product_suppies where TotalItems>100" will return the supplier Name of each suppli supplied more than a total of 100 items

ASUS VivoBook

In which of the following scenarios would a stored procedure be beneficial?

Select one or more:

- [x] a. An application running on a remote client needs to calculate and store an employee's salary which is obtained by multiplying the number of hours he has worked with the rate he is paid. Both the number of hours and rate are also stored in a table in the databse.
- [x] b. An application running on a remote client needs to collect three input values, perform a calculation using the values provided, and store the input data, along with the results of the calculation in two different base tables
- [ ] c. An application running on a remote client needs to track every modification made to a table that contains sensitive data
- [ ] d. An application running on a remote client needs to ensure that every new employee that joins the company is assigned a unique, sequential employee number when his information is stored in the database.
- [ ] e. All of the given answers

Next page

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 2

Not yet answered

Marked out of 1.0

Flag question

In which of the following scenarios would a stored procedure be beneficial?

Select one or more:

a. An application running on a remote client needs to calculate and store an employee's salary which is obtai number of hours he has worked with the rate he is paid. Both the number of hours and rate are also stored in a

b. An application running on a remote client needs to collect three input values, perform a calculation using th the input data, along with the results of the calculation in two different base tables.

c. An application running on a remote client needs to track every modification made to a table that contains se

d. An application running on a remote client needs to ensure that every new employee that joins the company sequential employee number when his information is stored in the database.

e. All of the given answers

If a view named V1 is created in such a way that it references every column in a table named EMPLOYEE except a column named SA which of the following is **not** an accurate statement?

Select one or more:

- [x] a. View V1 cannot be used as a data source for other views
- [x] b. All data, except SALARY data that is stored in the EMPLOYEE table is copied to a seperate physical location when V1 is created
- [ ] c. View V1 can be used as a data source for other views
- [ ] d. No data is copied to a seperate physical location when V1 is created
- [ ] e. View V1 can be used in the same context as the EMPLOYEE table for all data retrieval operations that do not acquire SALARY inf

estion 6
t yet answered
arked out of 1.0
Flag question

Which of the following is/are related to triggers?

Select one or more:

- [x] a. Inserted table have the same number of the columns as the table to which data are inserted
- [x] b. Deleted is a virtual table
- [ ] c. The updated table stores the values which a table is updated with after an update operation
- [x] d. The for clause in creating triggers are useful to specify the operations which will execute the trigger
- [ ] e. Before a trigger is created for insert operation, the inserted table should be created by the user

red
1.0
ion

Which of the following statements are **true** about T-SQL functions?

Select one or more:

- [ ] a.
A Function in SQL is a set of sql statements that accepts both input and output parameters and return the result
- [x] b. A Function in SQL is a set of sql statements that accepts only input parameters, perform actions and return the result.
- [x] c. Functions are helpful to reduce network traffic between a client application and the database server
- [x] d. Once a TSQL function is created it can be called any number of times in a client application using 'exec' statement
- [ ] e. None of the given

5
nswered
out of 1.0
question

Which of the following statements are true ?

Select one or more:

- [x] a. variables declared could be used in where clause only
- [x] b. "declare @ID int,@sum int" is a valid T-SQL statement
- [ ] c. Consider the following T-SQL statements:

```
declare @cnt int
set @cnt=100
if (@cnt>75)
print 'inside the if statement'
print 'count is greater than 75'
```

The output for the above code is as follows :
inside the if statement
count is greater than 75

- [x] d. Consider the following T-SQL statements

```
declare @cnt int
set @cnt=100
if (@cnt>75)
print 'inside the if statement'
print 'count is greater than 75'
else
print 'inside the else statement'
```

the above code will result an error

e. Consider the following statements :

```
declare @tot int
select @tot=count(*) from student
```

executing the above statements will not display any output

estion 6
t yet answered
arked out of 1.0
Flag question

Which of the following is/are related to triggers?

Select one or more:

- [x] a. Inserted table have the same number of the columns as the table to which data are inserted
- [x] b. Deleted is a virtual table
- [ ] c. The updated table stores the values which a table is updated with after an update operation
- [x] d. The for clause in creating triggers are useful to specify the operations which will execute the trigger
- [ ] e. Before a trigger is created for insert operation, the inserted table should be created by the user

5
nswered
out of 1.0
question

Which of the following statements are true ?

Select one or more:

- [x] a. variables declared could be used in where clause only
- [x] b. "declare @ID int,@sum int" is a valid T-SQL statement
- [ ] c. Consider the following T-SQL statements:

```
declare @cnt int
set @cnt=100
if (@cnt>75)
print 'inside the if statement'
print 'count is greater than 75'
```

The output for the above code is as follows :
inside the if statement
count is greater than 75

- [x] d. Consider the following T-SQL statements

```
declare @cnt int
set @cnt=100
if (@cnt>75)
print 'inside the if statement'
print 'count is greater than 75'
else
print 'inside the else statement'
```

the above code will result an error

e. Consider the following statements :

```
declare @tot int
select @tot=count(*) from student
```

executing the above statements will not display any output

tExam

nka Institute of Information Technology

it20396

view named V1 is created in such a way that it references every column in a table named EMPLOYEE except a column
med SALARY, which of the following is **not** an accurate statement?

Select one or more:

- a. View V1 can be used in the same context as the EMPLOYEE table for all data retrieval operations that do not acquire SALARY information
- b. No data is copied to a seperate physical location when V1 is created
- c. View V1 cannot be used as a data source for other views
- d. All data, except SALARY data that is stored in the EMPLOYEE table is copied to a seperate physical location when created
- e. View V1 can be used as a data source for other views

NetExam

Sri Lanka Institute of Information Technology

estion 3

Not yet answered

Marked out of 1.0

Flag question

In which of the following scenarios would a stored procedure be beneficial?

Select one or more:

a. An application running on a remote client needs to calculate and store an employee's salary which is obtained by multiplying the number of hours he has worked with the rate he is paid. Both the number of hours and rate are also stored in a table in the database.

b. An application running on a remote client needs to collect three input values, perform a calculation using the values provided, and store the input data, along with the results of the calculation in two different base tables

c. An application running on a remote client needs to track every modification made to a table that contains sensitive data

d. An application running on a remote client needs to ensure that every new employee that joins the company is assigned a unique, sequential employee number when his information is stored in the database.

e. All of the given answers

Moodle

Sri Lanka Institute of Information Technology

Question 1
Not yet answered
Marked out of 1.0
Flag question

Given the following statements:

CREATE TABLE tbl (col1 INTEGER, col2 CHAR(5));

CREATE TABLE tblAudit (user VARCHAR(20), date DATE, action VARCHAR(20));

CREATE TRIGGER trig_tblAudit ON tbl INSTEAD OF INSERT AS

BEGIN

INSERT INTO tblAudit VALUES (CURRENT USER, CURRENT DATE,'Insert');

END

If user USER1 executes the following statements:

INSERT INTO tbl VALUES (1, 'abc');

INSERT INTO tbl (col1) VALUES (2);

UPDATE tbl SET col2 = 'Hacked' WHERE col1 = 1;

How many new records will be written to the database tables?

Select one:

- a. 0
- b. 2
- c. 3
- d. 5
- e. 4

Consider the following procedure:

```
create procedure Swap(@x int out, @y int out)
as
begin
 declare @tmp int
 set @tmp = @x
 set @x = @y
 set @y = @tmp
 end

 declare @x1 int
 declare @y1 int
 set @x1 = 3
 set @y1 = 4
 exec swap @x1 out,@y1 out
 print @x1
 print @y1
```

Select the correct statement related to the above code.

Select one:

- a. @x and @y are output parameters only
- b. @y is an input parameter and @x is an output parameter
- c. @x and @y are input parameters only
- d. Both @x and @y are input and output parameters
- e. @x is an input parameter and @y is an output parameter

NetExam

Sri Lanka Institute of Information Technology

Which of the following is **not** an accurate statement about views?

Select one or more:

- [x] a. Views are publicly referenced names and no special authority or privilege is needed to use ther
- [x] b. All views are updatable
- [ ] c. Views can be used to store queries that multiple applications execute on a regular basis in a dat
- [ ] d. Views may degrade the performance of the database
- [ ] e. Views can be used to restrict access to columns in a base table that contain sensitive data

NetExam

Sri Lanka Institute of Information Technology

1

answered

out of 1.0

g question

If a view named V1 is created in such a way that it references every column in a table named EMPLOYEE except a column named SALARY, which of the following is **not** a statement?

Select one or more:

- [x] a. All data, except SALARY data that is stored in the EMPLOYEE table is copied to a seperate physical location when V1 is created
- [ ] b. View V1 can be used in the same context as the EMPLOYEE table for all data retrieval operations that do not acquire SALARY information
- [ ] c. View V1 cannot be used as a data source for other views
- [ ] d. No data is copied to a seperate physical location when V1 is created
- [x] e. View V1 can be used as a data source for other views

NetExam

Sri Lanka Institute of Information Technology

16

nswered

ut of 1.0

uestion

Which of the following statements are true?

Select one or more:

- a. SQL Server Agent allows you to automate a variety of administrative task
- b. Backup could be used to restore small numbers of files after they have been accidentally deleted
- c. SQL server agent is used to set a schedule for automatic backups to be done on a regular basis.
- d. To secure data a schedule could be set for automatic backups
- e. A customized maintenance plan could be created using jobs

NetExam

Sri Lanka Institute of Information Technology

Question 11

Not yet answered

Marked out of 1.0

Flag question

Which of the following is/are true related to BCP tool?

Select one or more:

- a. BCP is a GUI utility
- b. BCP tool is installed default with Windows OS
- c. BCP tool is used to copy a bulk of data
- d. With BCP data could be migrated from a view
- e. BCP tool is used to migrate data from SQL server to files

5
nswered
out of 1.0
question

Which of the following statements are true ?

Select one or more:

- [x] a. variables declared could be used in where clause only
- [x] b. "declare @ID int,@sum int" is a valid T-SQL statement
- [ ] c. Consider the following T-SQL statements:

```
declare @cnt int
set @cnt=100
if (@cnt>75)
print 'inside the if statement'
print 'count is greater than 75'
```

The output for the above code is as follows :
inside the if statement
count is greater than 75

- [x] d. Consider the following T-SQL statements

```
declare @cnt int
set @cnt=100
if (@cnt>75)
print 'inside the if statement'
print 'count is greater than 75'
else
print 'inside the else statement'
```

the above code will result an error

e. Consider the following statements :

```
declare @tot int
select @tot=count(*) from student
```

executing the above statements will not display any output

estion 6
t yet answered
arked out of 1.0
Flag question

Which of the following is/are related to triggers?

Select one or more:

- [x] a. Inserted table have the same number of the columns as the table to which data are inserted
- [x] b. Deleted is a virtual table
- [ ] c. The updated table stores the values which a table is updated with after an update operation
- [x] d. The for clause in creating triggers are useful to specify the operations which will execute the trigger
- [ ] e. Before a trigger is created for insert operation, the inserted table should be created by the user

tExam

nka Institute of Information Technology

it20396

view named V1 is created in such a way that it references every column in a table named EMPLOYEE except a column
med SALARY, which of the following is **not** an accurate statement?

Select one or more:

- a. View V1 can be used in the same context as the EMPLOYEE table for all data retrieval operations that do not acquire SALARY information
- b. No data is copied to a seperate physical location when V1 is created
- c. View V1 cannot be used as a data source for other views
- d. All data, except SALARY data that is stored in the EMPLOYEE table is copied to a seperate physical location when created
- e. View V1 can be used as a data source for other views

5
nswered
out of 1.0
question

Which of the following statements are true ?

Select one or more:

- [x] a. variables declared could be used in where clause only
- [x] b. "declare @ID int,@sum int" is a valid T-SQL statement
- [ ] c. Consider the following T-SQL statements:

```
declare @cnt int
set @cnt=100
if (@cnt>75)
print 'inside the if statement'
print 'count is greater than 75'
```

The output for the above code is as follows :
inside the if statement
count is greater than 75

- [x] d. Consider the following T-SQL statements

```
declare @cnt int
set @cnt=100
if (@cnt>75)
print 'inside the if statement'
print 'count is greater than 75'
else
print 'inside the else statement'
```

the above code will result an error

e. Consider the following statements :

```
declare @tot int
select @tot=count(*) from student
```

executing the above statements will not display any output

NetExam

Sri Lanka Institute of Information Technology

estion 3

Not yet answered

Marked out of 1.0

Flag question

In which of the following scenarios would a stored procedure be beneficial?

Select one or more:

a. An application running on a remote client needs to calculate and store an employee's salary which is obtained by multiplying the number of hours he has worked with the rate he is paid. Both the number of hours and rate are also stored in a table in the database.

b. An application running on a remote client needs to collect three input values, perform a calculation using the values provided, and store the input data, along with the results of the calculation in two different base tables

c. An application running on a remote client needs to track every modification made to a table that contains sensitive data

d. An application running on a remote client needs to ensure that every new employee that joins the company is assigned a unique, sequential employee number when his information is stored in the database.

e. All of the given answers

Moodle

Sri Lanka Institute of Information Technology

Question 1
Not yet answered
Marked out of 1.0
Flag question

Given the following statements:

CREATE TABLE tbl (col1 INTEGER, col2 CHAR(5));

CREATE TABLE tblAudit (user VARCHAR(20), date DATE, action VARCHAR(20));

CREATE TRIGGER trig_tblAudit ON tbl INSTEAD OF INSERT AS

BEGIN

INSERT INTO tblAudit VALUES (CURRENT USER, CURRENT DATE,'Insert');

END

If user USER1 executes the following statements:

INSERT INTO tbl VALUES (1, 'abc');

INSERT INTO tbl (col1) VALUES (2);

UPDATE tbl SET col2 = 'Hacked' WHERE col1 = 1;

How many new records will be written to the database tables?

Select one:

- a. 0
- b. 2
- c. 3
- d. 5
- e. 4

NetExam

Sri Lanka Institute of Information Technology

Which of the following is **not** an accurate statement about views?

Select one or more:

- [ ] a. Views can be used to restrict access to columns in a base table that contain sensitive data
- [x] b. All views are updatable
- [ ] c. Views are publicly referenced names and no special authority or privilege is needed to use them.
- [ ] d. Views can be used to store queries that multiple applications execute on a regular basis in a database
- [ ] e. Views may degrade the performance of the database

Next page

NetExam

Sri Lanka Institute of Information Technology

1

answered

out of 1.0

g question

If a view named V1 is created in such a way that it references every column in a table named EMPLOYEE except a column named SALARY, which of the following is **not** a statement?

Select one or more:

- [x] a. All data, except SALARY data that is stored in the EMPLOYEE table is copied to a seperate physical location when V1 is created
- [ ] b. View V1 can be used in the same context as the EMPLOYEE table for all data retrieval operations that do not acquire SALARY information
- [ ] c. View V1 cannot be used as a data source for other views
- [ ] d. No data is copied to a seperate physical location when V1 is created
- [x] e. View V1 can be used as a data source for other views

Consider the following procedure:

```
create procedure Swap(@x int out, @y int out)
as
begin
 declare @tmp int
 set @tmp = @x
 set @x = @y
 set @y = @tmp
 end

 declare @x1 int
 declare @y1 int
 set @x1 = 3
 set @y1 = 4
 exec swap @x1 out,@y1 out
 print @x1
 print @y1
```

Select the correct statement related to the above code.

Select one:

- a. @x and @y are output parameters only
- b. @y is an input parameter and @x is an output parameter
- c. @x and @y are input parameters only
- d. Both @x and @y are input and output parameters
- e. @x is an input parameter and @y is an output parameter

NetExam

Sri Lanka Institute of Information Technology

Which of the following is **not** an accurate statement about views?

Select one or more:

- [x] a. Views are publicly referenced names and no special authority or privilege is needed to use ther
- [x] b. All views are updatable
- [ ] c. Views can be used to store queries that multiple applications execute on a regular basis in a dat
- [ ] d. Views may degrade the performance of the database
- [ ] e. Views can be used to restrict access to columns in a base table that contain sensitive data

NetExam

Sri Lanka Institute of Information Technology

Question 1

Not yet answered

Marked out of 1.0

Flag question

Which of the following is **not** an accurate statement about views?

Select one or more:

- [x] a. Views are publicly referenced names and no special authority or privilege is needed to use them.
- [x] b. All views are updatable
- [ ] c. Views can be used to store queries that multiple applications execute on a regular basis in a database
- [x] d. Views may degrade the performance of the database
- [ ] e. Views can be used to restrict access to columns in a base table that contain sensitive data

NetExam

Sri Lanka Institute of Information Technology

1

answered

out of 1.0

g question

If a view named V1 is created in such a way that it references every column in a table named EMPLOYEE except a column named SALARY, which of the following is **not** a statement?

Select one or more:

- [x] a. All data, except SALARY data that is stored in the EMPLOYEE table is copied to a seperate physical location when V1 is created
- [ ] b. View V1 can be used in the same context as the EMPLOYEE table for all data retrieval operations that do not acquire SALARY information
- [ ] c. View V1 cannot be used as a data source for other views
- [ ] d. No data is copied to a seperate physical location when V1 is created
- [x] e. View V1 can be used as a data source for other views

NetExam

Sri Lanka Institute of Information Technology

Given the following statements:

```
CREATE TABLE tbl (col1 INTEGER, col2 CHAR(5));
CREATE TABLE tblAudit (user VARCHAR(20), date DATE, action VARCHAR(20));
CREATE TRIGGER trig_tblAudit ON tbl INSTEAD OF INSERT AS
BEGIN
INSERT INTO tblAudit VALUES (CURRENT USER, CURRENT DATE,'Insert');
END
```

If user USER1 executes the following statements:

```
INSERT INTO tbl VALUES (1, 'abc');
INSERT INTO tbl (col1) VALUES (2);
UPDATE tbl SET col2 = 'Hacked' WHERE col1 = 1;
```

How many new records will be written to the database tables?

Select one:

- a. 5
- b. 4
- c. 2
- d. 3
- e. 0

Which of the following is **not** an accurate statement about views?

Select one or more:

- [x] a. Views are publicly referenced names and no special authority or privilege is needed to use them.
- [ ] b. Views can be used to restrict access to columns in a base table that contain sensitive data
- [ ] c. Views can be used to store queries that multiple applications execute on a regular basis in a database
- [x] d. All views are updatable
- [ ] e. Views may degrade the performance of the database

Next page

Moodle

NetExamn

Sri Lanka Institute of Information Technology

tion 2
yet answered
ed out of 1.0
lag question

In which of the following scenarios would a stored procedure be beneficial?

Select one or more:

- [ ] a. An application running on a remote client needs to calculate and store an employee's salary which is obtained by multiplying the number of hours he has worked with the rate he is paid. Both the number of hours and rate are also stored in a table in the databse.
- [ ] b. An application running on a remote client needs to collect three input values, perform a calculation using the values provided, and store the input data, along with the results of the calculation in two different base tables
- [x] c. An application running on a remote client needs to track every modification made to a table that contains sensitive data
- [ ] d. An application running on a remote client needs to ensure that every new employee that joins the company is assigned a unique, sequential employee number when his information is stored in the database.
- [ ] e. All of the given answers

Next page

on 8
t answered
d out of 1.0
g question

Which of the following statements are **true** about views?

Select one:

- a. A view cannot be created with a GROUP BY clause in the SELECT statement.
- b. A view cannot have an ORDER BY clause in the SELECT statement.
- c. A view must have aliases defined for the column names in the SELECT statement.
- d. A view can be created as a join on two or more tables.
- e. A view is readonly

NetExam

Sri Lanka Institute of Information Technology

Which of the following statements are **true** about views?

Select one:

- a. A view is readonly
- b. A view must have aliases defined for the column names in the SELECT statement.
- c. A view can be created as a join on two or more tables.
- d. A view cannot have an ORDER BY clause in the SELECT statement.
- e. A view cannot be created with a GROUP BY clause in the SELECT statement.

ASUS VivoBook

Sri Lanka Institute of Information Technology

Which of the following statements are true ?

Select one or more:

- [x] a. Consider the following statements :
  declare @tot int
  select @tot=count(*) from student
  executing the above statements will not display any output

- [x] b. Consider the following T-SQL statements:
  declare @cnt int
  set @cnt=100
  if (@cnt>75)
  print 'inside the if statement'
  print 'count is greater than 75'
  The output for the above code is as follows :
  inside the if statement
  count is greater than 75

- [x] c. Consider the following T-SQL statements
  declare @cnt int
  set @cnt=100
  if (@cnt>75)
  print 'inside the if statement'
  print 'count is greater than 75'
  else
  print 'inside the else statement'
  the above code will result an error

- [ ] d. variables declared could be used in where clause only

- [ ] e. "declare @ID int,@ sum int" is a valid T-SQL statement

stion 10

yet answered

rked out of 1.0

Flag question

Which of the following is a proprietary extension of SQL for Microsoft SQL Server?

Select one:

- a. PL-SQL
- b. MS-SQL
- c. PG-SQL
- d. P-SQL
- e. T-SQL

estion 6
t yet answered
arked out of 1.0
Flag question

Which of the following is/are related to triggers?

Select one or more:

- [x] a. Inserted table have the same number of the columns as the table to which data are inserted
- [x] b. Deleted is a virtual table
- [ ] c. The updated table stores the values which a table is updated with after an update operation
- [x] d. The for clause in creating triggers are useful to specify the operations which will execute the trigger
- [ ] e. Before a trigger is created for insert operation, the inserted table should be created by the user

Question 10
Not yet answered
Marked out of 1.0
Flag question

Which statement/s would be **correct** with regards to SQL-stored procedure

Select one or more:

- [ ] a. Procedure can have zero or more output parameters
- [ ] b. Procedures can have input/output parameters
- [ ] c. Inside procedures data retrievels (e.g. Select) and data manupilations (e.g. insert) could be performed
- [ ] d. Procedure can have only input parameters
- [ ] e. None of the given answers

NetExam

Sri Lanka Institute of Information Technology

1

nswered

ut of 1.0

uestion

In which of the following scenarios would a stored procedure be beneficial?

Select one or more:

- [ ] a. An application running on a remote client needs to calculate and store an employee's salary which is obtained by multiplying the number of hours he has worked with the rate he is paid. Both the number of hours and rate are also stored in a table in the database.
- [x] b. An application running on a remote client needs to collect three input values, perform a calculation using the values provided, and store the input data, along with the results of the calculation in two different base tables
- [ ] c. An application running on a remote client needs to track every modification made to a table that contains sensitive data
- [ ] d. An application running on a remote client needs to ensure that every new employee that joins the company is assigned a unique, sequential employee number when his information is stored in the database.
- [ ] e. All of the given answers

Next pag

NetExam

Sri Lanka Institute of Information Technology

If a view named V1 is created in such a way that it references every c
table named EMPLOYEE except a column named SALARY, which of th
not an accurate statement?

Select one or more:

- [x] a. View V1 can be used as a data source for other views
- [ ] b. View V1 cannot be used as a data source for other views
- [x] c. No data is copied to a seperate physical location when V1 is creat
- [ ] d. All data, except SALARY data that is stored in the EMPLOYEE table a seperate physical location when V1 is created
- [x] e. View V1 can be used in the same context as the EMPLOYEE table fo retrieval operations that do not acquire SALARY information

red
1.0
on

Which of the following is **not** an accurate statement about views?

Select one or more:

- [ ] a. Views can be used to restrict access to columns in a base table that contain sensitive data
- [ ] b. All views are updatable
- [ ] c. Views may degrade the performance of the database
- [ ] d. Views are publicly referenced names and no special authority or privilege is needed to use them.
- [x] e. Views can be used to store queries that multiple applications execute on a regular basis in a database

NetExam

Sri Lanka Institute of Information Technology

Which of the following events will NOT cause a DML trigger on table to be activated?

Select one or more:

- [x] a. An alter table operation
- [ ] b. An update operation
- [x] c. A select operation
- [ ] d. A delete operation
- [ ] e. An insert operation

Given the following statements:

```
CREATE TABLE tbl (col1 INTEGER, col2 CHAR(5));

CREATE TABLE tblAudit (user VARCHAR(20), date DATE, act
VARCHAR(20));

CREATE TRIGGER trig_tblAudit ON tbl FOR INSERT AS

BEGIN

INSERT INTO tblAudit VALUES (CURRENT USER, CURRENT
DATE,'Insert');

END
```

If user USER1 executes the following statements:

```
INSERT INTO tbl VALUES (1, 'abc');

INSERT INTO tbl (col1) VALUES (2);

UPDATE tbl SET col2 = 'Hacked' WHERE col1 = 1;
```

How many new records will be written to the database tables?

Select one:

- a. 4
- b. 0
- c. 2
- d. 5
- e. 3

NetExam

Sri Lanka Institute of Information Technology

Which of the following is **not** an accurate statement about views?

Select one or more:

- [ ] a. Views may degrade the performance of the database
- [ ] b. Views can be used to restrict access to columns in a base table sensitive data
- [x] c. Views can be used to store queries that multiple applications exe regular basis in a database
- [ ] d. Views are publicly referenced names and no special authority or needed to use them.
- [x] e. All views are updatable

Given the following statements:

```
CREATE TABLE tbl (col1 INTEGER, col2 CHAR(5));

CREATE TABLE tblAudit (user VARCHAR(20), date DATE, act
VARCHAR(20));

CREATE TRIGGER trig_tblAudit ON tbl FOR INSERT AS

BEGIN

INSERT INTO tblAudit VALUES (CURRENT USER, CURRENT
DATE,'Insert');

END
```

If user USER1 executes the following statements:

```
INSERT INTO tbl VALUES (1, 'abc');

INSERT INTO tbl (col1) VALUES (2);

UPDATE tbl SET col2 = 'Hacked' WHERE col1 = 1;
```

How many new records will be written to the database tables?

Select one:

- a. 4
- b. 0
- c. 2
- d. 5
- e. 3

NetExam

Sri Lanka Institute of Information Technology

Which of the following is a proprietary extension of SQL for Microsoft SQL Server?

Select one:

- a. PL-SQL
- b. PG-SQL
- c. P-SQL
- d. T-SQL
- e. MS-SQL

Which statement/s would be **correct** with regards to SQL-stored procedure

Select one or more:

- [x] a. Procedure can have zero or more output parameters
- [x] b. Procedures can have input/output parameters
- [x] c. Inside procedures data retrievels (e.g. Select) and data manupilations (e.g. insert) could be performed
- [ ] d. Procedure can have only input parameters
- [ ] e. None of the given answers

odle

nswered

out of 1.0

question

Consider the following procedure:

```
create procedure Swap(@x int out, @y int out)
as
begin
 declare @tmp int
 set @tmp = @x
set @x = @y
set @y = @tmp
 end

declare @x1 int
declare @y1 int
set @x1 = 3
set @y1 = 4
exec swap @x1 out,@y1 out
print @x1
print @y1
```

Select the correct statement related to the above code.

Select one:

a. @x is an input parameter and @y is an output parameter

b. @x and @y are input parameters only

c. @y is an input parameter and @x is an output parameter

d. Both @x and @y are input and output parameters

NetExam

Sri Lanka Institute of Information Technology

Which of the following is **not** an accurate statement about views?

Select one or more:

- [x] a. Views are publicly referenced names and no special authority or privilege is needed to use ther
- [x] b. All views are updatable
- [ ] c. Views can be used to store queries that multiple applications execute on a regular basis in a dat
- [ ] d. Views may degrade the performance of the database
- [ ] e. Views can be used to restrict access to columns in a base table that contain sensitive data

Moodle

NetExamn

Sri Lanka Institute of Information Technology

tion 2
yet answered
ed out of 1.0
lag question

In which of the following scenarios would a stored procedure be beneficial?

Select one or more:

- [ ] a. An application running on a remote client needs to calculate and store an employee's salary which is obtained by multiplying the number of hours he has worked with the rate he is paid. Both the number of hours and rate are also stored in a table in the databse.
- [ ] b. An application running on a remote client needs to collect three input values, perform a calculation using the values provided, and store the input data, along with the results of the calculation in two different base tables
- [x] c. An application running on a remote client needs to track every modification made to a table that contains sensitive data
- [ ] d. An application running on a remote client needs to ensure that every new employee that joins the company is assigned a unique, sequential employee number when his information is stored in the database.
- [ ] e. All of the given answers

Next page

NetExam

Sri Lanka Institute of Information Technology

Question 3

Not yet answered

Marked out of 1.0

Flag question

In which of the following scenarios would a stored procedure be beneficial?

Select one or more:

- a. An application running on a remote client needs to calculate and store an employee's salary which number of hours he has worked with the rate he is paid. Both the number of hours and rate are also st
- b. An application running on a remote client needs to collect three input values, perform a calculation the input data, along with the results of the calculation in two different base tables
- c. An application running on a remote client needs to track every modification made to a table that cor
- d. An application running on a remote client needs to ensure that every new employee that joins the c sequential employee number when his information is stored in the database.
- e. All of the given answers

NetExam

Sri Lanka Institute of Information Technology

Which of the following statements are **true** about views?

Select one:

- a. A view cannot have an ORDER BY clause in the SELECT statement.
- b. A view must have aliases defined for the column names in the SELECT statement.
- c. A view is readonly
- d. A view can be created as a join on two or more tables.
- e. A view cannot be created with a GROUP BY clause in the SELECT statement.

Question 2
Not yet answered
Marked out of 1.0
Flag question

If a view named V1 is created in such a way that it references every column in a table named EMPLOYEE except a column named SALARY, which of the following is **not** an accurate statement?

Select one or more:

- a. No data is copied to a seperate physical location when V1 is created
- b. View V1 cannot be used as a data source for other views
- c. All data, except SALARY data that is stored in the EMPLOYEE table is copied to a seperate physical location when V1 is created
- d. View V1 can be used as a data source for other views
- e. View V1 can be used in the same context as the EMPLOYEE table for all data retrieval operations that do not acquire SALARY information

Next page

dle

NetExam

Sri Lanka Institute of Information Technology

on 7
et answered
ed out of 1.0
lag question

Which of the following is a proprietary extension of SQL for Microsoft SQL Serve

Select one:

- a. PG-SQL
- b. MS-SQL
- c. T-SQL
- d. PL-SQL
- e. P-SQL

NetExamn

Sri Lanka Institute of Information Technology

Which of the following statements are **true** about views?

Select one:

- a. A view cannot be created with a GROUP BY clause in the SELECT statement.
- b. A view cannot have an ORDER BY clause in the SELECT statement.
- c. A view can be created as a join on two or more tables.
- d. A view must have aliases defined for the column names in the SELECT statement.
- e. A view is readonly

Which of the following statements are **true** about T-SQL functions?

Select one or more:

- a.
  A Function in SQL is a set of sql statements that accepts both input and output parameters and return the result
- b. A Function in SQL is a set of sql statements that accepts only input parameters, perform actions and return the result.
- c. Functions are helpful to reduce network traffic between a client application and the database server
- d. Once a TSQL function is created it can be called any number of times in a client application using 'exec' statement
- e. None of the given

Next page

NetExam

Sri Lanka Institute of Information Technology

Question 5

Not yet answered

Marked out of 1.0

Flag question

Consider the following statements to create a view

```
Create view product_suppies (PID,Name,Supplier,TotalItems,TotPay)
as
select p.ProductID,p.ProductName,s.supplierName, Sum(sp.numItems), SUM(sp.numItems*sp.price)
from Product p, Supplier s, Supplies sp
where p.productID=sp.productID and sp.supplierID=s.supplierID
group by ProductID,ProductName,supplierName
```

Which of the following statements are true related to the above.

Select one or more:

- a. Any query written over Products, Suppliers or Supplies tables could be performed on this view
- b. This view is helpful for stakeholders who only need to see information such as total pay and do not need to edit it.
- c. This view is not updatable
- d. The query "select supplierName from product_suppies where TotalItems>100" will return the supplier Name of each supplier who had supplied more than a total of 100 items
- e. Renaming the columns in this view is not mandatory

Next page

Question 6
Not yet answered
Marked out of 1.0
Flag question

Which of the following is/are related to triggers?

Select one or more:

- a. Inserted table have the same number of the columns as the table to which data are inserted
- b. The updated table stores the values which a table is updated with after an update operation
- c. Before a trigger is created for insert operation, the inserted table should be created by the user
- d. Deleted is a virtual table
- e. The for clause in creating triggers are useful to specify the operations which will execute the trigger

NetExam

Sri Lanka Institute of Information Technology

Which of the following is **not** an accurate statement about views?

Select one or more:

- [ ] a. Views can be used to restrict access to columns in a base table that contain sensitive data
- [x] b. All views are updatable
- [ ] c. Views are publicly referenced names and no special authority or privilege is needed to use them.
- [ ] d. Views can be used to store queries that multiple applications execute on a regular basis in a database
- [ ] e. Views may degrade the performance of the database

Next page

tExam

nka Institute of Information Technology

it20396

view named V1 is created in such a way that it references every column in a table named EMPLOYEE except a column
med SALARY, which of the following is **not** an accurate statement?

Select one or more:

- a. View V1 can be used in the same context as the EMPLOYEE table for all data retrieval operations that do not acquire SALARY information
- b. No data is copied to a seperate physical location when V1 is created
- c. View V1 cannot be used as a data source for other views
- d. All data, except SALARY data that is stored in the EMPLOYEE table is copied to a seperate physical location when created
- e. View V1 can be used as a data source for other views

NetExam

Sri Lanka Institute of Information Technology

1

answered

out of 1.0

g question

If a view named V1 is created in such a way that it references every column in a table named EMPLOYEE except a column named SALARY, which of the following is **not** a statement?

Select one or more:

- [x] a. All data, except SALARY data that is stored in the EMPLOYEE table is copied to a seperate physical location when V1 is created
- [ ] b. View V1 can be used in the same context as the EMPLOYEE table for all data retrieval operations that do not acquire SALARY information
- [ ] c. View V1 cannot be used as a data source for other views
- [ ] d. No data is copied to a seperate physical location when V1 is created
- [x] e. View V1 can be used as a data source for other views

NetExam

Sri Lanka Institute of Information Technology

Question 5

Not yet answered

Marked out of 1.0

Flag question

Which of the following statements are **true** about T-SQL functions?

Select one or more:

a. A Function in SQL is a set of sql statements that accepts both input and output parameters and return the result

b. A Function in SQL is a set of sql statements that accepts only input parameters, perform actions and return the result

c. Functions are helpful to reduce network traffic between a client application and the database server

d. Once a TSQL function is created it can be called any number of times in a client application using 'exec' statement

e. None of the given

Quiz navigation

Finish attempt ...

Time left 0:39:39

1 2

vered
of 1.0
stion

Which of the following is/are true related to triggers

Select one or more:

- [ ] a. SQL server Triggers only respond to insert, update and delete operations.
- [ ] b. The for clause specifies the table name on which the trigger is to be attached
- [ ] c. In instead of triggers, trigger is executed before the table is updated
- [ ] d. A for trigger execute after the operation(insert ,update ,delete) has taken place in the table
- [ ] e. Triggers are useful for auditing and imposing business logic

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 5

Not yet answered

Marked out of 1.0

Flag question

The default parameter type in stored procedures is

Select one:

- a. INOUT
- b. There is no default type
- c. OUT
- d. IN
- e. OUTPUT

NetExam

Sri Lanka Institute of Information Technology

Which of the following is/are related to triggers?

Select one or more:

- [x] a. Inserted table have the same number of the columns as the table to which data are inserted
- [x] b. The for clause in creating triggers are useful to specify the operations which will execute the trigger
- [ ] c. The updated table stores the values which a table is updated with after an update operation
- [ ] d. Before a trigger is created for insert operation, the inserted table should be created by the user
- [x] e. Deleted is a virtual table

Consider the following statements to create a view

```
Create view product_suppies (PID,Name,Supplier,TotalItems,TotPay)
as
select p.ProductID,p.ProductName,s.supplierName, Sum(sp.numItems), SUM(sp.numItems*sp.price)
from Product p, Supplier s, Supplies sp
where p.productID=sp.productID and sp.supplierID=s.supplierID
group by ProductID,ProductName,supplierName
```

Which of the following statements are true related to the above.

Select one or more:

- a. The query "select supplierName from product_suppies where TotalItems>100" will return the supplier Name of each supplier who had supplied more than a total of 100 items
- b. Renaming the columns in this view is not mandatory
- c. This view is not updatable
- d. This view is helpful for stakeholders who only need to see information such as total pay and do not need to edit it.
- e. Any query written over Products, Suppliers or Supplies tables could be performed on this view

Next page

≡ Qui

Finish att

Time left

1	2
9	10
17	18
25	26
33	34

NetExam

Sri Lanka Institute of Information Technology

Which of the following events will NOT cause a DML trigger on table to be activated?

Select one or more:

- [x] a. An alter table operation
- [ ] b. An insert operation
- [ ] c. An update operation
- [ ] d. A delete operation
- [x] e. A select operation

swered

t of 1.0

estion

Which of the following statements are true ?

Select one or more:

- [ ] a. Consider the following T-SQL statements
  declare @cnt int
  set @cnt=100
  if (@cnt>75)
  print 'inside the if statement'
  print 'count is greater than 75'
  else
  print 'inside the else statement'
  the above code will result an error
- [x] b. variables declared could be used in where clause only
- [x] c. Consider the following statements :
  declare @tot int
  select @tot=count(*) from student
  executing the above statements will not display any output
- [ ] d. "declare @ID int,@sum int" is a valid T-SQL statement
- [ ] e. Consider the following T-SQL statements:
  declare @cnt int
  set @cnt=100
  if (@cnt>75)
  print 'inside the if statement'
  print 'count is greater than 75'
  The output for the above code is as follows :
  inside the if statement
  count is greater than 75

In which of the following scenarios would a stored procedure be beneficial?

Select one or more:

- [x] a. An application running on a remote client needs to calculate and store an employee's salary which is obtained by multiplying the number of hours he has worked with the rate he is paid. Both the number of hours and rate are also stored in a table in the databse.
- [x] b. An application running on a remote client needs to collect three input values, perform a calculation using the values provided, and store the input data, along with the results of the calculation in two different base tables
- [ ] c. An application running on a remote client needs to track every modification made to a table that contains sensitive data
- [ ] d. An application running on a remote client needs to ensure that every new employee that joins the company is assigned a unique, sequential employee number when his information is stored in the database.
- [ ] e. All of the given answers

Next page

NetExam

Sri Lanka Institute of Information Technology

Consider the following statements to create a view

Create view product_suppies (PID,Name,Supplier,TotalItems,TotPay)
as
select p.ProductID,p.ProductName,s.supplierName, Sum(sp.numItems), SUM(sp.numItems*sp.price)
from Product p, Supplier s, Supplies sp
where p.productID=sp.productID and sp.supplierID=s.supplierID
group by ProductID,ProductName,supplierName

Which of the following statements are true related to the above.

Select one or more:

- [ ] a. Renaming the columns in this view is not mandatory
- [x] b. Any query written over Products, Suppliers or Supplies tables could be performed on this view
- [ ] c. This view is not updatable
- [x] d. This view is helpful for stakeholders who only need to see information such as total pay and do not need to edit it.
- [ ] e. The query "select supplierName from product_suppies where TotalItems>100" will return the supplier Name of each suppli supplied more than a total of 100 items

ASUS VivoBook

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 2

Not yet answered

Marked out of 1.0

Flag question

In which of the following scenarios would a stored procedure be beneficial?

Select one or more:

a. An application running on a remote client needs to calculate and store an employee's salary which is obtai number of hours he has worked with the rate he is paid. Both the number of hours and rate are also stored in a

b. An application running on a remote client needs to collect three input values, perform a calculation using th the input data, along with the results of the calculation in two different base tables.

c. An application running on a remote client needs to track every modification made to a table that contains se

d. An application running on a remote client needs to ensure that every new employee that joins the company sequential employee number when his information is stored in the database.

e. All of the given answers

If a view named V1 is created in such a way that it references every column in a table named EMPLOYEE except a column named SA which of the following is **not** an accurate statement?

Select one or more:

- [x] a. View V1 cannot be used as a data source for other views
- [x] b. All data, except SALARY data that is stored in the EMPLOYEE table is copied to a seperate physical location when V1 is created
- [ ] c. View V1 can be used as a data source for other views
- [ ] d. No data is copied to a seperate physical location when V1 is created
- [ ] e. View V1 can be used in the same context as the EMPLOYEE table for all data retrieval operations that do not acquire SALARY inf

Which statement/s would be **correct** with regards to SQL-stored procedure

Select one or more:

- a. Procedure can have zero or more output parameters
- b. Procedures can have input/output parameters
- c. Inside procedures data retrievels (e.g. Select) and data manupilations (e.g. insert) could be performed
- d. Procedure can have only input parameters
- e. None of the given answers

Next pa

red
1.0
ion

Which of the following statements are **true** about T-SQL functions?

Select one or more:

- [ ] a.
A Function in SQL is a set of sql statements that accepts both input and output parameters and return the result
- [x] b. A Function in SQL is a set of sql statements that accepts only input parameters, perform actions and return the result.
- [x] c. Functions are helpful to reduce network traffic between a client application and the database server
- [x] d. Once a TSQL function is created it can be called any number of times in a client application using 'exec' statement
- [ ] e. None of the given

Question 9
Not yet answered
Marked out of 1.0
Flag question

Which of the following is/are related to triggers?

Select one or more:

- [ ] a. The for clause in creating triggers are useful to specify the operations which will execute the trigger
- [ ] b. Inserted table have the same number of the columns as the table to which data are inserted
- [ ] c. Deleted is a virtual table
- [ ] d. The updated table stores the values which a table is updated with after an update operation
- [ ] e. Before a trigger is created for insert operation, the inserted table should be created by the user

Consider the following relations in a database created for a university.

Module (mCode: char(6), mName: varchar (50), credits: int, specialization: char (4), year: int, semester: int)

Student (sid: char(I0), sName: varchar(50), age: int, gpa: int, address: varchar(50))

Follow (sId: char(IO), mCode: char(6), semester: int, academicYear: int, grade: char(1))

Class (cId: int, mCode: char(6), sId: Char(I0), type: varchar(I0), day: char(3), time:time, length: int, hId: char(4))

Hall (hId: char(4), building: varchar(I5), floorNo: int, capacity: int)

Module relation stores the module code, name, number of credits, and the specialization the module belongs to (such as 'IT', 'SE', 'CSN'), year and the semester of the module.

Student relation stores the ID, name, age, cumulative gpa, and address of all students.

For each student following a module in the university the Follow relation stores the ID of the student, code of the module, the semester the module is offered (such as 1 and 2), the academic year the student has followed the module (such as 2018 and 2019) and the grade he received for the module.

The Class relation stores the id , code, type of the class (such as 'lecture' and 'tutorial'), day the class is conducted such as ('Mon', "Tue', 'Wed'), start time of the class, length of the class in hours, and the id of the hall the class is conducted.

Hall relation stores the ID, name of the building the hall is in, floor number the hall is in, and capacity of each Hall.

Create a function named 'getAvailability' which takes class id and module code as inputs and returns the number of more students that could be added to the class based on class size and the capacity of the hall.

stion 1

yet answered

rked out of

Flag question

Consider the following relations in a database created for a library.

Book (bookID char(10), bookName varchar(30), ISBN varchar(30), category varchar(15))

Member Type (typeID int, TypeName varchar(10), limit int)

Member (memID int, memName varchar(20), address varchar(30), contact int, memberType int)

Loan (memID int, bookID char(10), borrowdate date, duedate date)

All details about the books in the library is available in the Book relation. Registered library member details are available in the Member relation. Each member belong to a member category (undergraduate, postgraduate, academic and non academic) Each category has a maximum limit of books that can be purchased by a member in a given category.

Create a function to return the total number of books that can be borrowed by a given member on a particular date.

Type here to search

Question 2

Not yet answered

Marked out of 5.00

Flag question

Consider the following relations in a database created for a university.

Module (mCode: char(6), mName: varchar (50), credits: int, specialization: char (4), year: int, semester: int)

Student (sid: char(I0), sName: varchar(50), age: int, gpa: int, address: varchar(50))

Follow (sId: char(IO), mCode: char(6), semester: int, academicYear: int, grade: char(1))

Class (cId: int, mCode: char(6), sId: Char(I0), type: varchar(I0), day: char(3), time:time, length: int, hId: char(4))

Hall (hId: char(4), building: varchar(I5), floorNo: int, capacity: int)

Module relation stores the module code, name, number of credits, and the specialization the module belongs to (such as 'IT', 'SE', 'CSN'), year and the semester of the module.

Student relation stores the ID, name, age, cumulative gpa, and address of all students.

For each student following a module in the university the Follow relation stores the ID of the student, code of the module, the semester the module is offered (such as 1 and 2), the academic year the student has followed the module (such as 2018 and 2019) and the grade he received for the module.

The Class relation stores the id , code, type of the class (such as 'lecture' and 'tutorial'), day the class is conducted such as ('Mon', 'Tue', 'Wed'), start time of the class, length of the class in hours, and the id of the hall the class is conducted.

Hall relation stores the ID, name of the building the hall is in, floor number the hall is in, and capacity of each Hall.

Create a view named 'ClassDetails' that contains class id, module name, year the module is offered, specialization, type of class and the size of the class for each class.

Question 1
Not yet answered
Marked out of 1.00
Flag question

Consider the following relations in a database created for a university.

Module (mCode: char(6), mName: varchar (50), credits: int, specialization: char (4), year: int, semester: int)

Student (sid: char(I0), sName: varchar(50), age: int, gpa: int, address: varchar(50))

Follow (sId: char(IO), mCode: char(6), semester: int, academicYear: int, grade: char(1))

Class (cId: int, mCode: char(6), sId: Char(I0), type: varchar(I0), day: char(3), time:time, length: int, hId: char(4))

Hall (hId: char(4), building: varchar(I5), floorNo: int, capacity: int)

Module relation stores the module code, name, number of credits, and the specialization the module belongs to (such as 'IT', 'SE', 'CSN'), year and the semester of the module.

Student relation stores the ID, name, age, cumulative gpa, and address of all students.

For each student following a module in the university the Follow relation stores the ID of the student, code of the module, the semester the module is offered (such as 1 and 2), the academic year the student has followed the module (such as 2018 and 2019) and the grade he received for the module.

The Class relation stores the id , code, type of the class (such as 'lecture' and 'tutorial'), day the class is conducted such as ('Mon', "Tue', 'Wed'), start time of the class, length of the class in hours, and the id of the hall the class is conducted.

Hall relation stores the ID, name of the building the hall is in, floor number the hall is in, and capacity of each Hall.

Create a function named 'getAvailability' which takes class id and module code as inputs and returns the number of more students that could be added to the class based on class size and the capacity of the hall.

≡ Quiz

1 2

Finish atten

Time left 0:

1. **This quiz contain 35 MCQ questions**
2. **The duration of the quiz is 1 hour**
3. **The students cannot navigate backward in this quiz**
4. **Students are expected to use the lockdown browser for the quiz**

This quiz has been configured so that students may only attempt it using the Respondus LockDown Browser.

Attempts allowed: 1

The quiz will not be available until Saturday, 29 May 2021, 11:00 AM

This quiz will close on Saturday, 29 May 2021, 12:10 PM.

Time limit: 1 hour

Respondus LockDown Browser is required for this exam.

Download LockDown Browser | Check your LockDown Browser Setup

This quiz is not currently available

Back to the course

tion 2

yet answered

ked out of

Flag question

Consider the following relations in a database created for a library.

Book (bookID char(10), bookName varchar(30), ISBN varchar(30), category varchar(15))


Member Type (typeID int, TypeName varchar(10), limit int)


Member (memID int, memName varchar(20), address varchar(30), contact int, memberType int)

Loan (memID int, bookID char(10), borrowdate date, duedate date)

All details about the books in the library is available in the Book relation. Registered library member details are available in the Member relation. Each member belong to a member category (undergraduate, postgraduate, academic and non academic) Each category has a maximum limit of books that can be purchased by a member in a given category.

Write a trigger to ensure that a member does not borrow books more than the number of books he/she could borrow at a given time.
(Hint: Use the function created in Question 1).


Moodle
Page failed to load.
URL: https://netexam.sliit.lk/mod/quiz/processattempt.php?cmid=2722
Error: (-118)
ERR_CONNECTION_TIMED_OUT


NetExam
Sri Lanka Institute of Information Technology
Continue
Return to Exam
Close the Browser

NetExam

Sri Lanka Institute of Information Technology

Given the following statements:

```
CREATE TABLE tbl (col1 INTEGER, col2 CHAR(5));
CREATE TABLE tblAudit (user VARCHAR(20), date DATE, action VARCHAR(20));
CREATE TRIGGER trig_tblAudit ON tbl FOR INSERT AS
BEGIN
INSERT INTO tblAudit VALUES (CURRENT USER, CURRENT DATE,'Insert');
END
```

If user USER1 executes the following statements:

```
INSERT INTO tbl VALUES (1, 'abc');
INSERT INTO tbl (col1) VALUES (2);
UPDATE tbl SET col2 = 'Hacked' WHERE col1 = 1;
```

How many new records will be written to the database tables?

Select one:

- a. 4
- b. 5
- c. 0
- d. 3
- e. 2

wered
of 1.0
estion

Which of the following is **not** an accurate statement about views?

Select one or more:

- a. Views can be used to restrict access to columns in a base table that contain sensitive data
- b. Views can be used to store queries that multiple applications execute on a regular basis in a database
- c. Views may degrade the performance of the database
- d. Views are publicly referenced names and no special authority or privilege is needed to use them.
- e. All views are updatable

red
1.0
ion

Consider the following procedure:

```
create procedure Swap(@x int out, @y int out)
as
begin
 declare @tmp int
 set @tmp = @x
set @x = @y
set @y = @tmp
 end

 declare @x1 int
 declare @y1 int
 set @x1 = 3
 set @y1 = 4
 exec swap @x1 out,@y1 out
 print @x1
 print @y1
```

Select the correct statement related to the above code.

Select one:

a. @x and @y are output parameters only.

```
as
begin
 declare @tmp int
 set @tmp = @x
set @x = @y
set @y = @tmp
 end

 declare @x1 int
 declare @y1 int
 set @x1 = 3
 set @y1 = 4
 exec swap @x1 out,@y1 out
 print @x1
 print @y1
```

Select the correct statement related to the above code.

Select one:

- a. @x and @y are output parameters only
- b. @y is an input parameter and @x is an output parameter
- c. @x and @y are input parameters only
- d. Both @x and @y are input and output parameters
- e. @x is an input parameter and @y is an output parameter

Question 1
Not yet answered
Marked out of 1.0
Flag question

In which of the following scenarios would a stored procedure be beneficial?

Select one or more:

- a. An application running on a remote client needs to calculate and store an employee's salary which is obtained by multiplying the number of hours he has worked with the rate he is paid. Both the number of hours and rate are also stored in a table in the atabse.
- b. An application running on a remote client needs to collect three input values, perform a calculation using the values provided, and store the input data, along with the results of the calculation in two different base tables
- c. An application running on a remote client needs to track every modification made to a table that contains sensitive data
- d. An application running on a remote client needs to ensure that every new employee that joins the company is assigned a unique, sequential employee number when his information is stored in the database.
- e. All of the given answers

Next page

NetExam

Sri Lanka Institute of Information Technology

Question 2

Not yet answered

Marked out of 1.0

Flag question

Given the following statements:

```
CREATE TABLE tbl (col1 INTEGER, col2 CHAR(5));
CREATE TABLE tblAudit (user VARCHAR(20), date DATE, action VARCHAR(20));
CREATE TRIGGER trig_tblAudit ON tbl INSTEAD OF INSERT AS
BEGIN
INSERT INTO tblAudit VALUES (CURRENT USER, CURRENT DATE,'Insert');
END
```

If user USER1 executes the following statements:

```
INSERT INTO tbl VALUES (1, 'abc');
INSERT INTO tbl (col1) VALUES (2);
UPDATE tbl SET col2 = 'Hacked' WHERE col1 = 1;
```

How many new records will be written to the database tables?

Select one:

- a. 4
- b. 2
- c. 0
- d. 3
- e. 5

NetExam

Sri Lanka Institute of Information Technology

1

answered

out of 1.0

g question

If a view named V1 is created in such a way that it references every column in a table named EMPLOYEE except a column named SALARY, which of the following is **not** a statement?

Select one or more:

- [x] a. All data, except SALARY data that is stored in the EMPLOYEE table is copied to a seperate physical location when V1 is created
- [ ] b. View V1 can be used in the same context as the EMPLOYEE table for all data retrieval operations that do not acquire SALARY information
- [ ] c. View V1 cannot be used as a data source for other views
- [ ] d. No data is copied to a seperate physical location when V1 is created
- [x] e. View V1 can be used as a data source for other views

Consider the following statements to create a view

```
Create view product_suppies (PID,Name,Supplier,TotalItems,TotPay)
as
select p.ProductID,p.ProductName,s.supplierName, Sum(sp.numItems), SUM(sp.numItems*sp.price)
from Product p, Supplier s, Supplies sp
where p.productID=sp.productID and sp.supplierID=s.supplierID
group by ProductID,ProductName,supplierName
```

Which of the following statements are true related to the above.

Select one or more:

- a. Renaming the columns in this view is not mandatory
- b. Any query written over Products, Suppliers or Supplies tables could be performed on this view
- c. This view is helpful for stakeholders who only need to see information such as total pay and do not need to edit it.
- d. This view is not updatable
- e. The query "select supplierName from product_suppies where TotalItems>100" will return the supplier Name of each supplier who had supplied more than a total of 100 items

Next

Given the following statements:

```
CREATE TABLE tbl (col1 INTEGER, col2 CHAR(5));
CREATE TABLE tblAudit (user VARCHAR(20), date DATE, action VARCHAR(20));
CREATE TRIGGER trig_tblAudit ON tbl INSTEAD OF INSERT AS
BEGIN
INSERT INTO tblAudit VALUES (CURRENT USER, CURRENT DATE,'Insert');
END
```

If user USER1 executes the following statements:

```
INSERT INTO tbl VALUES (1, 'abc');
INSERT INTO tbl (col1) VALUES (2);
UPDATE tbl SET col2 = 'Hacked' WHERE col1 = 1;
```

How many new records will be written to the database tables?

Select one:

- a. 5
- b. 3
- c. 2
- d. 4
- e. 0

Question 5

Not yet answered

Marked out of 1.0

Flag question

Which of the following is a proprietary extension of SQL for Microsoft SQL Server?

Select one:

- a. PL-SQL
- b. P-SQL
- c. T-SQL
- d. MS-SQL
- e. PG-SQL

Next page

```
create procedure Swap(@x int out, @y int out)
as
begin
 declare @tmp int
 set @tmp = @x
set @x = @y
set @y = @tmp
 end

declare @x1 int
declare @y1 int
set @x1 = 3
set @y1 = 4
exec swap @x1 out,@y1 out
print @x1
print @y1
```

Select the correct statement related to the above code

Select one:

a. @x is an input parameter and @y is an output parameter

b. @x and @y are input parameters only

c. Both @x and @y are input and output parameters

d. @x and @y are output parameters only

NetExam

Sri Lanka Institute of Information Technology

Given the following statements:

```
CREATE TABLE tbl (col1 INTEGER, col2 CHAR(5));
CREATE TABLE tblAudit (user VARCHAR(20), date DATE, action VARCHAR(20));
CREATE TRIGGER trig_tblAudit ON tbl INSTEAD OF INSERT AS
BEGIN
INSERT INTO tblAudit VALUES (CURRENT USER, CURRENT DATE,'Insert');
END
```

If user USER1 executes the following statements:

```
INSERT INTO tbl VALUES (1, 'abc');
INSERT INTO tbl (col1) VALUES (2);
UPDATE tbl SET col2 = 'Hacked' WHERE col1 = 1;
```

How many new records will be written to the database tables?

Select one:

- a. 5
- b. 4
- c. 2
- d. 3
- e. 0

Online Gaming System

Course: Database Managem

Problem loading page

https://netexam.sliit.lk/mod/quiz/view.php?id=2722



The connection has timed out

The server at netexam.sliit.lk is taking too long to respond.

- The site could be temporarily unavailable or too busy. Try again in a few moments.
- If you are unable to load any pages, check your computer's network connection.
- If your computer or network is protected by a firewall or proxy, make sure that Firefox is permitted to access the Web.

Try Again

Activate Windows
Go to Settings to activate Windows.

NetExam

Sri Lanka Institute of Information Technology

Which of the following techniques are not techniques used for data migration?

Select one or more:

- a. BPC
- b. SPSS
- c. BULK INSERT
- d. Migration wizard
- e. Select INTO

ered
1.0
on

Which of the following statements are true?

Select one or more:

- [ ] a. Backup could be used to restore small numbers of files after they have been accidentally deleted
- [ ] b. SQL Server Agent allows you to automate a variety of administrative task
- [ ] c. A customized maintenance plan could be created using jobs
- [ ] d. To secure data a schedule could be set for automatic backups
- [ ] e. SQL server agent is used to set a schedule for automatic backups to be done on a regular basis.

Next page

wered
of 1.0
stion

Which of the following is/are true?

Select one or more:

- [ ] a.
  BULK INSERT loads data from a table into a file.
- [ ] b. Select into command automatically creates the destination table
- [ ] c. Field terminator parameter for BULK Insert command is useful to identify columns in a file
- [ ] d. In select into command source and destination should be tables in SQL Server
- [ ] e. When importing data from a file using import/export wizard data types of the data could be changed

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 14

Not yet answered

Marked out of 1.0

Flag question

Which of the following are true related to jobs?

Select one or more:

- a. A job can run one or many times depending on how it is scheduled
- b. Success or failure status of the job is notified to the creator
- c. Job can run in response to an alert
- d. Only system admin role could create jobs
- e. A job can be altered by only its creator

Which of the following are true?

Select one or more:

- [ ] a. The process of recovering stored copies of critical files and folders from another medium known as data verification
- [ ] b. Differential backups and transactional backups take backup from a specific date
- [ ] c. Back up of the database should be done frequently
- [ ] d. With SQL server backup could be stored in an external URL
- [ ] e. Full backup takes the backup of complete data as of today

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 15

Not yet answered

Marked out of 1.0

Flag question

Which of the following are true?

Select one or more:

a. Full backup takes the backup of complete data as of today

b. With SQL server backup could be stored in an external URL

c. The process of recovering stored copies of critical files and folders from another medium known as data verification

d. Back up of the database should be done frequently

e. Differential backups and transactional backups take backup from a specific date

tion 12
yet answered
ked out of 1.0
lag question

Which of the following are true?

Select one or more:

- [ ] a. A job can have multiple steps
- [ ] b. A job can be scheduled in a manner that it runs when the server workload is less
- [ ] c. A job could be started using stored procedure start_job
- [ ] d. Jobs could run in only one schedules
- [ ] e. Before running a job SQL server agent should be started

NetExam

Sri Lanka Institute of Information Technology

Question 15

Not yet answered

Marked out of 1.0

Flag question

Which of the following is/are true related to BCP tool?

Select one or more:

a. BCP tool is installed default with Windows OS

b. BCP is a GUI utility

c. BCP tool is used to migrate data from SQL server to files

d. BCP tool is used to copy a bulk of data

e. With BCP data could be migrated from a view

Next page

Which of the following is/are true?

Select one or more:

- [ ] a. Select into command automatically creates the destination table
- [ ] b. Field terminator parameter for BULK Insert command is useful to identify columns in a file
- [ ] c. In select into command source and destination should be tables in SQL Server
- [ ] d. When importing data from a file using import/export wizard data types of the data could be changed
- [ ] e.
  BULK INSERT loads data from a table into a file.

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 28

Not yet answered

Marked out of 1.0

Flag question

Techwire Lanka is a software company who has expertise in developing secure softw
As such , a reputed global hotel chain has given the responsibility of automating thei
the project manager responsible for the entire project . Nalaka has asked Malani wh
database development and management process .This includes creating a secure dat
responsible for handling all the hotel reservations and bookings. Accordingly, she has
will be lot of users for the project. Sonal is assigned with the responsibility of handling
assigned to create tables , required views, stored procedures and triggers. Palika and
operators are given the responsibility of inserting the data to the tables. With the data
should be able to generate reports as well as directly query the data or call functions

Which of the following/s should you need to provide the necessary permission Palika a
usernames are palika.b and mahesh.h respectively

Select one or more:

- a. ALTER ROLE dataEntry ADD MEMBER mahesh.h
- b. GRANT INSERT on bankDB to dataEntry
- c. ALTER ROLE db_owner add member mahesh.h
- d. ALTER ROLE db_owner add member palika.b
- e. ALTER ROLE dataEntry ADD MEMBER palika.b

Which of the following are true?

Select one or more:

- [ ] a. Differential backups and transactional backups take backup from a specific date
- [ ] b. The process of recovering stored copies of critical files and folders from another medium known as data ve
- [ ] c. With SQL server backup could be stored in an external URL
- [ ] d. Full backup takes the backup of complete data as of today
- [ ] e. Back up of the database should be done frequently

Which of the following are true related to jobs?

Select one or more:

- [ ] a. A job can be altered by only its creator
- [ ] b. Only system admin role could create jobs
- [ ] c. Job can run in response to an alert
- [ ] d. Success or failure status of the job is notified to the creator
- [ ] e. A job can run one or many times depending on how it is scheduled

Consider the following code segment. Which is/are true related to the PreparedStatement ?

```
PreparedStatement ps = con.prepareStatement("insert into Customer (custID, lastName) values (?,?)");
```

Select one or more:

- [ ] a. In the PreparedStatement you cannot provide insert fields
- [ ] b. You cannot have more than one parameter in the PreparedStatement
- [ ] c. Once a PreparedStatement is prepared, it cannot be reused after execution
- [ ] d. The (?) mark is used to pass parameters into the insert command
- [ ] e. The value will be set by calling the setter methods of PreparedStatement

Consider the following code segment. What is/are false related to CallableStatement ?

```
CallableStatement cstmt = null;
try {
   String SQL = "{call getEmpName (?, ?)}";
   cstmt = conn.prepareCall (SQL);
   . . .
}
catch (SQLException e) {
   . . .
}
finally {
   . . .
}
```

Select one or more:

- a. String variable SQL represents the stored procedure, with parameter placeholders
- b. SQLException is handled by introducing a try catch block
- c. The SQLException is occured when prepareCall () is connected
- d. Bind values to all the parameters before executing the statement, or will receive an SQLException
- e. The callable statement is prepated by calling the conn.prepareCall ()

Consider the following code segment. What is/are false related to CallableStatement?

```
CallableStatement cstmt = null;
try {
    String SQL = "{call getEmpName (?, ?)}";
    cstmt = conn.prepareCall (SQL);
    . . . .
}
catch (SQLException e) {
    . . . .
}
finally {
    . . . .
}
```

Select one or more:

- a. String variable SQL represents the stored procedure, with parameter placeholders
- b. SQLException is handled by introducing a try catch block
- c. The SQLException is occured when prepareCall () is connected
- d. Bind values to all the parameters before executing the statement, or will receive an SQLException
- e. The callable statement is prepated by calling the conn.prepareCall ()

Which of the following is/are true?

Select one or more:

- [ ] a. Select into command automatically creates the destination table
- [ ] b. Field terminator parameter for BULK Insert command is useful to identify columns in a file
- [ ] c. In select into command source and destination should be tables in SQL Server
- [ ] d. When importing data from a file using import/export wizard data types of the data could be changed
- [ ] e.
  BULK INSERT loads data from a table into a file.

19
answered
out of 1.0
question

Consider the following code segment. What is true related to CallableStatement ?

```
CallableStatement cs=con.prepareCall("{?=call getAvailableSeats(?)}");
cs.setString(2, "Cinnemaworld");
cs.registerOutParameter(1, java.sql.Types.INTEGER);
cs.execute();
```

Select one or more:

- [ ] a. An SQLException is occured when prepareCall () method is connected
- [ ] b. The CallableStatement object is used for IN parameters only
- [ ] c. The string object can be retrieved by calling the method registerOutParameter()
- [ ] d. The CallableStatement contains the information to execute a call to a database stored procedure, getAvailableSeats
- [ ] e. A description of the error can be called by providing the index 1 and 2

19
answered
out of 1.0
question

Consider the following code segment. What is true related to CallableStatement ?

```
CallableStatement cs=con.prepareCall("{?=call getAvailableSeats(?)}");
cs.setString(2, "Cinnemaworld");
cs.registerOutParameter(1, java.sql.Types.INTEGER);
cs.execute();
```

Select one or more:

- [ ] a. An SQLException is occured when prepareCall () method is connected
- [ ] b. The CallableStatement object is used for IN parameters only
- [ ] c. The string object can be retrieved by calling the method registerOutParameter()
- [ ] d. The CallableStatement contains the information to execute a call to a database stored procedure, getAvailableSeats
- [ ] e. A description of the error can be called by providing the index 1 and 2

NetExam

Sri Lanka Institute of Information Technology

Question 22

Not yet answered

Marked out of 1.0

Flag question

Which of the following statements are correct?

Select one or more:

a. Prepared statements are more secure because they use bind variables

b. PreparedStatement is efficient since it is pre-compiled

c. executeQuery method could be used to execute a query and get results

d. Statement encapsulates an SQL statement which is passed to the database to be parsed and compiled

e. forName() method is used to load the driver to the memory

ASUS VivoBook

19
nswered
out of 1.0
question

Consider the following code segment. Which is/are true related to the PreparedStatement ?

```
PreparedStatement ps = con.prepareStatement("insert into Customer (custID, lastName) values (?,?)");
```

Select one or more:

- a. The value will be set by calling the setter methods of PreparedStatement
- b. You cannot have more than one parameter in the PreparedStatement
- c. Once a PreparedStatement is prepared, it cannot be reused after execution
- d. The (?) mark is used to pass parameters into the insert command
- e. In the PreparedStatement you cannot provide insert fields

Consider the following statements to create a view

```
Create view product_suppies (PID,Name,Supplier,TotalItems,TotPay)
as
select p.ProductID,p.ProductName,s.supplierName, Sum(sp.numItems), SUM(sp.numItems*sp.price)
from Product p, Supplier s, Supplies sp
where p.productID=sp.productID and sp.supplierID=s.supplierID
group by ProductID,ProductName,supplierName
```

Which of the following statements are true related to the above.

Select one or more:

- [ ] a. The query "select supplierName from product_suppies where TotalItems>100" will return the supplier Name of each supplier who had supplied more than a total of 100 items
- [ ] b. This view is not updatable
- [ ] c. Any query written over Products, Suppliers or Supplies tables could be performed on this view
- [ ] d. Renaming the columns in this view is not mandatory
- [ ] e. This view is helpful for stakeholders who only need to see information such as total pay and do not need to edit it.

What is the correct sequence to create a database connection?

a. Import JDBC packages.

b. Open a connection to the database.

c. Execute the statement object

d. Create a statement object

e. Close the resultset and statement objects.

f. Load and register the JDBC driver.

g. Process the resultset.

h. Close the connection.

Select one:

- a. a, f, b, d, c, e, g, h
- b. a, b, f, d, c, e, g, h
- c. a, f, b, d, c, g, e, h
- d. a, f, b, d, c, h, e, g
- e. a, e, f, d, c, b, g, h

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 24

Not yet answered

Marked out of 1.0

Flag question

Which of the following methods could be used to check whether there are any more unfetched tuples in a result set in jdbc?

Select one:

- a. Current()
- b. Access()
- c. get()
- d. Next()
- e. Fetch()

Next

ASUS VivoBook

Which of the following is/are true related to BCP tool?

Select one or more:

- [ ] a. BCP tool is installed default with Windows OS
- [ ] b. BCP is a GUI utility
- [ ] c. BCP tool is used to migrate data from SQL server to files
- [ ] d. BCP tool is used to copy a bulk of data
- [ ] e. With BCP data could be migrated from a view

Techwire Lanka is a software company who has expertise in developing secure software applications the hotel industry. As such , a reputed global hotel chain has given the responsibility of automating their tasks to Techwire Lanka. Nalaka is the project manager responsible for the entire project . Nalaka has asked Malani who is the senior DBA to handle the database development and management process .This includes creating a secure database to the hotel. Malani is responsible for handling all the hotel reservations and bookings. Accordingly, she has designed the hoteldb . Since there will be lot of users for the project, Sonal is assigned with the responsibility of handling logins to the system. Akram is assigned to create tables , required views, stored procedures and triggers. Palika and Mahesh who are data entry operators are given the responsibility of inserting the data to the tables. With the data added to the database, Aruni should be able to generate reports as well as directly query the data or call functions and procedures.

Assuming that Aruni left the company and thus she should be prevented from inserting data to the system. Which of the following command/s can facilitate the above assuming that Aruni has a login name aruni.g

Select one or more:

- [ ] a. REVOKE select to aruni.g
- [ ] b. REVOKE grant to aruni.g
- [ ] c. ALTER permission to aruni.g
- [ ] d. DENY permission to aruni.g
- [ ] e. DENY insert to aruni.g

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 19

Not yet answered

Marked out of 1.0

Flag question

Consider the following code segment. Which is/are true related to the PreparedStatement ?

```
PreparedStatement ps = con.prepareStatement("insert into Customer (custID, lastName) values (?
```

Select one or more:

- a. Once a PreparedStatement is prepared, it cannot be reused after execution
- b. The (?) mark is used to pass parameters into the insert command
- c. You cannot have more than one parameter in the PreparedStatement
- d. In the PreparedStatement you cannot provide insert fields
- e. The value will be set by calling the setter methods of PreparedStatement

DELL

estion 17

t yet answered

rked out of 1.0

Flag question

Consider the following code segment. What is/are false related to CallableStatement ?

```
CallableStatement cstmt = null;
try {
   String SQL = "{call getEmpName (?, ?)}";
   cstmt = conn.prepareCall (SQL);
   . . .
}
catch (SQLException e) {
   . . .
}
finally {
   . . .
}
```

Select one or more:

- [ ] a. The callable statement is prepated by calling the conn.prepareCall ()
- [ ] b. Bind values to all the parameters before executing the statement, or will receive an SQLException
- [ ] c. String variable SQL, represents the stored procedure, with parameter placeholders
- [ ] d. The SQLException is occured when prepareCall () is connected
- [ ] e. SQLException is handled by introducing a try catch block

≡ Qui

Finish a

Time le

1

8

15

22

29

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 25

Not yet answered

Marked out of 1.0

Flag question

What is the correct order to close database resources?

Select one:

a. ResultSet, Statement, Connection

b. Statement, ResultSet, Connection

c. Statement, Connection, ResultSet

d. ResultSet, Connection, Statement

e. Connection, Statement, ResultSet

ASUS VivoBook

Question 30

Not yet answered

Marked out of 1.0

Flag question

Tech SriLanka is a software company who has expertise in developing secure software applications the banking sector. As such, one of the leading private bank has given the responsibility of automating their tasks to Tech SriLanka. This includes developing a database to record customer details, account details, branch details and all the other functions related to a bank.

Malaka is the senior project manager responsible for the entire project. Malaka has asked Ishara who is the senior DBA, to handle the database development and management process. This includes creating a secure database to the bank. Accordingly, she has designed the bankdb. Since there will be lot of users for the project, Kalpa is assigned with the responsibility of creating logins to the system. Surani is assigned to create tables, required views, stored procedures and triggers. Aruna and Malithi who are data entry operators are given the responsibility of inserting the data to the tables. Heshan should be able to generate reports as well as directly query the data or call functions and procedures.

Assuming that Ishara has a server login named ishara.k , which of the following statements would you need to provide her with the permission she need using a role named manager

Select one or more:

- [ ] a. create role manager
  grant dbcreator to manager
  alter server role manager add member ishara.k
- [ ] b. create server user manager
- [x] c. create server role manager
  grant create any database to manager
  alter server role manager add member ishara.k
- [ ] d. create permission add database to manager
  grant server role manager to ishara.k
- [ ] e. create server role manager
  grant permission create database to manager
  grant server role manager add member ishara.k

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 23

Not yet answered

Marked out of 1.0

Flag question

Which of the following packages contain the JDBC classes?

Select one:

a. java.jdbc.sql

b. sql

c. rdb

d. jdbc

e. javax.rdb

estion 6
t yet answered
arked out of 1.0
Flag question

Which of the following is/are related to triggers?

Select one or more:

- [x] a. Inserted table have the same number of the columns as the table to which data are inserted
- [x] b. Deleted is a virtual table
- [ ] c. The updated table stores the values which a table is updated with after an update operation
- [x] d. The for clause in creating triggers are useful to specify the operations which will execute the trigger
- [ ] e. Before a trigger is created for insert operation, the inserted table should be created by the user

tExam

nka Institute of Information Technology

it20396

view named V1 is created in such a way that it references every column in a table named EMPLOYEE except a column
med SALARY, which of the following is **not** an accurate statement?

Select one or more:

- a. View V1 can be used in the same context as the EMPLOYEE table for all data retrieval operations that do not acquire SALARY information
- b. No data is copied to a seperate physical location when V1 is created
- c. View V1 cannot be used as a data source for other views
- d. All data, except SALARY data that is stored in the EMPLOYEE table is copied to a seperate physical location when created
- e. View V1 can be used as a data source for other views

5
nswered
out of 1.0
question

Which of the following statements are true ?

Select one or more:

- [x] a. variables declared could be used in where clause only
- [x] b. "declare @ID int,@sum int" is a valid T-SQL statement
- [ ] c. Consider the following T-SQL statements:

```
declare @cnt int
set @cnt=100
if (@cnt>75)
print 'inside the if statement'
print 'count is greater than 75'
```

The output for the above code is as follows :
inside the if statement
count is greater than 75

- [x] d. Consider the following T-SQL statements

```
declare @cnt int
set @cnt=100
if (@cnt>75)
print 'inside the if statement'
print 'count is greater than 75'
else
print 'inside the else statement'
```

the above code will result an error

e. Consider the following statements :

```
declare @tot int
select @tot=count(*) from student
```

executing the above statements will not display any output

NetExam

Sri Lanka Institute of Information Technology

estion 3

Not yet answered

Marked out of 1.0

Flag question

In which of the following scenarios would a stored procedure be beneficial?

Select one or more:

a. An application running on a remote client needs to calculate and store an employee's salary which is obtained by multiplying the number of hours he has worked with the rate he is paid. Both the number of hours and rate are also stored in a table in the database.

b. An application running on a remote client needs to collect three input values, perform a calculation using the values provided, and store the input data, along with the results of the calculation in two different base tables

c. An application running on a remote client needs to track every modification made to a table that contains sensitive data

d. An application running on a remote client needs to ensure that every new employee that joins the company is assigned a unique, sequential employee number when his information is stored in the database.

e. All of the given answers

Moodle

Sri Lanka Institute of Information Technology

Question 1
Not yet answered
Marked out of 1.0
Flag question

Given the following statements:

CREATE TABLE tbl (col1 INTEGER, col2 CHAR(5));

CREATE TABLE tblAudit (user VARCHAR(20), date DATE, action VARCHAR(20));

CREATE TRIGGER trig_tblAudit ON tbl INSTEAD OF INSERT AS

BEGIN

INSERT INTO tblAudit VALUES (CURRENT USER, CURRENT DATE,'Insert');

END

If user USER1 executes the following statements:

INSERT INTO tbl VALUES (1, 'abc');

INSERT INTO tbl (col1) VALUES (2);

UPDATE tbl SET col2 = 'Hacked' WHERE col1 = 1;

How many new records will be written to the database tables?

Select one:

- a. 0
- b. 2
- c. 3
- d. 5
- e. 4

NetExam

Sri Lanka Institute of Information Technology

Which of the following is **not** an accurate statement about views?

Select one or more:

- [ ] a. Views can be used to restrict access to columns in a base table that contain sensitive data
- [x] b. All views are updatable
- [ ] c. Views are publicly referenced names and no special authority or privilege is needed to use them.
- [ ] d. Views can be used to store queries that multiple applications execute on a regular basis in a database
- [ ] e. Views may degrade the performance of the database

Next page

NetExam

Sri Lanka Institute of Information Technology

1

answered

out of 1.0

g question

If a view named V1 is created in such a way that it references every column in a table named EMPLOYEE except a column named SALARY, which of the following is **not** a statement?

Select one or more:

- [x] a. All data, except SALARY data that is stored in the EMPLOYEE table is copied to a seperate physical location when V1 is created
- [ ] b. View V1 can be used in the same context as the EMPLOYEE table for all data retrieval operations that do not acquire SALARY information
- [ ] c. View V1 cannot be used as a data source for other views
- [ ] d. No data is copied to a seperate physical location when V1 is created
- [x] e. View V1 can be used as a data source for other views

Consider the following procedure:

```
create procedure Swap(@x int out, @y int out)
as
begin
 declare @tmp int
 set @tmp = @x
 set @x = @y
 set @y = @tmp
 end

 declare @x1 int
 declare @y1 int
 set @x1 = 3
 set @y1 = 4
 exec swap @x1 out,@y1 out
 print @x1
 print @y1
```

Select the correct statement related to the above code.

Select one:

- a. @x and @y are output parameters only
- b. @y is an input parameter and @x is an output parameter
- c. @x and @y are input parameters only
- d. Both @x and @y are input and output parameters
- e. @x is an input parameter and @y is an output parameter

NetExam

Sri Lanka Institute of Information Technology

Which of the following is **not** an accurate statement about views?

Select one or more:

- [x] a. Views are publicly referenced names and no special authority or privilege is needed to use ther
- [x] b. All views are updatable
- [ ] c. Views can be used to store queries that multiple applications execute on a regular basis in a dat
- [ ] d. Views may degrade the performance of the database
- [ ] e. Views can be used to restrict access to columns in a base table that contain sensitive data

Moodle

Sri Lanka Institute of Information Technology

Question 10
Not yet answered
Marked out of 1.0
Flag question

Which of the following statements are true ?

Select one or more:

a. Consider the following statements :
declare @tot int
select @tot=count(*) from student
executing the above statements will not display any output

b. Consider the following T-SQL statements
declare @cnt int
set @cnt=100
if (@cnt>75)
print 'inside the if statement'
print 'count is greater than 75'
else
print 'inside the else statement'
the above code will result an error

c. "declare @ID int,@sum int" is a valid T-SQL statement

d. Consider the following T-SQL statements
declare @cnt int
set @cnt=100
if (@cnt>75)
print 'inside the if statement'
print 'count is greater than 75'
The output for the above code is as follows :
inside the if statement
count is greater than 75

e. variables declared could be used in where clause only

NetExam

Sri Lanka Institute of Information Technology

Question 1

Not yet answered

Marked out of 1.0

Flag question

Which of the following is **not** an accurate statement about views?

Select one or more:

- [x] a. Views are publicly referenced names and no special authority or privilege is needed to use them.
- [x] b. All views are updatable
- [ ] c. Views can be used to store queries that multiple applications execute on a regular basis in a database
- [x] d. Views may degrade the performance of the database
- [ ] e. Views can be used to restrict access to columns in a base table that contain sensitive data

NetExam

Sri Lanka Institute of Information Technology

1

answered

out of 1.0

g question

If a view named V1 is created in such a way that it references every column in a table named EMPLOYEE except a column named SALARY, which of the following is **not** a statement?

Select one or more:

- [x] a. All data, except SALARY data that is stored in the EMPLOYEE table is copied to a seperate physical location when V1 is created
- [ ] b. View V1 can be used in the same context as the EMPLOYEE table for all data retrieval operations that do not acquire SALARY information
- [ ] c. View V1 cannot be used as a data source for other views
- [ ] d. No data is copied to a seperate physical location when V1 is created
- [x] e. View V1 can be used as a data source for other views

NetExam

Sri Lanka Institute of Information Technology

Given the following statements:

```
CREATE TABLE tbl (col1 INTEGER, col2 CHAR(5));
CREATE TABLE tblAudit (user VARCHAR(20), date DATE, action VARCHAR(20));
CREATE TRIGGER trig_tblAudit ON tbl INSTEAD OF INSERT AS
BEGIN
INSERT INTO tblAudit VALUES (CURRENT USER, CURRENT DATE,'Insert');
END
```

If user USER1 executes the following statements:

```
INSERT INTO tbl VALUES (1, 'abc');
INSERT INTO tbl (col1) VALUES (2);
UPDATE tbl SET col2 = 'Hacked' WHERE col1 = 1;
```

How many new records will be written to the database tables?

Select one:

- a. 5
- b. 4
- c. 2
- d. 3
- e. 0

Which of the following is **not** an accurate statement about views?

Select one or more:

- [x] a. Views are publicly referenced names and no special authority or privilege is needed to use them.
- [ ] b. Views can be used to restrict access to columns in a base table that contain sensitive data
- [ ] c. Views can be used to store queries that multiple applications execute on a regular basis in a database
- [x] d. All views are updatable
- [ ] e. Views may degrade the performance of the database

Next page

Moodle

NetExamn

Sri Lanka Institute of Information Technology

tion 2
yet answered
ed out of 1.0
lag question

In which of the following scenarios would a stored procedure be beneficial?

Select one or more:

- [ ] a. An application running on a remote client needs to calculate and store an employee's salary which is obtained by multiplying the number of hours he has worked with the rate he is paid. Both the number of hours and rate are also stored in a table in the databse.
- [ ] b. An application running on a remote client needs to collect three input values, perform a calculation using the values provided, and store the input data, along with the results of the calculation in two different base tables
- [x] c. An application running on a remote client needs to track every modification made to a table that contains sensitive data
- [ ] d. An application running on a remote client needs to ensure that every new employee that joins the company is assigned a unique, sequential employee number when his information is stored in the database.
- [ ] e. All of the given answers

Next page

on 8
t answered
d out of 1.0
g question

Which of the following statements are **true** about views?

Select one:

- a. A view cannot be created with a GROUP BY clause in the SELECT statement.
- b. A view cannot have an ORDER BY clause in the SELECT statement.
- c. A view must have aliases defined for the column names in the SELECT statement.
- d. A view can be created as a join on two or more tables.
- e. A view is readonly

NetExam

Sri Lanka Institute of Information Technology

Which of the following statements are **true** about views?

Select one:

- a. A view is readonly
- b. A view must have aliases defined for the column names in the SELECT statement.
- c. A view can be created as a join on two or more tables.
- d. A view cannot have an ORDER BY clause in the SELECT statement.
- e. A view cannot be created with a GROUP BY clause in the SELECT statement.

ASUS VivoBook

Sri Lanka Institute of Information Technology

Which of the following statements are true ?

Select one or more:

- [x] a. Consider the following statements :
  declare @tot int
  select @tot=count(*) from student
  executing the above statements will not display any output

- [x] b. Consider the following T-SQL statements:
  declare @cnt int
  set @cnt=100
  if (@cnt>75)
  print 'inside the if statement'
  print 'count is greater than 75'
  The output for the above code is as follows :
  inside the if statement
  count is greater than 75

- [x] c. Consider the following T-SQL statements
  declare @cnt int
  set @cnt=100
  if (@cnt>75)
  print 'inside the if statement'
  print 'count is greater than 75'
  else
  print 'inside the else statement'
  the above code will result an error

- [ ] d. variables declared could be used in where clause only

- [ ] e. "declare @ID int,@ sum int" is a valid T-SQL statement

5
nswered
out of 1.0
question

Which of the following statements are true ?

Select one or more:

- [x] a. variables declared could be used in where clause only
- [x] b. "declare @ID int,@sum int" is a valid T-SQL statement
- [ ] c. Consider the following T-SQL statements:

```
declare @cnt int
set @cnt=100
if (@cnt>75)
print 'inside the if statement'
print 'count is greater than 75'
```

The output for the above code is as follows :
inside the if statement
count is greater than 75

- [x] d. Consider the following T-SQL statements

```
declare @cnt int
set @cnt=100
if (@cnt>75)
print 'inside the if statement'
print 'count is greater than 75'
else
print 'inside the else statement'
```

the above code will result an error

e. Consider the following statements :

```
declare @tot int
select @tot=count(*) from student
```

executing the above statements will not display any output

Which statement/s would be **correct** with regards to SQL-stored procedure

Select one or more:

- [x] a. Procedure can have zero or more output parameters
- [x] b. Procedures can have input/output parameters
- [x] c. Inside procedures data retrievels (e.g. Select) and data manupilations (e.g. insert) could be performed
- [ ] d. Procedure can have only input parameters
- [ ] e. None of the given answers

7
answered
out of 1.0
question

The default parameter type in stored procedures is

Select one:

- a. OUT
- b. OUTPUT
- c. IN
- d. INOUT
- e. There is no default type

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 7

Not yet answered

Marked out of 1.0

Flag question

Consider the following statements to create a view

Create view product_supplies (PID,Name,Supplier,TotalItems,TotPay)
as
select p.ProductID,p.ProductName,s.supplierName, Sum(sp.numItems), SUM(sp.numItems*sp.price)
from Product p, Supplier s, Supplies sp
where p.productID=sp.productID and sp.supplierID=s.supplierID
group by ProductID,ProductName,supplierName

Which of the following statements are true related to the above.

Select one or more:

- a. Renaming the columns in this view is not mandatory
- b. This view is not updatable
- c. This view is helpful for stakeholders who only need to see information such as total pay and do not need to edit it
- d. The query "select supplierName from product_supplies where TotalItems>100" will return the supplier Name of each supplier who had supplied more than a total of 100 items
- e. Any query written over Products, Suppliers or Supplies tables could be performed on this view

odle ×

NetExamn

Sri Lanka Institute of Information Technology

11
answered
out of 1.0
question

Which of the following are common tasks that could be included

Select one or more:

- a. Clean up history
- b. creating tables
- c. Verify the Integrity of Database
- d. Restore database
- e. Backup database

Which of the following is/are true related to triggers

Select one or more:

- [ ] a. A for trigger execute after the operation(insert ,update ,delete) has taken place in the table
- [ ] b. Triggers are useful for auditing and imposing business logic
- [ ] c. In instead of triggers, trigger is executed before the table is updated
- [ ] d. The for clause specifies the table name on which the trigger is to be attached
- [ ] e. SQL server Triggers only respond to insert, update and delete operations.

ered
of 1.0
stion

Which of the following events will NOT cause a DML trigger on table to be activated?

Select one or more:

- [ ] a. An insert operation
- [ ] b. An update operation
- [ ] c. An alter table operation
- [ ] d. A delete operation
- [ ] e. A select operation

NetExam

Sri Lanka Institute of Information Technology

Which of the following are true?

Select one or more:

- [ ] a. With SQL server backup could be stored in an external URL
- [x] b. The process of recovering stored copies of critical files and folders from another medium known as data verification
- [ ] c. Differential backups and transactional backups take backup from a specific date
- [ ] d. Back up of the database should be done frequently
- [ ] e. Full backup takes the backup of complete data as of today

odle

NetExam

Sri Lanka Institute of Information Technology

ion 12

et answered

ed out of 1.0

Flag question

Which of the following techniques are not techniques used for data migration?

Select one or more:

- a. Migration wizard
- b. BULK INSERT
- c. Select INTO
- d. SPSS
- e. BPC

Mock

NetExam

Question 11

Which of the following is/are true related to SQL Server snapshot agent?

Select one or more:

- a. The agent is available in the SQL server enterprise edition
- b. Source or staging data using snapshot agent could be a table in SQL server
- c. Source or staging data using snapshot agent could be an Excel file
- d. When a source in SQL server snapshot agent is the whole database the structure of the
- e. In staging data in the SQL server data could be migrated to an existing table or a new table

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 12

Not yet answered

Marked out of 1.0

Flag question

Which of the following is/are true related to BCP tool?

Select one or more:

a. Both out and query out options could be used to import all content of a table to a file

b. When an output file is not available the '-' should be given as the parameter

c. BCP utility is installed when SQL server is installed

d. With BCP the output of a select query could be exported to a .txt file

e. All options that could be used with BCP utility could be obtained by executing BCP command in query editor

stion 10

yet answered

rked out of 1.0

Flag question

Which of the following is a proprietary extension of SQL for Microsoft SQL Server?

Select one:

- a. PL-SQL
- b. MS-SQL
- c. PG-SQL
- d. P-SQL
- e. T-SQL

Question 3

Not yet answered

Marked out of 1.0

Flag question

Given the following statements:

```
CREATE TABLE tbl (col1 INTEGER, col2 CHAR(5));
CREATE TABLE tblAudit (user VARCHAR(20), date DATE, action VARCHAR(20));
CREATE TRIGGER trig_tblAudit ON tbl FOR INSERT AS
BEGIN
INSERT INTO tblAudit VALUES (CURRENT USER, CURRENT DATE,'Insert');
END
```

If user USER1 executes the following statements:

```
INSERT INTO tbl VALUES (1, 'abc');
INSERT INTO tbl (col1) VALUES (2);
UPDATE tbl SET col2 = 'Hacked' WHERE col1 = 1;
```

How many new records will be written to the database tables?

Select one:

- a. 4
- b. 5
- c. 3
- d. 0
- e. 2

wered
of 1.0
stion

If a view named V1 is created in such a way that it references every column in a table named EMPLOYEE except a column named SALARY, which of the following is **not** an accurate statement?

Select one or more:

- [ ] a. View V1 can be used as a data source for other views
- [ ] b. View V1 can be used in the same context as the EMPLOYEE table for all data retrieval operations that do not acquire SALARY information
- [ ] c. No data is copied to a seperate physical location when V1 is created
- [ ] d. View V1 cannot be used as a data source for other views
- [ ] e. All data, except SALARY data that is stored in the EMPLOYEE table is copied to a seperate physical location when V1 is created

Next page

Consider the following procedure:

```
create procedure Swapx(@x int out, @y int out)
as
begin
 declare @tmp int
 set @tmp = @x
set @x = @y
set @y = @tmp
 end

declare @x1 int
declare @y1 int
set @x1 = 3
set @y1 = 4
exec swap @x1 out,@y1 out
print @x1
print @y1
```

Select the correct statement related to the above code.

Select one:

- a. @x and @y are input parameters only
- b. @y is an input parameter and @x is an output parameter
- c. @x and @y are output parameters only
- d. Both @x and @y are input and output parameters
- e. @x is an input parameter and @y is an output parameter

Which of the following events will NOT cause a DML trigger on table to be activated?

Select one or more:

- [ ] a. An update operation
- [ ] b. An alter table operation
- [ ] c. A delete operation
- [ ] d. A select operation
- [ ] e. An insert operation

1

answered

out of 1.0

question

If a view named V1 is created in such a way that it references every column in a table named EMPLOYEE except a column named SALARY, which of the following is **not** an accurate statement?

Select one or more:

- a. View V1 can be used as a data source for other views
- b. View V1 cannot be used as a data source for other views
- c. No data is copied to a seperate physical location when V1 is created
- d. All data, except SALARY data that is stored in the EMPLOYEE table is copied to a seperate physical location when V1 is created
- e. View V1 can be used in the same context as the EMPLOYEE table for all data retrieval operations that do not acquire SALARY information

Next page

Quiz

Finish atten

Time left 0

1 2

9 10

17 18

25 26

33 34

Question 5

Not yet answered

Marked out of 1.0

Flag question

Consider the following statements to create a view

```
Create view product_suppies (PID,Name,Supplier,TotalItems,TotPay)
as
select p.ProductID,p.ProductName,s.supplierName, Sum(sp.numItems), SUM(sp.numItems*sp.price)
from Product p, Supplier s, Supplies sp
where p.productID=sp.productID and sp.supplierID=s.supplierID
group by ProductID,ProductName,supplierName
```

Which of the following statements are true related to the above.

Select one or more:

- [ ] a. The query "select supplierName from product_suppies where TotalItems>100" will return the supplier Name of each supplier who had supplied more than a total of 100 items
- [ ] b. Renaming the columns in this view is not mandatory
- [ ] c. Any query written over Products, Suppliers or Supplies tables could be performed on this view
- [ ] d. This view is helpful for stakeholders who only need to see information such as total pay and do not need to edit it.
- [ ] e. This view is not updatable

Next page

Quiz navigation

Finish attempt ...

Time left 0:44:28

1	2	3	4	5
8	9	10	11	12
15	16	17	18	19
22	23	24	25	26
29	30	31	32	33

Given the following statements:

```
CREATE TABLE tbl (col1 INTEGER, col2 CHAR(5));
CREATE TABLE tblAudit (user VARCHAR(20), date DATE, action VARCHAR(20));
CREATE TRIGGER trig_tblAudit ON tbl FOR INSERT AS
BEGIN
INSERT INTO tblAudit VALUES (CURRENT USER, CURRENT DATE,'Insert');
END
```

If user USER1 executes the following statements:

```
INSERT INTO tbl VALUES (1, 'abc');
INSERT INTO tbl (col1) VALUES (2);
UPDATE tbl SET col2 = 'Hacked' WHERE col1 = 1;
```

How many new records will be written to the database tables?

Select one:

- a. 5
- b. 0
- c. 2
- d. 4
- e. 3

estion 6

t yet answered

arked out of 1.0

Flag question

Which of the following statements are true ?

Select one or more:

a. Consider the following T-SQL statements

```
declare @cnt int
set @cnt=100
if (@cnt>75)
print 'inside the if statement'
print 'count is greater than 75'
else
print 'inside the else statement'
```

the above code will result an error

b. "declare @ID int,@sum int" is a valid T-SQL statement

c. Consider the following statements :

```
declare @tot int
select @tot=count(*) from student
```

executing the above statements will not display any output

d. variables declared could be used in where clause only

e. Consider the following T-SQL statements:

```
declare @cnt int
set @cnt=100
if (@cnt>75)
print 'inside the if statement'
print 'count is greater than 75'
```

The output for the above code is as follows :

inside the if statement

count is greater than 75

≡ Quiz

Finish atte

Time left 0:

1	2	
8	9	
15	16	1
22	23	24
29	30	31

Which statement/s would be **correct** with regards to SQL-stored procedure

Select one or more:

- [ ] a. Procedure can have zero or more output parameters
- [ ] b. Procedures can have input/output parameters
- [ ] c. Inside procedures data retrievels (e.g. Select) and data manupilations (e.g. insert) could be performed
- [ ] d. Procedure can have only input parameters
- [ ] e. None of the given answers

Which of the following statements are true ?

Select one or more:

- [ ] a. Consider the following statements :

```
declare @tot int
select @tot=count(*) from student
```

executing the above statements will not display any output

- [ ] b. Consider the following T-SQL statements:

```
declare @cnt int
set @cnt=100
if (@cnt>75)
print 'inside the if statement'
print 'count is greater than 75'
```

The output for the above code is as follows :
inside the if statement
count is greater than 75

- [ ] c. variables declared could be used in where clause only
- [ ] d. Consider the following T-SQL statements

```
declare @cnt int
set @cnt=100
if (@cnt>75)
print 'inside the if statement'
print 'count is greater than 75'
else
print 'inside the else statement'
```

the above code will result an error

- [ ] e. "declare @ID int,@sum int" is a valid T-SQL statement

on 3
t answered
d out of 1.0
g question

In which of the following scenarios would a stored procedure be beneficial?

Select one or more:

- [ ] a. An application running on a remote client needs to calculate and store an employee's salary which is obtained by multiplying the number of hours he has worked with the rate he is paid. Both the number of hours and rate are also stored in a table in the databse.
- [x] b. An application running on a remote client needs to collect three input values, perform a calculation using the values provided, and store the input data, along with the results of the calculation in two different base tables
- [ ] c. An application running on a remote client needs to track every modification made to a table that contains sensitive data
- [ ] d. An application running on a remote client needs to ensure that every new employee that joins the company is assigned a unique, sequential employee number when his information is stored in the database.
- [ ] e. All of the given answers

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 4

Not yet answered

Marked out of 1.0

Flag question

If a view named V1 is created in such a way that it references every column in a table named EMPLOYEE except a column named SALARY, which of the following is **not** an accurate statement?

Select one or more:

- a. No data is copied to a seperate physical location when V1 is created
- b. View V1 can be used in the same context as the EMPLOYEE table for all data retrieval operations that do not acquire SALARY information
- c. View V1 cannot be used as a data source for other views
- d. View V1 can be used as a data source for other views
- e. All data, except SALARY data that is stored in the EMPLOYEE table is copied to a seperate physical location when V1 is created

Next page

NetExam

Sri Lanka Institute of Information Technology

Question 5

Not yet answered

Marked out of 1.0

Flag question

Which of the following statements are **true** about views?

Select one:

- a. A view is readonly
- b. A view must have aliases defined for the column names in the SELECT statement.
- c. A view cannot be created with a GROUP BY clause in the SELECT statement.
- d. A view cannot have an ORDER BY clause in the SELECT statement.
- e. A view can be created as a join on two or more tables.

Next page

Question 5
Not yet answered
Marked out of 1.0
Flag question

Which of the following statements are true ?

Select one or more:

a. "declare @ID int,@sum int" is a valid T-SQL statement

b. Consider the following T-SQL statements:

```
declare @cnt int
set @cnt=100
if (@cnt>75)
print 'inside the if statement'
print 'count is greater than 75'
```

The output for the above code is as follows :
inside the if statement
count is greater than 75

c. Consider the following T-SQL statements

```
declare @cnt int
set @cnt=100
if (@cnt>75)
print 'inside the if statement'
print 'count is greater than 75'
else
print 'inside the else statement'
```

the above code will result an error

d. variables declared could be used in where clause only

e. Consider the following statements :

```
declare @tot int
select @tot=count(*) from student
```

executing the above statements will not display any output

etExam

Lanka Institute of Information Technology

Which of the following is a proprietary extension of SQL for Microsoft SQL Server?

Select one:

- a. P-SQL
- b. PG-SQL
- c. T-SQL
- d. MS-SQL
- e. PL-SQL

estion 7

ot yet answered

arked out of 1.0

Flag question

Which of the following is a proprietary extension of SQL for Microsoft SQL Server?

Select one:

a. T-SQL

b. PG-SQL

c. PL-SQL

d. P-SQL

e. MS-SQL

wered
of 1.0
estion

Which of the following is/are related to triggers?

Select one or more:

- [ ] a. The for clause in creating triggers are useful to specify the operations which will execute the trigger
- [ ] b. Deleted is a virtual table
- [ ] c. Inserted table have the same number of the columns as the table to which data are inserted
- [ ] d. The updated table stores the values which a table is updated with after an update operation
- [ ] e. Before a trigger is created for insert operation, the inserted table should be created by the user

wered
of 1.0
estion

Which of the following is/are related to triggers?

Select one or more:

- [ ] a. The for clause in creating triggers are useful to specify the operations which will execute the trigger
- [ ] b. Deleted is a virtual table
- [ ] c. Inserted table have the same number of the columns as the table to which data are inserted
- [ ] d. The updated table stores the values which a table is updated with after an update operation
- [ ] e. Before a trigger is created for insert operation, the inserted table should be created by the user

5
answered
out of 1.0
question

Which of the following statements are true ?

Select one or more:

a. Consider the following T-SQL statements

```
declare @cnt int
set @cnt=100
if (@cnt>75)
print 'inside the if statement'
print 'count is greater than 75'
else
print 'inside the else statement'
```

the above code will result an error

b. variables declared could be used in where clause only

c. Consider the following statements :

```
declare @tot int
select @tot=count(*) from student
```

executing the above statements will not display any output

d. "declare @ID int,@sum int" is a valid T-SQL statement

e. Consider the following T-SQL statements:

```
declare @cnt int
set @cnt=100
if (@cnt>75)
print 'inside the if statement'
print 'count is greater than 75'
```

The output for the above code is as follows :
inside the if statement
count is greater than 75

The default parameter type in stored procedures is

Select one:

- a. OUTPUT
- b. OUT
- c. INOUT
- d. IN
- e. There is no default type

In which of the following scenarios would a stored procedure be beneficial?

Select one or more:

- [x] a. An application running on a remote client needs to calculate and store an employee's salary which is obtained by multiplying the number of hours he has worked with the rate he is paid. Both the number of hours and rate are also stored in a table in the databse.
- [x] b. An application running on a remote client needs to collect three input values, perform a calculation using the values provided, and store the input data, along with the results of the calculation in two different base tables
- [ ] c. An application running on a remote client needs to track every modification made to a table that contains sensitive data
- [ ] d. An application running on a remote client needs to ensure that every new employee that joins the company is assigned a unique, sequential employee number when his information is stored in the database.
- [ ] e. All of the given answers

Next page

NetExam

Sri Lanka Institute of Information Technology

Consider the following statements to create a view

Create view product_suppies (PID,Name,Supplier,TotalItems,TotPay)
as
select p.ProductID,p.ProductName,s.supplierName, Sum(sp.numItems), SUM(sp.numItems*sp.price)
from Product p, Supplier s, Supplies sp
where p.productID=sp.productID and sp.supplierID=s.supplierID
group by ProductID,ProductName,supplierName

Which of the following statements are true related to the above.

Select one or more:

- [ ] a. Renaming the columns in this view is not mandatory
- [x] b. Any query written over Products, Suppliers or Supplies tables could be performed on this view
- [ ] c. This view is not updatable
- [x] d. This view is helpful for stakeholders who only need to see information such as total pay and do not need to edit it.
- [ ] e. The query "select supplierName from product_suppies where TotalItems>100" will return the supplier Name of each suppli supplied more than a total of 100 items

ASUS VivoBook

Given the following statements:

```
CREATE TABLE tbl (col1 INTEGER, col2 CHAR(5));
CREATE TABLE tblAudit (user VARCHAR(20), date DATE, action VARCHAR(20));
CREATE TRIGGER trig_tblAudit ON tbl FOR INSERT AS
BEGIN
INSERT INTO tblAudit VALUES (CURRENT USER, CURRENT DATE,'Insert');
END
```

If user USER1 executes the following statements:

```
INSERT INTO tbl VALUES (1, 'abc');
INSERT INTO tbl (col1) VALUES (2);
UPDATE tbl SET col2 = 'Hacked' WHERE col1 = 1;
```

How many new records will be written to the database tables?

Select one:

- a. 4
- b. 3
- c. 5
- d. 0
- e. 2

ASUS VivoBook

If a view named V1 is created in such a way that it references every column in a table named EMPLOYEE except a column named SA which of the following is **not** an accurate statement?

Select one or more:

- [x] a. View V1 cannot be used as a data source for other views
- [x] b. All data, except SALARY data that is stored in the EMPLOYEE table is copied to a seperate physical location when V1 is created
- [ ] c. View V1 can be used as a data source for other views
- [ ] d. No data is copied to a seperate physical location when V1 is created
- [ ] e. View V1 can be used in the same context as the EMPLOYEE table for all data retrieval operations that do not acquire SALARY inf

red
1.0
ion

Which of the following statements are **true** about T-SQL functions?

Select one or more:

- [ ] a.
A Function in SQL is a set of sql statements that accepts both input and output parameters and return the result
- [x] b. A Function in SQL is a set of sql statements that accepts only input parameters, perform actions and return the result.
- [x] c. Functions are helpful to reduce network traffic between a client application and the database server
- [x] d. Once a TSQL function is created it can be called any number of times in a client application using 'exec' statement
- [ ] e. None of the given

estion 6
t yet answered
arked out of 1.0
Flag question

Which of the following is/are related to triggers?

Select one or more:

- [x] a. Inserted table have the same number of the columns as the table to which data are inserted
- [x] b. Deleted is a virtual table
- [ ] c. The updated table stores the values which a table is updated with after an update operation
- [x] d. The for clause in creating triggers are useful to specify the operations which will execute the trigger
- [ ] e. Before a trigger is created for insert operation, the inserted table should be created by the user

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 2

Not yet answered

Marked out of 1.0

Flag question

In which of the following scenarios would a stored procedure be beneficial?

Select one or more:

a. An application running on a remote client needs to calculate and store an employee's salary which is obtai number of hours he has worked with the rate he is paid. Both the number of hours and rate are also stored in a

b. An application running on a remote client needs to collect three input values, perform a calculation using th the input data, along with the results of the calculation in two different base tables.

c. An application running on a remote client needs to track every modification made to a table that contains se

d. An application running on a remote client needs to ensure that every new employee that joins the company sequential employee number when his information is stored in the database.

e. All of the given answers