



DMS mid exam


Online Exams
Sri Lanka Institute of Information Technology
Consider a relation R (A, B, C, D, E, F, G) with the following set of functional dependencies over R:
F = { AB -> CDEFG, D -> B , D-> E , E -> FG}.The corresponding BCNF relations are.
Select one:
a. R1 (D, E), R2(A, B, C, D)
b. R1 (E, F, G), R2 (A, B, C, D,E)
c. R1 (E, F, G), R2 (D, E), R3 (A, B, C, D)
d. R1 (A, B, C, D, E, F, G)
e. R1 (E, F, G), R2 (D, E, B), R3 (A, C, D)
Next page


Sri Lanka Institute of Information Technology
Consider a relation R (A, B, C, D, E, F, G) with the following set of functional dependencies over R:
F = { AB -> C, A -> D, G -> A , B -> EFG } , The corresponding BCNF relations are
Select one:
a. R1(A, D), R2 (B, E, F, G), R3 (A,B,C)
b. R1 (A, D), R2 (B, E, F, G), R3 (A,B, C, G)
c. R1 (A, D), R2 (B, E, F, G), R3 (A,G), R4 (B, C, G)
d. R1 (A, D), R2 (B, E, F, G), R3 (A,B, C), R4 (A,G)
e. R1(A, B C, D, E, F, G)



R(A,B,C,D,E,F,G)
F{AB→CDEFG, D→B, D→E, E→FG}
AB+ =[ABCDEFG] ✓
D+ =[DBEFG]
E+ =[EFG]
A B C D E F G
FD1 BCNF
FD2 3NF
FD3 3NF
R1 = E F G
R2 = D E B
R3 = A C D


Online Exams
Sri Lanka Institute of Information Technology
Question 6
Not yet answered
Marked out of 2.5
Flag question
Consider a relation R (F1, F2, F3, F4, F5) with the following set of functional dependencies over R:
F = { F2F3 -> F1F4F5, F4 -> F2 } .What is the highest Normal form Relation R in?
Select one:
a. 3rd Normal Form
b. 2nd Normal Form
c. 1st Normal Form
d. Unnormalized Form
e. BCNF
Next page

$AB^+ = ABCDEFG$
$A = ADC$
$G = GA$

$R(A, B, C, D, E, F, G)$

$F = \{AB \to C, A \to D, G \to A, B \to EFG\}$




GA


$R1 = A\ D$


$R2 = B\ E\ F\ G$


$R3 = AG$


$R4 = BCG$



Information Technology
Lockdown Browser
Practice Test
Mid-term Examination 2021
Database Management Systems(IT2040)/Database Systems(CSIT2040)
Mid-term Examination 2021
Guidelines for Candidates
Read the guidelines below before attempting the paper
1. This quiz contain 22 MCQ questions
2. The duration of the quiz is 1 hour
3. The students cannot navigate backward in this quiz
4. Students are expected to use the lockdown browser for the quiz
5. If a students find any question he/she think as erroneous (ex: Same answer repeated, no correct answer) he/she can report it in a spac
quiz. Students are expected to enter only the question number of erroneous question in the said space
Attempts allowed: 1
This quiz opened at Wednesday, 31 March 2021, 10:30 AM
This quiz will close on Wednesday, 31 March 2021, 11:40 AM.
Time limit: 1 hour
Attempt quiz now



Sri Lanka Institute of Information Technology
Examinations
Lockdown Browser
Practice Test
it20026820 Nanayakkara S
Consider the following relation
Member (memId,name,address,phone)
Member_Hobbies(memId, hobby)
Which of the following query will return the names of the members who have have both 'Music' and 'Photography' for hobbies.
Select one or more:
a. Select m.name
from Member m, Member_Hobbies h
where m.memId=h.memId and h.hobby IN('Music','Photography')
b. select m.name
from Member m, Member_Hobbies h
where m.memId=h.memId and h.hobby='Music' and m.memId in
(select memId from Member_Hobbies where hobby='Photography')
c. Select m.name
from Member m, Member_Hobbies h
where m.memId=h.memId and h.hobby=ANY('Music','Photography')
d. Select m.name
from Member m, Member_Hobbies h
where m.memId=h.memId and h.hobby='Music' and 'Photography'
e. select m.name
from Member m, Member_Hobbies h
where m.memId=h.memId
and m.memId in
(select memId from Member_Hobbies where hobby='Photography')
and m.memId in
(select memId from Member_Hobbies where hobby='Music')
Quiz n
Finish attem
Time left 0:5
ERROR REPOR
DELL



Mid-term Examination 2021 (IT
netexam.sliit.lk/mod/quiz/attempt.php?attempt=80175&cmid=2466
Dashboard
Examinations
Lockdown Browser
Practice Test
Question 1
Not yet answered
Marked out of 1.0
Flag question
Consider the following ER model.
bookingId
dateTime
location
Booking
1
has
N
sNumber
Type
ServiceType
N
cost
offers
1
Service Center
serviceNo
phone
name



Dashboard
Examinations
Lockdown Browser
Practice Test
Question 1
Not yet answered
Marked out of 1.0
Flag question
Consider the following relation
CustomerSales(CustNo, SalesDate, SalesAmount, SalesRepNo, Location)
with following set of functional dependencies,
CustNo, SalesDate –> SalesAmount, SalesRepNo, Location
SalesRepNo, SalesDate, SalesTime –> CustNo
Location, SalesDate, SalesTime –> SalesRepNo, CustNo
Identify candidate keys in the relation R.
Select one or more:
a. (CustNo)
b. CustNo,SalesRepNo)
c. (SalesRepNo, SalesDate, SalesTime)
d. (Location, SalesDate, SalesTime)
e.
(CustNo, SalesDate)



NetExam
Sri Lanka Institute of Information Technology
Dashboard
Examinations
Lockdown Browser
Practice Test
Question 1
Not yet answered
Marked out of 1.0
Flag question
Which of the following are not examples for program data independence/insulation between program and data?
Select one or more:
a. Being able to hide from users where the actual data are stored
b. Being able to access data using programs written in different programming languages
c. Being able to define which users are able to access data
d. Being able to improve the performance of database without effecting the data
e. Being able to add columns to a table without effecting user queries



Dashboard
Examinations
Lockdown Browser
Practice Test
Question 2
Not yet answered
Marked out of 1.0
Flag question
Consider the appointments table given below
Appointments
Patient | Doctor | appointmentDate
Lakmal | Dr. Janaka | 08-01-2020
Nishani | Dr. Sunila | 10-01-2020
Bhagya | Dr. Janaka | 07-01-2020
What is the output of the following SQL query?
SELECT Count(*)
FROM ((SELECT Patient, Doctor
FROM Appointments) AS S
INNER JOIN (SELECT Doctor, appointmentDate
FROM Appointments) AS T);
Select one:
a. 6
b. 3
c. 5
d. 9



NetExam
Sri Lanka Institute of Information Technology
Dashboard
Examinations
Lockdown Browser
Practice Test
Question 3
Not yet answered
Marked out of 1.0
Flag question
Consider the following description
There are three kinds of doctors namely pediatricians, physicians and dermatologists. They are assigned with unique IDs for identification, the system stores their first name, last name, age, phone number and their hospital information. Hospital information includes the name of the hospital, hospital type, number of doctors and location of the hospital. A doctor can work in several hospital in part time basis. Patients register in the system by providing their first name, last name, address, phone number and the system assign an ID for each patient. A doctor can diagnosis several diseases in patients. As diagnosis should be recorded when the date the diagnosis was made.
Which of the following statements are correct with respect to the above description.
Select one or more:
a. There are four main entities in the description
b. Diagnosis is a descriptive attribute
c. The EER diagram for the above scenario contains only binary relationships
d. It is possible to put doctor and patient under the same ISA hierarchy
e. Doctor entity can have a type attribute to store their specialization such a 'dermatologist'



it20007256 Ku
stion 1
yet answered
ked out of 1.0
Flag question
Which of the following is/are intension(s) of a database developer during the requirement collection and analysis phase?
Select one or more:
a. Finding the names of the people who will be developing the applications to access the database
b. Finding relationships among data in the organization
c. Finding data to be stored in the organization
d. Identify the number of concurrent users who will be using the database
e. Identify different types of data rettrievels to be performed on the database
Next page



swered
t of 1.0
estion
Consider the following table :
Emp (eid, ename, designation, salary, deptName)
Consider the following SQL query on the emp table above:
select deptName
from Emp
where designation = 'Manager'
group by deptName
having avg (salary) > (select avg (salary) from Empl)
It returns the names of the department in which
Select one:
a. the average salary of managers is more than the average salary of all male employees in the company
b. the average salary of managers is more than the average salary in the company
c. the average salary is more than the average salary in the company
d. the average salary of managers is more than the average salary of employees in the same department


Examinations
Lockdown Browser
Practice Test
wered
of 1.0
stion
Consider the following description:
A university has two types of rooms namely lecture halls and laboratories. Lecture halls have a capacity and a number of resources such as whiteboard, podium and projector. Laboratory classes also have a capacity and number of resources. These are located in different buildings in the campus known by names such as 'Block A','Block B' and 'Block C'. Each room has a number unique to each building. There are batches taken to the universities. They are identified by the intake year and intake name (for ex: 2021 Regular intake). A batch may have several groups such as G1, G2, G3 & etc. Each group has number of students and group name is unique within each batch. During time tabling, a rooms are allocated for groups to conduct classes related to. The class name(such as 'lecture' and 'tutorial'), start time and the end time where the room will be ha should be recorded.
Which of the following are true related to the above :
Select one or more:
a. The type of the rooms could be represented using sub classes
b. The type of the rooms could be represented as an attribute
c. There are only strong entities in this description
d. If building is an entity room will be a weak entity
e. Resources could be tracked using a multi-valued attribute
Next page


Examinations
Lockdown Browser
Practice Test
wered
of 1.0
stion
Academic_Staff (SID, FacultyID, FacultyLocation, FacultyPhone, StaffName, StaffPosition, HoursPerWeek)
with following functional dependencies.
SID -> StaffName, StaffPosition, FacultyID, FacultyLocation, FacultyPhone
FacultyID -> FacultyLocation, FacultyPhone
FacultyLocation -> FacultyID, FacultyPhone
FacultyPhone -> FacultyID, FacultyLocation
What is the current normal form of Academic_Staff?
Select one:
a. Unnormalized form
b. 2NF
c. 1NF
d. 2NF
e. BCNF


.lk/mod/quiz/attempt.php?attempt=80106&cmid=2466
etExam
Lanka Institute of Information Technology
Examinations
Lockdown Browser
Practice Test
it20122232 Rathnayake
swered
out of 1.0
g question
Consider the following SQL query:
SELECT e.emp_id, e.dno, d.name, e.salary
FROM Emp e, Dept d
WHERE e.dno = d. dept_id;
Which of the following SQL statements produce the same output as the SQL query above?
Select one:
a. SELECT emp_id, dno, d.name, salary
FROM Emp e INNER JOIN Dept d ON e.dno = d.dept_id;
b. SELECT e.emp_id, e.dept_id, d.name, e.salary
FROM Emp LEFT OUTER JOIN Dept;
c. SELECT e.emp_id, e.dno, d.name, e.salary
FROM Emp
WHERE dept_id IN (SELECT dept_id FROM Dept);
d. None of the above
e. SELECT emp_id, dept_id, d.name, Salary
FROM Emp e JOIN Dept d USING (e.dept_id, d.dept_id);
irefox seems slow... to... start.
arch


Mid-term Examination 2021 (IT2
netexam.sliit.lk/mod/quiz/attempt.php?attempt=80417&cmid=2466
Sri Lanka Institute of Information Technology
Dashboard
Examinations
Lockdown Browser
Practice Test
it20046798 Alwis L. W. S. J. it20046798
10:34:27
Question 1
Not yet answered
Marked out of 1.0
Flag question
Consider the following relational schema:
Doctor (did, name, specialization)
Patient (pid, pname, docId, diagnosis)
docId is a foreign key referring to did of the Doctor relation. Assume that each doctor diagnose at least one patiend. What does the following query return?
employee(empId, empName, empDept)
customer(custId, custName, salesRepId, rating)
salesRepId is a foreign key referring to empId of the employee relation. Assume that each employee makes a sale to at least one customer. What does the following query return?
SELECT name
FROM Doctor d
WHERE NOT EXISTS (SELECT pname
FROM Patient p
WHERE p.docId = d.did AND d.diagnosis <> 'Fever');
Select one:
a. Names of all the doctors with all their patients having fever
b. Names of all the doctors with none of their patients having fever
c. Names of all the doctors with at least one of their patients having fever.
d. Names of all the doctors with at most one of their patient having fever.
Quiz navigation
Finish attempt ...
Time left 0:59:41
1 2 3 4 5 6 7 8
9 10 11 12 13 14 15 16
17 18 19 20 21 22
ERROR REPORTING
23
Type here to search


etExam
anka Institute of Information Technology
ninations
Lockdown Browser
Practice Test
Consider the following three table to store student enrollements in different courses.
Student(EnrollNo, Name)
Course(CourseID, Name)
EnrollMents(EnrollNo, CourseID)
What does the following query do?
SELECT S.Name
FROM Student S, Course C, Enrollments E
WHERE S.EnrollNo = E.EnrollNo AND
C.Name = "DBMS" AND
E.CourseID = C.CourseID AND
S.EnrollNo IN (SELECT S2.EnrollNo
FROM Student S2, Course C2, Enrollments E2
WHERE S2.EnrollNo = E2.EnrollNo AND
E2.CourseID = C2.CourseID
C2.Name = "OS")
Select one:
a. Name of all students who are either enrolled in "DBMS" or "OS" courses
b. Name of all students who are either enrolled in "DBMS" or "OS" or both.
c. Name of all students who are enrolled in "DBMS" and "OS"
d. Name of all students who are enrolled in "DBMS"
here to search
Mid-term Examinat...

Dashboard Examinations Lockdown Browser Practice Test

it20253912 Sahassara. M.B.C it20253912

Question 2
Not yet answered
Marked out of 1.0
Flag question

The following questions is based on a relation

```
Emps (empID, ssNo, name, mgrID)
```

which stores employee ID (assumed unique), social-security number (also unique), name (not necessarily unique) for employees and the employee ID of the manager of the employee.

Assume that the president is his/her own manager, so every employee has a unique manager. You may assume there are no duplicate tuples in this relation.

Suppose we wish to find the ID's of the employees that are managed by people who are managed by the employee with ID 123. Here are two possible queries:

1.
```
SELECT ee.empID
  FROM Emps ee, Emps ff
  WHERE ee.mgrID = ff.empID AND ff.mgrID = 123;
```

2.
```
SELECT empID
  FROM Emps
  WHERE mgrID IN
    (SELECT empID FROM Emps WHERE mgrID = 123);
```

Which, if any, of the two queries above will **correctly** (in SQL) get the desired set of employee ID's?

Select one:

- a. II only
- b. Query can't represent in SQL
- c. Neither I nor II
- d. I only
- e. Both I and II

Quiz navigation

Finish attempt ...


Time left 0:56:08

1 2 3 4 5 6 8 9 10 11 12 13 15 16 17 18 19 20 22

ERROR REPORTING 23

Question 1
Not yet answered
Marked out of 1.0
Flag question


Consider the following ER model.





Which of the following statements are correct related to mapping the above ER model to the relational model.

Select one or more:


- a. There are 5 foreign keys for the relation Service type
- b. The degree of the *ServiceType* relation is 5
- c. Booking has the foreign key seviceNo
- d. *Booking* relation has the degree 4
- e. The degree of the *ServiceCenter* relation is 3


/netexam.sliit.lk/mod/quiz/attempt.php?attempt=80106&cmid=2466&page=1
Examinations
Lockdown Browser
Practice Test
it2012223
2
answered
d out of 1.0
lag question
Consider the following table:
Emp (eid, ename, designation, salary, did)
Consider the following relational query on the Emp table above:
SELECT salary
FROM Emp e1
WHERE 2 = (
SELECT COUNT(DISTINCT (e2.salary))
FROM Emp e2
WHERE e2.salary > e1.salary
)
Which one of the following is the correct interpretation of the above query?
Select one:
a. find the 3rd highest salary from table
b. find the highest salary from table
c. find the 2nd highest salary from table
d. find the 4th highest salary from table
lla Firefox seems slow... to... start.
Type here to search


NetExam
Sri Lanka Institute of Information Technology
Dashboard
Examinations
Lockdown Browser
Practice Test
it20089436 Senarathne S.M.A.D it20089436
10:45:07
Question 4
Not yet answered
Marked out of 1.0
Flag question
Consider the following ER model. What are the tables in the final relational model?
description
Room
roomID
noOfBeds
phone
N
Has
M
Reservation
in_date
out_date
resID
Select one:
a. Room (roomID, noOfBeds, description)
RoomPhone (roomID, phone)
Reservation (resID, in_date, out_date)
Has (roomID, resID)
b. Room (roomID, noOfBeds, description)
RoomPhone (roomID, phone)
Reservation (resID, in_date, out_date, roomID)
c. Room (roomID, noOfBeds, description)
RoomPhone (roomID, phone)
Reservation (resID, in_date, out_date)
Has (roomID, resID)
d. Room (roomID, noOfBeds, description, phone)
Reservation (resID, in_date, out_date)
Has (roomID, resID)
e. Room (roomID, noOfBeds, description, resID)
RoomPhone (roomID, phone)
Reservation (resID, in_date, out_date)
Next page
Quiz navigation
Finish attempt ...
Time left 0:49:10
ERROR REPORTING


Which of the following statements are true related to constraints?
Select one or more:
a. When an entity instance may be a member of multiple subtypes or it does not have to be a member of subtype the specialization is overlapping and total.
b. When an entity belongs to only one sub type in the hierarchy the relationship is total and disjoint.
c. A bowler and batsman(assume wicket keeper is also a batsman) which are sub types of a cricketer type total and disjoint
d. If a subtype participates in a relationship that is the same as the other subtypes that relationship could added to the super type

Consider the following EER diagram. Note that loyal customer and normal customer cover customer.



Which option below is the most appropriate mapping for the ISA hierarchy?

Which option below is the most appropriate mapping for the ISA hierarchy?

Select one:

- a. Option 1 and Option 4
- b. Option 4
- c. Option 2
- d. Option 3
- e. Option 1

Mid-term Examination 2021 (IT

netexam.sliit.lk

SQL INSERT INTO Statement

Apps Translate bell courseweb REPL IT Eduscope WhatsApp YouTube Gmail

Dashboard Examinations Lockdown Browser Practice Test


Question 10

Not yet answered

Marked out of 1.0

Flag question


Consider the following ER model. What are the tables in the final relational model?




Select one:

- a. Loyal Customer (cardNo, joinedDate)
  Offer (offerCode, description)
  Get (cardNo, offerCode)
- b. Loyal Customer (cardNo, joinedDate, offerCode)
  Offer (offerCode, description)
- c. Loyal Customer (cardNo, joinedDate)
  Offer (offerCode, description, cardNo)
- d. Loyal Customer (cardNo, joinedDate)
  Offer (offerCode, description)
  Get (cardNo, offerCode)
- e. Loyal Customer Offer (cardNo, offerCode, joinedDate, description)

here to search


SLT Broadband Portal
Mid-term Examination 2021 (IT2
insulation between program and
Insulation between Program and
Basic Concepts of ER Data Model
netexam.sliit.lk/mod/quiz/attempt.php?attempt=80443&cmid=2466&page=6
Other bookmarks
it20089436 Senarathne S.M.A.D it20089436
NetExam
Sri Lanka Institute of Information Technology
Dashboard
Examinations
Lockdown Browser
Practice Test
it20089436 Senarathne S.M.A.D it20089436
10:59:16
Question 7
Not yet answered
Marked out of 1.0
Flag question
Consider the following ISA hierarchy.
phone
name
ISS
Person
Staff
Customer
salary
email
Which of the following statements are incorrect related to mapping the above hierarchy to the relational model.
Select one or more:
a. Option 3 and 4 will result in null values
b. Option 4 is not suitable
c. Option 3 and 4 would have created relation for Person
d. Option 2 is more suitable
e. Option 1 would have created relations for Person, Staff and Customer
Next page
Quiz navigation
Finish attempt ...
Time left 0:35:02
1 2 3 4 5 6 7 8 9 10
11 12 13 14 15 16 17 18 19 20
21 22
ERROR REPORTING
23


Mid-term Examination 2021 (I
Lanka Institute of Information Technology
Lockdown Browser
Practice Test
Which of the following statements are not true about ALTER and UPDATE statements
Select one or more:
a. Update command could be used to modify the structure of the table
b. Update command could be used to add constraints to a table after it is created
c. Alter table command could be used to edit values of the rows in a table
d. Alter table command could be used to modify the structure of the table
e. Update command could be used to edit values of the rows in a table


Question 12

Not yet answered

Marked out of 1.0

Flag question

Consider the following EER diagram.



Which option below is the most appropriate mapping for the ISA hierarchy?


Select one:

- a. Option 4
- b. Option 1
- c. Option 2
- d. Option 3
- e. Option 1 and Option 4

sliit.lk

Examinations Lockdown Browser Practice Test


Consider the following ER model.





Which of the following statements are correct related to mapping the above ER model to the relational model.


Select one or more:


- a. There are 5 foreign keys for the relation Service type
- b. Booking has the foreign key seviceNo
- c. The degree of the ServiceType relation is 5


Sri Lanka Institute of Information Technology
Examinations
Lockdown Browser
Practice Test
it20244484 Dhanushanka A. K. L. it2
Suppose relation R(A,B) currently has tuples {(1,2), (1,3), (3,4)} and relation S(B,C) currently has {(2,5), (4,6), (7,8)}. Then the number of tuples in the result of the SQL query:
Select * From R Left Outer Join S on (R.B = S.B);
is:
Select one:
a. 2
b. 6
c. 3
d. 5
e. 4
Next page
Quiz nav
Finish attempt
Time left 0:03:
1
2
8
9
15
16
22
ERROR REP
23


Examinations
Lockdown Browser
Practice Test
4
nswered
ut of 1.0
question
Which of the following is true related to ISA relationships?
Select one or more:
a. A shape object with circle, rectangle and triangle as sub types is an example for a total participation
b. A sub type of a ISA hierarchy can has its own key
c. The hierarchy in which each entity participates in only one subclass relationship is classified as disjoint
d. If subtypes are overlapping the participation constraint must be partial


Examinations
Lockdown Browser
Practice Test
it20037024 Ashan Zoysa
Consider the following three table to store student enrollements in different courses.
Student(EnrollNo, Name)
Course(CourseID, Name)
EnrollMents(EnrollNo, CourseID)
What does the following query do?
SELECT S.Name
FROM Student S, Course C, Enrollments E
WHERE S.EnrollNo = E.EnrollNo AND
C.Name = "DBMS" AND
E.CourseID = C.CourseID AND
S.EnrollNo IN (SELECT S2.EnrollNo
FROM Student S2, Course C2, Enrollments E2
WHERE S2.EnrollNo = E2.EnrollNo AND
E2.CourseID = C2.CourseID
C2.Name = "OS")
Select one:
Quiz na
Finish attempt
Time left 0:03:4
ERROR REPORT


Sri Lanka Institute of Information Technology
Examinations
Lockdown Browser
Practice Test
it20203962
Consider the following relation R (R M, N, O, P, Q)
with following set of functional dependencies,
F= { N -> M, M -> O, NO -> P, MO -> NQ }
What is the current normal form of given relation?
Select one:
a. BCNF
b. Unnormalized form
c. 2NF
d. 1NF
e. 3NF


Sri Lanka Institute of Information Technology
Examinations
Lockdown Browser
Practice Test
22
answered
out of 1.0
g question
ID Name Age
12 Jagath 60
15 Nilmini 34
99 Amaya 25
PostGrad
ID Name Age
15 Nilmini 24
25 Saman 40
75 Amaya 30
99 Amaya 25
UnderGrad
Consider the above tables on PostGrad and UnderGrad tables
SELECT p.ID
FROM PostGrad p
WHERE p.age > ALL (SELECT u.age
FROM undergrad u
WHERE u. name = "Amaya")
How many tuples will be there in the result after executing the above query?
Select one:
a. 3
b. 1
c. 4
d. 2
Type here to search
ASUS VivoBook

Examinations Lockdown Browser Practice Test

vered
of 1.0
stion

Consider the following relation R (R M, N, O, P, Q)
with following set of functional dependencies,
F= { N -> M, M -> O, NO -> P, MO -> NQ }
What is the current normal form of given relation?

Select one:

- a. BCNF
- b. Unnormalized form
- c. 2NF
- d. 1NF
- e. 3NF

on 2021 (IT2(| Google Translate

etexam.sliit.lk/mod/quiz/attempt.php?attempt=79050&cmid=2466&page=20

NetExam

Sri Lanka Institute of Information Technology

Examinations | Lockdown Browser | Practice Test | it202

Consider the tables given below:
Student (sid, sname, age)
Grades (sid, cid, grade)
Student table stores information of all students. Grades table contains grades the students have obtained for each course he/she had completed.
Which of the following queries would produce the names of the students who had not completed any course yet.

Select one or more:

- a. select s.sname
  from student s LEFT OUTER JOIN Grades g
  where g.sid is NULL
- b. select sname
  from Student
  where sid not IN (select sid in grades)
- c. select s.sname
  From student s, Grades g
  where s.sid=g.sid
  group by s.sid
  having count(*)=0
- d. select s.sname
  from student s
  where NOT EXISTS (select * from Grades g where g.sid=s.sid)
- e. None of the above

Next page

Type here to search | Mid-term Examinat...

Question 18

Not yet answered

Marked out of 1.0

Flag question

Consider the following requirements or a construction company:

Company have multiple construction sites. Each site has a unique site number, address and construction type such as('house', 'apartment', 'shopping complex'). For each site the company estimates the number the amounts required from each raw-material and these values are stored(ex: cement packs, sand, & etc.). Raw-materials have three different types such as wall-construction materials, wiring materials, Roofing materials and timber materials. Each material is identified by a unique ID and has a unit of measurement such as liters and kilograms. There are many suppliers providing raw materials for construction companies. The suppliers have are identified by a unique supplier id and each supplier has a name, address and a phone number. These are tracked by the construction company. However, during the construction company may purchase different amount of raw-materials for a site from different suppliers at different prices.

Which of the following are correct related to the EER diagram drawn for the above description.

Select one or more:

- ☐ a. There are only binary relationships in the diagram
- ☐ b. There is a ternary relationship in the diagram
- ☐ c. Company is a strong entity in the EER
- ☐ d. There is a binary relationship between site and material with a descriptive attribute
- ☐ e. Raw material types could be represented by sub classes

Next page

Learn Ho

Examinations Lockdown Browser Practice Test

An item table of a supermarket stores the itemNumber, description, item Price, Quantity available and re-order level.

Which of the following is true with respect to above table.

Select one or more:

- ☐ a. DBMS cannot allow multiple cashiers to access to table to update the quantity in hand.
- ☐ b. DBMS can be configured in a manner that registered customers can only view the item descriptions and prices
- ☐ c. DBMS can be configured in a manner that only the manager can change the price of an item
- ☐ d. DBMS cannot be allow multiple cashiers to access the table to see the price of items as the same time
- ☐ e. DBMS can be configured in a manner that item numbers cannot be duplicated

Next

ion 13

et answered

ed out of 1.0

lag question

Consider the following relation

R (A, C, E, G, I, K, L, N, P, Q) with following set of functional dependencies


{AC → E, A → GI, C → K, K → LN, G → PQ}

Identify candidate keys in the relation R.

Select one or more:

- ☐ a. AC
- ☐ b. G
- ☐ c. C
- ☐ d. A
- ☐ e. K

Which answer gives the number of tables in the final relational model?



Select one:

- a. 8
- b. 12
- c. 11
- d. 10
- e. 9

≡ Quiz na

Finish attempt ..

Time left 0:10:47

1	2	3
9	10	11
17	18	19


ERROR REPORTING

23

Not yet answered

Marked out of 1.0


Flag question





Which option below is the most appropriate mapping for the ISA hierarchy?


Select one:

- a. Option 4
- b. Option 1 and Option 4
- c. Option 1
- d. Option 3
- e. Option 2


https://netexam.sliit.lk/mod/quiz/attempt.php?attempt=78983&cmid=2466&page=1
NetExam
Sri Lanka Institute of Information Technology
Examinations
Lockdown Browser
Practice Test
Consider the following description:
A university has two types of rooms namely lecture halls and laboratories. Lecture halls have a capacity and a number of re
such as whiteboard, podium and projector. Laboratory classes also have a capacity and number of resources. These are loc
different buildings in the campus known by names such as 'Block A','Block B' and 'Block C'. Each room has a number unique
building. There are batches taken to the universities. They are identified by the intake year and intake name (for ex: 2021 Re
intake). A batch may have several groups such as G1, G2, G3 & etc. Each group has number of students and group name is ur
within each batch. During time tabling, a rooms are allocated for groups to conduct classes related to. The class name(such as
'lecture' and 'tutorial'), start time and the end time where the room will be ha should be recorded.
Which of the following are true related to the above :
Select one or more:
a. The type of the rooms could be represented using sub classes
b. There are only strong entities in this description
c. If building is an entity room will be a weak entity
d. Resources could be tracked using a multi-valued attribute
e. The type of the rooms could be represented as an attribute
ASUS VivoBook


Sri Lanka Institute of Information Technology
Examinations
Lockdown Browser
Practice Test
Which of the following is true about the HAVING clause?
Select one or more:
a. HAVING clause only contain conditions containing aggregate functions
b. Acts like a WHERE clause but is used for columns rather than groups.
c. Acts like a WHERE clause but is used for groups rather than rows.
d. HAVING clause can contain any SQL statement
e. Acts like a WHERE clause but is used for rows rather than columns.


https://netexam.sliit.lk/mod/quiz/attempt.php?attempt=78983&cmid=2466
NetExam
Sri Lanka Institute of Information Technology
Examinations
Lockdown Browser
Practice Test
Consider the following relational schemes,
Car (Number, Owner, ChassisNo, Model, Year, Price)
Registration (Number, Owner, ChassisNo)
with following functional dependencies:
I. Number, Owner -> ChassisNo
II. ChassisNo -> Number, Owner, Model, Year
III. Model, Number, Year --> Price
Assume {Number, Owner} is the key for both schemes.
What is the current normal form of Car?
Select one:
a. 2NF
b. 1NF
c. 3NF
d. Unnormalized form
e. BCNF
ASUS VivoBook



Consider the following relation

Sales(productId,customerId,Qty,salesDate)

Which of the following query finds the id of the product from which at least 50 items are sold every time a sale is done.

Select one or more:


- [x] a. select productId
  from Sales
  group by productId
  having qty>50
- [ ] b. select productId
  from Sales
  group by productId
  having Min(qty)>=50
- [ ] c. select s1.productId
  from Sales s1
  where 50<= ALL(select qty from Sales s2 where s1.pid=s2.pid)
- [ ] d. select productId
  from sales
  where qty>50
- [ ] e. select productId
  from Sales
  where 50<= ALL(select qty from Sales)

Mid-term Examination 2021 (IT

netexam.sliit.lk/mod/quiz/attempt.php?attempt=80114&cmid=24668&page=1

Examinations Lockdown Browser Practice Test

Consider the following ER model.





Which of the following statements are incorrect related to mapping the above ER model to the relational m


Select one or more:


- [ ] a. serviceNo is a foreign key in the serviceType relation
- [x] b. sNumber is a foreign key in the Service Center relation

here to search


Dashboard
Examinations
Lockdown Browser
Practice Test
Flag question
it20138004 Paranavithana K.K. it20138004
Finish attempt ...
Time left 0:45:21
ERROR REPORTING
phone
name
nic
Person
dateTime
bookingId
Booking
location
N
has
Staff
Customer
M
Place
salary
email
1
owns
N
regNo
Vehicle
lastServiceDate
model
Select one:
a. 11
b. 8
c. 10
d. 7



NetExam
Sri Lanka Institute of Information Technology
Dashboard
Examinations
Lockdown Browser
Practice Test
Question 1
Not yet answered
Marked out of 1.0
Flag question
Which of the following query will result in an error?
Select one or more:
a. select dept_id, avg(salary) from employees group by dept_id
b. select dept_id, count(name) from employees
c. select avg(salary) from employees group by dept_id
d. select dept_id, job_id, avg(salary) from employees group by dept_id, job_id
e. select eid from employees where salary>avg(salary)
Next page


NetExam
Sri Lanka Institute of Information Technology
Examinations
Lockdown Browser
Practice Test
it20138004 Paranavithana K.K. it2013
Question 5
Not yet answered
Marked out of 1.0
Flag question
Which of the following statements are not true about ALTER and UPDATE statements
Select one or more:
a. Alter table command could be used to modify the structure of the table
b. Update command could be used to modify the structure of the table
c. Update command could be used to edit values of the rows in a table
d. Alter table command could be used to edit values of the rows in a table
e. Update command could be used to add constraints to a table after it is created
Next page
Quiz navigation
Finish attempt ...
Time left 0:35:55
ERROR REPORTING
Type here to search


NetExam
Sri Lanka Institute of Information Technology
Examinations
Lockdown Browser
Practice Test
it20138004 Paranavith
Which of the following statements are true related to constraints?
Select one or more:
a. If a subtype participates in a relationship that is the same as the other subtypes that relationship could be added to the super type
b. When an entity belongs to only one sub type in the hierarchy the relationship is total and disjoint.
c. A bowler and batsman(assume wicket keeper is also a batsman) which are sub types of a cricketer type is total and disjoint
d. When an entity instance may be a member of multiple subtypes or it does not have to be a member of a subtype the specialization is overlapping and total.
Next page
Quiz
Finish atte
Time left 0:
ERROR REP

stion 4
t yet answered
rked out of 1.0
Flag question

Consider the following EER diagram:




Which of the following is true related to the above diagram?


Select one or more:


- [ ] a. Each course has a course number which is unique for each college
- [x] b. Each course in the system has an unique course no
- [x] c. Students may inquire about multiple courses offered by colleges
- [ ] d. There can be courses with no students
- [ ] e. Even though student may inquire about many course offerings he might not register to any course


Next page

Quiz n
Finish attem
Time left 0:3
1 2
9 10
17 18
ERROR REPOR
23


Navigator
Mid-term Examination 2021 (IT2
netexam.sliit.lk/mod/quiz/attempt.php?attempt=80114&cmid=2466
Sri Lanka Institute of Information Technology
Examinations
Lockdown Browser
Practice Test
Consider a relation Emps as follows
Emps (empID, ssNo, name, dID)
dID is a foreign key which references deptID column of the Depts table
Here are two possible ways to declare the relation Emps.
1. CREATE TABLE Emps (
empID INT,
ssNo INT,
name CHAR(50),
dID INT,
UNIQUE (empID),
PRIMARY KEY (ssNo),
FOREIGN KEY dID REFERENECES Depts (deptID)
);
2. CREATE TABLE Emps (
empID INT PRIMARY KEY,
ssNo INT UNIQUE,
name CHAR(50),
dID INT REFERENECES Depts (deptID)
);
Which, if any, of the two declarations above will correctly (in SQL) declare the relation Emps?
Type here to search



Examinations
Lockdown Browser
Practice Test
Consider the following table definition
Create table Product
(
pid char(4) primary key,
pname varchar(30),
manufactureDate datetime default getdate(),
Qty int,
constraint pid_chk CHECK (pid Like '[P|S|T][0-5][0-5][0-5]'),
constraint qty_chk CHECK (qty>0)
)
Which of the following statements are true related to the above definition
Select one or more:
a. T12 is a valid pid that could be stored in the Product table
b. Consider a product with a quantity (qty) of 10. Update table written to deduct 15 from the available quantity in the above table will not be successful.
c. After executing the following insert statement in the above table the row inserted will have two null values
Insert into Product(pid,qty) values ('T000',50)
d. P333 is a valid pid that could be stored in the Product table
e. Executing the following insert statement will cause an error to occur
Insert into Product(pid,qty) values ('T000',50)
Next


WHERE S.EnrollNo = E.EnrollNo AND
C.Name = "DBMS" AND
E.CourseID = C.CourseID AND
S.EnrollNo IN (SELECT S2.EnrollNo
FROM Student S2, Course C2, Enrollments E2
WHERE S2.EnrollNo = E2.EnrollNo AND
E2.CourseID = C2.CourseID
C2.Name = "OS")
Select one:
a. Name of all students who are enrolled in "DBMS"
b. Name of all students who are either enrolled in "DBMS" or "OS" courses
c. Name of all students who are enrolled in "DBMS" and "OS"
d. Name of all students who are either enrolled in "DBMS" or "OS" or both.
Type here to search


Examinations
Lockdown Browser
Practice Test
Consider the following relational scheme with all atomic values.
Academic_Staff (SID, FacultyID, FacultyLocation, FacultyPhone, StaffName, StaffPosition, HoursPerWeek) with following functional dependencies.
SID -> StaffName, StaffPosition, FacultyID, FacultyLocation, FacultyPhone
FacultyID -> FacultyLocation, FacultyPhone
FacultyLocation -> FacultyID, FacultyPhone
FacultyPhone -> FacultyID, FacultyLocation
What is the primary key for the relation?
Select one:
a. SID
b. SID, FacultyID
c. FacultyPhone
d. FacultyLocation
e. StaffName
Quiz
Finish att
Time left
1
9
17
23
ERROR

netexam.sliit.lk/mod/quiz/attempt.php?attempt=80114&cmid=2466&page=1

Examinations Lockdown Browser Practice Test




Which of the following statements are incorrect related to mapping the above ER model to the relational model.

Select one or more:

- [ ] a. serviceNo is a foreign key in the serviceType relation
- [x] b. sNumber is a foreign key in the Service Center relation
- [x] c. bookingID is a foreign key in the service Center relation
- [ ] d. bookingID is a foreign key in the serviceType relation
- [x] e. bookingID is a foreign key in the Offers relation

Type here to search


Dashboard Examinations Lockdown Browser Practice Test




Which option below is the most appropriate mapping for the ISA hierarchy?

Select one:

- a. Option 1
- b. Option 3
- c. Option 1 and Option 4
- d. Option 4
- e. Option 2


Dashboard
Examinations
Lockdown Browser
Practice Test
.slliit.lk/mod/quiz/attempt.php?attempt=80505&cmid=2466&page=1
amount
Select the correct answer after map the above aggregation relationship into the relational mo
Select one:
a. Room (HotelID, roomID, description, noOfBeds)
Reservation(resId, in_date, out_date)
Payment (invoiceNo, amount, discount)
b. Room (HotelID, roomID, description, noOfBeds)
Reservation(resId, in_date, out_date)
Has(roomID, resId)
Made(roomID, resId, invoiceNo)
Payment (invoiceNo, amount, discount)
c. Room (roomID, description, noOfBeds)
Reservation(resId, in_date, out_date)
Has(roomID, resId)
Made(roomID, resId, invoiceNo)
Payment (invoiceNo, amount, discount)
d. Room (HotelID, roomID, description, noOfBeds)
Reservation(resId, HotelID, roomID, in_date, out_date)
Payment (invoiceNo, HotelID, roomID ,amount, discount)
e. Room (HotelID, roomID, description, noOfBeds)
Reservation(resId, in_date, out_date)
Has(HotelID, roomID, resId)
Made(HotelID, roomID, resId, invoiceNo)
Payment (invoiceNo, amount, discount)
Type here to search
ASUS VivoBook

Consider the following EER diagram. Note that loyal customer and normal customer cover customer.



Which of the following statements are incorrect related to mapping the above EER model to the relational model.

Select one or more:

- a. Option 3 and 4 would have created relation for Customer
- b. Option 2 is not suitable
- c. Option 1 is not suitable
- d. Option 3 and 4 will result in null values

≡ Quiz navigation

Finish attempt ...

Time left **0:14:31**

1 2 3 4 5 6
8 9 10 11 12 13
15 16 17 18 19 20
22

ERROR REPORTING

23

Activate Windows
Go to Settings to activate

estion 7
t yet answered
arked out of 1.0
Flag question


Relation R has eight attributes RUSQTP. Please consider relation R contains only atomic values.

F = {R -> S, Q -> RU, T -> P} is a set of functional dependencies that hold for R.

Identify candidate keys in the relation R.

Select one or more:

- a. QT
- b. T
- c. RQ
- d. Q
- e. R



Question 9
Not yet answered
Marked out of 1.0
Flag question

Consider the following tables

Patient (pid, pname, age)

Admission (pid, admissionDate)

Pid attribute in the Admission table is a foreign key referring to pid attribute of the Patient table. Assume no null values and no foreign keys or integrity constraints. Given the following four queries:

Query1: select pid from Patient
where pid in (select pid from Admission)

Query2: select pid from Admission
where pid in (select pid from Patient)

Query3: select p.pid from Patient p, Admission a
where a.pid = p.pid

Query4: select pid from Admission
where exists (select * from Patient
where Patient.pid = Admission.pid)

Which one of the following statements is correct?

Select one:

- a. All queries return identical row sets
- b. Query4 will encounter an integrity violation at runtime.
- c. Query3 returns strictly fewer rows than Query2
- d. Query2 and Query4 return identical row sets but Query1 and Query2 return different row sets.

Quiz navigation

Finish attempt ...

Time left 0:27:02

1 2 3 4 5 6 7 8
9 10 11 12 13 14 15 16
17 18 19 20 21 22

ERROR REPORTING

23

Type here to search


ENG INTL 11:07 31/03/2021


Consider the following activities performed by a database developer while developing a database for a small pharmacy.


1. Go through the books maintained for recording supplies
2. Identify attributes that determine certain groups of attributes
3. Select a database development software
4. Give access to clerks to enter data


Select one:


- a. 1, 2, 3, 4
- b. 2, 3, 4, 1
- c. 4,1, 3, 2
- d. 1, 3, 2, 4
- e. 3, 2, 4, 1



2021 (IT2
texam.sliit.lk/mod/quiz/attempt.php?attempt=79337&cmid=2466&page=9
NetExam
Sri Lanka Institute of Information Technology
Examinations
Lockdown Browser
Practice Test
Relation R has eight attributes RUSQTP. Please consider relation R contains only atomic values.
F = {R -> S, Q -> RU, T -> P} is a set of functional dependencies that hold for R.
What is the normal form that the above relation is in?
Select one:
a. 2NF
b. Unnormalized Form
c. BCNF
d. 1NF
e. 3NF
acer



Examinations
Lockdown Browser
Practice Test
wered
of 1.0
estion
The DROP TABLE statement
Select one or more:
a. Deletes the table structure only
b. Works weather or not referential integrity constraints would be violated
c. Deletes the table structure along with the table data
d. Works only if the referential integrity constraints are not violated
e. Deletes the table data only


The following questions is based on a relation
Emps (empID, ssNo, name, mgrID)
which stores employee ID (assumed unique), social-security number (also unique), name (not necessarily unique) for employees and the employee ID of the manager of the employee.
Assume that the president is his/her own manager, so every employee has a unique manager. You may assume there are no duplicate tuples in this relation.
Suppose we wish to find the ID's of the employees that are managed by people who are managed by the employee with ID 123. Here are two possible queries:
1. SELECT ee.empID
FROM Emps ee, Emps ff
WHERE ee.mgrID = ff.empID AND ff.mgrID = 123;
2. SELECT empID
FROM Emps
WHERE mgrID IN
(SELECT empID FROM Emps WHERE mgrID = 123);
Which, if any, of the two queries above will correctly (in SQL) get the desired set of employee ID's?
Select one:
a. I only
b. II only
Quiz navigatio
Finish attempt ...
Time left 0:32:17
ERROR REPORTIN


n 4
answered
out of 1.0
question
Which of the following are **not** examples for program data independence(insulation between program and data)?
Select one or more:
a. Being able to add columns to a table without effecting user queries
b. Being able to define which users are able to access data
c. Being able to improve the performance of database without effecting the data
d. Being able to hide from users where the actual data are stored
e. Being able to access data using programs written in different programming languages.
Next pa


Examinations
Lockdown Browser
Practice Test
it20007256 Ku
red
1.0
ion
Consider the following steps involved in database design process related to a bank database :
1. Develop a database program to calculate the interest
2. Collecting printed reports presented at meetings
3. select a database software to develop the database
4. Providing access to senior managers to change interest rate of an account type
Which order should the above happen in designing and developing a database.
Select one:
a. 4, 2, 3, 1
b. 3, 4, 2, 1
c. 1, 2, 3, 4
d. 2, 3, 1 ,4
e. 3, 2, 4, 1
Next page


Sri Lanka Institute of Information Technology
Examinations
Lockdown Browser
Practice Test
Which of the following is true related to ISA relationships?
Select one or more:
a. The hierarchy in which each entity participates in only one subclass relationship is classified as disjoint
b. A sub type of a ISA hierarchy can has its own key
c. If subtypes are overlapping the participation constraint must be partial
d. A shape object with circle, rectangle and triangle as sub types is an example for a total participation


Examinations
Lockdown Browser
Practice Test
Consider the following relation Person,
Person(FullName, NIC, PassportNo, Address) with following set of functional dependencies
PassportNo → Address
PassportNo → FullName
NIC → PassportNo
Identify candidate keys in the relation Person.
Select one or more:
a. (NIC,Address)
b. PassportNo
c. FullName
d. NIC
e. (NIC,PassportNo)
Type here to search

Question 7

Not yet answered

Marked out of 1.0

Flag question

Consider the following relation

Weather (CityID,temperature,city,condition)

Which of the following query will return the names of these cities with temperature and condition whose condition is neither sunny nor cloudy.

Select one:

a. SELECT city, temperature, condition
FROM weather
WHERE condition NOT EXISTS ('sunny', 'cloudy');

b. SELECT city, temperature, condition
FROM weather
WHERE condition BETWEEN ('sunny', 'cloudy');

c. SELECT city, temperature, condition
FROM weather
WHERE condition IN ('sunny', 'cloudy')

d. SELECT city, temperature, condition
FROM weather
WHERE condition EXISTS ('sunny', 'cloudy')

e. SELECT city, temperature, condition
FROM weather
WHERE condition NOT IN ('sunny', 'cloudy')


Next page


Examinations Lockdown Browser Practice Test


Which of the following is true related to ISA relationships?


Select one or more:

- a. The hierarchy in which each entity participates in only one subclass relationship is classified as disjoint
- b. A shape object with circle, rectangle and triangle as sub types is an example for a total participation
- c. A sub type of a ISA hierarchy can has its own key
- d. If subtypes are overlapping the participation constraint must be partial


Not yet answered
Marked out of 1.0
Flag question
Member (memId,name,address,phone)
Member_Hobbies(memId, hobby)
Which of the following query will return the names of the members who have have both 'Music' and 'Photography' for hobbies.
Select one or more:
a. Select m.name
from Member m, Member_Hobbies h
where m.memId=h.memId and h.hobby='Music' and 'Photography'
b. select m.name
from Member m, Member_Hobbies h
where m.memId=h.memId and h.hobby='Music' and m.memId in
(select memId from Member_Hobbies where hobby='Photography')
c. Select m.name
from Member m, Member_Hobbies h
where m.memId=h.memId and h.hobby IN('Music','Photography')
d. Select m.name
from Member m, Member_Hobbies h
where m.memId=h.memId and h.hobby=ANY('Music','Photography')
e. select m.name
from Member m, Member_Hobbies h
where m.memId=h.memId
and m.memId in
(select memId from Member_Hobbies where hobby='Photography')
and m.memId in
(select memId from Member_Hobbies where hobby='Music')


Examinations
Lockdown Browser
Practice Test
Which of the following is true about the HAVING clause?
Select one or more:
a. Acts like a WHERE clause but is used for groups rather than rows.
b. Acts like a WHERE clause but is used for rows rather than columns.
c. Acts like a WHERE clause but is used for columns rather than groups.
d. HAVING clause only contain conditions containing aggregate functions
e. HAVING clause can contain any SQL statement


NetExam
Sri Lanka Institute of Information Technology
Dashboard
Examinations
Lockdown Browser
Practice Test
Question 6
Not yet answered
Marked out of 1.0
Flag question
Which of the following statements are correct related to ISA relationships?
Select one or more:
a. A sub type can participate in a relationship that is unique to that subtype.
b. Subtypes at the higher lever in the hierarchy inherit attributes only from their immediate subtype.
c. Defining one or more supertypes of the subtype and forming supertype/subtype relationships is known as specialization
d. ISA relationship containing private university, state university and semi-government university as subclass is a partial and disjoint constraint
Next page


on 2021 (IT2
Sales(productId,customerId,Qty
count - Using SQL query to find
(32) W
https://netexam.sliit.lk/mod/quiz/attempt.php?attempt=80303&cmid=2466&page=3
NetExam
ri Lanka Institute of Information Technology
kaminations
Lockdown Browser
Practice Test
Which of the following statements are not true
Select one or more:
a. When a group by clause is available in a SQL query, fields in the select clause must be those
b. Where clause cannot contain aggregate functions
c. Having clause cannot be used without a group by clause
d. When a group by clause is available in a SQL query, fields in the group by clause must appea
e. Having clause cannot contain aggregate functions
to search

NetExam

Sri Lanka Institute of Information Technology

Examinations Lockdown Browser Practice Test

Consider the following relational schemes,

Car (Number, Owner, ChassisNo, Model, Year, Price)

Registration (Number, Owner, ChassisNo)

with following functional dependencies:

I. Number, Owner -> ChassisNo

II. ChassisNo -> Number, Owner, Model, Year


III. Model, Number, Year --> Price


Assume {Number, Owner} is the key for both schemes.


What is the current normal form of Car?


Select one:


- a. 1NF
- b. 3NF
- c. BCNF
- d. 2NF
- e. Unnormalized form


Sri Lanka Institute of Information Technology
Dashboard
Examinations
Lockdown Browser
Practice Test
it2002330
Question 5
Not yet answered
Marked out of 1.0
Flag question
Consider the following relation
Weather (CityID,temperature,city,condition)
Which of the following query will return the names of these cities with temperature and condition whose condition is neither sunny nor cloudy.
Select one:
a. SELECT city, temperature, condition
FROM weather
WHERE condition EXISTS ('sunny', 'cloudy')
b. SELECT city, temperature, condition
FROM weather
WHERE condition NOT IN ('sunny', 'cloudy')
c. SELECT city, temperature, condition
FROM weather
WHERE condition IN ('sunny', 'cloudy')
d. SELECT city, temperature, condition
FROM weather
WHERE condition BETWEEN ('sunny', 'cloudy');
e. SELECT city, temperature, condition
FROM weather
WHERE condition NOT EXISTS ('sunny', 'cloudy');


it20203962 Senarathna B.T.N it20203962
Consider the following relation
Member (memId,name,address,phone)
Member_Hobbies(memId, hobby)
Which of the following query will return the names of the members who have have both 'Music' and 'Photography' for hobbies.
Select one or more:
a. Select m.name
from Member m, Member_Hobbies h
where m.memId=h.memId and h.hobby IN('Music','Photography')
b. select m.name
from Member m, Member_Hobbies h
where m.memId=h.memId
and m.memId in
(select memId from Member_Hobbies where hobby='Photography')
and m.memId in
(select memId from Member_Hobbies where hobby='Music')
c. select m.name
from Member m, Member_Hobbies h
where m.memId=h.memId and h.hobby='Music' and m.memId in
(select memId from Member_Hobbies where hobby='Photography')
d. Select m.name
from Member m, Member_Hobbies h
where m.memId=h.memId and h.hobby=ANY('Music','Photography')
e. Select m.name
Quiz navigation
Finish attempt ...
Time left 0:41:56
ERROR REPORTING


on 2021 (IT2
etexam.sliit.lk/mod/quiz/attempt.php?attempt=79232&cmid=2466&page=2
NetExam
Sri Lanka Institute of Information Technology
Examinations
Lockdown Browser
Practice Test
Consider the following SQL query:
SELECT e.emp_id, e.dno, d.name, e.salary
FROM Emp e, Dept d
WHERE e.dno = d. dept_id;
Which of the following SQL statements produce the same output as the SQL query above?
Select one:
a. SELECT emp_id, dept_id, d.name, Salary
FROM Emp e JOIN Dept d USING (e.dept_id, d.dept_id);
b. SELECT emp_id, dno, d.name, salary
FROM Emp e INNER JOIN Dept d ON e.dno = d.dept_id;
c. SELECT e.emp_id, e.dno, d.name, e.salary
FROM Emp
WHERE dept_id IN (SELECT dept_id FROM Dept);
d. SELECT e.emp_id, e.dept_id, d.name, e.salary
FROM Emp LEFT OUTER JOIN Dept;
e. None of the above
search


NetExam
Sri Lanka Institute of Information Technology
Examinations
Lockdown Browser
Practice Test
Relation R has eight attributes RUSQTP. Please consider relation R contains only atomic values.
F = {R -> S, Q -> RU, T -> P} is a set of functional dependencies that hold for R.
Identify candidate keys in the relation R.
Select one or more:
a. RQ
b. Q
c. QT
d. R
e. T


ion 2021 (IT2
https://netexam.sliit.lk/mod/quiz/attempt.php?attempt=79912&cmid=2466&page=3
age
Repl.it - PhysicalBla...
Sliit course web
Inbox (3) - it204720...
NetExam
Sri Lanka Institute of Information Technology
Examinations
Lockdown Browser
Practice Test
Which of the following is true about the HAVING clause?
Select one or more:
a. Acts like a WHERE clause but is used for columns rather than groups.
b. Acts like a WHERE clause but is used for rows rather than columns.
c. HAVING clause only contain conditions containing aggregate functions
d. HAVING clause can contain any SQL statement
e. Acts like a WHERE clause but is used for groups rather than rows.

4
nswered
ut of 1.0
uestion

Consider the following table definition

```
Create table Product
(
pid char(4) primary key,
pname varchar(30),
manufactureDate datetime default getdate(),
Qty int,
constraint pid_chk CHECK (pid Like '[P|S|T][0-5][0-5][0-5]'),
constraint qty_chk CHECK (qty>0)
)
```


Which of the following statements are true related to the above definition

Select one or more:

- [x] a. Consider a product with a quantity (qty) of 10. Update table written to deduct 15 from the available quantity in the above table will not be successful.
- [ ] b. T12 is a valid pid that could be stored in the Product table
- [x] c. After executing the following insert statement in the above table the row inserted will have two null values
  Insert into Product(pid,qty) values ('T000',50)
- [ ] d. P333 is a valid pid that could be stored in the Product table
- [ ] e. Executing the following insert statement will cause an error to occur
  Insert into Product(pid,qty) values ('T000',50)

n 3
t answered
d out of 1.0
g question

Consider the following EER diagram:



Which of the following statements are correct related to the diagram above?

Select one or more:

- [ ] a. When the same staff member invigilate the same exam many times only one invigilation could be recorded
- [ ] b. One module can have several exams with the same title
- [ ] c. All staff members invigilate exams
- [ ] d. There can be modules without exams
- [ ] e. There can be multiple modules with the same exam title

ered
f 1.0
ion


EMP(eid, ename, age, salary, did)


What will be the output of following SQL query ?

```
select * from emp e
where 2 = (select count(distinct e1.age)
           from emp e1
           where e1.age>e.age)
```

Select one:

- a. Third highest age
- b. Two distinct ages of employees
- c. Second highest age
- d. Employee with second highest age


oard
Examinations
Lockdown Browser
Practice Test
on 5
t answered
d out of 1.0
g question
Consider the following schema
EMP(eid, ename, age, salary, did)
What will be the output of following SQL query ?
select * from emp e
where 2 = (select count(distinct e1.age)
from emp e1
where e1.age>e.age)
Select one:


021 (IT
netexam.sliit.lk
NetExam
ri Lanka Institute of Information Technology
xaminations
Lockdown Browser
Practice Test
it20
Consider the following relation Person,
Person(FullName, NIC, PassportNo, Address) with following set of functional dependencies
PassportNo → Address
PassportNo → FullName
NIC → PassportNo
The corresponding BCNF relations are
Select one:
a. Person1(NIC, Address), Person2(PassportNo, FullName) and Person3(PassportNo, Address)
b. Person(FullName, NIC, PassportNo, Address)
c. Person1(NIC, FullName), Person2(PassportNo, FullName) and Person3(PassportNo, Address)
d. Person1(NIC, PassportNo), Person2(PassportNo, Address,Fullname)
e. Person1(NIC, PassportNo), Person2(PassportNo, Fullname) and Person3(PassportNo, Address)

netexam.sliit.lk/mod/quiz/attempt.php?attempt=80073&cmid=2466&page=4


Apps Gmail YouTube Maps Translate

Dashboard Examinations Lockdown Browser Practice Test

it20061234 Nanayakkara N D H it20061234

Marked out of 1.0

Flag question



Select one:

- a. Room (roomID, noOfBeds, description, phone)
  Reservation (resID, in_date, out_date)
  Has (roomID, resID)
- b. Room (roomID, noOfBeds, description, resID)
  RoomPhone (roomID, phone)
  Reservation (resID, in_date, out_date)
- c. Room (roomID, noOfBeds, description)
  RoomPhone (roomID, phone)
  Reservation (resID, in_date, out_date)
  Has (roomID, resID)
- d. Room (roomID, noOfBeds, description)
  RoomPhone (roomID, phone)
  Reservation (resID, in_date, out_date)
  Has (roomID, resID)
- e. Room (roomID, noOfBeds, description)
  RoomPhone (roomID, phone)
  Reservation (resID, in_date, out_date, roomID)

Finish attempt ...

Time left 0:44:36

1 2 3 4 5
9 10 11 12 13
17 18 19 20 21

ERROR REPORTING
23

Handout2.pdf Handout1.pdf DMSLecture4_SQL.pptx

netexam.sliit.lk/mod/quiz/attempt.php?attempt=80309&cmid=2466&page=3

Sri Lanka Institute of Information Technology

Dashboard Examinations Lockdown Browser Practice Test

it20008178 Priyaratne K.K.M.

Question 4

Not yet answered

Marked out of 1.0

Flag question

The following questions is based on a relation

```
Emps (empID, ssNo, name, mgrID)
```

which stores employee ID (assumed unique), social-security number (also unique), name (not necessarily unique) for employees and the employee ID of the manager of the employee.

Assume that the president is his/her own manager, so every employee has a unique manager. You may assume there are no duplicate tuples in this relation.

Suppose we wish to find the ID's of the employees that are managed by people who are managed by the employee with ID 123. Here are two possible queries:

1.
```
SELECT ee.empID
FROM Emps ee, Emps ff
WHERE ee.mgrID = ff.empID AND ff.mgrID = 123;
```

2.
```
SELECT empID
FROM Emps
WHERE mgrID IN
  (SELECT empID FROM Emps WHERE mgrID = 123);
```

Which, if any, of the two queries above will **correctly** (in SQL) get the desired set of employee ID's?

Select one:

- a. II only
- b. Query can't represent in SQL
- c. Neither I nor II
- d. Both I and II
- e. I only

≡ Quiz navig


Finish attempt ...


Time left 0:47:21

1 2 3 4
9 10 11 12
17 18 19 20

ERROR REPORTING
23

Type here to search


Examinations
Lockdown Browser
Practice Test
Consider the following relation Person,
Person(FullName, NIC, PassportNo, Address) with following set of functional dependencies
PassportNo → Address
PassportNo → FullName
NIC → PassportNo
Identify candidate keys in the relation Person.
Select one or more:
a. NIC
b. PassportNo
c. FullName
d. (NIC,Address)
e. (NIC,PassportNo)


Lanka Institute of Information Technology
aminations
Lockdown Browser
Practice Test
it20203962 Sena
Which of the following is/are intension(s) of a database developer during the requirement collection and analysis phase?
Select one or more:
a. Finding the names of the people who will be developing the applications to access the database
b. Identify different types of data rettrievels to be performed on the database
c. Finding data to be stored in the organization
d. Identify the number of concurrent users who will be using the database
e. Finding relationships among data in the organization
Next page

ered
f 1.0
tion

Consider the following relation

R (A, C, E, G, I, K, L, N, P, Q) with following set of functional dependencies

{AC → E, A → GI, C → K, K → LN, G → PQ}

Identify candidate keys in the relation R.

Select one or more:

- [ ] a. AC
- [ ] b. G
- [ ] c. C
- [ ] d. K
- [ ] e. A

estion 3

t yet answered

rked out of 1.0

Flag question

Consider the following schema

EMP(eid, ename, age, salary, did)


What will be the output of following SQL query ?

```
select * from emp e
where 2 = (select count(distinct e1.age)
                from emp e1
                where e1.age>e.age)
```

Select one:


- a. Third highest age
- b. Two distinct ages of employees
- c. Second highest age
- d. Employee with second highest age

Consider the following ER model. Which answer gives the tables in the relational model?



Select one:

- a. Customer (cid, phone)
  Vehicle(regNo, lastServiceDate, model, cid)
- b. Customer (cid, phone, regNo)
  Vehicle(regNo, lastServiceDate, model)


netexam.sliit.lk/mod/quiz/attempt.php?attempt=79625&cmid=2466&page=1
YouTube
Maps
New Tab
NetExam
Sri Lanka Institute of Information Technology
Examinations
Lockdown Browser
Practice Test
Consider the following requirements or a construction company:
Company have multiple construction sites. Each site has a unique site number, address and construction type such as('house', 'apartment', 'shopping complex'). For each site the company estimates the number the amounts required from each raw-material and these values are stored(ex. cement packs, sand, & etc.). Raw-materials have three different types such as wall-construction materials, wiring materials, Roofing materials and timber materials. Each material is identified by a unique ID and has a unit of measurement such as liters and kilograms. There are many suppliers providing raw materials for construction companies. The suppliers have are identified by a unique supplier id and each supplier has a name, address and a phone number. These are tracked by the construction company. However, during the construction company may purchase different amount of raw-materials for a site from different suppliers at different prices.
Which of the following are correct related to the EER diagram drawn for the above description.
Select one or more:
a. Raw material types could be represented by an attribute named type
b. site is involved with a binary relationship with raw-material
c. Company is a strong entity in the EER
d. Purchase relationship contains three descriptive attributes.
e. site is involved in a ternary relationship
Next page
Type here to search

Examinations Lockdown Browser Practice Test it20203344 De Silva S

An item table of a supermarket stores the itemNumber, description, item Price, Quantity available and re-order level.

Which of the following is true with respect to above table.

Select one or more:

- [ ] a. DBMS can be configured in a manner that item numbers cannot be duplicated
- [ ] b. DBMS can be configured in a manner that registered customers can only view the item descriptions and prices
- [ ] c. DBMS cannot allow multiple cashiers to access to table to update the quantity in hand.
- [ ] d. DBMS cannot be allow multiple cashiers to access the table to see the price of items as the same time
- [ ] e. DBMS can be configured in a manner that only the manager can change the price of an item

Next page

Finish

Time le


1 7 13 19 23

ERROR RE

yet answered

ked out of 1.0

Flag question



Which of the following statements are correct related to mapping the above EER model to the relational model.

Select one or more:

- [ ] a. Option 3 and 4 will result in null values
- [ ] b. Option 3 and 4 would have created relation for Customer
- [ ] c. Option 2 is more suitable
- [ ] d. Option 2 is not suitable
- [ ] e. Option 1 would have created relations for Customer, Loyal and Normal

Finish

Time

1 8 15 22 23

Sri Lanka Institute of Information Technology

Dashboard | Examinations | Lockdown Browser | Practice Test | it2025209


Question 1
Not yet answered
Marked out of 1.0
Flag question

Which of the following statements are **not true** about ALTER and UPDATE statements

Select one or more:

- [ ] a. Alter table command could be used to edit values of the rows in a table
- [ ] b. Alter table command could be used to modify the structure of the table
- [ ] c. Update command could be used to edit values of the rows in a table
- [ ] d. Update command could be used to add constraints to a table after it is created
- [ ] e. Update command could be used to modify the structure of the table

Nex


n 2021 (IT2
etexam.sliit.lk/mod/quiz/attempt.php?attempt=80366&cmid=2466
NetExam
Sri Lanka Institute of Information Technology
Examinations
Lockdown Browser
Practice Test
it2
Consider the following requirements or a construction company:
Company have multiple construction sites. Each site has a unique site number, address and construction type such as('house', 'apartment', 'shopping complex'). For each site the company estimates the number the amounts required from each raw-material and these values are stored(ex: cement packs, sand, & etc.). Raw-materials have three different types such as wall-construction materials, wiring materials, Roofing materials and timber material Each material is identified by a unique ID and has a unit of measurement such as liters and kilograms. There are many suppliers providing raw materials for construction companies. The suppliers have are identified by a uniqu supplier id and each supplier has a name, address and a phone number. These are tracked by the construction company. However, during the construction company may purchase different amount of raw-materials for a site from different suppliers at different prices.
Which of the following are correct related to the EER diagram drawn for the above description.
Select one or more:
a. Raw material types could be represented by an attribute named type
b. site is involved with a binary relationship with raw-material
c. site is involved in a ternary relationship
d. Purchase relationship contains three descriptive attributes.
e. Company is a strong entity in the EER

Consider the following relation R

(R M, N, O, P, Q)


with following set of functional dependencies,


F= (N -> M, M -> O, NO -> P, MO -> NQ)

Identify the candidate keys for the relation R

Select one or more:

- [ ] a. N
- [ ] b. M
- [ ] c. MO
- [ ] d. NO
- [ ] e. O


amination 2021 (IT2
New tab
https://netexam.sliit.lk/mod/quiz/attempt.php?attempt=80303&cmid=2466
NetExam
Sri Lanka Institute of Information Technology
Examinations
Lockdown Browser
Practice Test
Consider the following table:
Emp (eid, ename, designation, salary, did)
Consider the following relational query on the Emp table above:
SELECT salary
FROM Emp e1
WHERE 2 = (
SELECT COUNT(DISTINCT (e2.salary))
FROM Emp e2
WHERE e2.salary > e1.salary
)
Which one of the following is the correct interpretation of the above query?
Select one:
a. find the 2nd highest salary from table
b. find the 4th highest salary from table
c. find the highest salary from table
d. find the 3rd highest salary from table
here to search



Examinations
Lockdown Browser
Practice Test
it20215156 Sanc
1
answered
out of 1.0
question
Relation R has eight attributes RUSQTP. Please consider relation R contains only atomic values.
F = {R -> S, Q -> RU, T -> P} is a set of functional dependencies that hold for R.
What is the normal form that the above relation is in?
Select one:
a. 3NF
b. Unnormalized Form
c. 1NF
d. 2NF
e. BCNF
Next page

NetExam

Sri Lanka Institute of Information Technology

Examinations | Lockdown Browser | Practice Test


Consider the following EER diagram. Note that loyal customer and normal customer cover customer.





Which of the following statements are incorrect related to mapping the above EER model to the relational model.


Select one or more:

- a. Option 1 is not suitable
- b. Option 3 and 4 will result in null values
- c. Option 2 is not suitable
- d. Option 3 and 4 would have created relation for Customer
- e. Option 2 is more suitable


china state/city - Google Search
Mid-term Examination 2021 (IT
netexam.sliit.lk
YouTube
Maps
OnlineExams - SLIIT...
Display an error me...
google translate -...
MEGA
Global NetAcad Ins...
PROLINK PRN3
Sri Lanka Institute of Information Technology
Examinations
Lockdown Browser
Practice Test
The following questions is based on a relation
Emps (empID, ssNo, name, mgrID)
which stores employee ID (assumed unique), social-security number (also unique), name (not necessarily unique) for employees and the employee ID of the manager of the employee.
Assume that the president is his/her own manager, so every employee has a unique manager. You may assume there are no duplicate tuples in this relation.
Suppose we wish to find the ID's of the employees that are managed by people who are managed by the employee with ID 123. Here are two possible queries:
1. SELECT ee.empID
FROM Emps ee, Emps ff
WHERE ee.mgrID = ff.empID AND ff.mgrID = 123;
2. SELECT empID
FROM Emps
WHERE mgrID IN
(SELECT empID FROM Emps WHERE mgrID = 123);
Which, if any, of the two queries above will correctly (in SQL) get the desired set of employee ID's?
Select one:
a. Query can't represent in SQL
b. II only
c. I only
d. Both I and II
e. Neither I nor II
o search


etexam.slit.lk/mod/quiz/attempt.php?attempt=79304&cmid=24668&page=19
NetExam
Sri Lanka Institute of Information Technology
Examinations
Lockdown Browser
Practice Test
it200
20
nswered
out of 1.0
g question
Which of the following are true related to SQL?
Select one or more:
a. UNIQUE clause is used in SQL SELECT clause to eliminate duplicate data in the output
b. ORDER BY clause is used in SQL to get an output sorted by a given field
c. The INNER JOIN keyword selects records that have matching values in both tables.
d. An OUTER JOIN is a join where tuples from one relation that do not have matching values in the common attributes of the second relation are also included in the result of performing the join and any missing values in the second relation are set to null.
e. An OUTER JOIN returns all tuples in one relation that are not found in the other relation.


2021 (IT2
Google Translate
exam.sliit.lk/mod/quiz/attempt.php?attempt=79050&cmid=2466&page=19
NetExam
Sri Lanka Institute of Information Technology
Examinations
Lockdown Browser
Practice Test
Academic_Staff (SID, FacultyID, FacultyLocation, FacultyPhone, StaffName, StaffPosition, HoursPerWeek) with following functional dependencies.
SID -> StaffName, StaffPosition, FacultyID, FacultyLocation, FacultyPhone
FacultyID -> FacultyLocation, FacultyPhone
FacultyLocation -> FacultyID, FacultyPhone
FacultyPhone -> FacultyID, FacultyLocation
What is the current normal form of Academic_Staff?
Select one:
a. 1NF
b. 2NF
c. BCNF
d. Unnormalized form
e. 2NF
Next page
Type here to search
Mid-term Examinat...


netexam.sliit.lk/mod/quiz/attempt.php?attempt=79242&cmid=2466&page=13
YouTube
Maps
Google Translate
OnlineExams - SLIIT...
RepLit - Collaborati...
CourseWeb | Sri La...
Examinations
Lockdown Browser
Practice Test
phone
name
nic
Person
dateTime
bookingid
Booking
location
N
has
Staff
Customer
M
Place
1
salary
email
owns
N
regNo
Vehicle
lastServiceDate
model
Select one:
a. 8
b. 11


Question **13**

Not yet answered

Marked out of 1.0

Flag question


Select the correct answer after map the following entity into the relational model.





Select one:

- a. Customer (userID, fname, lname, username, password)
  Customer_phone (userID, phone)
- b. Customer (userID, fname, lname, username, password)
  Customer_phone (userID, phone)
- c. Customer (userID, name, username, password)
  Customer_phone (userID, phone)
- d. Customer (userID, name, username, password, phone)
- e. Customer (userID, fname, lname, username, password, phone)




NetExam
Sri Lanka Institute of Information Technology
Examinations
Lockdown Browser
Practice Test
Which of the following are not examples for program data independence(insulation
Select one or more:
a. Being able to improve the performance of database without effecting the data
b. Being able to access data using programs written in different programming lan
c. Being able to add columns to a table without effecting user queries
d. Being able to define which users are able to access data
e. Being able to hide from users where the actual data are stored
DELL


board
Examinations
Lockdown Browser
Practice Test
it20129194 Perera T D
tion 15
et answered
ed out of 1.0
ag question
Consider the following requirements or a construction company:
Company have multiple construction sites. Each site has a unique site number, address and construction type such as('house', 'apartment', 'shopping complex'). For each site the company estimates the number the amounts required from each raw-material and these values are stored(ex: cement packs, sand, & etc.). Raw-materials have three different types such as wall-construction materials, wiring materials, Roofing materials and timber materials. Each material is identified by a unique ID and has a unit of measurement such as liters and kilograms. There are many suppliers providing raw materials for construction companies. The suppliers have are identified by a unique supplier id and each supplier has a name, address and a phone number. These are tracked by the construction company. However, during the construction company may purchase different amount of raw-materials for a site from different suppliers at different prices.
Which of the following are correct related to the EER diagram drawn for the above description.
Select one or more:
a. site is involved with a binary relationship with raw-material
b. Purchase relationship contains three descriptive attributes.
c. Raw material types could be represented by an attribute named type
d. site is involved in a ternary relationship
e. Company is a strong entity in the EER
Quiz
Finish atte
Time left
1
2
8
15
22
23
ERROR


aminations
Lockdown Browser
Practice Test
Which of the following statements are true related to constraints?
Select one or more:
a. When an entity instance may be a member of multiple subtypes or it does not have to be a member of a subtype the specialization is overlapping and total.
b. A bowler and batsman(assume wicket keeper is also a batsman) which are sub types of a cricketer type is total and disjoint
c. When an entity belongs to only one sub type in the hierarchy the relationship is total and disjoint.
d. If a subtype participates in a relationship that is the same as the other subtypes that relationship could be added to the super type
Next

Question 12
Not yet answered
Marked out of 1.0
Flag question

The following questions is based on a relation

```
Emps (empID, ssNo, name, mgrID)
```

which stores employee ID (assumed unique), social-security number (also unique), name (not necessarily unique) for employees and the employee ID of the manager of the employee.

Assume that the president is his/her own manager, so every employee has a unique manager. You may assume there are no duplicate tuples in this relation.

Suppose we wish to find the ID's of the employees that are managed by people who are managed by the employee with ID 123. Here are two possible queries:

1.
```
SELECT ee.empID
  FROM Emps ee, Emps ff
  WHERE ee.mgrID = ff.empID AND ff.mgrID = 123;
```

2.
```
SELECT empID
  FROM Emps
  WHERE mgrID IN
    (SELECT empID FROM Emps WHERE mgrID = 123);
```

Which, if any, of the two queries above will **correctly** (in SQL) get the desired set of employee ID's?

Select one:

- a. Query can't represent in SQL
- b. Both I and II
- c. I only
- d. Neither I nor II
- e. II only

Type here to search

NetExam

Sri Lanka Institute of Information Technology

Dashboard | Examinations | Lockdown Browser | Practice Test | it18188400 Ja


Question 7
Not yet answered
Marked out of 1.0
Flag question


Which of the following query will result in an error?

Select one or more:

- [ ] a. select dept_id, count(name) from employees
- [x] b. select dept_id, avg(salary) from employees group by dept_id
- [ ] c. select eid from employees where salary>avg(salary)
- [ ] d. select dept_id, job_id, avg(salary) from employees group by dept_id, job_id
- [x] e. select avg(salary) from employees group by dept_id

Next page


Exam
Institute of Information Technology
Lockdown Browser
Practice Test
Which of the following is the correct order of process involved in developing a database.
Select one:
a. Requirement collection and analysis, Conceptual database design, Schema refinement, Logical database design, Security design and physical database design
b. Requirement collection and analysis, Conceptual database design, Schema refinement, Logical database design, Physical database design and Security Design
c. Requirement collection and analysis, Conceptual database design, Logical database design, Schema refinement, Physical database design and Security Design
d. Requirement collection and analysis, Physical database design, Conceptual database design, Logical database design, Schema refinement, and Security Design
e. Requirement collection and analysis, Conceptual database design, Logical database design, Schema refinement, Security design and physical database design
Next page
ERROR REPORTING
ASUS VivoBook


Sri Lanka Institute of Information Technology
Dashboard
Examinations
Lockdown Browser
Practice Test
it2030
Question 9
Not yet answered
Marked out of 1.0
Flag question
Consider the following description:
A university has two types of rooms namely lecture halls and laboratories. Lecture halls have a capacity and a number of resources such as whiteboard, podium and projector. Laboratory classes also have a capacity and number of resources. These are located in different buildings in the campus known by names such as 'Block A','Block B' and 'Block C'. Each building has a specific number of floors. Each room has a number unique to each building. There are batches taken to the universities. They are identified by the intake year and intake name (for ex: 2021 Regular intake). A batch may have several groups such as G1, G2, G3 & etc. Each group has number of students and group name is unique within each batch. During time tabling, a rooms are allocated for groups to conduct classes related to. The class name(such as 'lecture' and 'tutorial'), start time and the end time where the room will be ha should be recorded.
Which of the following are true related to the above :
Select one or more:
a. A group cannot exist without a batch
b. There are no descriptive attributes for relationships in the diagram
c. There are two identifying relationships in the diagram
d. Allocated can be considered as a ternary relationship
e. The entity batch has a composite key
Next page

Practice Test

it20113254 Imes

Question 22

Not yet answered

Marked out of 1.0

Flag question

Consider the following relational schemes,

Car (Number, Owner, ChassisNo, Model, Year, Price)

Registration (Number, Owner, ChassisNo)

with following functional dependencies:

I. Number, Owner -> ChassisNo

II. ChassisNo -> Number, Owner, Model, Year

III. Model, Number, Year --> Price

Assume {Number, Owner} is the key for both schemes.

What is the current normal forms of Registration?

Assume {Number, Owner} is the key for both schemes.

Select one:


- a. Unnormalized
- b. BCNF
- c. 2NF
- d. 3NF


Finish

Time le

1 8 15 16 22 23

ERROR REP


NetExam
Sri Lanka Institute of Information Technology
Examinations
Lockdown Browser
Practice Test
Which of the following is/are intension(s) of a database developer during the requirement collection and analysis phase?
Select one or more:
a. Identify different types of data rettrievels to be performed on the database
b. Identify the number of concurrent users who will be using the database
c. Finding relationships among data in the organization
d. Finding the names of the people who will be developing the applications to access the database
e. Finding data to be stored in the organization


Sri Lanka Institute of Information Technology
Examinations
Lockdown Browser
Practice Test
Which of the following statements are correct related to ISA relationships?
Select one or more:
a. Subtypes at the higher lever in the hierarchy inherit attributes only from their immediate subtype.
b. Defining one or more supertypes of the subtype and forming supertype/subtype relationships is known as specialization
c. ISA relationship containing private university, state university and semi-government university as subclass is a partial and disjoint con
d. A sub type can participate in a relationship that is unique to that subtype.

Sri Lanka Institute of Information Technology

Dashboard | Examinations | Lockdown Browser | Practice Test

Question 1
Not yet answered
Marked out of 1.0
Flag question

Suppose relation R(A,B) currently has tuples {(1,2), (1,3), (3,4)} and relation S(B,C) currently has {(2,5), (4,6), (7,8)}. Then the number of tuples in the result of the SQL query:

```
Select * From R Left Outer Join S on (R.B = S.B);
```

is:

Select one:

- a. 4
- b. 5
- c. 2
- d. 6
- e. 3

Next page

Type here to search


Marked out of 1.0
Flag question



Select one:

- a. Hotel (hotelID, name, state, city)
  Hotel_phone (hotelID, phone)
- b. Hotel (hotelID, name, address)
  Hotel_phone (hotelID, phone)
- c. Hotel (hotelID, name, address, phone)
- d.
  Hotel (hotelID, name, state, city)
  Hotel_phone (hotelID, phone)
- e. Hotel (hotelID, name, address)
  Hotel_phone (hotelID, phone)

Type here to search



Practice Test

Question 3
Not yet answered
Marked out of 1.0
Flag question

Consider the appointments table given below

Appointments

Patient	Doctor	appointmentDate
Lakmal	Dr. Janaka	08-01-2020
Nishani	Dr. Sunila	10-01-2020
Bhagya	Dr. Janaka	07-01-2020


What is the output of the following SQL query?

```
SELECT Count(*)
FROM ( ( SELECT Patient, Doctor
         FROM Appointments) AS S
       INNER JOIN ( SELECT Doctoer, appointmentDate
                    FROM Appointments) AS T );
```

Select one:

- a. 5
- b. 9
- c. 6
- d. 3

Type here to search



Sri Lanka Institute of Information Technology

Dashboard Examinations Lockdown Browser Practice Test

it20045708 Uday

Question 4
Not yet answered
Marked out of 1.0
Flag question


Consider the following activities performed by a database developer while developing a database for a small pharmacy.

1. Go through the books maintained for recording supplies
2. Identify attributes that determine certain groups of attributes
3. Select a database development software
4. Give access to clerks to enter data

Select one:

- a. 3, 2, 4, 1
- b. 1, 2, 3, 4
- c. 2, 3, 4, 1
- d. 1, 3, 2, 4
- e. 4,1, 3, 2

Next page



Question 5
Not yet answered
Marked out of 1.0
Flag question

Consider the following relation

Weather (CityID,temperature,city,condition)

Which of the following query will return all the cities having temperature greater than the city 'Paris'.

Select one:


a. select temperature> min(temperature)from weather
where city='Paris'
group by city

b. SELECT city
FROM weather
WHERE city='Paris' and temperature > ALL (temperature)

c. SELECT city
FROM weather
WHERE temperature > (SELECT temperature FROM weather WHERE city = 'Paris')

d. SELECT city
FROM weather
WHERE temperature > EXISTS (SELECT * FROM weather WHERE city = 'Paris')

e. SELECT city
FROM weather
group by 'Paris'
having temperature > min(temperature)



Question 6
Not yet answered
Marked out of 1.0
Flag question

Consider the following three table to store student enrollements in different courses.

Student(EnrollNo, Name)

Course(CourseID, Name)

EnrollMents(EnrollNo, CourseID)

What does the following query do?

```
SELECT S.Name
FROM Student S, Course C, Enrollments E
WHERE S.EnrollNo = E.EnrollNo AND
      C.Name = "DBMS" AND
      E.CourseID = C.CourseID AND
      S.EnrollNo IN  (SELECT S2.EnrollNo
                      FROM Student S2, Course C2, Enrollments E2
                      WHERE S2.EnrollNo = E2.EnrollNo AND
                            E2.CourseID = C2.CourseID
      C2.Name = "OS")
```

Select one:

a. Name of all students who are either enrolled in "DBMS" or "OS" or both.

b. Name of all students who are either enrolled in "DBMS" or "OS" courses

c. Name of all students who are enrolled in "DBMS"

d. Name of all students who are enrolled in "DBMS" and "OS"

NetExam: 2nd Year | Repeat Mid-term Examination 2 | Google Translate


netexam.sliit.lk/mod/quiz/attempt.php?attempt=122973&cmid=2828&page=7

Sri Lanka Institute of Information Technology

Dashboard | Examinations | Lockdown Browser | Practice Test | it20089436 Senarathne S.M.A.D it20089436 | 13:29:27

Question 8
Not yet answered
Marked out of 1.0
Flag question

Which answer gives the number of tables in the final relational model?



Select one:

- a. 8
- b. 7
- c. 6
- d. 5
- e. 4

Next page

Quiz navigation

Finish attempt ...

Time left 0:31:34

1 2 3 4 5 6 7 8 9
10 11 12 13 14 15 16 17 18
19 20 21 22

ERROR REPORTING

23

NetExam: 2nd Year | Repeat Mid-term Examination 2 | Google Translate

netexam.sliit.lk/mod/quiz/attempt.php?attempt=122973&cmid=2828&page=8

it20089436 Senarathne S.M.A.D it20089436

NetExam

Sri Lanka Institute of Information Technology

Dashboard | Examinations | Lockdown Browser | Practice Test | it20089436 Senarathne S.M.A.D it20089436 | 13:34:50

Question 9
Not yet answered
Marked out of 1.0
Flag question

Consider the following requirements or a construction company:

Company have multiple construction sites. Each site has a unique site number, address and construction type such as('house', 'apartment', 'shopping complex'). For each site the company estimates the number the amounts required from each raw-material and these values are stored(ex: cement packs, sand, & etc.). Raw-materials have three different types such as wall-construction materials, wiring materials, Roofing materials and timber materials. Each material is identified by a unique ID and has a unit of measurement such as liters and kilograms. There are many suppliers providing raw materials for construction companies. The suppliers have are identified by a unique supplier id and each supplier has a name, address and a phone number. These are tracked by the construction company. However, during the construction company may purchase different amount of raw-materials for a site from different suppliers at different prices.

Which of the following are correct related to the EER diagram drawn for the above description.

Select one or more:

- [x] a. There is a binary relationship between site and material with a descriptive attribute
- [x] b. There are only binary relationships in the diagram
- [ ] c. Company is a strong entity in the EER
- [ ] d. There is a ternary relationship in the diagram
- [x] e. Raw material types could be represented by sub classes

Next page

Quiz navigation

Finish attempt ...

Time left 0:26:11

1 2 3 4 5 6 7 8 9
10 11 12 13 14 15 16 17 18
19 20 21 22


ERROR REPORTING

23

Examinations Lockdown Browser Practice Test

Question 12
Not yet answered
Marked out of 1.0
Flag question

Consider the following EER diagram. Note that loyal customer and normal customer cover customer.





Which option below is the most appropriate mapping for the ISA hierarchy?


Select one:


a. Option 1


b. Option 4


texam.sliit.lk
NetExam
Sri Lanka Institute of Information Technology
Examinations
Lockdown Browser
Practice Test
Consider the following table :
Emp (eid, ename, designation, salary, deptName)
Consider the following SQL query on the emp table above:
select deptName
from Emp
where designation = 'Manager'
group by deptName
having avg (salary) > (select avg (salary) from Empl)
It returns the names of the department in which
Select one:
a. the average salary is more than the average salary in the company
b. the average salary of managers is more than the average salary in the company
c. the average salary of managers is more than the average salary of employees in the same departme
d. the average salary of managers is more than the average salary of all male employees in the compar


NetExam
Sri Lanka Institute of Information Technology
Dashboard
Examinations
Lockdown Browser
Practice Test
Question 15
Not yet answered
Marked out of 1.0
Flag question
Consider the following relation
CustomerSales(CustNo, SalesDate, SalesAmount, SalesRepNo, Location)
with following set of functional dependencies,
CustNo, SalesDate -> SalesAmount, SalesRepNo, Location
SalesRepNo, SalesDate, SalesTime -> CustNo
Location, SalesDate, SalesTime -> SalesRepNo, CustNo
Identify candidate keys in the relation R.
Select one or more:
a. (Location, SalesDate, SalesTime)
b. (CustNo, SalesDate)
c. CustNo,SalesRepNo)
d. (SalesRepNo, SalesDate, SalesTime)
e. (CustNo)
Type here to search



NetExam
Sri Lanka Institute of Information Technology
Dashboard
Examinations
Lockdown Browser
Practice Test
Question 16
Not yet answered
Marked out of 1.0
Flag question
Consider the following relation R
(R M, N, O, P, Q)
with following set of functional dependencies,
F= (N -> M, M -> O, NO -> P, MO -> NQ)
Identify the candidate keys for the relation R
Select one or more:
a. M
b. MO
c. NO
d. N
e. O


Online Exams
Sri Lanka Institute of Information Technology
uestion 1
ot yet answered
arked out of 1.0
Flag question
Backing up your SQL Server database is essential for
Select one:
a. failing data
b. protecting data.
c. managing data
d. replication of data
e. preventing data.


Sri Lanka Institute of Information Technology
n 1
answered
out of 2.5
question
Consider a relation R (F1, F2, F3, F4, F5) with the following set of functional dependencies over R:
F = { F2F3 -> F1F4F5, F4 -> F2 } ,Find all candidate keys that follow from the given FDs.
Select one:
a. { F2F3, F4 }
b. { F4 }
c. { F2F3, F4F3 }
d. { F4F3 }
e. { F2F3}

Question 1
Not yet answered
Marked out of 2.5
Flag question

Consider the following EER diagram.



When the above EER model is mapped to the relational model what would be the degree of the relation 'Room' resulted after the mapping?

Select one:

Quiz na

MCQ QUESTIO
1 2 3
9 10 11
17 18 19
25

SQL
26 27 28

ERROR REPORTIN
30

Finish attempt ...

Time left 2:02:21

Sri Lanka Institute of Information Technology

Which of the following/s correct regarding the JDBC driver.

Select one or more:

- a. JDBC-ODBC Bridge plus ODBC driver, is also called Type 3 JDBC driver.
- b. There are 4 types of JDBC drivers.
- c. Type 2 driver or Native-API, partly Java driver, is the fastest driver.
- d. It contains classes and interfaces that help Java application and database.
- e. Type 2 of JDBC driver is typically used for development and testing purposes .

Online Exams

Sri Lanka Institute of Information Technology

Question 2

Not yet answered

Marked out of 2.5

Flag question

Suppose you are given a relation R = (A, B, C, D) with the following functional dependencies:


F={C -> BD, D -> A, A -> C }.What is the highest Normal form Relation R in?

Select one:

- a. Unnormalized Form
- b. 1st Normal Form
- c. 3rd Normal Form
- d. BCNF
- e. 2nd Normal Form

Nex

Consider the following EER diagram.



When the above EER model is mapped to the relational model what would be the degree of the relation 'Room' resulted after the mapping?

Select one:

- a. 3
- b. 2
- c. 6
- d. 5
- e. 4

Next page


17 18 25


SQL 26 27

ERROR REPO 30


Finish attempt


Time left 2:01:4



odle
Sri Lanka Institute of Information Technology
2
nswered
ut of 1.0
uestion
Which of the following/s correct regarding the JDBC driver.
Select one or more:
a. JDBC-ODBC Bridge plus ODBC driver, is also called Type 3 JDBC driver.
b. Type 2 driver or Native-API, partly Java driver, is the fastest driver.
c. Type 2 of JDBC driver is typically used for development and testing purposes .
d. It contains classes and interfaces that help Java application and database.
e. There are 4 types of JDBC drivers.



Online Exams
Sri Lanka Institute of Information Technology
Consider a relation R (A, B, C, D, E, F, G) with the following set of functional dependencies over R:
F = { AB -> CDEFG, D -> B , D-> E , E -> FG}.The corresponding BCNF relations are.
Select one:
a. R1 (D, E), R2(A, B, C, D)
b. R1 (E, F, G), R2 (A, B, C, D,E)
c. R1 (E, F, G), R2 (D, E), R3 (A, B, C, D)
d. R1 (A, B, C, D, E, F, G)
e. R1 (E, F, G), R2 (D, E, B), R3 (A, C, D)
Next page

Consider the following EER diagram.




Sri Lanka Institute of Information Technology
Which of the following/s correct regarding the JDBC driver.
Select one or more:
a. JDBC-ODBC Bridge plus ODBC driver, is also called Type 3 JDBC driver.
b. There are 4 types of JDBC drivers.
c. Type 2 driver or Native-API, partly Java driver, is the fastest driver.
d. It contains classes and interfaces that help Java application and database.
e. Type 2 of JDBC driver is typically used for development and testing purposes .


Sri Lanka Institute of Information Technology
Question 1
Not yet answered
Marked out of 2.5
Flag question
Consider a relation R (A, B, C, D, E, F, G, H) with the following set of functional dependencies over R:
F = { ABC -> DE, D -> B, E -> FGH , G-> F } .What is the highest Normal form Relation R in?
Select one:
a. BCNF
b. 2nd Normal Form
c. 1st Normal Form
d. 3rd Normal Form
e. Unnormalized Form
Next page
Quiz naviga
MCQ QUESTIONS
SQL
ERROR REPORTING
Finish attempt



ID
When you map the above EER mod
have?
Select one:
a. 4
b. 2
c. 1
d. 3
e. None

Consider a relation R (A, B, C, D, E, F, G) with the following set of functional dependencies over R:


F = { AB -> C, A -> D, G -> A , B -> EFG } , The corresponding BCNF relations are

Select one:

- a. R1(A, D), R2 (B, E, F, G), R3 (A,B,C)
- b. R1 (A, D), R2 (B, E, F, G), R3 (A,B, C, G)
- c. R1 (A, D), R2 (B, E, F, G), R3 (A,G), R4 (B, C, G)
- d. R1 (A, D), R2 (B, E, F, G), R3 (A,B, C), R4 (A,G)
- e. R1(A, B C, D, E, F, G)



When the above EER model is mapped to the relational model what would be the resulted relations after mappin
hierarchy with Entities Person, Nurse, Patient and Doctor? (Do not consider binary relationships attached to the e



When the above EER model is mapped to the relational model what would be the resulted relations after mapping the hierarchy with Entities Person, Nurse, Patient and Doctor? (Do not consider binary relationships attached to the entities in hierarchy)

Select one:


a. Nurse (ID, name, phone)
Patient (ID, name, phone)
Doctor (ID, name, phone)
Doctor_specialty (doctorID, specialty)


b. Person (ID, name, phone)
Nurse (nurseID)
Patient (patientID)
Doctor (doctorID, specialty)

c. Person (ID, name, phone, Nurse, Patient, Doctor)
Person_specialty (ID, specialty)

d. Person (ID, name, phone)
Nurse (nurseID)
Patient (patientID)
Doctor (doctorID)
Doctor_specialty (doctorID, specialty)

e. Person (ID, name, phone, type)
Person_specialty (ID, specialty)


nam
phone
ID
Person
isA
specialty
Doctor
Nurse
Patient
M
1
1
1
Is_diagnosed
_by
ISA
pays
dosage
discount
prescribe
date
InPatient
OutPatient
M
Bill
price
1
amount
billNo
Drug
admit
dischargeDate
admitDate
dno
1
Room
ID
type
acer



Consider InPatient and OutPatient cover the Patient. Which of the following statement(s) is/ are false after mapping the hierarchy with Entities Patient, InPatient and OutPatient?

Select one or more:

- a. Option 2 would have created relations for InPatient and OutPatient
- b. Option one would have created relations for InPatient, OutPatient and Patient
- c. Option 3 and option 4 will results in null values
- d. Option 3 is more suitable
- e. Option 4 would have created relation Person only

Next page

acer

Online Exams

Sri Lanka Institute of Information Technology

on 4
t answered
d out of 2.5
g question


Suppose you are given a relation R = (F1, F2, F3, F4) with the following functional dependencies:


F = { F3F4 -> F2, F2 -> F1, F1-> F3 },What are the candidate keys?

Select one:

- a. F1F4, F2F4
- b. F1F4
- c. F2F4
- d. F1F4, F2F4, F3F4
- e. F3F4

Next page


nam
phone
ID
Person
ISA
specialty
Doctor
Nurse
Patient
N
1
1
1
Is_diagnosed
_by
ISA
pays
dosage
discount
prescribe
date
InPatient
OutPatient
N
Bill
price
Is_assigned
to
N
1
admit
amount
billNo
Drug
dischargeDate
admitDate
dno
1
Room
ID
type



When you map the above EER model in to relational model how many foreign keys will the relation 'Prescribes' is going to have?

Select one:

- a. None
- b. 4
- c. 1
- d. 3
- e. 2

Next page

vered

of 1.0


stion


In SQL server, backup of the source data can be created


1. On the same device
2. On another device
3. At some other location


Select one:


- a. Both 1 and 2
- b. Only 3
- c. Only 1
- d. All of them
- e. Only 2


Online Exams
Sri Lanka Institute of Information Technology
Question 6
Not yet answered
Marked out of 2.5
Flag question
Consider a relation R (F1, F2, F3, F4, F5) with the following set of functional dependencies over R:
F = { F2F3 -> F1F4F5, F4 -> F2 } .What is the highest Normal form Relation R in?
Select one:
a. 3rd Normal Form
b. 2nd Normal Form
c. 1st Normal Form
d. Unnormalized Form
e. BCNF
Next page


Moodle
Online Exams
Sri Lanka Institute of Information Technology
uestion 6
lot yet answered
Marked out of
.00
Flag question
Select the most appropriate SQL query for the scenario given below. Select any Employee's ID and Name from department B whose salary is greater than all the members of department A.
Select one:
a.
SELECT EmpID, EName
FROM Employee
WHERE Department='B' AND salary > ALL (SELECT salary
FROM Employee
WHERE Department = 'A'
)
b.
SELECT EmpID, EName
FROM Employee
WHERE Department='A' AND salary > ALL (SELECT salary
FROM Employee
WHERE Department = 'B'
)


Sri Lanka Institute of Information Technology
5
nswered
out of 2.5
question
Consider the following scenario:
A software company has been assigned with the responsibility of automating the tasks of a private bank. This include developing a database to record customer details, and an account details. Sunil, a senior DBA is assigned to the project to handle all the administrative tasks related to the databases by the database architect. Sunil creates the required databases and assigned Malika the responsibility of managing the bankDB. Malika assigns Keshan with the responsibility of creating tables. In addition, Keshan should be able to create views, stored procedures and triggers required. Asanka and Ferosh, who are data entry operators are given the responsibility of inserting the data to the table. Nihal is assigned with the responsibility of generating reports from the table in the data. For the above purpose, Nihal could directly query the data or call functions and procedures.
Which of the following/s should you need to provide the necessary permission to Asanka and Ferosh assuming that their usernames are asanka.n and Ferosh.a respectively
Select one or more:
a. ALTER ROLE dataEntry ADD MEMBER asanka.n
b. ALTER ROLE db_owner add member ferosh.a
c. GRANT INSERT on bankDB to dataEntry
d. ALTER ROLE dataEntry ADD MEMBER Ferosh.a
e. ALTER ROLE db_owner add member asanka.n


Online Exams
Sri Lanka Institute of Information Technology
Question 7
Not yet answered
Marked out of 1.0
Flag question
How can a DML statement (i.e. insert, delete, update) executed in the database?
Select one:
a. By making use of the execute() statement of the DMLStatement object
b. Using InsertStatement, DeleteStatement or UpdateStatement classes
c. By invoking Insert(), update() and delete() method on a statement object.
d. By invoking the executeInsert(), executeDelete() or executeUpdate() methods of the DMLStatement
e. By invoking the execute() or executeUpdate() method on a statement object
Next page



When the above EER model is mapped to the relational model what would be the number of relations in the resulted schema? (Consider Inpatient and outpatient cover patient)

Select one:

- a. 12
- b. 11
- c. 9
- d. 7
- e. 10

SQL


26 27 28

ERROR REPORTIN

30

Finish attempt ...

Time left **1:47:45**



When you map the above EER model in to relational model how many foreign keys will the relation 'Patient' is going to have?

Select one:

- a. 1
- b. None
- c. 2
- d. 3
- e. 4

ERROR REPORTING

30

Finish attempt ...

Time left **1:47:50**

Online Exams

Sri Lanka Institute of Information Technology

Question 6
Not yet answered
Marked out of 1.0
Flag question


In SQL server, backup of the source data can be created

1. On the same device
2. On another device
3. At some other location

Select one:

a. Only 1
b. All of them
c. Only 3
d. Only 2
e. Both 1 and 2

Consider the following EER diagram.



When the EER model above is mapped to the relational model what would be the primary key of relation 'Bill'?

Quiz navi


MCQ QUESTIONS
1 2 3
9 10 11
17 18 19
25

SQL
26 27 28 29

ERROR REPORTING
30

Finish attempt ...


Time left 1:43:46



When the EER model above is mapped to the relational model what would be the primary key of relation 'Bill'?

Select one:

- a. patientID, billNo
- b. patientID, personID
- c. patientID, amount
- d. billNo
- e. billNo, amount





Consider a relation R (A, B, C, D, E, F, G) with the following set of functional dependencies over R:

F = { AB -> CDEFG, D -> B , D-> E , E -> FG}.The corresponding 3rd Normal form relations are.

Select one:

- a. R1 (D, E), R2 (A, B, C, D)
- b. R1 (E, F, G), R2 (D, E), R3 (A, B, C, D)
- c. R1 (A, B, C, D, E, F, G)
- d. R1 (E, F, G), R2 (D, E, B), R3 (A, C, D)
- e. R1 (E, F, G), R2 (A, B, C, D,E)





If InPatient and OutPatient cover Patient, what is the best option to map the hierarchy consisting Patient, InPatient and OutPatient?

Select one:

a. Option 2
b. Option 1 and Option 2
c. Option 4
d. Option 1
e. Option 3

Next page

SLIT Online Exams

Sri Lanka Institute of Information Technology

Question 3
Not yet answered
Marked out of 2.5
Flag question

Consider a relation R (A, B, C, D, E, F, G, H) with the following set of functional dependencies over R:

F = { ABC -> DE, D -> B, E -> FGH , G-> F } ,Find all candidate keys that follow from the given FDs.


Select one:

a. {DE}
b. {DEG}
c. {ABC, DEG }
d. {ABC}
e. {ABC, DE }


Next page


≡ Quiz naviga

MCQ QUESTIONS


Online Exams
Sri Lanka Institute of Information Technology
Consider a relation R (F1, F2, F3, F4, F5) with the following set of functional dependencies over R:
F = { F2F3 -> F1F4F5, F4 -> F2 } .Find all candidate keys that follow from the given FDs.
Select one:
a. { F4 }
b. { F2F3, F4F3 }
c. { F4F3 }
d. { F2F3}
e. { F2F3, F4 }
Next page

Consider the following EER diagram.







What is the best option to map the hierarchy consisting Person, Nurse, Patient and Doctor?


Select one:

- a. Option 3
- b. Option 4
- c. Option 1 and Option 2
- d. Option 2
- e. Option 1


Next page


Products
For Teams
Search
there are 4 options you can use to map this into an ER,
option 1
Person(SIN,Name)
Student(SIN,GPA)
Teacher(SIN,Salary)
option 2 Since this is a covering relationship, option 2 is not a good match.
Student(SIN,Name,GPA)
Teacher(SIN,Name,Salary)
option 3
Person(SIN,Name,GPA,Salary,Person_Type) person type can be student/teacher
option 4
Person(SIN,Name,GPA,Salary,Student,Teacher) Student and Teacher are bool type fields, it can be yes or no,a good option for overlapping
Since the sub classes don't have much attributes, option 3 and option 4 are better to map this into an ER
e, you acknowledge that you have read and understand our Cookie Policy, Privacy P
*Untitled - Notepad


Entity Relationship Diagram: How
ohn Wick: Chapter...
Chords
HP Connected
ut
Products
For Teams
Search
Name
Person
SIN
ISA
Student
Teacher
GPA
Salary
loing?
survey
I was simply wondering, how an ISA relationship in an ER diagram would translate into tables in a database.
ur site, you acknowledge that you have read and understand our Cookie Policy, Privacy P


Online Exams
Sri Lanka Institute of Information Technology
Question 10
Not yet answered
Marked out of 2.5
Flag question
Consider a relation R (A, B, C, D, E, F, G) with the following set of functional dependencies over R:
F = { AB -> CDEFG, D -> B , D-> E , E -> FG).The corresponding 3rd Normal form relations are.
Select one:
a. R1 (E, F, G), R2 (D, E), R3 (A, B, C, D)
b. R1 (E, F, G), R2 (D, E, B), R3 (A, C, D)
c. R1 (E, F, G), R2 (A, B, C, D,E)
d. R1 (A, B, C, D, E, F, G)
e. R1 (D, E), R2 (A, B, C, D)
Next page
Quiz
MCQ
SQL


Moodle



When the above EER model is mapped to the relational model what would be the
schema?

Select one:


- a. 11
- b. 12
- c. 7
- d. 10
- e. 9



When the above EER model is mapped to the relational model what would be the number of relations in the resulted schema?


Select one:

- a. 11
- b. 12
- c. 7
- d. 10
- e. 9



Moodle

Not yet answered
Marked out of 2.5
Flag question



When the above EER model is mapped to the relational model what would be the number of relations in the resulted

= Quiz navigation

1

MCQ QUESTIONS

1	2	3	4	5
8	9	10	11	12
15	16	17	18	19
22	23	24	25	

SQL

26	27	28	29

ERROR REPORTING

30

Finish attempt ...

Time left 1:35:45

Online Exams

Sri Lanka Institute of Information Technology

Which of the following/s correct regarding the JDBC driver.

Select one or more:


- a. Type 2 of JDBC driver is typically used for development and testing purposes .
- b. JDBC-ODBC Bridge plus ODBC driver, is also called Type 3 JDBC driver.
- c. There are 4 types of JDBC drivers.
- d. It contains classes and interfaces that help Java application and database.
- e. Type 2 driver or Native-API, partly Java driver, is the fastest driver.

Sri Lanka Institute of Information Technology

Which of the following/s correct regarding the JDBC driver.

Select one or more:


- [x] a. JDBC-ODBC Bridge plus ODBC driver, is also called Type 3 JDBC driver.
- [x] b. There are 4 types of JDBC drivers.
- [x] c. Type 2 driver or Native-API, partly Java driver, is the fastest driver.
- [x] d. It contains classes and interfaces that help Java application and database.
- [ ] e. Type 2 of JDBC driver is typically used for development and testing purposes .





Which of the following is resulted for the Prescribes relation when the ...


Select one:

- a. Prescribes (patientID, drugID, doctorID, dosage)
- b. Prescribes (patientID, drugID, doctorID)
- c. Prescribes (ID, dosage)
- d. Prescribes (ID, dosage)
- e. Prescribes (patientID, drugID, doctorID, dosage)


dischargeDate
admitDate
dno
1
Room
type
Time left 1:12:41
When the above EER model is mapped to the relational model what would be the resulted relations after mapping the hierarchy with Entities Patient, InPatient and OutPatient? (Do not consider binary relationships attached to the entities in hierarchy)
Select one:
a. Patient (patientID)
InPatient (ID, discount)
OutPatient (ID)
b. Patient (patientID)
InPatient (ID, discount)
OutPatient (ID)
c. Patient (patientID, discount, type)
d. Patient (patientID, discount, InPatient, OutPatient)
e. InPatient (ID, discount)
OutPatient (ID)
Next page


Fixed database role that authorizes a user to access the database, but not to manage database level security is :
Select one:
a. processadmin
b. serveradmin
c. securityadmin
d. db_accessadmin


Sri Lanka Institute of Information Technology
28
Consider the following relations of a database created for a Car Rental company.
Driver (driverID: char(4), driver_name: varchar(15), address: varchar(50), phone: char(10), licenceNo: char(5))
Car (carID: char(4), make: varchar(15), model: varchar(15), body_type: varchar(15), no_seats: int, year: datetime)
Route (route_id: char(4), source: varchar(20), destination: varchar(20), route_type: varchar(15), fare: real)
Customer (customerID: char(4), customer_name: varchar(20), phone: char(10), address: varchar(50))
Booking (booking_id: char(4), dateBooked: datetime, dateReturned: datetime, customerID: char(4), route_id: char(4), car_id: char(4), driverID: char(4))
The database stores information on Divers registered by the car rental company in the Driver table. The table stores a unique driver ID (driverID), name, address, phone number and the driving license number. Information about the Cars is recorded in the Car table. The table includes a unique number (carID), make ('Toyota', 'Honda', 'Audi', etc.), model ('Aqua', 'Civic' etc.), body type ('Wagon', 'Hatchback' etc.), number of seats, and the year manufactured. Route table stores all the operations on car routes including a unique number (route_id), route source, route destination, route type ('one way' or 'both ways') and the fare amount. Information about the Customers is also documented in the Customer table. The table consists of a unique number (customerID), customer name, phone number and address. When a Customer wants to rent a car the company stores the records in a Booking table along with the unique number (booking_id), date of which the booking happened, the return date of the car, the customer who elaborate in renting the car (customberID), the route in which the car is traveling (route_id), the car ID (car_id) and the driver who is dedicated for driving the car (driverID).
Create a trigger to update the noOfRoutes of a driver when adding a new record to the Booking table. Assume that there exists a stored procedure to update the total number of routes (noOfRoutes) of a driver based on the route entries recorded in the Booking table. The Driver table is modified by adding a new attribute (noOfRoutes: int).
Quiz nav
MCQ QUESTIO
SQL
ERROR REPOR
Finish attempt


both ways') and the fare amount. Information about the Customers is also documented in the Customer table. The table consists of a unique number (customerID), customer name, phone number and address. When a Customer wants to rent a car the company stores the records in a Booking table along with the unique number (booking_id), date of which the booking happened, the return date of the car, the customer who elaborate in renting the car (customberID), the route in which the car is traveling (route_id), the car ID (car_id) and the driver who is dedicated for driving the car (driverID).
Create a trigger to update the cost of a route when modifying a record to the Booking table. Assume that there exisits a stored procedure to check the approval of the new discount amount.
The company can grant a discount fare amount to customers for a given time period. The discount amount is assessed based on a condition. If the route type is 'two ways' a discount amount is 8% of the existing fare amount.
The request is directed for approval during the month of November.
B I
create trigger UpdateCost
on Booking
for update insert
as
begin