



Select one or more:

- [ ] I. Analyzing the diagram given above, as an analyst, you can add ALT tag after verifying students.
- [ ] II. The database cannot be taken as an object.
- [x] III. All the mentioned options are correct.
- [ ] IV. Student can be drawn as an actor, instead of the Object.
- [ ] V. Analyzing the diagram given above, as an analyst, you can add a Reference tag for the student login.


ion 6
et answered
ed out of
g question

You are given the following state machine diagram. When does a transition to state A occur?



Select one:

- I. As soon as all effects within states Y and Z are finished.
- II. As soon as the event a>5 occurs and the guard is evaluated to true.
- III. As soon as b=0
- IV. As soon as all effects within state Z are finished.
- V. As soon as b=0 and "a" exceeds the value 5.




Select one or more:


- [ ] I. Consulting is completed when it has scheduled, holiday planned and given the instructions.
- [x] II. State can contain sub states.
- [ ] III. Consulting is an orthogonal composite state with three sequential states.
- [x] IV. Consulting is an orthogonal composite state with three parallel states.
- [ ] V. Consulting is a simple composite state with three parallel states.

iii. None of the answers are correct.

iv.




v.



Next pa

ASUS VivoBook




Select one:

- I. number is 12
- II. number is 20
- III. number is 5
- IV. number is 6
- V. number is 21

Question 2
Not yet answered
Marked out of 1.00
Flag question

Select the **correct** statement/s about the given partial state chart diagram.




Select one or more:

- [x] I. Consulting is an orthogonal composite state with three parallel states.
- [x] II. State can contain sub states.
- [ ] III. Consulting is completed when it has scheduled, holiday planned and given the instructions.
- [x] IV. Consulting is an orthogonal composite state with three sequential states.
- [ ] V. Consulting is a simple composite state with three parallel states.

Next page

What statement/s is/are **correct** regarding given communication diagram?




Select one or more:

- [x] I. There are no loop fragments in corresponding sequence diagram.
- [ ] II. Message 1.2.2 is repeating.
- [x] III. There is a Opt fragment in corresponding sequence diagram.
- [ ] IV. ToBorrow() message can execute even if the book is not available.
- [x] V. BorrowStatus() message is send only if the book is available.

Next page

ollowing is a partial state diagram.What symbols of state diagram A, B, D and E specify?



elect one:

- I. A- States , B - Self transitions , D - Transitions , E - Guard Condition
- II. A- States , B - Transitions , D - Self transitions , E - Guard Condition
- III. A- States , B - Self transitions , D - Transitions , E - Actions
- IV. A- Substates , B - Self transitions , D - Transitions , E - When [Condition]

Next page

NetExamn

Sri Lanka Institute of Information Technology

ion 10

et answered

ed out of

lag question

What symbol represents the **decomposition** in a State Diagram?

Select one:

- I. 
- II. 
- III. 
- IV. 


Question 1
Not yet answered
Marked out of 1.00
Flag question


Select the correct object diagram for the given class diagram.



Select one:

i.





ASUS VivoBook

NetExamn

Sri Lanka Institute of Information Technology

hich of the following statement/s about state machine diagrams is/are **true**?

lect one or more:

I. Internal behaviour compartment contains behaviours that they do not cause a change of state.

II. A state may be divided into regions containing sub-states that exist and execute concurrently.

III. Do-activities within states cannot be aborted by any event.

IV. when(date=31.12.2007) is a so-called time event

V. The initial state has exactly one outgoing and any number of incoming transitions.

NetExam

Lanka Institute of Information Technology

of the following statement/s about state machine diagrams are **true?**

ne or more:

The do-activity starts inside the state and continues until either the activity is completed or the state is exited.

Internal behaviors trigger transitions.

. do-activities within states cannot be aborted by any event.

. An event triggering a transition that leaves the current state aborts the do-activity.

Events trigger transitions.

swered
ut of
uestion


You want to model the following situation: A home delivery service has the two states wait and deliver. At the beginning, wait is active. As soon as a customer has ordered a product, a transition to deliver takes place. During the transition, the order is processed. deliver stays active until the product has been delivered to the customer, then a transition to wait happens.

How do you have to specify the transition from wait to deliver?

Select one:

- I. order received/process order
- II. [order received]/process order
- III. [order received]/order is processed
- IV. /process order
- V. order received [process order]

Next page



one:
number is 6
. number is 20
l. number is 5
/. number is 12


Question 9

Not yet answered

Marked out of 1.00

Flag question


Given the following diagram, which method(s) should be implemented for the Account Class?



Select one:

- I. xfer()
- II. xfer(), evaluation(), plus(), minus()
- III. check(), plus(), minus()
- IV. xfer(), plus(), minus()


Which of the following statement/s is/are **true** according to the given partial state diagram?



Select one or more:

- ☐ I. In state A the entry-activity is executed every time the self-transition e occurs.
- ☐ II. Internal transitions behave like normal transitions except that they do not cause a change of state.
- ☐ III. The two images are equivalent.
- ☐ IV. The two images are not equivalent.
- ☐ V. In state B the entry-activity is executed only once.

t is/are **true** with regards to the image shown below.



ect one or more:

I. When size = -1, notify message can be executed 12 times.


II. When size = -1, notify message should be executed.

III. When size = 1, loop terminates after executing notify message only 5 times.

IV. The loop is expected to execute 5 times and no more than 10 times.

V. When size = 1, loop terminates regardless of the minimum number.

owing is a partial state diagram.What symbols of state diagram A, B, D and E specify?



elect one:

- I. A- States , B - Self transitions , D - Transitions , E - Actions
- II. A- States , B - Transitions , D - Self transitions , E - Guard Condition
- III. A- Substates , B - Self transitions , D - Transitions , E - When [Condition]
- IV. A- States , B - Self transitions , D - Transitions , E - Guard Condition

NetExam

ri Lanka Institute of Information Technology

chess game always white moves first. After that black can move and then white again. This can happen until black or white win the
es, black or white draw the game or black or white lost the game.

ntify the states of the chess game according to the given description.

ct one or more:

I. Move, Win, Lost, Draw

II. White move, Black move, White win, Black win, Draw

III. White move, Black move, Start move, End move

IV. White move, Black move, Win, Lost, Draw

V. White move, Black move, Win, Lost

of the following statement/s about state machine diagrams is/are **true**?

one or more:

I. Do-activities within states cannot be aborted by any event.

II. when(date=31.12.2007) is a so-called time event

III. A state may be divided into regions containing sub-states that exist and execute concurrently.

IV. The initial state has exactly one outgoing and any number of incoming transitions.

V. Internal behaviour compartment contains behaviours that they do not cause a change of state.

of the following difference/s between class diagrams and object diagrams is/are **true**?

one or more:

i. Class diagrams describe a system on type level, object diagrams on instance level.

ii. Both class diagram and object diagram model for the whole system.

iii. Class diagrams model the structure of a system; object diagrams model the dynamic view.

iv. Both diagram types are used for modeling the structural aspects of a system.

v. Object notation does not have a method compartment.

Which activities can be executed in a given state?


Select one:

- I. All of the mentioned.
- II. entry: activity is executed when the entering to the state.
- III. do: activity is executed while in the state.
- IV. exit: activity is executed when leaving the state.

Moodle

Question 1
Not yet answered
Marked out of 1.00
Flag question

Which of the following statement/s is/are **true** about the given diagram?



Select one or more:

- [ ] i. After getting the list of adverts the loop will iterate only for the selected adverts.
- [x] ii. After getting the list of campaigns the loop will iterate for all the listed client campaign.
- [ ] iii. The diagram does not instantiate a new object.
- [x] iv. After getting the list of adverts the loop will iterate for all the listed adverts.
- [ ] v. After getting the list of campaigns the loop will iterate only for the selected client campaign.

t Exam

Institute of Information Technology

following statement correctly describes the **internal activities** in a **Behaviors compartment**?

compartment holds a list of internal Behaviors associated with a state.

ne of the mentioned.

entry actions can be interrupted.

hen drawing state diagrams it always required to show the Behaviors compartment.

Question 30
Not yet answered
Marked out of 1.00
Flag question

Which of the following properties **apply** to the loop fragment of a Sequence Diagram?

Select one or more:


- [x] I. Loop can be used to refer other sequence diagrams
- [ ] II. The definition of a minimum and maximum number of iterations is optional.
- [ ] III. The minimum and maximum number of iterations may be defined.
- [ ] IV. Loops can only be used within Par fragments.

diagram best describes the following situation?


Object is initially in the active state. At a time when there are no users performing transactions, it will go to backup state. From backup 10 minutes duration it will again move to active state.

ct one:


I.




II.




III.



IV.



ven the following sequence diagram. Which **traces** of messages are possible?



or more:

→ c → a

→ b → c


→ a → c

one of the traces are possible

Which statement/s is/are correct regarding the object diagram?

Select one or more:

- [ ] i. In an object diagram, attributes are associated with values.
- [ ] ii. Entire class diagram is represented in a single object diagram.
- [ ] iii. It is a structural diagram.
- [ ] iv. It is a structural diagram as well as a behavioral diagram.
- [ ] v. Object diagram shows a snapshot of a detailed state of a system.



ect one or more:

i. As soon as change and cigarettes have been ejected, Idle becomes the next active state.

ii. The machine has a transition from Vending to Idle. It would also be possible to model a transition from Vending to the initial state (which directly links further to Idle).

iii. If CardCheck is active and the card is valid, Order immediately becomes the next active state.

iv. After the customer has inserted enough money into the machine, a transition to Order takes place.

v. After the customer has inserted enough money into the machine, a transition to Vending takes place.

f the following statement is **true** about Sequence Diagrams?

ne:


A sequence diagram can be only referenced when ALT and Opt is presented.

. A sequence diagram containing an interaction fragment may be referenced by one or more sequence diagrams.

I. A sequence diagram containing an interaction fragment may be referenced by only one sequence diagram.

V. A sequence diagram containing an interaction fragment may never be referenced by another sequence diagram.

h of the following statement/s is/are **true** according to the given partial state diagram?



one or more:

. The two images are not equivalent.

I. Internal transitions behave like normal transitions except that they do not cause a change of state.

II. In state A the entry-activity is executed every time the self-transition e occurs.

V. The two images are equivalent.


/. In state B the entry-activity is executed only once.

diagram best describes the following situation?


Object is initially in the active state. At a time when there are no users performing transactions, it will go to backup state. From backup 10 minutes duration it will again move to active state.

ct one:


I.




II.




III.




IV.






Select one or more:


- i. After getting the list of adverts the loop will iterate only for the selected adverts.
- ii. After getting the list of campaigns the loop will iterate for all the listed client campaign.
- iii. The diagram does not instantiate a new object.
- iv. After getting the list of campaigns the loop will iterate only for the selected client campaign.
- v. After getting the list of adverts the loop will iterate for all the listed adverts.



Select one or more:




You are given the following state machine diagram. B is definitely left if.....



Select one or more:

- [ ] i. event e2 occurs
- [ ] ii. the two orthogonal regions have reached their final states.
- [ ] iii. After B2 state completes.
- [ ] iv. one of the two final states are reached.
- [ ] v. event e1 occurs.



one or more:


After getting the list of campaigns the loop will iterate only for the selected client campaign.

After getting the list of campaigns the loop will iterate for all the listed client campaign.

After getting the list of adverts the loop will iterate only for the selected adverts.

The diagram does not instantiate a new object.

After getting the list of adverts the loop will iterate for all the listed adverts.



Select one or more:

- [x] i. If A= 100, B=30, C= 10, M=50 actions which will execute are M2 and M4
- [ ] ii. If A= 10, B=30, C= 10, M=50 actions which will execute are M2 and M4
- [ ] iii. If A= 15, B=30, C= 10, M=50 actions which will execute are M2 and M3
- [ ] iv. If A= 10, B=30, C= 80, M=50 actions which will execute are M2 and M3
- [ ] v. If A= 10, B=30, C= 100, M=50 actions which will execute are M2 and M4


ASUS VivoBook

"ABC" bank is offering two types of loans to its customers. They are Personal loans and Housing loans. Customers need to provide their Account number, name and address to apply for the loan. Each loan is having its own interest rate. Only people with a job can apply for a personal loan. So, Personal loans request occupation details as well. If eligible, a customer can get maximum two loans and those two loans cannot be in the same type. Also, a loan can issue only for a single customer.


What is the **correct** object diagram according to the above scenario?

Select one:

i.



ii.




13

nswered

out of

question

Which of the following statement/s is/are **true** about the given diagram?



Select one or more:

- ☐ I. The traces of messages can be a, a, b, c
- ☐ ii. The traces of messages can be a, b, c
- ☐ iii. The traces of messages can be c, b, a
- ☐ iv. The traces of messages can be a, c, b, c
- ☐ v. The traces of messages can be a, c, b


NetExam

Sri Lanka Institute of Information Technology

Which statement/s is/are **correct** regarding the object diagram?

Select one or more:

- [x] i. String values of the objects must indicate using double quotes.
- [ ] ii. Objects can be named or anonymous.
- [x] iii. Object must have an object name.
- [ ] iv. Methods are used in the object diagram.
- [ ] v. We can declare objects without a class.



one or more:

I. ON is a concurrent state

II. ON is a simple composite state.

III. ON is a super state.

IV. play, rew and stop are actions.

V. This state is invalid because it is not containing a final state.


der?

start(6)


after(5 seconds)

restart(number*2)

off()




Following is a partial state diagram.What symbols of state diagram A, B, D and E specify?




Select one:


- I. A- States , B - Transitions , D - Self transitions , E - Guard Condition
- II. A- Substates , B - Self transitions , D - Transitions , E - When [Condition]
- III. A- States , B - Self transitions , D - Transitions , E - Actions
- IV. A- States , B - Self transitions , D - Transitions , E - Guard Condition



Select one:

- I. number is 21
- II. number is 6
- III. number is 5
- IV. number is 20
- V. number is 12


https://www.ilovepdf.com/merge_pdf
CourseWeb | Sri Lanka...
C++ Tutorial
FilmsZilla - FilmsZilla s...
Java Tutorial | Learn Ja...
Home - Replit
Uploading file
of 6
SE-Lecture 5-Physical Diagrams_StudentVersion.pdf (928.30 KB)
Time left 0 SECONDS - Upload speed 226 KB/S
99%
UPLOADED


merge p - Google Search
https://www.google.com/search?client=firefox-b-d&q=merge+p
Getting Started
Gmail
CourseWeb | Sri Lanka...
C++ Tutorial
FilmoZilla - FilmoZilla L...
Java Tutorial | Learn Ja...
Home - Replit
NetExam - SLIIT Log i...
Google
merge p
All
Videos
Images
News
Maps
More
Tools
About 205,000,000 results (0.36 seconds)
https://www.ilovepdf.com › merge_pdf
Merge PDF files online. Free service to merge PDF - iLovePDF
Select multiple PDF files and merge them in seconds. Merge & combine PDF files online, easily and free.
People also search for
combine pdf
jpg to pdf
pdf combiner
split pdf
compress pdf
merge jpg to pdf
https://www.ilovepdf.com
iLovePDF | Online PDF tools for PDF lovers
iLovePDF is an online service to work with PDF files completely free and easy to use. Merge PDF, split PDF, compress PDF, office to PDF, PDF to JPG and ...
https://www.sodapdf.com › pdf-merge
Combine PDF Files - Free Tool to Merge PDF Online - Soda ...

Institute of Information Technology

Seats can be reserved by participants on the web site of the musical show in next week. The participant has the option to directly pay for the seat through the website. In that case, the seat cannot be cancelled. If the customer has not paid for the seat, the organisers can cancel the seat if the participant does not show up one hour before the show. When the reservation is cancelled, the seat will become free and can be sold to another participant.

Identify the states of the seat object according to the given description.

Select one:

- i. Paid, Cancelled
- ii. Seat, Free, Cancelled
- iii. Paid, Cancelled, Reserve, Free
- iv. Reserve, Paid
- v. Show, Paid, Cancelled, Reserve

notes - IMG-20210328-WA0082.jpg 119%

Select the correct statement/s about the given partial state chart diagram.



Select one or more:

- i. Consulting is completed when it has scheduled, holiday planned and given the instructions.
- ii. Consulting is an orthogonal composite state with three sequential states.
- iii. Consulting is an orthogonal composite state with three parallel states.
- iv. Consulting is a simple composite state with three parallel states.
- v. State can contain sub states.

Which of the following statements about state machine diagrams is/are true?

Select one or more:


- i. A state may be divided into regions containing sub states that exist and execute concurrently.
- ii. when(date=31.12.2007) is a so-called time event.
- iii. The initial state has exactly one outgoing and any number of incoming transitions.
- iv. Do-activities within states cannot be aborted by any event.
- v. Internal behaviour compartments contains behaviours that they do not cause a change of state.

Which is/are the correct statement/s about a communication diagram?

Select one or more:

- [x] i. In a communication diagram "asterisk" (*) is used to indicate a loop.
- [ ] ii. Information represents by a communication diagram and sequence diagram is different.
- [ ] iii. In a communication diagram showing message direction is a not a must.
- [x] iv. Sequence diagram and communication diagram represent the same information.
- [x] v. In a communication diagram assigning a message number to each message is a must.


Moodle



Select one:

- I. number is 6
- II. number is 20
- III. number is 21
- IV. number is 12
- V. number is 5

Flag question



Select one or more:

- [x] I. BorrowStatus() message is send only if the book is available.
- [ ] II. ToBorrow() message can execute even if the book is not available.
- [x] III. There is a Opt fragment in corresponding sequence diagram.
- [ ] IV. Message 1.2.2 is repeating.
- [x] V. There are no loop fragments in corresponding sequence diagram.

Next page

QUESTIONS


1 2 8 9 15 16 22 23 24 29 30 31

STUDENT FEEDB

Moodle

1.00

Flag question



Select one:

- I. A - 1.2.1, B - 1.2.1, C - 1.3
- II. A - 1.1.1, B - 1.2.1, C - 1.4
- III. A - 1.1.1, B - 1.2.2, C - 1.3
- IV. A - 1.2.1, B - 1.2.2, C - 1.4
- V. A - 1.1.1, B - 1.2.1, C - 1.3

15

22 23

29 30


STUDENT FEEDBACK

31

Moodle

1.00

Flag question



Select one or more:

- i. 1.2.2 *[condition 1] : M6()
- ii. 1.3.*[condition 1] [invalid] : M8()
- iii. 1.1.2 reply()
- iv. 1.2.2*[condition 1] [Valid] : M6()
- v. 1.0 : M1()

Finish a

Time left

1

QUESTIO

1 2

8 9

15 16

22 23

29 30

STUDENT FEED

31

Diagram C






Diagram E



Select one:


- i. Diagram A and Diagram E
- ii. Diagram A, Diagram B, Diagram C, Diagram D
- iii. Diagram A and Diagram C
- iv. Diagram C and Diagram D
- v. Diagram B, Diagram C, Diagram D

You are given the following state machine diagram. B is definitely left if.....



Select one or more:

- [ ] I. After B2 state completes.
- [ ] II. event e1 occurs.
- [ ] III. one of the two final states are reached.
- [x] IV. event e2 occurs
- [x] V. the two orthogonal regions have reached their final states.



Select one or more:

- [x] I. ON is a simple composite state.
- [x] II. play, rew and stop are actions.
- [ ] III. ON is a concurrent state
- [ ] IV. This state is invalid because it is not containing a final state.
- [x] V. ON is a super state.

Examinations

Lockdown Browser

Practice Test

- Answer all questions.

it20605902 Samarasinghe S.D it

This quiz has been configured so that students may only attempt it using the Respondus LockDown Browser.

Attempts allowed: 1

This quiz opened at Monday, 30 August 2021, 11:30 AM

This quiz will close on Monday, 30 August 2021, 12:50 PM.


Time limit: 1 hour

Respondus LockDown Browser is required for this exam.

Download LockDown Browser | Check your LockDown Browser setup

Launch LockDown Browser

Back to the course



Select one or more:

- [ ] I. Analyzing the diagram given above, as an analyst, you can add ALT tag after verifying students.
- [ ] II. The database cannot be taken as an object.
- [x] III. All the mentioned options are correct.
- [ ] IV. Student can be drawn as an actor, instead of the Object.
- [ ] V. Analyzing the diagram given above, as an analyst, you can add a Reference tag for the student login.

Diagram A




Diagram B




Diagram C




Diagram D





Diagram E



Select one or more:

- ☐ i. Diagram B, C, D
- ☐ ii. Diagram A, B, D, E
- ☐ iii. Diagram E
- ☐ iv. Diagram A, B, C, D, E
- ☐ v. Diagram C and D only

Question 8

Not yet answered

Marked out of 1.00

Flag question

Followings are the parts of the object diagram for the given class diagram. Identify the **correct** part/s of the corresponding object diagram.




Diagram A




Diagram B






Diagram D





Diagram E



Select one or more:

- [ ] I. Consulting is completed when it has scheduled, holiday planned and given the instructions.
- [x] II. State can contain sub states.
- [ ] III. Consulting is an orthogonal composite state with three sequential states.
- [x] IV. Consulting is an orthogonal composite state with three parallel states.
- [ ] V. Consulting is a simple composite state with three parallel states.

on 4
t answered
d out of
g question


Select the correct object diagram for the given class diagram.



Select one:

- i. None of the answers are correct.

- ii.



≡ Quiz na

Finish attempt

Time left 0:44:

1

QUESTIONS

1 2 3
8 9 10
15 16 17
22 23 24
29 30
31

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 9

Not yet answered

Marked out of 1.00

Flag question

What statement/s. is/are **true** about sequence diagram **Ref Tag**?

Select one or more:

- [x] I. Ref Tag Helps you to manage a large diagram by splitting, and potentially reusing, a collection of interactions.
- [ ] II. Ref Tag is the frame which covers the entire sequence diagram.
- [x] III. Ref frame is drawn to cover the lifelines which is involved in the interaction.
- [x] IV. Refers to an interaction defined on another diagram.

Next page

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 10

Not yet answered

Marked out of 1.00

Flag question

"I want to know in detail about the difference between alt and opt fragment in sequence diagram, they seem similar, I can't distinguish them. Can anyone help to understand these concepts?" Which of the following answers are **correct**?

Select one or more:

- [x] I. Alt is more used for several choices, like a switch, while with opt it will only have one choice
- [ ] II. Opt and Alt are similar when Opt is used within a Par fragment.
- [x] III. Alt is used to described alternative scenarios and only one of the options will be executed.Opt is used to describe an optional step which may or may not be used.
- [ ] IV. Opt is used to describe alternative scenarios and only one of the options will be executed. Alt is used to describe an optional step.

Quiz navigation

Finish attempt ...

Time left 0:55:44

1

QUESTIO...

STUDENT FEEDBACK


Question 6

Not yet answered

Marked out of 1.00


Flag question

You are given the following state machine diagram. When does a transition to state A occur?



Select one:

- I. As soon as all effects within states Y and Z are finished.
- II. As soon as the event a>5 occurs and the guard is evaluated to true.
- III. As soon as b=0
- IV. As soon as all effects within state Z are finished.
- V. As soon as b=0 and "a" exceeds the value 5.




Select one:


- I. number is 12
- II. number is 20
- III. number is 5
- IV. number is 6
- V. number is 21

iii. None of the answers are correct.

iv.



v.



Next page

ASUS VivoBook


Question 3

Not yet answered

Marked out of 1.00

Flag question

What statement/s is/are **correct** regarding given communication diagram?



Select one or more:

- [x] I. There are no loop fragments in corresponding sequence diagram.
- [ ] II. Message 1.2.2 is repeating.
- [x] III. There is a Opt fragment in corresponding sequence diagram.
- [ ] IV. ToBorrow() message can execute even if the book is not available.
- [x] V. BorrowStatus() message is send only if the book is available.

Next page

Quiz navigation

Finish attempt ...

Time left 0:51:27

QUESTIONS

1 2 3 4 5

9 10 11 12 13

17 18 19 20 21

25 26 27 28 29

STUDENT FEEDBACK

31


Question 2

Not yet answered

Marked out of 1.00

Flag question

Select the **correct** statement/s about the given partial state chart diagram.



Select one or more:

- [x] I. Consulting is an orthogonal composite state with three parallel states.
- [x] II. State can contain sub states.
- [ ] III. Consulting is completed when it has scheduled, holiday planned and given the instructions.
- [x] IV. Consulting is an orthogonal composite state with three sequential states.
- [ ] V. Consulting is a simple composite state with three parallel states.

Next page

Quiz navigat

Finish attempt ...

Time left 0:54:35

QUESTIONS

1 2 3 4

9 10 11 12

17 18 19 20

25 26 27 28

STUDENT FEEDBACK

31

NetExam

Sri Lanka Institute of Information Technology


Question 1

Not yet answered

Marked out of 1.00


Flag question


Select the correct object diagram for the given class diagram.



Select one:

i.





Quiz n

Finish attem

Time left 0:5


QUESTIONS

1 2 9 10 17 18 25 26


STUDENT F

31

ASUS VivoBook


Moodle
NetExam
Sri Lanka Institute of Information Technology
Question 12
Not yet answered
Marked out of 1.00
Flag question
What is/are the correct statement/s about a communication diagram?
Select one or more:
I. In a communication diagram "asterisk" (*) is used to indicate a loop.
II. Information represents by a communication diagram and sequence diagram is different.
III. In a communication diagram assigning a message number to each message is a must.
IV. Sequence diagram and communication diagram represent the same information.
V. In a communication diagram showing message direction is a not a must.

Following is a partial state diagram.What symbols of state diagram A, B, D and E specify?



Select one:

- I. A- States , B - Self transitions , D - Transitions , E - Guard Condition
- II. A- States , B - Transitions , D - Self transitions , E - Guard Condition
- III. A- States , B - Self transitions , D - Transitions , E - Actions
- IV. A- Substates , B - Self transitions , D - Transitions , E - When [Condition]

Next page

odle

NetExam


Sri Lanka Institute of Information Technology

ion 10
et answered
ed out of
lag question

What symbol represents the **decomposition** in a State Diagram?

Select one:

I. 

II. 

III. 

IV. 

NetExam

Sri Lanka Institute of Information Technology

Which of the following statement/s about state machine diagrams are **true?**

Select one or more:

- [ ] I. The do-activity starts inside the state and continues until either the activity is completed or the state is exited.
- [x] II. Internal behaviors trigger transitions.
- [x] III. do-activities within states cannot be aborted by any event.
- [ ] IV. An event triggering a transition that leaves the current state aborts the do-activity.
- [ ] V. Events trigger transitions.

on 5
t answered
d out of
g question

Which of the following statement/s about state machine diagrams is/are **true**?

Select one or more:

- [x] I. Internal behaviour compartment contains behaviours that they do not cause a change of state.
- [x] II. A state may be divided into regions containing sub-states that exist and execute concurrently.
- [x] III. Do-activities within states cannot be aborted by any event.
- [ ] IV. when(date=31.12.2007) is a so-called time event
- [x] V. The initial state has exactly one outgoing and any number of incoming transitions.

Next page

Sri Lanka Institute of Information Technology


Question 9

Not yet answered

Marked out of 1.00

Flag question

Given the following diagram, which method(s) should be implemented for the Account Class?



Select one:

- I. xfer()
- II. xfer(), evaluation(), plus(), minus()
- III. check(), plus(), minus()
- IV. xfer(), plus(), minus()

Quiz navigation

Finish attempt ...

Time left 0:44:07

QUESTIONS

1 2 3 4
8 9 10 11
15 16 17 18
22 23 24 25
29 30

STUDENT FEEDBACK

31

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 13

Not yet answered

Marked out of 1.00

Flag question


What icon represent the Lost Message?

Select one:


I.



II.



III.



IV.



Next page

Question 8
Not yet answered
Marked out of 1.00
Flag question

You want to model the following situation: A home delivery service has the two states wait and deliver. At the beginning, wait is active. As soon as a customer has ordered a product, a transition to deliver takes place. During the transition, the order is processed. deliver stays active until the product has been delivered to the customer, then a transition to wait happens.

How do you have to specify the transition from wait to deliver?

Select one:

- I. order received/process order
- II. [order received]/process order
- III. [order received]/order is processed
- IV. /process order
- V. order received [process order]

Next page

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 14

Not yet answered

Marked out of 1.00

Flag question

Which of the following statement/s about state machine diagrams are **true**?

Select one or more:

- [x] I. An event triggering a transition that leaves the current state aborts the do-activity.
- [x] II. do-activities within states cannot be aborted by any event.
- [ ] III. Internal behaviors trigger transitions.
- [ ] IV. The do-activity starts inside the state and continues until either the activity is completed or the state is exited.
- [x] V. Events trigger transitions.

Next page

Quiz navigation

Finish attempt


Time left

QUE

1 8 15 16 17 18 22 23 24 25 26 27 28 29 30

STUDENT FEEDBACK

31



Select one:

- I. number is 6
- II. number is 20
- III. number is 5
- IV. number is 12

Moodle

Question 16

Not yet answered


Marked out of 1.00

Flag question

Which Communication diagram **correctly** represent the below given Sequence Diagram?



Select one:



QUESTIC

15

22


29 30

STUDENT FEEDBACK

31

vered
of
stion

What is/are **true** with regards to the image shown below.



Select one or more:

- [ ] I. When size = -1, notify message can be executed 12 times.
- [ ] II. When size = -1, notify message should be executed.
- [x] III. When size = 1, loop terminates after executing notify message only 5 times.
- [ ] IV. The loop is expected to execute 5 times and no more than 10 times.
- [x] V. When size = 1, loop terminates regardless of the minimum number.

NetExam

Sri Lanka Institute of Information Technology

Which of the following is including in a UML class diagram but not in UML object diagram?


Select one:

- i. List of attributes
- ii. Relationships (Links)
- iii. Both attributes and operations
- iv. None of the mentioned
- v. List of operations

Next page

Question 11
Not yet answered
Marked out of 1.00
Flag question

Which of the following statement/s is/are **true** according to the given partial state diagram?



Select one or more:

- ☐ I. In state A the entry-activity is executed every time the self-transition e occurs.
- ☐ II. Internal transitions behave like normal transitions except that they do not cause a change of state.
- ☐ III. The two images are equivalent.
- ☐ IV. The two images are not equivalent.
- ☐ V. In state B the entry-activity is executed only once.

12
nswered
ut of
estion

In a chess game always white moves first. After that black can move and then white again. This can happen until black or white win the games, black or white draw the game or black or white lost the game.


Identify the states of the chess game according to the given description.

Select one or more:

- [ ] I. Move, Win, Lost, Draw
- [ ] II. White move, Black move, White win, Black win, Draw
- [ ] III. White move, Black move, Start move, End move
- [ ] IV. White move, Black move, Win, Lost, Draw
- [ ] V. White move, Black move, Win, Lost

Next page

Following is a partial state diagram.What symbols of state diagram A, B, D and E specify?



Select one:

- I. A- States , B - Self transitions , D - Transitions , E - Actions
- II. A- States , B - Transitions , D - Self transitions , E - Guard Condition
- III. A- Substates , B - Self transitions , D - Transitions , E - When [Condition]
- IV. A- States , B - Self transitions , D - Transitions , E - Guard Condition

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 25

Not yet answered

Marked out of 1.00

Flag question

What do **boundary classes** represent?

Select one:

- I. Classes that contain data.
- II. Interfaces between the system and its actors.
- III. Customers and suppliers of the business.
- IV. People who will use the system.

Next page

Finish

Time

QUES


1 8 9 15 16 17 18 19 22 23 24 25 29 30

STUDENT FEEDBACK

31

1.00

Flag question



A. insert ATM card is an activity.

B. Check card is an activity

C. When (outstanding<=0) is an event

Select one or more:

- I. C only
- II. Only A and B
- III. B correct
- IV. Only B and C

NetExam

Sri Lanka Institute of Information Technology

Which activities can be executed in a given state?

Select one:

- I. All of the mentioned.
- II. entry: activity is executed when the entering to the state.
- III. do: activity is executed while in the state.
- IV. exit: activity is executed when leaving the state.

Which of the following statement/s about state machine diagrams is/are **true**?

Select one or more:

- [ ] I. Do-activities within states cannot be aborted by any event.
- [ ] II. when(date=31.12.2007) is a so-called time event
- [ ] III. A state may be divided into regions containing sub-states that exist and execute concurrently.
- [ ] IV. The initial state has exactly one outgoing and any number of incoming transitions.
- [ ] V. Internal behaviour compartment contains behaviours that they do not cause a change of state.

Which of the following difference/s between class diagrams and object diagrams is/are **true**?

Select one or more:

- [ ] i. Class diagrams describe a system on type level, object diagrams on instance level.
- [ ] ii. Both class diagram and object diagram model for the whole system.
- [ ] iii. Class diagrams model the structure of a system; object diagrams model the dynamic view.
- [ ] iv. Both diagram types are used for modeling the structural aspects of a system.
- [ ] v. Object notation does not have a method compartment.

NetExam

Sri Lanka Institute of Information Technology

Which of the following statement correctly describes the **internal activities** in a **Behaviors compartment**?


Select one:

- I. This compartment holds a list of internal Behaviors associated with a state.
- II. None of the mentioned.
- III. The entry actions can be interrupted.
- IV. When drawing state diagrams it always required to show the Behaviors compartment.

Moodle

Question 1
Not yet answered
Marked out of 1.00
Flag question

Which of the following statement/s is/are **true** about the given diagram?



Select one or more:

- [ ] i. After getting the list of adverts the loop will iterate only for the selected adverts.
- [x] ii. After getting the list of campaigns the loop will iterate for all the listed client campaign.
- [ ] iii. The diagram does not instantiate a new object.
- [x] iv. After getting the list of adverts the loop will iterate for all the listed adverts.
- [ ] v. After getting the list of campaigns the loop will iterate only for the selected client campaign.

Quiz navigation

Finish attempt ...

Time left 0:57:32


QUESTIONS

1 2 3 4 5
9 10 11 12 13
17 18 19 20 21
25 26 27 28 29

STUDENT FEEDBACK

31

You are given the following sequence diagram. Which **traces** of messages are possible?



Select one or more:

- ☐ I. b → c → a
- ☐ II. a → b → c
- ☐ III. b → a → c
- ☐ IV. None of the traces are possible

NetExam

Sri Lanka Institute of Information Technology

Question 30

Not yet answered

Marked out of 1.00

Flag question

Which of the following properties **apply** to the loop fragment of a Sequence Diagram?

Select one or more:

- [x] I. Loop can be used to refer other sequence diagrams
- [ ] II. The definition of a minimum and maximum number of iterations is optional.
- [ ] III. The minimum and maximum number of iterations may be defined.
- [ ] IV. Loops can only be used within Par fragments.

Next page


30

What diagram best describes the following situation?


ATM Object is initially in the active state. At a time when there are no users performing transactions, it will go to backup state. From backup after 10 minutes duration it will again move to active state.

Select one:


I.




II.



III.





Quiz navig

Finish attempt ...

Time left 0:02:15

QUESTIONS

1 2 3 4


9 10 11 12

17 18 19 20

25 26 27 28

STUDENT FEEDBACK

31



Select one or more:

- i. After getting the list of campaigns the loop will iterate only for the selected client campaign.
- ii. After getting the list of campaigns the loop will iterate for all the listed client campaign.
- iii. After getting the list of adverts the loop will iterate only for the selected adverts.
- iv. The diagram does not instantiate a new object.
- v. After getting the list of adverts the loop will iterate for all the listed adverts.

Finish attempt ...

Time left 0:09:01

QUESTIONS

1 2 3 4 5

9 10 11 12 1

17 18 19 20 2


25 26 27 28 2

STUDENT FEEDBACK


31

12
nswered
out of
question

Select the correct object diagram/s for the given class diagram.




Select one or more:



NetExam

Sri Lanka Institute of Information Technology

You are given the following state machine diagram. B is definitely left if.....



Select one or more:

- i. event e2 occurs
- ii. the two orthogonal regions have reached their final states.
- iii. After B2 state completes.
- iv. one of the two final states are reached.
- v. event e1 occurs.

Question 22

Not yet answered

Marked out of 1.00


Flag question

"ABC" bank is offering two types of loans to its customers. They are Personal loans and Housing loans. Customers need to provide their Account number, name and address to apply for the loan. Each loan is having its own interest rate. Only people with a job can apply for a personal loan. So, Personal loans request occupation details as well. If eligible, a customer can get maximum two loans and those two loans cannot be in the same type. Also, a loan can issue only for a single customer.


What is the **correct** object diagram according to the above scenario?


Select one:

i.



ii.





Select one or more:

- [x] i. If A= 100, B=30, C= 10, M=50 actions which will execute are M2 and M4
- [ ] ii. If A= 10, B=30, C= 10, M=50 actions which will execute are M2 and M4
- [ ] iii. If A= 15, B=30, C= 10, M=50 actions which will execute are M2 and M3
- [ ] iv. If A= 10, B=30, C= 80, M=50 actions which will execute are M2 and M3
- [ ] v. If A= 10, B=30, C= 100, M=50 actions which will execute are M2 and M4

ASUS VivoBook

on 27
t answered
ed out of
ag question

Which statement/s is/are **correct** regarding the object diagram?

Select one or more:

- [x] i. String values of the objects must indicate using double quotes.
- [ ] ii. Objects can be named or anonymous.
- [x] iii. Object must have an object name.
- [ ] iv. Methods are used in the object diagram.
- [ ] v. We can declare objects without a class.


Question 13

Not yet answered

Marked out of 1.00

Flag question


Which of the following statement/s is/are **true** about the given diagram?



Select one or more:


- i. The traces of messages can be a, a, b, c
- ii. The traces of messages can be a, b, c
- iii. The traces of messages can be c, b, a
- iv. The traces of messages can be a, c, b, c
- v. The traces of messages can be a, c, b

Following is a partial state diagram.What symbols of state diagram A, B, D and E specify?



Select one:

- I. A- States , B - Transitions , D - Self transitions , E - Guard Condition
- II. A- Substates , B - Self transitions , D - Transitions , E - When [Condition]
- III. A- States , B - Self transitions , D - Transitions , E - Actions
- IV. A- States , B - Self transitions , D - Transitions , E - Guard Condition



Select one or more:

- [ ] I. ON is a concurrent state
- [ ] II. ON is a simple composite state.
- [ ] III. ON is a super state.
- [ ] IV. play, rew and stop are actions.
- [ ] V. This state is invalid because it is not containing a final state.


answered


out of

question

given a state machine diagram. What is the value of "number" variable after the occurrence of the following event chain in the give order?


1. start(6)
2. after(5 seconds)
3. restart(number*2)
4. off()





Select one:

- I. number is 21
- II. number is 6
- III. number is 5
- IV. number is 20
- V. number is 12



Select one or more:

- i. As soon as change and cigarettes have been ejected, Idle becomes the next active state.
- ii. The machine has a transition from Vending to Idle. It would also be possible to model a transition from Vending to the initial state (which directly links further to Idle).
- iii. If CardCheck is active and the card is valid, Order immediately becomes the next active state.
- iv. After the customer has inserted enough money into the machine, a transition to Order takes place.
- v. After the customer has inserted enough money into the machine, a transition to Vending takes place.

NetExam


Sri Lanka Institute of Information Technology

Which statement/s is/are correct regarding the object diagram?

Select one or more:

- [ ] i. In an object diagram, attributes are associated with values.
- [ ] ii. Entire class diagram is represented in a single object diagram.
- [ ] iii. It is a structural diagram.
- [ ] iv. It is a structural diagram as well as a behavioral diagram.
- [ ] v. Object diagram shows a snapshot of a detailed state of a system.

Which of the following statement/s is/are **true** according to the given partial state diagram?



Select one or more:

- [ ] I. The two images are not equivalent.
- [ ] II. Internal transitions behave like normal transitions except that they do not cause a change of state.
- [ ] III. In state A the entry-activity is executed every time the self-transition e occurs.
- [ ] IV. The two images are equivalent.
- [ ] V. In state B the entry-activity is executed only once.


Which of the following statement is **true** about Sequence Diagrams?

Select one:

- I. A sequence diagram can be only referenced when ALT and Opt is presented.
- II. A sequence diagram containing an interaction fragment may be referenced by one or more sequence diagrams.
- III. A sequence diagram containing an interaction fragment may be referenced by only one sequence diagram.
- IV. A sequence diagram containing an interaction fragment may never be referenced by another sequence diagram.

Next page

Which of the following statement/s is/are **true** about the given diagram?



Select one or more:

- [ ] i. After getting the list of adverts the loop will iterate only for the selected adverts.
- [ ] ii. After getting the list of campaigns the loop will iterate for all the listed client campaign.
- [ ] iii. The diagram does not instantiate a new object.
- [ ] iv. After getting the list of campaigns the loop will iterate only for the selected client campaign.
- [ ] v. After getting the list of adverts the loop will iterate for all the listed adverts.