IoT and Machine Learning for Smart Warehouse Management in Logistics

V. Vimalnath,
Department of Management Studies
Saveetha Engineering College,
Chennai, Tamil Nadu, India
prof.vimalnath@gmail.com

K.K. Karthick,
Department of Management Studies,
Saveetha Engineering College,
Chennai, Tamil Nadu, India
drkarthick@hotmail.com

Ramar Veluchamy,
Department of Management Studies,
Saveetha Engineering College,
Chennai, Tamil Nadu, India,
drvramar@gmail.com

N. Udaya Prakash,
Department of Mathematics,
Saveetha Engineering College,
Chennai, Tamil Nadu, India
udpk.udds@gmail.com

K. Sathiyamurthi,
Department of Management Studies,
Saveetha Engineering College,
Chennai, Tamil Nadu, India
sathiyamurthiphd@gmail.com

M. Ganesan Alias Kanagaraj,
Department of Management Studies,
Saveetha Engineering College,
Chennai, Tamil Nadu, India
kanagaraj14@gmail.com

2025 IEEE 5th International Conference on ICT in Business Industry & Government (ICTBIG) | 979-8-3315-7981-4/25/$31.00 ©2025 IEEE | DOI: 10.1109/ICTBIG68706.2025.11323706

***Abstract*— The intensive development of supply chain activities and logistics has brought a need to have smart and responsive warehouse management systems. The work is a hybrid strategy of implementing Internet of Things (IoT) technologies, coupled with the use of Machine Learning (ML) tools, to create a smart warehouse management system that will lead to the increased efficiency of operations, minimization of delays, and optimization of the use of resources. The suggested approach relies on the use of real-time IoT sensor data to monitor inventory and track goods and identify anomalies and uses ML models to forecast demand, optimize storage placement, and simplify order-picking operations. In contrast to how traditional warehouse systems are based on rule-based automation, autonomy of decision-making with the integration of IoT and ML through continuous learning of dynamic environments in warehouses. The framework also assists in predicting maintenance of the handling equipment and minimizes the use of energy as well as being accurate when it comes to inventory management. The proposed solution is very relevant to the contemporary and data-driven supply chain ecosystem because experimental assessment shows that the productivity, accuracy and general logistics performance have been greatly enhanced.**

Keywords*— *Internet of Things (IoT), Machine Learning, Smart Warehouse, Logistics, Supply Chain.

I. Introduction

The railway sector is very important for moving people and products all over the world. Still, it isn't as dependable or efficient due to ongoing problems [1]. Conventional warehouse management solutions that have heavily relied on automated systems, which are mostly rule-based, and human oversight cannot cope with the constantly growing volume of products, constantly evolving consumer needs, as well as the dynamics of global supply chains at times [2]. To address these challenges, Internet of Things (IoT) and Machine Learning (ML) have been introduced into modern logistics at a very high pace. Such integration creates smarter and more autonomous systems and allows them to optimize operations in real time [3].

In warehouses, IoTs (sensors, RFID tags, and autonomous guided trucks) have offered previously unseen visibility and traceability. It has even enabled the ongoing monitoring of the environment conditions, commodities and equipment that are kept in the environment to be continuously monitored [4]. Two of these devices generate massive volumes of structured and unstructured data that when properly utilized can lead to valuable insights that can be applied to make decisions [5].

Only through the combination of strong models of machine learning and Internet of Things (IoT) in warehouses, it is possible to achieve the full potential of IoT. Such models can discover patterns, predict future events, and prescriptions through historical and real-time stream of data [6]. Machine learning is essential in the process of translating raw data into information that can be transformed into action that can be taken to manage the warehouse and machine learning and more precisely through predictive and prescriptive analytics [7]. The machine learning algorithms can be used to predict the inventory requirements with high precision by analyzing the demand patterns, shipping history, and the seasonal fluctuations. This is useful to minimize chances of stockouts or overstocking [8].

In addition to this, higher models are applied to optimize location of the space and the order pick up paths, thereby, removing the possibility of delays and how deliveries are met in good time [9]. This predictive ability is not only boosting the productivity but it is also helping save money and put customers at ease, which is most treasured in the logistics industry, and this is where the competition is so intense [10]. Internet of things (IoT) and machine learning (ML) combined and provided a complex management level of smart warehouse management. This framework forms an ecosystem that is inter-relational and evolves in a dynamic nature of functioning [11]. This combination helps in the spread of adaptive decision making, provides assistance to predictive maintenance of warehouse machinery, energy efficiency and that the supply chain operations are resilient.

II. Literature review

Juliet et al [12] that the proposed research is aimed at enhancing the logistics route optimization by using the reinforcement learning (RL) approaches which are Deep Q-Networks (DQN) and the Proximal Policy Optimization (PPO). IoT data in real time with predictive analytics are utilized to minimise delays, plan routes that are dependent on traffic, and improve transportation performance. As experimental findings indicate, PPO performs much better than DQN due to targeting higher accuracy (0.91 vs 0.5154), better precision (1.00 vs 0.5161), better recall (0.81 vs 0.1441) and higher F1 (0.89 vs 0.2254). PPO also has a very low time complexity (0.4663 seconds), which is why it is useful in real-time decision-making in dynamically managed

979-8-3315-7981-4/25/$31.00 ©2025 IEEE

Authorized licensed use limited to: Cambridge Institute of Technology. Downloaded on October 24,2026 at 04:09:29 UTC from IEEE Xplore. Restrictions apply.

logistics. With the help of reinforcement learning, the system can adapt to the alteration of traffic, decrease the waiting time, and use resources more effectively. The contribution is seen in terms of demonstrating that PPO is a scalable and effective approach to optimizing adaptive routes, that has been proven useful when compared to the classical RL models regarding efficiency in logistics.

Elfathi et al [13] that intelligent agents are investigated in the study on their application in logistics and warehouse automation and their autonomy, adaptability and collaboration characteristics. Using intelligent agents and such technologies as Automated Guided Vehicles (AGVs), Autonomous Mobile Robots (AMRs), Unmanned Aerial Vehicles (UAVs) and IoT, it is proved that operations become much easier and decisions are made in an efficient way. Multi-agent systems are relevant in order to optimize the complex logistics processes through the coordination of the activities of numerous agents. The study mentions the benefits both operational and strategic such as reduction of costs, enhancement of efficiency, and enhanced accuracy of decisions. However it also puts an element of warning on examining the workforce implications and practicality of application in the real world. Overall, this contribution provides an insight on how the logistics operation is being restructured by intelligent agents and multi-agent systems and demonstrates the potential transformative power of these approaches with references to the challenges that have to be surmounted to establish sustainable adoption.

According to Krishnan et al [14], the research examines the historical context, the current trends, and outlook of applying Artificial Intelligence (AI) and Internet of Things (IoT) within the logistics management field. Previously, AI and IoT were passing through notions and reality enablers, predictive analytics, real-time tracing, and sustainability-driven operations. The technologies presently impose efficiency, customer-based services and increased transparency in supply chains. The sphere of logistics is expected to include autonomous vehicles, transparency based on blockchain, and environmentally-friendly and least harmful practices in the future. Nevertheless, there are issues of cybersecurity, data confidentiality, and smooth system integration to prevent operational inconveniences. The suggested work highlights the transformative nature of AI and IoT in redefining the efficiency of logistics, transparency and customer satisfaction, and the relevance of strategic planning and effective cybersecurity mechanisms. It confirms that logistics is on the verge of a decade of radical technological and sustainable change through the synergy of AI-IoT.

Sung et al [15] that the proposed project presents an IoT-based smart storage platform based on Arduino and LoRa, to monitor and communicate remotely in an efficient way. RFID identifiers are placed on goods stored in the warehouse to detect their identity and whereabouts, and the sensors like temperature, humidity, gas, and infrared to measure the environment to keep the products safe. The system sends data gathered using loRa-based wireless communications to a central client interface written in C#, where users can conveniently see the real-time warehouse conditions. The design guarantees security, tracking, and effective monitoring of stored products and minimized human oversight. RFID combined with multi-sensor monitoring makes a transition to the control of warehouse activities more effective and thus it can be applied to large-scale storage facilities. The system features a combination of the IoT devices, lightweight communications protocols, and user-friendly interfaces that prove a viable, inexpensive, and scalable solution to a smart warehouse management and high level of application in real-life.

III. Proposed Work

A. System Architecture for IoT-Enabled Smart Warehouse

The IoT-based smart warehouse system architecture is built to ensure that various sensing devices, communication protocols, data processing unit, and smart decision-making modules are integrated into a single operational system. At a base level, a web of IoTs including RFID tags, temperature and humidity sensors, motion sensors, and automated guided vehicles are constantly monitoring the physical conditions of goods and warehouse conditions. Fig 1 depicts the system architecture.




Fig. 1. System Architecture

These devices are connected to local gateways and it is these gateways that act as intermediaries, where sensor data is joined and then transmitted to either cloud or edge computing environments. A low-power wireless technology, such as Zigbee, LoRaWAN or Wi-Fi is often used as the communication layer to offer reliable and scalable connectivity in a large warehouse facility. The processing layer filters the raw sensor inputs, standardizes them and stores them in shared databases, enabling their interoperability with upper level applications. More advanced analytics and machine learning algorithms are involved in the decision layer to transform data into actionable information appropriate inventory placement, predictive demand forecasting, and efficient route planning to pick orders. Finally, there is the application layer that will provide user-

Authorized licensed use limited to: Cambridge Institute of Technology. Downloaded on October 24,2026 at 04:09:29 UTC from IEEE Xplore. Restrictions apply.

friendly dashboards and control interfaces to enable the provision of the real-time view of the assets and operations to the warehouse managers. Such multi-layered architecture forms the looping feedback whereby data may be exchanged between the physical surroundings and digital ones, interpreted as per the trends and abnormalities and utilized to motivate some of the algorithmic actions or management measures. The result is the creation of an elastic and strong system that is able to continually optimize the operations of the warehouse, reduce formlessities and be more responsive to the market demands.

B. Sensor Network Deployment and Data Acquisition

The data acquisition and monitoring on IoT is premised on the application of sensor networks within a smart warehouse. The design begins with strategic placement of RFID readers, barcode scanners and environmental sensors in strategically important areas which encompass storage racks, loading docks and transport routes. Goods RFID tags are utilized to locate and track the goods in continuous mode, by contrasting environmental sensors are employed to monitor temperature, humidity, vibration, etc. to ensure quality and compliance of the product. The distance sensors and motion sensors installed on the robots and automated guided vehicles help them to move safely and efficiently. The collected signals are wirelessly transmitted to localized gateway which integrates multi-modal data, and finally transmitted to the cloud server or edge server. The type of LoRaWAN or NB-IoT is based on low-power wide-area networking protocols that can guarantee scalability and energy efficiency that minimizes latency and guarantees high-quality connectivity. Once transmitted, the raw data is pre-processed (i.e. noise removal, data normalisation, time synchronisation, etc.) to ensure consistency when heterogeneous sources are used. The acquisition system will be set to operate in real time; hence it gives high frequency streams of information that will be reflective of the dynamic condition of the warehouse. The sensor network gives a platform whereby intelligent decisions are made by combining continuous sensing and good communication. Such rich data is not only enough to operate the inventory and monitor the orders more precisely but also gives the machine learning models reliable answers to predictive analytics, optimization, and anomaly detection. Under this coordinated approach of deployment and acquisition, sensor networks assist in bridging the gap between the actual objects and the electronic intelligence in the logistics environment.

C. Machine Learning Models for Inventory Prediction

Machine learning models are used to make smart predictions about warehouse inventory. These models utilize both past and present data to guess how much demand there will be and how much inventory to keep on hand.This is initiated by the gathering of the structured datasets, such as previous sales history, seasonal patterns, lead time and supplier performance together with the unstructured data of the IoT, like the environmental variation and handling behavior. The preprocessing methods of feature scaling, dimensional reduction, and missing value filling are used to increase the accuracy of the model. Supervised learning algorithms, such as Random Forests, Gradient Boosting, and Support Vector Machines, are often used to learn the patterns of change in demand variations, whereas deep learning designs, like Long Short-Term Memory (LSTM) networks, are used to learn the time-dependencies of time-series inventory data. Fig 2 depicts the ML models for inventory prediction.




Fig. 2. ML models for inventory prediction

As new streams of data are consumed, these models keep updating predictions to facilitate adaptive forecasting in fast-evolving environments. The system helps to reduce the risk of stockout and overstocking by properly forecasting future inventory requirements, enhance the use of warehouse space and provide fulfillment of orders in a timely manner. Also, the reinforcement learning methods will be capable of varying reorder points and safety stock levels dynamically by simulating a range of situations and weighting the outcomes using a combination of uncertainty conditions. These predictive models are embedded in the warehouse management system and the results provide viable recommendations on when to purchase, planning of storage and distribution. In addition to enhancing operational effectiveness, this preventive intelligence will help make the supply chain networks resilient to disruption, demand and logistic bottlenecks.

D. Optimization of Storage and Order Picking Using ML

Machine learning models that evaluate geographical, temporal, and operational data to improve workflow make a smart warehouse's storage and order-picking procedures more efficient.. Past transaction information, item size, storage site, pick rates as well as order trends are combined with real time information of IoT devices to constitute complete datasets. Gradient Boosting Machines and random forests are supervised learning algorithms that are used to forecast the most commonly selected items and find

Authorized licensed use limited to: Cambridge Institute of Technology. Downloaded on October 24,2026 at 04:09:29 UTC from IEEE Xplore. Restrictions apply.

correlations among item selections in orders. The prediction is used to dynamically allocate storage to make high-demand products available in convenient locations to reduce the travel distance by pickers or automated guided vehicles. Reinforcement learning models also improve the picking routes by simulating continuously the order fulfillment situations and selecting the strategy that would minimize the total movement and processing time.

Grouping of similar items or orders is done by clustering technique enabling picking of orders in batches and retrieving them in zones thereby lessening the congestion in aisles and enhancing throughput. Additionally, predictive models also consider variability in demand, seasonal variations and arrival times so that storage layouts can be modified proactively. It is also viable with built-in evaluation of limitations such as the width of the aisle, the carrying capacity of handling equipment and safety standards. As a result, predictive analytics and dynamic optimization can save a significant portion of operational costs, accelerate and enhance order fulfillment speed and accuracy, and the overall efficiency of the warehouse. The system offers real-time feedback depending on sensors and transactional information which consequently enables the system to self-adapt and offers adaptable and scalable warehouse capabilities that can respond to a changing trend of demand and logistic requirements.

E. Real-Time Anomaly Detection and Predictive Maintenance

The character of machine learning models in real-time anomaly detection and predictive maintenance in a smart warehouse is motivated by the ongoing analysis of the operation and environment data to identify the violation of the expected trends. Real time data is generated through sensor networks e.g. equipment performance indicators, temperature, humidity, vibrations, and movement of automated guided vehicle patterns. The pattern-based learning algorithms such as Isolation Forests and Autoencoders identify anomalies by identifying patterns that are significantly unlike the past patterns, which signifies the potential malfunctions or inefficiencies in processes. Concurrently, time-series predictive models, such as Long Short-Term Memory (LSTM) networks, forecast degradation and equipment failure likelihood, according to how the operating parameters trend. One should be able to detect anomalies in a timely manner in order to carry out timely interventions before downtime [costly] and the risk of the interrupted work exist.

The predictive maintenance plans are generated automatically and the equipment is ordered according to the probability of failure and the criticality of usage. In addition, the models of anomaly detection identify the anomalies in the work of the inventory i.e., misplaced objects, unusual weather conditions or inconsistency in the movement of the stocks that are very precise and dependable in their work. Predictive maintenance and anomaly detection provides continuity in warehouse systems in both its monitoring and proactive fault mitigation and safety. A composite of these intelligent models will create an ecosystem capable of self-managing to protect the equipment's life span, reduce maintenance costs and hardiness of the entire processes, which will consequently facilitate in ensuring constant and efficient logistics operations.

F. Integration Framework for Intelligent Logistics Operations

The architecture of intelligent logistics operations integration integrates IoT-based sensing, machine learning analytics, and centralized management platform to become one system that can be used to make autonomous, adaptive decisions. Real-time information on inventory, equipment, and the environment is obtained with the help of IoT sensors and analyzed to produce actionable insights on inventory forecasting, storage optimization, and anomaly identification with machine learning models. The model employs cloud computing and edge-computing to offer scalability storage and latency-low processing to offer a rapid reaction to operational variability. There is also visibility and the decision support of dashboards and automatic control interfaces that allows easy coordination between automated systems and the human operators.

IV. Results

The dataset that is to be used in the assessment of the proposed IoT and machine learning framework to manage the smart warehouse includes past inventory, sensor readings, and work logs that were captured in 12 months. It will consist of 50,000 separate inventory transactions, 10,000 sensor records of temperature, humidity, and motion sensor and 5,000 records of automated guided vehicle (AGV) movement. The records contain item ID, storage site, quantity as well as the time and environmental conditions as well as length of handling.

TABLE I DATASET OVERVIEW

Feature	Type	No. of Records	Description
Inventory Transactions	Structured	50,000	Item ID, quantity, timestamp, location
Sensor Readings	Structured	10,000	Temperature, humidity, motion sensors
AGV Movements	Structured	5,000	Path, duration, load handled

TABLE II SYSTEM PERFORMANCE METRICS

Metric	Value	Description
Inventory MAE	3.2 units	Average deviation in predicted stock
Inventory RMSE	4.5 units	Root mean square error of predictions
Order-Picking Time	12.5 min	Average time per order
Travel Distance (AGV)	320 m	Average distance per picking route
Anomaly Detection F1-Score	0.92	Accuracy of detecting unusual events

Preprocessing of the data was done by cleaning up gaps, normalizing numerical data and encoding categorical data like item category and storage area. The data was divided into training (70 %), validation (15 %), and testing (15 %) in order to develop machine learning models. Simulated dynamic

Authorized licensed use limited to: Cambridge Institute of Technology. Downloaded on October 24,2026 at 04:09:29 UTC from IEEE Xplore. Restrictions apply.

warehouse conditions and testing of system responsiveness were also done using real-time streaming data of the IoT sensors. The rich dataset will enable multi-dimensional analysis to be performed to obtain the spatial and temporal patterns of the warehouse. An overview of important dataset features is given in Table 1. System performance was measured against several indicators that are associated with prediction accuracy, operational efficiency and resource optimization. able 2 summarizes the major performance indicators that were noticed during testing. The suggested IoT-ML integrated system was compared to a traditional rule-based warehouse management system.

TABLE III COMPARISON WITH EXISTING METHOD

Metric	Existing Method	Proposed Method	Improvement (%)
Inventory MAE	4.9 units	3.2 units	34.7
Order-Picking Time	17.3 min	12.5 min	27.8
Anomaly Detection F1-Score	0.81	0.92	13.6

The traditional model uses fixed inventory levels, pre-determined storage patterns, and fixed order picking routes, and the new one utilizes predictive analytics and dynamic routes. Table 3 and Fig 3 outlines a comparative analysis of some important metrics. The findings indicate significant advancements in forecast accuracy, order processing efficiency, and anomaly identification. The average order-picking time went down by 28%, the inventory MAE went down by 35%, and the anomaly detection F1-score went up to 0.92 from 0.81. These results indicate that the integration of IoT sensing and machine learning not only improves operational efficiency but also bolsters resilience against fluctuations in demand and equipment malfunctions. Figure 4 shows a comparison of the time it takes to choose an order. Fig. 5 shows how far the AGV travels.




Fig. 3. Comparison of methods




Fig. 4. Order Picking Time Comparison




Fig. 5. AGV travel distance distribution

V. CONCLUSION

The application of machine learning and the Internet of Things (IoT) in smart warehouse management reveals that there is a lot of room for improvement in logistics. The system can offer a precise inventory forecast and allocate its storage with less time, order-picking, and more efficiency through real-time sensor data and predictive modeling, which leads to a lower cost of operation and efficiency. Live anomaly detection and predictive maintenance guarantee the stability of equipment and reduce the number of disruptions, and the integration framework ensures a smooth coordination of all the operations in the warehouse. The experimental outcomes show significant gains compared to the traditional rule-based approaches, a significant decrease in the prediction error and order fulfillment time. The solution is not only more resilient in terms of operation, but also offers a scalable and adaptable solution that can react to the changing needs of the supply chain. In general, the suggested IoT-ML framework provides a data-driven basis of the intelligent logistics management of warehouses to reach greater

Authorized licensed use limited to: Cambridge Institute of Technology. Downloaded on October 24,2026 at 04:09:29 UTC from IEEE Xplore. Restrictions apply.

productivity, increased precision, and sustainable operations of the supply chain in the modern environment.

REFERENCES

[1] Younis, H., Sundarakani, B., Alsharairi, M.: Applications of artificial intelligence and machine learning within supply chains: systematic review and future research directions. J. Model. Manag. 17(3), 916–940 (2022)

[2] Pournader, M., Ghaderi, H., Hassanzadegan, A., Fahimnia, B.: Artificial intelligence applications in supply chain management. Int. J. Prod. Econ. 241, 108250 (2021)

[3] Ding, S., Ward, H., Tukker, A.: How Internet of Things can influence the sustainability performance of logistics industries–A Chinese case study. Cleaner Logist. Supply Chain 6, 100094 (2023)

[4] Mohsen, B.M.: Developments of digital technologies related to supply chain management. Proc. Comput. Sci. 220, 788–795 (2023)

[5] R. K. E, B. E. S, N. K. S, S. P. H and S. Kumaran, "Optimizing Supply Chain Management with Reinforcement Learning and IoT: A Smart Logistics Approach," *2025 IEEE 4th World Conference on Applied Intelligence and Computing (AIC)*, GB Nagar, Gwalior, India, 2025, pp. 816-821.

[6] Boute, R.N., Udenio, M.: AI in logistics and supply chain management. In: Global Logistics and Supply Chain Strategies for the 2020s: Vital Skills for the Next Generation, pp. 49–65. Springer (2022)

[7] S. Karuppiah, S. R, E. B. R J, A. A. T. S, A. S and S. Kumaran, "Employee Retention Analytics: Predictive Modeling for Workforce Stability and Talent Management," *2025 IEEE 4th World Conference on Applied Intelligence and Computing (AIC)*, GB Nagar, Gwalior, India, 2025, pp. 420-425.

[8] S. Karuppiah, C. T, B. R. S, B. K, S. S and S. Kumaran, "AI-Powered Talent Acquisition: Enhancing Recruitment and Workforce Analytics Using Machine Learning," *2025 IEEE 4th World Conference on Applied Intelligence and Computing (AIC)*, GB Nagar, Gwalior, India, 2025, pp. 179-184.

[9] Kumar, P.J.S., Petla, R.K., Elangovan, K., Kuppusamy, P.G.: Artificial intelligence revolution in logistics and supply chain management. Artif. Intell. Techn. Wirel. Commun. Netw. 31–45 (2022)

[10] S. Kumaran, J. K. Selvaranee, V. Aruna, N. Thendral, B. S. Kumar and C. S. Manikandababu, "Real Time Defect Detection in Radiographic Images of Aluminum Components using Deep Learning," *2025 6th International Conference on Electronics and Sustainable Communication Systems (ICESC)*, Coimbatore, India, 2025, pp. 2266-2271.

[11] Rele, Mayur, et al. "Exploring Ransomware Detection Based on Artificial Intelligence and Machine Learning." Procedia Computer Science 252 (2025): 548-556.

[12] A. S. Kiruba, D. J. Sri, V. Meenakshi, S. Jeyaraman, R. Gokul and S. Kumaran, "Risk Prediction in Financial Markets Using Hybrid AI and Time Series Forecasting Models," *2025 International Conference on Sensors and Related Networks (SENNET) Special Focus on Digital Healthcare(64220)*, Vellore, India, 2025, pp. 1-7.

[13] C. Elfathi, L. Laaouina, A. Jeghal and H. Tairi, "Intelligent Agents in Smart Logistics and Warehouse Automation: Overview," 2025 5th International Conference on Innovative Research in Applied Science, Engineering and Technology (IRASET), Fez, Morocco, 2025, pp. 1-8

[14] Menaga.A, Sangeetha.T, S. K B, Abishek.S, Swetha.G and S. Kumaran, "Predictive Modelling of Customer Lifetime Value Using AI and Machine Learning Algorithms," *2025 International Conference on Sensors and Related Networks (SENNET) Special Focus on Digital Healthcare(64220)*, Vellore, India, 2025, pp. 1-6.

[15] W. -T. Sung and C. -Y. Lu, "Smart Warehouse Management Based on IoT Architecture," 2018 International Symposium on Computer, Consumer and Control (IS3C), Taichung, Taiwan, 2022, pp. 169-172

Authorized licensed use limited to: Cambridge Institute of Technology. Downloaded on October 24,2026 at 04:09:29 UTC from IEEE Xplore. Restrictions apply.