Demand Range

INDUSTRIAL OPPORTUNITY INTELLIGENCE

OPPORTUNITY BRIEF · DEMO-IE-FB-0001

Northstar Beverages Ireland Bottling-line & utilities expansion

A fictional brownfield expansion in County Kildare illustrates project-signal research, not the format required for every account. **Company-level research is the default.** Named contacts and outreach are separate scopes, not included by default; this sample authorises neither.

STAGE (EXAMPLE)	BUYING WINDOW	SCORE (ILLUSTRATIVE)	NEXT REVIEW (EXAMPLE)
Design / early package definition	**3–9 months (illustrative)**	**82 / 100 · Priority**	**30 days · not an SLA**

Executive thesis

Northstar Beverages Ireland appears to be preparing a brownfield bottling-line and utilities expansion at its Kildare facility. Three invented, corroborating signals — a planning application, project-engineering recruitment and a contractor appointment — indicate movement from planning and design toward detailed design and mobilisation.

A supplier of process, utility or automation equipment may still have time to influence key package choices, but the procurement route and incumbent standards remain unknown. The illustrated first step is to confirm which role owns package definition — the plant's project engineering function or the appointed contractor. This is not authority to contact anyone.

> **Why it may matter to you:** in this invented scenario, the research questions cover product transfer, CIP capacity, valve automation, utilities, dosing, instrumentation and spares. These are hypotheses, not a technical assessment or evidence of available packages.

Evidence trail · fictional sources and dates

DATE	SOURCE (FICTIONAL)	OBSERVED FACT	EXAMPLE QUALITY
12 Jun 2026	County planning register	Application describes a 2,800 m² production extension and a new external utility area, including plant room.	**Primary · authoritative**
02 Jul 2026	Company careers page	Senior Project Engineer role requiring bottling-line, utilities and commissioning experience; 18-month contract.	**Primary · commercial**
21 Jul 2026	Contractor press release	Meath-based engineering contractor announces appointment to a “beverage facility upgrade in County Kildare”.	**Primary · commercial**

Interpretation: the three signals are consistent with a project moving toward detailed design and mobilisation. They do **not** prove that equipment packages remain unselected, that procurement has started, or that any incumbent is displaced. Live source references include retrieval dates; preservation, checksums and customer access depend on source rights and agreed scope.

Illustrative opportunity score

ILLUSTRATIVE SCORING

Product fit	27/30
Timing	20/25
Evidence	17/20
Access	10/15
Value	8/10
Priority, subject to qualification	82/100

This invented score illustrates analyst prioritisation, not validation, buyer access, buying intent or a revenue forecast.

Likely equipment relevance

- Hygienic product-transfer and CIP pumping
- Sanitary valves and automated manifolds
- Flow, pressure and conductivity instrumentation
- Utility water and wastewater handling
- Dosing and chemical handling
- Compressed air and services
- Commissioning spares and service agreements

> **Scoped to you:** in a live engagement this section is written against your specific product range — not a generic equipment list.

Buying roles to map

ROLES ONLY · NO PEOPLE NAMED

Company-level research is the default. This sample names roles and why each one matters, not people. Named contacts and outreach are separate scopes, not included by default, and any named-person work needs agreed source, privacy, data and legal controls.

Project engineering lead

Northstar Beverages Ireland (fictional)

Why the role matters: usually owns scope, schedule and vendor coordination for an expansion, so it is the likely route into package definition.

To confirm: whether package definition sits with the plant or the contractor.

Utilities and site services

Northstar Beverages Ireland (fictional)

Why the role matters: the new external utility area falls in this function's remit; utility-water, air and services packages are likely to route through it.

To confirm: whether utilities are a separate capital package.

Group procurement

Northstar Group (fictional)

Why the role matters: group-level procurement appears to run capital purchasing in this scenario.

To confirm: the purchasing route — direct, contractor or EPC — is unconfirmed.

Contractor's projects function

Appointed engineering contractor (fictional)

Why the role matters: the contractor announced the appointment; detailed design and several package selections may sit with it.

To confirm: which packages the contractor controls.

Known unknowns

- Equipment already specified or framework-bound?
- Incumbent brands and site standards
- Exact line throughput and product characteristics
- Whether the project will be phased
- Who owns detailed design — plant or contractor
- Direct, contractor or EPC purchasing route
- Planned commissioning date
- Which technical risk the team cares most about

Illustrative engagement plan · not outreach authority

Example first action — technical conversation

Example only: a question a supplier might put to the project engineering function or the appointed contractor. Any real outreach needs a separately agreed scope and applicable source, privacy and legal authority.

> *"We've been following the proposed production and utility expansion at your Kildare site. Has the team confirmed which production and utility systems are in scope, and whether any pump or valve packages remain under review?"*

Illustrative follow-up questions

- Confirm the design and procurement route (plant vs. contractor vs. EPC)
- Identify what the appointed contractor controls
- Map installed standards and incumbent brands
- Establish whether utilities and production are one capital package or several
- Identify the maintenance owner for the service/spares conversation

Re-score triggers

Example review triggers: tender or procurement notice; integrator or EPC appointment; revised planning; utilities application; commissioning recruitment; construction start; supplier announcement. Review timing is agreed, not a standard SLA.

What a live brief adds

- **Company-level research by default;** fields and review timing agreed in writing.
- Traceable sources and retrieval dates; preservation and customer use only where rights permit.
- Named contacts and outreach are separate scopes, not included by default, and require source, privacy, data and legal authority.
- Product-specific scoring by agreement; outcome review only with authorised client feedback. No buying intent or results are promised.

> **Fictional sample.** Companies, roles, project dates, events and scores are invented. No people are named and no contact details are given. No real validation or outreach authority. The revision date and publisher details are not fictional.

Want this format for your market?

partners@demandrange.com · demandrange.com

REQUEST A WRITTEN SCOPE