

5. Guo, Yang; Sivalingam, Kantharuban; Valeev, Edward F.; Neese, Frank. Explicitly Correlated N-Electron Valence State Perturbation Theory (NEVPT2-F12). *J. Chem. Phys.*, **2017**, 147 (6), 064110. DOI: 10.1063/1.4996560.
6. Pathak, Shubhrodeep; Lang, Lucas; Neese, Frank. A Dynamic Correlation Dressed Complete Active Space Method: Theory, Implementation, and Preliminary Applications. *J. Chem. Phys.*, **2017**, 147, 234109.
7. Huntington, L. M. J.; Krupička, M.; Neese, F.; Izsák, R. Similarity transformed equation of motion coupled-cluster theory based on an unrestricted Hartree-Fock reference for applications to high-spin open-shell systems. *J. Chem. Phys.*, **2017**, 147, 174104.
8. Dutta, Achintya Kumar; Nooijen, Marcel; Neese, Frank; Izsák, Róbert. Automatic active space selection for the similarity transformed equations of motion coupled cluster method. *J. Chem. Phys.*, **2017**, 146 (7), 074103.
9. Dutta, Achintya Kumar; Neese, Frank; Izsák, Róbert. A simple scheme for calculating approximate transition moments within the equation of motion expectation value formalism. *J. Chem. Phys.*, **2017**, 146 (21), 214111.
10. Grimme, Stefan; Bannwarth, Christoph; Dohm, Sebastian; Hansen, Andreas; Pisarek, Jana; Pracht, Philipp; Seibert, Jakob; Neese, Frank. Fully Automated Quantum-Chemistry-Based Computation of Spin-Spin-Coupled Nuclear Magnetic Resonance Spectra. *Angew. Chem. Int. Ed.*, **2017**, 56 (46), 14763–14769. DOI: 10.1002/anie.201708266.
11. Kalinowski, Jaroslaw; Wennmohs, Frank; Neese, Frank. Arbitrary angular momentum electron repulsion integrals with graphical processing units: Application to the resolution of identity hartree-fock method. *J. Chem. Theory Comput.*, **2017**, 13 (7), 3160–3170.
12. Maganas, Dimitrios; DeBeer, Serena; Neese, Frank. A Restricted Open Configuration Interaction with Singles Method To Calculate Valence-to-Core Resonant X-ray Emission Spectra: A Case Study. *Inorg. Chem.*, **2017**, 56 (19), 11819–11836. DOI: 10.1021/acs.inorgchem.7b01810.
13. Mai, Sebastian; Plasser, Felix; Pabst, Mathias; Neese, Frank; Köhn, Andreas; González, Leticia. Surface Hopping Dynamics Including Intersystem Crossing Using the Algebraic Diagrammatic Construction Method. *J. Chem. Phys.*, **2017**, 147 (18), 184109. DOI: 10.1063/1.4999687.
14. Pavošević, Fabijan; Peng, Chong; Pinski, Peter; Riplinger, Christoph; Neese, Frank; Valeev, Edward F. SparseMaps—A systematic infrastructure for reduced scaling electronic structure methods. V. Linear scaling explicitly correlated coupled-cluster method with pair natural orbitals. *J. Chem. Phys.*, **2017**, 146 (17), 174108.
15. Veis, Libor; Antalík, Andrej; Brabec, Jiri; Neese, Frank; Legeza, Ors; Pittner, Jiri. Coupled cluster method with single and double excitations tailored by matrix product state wave functions. *J. Phys. Chem. Lett.*, **2016**, 7 (20), 4072–4078.

## B.2 Relevant Applications, Benchmarks and Reviews

### B.2.1 2024

1. Gray, Montgomery; Herbert, John M. Assessing the domain-based local pair natural orbital (DLPNO) approximation for non-covalent interactions in sizable supramolecular complexes. *J. Chem. Phys.*, **2024**, 161 (5), 054114. arXiv:https://pubs.aip.org/aip/jcp/article-pdf/doi/10.1063/5.0206533/20096343/054114\_1\_5.0206533.pdf, DOI: 10.1063/5.0206533.

## B.2.2 2023

1. Neugebauer, Hagen; Pinski, Peter; Grimme, Stefan; Neese, Frank; Bursch, Markus. Assessment of DLPNO-MP2 Approximations in Double-Hybrid DFT. *J. Chem. Theory Comput.*, **2023**, 19 (21), 7695–7703. DOI: [10.1021/acs.jctc.3c00896](https://doi.org/10.1021/acs.jctc.3c00896).
2. Wappett, Dominique A.; Goerigk, Lars. Exploring CPS-Extrapolated DLPNO–CCSD(T1) Reference Values for Benchmarking DFT Methods on Enzymatically Catalyzed Reactions. *J. Phys. Chem. A*, **2024**, 128 (1), 62–72. DOI: [10.1021/acs.jpca.3c05086](https://doi.org/10.1021/acs.jpca.3c05086).
3. Wang, Zikuan; Neese, Frank. Development of NOTCH, an all-electron, beyond-NDDO semiempirical method: Application to diatomic molecules. *The Journal of Chemical Physics*, **2023**, 158 (18), 184102. DOI: [10.1063/5.0141686](https://doi.org/10.1063/5.0141686).

## B.2.3 2022

1. Bursch, Markus; Mewes, Jan-Michael; Hansen, Andreas; Grimme, Stefan. Best-Practice DFT Protocols for Basic Molecular Computational Chemistry. *Angew. Chem. Int. Ed.*, **2022**, 61 (42), e202205735. DOI: [10.1002/anie.202205735](https://doi.org/10.1002/anie.202205735).

## B.2.4 2021

1. Brémond, Éric; Sancho-García, Juan Carlos; Pérez-Jiménez, Ángel José; Adamo, Carlo. *J. Chem. Phys.*, **2014**, 141, 031101.
2. Beck, M. E.; Riplinger, C.; Neese, F.; Bistoni, G. Unraveling Individual Host-Guest Interactions in Molecular Recognition from First Principles Quantum Mechanics: Insights into the Nature of Nicotinic Acetylcholine Receptor Agonist Binding. *J. Comput. Chem.*, **2021**, 42 (5), 293–302. DOI: [10.1002/jcc.26454](https://doi.org/10.1002/jcc.26454).
3. Berraud-Pache, R.; Santamaria-Aranda, E.; de Souza, B.; Bistoni, G.; Neese, F.; Sampedro, D.; Izsak, R. Redesigning Donor-Acceptor Stenhouse Adduct Photoswitches through a Joint Experimental and Computational Study. *Chem. Sci.*, **2021**, 12 (8), 2916–2924. DOI: [10.1039/d0sc06575g](https://doi.org/10.1039/d0sc06575g).
4. Bursch, Markus; Hansen, Andreas; Pracht, Philipp; Kohn, Julia T.; Grimme, Stefan. Theoretical study on conformational energies of transition metal complexes. *Phys. Chem. Chem. Phys.*, **2021**, 23, 287–299. DOI: [10.1039/D0CP04696E](https://doi.org/10.1039/D0CP04696E).
5. Daniel, C.; Gonzalez, L.; Neese, F. Quantum Theory: The Challenge of Transition Metal Complexes. *Phys. Chem. Chem. Phys.*, **2021**, 23 (4), 2533–2534. DOI: [10.1039/d0cp90278k](https://doi.org/10.1039/d0cp90278k).
6. Maurer, Leonard R.; Bursch, Markus; Grimme, Stefan; Hansen, Andreas. Assessing Density Functional Theory for Chemically Relevant Open-Shell Transition Metal Reactions. *J. Chem. Theory Comput.*, **2021**, 17 (10), 6134–6151. DOI: [10.1021/acs.jctc.1c00659](https://doi.org/10.1021/acs.jctc.1c00659).
7. Schulz, C. E.; van Gastel, M.; Pantazis, D. A.; Neese, F. Converged Structural and Spectroscopic Properties for Refined QM/MM Models of Azurin. *Inorg. Chem.*, **2021**, 60 (10), 7399–7412. DOI: [10.1021/acs.inorgchem.1c00640](https://doi.org/10.1021/acs.inorgchem.1c00640).
8. Schulz, C. E.; Castillo, R. G.; Pantazis, D. A.; DeBeer, S.; Neese, F. Structure-Spectroscopy Correlations for Intermediate q of Soluble Methane Monooxygenase: Insights from QM/MM Calculations. *J. Am. Chem. Soc.*, **2021**, 143 (17), 6560–6577. DOI: [10.1021/jacs.1c01180](https://doi.org/10.1021/jacs.1c01180).
9. Sirohiwal, A.; Neese, F.; Pantazis, D. A. How Can We Predict Accurate Electrochromic Shifts for Biochromophores? A Case Study on the Photosynthetic Reaction Center. *J. Chem. Theory Comput.*, **2021**, 17 (3), 1858–1873. DOI: [10.1021/acs.jctc.0c01152](https://doi.org/10.1021/acs.jctc.0c01152).
10. Sirohiwal, A.; Neese, F.; Pantazis, D. A. Chlorophyll excitation energies and structural stability of the CP47 antenna of photosystem II: a case study in the first-principles simulation of light-harvesting complexes. *Chem. Sci.*, **2021**, 12 (12), 4463–4476. DOI: [10.1039/d0sc06616h](https://doi.org/10.1039/d0sc06616h).

11. Tarrago, M.; Romelt, C.; Nehrkorn, J.; Schnegg, A.; Neese, F.; Bill, E.; Ye, S. F. Experimental and Theoretical Evidence for an Unusual Almost Triply Degenerate Electronic Ground State of Ferrous Tetraphenylporphyrin. *Inorg. Chem.*, **2021**, 60 (7), 4966–4985. DOI: [10.1021/acs.inorgchem.1c00031](https://doi.org/10.1021/acs.inorgchem.1c00031).

## B.2.5 2020

1. Rolfes, Julian D.; Neese, Frank; Pantazis, Dimitrios A. All-Electron Scalar Relativistic Basis Sets for the Elements Rb–Xe. *J. Comput. Chem.*, **2020**, 41, 1842–1849. DOI: [10.1002/jcc.26355](https://doi.org/10.1002/jcc.26355).
2. Chilkuri, Vijay Gopal; DeBeer, Serena; Neese, Frank. Ligand Field Theory and Angular Overlap Model Based Analysis of the Electronic Structure of Homovalent Iron–Sulfur Dimers. *Inorg. Chem.*, **2020**, 59 (2), 984–995. DOI: [10.1021/acs.inorgchem.9b00974](https://doi.org/10.1021/acs.inorgchem.9b00974).
3. Sirohiwal, Abhishek; Berraud-Pache, Romain; Neese, Frank; Izsák, Róbert; Pantazis, Dimitrios A. Accurate Computation of the Absorption Spectrum of Chlorophyll a with Pair Natural Orbital Coupled Cluster Methods. *J. Phys. Chem. B*, **2020**, 124 (40), 8761–8771. DOI: [10.1021/acs.jpcc.0c05761](https://doi.org/10.1021/acs.jpcc.0c05761).
4. Chakarawet, K.; Atanasov, M.; Marbey, J.; Bunting, P. C.; Neese, F.; Hill, S.; Long, J. R. Strong Electronic and Magnetic Coupling in M-4 (m = Ni, Cu) Clusters via Direct Orbital Interactions between Low-Coordinate Metal Centers. *J. Am. Chem. Soc.*, **2020**, 142 (45), 19161–19169. DOI: [10.1021/jacs.0c08460](https://doi.org/10.1021/jacs.0c08460).
5. Dittmer, A.; Stoychev, G. L.; Maganas, D.; Auer, A. A.; Neese, F. Computation of NMR Shielding Constants for Solids Using an Embedded Cluster Approach with DFT, Double-Hybrid DFT, and MP2. *J. Chem. Theory Comput.*, **2020**, 16 (11), 6950–6967. DOI: [10.1021/acs.jctc.0c00067](https://doi.org/10.1021/acs.jctc.0c00067).
6. Floser, B. M.; Guo, Y.; Riplinger, C.; Tuzcek, F.; Neese, F. Detailed Pair Natural Orbital-Based Coupled Cluster Studies of Spin Crossover Energetics. *J. Chem. Theory Comput.*, **2020**, 16 (4), 2224–2235. DOI: [10.1021/acs.jctc.9b01109](https://doi.org/10.1021/acs.jctc.9b01109).
7. Gottschalk, H. C.; Poblitzki, A.; Fatima, M.; Obenchain, D. A.; Perez, C.; Antony, J.; Auer, A. A.; Baptista, L.; Benoit, D. M.; Bistoni, G.; Bohle, F.; Dahmani, R.; Firaha, D.; Grimme, S.; Hansen, A.; Harding, M. E.; Hochlaf, M.; Holzer, C.; Jansen, G.; Klopper, W.; Kopp, W. A.; Kroger, L. C.; Leonhard, K.; Al-Mogren, M. M.; Mouhib, H.; Neese, F.; Pereira, X. N.; Prakash, M.; Ulusoy, I. S.; Mata, R. A.; Suhm, M. A.; Schnell, M. The First Microsolvation Step for Furans: New Experiments and Benchmarking Strategies. *J. Chem. Phys.*, **2020**, 152 (16), 17. DOI: [10.1063/5.0004465](https://doi.org/10.1063/5.0004465).
8. Neugebauer, Hagen; Bohle, Fabian; Bursch, Markus; Hansen, Andreas; Grimme, Stefan. Benchmark Study of Electrochemical Redox Potentials Calculated with Semiempirical and DFT Methods. *J. Phys. Chem. A*, **2020**, 124 (35), 7166–7176. DOI: [10.1021/acs.jpca.0c05052](https://doi.org/10.1021/acs.jpca.0c05052).
9. Hillenbrand, J.; van Gastel, M.; Bill, E.; Neese, F.; Furstner, A. Isolation of a Homoleptic Non-Oxo Mo(V) Alkoxide Complex: Synthesis, Structure, and Electronic Properties of Penta-Tert-Butoxymolybdenum. *J. Am. Chem. Soc.*, **2020**, 142 (38), 16392–16402. DOI: [10.1021/jacs.0c07073](https://doi.org/10.1021/jacs.0c07073).
10. Jung, J.; Löffler, S. T.; Langmann, J.; Heinemann, F. W.; Bill, E.; Bistoni, G.; Scherer, W.; Atanasov, M.; Meyer, K.; Neese, F. Dispersion Forces Drive the Formation of Uranium-Alkane Adducts. *J. Am. Chem. Soc.*, **2020**, 142 (4), 1864–1870. DOI: [10.1021/jacs.9b10620](https://doi.org/10.1021/jacs.9b10620).
11. Maganas, D.; Kowalska, J. K.; Van Stappen, C.; DeBeer, S.; Neese, F. Mechanism of L-2,L-3-Edge x-Ray Magnetic Circular Dichroism Intensity from Quantum Chemical Calculations and Experiment—A Case Study on V-(IV)/V-(III) Complexes. *J. Chem. Phys.*, **2020**, 152 (11), 15. DOI: [10.1063/1.5129029](https://doi.org/10.1063/1.5129029).
12. Meyer, F.; Neese, F. Impact of Modern Spectroscopy in Inorganic Chemistry. *Inorg. Chem.*, **2020**, 59 (19), 13805–13806. DOI: [10.1021/acs.inorgchem.0c02755](https://doi.org/10.1021/acs.inorgchem.0c02755).
13. Reza Ghafarian Shirazi, Dimitrios A. Pantazis; Neese, Frank. Performance of density functional theory and orbital-optimised second-order perturbation theory methods for geometries and singlet–triplet state splittings of aryl-carbenes. *Mol. Phys.*, **2020**, 118 (21–22), e1764644. DOI: [10.1080/00268976.2020.1764644](https://doi.org/10.1080/00268976.2020.1764644).
14. Sirohiwal, A.; Neese, F.; Pantazis, D. A. Protein Matrix Control of Reaction Center Excitation in Photosystem II. *J. Am. Chem. Soc.*, **2020**, 142 (42), 18174–18190. DOI: [10.1021/jacs.0c08526](https://doi.org/10.1021/jacs.0c08526).

15. Spiller, N.; Chilkuri, V. G.; DeBeer, S.; Neese, F. Sulfur vs. Selenium as Bridging Ligand in Di-Iron Complexes: A Theoretical Analysis. *Eur. J. Inorg. Chem.*, **2020**, 2020 (15-16), 1525–1538. DOI: 10.1002/ejic.202000033.
16. Yepes, D.; Neese, F.; List, B.; Bistoni, G. Unveiling the Delicate Balance of Steric and Dispersion Interactions in Organocatalysis Using High-Level Computational Methods. *J. Am. Chem. Soc.*, **2020**, 142 (7), 3613–3625. DOI: 10.1021/jacs.9b13725.

## B.2.6 2019

1. Maganas, Dimitrios; Kowalska, Joanna K.; Nooijen, Marcel; DeBeer, Serena; Neese, Frank. Comparison of Multireference Ab Initio Wavefunction Methodologies for X-Ray Absorption Edges: A Case Study on  $[\text{Fe(II/III)Cl}_4]^{2-/1-}$  Molecules. *J. Chem. Phys.*, **2019**, 150 (10), 104106. DOI: 10.1063/1.5051613.
2. Helmich-Paris, Benjamin. Benchmarks for Electronically Excited States with CASSCF Methods. *J. Chem. Theory Comput.*, **2019**, 15 (7), 4170–4179. DOI: 10.1021/acs.jctc.9b00325.
3. Dittmer, Anneke; Izsák, Róbert; Neese, Frank; Maganas, Dimitrios. Accurate Band Gap Predictions of Semiconductors in the Framework of the Similarity Transformed Equation of Motion Coupled Cluster Theory. *Inorg. Chem.*, **2019**, 58 (14), 9303–9315. DOI: 10.1021/acs.inorgchem.9b00994.
4. Altun, Ahmet; Neese, Frank; Bistoni, Giovanni. Effect of Electron Correlation on Intermolecular Interactions: A Pair Natural Orbitals Coupled Cluster Based Local Energy Decomposition Study. *J. Chem. Theory Comput.*, **2019**, 15 (1), 215–228. DOI: 10.1021/acs.jctc.8b00915.
5. Berraud-Pache, R.; Neese, F.; Bistoni, G.; Izsak, R. Computational Design of Near-Infrared Fluorescent Organic Dyes Using an Accurate New Wave Function Approach. *J. Phys. Chem. Lett.*, **2019**, 10 (17), 4822–4828. DOI: 10.1021/acs.jpclett.9b02240.
6. Chang, H. C.; Lin, Y. H.; Werle, C.; Neese, F.; Lee, W. Z.; Bill, E.; Ye, S. F. Conversion of a Fleeting Open-Shell Iron Nitride into an Iron Nitrosyl. *Angew. Chem. Int. Ed.*, **2019**, 58 (49), 17589–17593. DOI: 10.1002/anie.201908689.
7. Chang, H. C.; Mondal, B.; Fang, H. Y.; Neese, F.; Bill, E.; Ye, S. F. Electron Paramagnetic Resonance Signature of Tetragonal Low Spin Iron(V)-Nitrido and -Oxo Complexes Derived from the Electronic Structure Analysis of Heme and Non-Heme Archetypes. *J. Am. Chem. Soc.*, **2019**, 141 (6), 2421–2434. DOI: 10.1021/jacs.8b11429.
8. Bursch, Markus; Caldeweyher, Eike; Hansen, Andreas; Neugebauer, Hagen; Ehlert, Sebastian; Grimme, Stefan. Understanding and Quantifying London Dispersion Effects in Organometallic Complexes. *Acc. Chem. Res.*, **2019**, 52 (1), 258–266. DOI: 10.1021/acs.accounts.8b00505.
9. Keilwerth, M.; Hohenberger, J.; Heinemann, F. W.; Sutter, J.; Scheurer, A.; Fang, H. Y.; Bill, E.; Neese, F.; Ye, S. F.; Meyer, K. A Series of Iron Nitrosyl Complexes Fe-NO(6-9) and a Fleeting Fe-NO(10) Intermediate En Route to a Metalacyclic Iron Nitrosoalkane. *J. Am. Chem. Soc.*, **2019**, 141 (43), 17217–17235. DOI: 10.1021/jacs.9b08053.
10. Krewald, Vera; Neese, Frank; Pantazis, Dimitrios A. Implications of structural heterogeneity for the electronic structure of the final oxygen-evolving intermediate in photosystem II. *J. Inorg. Biochem.*, **2019**, 199, 110797. DOI: 10.1016/j.jinorgbio.2019.110797.
11. Lu, Q.; Neese, F.; Bistoni, G. London Dispersion Effects in the Coordination and Activation of Alkanes in Sigma-Complexes: A Local Energy Decomposition Study. *Phys. Chem. Chem. Phys.*, **2019**, 21 (22), 11569–11577. DOI: 10.1039/c9cp01309a.
12. Neese, F.; Atanasov, M.; Bistoni, G.; Maganas, D.; Ye, S. F. Chemistry and Quantum Mechanics in 2019: Give Us Insight and Numbers. *J. Am. Chem. Soc.*, **2019**, 141 (7), 2814–2824. DOI: 10.1021/jacs.8b13313.
13. Saitow, M.; Dutta, A. K.; Neese, F. Accurate Ionization Potentials, Electron Affinities and Electronegativities of Single-Walled Carbon Nanotubes by State-of-the-Art Local Coupled-Cluster Theory. *Bull. Chem. Soc. Jpn.*, **2019**, 92 (1), 170–174. DOI: 10.1246/bcsj.20180254.
14. Salla, Cristian A. M.; Teixeira dos Santos, Jéssica; Farias, Giliandro; Bortoluzi, Adailton J.; Curcio, Sergio F.; Cazati, Thiago; Izsák, Róbert; Neese, Frank; de Souza, Bernardo; Bechtold, Ivan H. New Boron(III) Blue

- Emitters for All-Solution Processed OLEDs: Molecular Design Assisted by Theoretical Modeling. *Eur. J. Inorg. Chem.*, **2019**, 2019 (17), 2247–2257. DOI: [10.1002/ejic.201900265](https://doi.org/10.1002/ejic.201900265).
15. Shirazi, R. G.; Neese, F.; Pantazis, D. A.; Bistoni, G. Physical Nature of Differential Spin-State Stabilization of Carbenes by Hydrogen and Halogen Bonding: A Domain-Based Pair Natural Orbital Coupled Cluster Study. *J. Phys. Chem. A*, **2019**, 123 (24), 5081–5090. DOI: [10.1021/acs.jpca.9b01051](https://doi.org/10.1021/acs.jpca.9b01051).
  16. Sirohiwal, A.; Neese, F.; Pantazis, D. A. Microsolvation of the Redox-Active Tyrosine-d in Photosystem II: Correlation of Energetics with EPR Spectroscopy and Oxidation-Induced Proton Transfer. *J. Am. Chem. Soc.*, **2019**, 141 (7), 3217–3231. DOI: [10.1021/jacs.8b13123](https://doi.org/10.1021/jacs.8b13123).
  17. Stavretis, Shelby E.; Cheng, Yongqiang; Daemen, Luke L.; Brown, Craig M.; Moseley, Duncan H.; Bill, Eckhard; Atanasov, Mihail; Ramirez-Cuesta, Anibal J.; Neese, Frank; Xue, Zi-Ling. Probing Magnetic Excitations in CoII Single-Molecule Magnets by Inelastic Neutron Scattering. *Eur. J. Inorg. Chem.*, **2019**, 2019 (8), 1119–1127. DOI: [10.1002/ejic.201801088](https://doi.org/10.1002/ejic.201801088).
  18. Thomsen, M. K.; Nyvang, A.; Walsh, J. P. S.; Bunting, P. C.; Long, J. R.; Neese, F.; Atanasov, M.; Genoni, A.; Overgaard, J. Insights into Single-Molecule-Magnet Behavior from the Experimental Electron Density of Linear Two-Coordinate Iron Complexes. *Inorg. Chem.*, **2019**, 58 (5), 3211–3218. DOI: [10.1021/acs.inorgchem.8b03301](https://doi.org/10.1021/acs.inorgchem.8b03301).

## B.2.7 2018

1. Altun, A.; Neese, F.; Bistoni, G. Local Energy Decomposition Analysis of Hydrogen-Bonded Dimers within a Domain-Based Pair Natural Orbital Coupled Cluster Study. *Beilstein J. Org. Chem.*, **2018**, 14, 919–929. DOI: [10.3762/bjoc.14.79](https://doi.org/10.3762/bjoc.14.79).
2. Bistoni, G.; Polyak, I.; Sparta, M.; Thiel, W.; Neese, F. Toward Accurate QM/MM Reaction Barriers with Large QM Regions Using Domain Based Pair Natural Orbital Coupled Cluster Theory. *J. Chem. Theory Comput.*, **2018**, 14 (7), 3524–3531. DOI: [10.1021/acs.jctc.8b00348](https://doi.org/10.1021/acs.jctc.8b00348).
3. Bunting, P. C.; Atanasov, M.; Damgaard-Moller, E.; Perfetti, M.; Crassee, I.; Orlita, M.; Overgaard, J.; van Slageren, J.; Neese, F.; Long, J. R. A Linear Cobalt(II) Complex with Maximal Orbital Angular Momentum from a Non-Aufbau Ground State. *Science*, **2018**, 362 (6421), A Linear Cobalt(II) Complex with Ma. DOI: [10.1126/science.aat7319](https://doi.org/10.1126/science.aat7319).
4. Chantzis, A.; Kowalska, J. K.; Maganas, D.; DeBeer, S.; Neese, F. Ab Initio Wave Function-Based Determination of Element Specific Shifts for the Efficient Calculation of x-Ray Absorption Spectra of Main Group Elements and First Row Transition Metals. *J. Chem. Theory Comput.*, **2018**, 14 (7), 3686–3702. DOI: [10.1021/acs.jctc.8b00249](https://doi.org/10.1021/acs.jctc.8b00249).
5. Collins, L. R.; van Gastel, M.; Neese, F.; Furstner, A. Enhanced Electrophilicity of Heterobimetallic Bi-Rh Paddlewheel Carbene Complexes: A Combined Experimental, Spectroscopic, and Computational Study. *J. Am. Chem. Soc.*, **2018**, 140 (40), 13042–13055. DOI: [10.1021/jacs.8b08384](https://doi.org/10.1021/jacs.8b08384).
6. David, G.; Wennmohs, F.; Neese, F.; Ferre, N. Chemical Tuning of Magnetic Exchange Couplings Using Broken-Symmetry Density Functional Theory. *Inorg. Chem.*, **2018**, 57 (20), 12769–12776. DOI: [10.1021/acs.inorgchem.8b01970](https://doi.org/10.1021/acs.inorgchem.8b01970).
7. Gatzemeier, T.; Turberg, M.; Yepes, D.; Xie, Y. W.; Neese, F.; Bistoni, G.; List, B. Scalable and Highly Diastereo- and Enantioselective Catalytic Diels-Alder Reaction of Alpha,Beta-Unsaturated Methyl Esters. *J. Am. Chem. Soc.*, **2018**, 140 (40), 12671–12676. DOI: [10.1021/jacs.8b07092](https://doi.org/10.1021/jacs.8b07092).
8. Gottschalk, H. C.; Poblitzki, A.; Suhm, M. A.; Al-Mogren, M. M.; Antony, J.; Auer, A. A.; Baptista, L.; Benoit, D. M.; Bistoni, G.; Bohle, F.; Dahmani, R.; Firaha, D.; Grimme, S.; Hansen, A.; Harding, M. E.; Hochlaf, M.; Holzer, C.; Jansen, G.; Kloppe, W.; Kopp, W. A.; Kroger, L. C.; Leonhard, K.; Mouhib, H.; Neese, F.; Pereira, M. N.; Ulusoy, I. S.; Wuttke, A.; Mata, R. A. The Furan Microsolvation Blind Challenge for Quantum Chemical Methods: First Steps. *J. Chem. Phys.*, **2018**, 148 (1), 13. DOI: [10.1063/1.5009011](https://doi.org/10.1063/1.5009011).
9. Kubas, Adam; Verkamp, Max; Vura-Weis, Josh; Neese, Frank; Maganas, Dimitrios. Restricted open-shell configuration interaction singles study on M- and L-edge x-ray absorption spectroscopy of solid chemical systems. *J. Chem. Theory Comput.*, **2018**, 14 (8), 4320–4334. DOI: [10.1021/acs.jctc.8b00302](https://doi.org/10.1021/acs.jctc.8b00302).



10. Lu, Q.; Neese, F.; Bistoni, G. Formation of Agostic Structures Driven by London Dispersion. *Angew. Chem. Int. Ed.*, **2018**, 57 (17), 4760–4764. DOI: [10.1002/anie.201801531](https://doi.org/10.1002/anie.201801531).
11. Mondal, B.; Neese, F.; Bill, E.; Ye, S. F. Electronic Structure Contributions of Non-Herzberg Oxo-Iron(v) Complexes to the Reactivity. *J. Am. Chem. Soc.*, **2018**, 140 (30), 9531–9544. DOI: [10.1021/jacs.8b04275](https://doi.org/10.1021/jacs.8b04275).
12. Moseley, D. H.; Stavretis, S. E.; Thirunavukkuarasu, K.; Ozerov, M.; Cheng, Y. Q.; Daemen, L. L.; Ludwig, J.; Lu, Z. G.; Smirnov, D.; Brown, C. M.; Pandey, A.; Ramirez-Cuesta, A. J.; Lamb, A. C.; Atanasov, M.; Bill, E.; Neese, F.; Xue, Z. L. Spin-Phonon Couplings in Transition Metal Complexes with Slow Magnetic Relaxation. *Nature Comm.*, **2018**, 9, 11. DOI: [10.1038/s41467-018-04896-0](https://doi.org/10.1038/s41467-018-04896-0).
13. Romelt, C.; Ye, S. F.; Bill, E.; Weyhermüller, T.; van Gastel, M.; Neese, F. Electronic Structure and Spin Multiplicity of Iron Tetraphenylporphyrins in Their Reduced States as Determined by a Combination of Resonance Raman Spectroscopy and Quantum Chemistry. *Inorg. Chem.*, **2018**, 57 (4), 2141–2148. DOI: [10.1021/acs.inorgchem.7b03018](https://doi.org/10.1021/acs.inorgchem.7b03018).
14. Scheibe, B.; Pietzonka, C.; Mustonen, O.; Karppinen, M.; Karttunen, A. J.; Atanasov, M.; Neese, F.; Conrad, M.; Kraus, F. The U2F12 (2-) Anion of Sr U2F12. *Angew. Chem. Int. Ed.*, **2018**, 57 (11), 2914–2918. DOI: [10.1002/anie.201800743](https://doi.org/10.1002/anie.201800743).
15. Shirazi, R. G.; Neese, F.; Pantazis, D. A. Accurate Spin-State Energetics for Aryl Carbenes. *J. Chem. Theory Comput.*, **2018**, 14 (9), 4733–4746. DOI: [10.1021/acs.jctc.8b00587](https://doi.org/10.1021/acs.jctc.8b00587).
16. Singh, Saurabh Kumar; Atanasov, Mihail; Neese, Frank. Challenges in multireference perturbation theory for the calculations of the g-tensor of first-row transition-metal complexes. *J. Chem. Theory Comput.*, **2018**, 14 (9), 4662–4677.
17. Van Stappen, C.; Maganas, D.; DeBeer, S.; Bill, E.; Neese, F. Investigations of the Magnetic and Spectroscopic Properties of V(III) and V(IV) Complexes. *Inorg. Chem.*, **2018**, 57 (11), 6421–6438. DOI: [10.1021/acs.inorgchem.8b00486](https://doi.org/10.1021/acs.inorgchem.8b00486).
18. Yamamoto, K.; Li, J. K.; Garber, J. A. O.; Rolfes, J. D.; Boursalian, G. B.; Borghs, J. C.; Genicot, C.; Jacq, J.; van Gastel, M.; Neese, F.; Ritter, T. Palladium-Catalysed Electrophilic Aromatic C-H Fluorination. *Nature*, **2018**, 554 (7693), 511–514. DOI: [10.1038/nature25749](https://doi.org/10.1038/nature25749).

## B.2.8 2017

1. Jung, Julie; Atanasov, Mihail; Neese, Frank. Ab Initio Ligand-Field Theory Analysis and Covalency Trends in Actinide and Lanthanide Free Ions and Octahedral Complexes. *Inorg. Chem.*, **2017**, 56 (15), 8802–8816. DOI: [10.1021/acs.inorgchem.7b00642](https://doi.org/10.1021/acs.inorgchem.7b00642).
2. Singh, Saurabh Kumar; Eng, Julien; Atanasov, Mihail; Neese, Frank. Covalency and Chemical Bonding in Transition Metal Complexes: An Ab Initio Based Ligand Field Perspective. *Coord. Chem. Rev.*, **2017**, 344, 2–25. DOI: [10.1016/j.ccr.2017.03.018](https://doi.org/10.1016/j.ccr.2017.03.018).
3. Chakraborty, Uttam; Demeshko, Serhiy; Meyer, Franc; Rebreyend, Christophe; de Bruin, Bas; Atanasov, Mihail; Neese, Frank; Mühldorf, Bernd; Wolf, Robert. Electronic Structure and Magnetic Anisotropy of an Unsaturated Cyclopentadienyl Iron(I) Complex with 15 Valence Electrons. *Angew. Chem. Int. Ed.*, **2017**, 56 (27), 7995–7999. DOI: [10.1002/anie.201702454](https://doi.org/10.1002/anie.201702454).
4. Chilkuri, Vijay Gopal; DeBeer, Serena; Neese, Frank. Revisiting the Electronic Structure of FeS Monomers Using Ab Initio Ligand Field Theory and the Angular Overlap Model. *Inorg. Chem.*, **2017**, 56 (17), 10418–10436. DOI: [10.1021/acs.inorgchem.7b01371](https://doi.org/10.1021/acs.inorgchem.7b01371).
5. Bistoni, Giovanni; Auer, Alexander A.; Neese, Frank. Understanding the Role of Dispersion in Frustrated Lewis Pairs and Classical Lewis Adducts: A Domain-Based Local Pair Natural Orbital Coupled Cluster Study. *Chem. Eur. J.*, **2017**, 23 (4), 865–873.
6. Bistoni, Giovanni; Riplinger, Christoph; Minenkov, Yury; Cavallo, Luigi; Auer, Alexander A.; Neese, Frank. Treating Subvalence Correlation Effects in Domain Based Pair Natural Orbital Coupled Cluster Calculations: An Out-of-the-Box Approach. *J. Chem. Theory Comput.*, **2017**, 13 (7), 3220–3227. DOI: [10.1021/acs.jctc.7b00352](https://doi.org/10.1021/acs.jctc.7b00352).

7. Caldararu, Octav; Olsson, Martin A; Riplinger, Christoph; Neese, Frank; Ryde, Ulf. Binding free energies in the SAMPL5 octa-acid host–guest challenge calculated with DFT-D3 and CCSD (T). *J. Comput.-Aided Mol. Des.*, **2017**, 31 (1), 87–106. DOI: [10.1007/s10822-016-9957-5](https://doi.org/10.1007/s10822-016-9957-5).
8. Kubas, Adam; Noak, Johannes; Trunschke, Annette; Schlögl, Robert; Neese, Frank; Maganas, Dimitrios. A combined experimental and theoretical spectroscopic protocol for determination of the structure of heterogeneous catalysts: developing the information content of the resonance Raman spectra of M1 MoVOx. *Chem. Sci.*, **2017**, 8 (9), 6338–6353. DOI: [10.1039/C7SC01771E](https://doi.org/10.1039/C7SC01771E).
9. Minenkov, Yury; Bistoni, Giovanni; Riplinger, Christoph; Auer, Alexander A; Neese, Frank; Cavallo, Luigi. Pair natural orbital and canonical coupled cluster reaction enthalpies involving light to heavy alkali and alkaline earth metals: the importance of sub-valence correlation. *Phys. Chem. Chem. Phys.*, **2017**, 19 (14), 9374–9391.
10. Neese, Frank. High-Level Spectroscopy, Quantum Chemistry, and Catalysis: Not just a Passing Fad. *Angew. Chem. Int. Ed.*, **2017**, 56 (37), 11003–11010.
11. Neese, Frank. *Quantum Chemistry and EPR Parameters*, chapter, pages 1–22. John Wiley & Sons, Ltd, **2017**. DOI: [10.1002/9780470034590.emrstm1505](https://doi.org/10.1002/9780470034590.emrstm1505).
12. Pedersen, Kasper S; Woodruff, Daniel N; Singh, Saurabh Kumar; Tressaud, Alain; Durand, Etienne; Atanasov, Mihail; Perlepe, Panagiota; Ollefs, Katharina; Wilhelm, Fabrice; Mathonière, Corine; others. [OsF6] x-: Molecular Models for Spin-Orbit Entangled Phenomena. *Chem. Eur. J.*, **2017**, 23 (47), 11244–11248.
13. Suturina, Elizaveta A; Nehr Korn, Joscha; Zadrozny, Joseph M; Liu, Junjie; Atanasov, Mihail; Weyhermüller, Thomas; Maganas, Dimitrios; Hill, Stephen; Schnegg, Alexander; Bill, Eckhard; others. Magneto-structural correlations in pseudotetrahedral forms of the [Co (SPh) 4] 2–complex probed by magnetometry, MCD spectroscopy, advanced EPR techniques, and ab initio electronic structure calculations. *Inorg. Chem.*, **2017**, 56 (5), 3102–3118.

## B.3 Classification by Topic

### B.3.1 *Ab initio* Ligand Field Analysis

1. Atanasov, Mihail; Ganyushin, Dmitry; Sivalingam, Kantharuban; Neese, Frank. A Modern First-Principles View on Ligand Field Theory Through the Eyes of Correlated Multireference Wavefunctions. In Mingos, David Michael P.; Day, Peter; Dahl, Jens Peder, editors, *Molecular Electronic Structures of Transition Metal Complexes II*, number 143 in Structure and Bonding, pages 149–220. Springer Berlin Heidelberg, **2011**. DOI: [10.1007/430\\_2011\\_57](https://doi.org/10.1007/430_2011_57).
2. Lang, Lucas; Atanasov, Mihail; Neese, Frank. Improvement of Ab Initio Ligand Field Theory by Means of Multistate Perturbation Theory. *J. Phys. Chem. A*, **2020**, 124 (5), 1025–1037. DOI: [10.1021/acs.jpca.9b11227](https://doi.org/10.1021/acs.jpca.9b11227).
3. Rao, Shashank V.; Maganas, Dimitrios; Sivalingam, Kantharuban; Atanasov, Mihail; Neese, Frank. Extended Active Space Ab Initio Ligand Field Theory: Applications to Transition-Metal Ions. *Inorg. Chem.*, **2024**, 63 (52), 24672–24684. Publisher: American Chemical Society. DOI: [10.1021/acs.inorgchem.4c03893](https://doi.org/10.1021/acs.inorgchem.4c03893).

### B.3.2 Absorption, Resonance Raman and Fluorescence Spectra

1. Sirohiwal, Abhishek; Berraud-Pache, Romain; Neese, Frank; Izsák, Róbert; Pantazis, Dimitrios A. Accurate Computation of the Absorption Spectrum of Chlorophyll a with Pair Natural Orbital Coupled Cluster Methods. *J. Phys. Chem. B*, **2020**, 124 (40), 8761–8771. DOI: [10.1021/acs.jpcc.0c05761](https://doi.org/10.1021/acs.jpcc.0c05761).
2. Petrenko, Taras; Neese, Frank. Analysis and prediction of absorption band shapes, fluorescence band shapes, resonance Raman intensities, and excitation profiles using the time-dependent theory of electronic spectroscopy. *J. Chem. Phys.*, **2007**, 127 (16), 164319. DOI: [10.1063/1.2770706](https://doi.org/10.1063/1.2770706).
3. Petrenko, T.; Neese, F. Efficient and automatic calculation of optical band shapes and resonance Raman spectra for larger molecules within the independent mode displaced harmonic oscillator model. *J. Chem. Phys.*, **2012**, 137, 234107.

4. Petrenko, T.; Krylova, O.; Neese, F.; Sokolowski, M. Optical Absorption and Emission Properties of Rubrene: Insight by a Combined Experimental and Theoretical Study. *New J. Phys.*, **2009**, 11, 015001.

### B.3.3 Analytic Hessian Implementation

1. Garcia-Ratés, M.; Neese, F. Efficient implementation of the analytical second derivatives of hartree-fock and hybrid DFT energies within the framework of the conductor-like polarizable continuum model. *J. Comput. Chem.*, **2019**, 40 (20), 1816–1828. DOI: [10.1002/jcc.25833](https://doi.org/10.1002/jcc.25833).
2. Bykov, D.; Petrenko, T.; Izsák, R.; Kossmann, S.; Becker, U.; Valeev, E.; Neese, F. Efficient implementation of the analytic second derivatives of Hartree-Fock and hybrid DFT energies: a detailed analysis of different approximations. *Mol. Phys.*, **2015**, 113, 1961.

### B.3.4 ANO basis sets

1. Neese, F.; Valeev, E. F. Revisiting the Atomic Natural Orbital Approach for Basis Sets: Robust Systematic Basis Sets for Explicitly Correlated and Conventional Correlated ab initio Methods. *J. Chem. Theory Comput.*, **2011**, 7, 33–43.

### B.3.5 Applications

1. Mondal, B.; Neese, F.; Ye, S. F. Toward Rational Design of 3d Transition Metal Catalysts for CO<sub>2</sub> Hydrogenation Based on Insights into Hydricity-Controlled Rate-Determining Steps. *Inorg. Chem.*, **2016**, 55, 5438–5444.
2. Mondal, B.; Neese, F.; Ye, S. F. Control in the Rate-Determining Step Provides a Promising Strategy To Develop New Catalysts for CO<sub>2</sub> Hydrogenation: A Local Pair Natural Orbital Coupled Cluster Theory Study. *Inorg. Chem.*, **2015**, 54, 7192–7198.
3. Krewald, V.; Retegan, M.; Cox, N.; Messinger, J.; Lubitz, W.; DeBeer, S.; Neese, F.; Pantazis, D. A. Metal oxidation states in biological water splitting. *Chem. Sci.*, **2015**, 6, 1676–1695.
4. Kochem, A.; Weyhermüller, T.; Neese, F.; van Gastel, M. EPR and Quantum Chemical Investigation of a Bioinspired Hydrogenase Model with a Redox-Active Ligand in the First Coordination Sphere. *Organometallics*, **2015**, 34, 995–1000.
5. Kochem, A.; Bill, E.; Neese, F.; van Gastel, M. Mossbauer and computational investigation of a functional NiFe hydrogenase model complex. *Chem. Comm.*, **2015**, 51, 2099–2102.

### B.3.6 Approximate FCI

1. Chilkuri, V. G.; Neese, F. Comparison of many-particle representations for selected-CI I: A tree based approach. *J. Comput. Chem.*, **2021**, 42, 982–1005.
2. Chilkuri, V. G.; Neese, F. Comparison of Many-Particle Representations for Selected Configuration Interaction: II. Numerical Benchmark Calculations. *J. Chem. Theory Comput.*, **2021**, 17, 2868–2885.
3. Lang, Lucas; Chilkuri, Vijay Gopal; Neese, Frank. Treating Spin–Orbit Coupling and Spin–Spin Coupling in the Framework of the Iterative Configuration Expansion Selected CI method (In press). **2025**. DOI: [10.1021/acs.jctc.5c00463](https://doi.org/10.1021/acs.jctc.5c00463).



### B.3.7 CASSCF/NEVPT2/MRCI & Magnetism

1. Krupička, Martin; Sivalingam, Kantharuban; Huntington, Lee; Auer, Alexander A.; Neese, Frank. A toolchain for the automatic generation of computer codes for correlated wavefunction calculations. *J. Comput. Chem.*, **2017**, 38 (21), 1853–1868. DOI: [10.1002/jcc.24833](https://doi.org/10.1002/jcc.24833).
2. Lechner, M. H.; Papadopoulos, A.; Sivalingam, K.; Auer, A. A.; Koslowski, A.; Becker, U.; Wennmohs, F.; Neese, F. Code generation in ORCA: Progress, Efficiency and Tight integration. *Phys. Chem. Chem. Phys.*, **2024**, 26 (21), 15205–15220.
3. Guo, Yang; Sivalingam, Kantharuban; Neese, Frank. Approximations of Density Matrices in N-Electron Valence State Second-Order Perturbation Theory (NEVPT2). I. Revisiting the NEVPT2 Construction. *J. Chem. Phys.*, **2021**, 154 (21), 214111. DOI: [10.1063/5.0051211](https://doi.org/10.1063/5.0051211).
4. Guo, Yang; Sivalingam, Kantharuban; Kollmar, Christian; Neese, Frank. Approximations of Density Matrices in N-Electron Valence State Second-Order Perturbation Theory (NEVPT2). II. The Full Rank NEVPT2 (FR-NEVPT2) Formulation. *J. Chem. Phys.*, **2021**, 154 (21), 214113. DOI: [10.1063/5.0051218](https://doi.org/10.1063/5.0051218).
5. Kempfer, Emily M.; Sivalingam, Kantharuban; Neese, Frank. Efficient Implementation of Approximate Fourth Order N-Electron Valence State Perturbation Theory. *J. Chem. Theory Comput.*, **2025**, 21 (8), 3953–3967. DOI: [10.1021/acs.jctc.4c01735](https://doi.org/10.1021/acs.jctc.4c01735).
6. Kollmar, Christian; Sivalingam, Kantharuban; Helmich-Paris, Benjamin; Angeli, Celestino; Neese, Frank. A perturbation-based super-CI approach for the orbital optimization of a CASSCF wave function. *J. Comput. Chem.*, **2019**, 40 (14), 1463–1470. DOI: [10.1002/jcc.25801](https://doi.org/10.1002/jcc.25801).
7. Guo, Yang; Sivalingam, Kantharuban; Chilkuri, Vijay Gopal; Neese, Frank. Approximations of density matrices in N-electron valence state second-order perturbation theory (NEVPT2). III. Large active space calculations with selected configuration interaction reference. *J. Chem. Phys.*, **2025**, 162 (14), 144110. DOI: [10.1063/5.0262473](https://doi.org/10.1063/5.0262473).
8. Lang, Lucas; Sivalingam, Kantharuban; Neese, Frank. The Combination of Multipartitioning of the Hamiltonian with Canonical Van Vleck Perturbation Theory Leads to a Hermitian Variant of Quasidegenerate N-Electron Valence Perturbation Theory. *J. Chem. Phys.*, **2020**, 152 (1), 014109. DOI: [10.1063/1.5133746](https://doi.org/10.1063/1.5133746).
9. Guo, Yang; Sivalingam, Kantharuban; Valeev, Edward F.; Neese, Frank. Explicitly Correlated N-Electron Valence State Perturbation Theory (NEVPT2-F12). *J. Chem. Phys.*, **2017**, 147 (6), 064110. DOI: [10.1063/1.4996560](https://doi.org/10.1063/1.4996560).
10. Guo, Yang; Pavošević, Fabijan; Sivalingam, Kantharuban; Becker, Ute; Valeev, Edward F.; Neese, Frank. SparseMaps—A systematic infrastructure for reduced-scaling electronic structure methods. VI. Linear-scaling explicitly correlated N-electron valence state perturbation theory with pair natural orbital. *J. Chem. Phys.*, **2023**, 158 (12), 124120. DOI: [10.1063/5.0144260](https://doi.org/10.1063/5.0144260).
11. Kollmar, Christian; Sivalingam, Kantharuban; Guo, Yang; Neese, Frank. An efficient implementation of the NEVPT2 and CASPT2 methods avoiding higher-order density matrices. *J. Chem. Phys.*, **2021**, 155 (23), 234104. DOI: [10.1063/5.0072129](https://doi.org/10.1063/5.0072129).
12. Kollmar, Christian; Sivalingam, Kantharuban; Neese, Frank. An Alternative Choice of the Zeroth-Order Hamiltonian in CASPT2 Theory. *J. Chem. Phys.*, **2020**, 152 (21), 214110. DOI: [10.1063/5.0010019](https://doi.org/10.1063/5.0010019).
13. Pathak, Shubhrodeep; Lang, Lucas; Neese, Frank. A Dynamic Correlation Dressed Complete Active Space Method: Theory, Implementation, and Preliminary Applications. *J. Chem. Phys.*, **2017**, 147, 234109.
14. Chilkuri, V. G.; DeBeer, S.; Neese, F. Revisiting the Electronic Structure of FeS Monomers Using ab Initio Ligand Field Theory and the Angular Overlap Model. *Inorg. Chem.*, **2017**, 56, 10418.
15. Singh, S. K.; Eng, J.; Atanasov, M.; Neese, F. Covalency and chemical bonding in transition metal complexes: An ab initio based ligand field perspective. *Coord. Chem. Rev.*, **2017**, 344, 225.
16. Jung, J.; Atanasov, M.; Neese, F. Ab Initio Ligand-Field Theory Analysis and Covalency Trends in Actinide and Lanthanide Free Ions and Octahedral Complexes. *Inorg. Chem.*, **2017**, 56, 8802.
17. Werncke, C. G.; Suturina, E.; Bunting, P. C.; Vendier, L.; Long, J. R.; Atanasov, M.; Neese, F.; Sabo-Etienne, S.; Bontemps, S. Homoleptic Two-Coordinate Silylamido Complexes of Chromium(I), Manganese(I), and Cobalt(I). *Chem. Eur. J.*, **2016**, 22, 1668–1674.

18. Rechkemmer, Y.; Breitgoff, F. D.; van der Meer, M.; Atanasov, M.; Hakl, M.; Orlita, M.; Neugebauer, P.; Neese, F.; Sarkar, B.; van Slageren, J. A four-coordinate cobalt(II) single-ion magnet with coercivity and a very high energy barrier. *Nat. Commun.*, **2016**, 7, 10467.
19. Aravena, D.; Atanasov, M.; Neese, F. Periodic Trends in Lanthanide Compounds through the Eyes of Multireference ab Initio Theory. *Inorg. Chem.*, **2016**, 55, 4457–4469.
20. Suturina, E. A.; Maganas, D.; Bill, E.; Atanasov, M.; Neese, F. Magneto-Structural Correlations in a Series of Pseudotetrahedral Co-II(XR)(4) (2-) Single Molecule Magnets: An ab Initio Ligand Field Study. *Inorg. Chem.*, **2015**, 54, 9948–9961.
21. Schweinfurth, D.; Sommer, M. G.; Atanasov, M.; Demeshko, S.; Hohloch, S.; Meyer, F.; Neese, F.; Sarkar, B. The Ligand Field of the Azido Ligand: Insights into Bonding Parameters and Magnetic Anisotropy in a Co(II)-Azido Complex. *J. Am. Chem. Soc.*, **2015**, 137, 1993–2005.
22. Lang, Lucas; Chilkuri, Vijay Gopal; Neese, Frank. Treating Spin–Orbit Coupling and Spin–Spin Coupling in the Framework of the Iterative Configuration Expansion Selected CI method (In press). **2025**. DOI: 10.1021/acs.jctc.5c00463.

### B.3.8 Corresponding Orbital Transformation

1. Neese, F. Definition of Corresponding Orbitals and the Diradical Character in Broken Symmetry DFT Calculations on Spin Coupled Systems. *J. Phys. Chem. Solids*, **2004**, 65, 781–785.

### B.3.9 COSMO Implementation

1. Sinnecker, S.; Rajendran, A.; Klamt, A.; Diedenhofen, M.; Neese, F. Calculation of Solvent Shifts on Electronic G-Tensors with the Conductor-Like Screening Model (COSMO) and its Self-Consistent Generalization to Real Solvents (COSMO-RS). *J. Phys. Chem. A*, **2006**, 110, 2235–2245.

### B.3.10 COSX

1. Dutta, A. K.; Neese, F.; Izsak, R. Speeding up equation of motion coupled cluster theory with the chain of spheres approximation. *J. Chem. Phys.*, **2016**, 144, 034102.
2. Christian, G. J.; Neese, F.; Ye, S. F. Unravelling the Molecular Origin of the Regiospecificity in Extradiol Catechol Dioxygenases. *Inorg. Chem.*, **2016**, 55, 3853–3864.

### B.3.11 Coupled-Cluster and Coupled Pair Implementation (MDCI module)

1. Pavošević, F.; Neese, F.; Valeev, E. F. Geminal-spanning orbitals make explicitly correlated reduced-scaling coupled-cluster methods robust, yet simple. *J. Chem. Phys.*, **2014**, 141, 054106.
2. Kollmar, C.; Neese, F. The coupled electron pair approximation: variational formulation and spin adaptation. *Mol. Phys.*, **2010**, 108, 2449–2458.
3. Neese, F.; Wennmohs, F.; Hansen, A.; Grimme, S. Accurate Theoretical Chemistry with Coupled Electron Pair Models. *Acc. Chem. Res.*, **2009**, 42 (5), 641–648.
4. Wennmohs, F.; Neese, F. A Comparative Study of Single Reference Correlation Methods of the Coupled-Pair Type. *Chem. Phys.*, **2008**, 343, 217–230.

### B.3.12 EPR/NMR

1. Tran, Van Anh; Neese, Frank. Double-Hybrid Density Functional Theory for g-Tensor Calculations Using Gauge Including Atomic Orbitals. *J. Chem. Phys.*, **2020**, 153 (5), 054105. DOI: [10.1063/5.0013799](https://doi.org/10.1063/5.0013799).
2. Lang, Lucas; Ravera, Enrico; Parigi, Giacomo; Luchinat, Claudio; Neese, Frank. Solution of a Puzzle: High-Level Quantum-Chemical Treatment of Pseudocontact Chemical Shifts Confirms Classic Semiempirical Theory. *J. Phys. Chem. Lett.*, **2020**, 11 (20), 8735–8744.
3. Auer, A. A.; Tran, V. A.; Sharma, B.; Stoychev, G. L.; Marx, D.; Neese, F. A case study of density functional theory and domain-based local pair natural orbital coupled cluster for vibrational effects on EPR hyperfine coupling constants: vibrational perturbation theory versus ab initio molecular dynamics. *Mol. Phys.*, **2020**, 118 (19-20), e1797916. DOI: [10.1080/00268976.2020.1797916](https://doi.org/10.1080/00268976.2020.1797916).
4. Dittmer, A.; Stoychev, G. L.; Maganas, D.; Auer, A. A.; Neese, F. Computation of NMR Shielding Constants for Solids Using an Embedded Cluster Approach with DFT, Double-Hybrid DFT, and MP2. *J. Chem. Theory Comput.*, **2020**, 16 (11), 6950–6967. DOI: [10.1021/acs.jctc.0c00067](https://doi.org/10.1021/acs.jctc.0c00067).
5. Schulz, C. E.; van Gastel, M.; Pantazis, D. A.; Neese, F. Converged Structural and Spectroscopic Properties for Refined QM/MM Models of Azurin. *Inorg. Chem.*, **2021**, 60 (10), 7399–7412. DOI: [10.1021/acs.inorgchem.1c00640](https://doi.org/10.1021/acs.inorgchem.1c00640).
6. Sirohiwal, A.; Neese, F.; Pantazis, D. A. Microsolvation of the Redox-Active Tyrosine-d in Photosystem II: Correlation of Energetics with EPR Spectroscopy and Oxidation-Induced Proton Transfer. *J. Am. Chem. Soc.*, **2019**, 141 (7), 3217–3231. DOI: [10.1021/jacs.8b13123](https://doi.org/10.1021/jacs.8b13123).
7. Stoychev, G. L.; Auer, A. A.; Gauss, J.; Neese, F. DLPNO-MP2 second derivatives for the computation of polarizabilities and NMR shieldings. *J. Chem. Phys.*, **2021**, 154, 164110.

### B.3.13 ESD Module

#### Fluorescence

1. de Souza, Bernardo; Neese, Frank; Izsak, Robert. On the Theoretical Prediction of Fluorescence Rates from First Principles Using the Path Integral Approach. *J. Chem. Phys.*, **2018**, 148 (3), 034104. DOI: [10.1063/1.5010895](https://doi.org/10.1063/1.5010895).

#### Phosphorescence

1. de Souza, Bernardo; Farias, Giliandro; Neese, Frank; Izsak, Robert. Predicting Phosphorescence Rates of Light Organic Molecules Using Time-Dependent Density Functional Theory and the Path Integral Approach to Dynamics. *J. Chem. Theory Comput.*, **2019**, 15 (3), 1896–1904. DOI: [10.1021/acs.jctc.8b00841](https://doi.org/10.1021/acs.jctc.8b00841).

#### Resonance Raman

1. de Souza, Bernardo; Farias, Giliandro; Neese, Frank; Izsak, Robert. Efficient Simulation of Overtones and Combination Bands in Resonant Raman Spectra. *J. Chem. Phys.*, **2019**, 150 (21), 044105. DOI: [10.1063/1.5099247](https://doi.org/10.1063/1.5099247).

### B.3.14 DFT/Hartree–Fock Theory of EPR Parameters

1. Sandhoefer, B.; Neese, F. One-electron contributions to the g-tensor for second-order Douglas–Kroll–Hess theory. *J. Chem. Phys.*, **2012**, 137, 094102.
2. Neese, F. Importance of Direct Spin-Spin Coupling and Spin-Flip Excitations for the Zero-Field Splittings of Transition Metal Complexes: A Case Study. *J. Am. Chem. Soc.*, **2006**, 128, 10213.
3. Neese, F. *J. Chem. Phys.*, **2007**, 127, 164112.
4. Sinnecker, S.; Neese, F. Spin-Spin Contributions to the Zero-Field Splitting Tensor in Organic Triplets, Carbenes and Biradicals – A Density Functional and *ab initio* Study. *J. Phys. Chem. A*, **2006**, 110, 12267.
5. Neese, F. Efficient and Accurate Approximations to the Molecular Spin-Orbit Coupling Operator and their use in Molecular g-Tensor Calculations. *J. Chem. Phys.*, **2005**, 122, 034107.
6. Sinnecker, S.; Rajendran, A.; Klamt, A.; Diedenhofen, M.; Neese, F. Calculation of Solvent Shifts on Electronic G-Tensors with the Conductor-Like Screening Model (COSMO) and its Self-Consistent Generalization to Real Solvents (COSMO-RS). *J. Phys. Chem. A*, **2006**, 110, 2235–2245.
7. Ganyushin, D.; Gilka, N.; Taylor, P. R.; Marian, C. M.; Neese, F. The resolution of the identity approximation for calculations of spin-spin contribution to zero-field splitting parameters. *J. Chem. Phys.*, **2010**, 132, 144111.
8. Duboc, C.; Ganyushin, D.; Sivalingam, K.; Collomb, M. N.; Neese, F. Systematic Theoretical Study of the Zero-Field Splitting in Coordination Complexes of Mn(III). Density Functional Theory versus Multireference Wave Function Approaches. *J. Phys. Chem. A*, **2010**, 114, 10750–10758.
9. Neese, F. First principles approach to Spin-Hamiltonian Parameters. In Misra, S. K., editor, *Multifrequency EPR: Theory and Applications*, pages 297–326. Wiley-VCH, **2009**.
10. Pantazis, D. A.; Orio, M.; Petrenko, T.; Messinger, J.; Lubitz, W.; Neese, F. A new quantum chemical approach to the magnetic properties of oligonuclear transition metal clusters: Application to a model for the tetranuclear manganese cluster of Photosystem II. *Chem. Eur. J.*, **2009**, 15 (20), 5108–5123.
11. Riplinger, C.; Kao, J. P. Y.; Rosen, G. M.; Kathirvelu, V.; Eaton, G. R.; Eaton, S. S.; Kutateladze, A.; Neese, F. Interaction of Radical Pairs Through-Bond and Through-Space: Scope and Limitations of the Point-Dipole Approximation in Electron Paramagnetic Resonance Spectroscopy. *J. Am. Chem. Soc.*, **2009**, 131, 10092–10106.
12. Cirera, J.; Ruiz, E.; Alvarez, S.; Neese, F.; Kortus, J. How to Build Molecules with Large Magnetic Anisotropy. *Chem. Eur. J.*, **2009**, 15 (16), 4078–4087.
13. Neese, F. Spin Hamiltonian Parameters from First Principle Calculations: Theory and Application. In Hanson, G.; Berliner, L., editors, *Biological Magnetic Resonance*, pages 175–232. **2008**.
14. Kossmann, S.; Kirchner, B.; Neese, F. Performance of modern density functional theory for the prediction of hyperfine structure: meta-GGA and double hybrid functionals. *Molec. Phys.*, **2007**, 105, 2049–2071.
15. Neese, F.; Wolf, A.; Reiher, M.; Fleig, T.; Hess, B. A. Higher Order Douglas-Kroll Calculation of Electric Field Gradients. *J. Chem. Phys.*, **2005**, 122, 204107.
16. Ray, K.; Begum, A.; Weyhermüller, T.; Piligkos, S.; van Slageren, J.; Neese, F.; Wieghardt, K. The Electronic Structure of the Isoelectronic, Square Planar Complexes  $[\text{Fe}^{\text{II}}(\text{L})_2]^{2-}$  and  $[\text{Co}^{\text{III}}(\text{L}^{\text{Bu}})_2]^-$  ( $\text{L}^{2-}$  and  $(\text{L}^{\text{Bu}})^{2-} = \text{benzene-1,2-dithiolates}$ ): an Experimental and Density Functional Theoretical Study. *J. Am. Chem. Soc.*, **2005**, 127, 4403–4415. DOI: 10.1021/ja042803i.
17. Neese, Frank. Metal and Ligand Hyperfine Couplings in Transition Metal Complexes: The Effect of Spin–Orbit Coupling as Studied by Coupled Perturbed Kohn–Sham Theory. *J. Chem. Phys.*, **2003**, 118 (9), 3939–3948. DOI: 10.1063/1.1540619.
18. Neese, F. Prediction of Electron Paramagnetic Resonance g-values by Coupled Perturbed Hartree-Fock and Kohn-Sham Theory. *J. Chem. Phys.*, **2001**, 115, 11080–11096.
19. Neese, F. Theoretical Study of Ligand Superhyperfine Structure. Application to Cu(II) Complexes. *J. Phys. Chem. A*, **2001**, 105, 4290–4299.

### B.3.15 Dispersion Corrections to DFT

1. Grimme, S.; Antony, J.; Ehrlich, S.; Krieg, H. *J. Chem. Phys.*, **2010**, 132, 154104.
2. Grimme, S.; Ehrlich, S.; Goerigk, L. *J. Comput. Chem.*, **2011**, 32, 1456.
3. Grimme, S. Accurate description of van der Waals complexes by density functional theory including empirical corrections. *J. Comput. Chem.*, **2004**, 25, 1463. DOI: [10.1002/jcc.20078](https://doi.org/10.1002/jcc.20078).
4. Wittmann, Lukas; Gordiy, Igor; Friede, Marvin; Helmich-Paris, Benjamin; Grimme, Stefan; Hansen, Andreas; Bursch, Markus. Extension of the D3 and D4 London dispersion corrections to the full actinides series. *Phys. Chem. Chem. Phys.*, **2024**, 26, 21379–21394. DOI: [10.1039/D4CP01514B](https://doi.org/10.1039/D4CP01514B).
5. Grimme, S. Semiempirical GGA-Type Density Functional Constructed with a Long-Range Dispersion Correction. *J. Comput. Chem.*, **2006**, 27, 1787. DOI: [10.1002/jcc.20495](https://doi.org/10.1002/jcc.20495).

### B.3.16 DLPNO

1. Pinski, P.; Riplinger, C.; Valeev, E. F.; Neese, Frank. *J. Chem. Phys.*, **2015**, 143, 034108.
2. Pavošević, F.; Pinski, P.; Riplinger, C.; Neese, F.; Valeev, E.F. SparseMaps – A systematic infrastructure for reduced-scaling electronic structure methods. IV. Linear-scaling second-order explicitly correlated energy with pair natural orbitals. *J. Chem. Phys.*, **2016**, 144, 144109.
3. Pinski, Peter; Neese, Frank. Communication: Exact Analytical Derivatives for the Domain-Based Local Pair Natural Orbital MP2 Method (DLPNO-MP2). *J. Chem. Phys.*, **2018**, 148, 031101. DOI: [10.1063/1.5011204](https://doi.org/10.1063/1.5011204).
4. Pinski, Peter; Neese, Frank. Analytical Gradient for the Domain-Based Local Pair Natural Orbital Second Order Møller-Plesset Perturbation Theory Method (DLPNO-MP2). *J. Chem. Phys.*, **2019**, 150, 164102.
5. Sparta, Manuel; Retegan, Marius; Pinski, Peter; Riplinger, Christoph; Becker, Ute; Neese, Frank. Multilevel Approaches within the Local Pair Natural Orbital Framework. *J. Chem. Theory Comput.*, **2017**, 13 (7), 3198–3207. DOI: [10.1021/acs.jctc.7b00260](https://doi.org/10.1021/acs.jctc.7b00260).
6. Riplinger, C.; Pinski, P.; Becker, U.; Valeev, E. F.; Neese, Frank. *J. Chem. Phys.*, **2016**, 144, 024109.
7. Datta, D.; Kossmann, S.; Neese, F. Analytic energy derivatives for the calculation of the first-order molecular properties using the domain-based local pair-natural orbital coupled-cluster theory. *J. Chem. Phys.*, **2016**, 175, 114101. DOI: [10.1063/1.4962369](https://doi.org/10.1063/1.4962369).
8. Liakos, Dimitrios G.; Sparta, Manuel; Kesharwani, Manoj K.; Martin, Jan M. L.; Neese, Frank. Exploring the Accuracy Limits of Local Pair Natural Orbital Coupled-Cluster Theory. *J. Chem. Theory Comput.*, **2015**, 11 (4), 1525–1539. DOI: [10.1021/acs.jctc.5b00078](https://doi.org/10.1021/acs.jctc.5b00078).
9. Guo, Yang; Sivalingam, Kantharuban; Valeev, Edward F.; Neese, Frank. SparseMaps—A Systematic Infrastructure for Reduced-Scaling Electronic Structure Methods. III. Linear-Scaling Multireference Domain-Based Pair Natural Orbital N-Electron Valence Perturbation Theory. *J. Chem. Phys.*, **2016**, 144 (9), 094111. DOI: [10.1063/1.4942769](https://doi.org/10.1063/1.4942769).
10. Guo, Yang; Pavošević, Fabijan; Sivalingam, Kantharuban; Becker, Ute; Valeev, Edward F.; Neese, Frank. SparseMaps—A systematic infrastructure for reduced-scaling electronic structure methods. VI. Linear-scaling explicitly correlated N-electron valence state perturbation theory with pair natural orbital. *J. Chem. Phys.*, **2023**, 158 (12), 124120. DOI: [10.1063/5.0144260](https://doi.org/10.1063/5.0144260).
11. Dutta, Achintya Kumar; Neese, Frank; Izsák, Róbert. Towards a Pair Natural Orbital Coupled Cluster Method for Excited States. *J. Chem. Phys.*, **2016**, 145 (3), 034102.
12. Schneider, W.; Bistoni, G.; Sparta, M.; Riplinger, C.; Saitow, M.; Auer, A.; Neese, F. Decomposition of Intermolecular Interaction Energies within the Local Pair Natural Orbital Coupled Cluster Framework. *J. Chem. Theory Comput.*, **2016**, 12 (10), 4778–4792. DOI: [10.1021/acs.jctc.6b00523](https://doi.org/10.1021/acs.jctc.6b00523).
13. Kubas, A.; Berger, D.; Oberhofer, H.; Maganas, D.; Reuter, K.; Neese, F. Surface Adsorption Energetics Studied with “Gold Standard” Wave Function-Based Ab Initio Methods: Small-Molecule Binding to TiO<sub>2</sub>(110). *J. Phys. Chem. Lett.*, **2016**, 7, 4207–4212.



14. Altun, Ahmet; Neese, Frank; Bistoni, Giovanni. Extrapolation to the Limit of a Complete Pair Natural Orbital Space in Local Coupled-Cluster Calculations. *J. Chem. Theory Comput.*, **2020**, 16 (10), 6142–6149. DOI: [10.1021/acs.jctc.0c00344](https://doi.org/10.1021/acs.jctc.0c00344).
15. Guo, Yang; Riplinger, Christoph; Liakos, Dimitrios G.; Becker, Ute; Saitow, Masaaki; Neese, Frank. Linear scaling perturbative triples correction approximations for open-shell domain-based local pair natural orbital coupled cluster singles and doubles theory [DLPNO-CCSD(T/T)]. *J. Chem. Phys.*, **2020**, 152 (2), 024116. DOI: [10.1063/1.5127550](https://doi.org/10.1063/1.5127550).
16. Liakos, D. G.; Guo, Y.; Neese, F. Comprehensive Benchmark Results for the Domain Based Local Pair Natural Orbital Coupled Cluster Method (DLPNO-CCSD(T)) for Closed- and Open-Shell Systems. *J. Phys. Chem. A*, **2020**, 124 (1), 90–100. DOI: [10.1021/acs.jpca.9b05734](https://doi.org/10.1021/acs.jpca.9b05734).
17. Pavošević, Fabijan; Peng, Chong; Pinski, Peter; Riplinger, Christoph; Neese, Frank; Valeev, Edward F. SparseMaps—A systematic infrastructure for reduced scaling electronic structure methods. V. Linear scaling explicitly correlated coupled-cluster method with pair natural orbitals. *J. Chem. Phys.*, **2017**, 146 (17), 174108.
18. Mondal, B.; Neese, F.; Ye, S. F. Control in the Rate-Determining Step Provides a Promising Strategy To Develop New Catalysts for CO<sub>2</sub> Hydrogenation: A Local Pair Natural Orbital Coupled Cluster Theory Study. *Inorg. Chem.*, **2015**, 54, 7192–7198.
19. Stoychev, G. L.; Auer, A. A.; Gauss, J.; Neese, F. DLPNO-MP2 second derivatives for the computation of polarizabilities and NMR shieldings. *J. Chem. Phys.*, **2021**, 154, 164110.
20. Isegawa, M.; Neese, F.; Pantazis, D. A. Ionization Energies and Aqueous Redox Potentials of Organic Molecules: Comparison of DFT, Correlated ab Initio Theory and Pair Natural Orbital Approaches. *J. Chem. Theory Comput.*, **2016**, 12, 2272–2284.
21. Liakos, D. G.; Neese, F. Domain Based Pair Natural Orbital Coupled Cluster Studies on Linear and Folded Alkane Chains. *J. Chem. Theory Comput.*, **2015**, 11, 2137–2143.
22. Liakos, D. G.; Neese, F. Is It Possible To Obtain Coupled Cluster Quality Energies at near Density Functional Theory Cost? Domain-Based Local Pair Natural Orbital Coupled Cluster vs Modern Density Functional Theory. *J. Chem. Theory Comput.*, **2015**, 11, 4054–4063.
23. Demel, O.; Pittner, J.; Neese, F. A Local Pair Natural Orbital-Based Multireference Mukherjee's Coupled Cluster Method. *J. Chem. Theory Comput.*, **2015**, 11, 3104–3114.
24. Ni, Z. G.; Guo, Y.; Neese, F.; Li, W.; Li, S. H. Cluster-in-Molecule Local Correlation Method with an Accurate Distant Pair Correction for Large Systems. *J. Chem. Theo. Comp.*, **2021**, 17, 756–766.

### B.3.17 Density Functionals

1. Bursch, Markus; Neugebauer, Hagen; Ehlert, Sebastian; Grimme, Stefan. Dispersion corrected r<sup>2</sup>SCAN based global hybrid functionals: r<sup>2</sup>SCANh, r<sup>2</sup>SCAN0, and r<sup>2</sup>SCAN50. *J. Chem. Phys.*, **2022**, 156 (13), 134105. DOI: [10.1063/5.0086040](https://doi.org/10.1063/5.0086040).
2. Wittmann, Lukas; Neugebauer, Hagen; Grimme, Stefan; Bursch, Markus. Dispersion-corrected r<sup>2</sup>SCAN based double-hybrid functionals. *J. Chem. Phys.*, **2023**, 159 (22), 224103. DOI: [10.1063/5.0174988](https://doi.org/10.1063/5.0174988).
3. Neese, F.; Schwabe, T.; Grimme, S. *J. Chem. Phys.*, **2007**, 126, 124115.
4. Ehlert, Sebastian; Huniar, Uwe; Ning, Jinliang; Furness, James W.; Sun, Jianwei; Kaplan, Aaron D.; Perdew, John P.; Brandenburg, Jan Gerit. r<sup>2</sup>SCAN-D4: Dispersion Corrected Meta-Generalized Gradient Approximation for General Chemical Applications. *J. Chem. Phys.*, **2021**, 154 (6), 061101. [arXiv:10.1063/5.0041008](https://arxiv.org/abs/10.1063/5.0041008), DOI: [10.1063/5.0041008](https://doi.org/10.1063/5.0041008).
5. Grimme, S.; Neese, F. *J. Phys. Chem.*, **2007**, 127, 154116.
6. Kossmann, S.; Kirchner, B.; Neese, F. Performance of modern density functional theory for the prediction of hyperfine structure: meta-GGA and double hybrid functionals. *Molec. Phys.*, **2007**, 105, 2049–2071.

### B.3.18 Composite Methods

1. Müller, Marcel; Hansen, Andreas; Grimme, Stefan.  $\omega$ B97X-3c: A composite range-separated hybrid DFT method with a molecule-optimized polarized valence double- $\zeta$  basis set. *J. Chem. Phys.*, **2023**, 158 (1), 014103. DOI: 10.1063/5.0133026.
2. Grimme, Stefan; Hansen, Andreas; Ehlert, Sebastian; Mewes, Jan-Michael. r2SCAN-3c: A “Swiss Army Knife” Composite Electronic-Structure Method. *J. Chem. Phys.*, **2021**, 154 (6), 064103. arXiv:10.1063/5.0040021, DOI: 10.1063/5.0040021.
3. Grimme, S.; Brandenburg, J. G.; Bannwarth, C.; Hansen, A. Consistent structures and interactions by density functional theory with small atomic orbital basis sets. *J. Chem. Phys.*, **2015**, 143, 054107. DOI: 10.1063/1.4927476.
4. Pracht, Philipp; Grant, David F.; Grimme, Stefan. Comprehensive Assessment of GFN Tight-Binding and Composite Density Functional Theory Methods for Calculating Gas-Phase Infrared Spectra. *J. Chem. Theory Comput.*, **2020**, 16 (11), 7044–7060. DOI: 10.1021/acs.jctc.0c00877.
5. Sure, R.; Grimme, S. *J. Comput. Chem.*, **2013**, 34, 1672–1685.
6. Brandenburg, J. G.; Bannwarth, C.; Hansen, A.; Grimme, S. B97-3c: A Revised Low-Cost Variant of the B97-D Density Functional Method. *J. Chem. Phys.*, **2018**, 148 (6), 064104.

### B.3.19 Extended Tight-Binding Methods

1. Bannwarth, Christoph; Ehlert, Sebastian; Grimme, Stefan. GFN2-xTB—An Accurate and Broadly Parametrized Self-Consistent Tight-Binding Quantum Chemical Method with Multipole Electrostatics and Density-Dependent Dispersion Contributions. *J. Chem. Theory Comput.*, **2019**, 15 (3), 1652–1671. DOI: 10.1021/acs.jctc.8b01176.
2. Grimme, Stefan; Bannwarth, Christoph; Shushkov, Philip. A Robust and Accurate Tight-Binding Quantum Chemical Method for Structures, Vibrational Frequencies, and Noncovalent Interactions of Large Molecular Systems Parametrized for All Spd-Block Elements ( $z = 1-86$ ). *J. Chem. Theory Comput.*, **2017**, 13 (5), 1989–2009. DOI: 10.1021/acs.jctc.7b00118.
3. Pracht, Philipp; Caldeweyher, Eike; Ehlert, Sebastian; Grimme, Stefan. A Robust Non-Self-Consistent Tight-Binding Quantum Chemistry Method for Large Molecules. ChemRxiv, **2019**. DOI: 10.26434/chemrxiv.8326202.v1.
4. Ehlert, Sebastian; Stahn, Marcel; Spicher, Sebastian; Grimme, Stefan. Robust and Efficient Implicit Solvation Model for Fast Semiempirical Methods. *J. Chem. Theory Comput.*, **2021**, 17 (7), 4250–4261. DOI: 10.1021/acs.jctc.1c00471.
5. Plett, Christoph; Katbashev, Abylay; Ehlert, Sebastian; Grimme, Stefan; Bursch, Markus. ONIOM meets xtb: efficient, accurate, and robust multi-layer simulations across the periodic table. *Phys. Chem. Chem. Phys.*, **2023**, 25, 17860–17868. DOI: 10.1039/D3CP02178E.
6. Bursch, Markus; Hansen, Andreas; Grimme, Stefan. Fast and Reasonable Geometry Optimization of Lanthanoid Complexes with an Extended Tight Binding Quantum Chemical Method. *Inorg. Chem.*, **2017**, 56 (20), 12485–12491. DOI: 10.1021/acs.inorgchem.7b01950.
7. Bursch, Markus; Neugebauer, Hagen; Grimme, Stefan. Structure Optimisation of Large Transition-Metal Complexes with Extended Tight-Binding Methods. *Angew. Chem. Int. Ed.*, **2019**, 58 (32), 11078–11087. DOI: 10.1002/anie.201904021.
8. Neugebauer, Hagen; Bohle, Fabian; Bursch, Markus; Hansen, Andreas; Grimme, Stefan. Benchmark Study of Electrochemical Redox Potentials Calculated with Semiempirical and DFT Methods. *J. Phys. Chem. A*, **2020**, 124 (35), 7166–7176. DOI: 10.1021/acs.jpca.0c05052.
9. Bannwarth, Christoph; Caldeweyher, Eike; Ehlert, Sebastian; Hansen, Andreas; Pracht, Philipp; Seibert, Jakob; Spicher, Sebastian; Grimme, Stefan. Extended tight-binding quantum chemistry methods. *Wiley Interdiscip. Rev. Comput. Mol. Sci.*, **2021**, 11 (2), e1493. DOI: 10.1002/wcms.1493.

### B.3.20 Excited States Methods and Resonance Raman Spectra

1. Schapiro, Igor; Sivalingam, Kantharuban; Neese, Frank. Assessment of N-Electron Valence State Perturbation Theory for Vertical Excitation Energies. *J. Chem. Theory Comput.*, **2013**, 9 (8), 3567–3580. DOI: 10.1021/ct400136y.
2. Roemelt, M.; Neese, F. Excited States of Large Open-Shell Molecules: An Efficient, General, and Spin-Adapted Approach Based on a Restricted Open-Shell Ground State Wave function. *J. Phys. Chem. A*, **2013**, 117, 3069–3082. DOI: 10.1021/jp3126126.
3. Petrenko, T.; Kossmann, S.; Neese, F. *J. Chem. Phys.*, **2011**, 134, 054116.
4. Grimme, S.; Neese, F. *J. Phys. Chem.*, **2007**, 127, 154116.
5. Petrenko, T.; Ray, K.; Wieghardt, K.; Neese, F. Vibrational Markers for the Open-Shell Character of Metal bis-Dithiolenes: An Infrared, resonance Raman and Quantum Chemical Study. *J. Am. Chem. Soc.*, **2006**, 128, 4422–4436.
6. Neese, F.; Olbrich, G. Efficient use of the Resolution of the Identity Approximation in Time-Dependent Density Functional Calculations with Hybrid Functionals. *Chem. Phys. Lett.*, **2002**, 362, 170–178.

### B.3.21 F12

1. Pavošević, F.; Pinski, P.; Riplinger, C.; Neese, F.; Valeev, E.F. SparseMaps – A systematic infrastructure for reduced-scaling electronic structure methods. IV. Linear-scaling second-order explicitly correlated energy with pair natural orbitals. *J. Chem. Phys.*, **2016**, 144, 144109.
2. Liakos, Dimitrios G.; Izsák, Róbert; Valeev, Edward F.; Neese, Frank. What is the most efficient way to reach the canonical MP2 basis set limit? *Mol. Phys.*, **2013**, 111 (19-20), 2653–2662. DOI: 10.1080/00268976.2013.811812.
3. Guo, Yang; Sivalingam, Kantharuban; Valeev, Edward F.; Neese, Frank. Explicitly Correlated N-Electron Valence State Perturbation Theory (NEVPT2-F12). *J. Chem. Phys.*, **2017**, 147 (6), 064110. DOI: 10.1063/1.4996560.
4. Guo, Yang; Pavošević, Fabijan; Sivalingam, Kantharuban; Becker, Ute; Valeev, Edward F.; Neese, Frank. SparseMaps—A systematic infrastructure for reduced-scaling electronic structure methods. VI. Linear-scaling explicitly correlated N-electron valence state perturbation theory with pair natural orbital. *J. Chem. Phys.*, **2023**, 158 (12), 124120. DOI: 10.1063/5.0144260.

### B.3.22 FOD analysis and FOD plots

1. Grimme, S.; Hansen, A. A Practicable Real-Space Measure and Visualization of Static Electron-Correlation Effects. *Angew. Chem. Int. Ed.*, **2015**, 54, 12308–12313.

### B.3.23 Gaussian Charge Scheme (C-PCM) Implementation

1. Garcia-Ratés, M.; Neese, F. Effect of the Solute Cavity on the Solvation Energy and its Derivatives within the Framework of the Gaussian Charge Scheme. *J. Comput. Chem.*, **2020**, 41 (9), 922–939. DOI: 10.1002/jcc.26139.

### B.3.24 gCP correction to HF and DFT

1. Kruse, Holger; Grimme, Stefan. A geometrical correction for the inter- and intra-molecular basis set superposition error in Hartree-Fock and density functional theory calculations for large systems. *J. Chem. Phys.*, **2012**, 136 (15), 154101. DOI: 10.1063/1.3700154.

### B.3.25 Internally Contracted Multireference CI

1. Sivalingam, K.; Krupicka, M.; Auer, A. A.; Neese, F. Comparison of fully internally and strongly contracted multireference configuration interaction procedures. *J. Chem. Phys.*, **2016**, 145, 054104. DOI: 10.1063/1.4950161.

### B.3.26 Magnetic Circular Dichroism Spectra

1. Ganyushin, D.; Neese, F. *J. Chem. Phys.*, **2008**, 128, 114117.
2. Westphal, A.; Broda, H.; Kurz, P.; Neese, F.; Tuzek, F. Magnetic Circular Dichroism Spectrum of the Molybdenum(V) Complex (Mo(O)Cl<sub>3</sub>dppe): C-Term Signs and Intensities for Multideterminant Excited Doublet States. *Inorg. Chem.*, **2012**, 51, 5748–5763.
3. van Slageren, J.; Piligkos, S.; Neese, F. Magnetic circular dichroism spectroscopy on the Cr(8) antiferromagnetic ring. *Dalton Trans.*, **2010**, 39, 4999–5004.
4. Sundararajan, M.; Ganyushin, D.; Ye, S.; Neese, F. Multireference *ab initio* studies of Zero-Field Splitting and Magnetic Circular Dichroism Spectra of Tetrahedral Co(II) Complexes. *Dalton Trans.*, **2009**, 30, 6021–6036.
5. Piligkos, S.; Slep, L.; Weyhermüller, T.; Chaudhuri, P.; Bill, E.; Neese, F. Magnetic Circular Dichroism Spectroscopy of weakly exchange coupled dimers. A model study. *Coord. Chem. Rev.*, **2009**, 253, 2352–2362.
6. Neese, F.; Solomon, E. I. MCD C-term Signs, Saturation Behavior and Determination of Band Polarizations in Randomly Oriented Systems with Spin  $S \approx 1/2$ . Applications to  $S=1/2$  and  $S=5/2$ . *Inorg. Chem.*, **1999**, 38, 1847–1865.

### B.3.27 MCD

1. Ye, S. F.; Kupper, C.; Meyer, S.; Andris, E.; Navratil, R.; Krahe, O.; Mondal, B.; Atanasov, M.; Bill, E.; Roithova, J.; Meyer, F.; Neese, F. Magnetic Circular Dichroism Evidence for an Unusual Electronic Structure of a Tetracarbene-Oxoiron(IV) Complex. *J. Am. Chem. Soc.*, **2016**, 138, 14312–14325.
2. Ye, S. F.; Xue, G. Q.; Krivokapic, I.; Petrenko, T.; Bill, E.; Que, L.; Neese, F. Magnetic circular dichroism and computational study of mononuclear and dinuclear iron(IV) complexes. *Chem. Sci.*, **2015**, 6, 2909–2921.

### B.3.28 MDCI

1. Dutta, Achintya Kumar; Neese, Frank; Izsák, Róbert. Speeding up Equation of Motion Coupled Cluster Theory with the Chain of Spheres Approximation. *J. Chem. Phys.*, **2016**, 144 (3), 034102.
2. Veis, Libor; Antalík, Andrej; Brabec, Jiri; Neese, Frank; Legeza, Ors; Pittner, Jiri. Coupled cluster method with single and double excitations tailored by matrix product state wave functions. *J. Phys. Chem. Lett.*, **2016**, 7 (20), 4072–4078.

### B.3.29 Mössbauer Spectroscopy

1. Neese, F. *Inorg. Chim. Acta*, **2002**, 337C, 181–192.
2. Römel, M.; Ye, S.; Neese, F. *Inorg. Chem.*, **2009**, 48, 784.
3. Datta, D.; Saitow, M.; Sandhofer, B.; Neese, F. Fe-57 Mossbauer parameters from domain based local pair-natural orbital coupled-cluster theory. *J. Chem. Phys.*, **2020**, 153, 064104.
4. Sinnecker, S.; Slep, L.; Bill, E.; Neese, F. Performance of Nonrelativistic and Quasirelativistic Hybrid DFT for the Prediction of Electric and Magnetic Hyperfine Parameters in  $^{57}\text{Fe}$  Mössbauer Spectra. *Inorg. Chem.*, **2005**, 44, 2245–2254.

### B.3.30 Multireference CI Module and its application to EPR properties and optical spectra

1. Neese, F. Importance of Direct Spin-Spin Coupling and Spin-Flip Excitations for the Zero-Field Splittings of Transition Metal Complexes: A Case Study. *J. Am. Chem. Soc.*, **2006**, 128, 10213.
2. Atanasov, Mihail; Ganyushin, Dmitry; Pantazis, Dimitrios A.; Sivalingam, Kantharuban; Neese, Frank. Detailed Ab Initio First-Principles Study of the Magnetic Anisotropy in a Family of Trigonal Pyramidal Iron(II) Pyrrolide Complexes. *Inorg. Chem.*, **2011**, 50 (16), 7460–7477. DOI: [10.1021/ic200196k](https://doi.org/10.1021/ic200196k).
3. Neese, Frank; Petrenko, Taras; Ganyushin, Dmitry; Olbrich, Gottfried. Advanced Aspects of Ab Initio Theoretical Optical Spectroscopy of Transition Metal Complexes: Multiplets, Spin-Orbit Coupling and Resonance Raman Intensities. *Coordin. Chem. Rev.*, **2007**, 251 (3-4), 288–327. DOI: [10.1016/j.ccr.2006.05.019](https://doi.org/10.1016/j.ccr.2006.05.019).
4. Neese, F. *Chem. Phys. Lett.*, **2003**, 380, 721–728.
5. Ganyushin, D.; Neese, F. *J. Chem. Phys.*, **2008**, 128, 114117.
6. Nooijen, Marcel; Demel, Ondrej; Datta, Dipayan; Kong, Liguu; Shamasundar, K. R.; Lotrich, V.; Huntington, Lee M.; Neese, Frank. Communication: Multireference Equation of Motion Coupled Cluster: A Transform and Diagonalize Approach to Electronic Structure. *J. Chem. Phys.*, **2014**, 140 (8), 081102.
7. Neese, F.; Solomon, E. I. *Inorg. Chem.*, **1998**, 37, 6568–6582.
8. Petrenko, Taras; Neese, Frank. Analysis and prediction of absorption band shapes, fluorescence band shapes, resonance Raman intensities, and excitation profiles using the time-dependent theory of electronic spectroscopy. *J. Chem. Phys.*, **2007**, 127 (16), 164319. DOI: [10.1063/1.2770706](https://doi.org/10.1063/1.2770706).
9. Ganyushin, D.; Neese, F. *J. Chem. Phys.*, **2013**, 138, 104113.
10. Duboc, C.; Ganyushin, D.; Sivalingam, K.; Collomb, M. N.; Neese, F. Systematic Theoretical Study of the Zero-Field Splitting in Coordination Complexes of Mn(III). Density Functional Theory versus Multireference Wave Function Approaches. *J. Phys. Chem. A*, **2010**, 114, 10750–10758.
11. Demel, O.; Pittner, J.; Neese, F. A Local Pair Natural Orbital-Based Multireference Mukherjee's Coupled Cluster Method. *J. Chem. Theory Comput.*, **2015**, 11, 3104–3114.
12. Sundararajan, M.; Ganyushin, D.; Ye, S.; Neese, F. Multireference ab initio studies of Zero-Field Splitting and Magnetic Circular Dichroism Spectra of Tetrahedral Co(II) Complexes. *Dalton Trans.*, **2009**, 30, 6021–6036.
13. Lang, L.; Sivalingam, K.; Neese, F. The combination of multipartitioning of the Hamiltonian with canonical Van Vleck perturbation theory leads to a Hermitian variant of quasidegenerate N-electron valence perturbation theory. *J. Chem. Phys.*, **2020**, 152, 034106.
14. Atanasov, M.; Zdrozny, J. M.; Long, J. R.; Neese, F. A theoretical analysis of chemical bonding, vibronic coupling, and magnetic anisotropy in linear iron(II) complexes with single-molecule magnet behavior. *Chem. Sci.*, **2013**, 4, 139–156.
15. Neese, F.; Pantazis, D. A. What is not required to make a single molecule magnet. *Faraday Discuss.*, **2011**, 148, 229–238.



16. Neese, F. Analytic Derivative Calculation of Electronic g-Tensors based on Multireference Configuration Interaction Wavefunctions. *Mol. Phys.*, **2007**, 105, 2507–2514.
17. Neese, Frank. Theoretical spectroscopy of model-nonheme [Fe(IV)OL5]2+ complexes in their lowest triplet and quintet states using multireference ab initio and density functional theory methods. *J. Inorg. Biochem.*, **2006**, 100 (4), 716–726. High-valent iron intermediates in biology. DOI: 10.1016/j.jinorgbio.2006.01.020.
18. Ganyushin, D.; Neese, F. First Principle Calculation of Zero-Field Splittings. *J. Chem. Phys.*, **2006**, 125, 024103.
19. Ray, K.; Weyhermüller, T.; Neese, F.; Wieghardt, K. Electronic Structure of Square-Planar Bis(benzene-1,2-dithiolate)metal Complexes [M(L)<sub>2</sub>]<sup>z</sup> (z=2-,1-,0; M= Ni, Pd, Pt, Cu, Au): An experimental, Density Functional and Correlated *ab initio* Study. *Inorg. Chem.*, **2005**, 44, 5345–5360.
20. Schöneboom, J.; Neese, F.; Thiel, W. Towards Identification of the Compound I Reactive Intermediate in Cytochrome P450 Chemistry: A QM/MM Study of its EPR and Mössbauer Parameters. *J. Am. Chem. Soc.*, **2005**, 127, 5840–5853.
21. Wanko, M.; Hoffmann, M.; Strodel, P.; Thiel, W.; Neese, F.; Frauenheim, T.; Elstner, M. Calculating Absorption Shifts for Retinal Proteins: Computational Challenges. *J. Phys. Chem. B*, **2005**, 109, 3606–3615.
22. Neese, F. Sum Over States Based Multireference *ab initio* Calculation of EPR Spin Hamiltonian Parameters for Transition Metal Complexes. A Case Study. *Mag. Res. Chem.*, **2004**, 42, S187–S198.
23. Neese, F. A Spectroscopy Oriented Configuration Interaction Procedure. *J. Chem. Phys.*, **2003**, 119, 9428–9443.
24. Neese, F. Configuration Interaction Calculation of Electronic g-Tensors in Transition Metal Complexes. *Int. J. Quant. Chem.*, **2001**, 83, 104–114.
25. Chalupský, J.; Neese, F.; Solomon, E. I.; Ryde, U.; Rulíšek, L. Identification of intermediates in the reaction cycle of multicopper oxidases by quantum chemical calculations of spectroscopic parameters. *Inorg. Chem.*, **2006**, 45, 11051–11059.

### B.3.31 NRVS

1. Ogata, H.; Kramer, T.; Wang, H. X.; Schilter, D.; Pelmeshnikov, V.; van Gastel, M.; Neese, F.; Rauchfuss, T. B.; Gee, L. B.; Scott, A. D.; Yoda, Y.; Tanaka, Y.; Lubitz, W.; Cramer, S. P. Hydride bridge in NiFe-hydrogenase observed by nuclear resonance vibrational spectroscopy. *Nat. Commun.*, **2015**, 6, 7890.

### B.3.32 Nuclear Resonance Vibrational Spectra

1. Petrenko, Taras; DeBeer-George, Serena; Aliaga-Alcalde, Núria; Bill, Eckhard; Mienert, Bernd; Xiao, Yuming; Guo, YiSong; Sturhahn, Wolfgang; Cramer, Stephen P.; Wieghardt, Karl; Neese, Frank. Characterization of a Genuine Iron(V)-Nitrido Species by Nuclear Resonant Vibrational Spectroscopy Coupled to Density Functional Calculations. *J. Am. Chem. Soc.*, **2007**, 129, 11053–11060.
2. Petrenko, T.; Sturhahn, W.; Neese, F. First principles calculation of Nuclear Resonance Vibrational Spectra. *Hyperfine Interact.*, **2008**, 175, 165–174.

### B.3.33 Orbital Optimized MP2

1. Neese, F.; Schwabe, T.; Kossmann, S.; Schirmer, B.; Grimme, S. *J. Chem. Theory Comput.*, **2009**, 5, 3060.
2. Shirazi, R. G.; Pantazis, D. A.; Neese, F. Performance of density functional theory and orbital-optimised second-order perturbation theory methods for geometries and singlet-triplet state splittings of aryl-carbenes. *Mol. Phys.*, **2020**, 118, e1750456.
3. Sandhoefer, B.; Kossmann, S.; Neese, F. Derivation and assessment of relativistic hyperfine-coupling tensors on the basis of orbital-optimized second-order Møller-Plesset perturbation theory and the second-order Douglas–Kroll–Hess transformation. *J. Chem. Phys.*, **2013**, 138, 104102.
4. Kossmann, S.; Neese, F. Correlated ab Initio Spin Densities for Larger Molecules: Orbital-Optimized Spin-Component-Scaled MP2 Method. *J. Phys. Chem. A*, **2010**, 114, 11768–11781.

### B.3.34 Pair Natural Orbital Local Correlation Methods

1. Kollmar, Christian; Neese, Frank. The relationship between double excitation amplitudes and Z vector components in some post-Hartree-Fock correlation methods. *J. Chem. Phys.*, **2011**, 135 (6), 064103. DOI: [10.1063/1.3618720](https://doi.org/10.1063/1.3618720).
2. Kollmar, Christian; Neese, Frank. An orbital-invariant and strictly size extensive post-Hartree-Fock correlation functional. *J. Chem. Phys.*, **2011**, 135 (8), 084102. DOI: [10.1063/1.3624567](https://doi.org/10.1063/1.3624567).
3. Huntington, Lee M. J.; Hansen, Andreas; Neese, Frank; Nooijen, Marcel. Accurate Thermochemistry from a Parameterized Coupled-Cluster Singles and Doubles Model and a Local Pair Natural Orbital Based Implementation for Applications to Larger Systems. *J. Chem. Phys.*, **2012**, 136, 064101. DOI: [10.1063/1.3682325](https://doi.org/10.1063/1.3682325).
4. Neese, F.; Hansen, A.; Liakos, D. G. *J. Chem. Phys.*, **2009**, 131, 064103.
5. Hansen, A.; Liakos, D. G.; Neese, F. *J. Chem. Phys.*, **2011**, 135, 214102.
6. Liakos, D. G.; Neese, F. Improved correlation energy extrapolation schemes based on local pair natural orbital methods. *J. Phys. Chem. A*, **2012**, 116 (19), 4801–4816. DOI: [10.1021/jp300997x](https://doi.org/10.1021/jp300997x).
7. Riplinger, C.; Neese, F. *J. Chem. Phys.*, **2013**, 138, 034106.
8. Neese, F.; Wennmohs, F.; Hansen, A. *J. Chem. Phys.*, **2009**, 130, 114108.
9. Riplinger, C.; Sandhoefer, B.; Hansen, A.; Neese, F. *J. Chem. Phys.*, **2013**, 139, 134101.
10. Izsák, R.; Hansen, A.; Neese, F. The resolution of identity and chain of spheres approximations for the LPNO-CCSD singles Fock term. *Mol. Phys.*, **2012**, 110, 2413–2417.
11. Liakos, D. G.; Hansen, A.; Neese, F. Weak Molecular Interactions Studied with Parallel Implementations of the Local Pair Natural Orbital Coupled Pair and Coupled Cluster Methods. *J. Chem. Theory Comput.*, **2011**, 7, 76–87.

### B.3.35 PBEh-3c method

1. Grimme, S.; Brandenburg, J. G.; Bannwarth, C.; Hansen, A. Consistent structures and interactions by density functional theory with small atomic orbital basis sets. *J. Chem. Phys.*, **2015**, 143, 054107. DOI: [10.1063/1.4927476](https://doi.org/10.1063/1.4927476).