

a
Published run (v2.2)
Interior nudging map
(nz5km_nudg_N50.nc)
missing: shape unknown
max rate 1 d−1
edge: inflow 10 d−1 (≈2.4 h)
outflow 1 d−1
e, f
40°S
50°S
165°E
175°E
b
Paper: 1 → 0 d−1 over ≈200 km
200 km
(linear taper
assumed)
c
Trap: ROMS analytic default
Whole domain relaxed
to GLORYS every day
(ana_nudgcoef.h default)
d
Grid-file viscosity sponge
19-cell sponge in grid file
LuvSponge = 0: not used
by the published run
0.00
0.25
0.50
0.75
1.00
Nudging rate toward GLORYS (d−1)
1
4
7
10
Viscosity factor (×)
e
Rate along the profile
edge cell only: inflow 10 d−1 (↑ off scale), outflow 1 d−1 (●)
ROMS analytic default
paper, linear taper (assumed shape)
ROMS analytic default
edge cell only
paper, linear taper
(assumed shape)
Nudging rate (d−1)
Distance from western edge along 40°S (km)
f
Grid-file sponge along the profile
×15
×10
not applied in v2.2
(LuvSponge = LtracerSponge = 0)
viscosity
diffusivity
19 cells ≈ 98 km
Sponge factor (×)
Distance from western edge along 40°S (km)