Bibliography - 1 October 2013

New entries and updates since the last version (1 August) are in green.

Please send any additional publications or comments to coordinator Martin Kramp, mkramp@jcommops.org

Álvarez et al., Decadal biogeochemical changes in the western Indian Ocean associated with Subantarctic Mode Water, Journal of Geophysical Research 116, C09016, doi:10.1029/2010JC006475, 2011.

Álvarez and Gourcuff, Uncoupled transport of chlorofluorocarbons and anthropogenic carbon in the subpolar North Atlantic, Deep-Sea Research I 57, 860-868, 2010.

Álvarez and Álvarez–Salgado, Transports of chemical tracers in the Eastern boundary current system of the North Atlantic, Ciencias Marinas 35 (2), 123-139, 2009.

Álvarez et al., Estimating the storage of anthropogenic carbon in the subtropical Indian Ocean: a comparison of five different approaches, Biogeosciences 6: 681-703, 2009.

Álvarez and Álvarez–Salgado, Biogeochemical budgets in the Eastern boundary current system of the North Atlantic: evidences of nitrogen fixation and heterotrophy, Limnology & Oceanography 52: 1328–1335, 2007.

Álvarez et al., The unaccounted role of Mediterranean Water in the draw-down of anthropogenic carbon, Journal of Geophysical Research 110: C09S03. doi: 10.1029/2004JC002633, 2005.

Ayers, J. M., and P. G. Strutton, Nutrient variability in Subantarctic Mode Waters forced by the Southern Annular Mode and ENSO, Geophys. Res. Lett., 40, doi:10.1002/grl.50638, 2013.

Azetsu-Scott, K., B. Petrie, P. Yeats, and C. Lee, Composition and fluxes of freshwater through Davis Strait using multiple chemical tracers, Journal of Geophysical Research, 117, C12011, doi:10.1029/2012JC008172, 2012.

Azetsu-Scott, K., A. Clarke, K. Falkner, J. Hamilton, E. P. Jones, C. Lee, B. Petrie, S. Prinsenberg, M. Starr and P. Yeats, Calcium Carbonate Saturation States in the waters of the Canadian Arctic Archipelago and the Labrador Sea, Journal of Geophysical Research, 115, C11021, doi:10.1029/2009JC005917, 2010.

Azetsu-Scott, K., R.M. Gershey and E.P. Jones, Distribution and Ventilation of Water Masses in the Labrador Sea inferred from CFCs and Carbon Tetrachloride. Marine Chemistry, 94, 55-66, 2005.

Azetsu-Scott, K. and U. Passow, Ascending marine particles: Significance of Transparent Exopolymer particles (TEP) in the Upper Ocean. Limnology and Oceanography, 49, 741-748, 2004.

Azetsu-Scott, K., R.M. Gershey, E. P. Jones and Yashayaev, I., Time Series Study of CFC Concentrations in the Labrador Sea during Deep and Shallow Convection Regimes (1991-2000). Journal of Geophysical Research, 108, C11, 3354, 2003.

Barbero et al., Importance of water mass formation regions for the air-sea CO2 flux estimate in the Southern Ocean, Glob. Biogeochem. Cycles 25, GB1005, 16 PP., doi:10.1029/2010GB003818, 2011.

Birdsey et al., Carbon cycle observations: Gaps threaten climate mitigation policies. EOS 90(34): 292-293, 2009.

Brewer and Peltzer, Limits to Marine Life, Science 324: 347-348, 2009.

Brewer et al., Ocean Recipes from Chemistry and Sound, Deep-Sea Research, submitted.

Burd et al., Assessing the apparent imbalance between geochemical and biochemical Indicators of meso- and bathypelagic biological activity: What the @$#! is wrong with present calculations of carbon budgets? Deep-Sea Research II 57: 1557-1571, 2010.

Byrne et al., Direct observations of basin-wide acidification of the North Pacific Ocean, Geophys. Res. Lett. 37, L02601, doi:10.1029/2009GL040999, 2010.

Carlson et al., DOC persistence and its fate after export within the ocean interior. In: Jiao N, Azam F, Sanders S (eds), Microbial Carbon Pump in the Ocean. Science / AAAS Business Office: Washington DC. pp 57-59. 10.1126/science.opms.sb0001, 2011.

Carlson et al., Dissolved organic carbon export and subsequent remineralization in the mesopelagic bathypelagic realms of the North Atlantic basin, Deep Sea Research II 57:1433-1445, 2010.

Christian et al., Testing an ocean carbon model with observed sea surface pCO2 and DIC in the tropical Pacific Ocean, Journal of Geophysical Research doi:10.1029/2007JC004428, 2008.

Daniault, N. H. Mercier, P. Lherminier, The 1992-2009 transport variability at the south east tip of Greenland from in situ measurements and altimetry. Geophysical Research Letters, 38, L07601, doi:10.1029/2011GL046863, 2011.

Daniault, N., P. Lherminier, H. Mercier,Circulation and transport at the south east tip of Greenland. J. Phys. Oceanogr., 41, 437-457. doi:10.1175/2010JPO4428.1, 2011.

De Boisséson, E., V. Thierry, H. Mercier, Mixed layer heat budget in the Iceland Basin from Argo. J. Geophys. Res. Oceans, 115, C10055, doi:10.1029/2010JC006283, 2010.

Deutsch et al., Climate forced variability of ocean hypoxia, Science, 333, 336-339 DOI: 10.1126/science.1202422, 2011.

Deutsch et al., Physical-biological interactions in North Pacific oxygen variability, J. Geophys. Res. 111, No. C9, C09S90, http://dx.doi.org/10.1029/2005JC003179, 2006.

Deutsch et al., Fingerprints of climate change in North Pacific oxygen, Geophys. Res. Let. 32, No. 16, L16604 doi:10.1029/2005GL023190, 2005.

Downes, S.M., R.M. Key, A.H. Orsi, K.G. Speer, and J.H. Swift, Tracing southwest Pacific bottom water using potential vorticity and Helium-3, J. Phys. Oceanogr., doi:10.1175/JPO-D-12-019.1, 42, 2153-2168, 2012.

Durack and Wijffels, Ocean Salinities Confirm an Intensifying Hydrological Cycle, Science, accepted.

Durack et al., [Global Oceans] Ocean Salinity: A Water Cycle Diagnostic? [In "State of the Climate 2010"], Bulletin of the American Meteorological Society, 92 (6), S91-S93. doi: 10.1175/1520-0477-92.6.S1, 2011.

Durack and Wijffels, Fifty year trends in Global Ocean Salinity and its relationship to Broadscale Ocean Warming. J. Climate, 23, 4342-4362, 2010.

Eakin et al., Monitoring coral reefs from space, Oceanography 23(4): 118-133, 2010.

Farmer and Hansell, Determination of dissolved organic carbon and total dissolved nitrogen in sea water in Dickson, A.G., Sabine, C.L. and Christian, J.R. (Eds.), Guide to best practices for ocean CO2 measurements, PICES Special Publication 3, 191 pp., 2007.

Friedrich et al., Detecting regional anthropogenic trends in ocean acidification against natural variability, Nature Climate Change, In review.

Gardner et al., Global POC concentrations from in-situ and satellite data, Deep-Sea Research II 53 (5-7): 718-740. DOI: doi:10.1016/j.dsr2.2006.01.029, 2006.

Gledhill et al., Observing ocean acidification from space, Oceanography 22(4): 48-59, 2010.

Gledhill et al., Ocean acidification of the Greater Caribbean Region 1996–2006, J. Geophys. Res., 113, C10031, doi:10.1029/2007JC004629, 2008.

Goldberg et al., Systematic removal of neutral sugars within dissolved organic matter across ocean basins, Geophysical Research Letters 38, L17606, doi:10.1029/2011GL048620, 2011.

Goldberg et al., Meridional Variability in Dissolved Organic Matter Stocks and Diagenetic State Within the Euphotic and Mesopelagic Zone of the North Atlantic Subtropical Gyre, Marine Chemistry 119:9-21, 2010.

Goldberg et al., Temporal dynamics of dissolved combined neutral sugars and the quality of dissolved organic matter in the Northwestern Sargasso Sea, Deep-Sea Research I 56, 672–685, 2009.

Goodkin et al., Impacts of temporal CO2 and climate trends on the detection of ocean anthropogenic CO2 accumulation, Global Biogeochemical Cycles 25, GB3023, doi:10.1029/2010GB004009, 2011.

Gourcuff, C., P. Lherminier, H. Mercier, P. Y. LeTraon, Altimetry combined with hydrography for ocean transport estimation. J. Atmosph. Ocean. Tech., 28, 1324-1337, doi: 10.1175/2011JTECHO818.1, 2011.

Graven, H. D., N. Gruber, R. Key, S. Khatiwala and X. Giraud, Changing controls on oceanic radiocarbon: New insights on shallow-to-deep ocean exchange and anthropogenic CO2 uptake, J. Geophys. Res., 117, C10005, doi:10.1029/2012JC008074, 2012.

Gruber et al., Oceanic sources, sinks, and transport of atmospheric CO2, Global Biogeochemical Cycles 23, GB1005, doi:10.1029/2008GB003349, 2009.

Hansell, D.A. and C.A. Carlson. Localized refractory dissolved organic carbon sinks in the deep ocean. Global Biogeochemical Cycles DOI: 10.1002/gbc.20067 (in press).

Hansell, D.A., Recalcitrant dissolved organic carbon fractions. Annual Reviews of Marine Science 5: 421-445, 2013.

Hansell et al., Net removal of major marine dissolved organic carbon fractions in the subsurface deep ocean. Global Biogeochemical Cycles 26(GB1016), doi:10.1029/2011GB004069, 2012.

Hansell et al., Dissolved organic matter in the ocean: New insights stimulated by a controversy. Oceanography 22: 202-211, 2010.

Hansell, D.A., Dissolved organic carbon in the carbon cycle of the Indian Ocean. In Indian Ocean Biogeochemical Processes and Ecological Variability. Editors: J.D. Wiggert, R.R. Hood, S.W.A. Naqvi, K.H. Brink and S.L. Smith. Book Series: AGU Geophysical Monograph Series. Washington, D. C. pp. 217-230, 2009.

Hansell and Follows, Nitrogen in the Atlantic Ocean. In Nitrogen in the Marine Environment, eds D. Capone, D. Bronk, M. Mullholland, and E. Carpenter. Academic Press. pp. 597-630, 2008.

Hansell et al., Assessment of excess nitrate development in the subtropical North Atlantic. Marine Chemistry 106: 562-579, 2007.

Hartin et al., Formation rates of Subantarctic mode water and Antarctic intermediate water within the South Pacific, Deep Sea Research Part I: Oceanographic Research Papers, 58(5): 524-534, 2011.

Hartin et al., Comparison of Subantarctic mode water and Antarctic Intermediate Water in the South Pacific between NCAR-CCSM4 and observations, Geophysical Research Letters, in prep.

Hauck et al., Data-based estimation of anthropogenic carbon and acidification in the Weddell Sea on a decadal time scale, Journal of Geophysical Research 115: C03004, doi:10.1029/2009JC005479, 2010.

Helmle et al. Growth rates of Florida corals from 1937 to 1996 and their relationship to climate change, Nature Communications 2, 215, doi: 10.1038/ncomms1222, 2011.

Hofmann et al., Gas exchange rates in the deep-sea I: Oxygen, Global Biogeochemical Cycles, submitted.

Hofmann et al., Gas exchange rates in the deep-sea II: Carbon Dioxide, Global Biogeochemical Cycles, submitted.

Hofmann et al., Hypoxia by degrees: Establishing definitions for a changing ocean, Deep-Sea Research 58: 1212-1226, 2011.

Hönisch et al., Modern and Pleistocene Boron Isotope Composition of the Benthic Foraminifer *Cibicidoides wuellerstorfi*, Earth and Planetary Science Letters 272, 1-2, 309-318, 2008.

Hönisch and Hemming, Surface ocean pH response to variations in pCO2 through two full glacial cycles, Earth and Planetary Science Letters 236, 305-314, 2005.

Hönisch and Hemming, Ground-truthing the boron isotope paleo-pH proxy in planktonic foraminifera shells: Partial dissolution and shell size effects, Paleoceanography 19, doi:10.1029/2004PA001026, 2004.

Holte, J., Talley, L., Chereskin, T, and Sloyan, B., Exchange across the Subantarctic Front and Subantarctic Mode Water formation in the southeast Pacific. Journal of Geophysical Research, 118, 2052-2066, doi:10.1002/jgrc.20144, 2013.

Hoppema et al., Consistency of cruise data of the CARINA database in the Atlantic sector of the Southern Ocean, Earth Sys. Sci. Data 1, 63-75, 2009.

Ishii et al., Ocean acidification off the south coast of Japan: A result from time series observations of CO2 parameters from 1994 to 2008, Journal of Geophysical Research, 116, C06022, doi:10.1029/2010JC006831, 2011.

Jiao et al., Microbial production of recalcitrant dissolved organic matter: long-term carbon storage in the global ocean, Nature Reviews Microbiology 8: doi:10.1038/nrmicro2386, 2010.

Johnson and Wijffels, Ocean density change contributions to sea level rise, Oceanography 24(2):112–121, doi:10.5670/oceanog.2011.31, 2011.

Johnson and Kearney, Ocean climate change fingerprints attenuated by salt fingering? Geophysical Research Letters 36, L21603, doi:10.1029/2009GL040697, 2009.

Johnson and Purkey, Deep Caribbean Sea warming, Deep-Sea Research I 56, 827-834, doi:10.1016/j.dsr.2008.12.011, 2009.

Johnson et al., Reduced Antarctic meridional overturning circulation reaches the North Atlantic Ocean, Geophysical Research Letters 35, L22601, doi:10.1029/2008GL035619, 2008.

Johnson et al., Warming and freshening in the abyssal southeastern Indian Ocean. Journal of Climate 21, 5351-5363, doi:10.1175/2008JCLI2384.1, 2008.

Johnson et al., Recent bottom water warming in the Pacific Ocean, Journal of Climate 20, 5365-5375, doi:10.1175/2007JCLI1879.1, 2007.

Johnson and Gruber, Decadal water mass variations along 20°W in the northeastern Atlantic Ocean. Progress in Oceanography, 73, 277-295, doi: 10.1016/j.pocean.2006.03.022, 2007.

Johnson and Doney, Recent western South Atlantic bottom water warming, Geophysical Research Letters 33, L14614, doi:10.1029/2006GL026769, 2006.

Johnson et al., Labrador Sea Water property variations in the northeastern Atlantic Ocean, Geophysical Research Letters 32, L07602, doi:10.1029/2005GL022404, 2005.

Jutterström et al., Arctic Ocean data in CARINA, Earth Sys. Sci. Data 2, 71-78, 2010.

Katsumata, K., Sloyan, B. M., and Masuda, S., 2013. Diapycnal and isopycnal transports in the Southern Ocean estimated by a box inverse model. Journal of Physical Oceanography, in press.

Katsumata and Fukasawa, Changes in meridional fluxes and water properties in the Southern Hemisphere subtropical oceans between 1992/1995 and 2003/2004, Progress in Oceanography 89(1-4) 61-91, 2011.

Kawano et al., Heat content change in the Pacific Ocean between the 1990s and 2000s, Deep-Sea Research II 57(13-14), 2010.

Kawano et al., Bottom water warming along the pathway of lower circumpolar deep water in the Pacific Ocean, Geophysical Research Letters 33, L23613, 2006.

Keeling et al., Ocean Deoxygenation in a Warming World, Annual Review of Marine Science 2, 199-229, doi:10.1146/annurev.marine.010908.163855, 2010.

Key, R.M. and A. McNichol, Radiocarbon measurements in the Indian Ocean aboard RVIB Nathaniel B. Palmer, Oceanography, 25(3), 152–153, http://dx.doi.org/10.5670/oceanog.2012.89, 2012.

Key et al., The CARINA data synthesis project: introduction and overview, Earth Sys. Sci. Data 2, 105-121, 2010.

Kouketsu et al., Deep ocean heat-content changes estimated from observation and reanalysis product and their influence on sea level change, Journal of Geophysical Research 116, C03012, 2011.

Kouketsu et al., Changes in water properties around North Pacific intermediate water between the1980s, 1990s and 2000s., Deep-Sea Research Part II 57(13-14) 1177-1187, 2010.

Kouketsu et al., Changes in water properties and transports along 24°N in the North Pacific between 1985 and 2005, Journal of Geophysical Research 114, C01008, 2009.

Kouketsu et al., Changes of North Pacific Intermediate Water properties in the subtropical gyre, Geophysical Research Letters 34, L02605, 2007.

Kunze et al., Global Abyssal Mixing Inferred from Lowered ADCP Shear and CTD Strain Profiles, J. Phys. Oceanogr. 36(8): 1553-1576, 2006.

Lee et al., Concentration and UV reactivity of total organic carbon in the upper layer in the oligotrophic subtropical western North Pacific, Journal of Geophysical Research, 113, C03017, doi:10.1029/2007JC004330, 2011.

Lee et al., Spatial and temporal changes in the concentration of various phosphorus pools and their possible biogeochemical roles in the oligotrophic subtropical western North Pacific, Journal of Geophysical Research, 113, C03017, doi:10.1029/2007JC004330, 2008.

Lenton et al., The observed evolution of oceanic pCO2 and its drivers over the last two decades, Global Biogeochemical Cycles, accepted.

Letscher, R.T., D.A. Hansell, C. Carlson, R. Lumpkin, A. Knapp, Dissolved organic nitrogen in the global surface ocean: Distribution and fate. Global Biogeochemical Cycles 27(1): 141-153, 2013.

Levine et al., The impact of the North Atlantic Oscillation on the uptake and accumulation of anthropogenic CO2 by North Atlantic Ocean mode waters, Global Biogeochemical Cycles 25, GB3022, doi:10.1029/2010GB003892, 2011.

Levine et al., Impact of ocean carbon system variability on the detection of temporal increases in anthropogenic CO2, J Geophys. Res., 113, C03019, doi:10.1029/2007JC004153, 2008.

Lherminier Pascale, Herlé Mercier, Thierry Huck, C. Gourcuff, F. F. Perez, P. Morin, A. Sarafanov, The Atlantic meridional overturning circulation and the subpolar gyre observed at the A25-Ovide section in June 2002 and 2004. Deep Sea Res. I. Publisher's official version: http://dx.doi.org/10.1016/j.dsr.2010.07.009, 2010.

Lherminier Pascale, Herlé Mercier, Claire Gourcuff, Marta Alvarez, Sheldon Bacon, Catherine Kermabon, Transports across the 2002 Greenland-Portugal OVIDE section and comparison with 1997. J. Geophys. Res., 112(C7), C07003, doi:10.1029/2006JC003716, 2007.

Lo Monaco et al., Assessing the internal consistency of the CARINA database in the Indian sector of the Southern Ocean, Earth Sys. Sci. Data 2, 51-70, 2010.

Loose and Schlosser, Sea ice and its effect on CO2 flux between the atmosphere and the Southern Ocean interior, Journal of Geophysical Research 116, C11019, doi:10.1029/2010JC006509, 2011.

Loose et al., Gas diffusion through columnar laboratory sea ice: Impli- cations for mixed-layer ventilation of CO2 in the seasonal ice zone. Tellus 63B, doi:10.1111/j.1600-0889.2010.00506.x, 2010.

Loose et al., An optimized estimate of glacial melt from the Ross Ice Shelf, using noble gases, stable isotopes and CFC transient tracers, Journal of Geophysical Research 114, doi:10.1029/2008JC005048, 2009.

Lyman et al., Robust warming of the global upper ocean, Nature, 465, 334-337 doi:10.1038/nature09043, 2010.

Maas et al., The metabolic response of pteropods to acidification reflects natural CO2-exposure in oxygen minimum zone, Biogeosciences, 9, 747–757, 2012.

Manizza et al., A model of the Arctic Ocean carbon cycle, J. Geophys. Res. 116, C12020, doi:10.1029/2011JC006998, 2011.

Manizza et al., Recent changes in the Arctic Ocean CO2 sink (1996-2007): A regional model analysis, Global Biogeochem. Cycles, revised, 12/2011.

Maritorena et al., Merged satellite ocean color data products using a bio-optical model: characteristics, benefits and issues, Remote Sensing of the Environment, 114, 1791-1804, 2010.

Masuda et al., Simulated rapid warming of abyssal North Pacific waters, Science 329(5989), 319-322, 2010.

Maze, G., H. Mercier, V. Thierry, L. Memery, P. Morin, F. F. Perez, Mass, nutrients and oxygen budgets for the north eastern Atlantic Ocean. Biogeosciences, 9, 4099-4113, doi:10.5194/bg-9-4099-2012, 2012.

McGrath, T., Kivimae, C., Tanhua, T., Cave, R., McGovern, E., Inorganic carbon and pH levels in the Rockall Trough 1991 - 2010, Deep-Sea Research, 68, 79-91, doi.org/10.1016/j.dsr.2012.05.011, 2012.

McNeil et al., An empirical estimate of the Southern Ocean air-sea CO2 flux, Global Biogeochem. Cycles 21(3), GB3011, doi:10.1029/2007GB002991, 2007.

Mecking et al., Climate variability in the North Pacific thermocline diagnosed from oxygen measurements: An update based on the U.S. CLIVAR/CO2 Repeat Hydrography cruises, Global Biogeochem. Cycles, 22, GB3015, doi:10.1029/2007GB003101, 2008.

Meredith et al., Evolution of the deep and bottom waters of the Scotia Sea, Southern Ocean, during 1995-2005, Journal of Climate 21, 3327-3343, doi:10.1175/2007JCLI2238.1, 2008.

Midorikawa et al., Decreasing pH trend estimated from 25-yr time series of carbonate parameters in the western North Pacific. Tellus, 62B, 649–659, doi: 10.1111/j.1600-0889.2010.00474.x., 2010.

Midorikawa et al., Interannual variability of winter oceanic CO2 and air-sea CO2 flux in the western North Pacific for 2 decades. Journal of Geophysical Research, 111, C07S02, doi:10.1029/2005JC003095, 2006.

Millet et al., Global atmospheric budget of acetaldehyde: 3D model analysis and constraints from in-situ and satellite observations. Atmospheric Chemistry and Physics 10, 3405-3425, 2010.

Nagata et al., Emerging concepts on microbial processes in the bathypelagic ocean – ecology, biogeochemistry and genomics, Deep-Sea Research II 57: 1519-1536, 2010.

Nakano et al., Mid-depth freshening in the North Pacific subtropical gyre observed along the JMA repeat and WOCE hydrographic sections, Geophysical Research Letters, 34, doi: 10.1029/2007GL031433, 2007.

Nelson et al., Tracing global biogeochemical cycles and meridional overturning circulation using chromophoric dissolved organic matter, Geophysical Research Letters L03610, doi:10.1029/2009GL042325, 2010.

Nelson et al., Hydrography of Chromophoric Dissolved Organic Matter in the North Atlantic, Deep Sea Research I 54:710-731, 2007.

Nelson and Carlson, A non-radioactive assay of bacterial productivity optimized for oligotrophic pelagic environments, Limnology and Oceanography Methods 3: 211-220, 2005.

Olsen et al., Overview of the Nordic Seas CARINA data and salinity measurements, Earth Sys. Sci. Data 1, 25-34, 2009.

Omori et al., Relationship between the seasonal change in fluorescent dissolved organic matter and mixed layer depth in the subtropical western North Pacific, Journal of Geophysical Research, 115, C06001, doi:10.1029/2009JC005526, 2010.

Orellana, M. and D.A. Hansell, RubisCO: A long lived protein in the deep ocean. Limnology and Oceanography 53: 826-834, 2012.

Ortega-Retuerta et al., Observations of chromophoric dissolved and detrital organic matter distribution using remote sensing in the Southern Ocean: Validation, dynamics and regulation, Journal of Marine Systems, 82, 295-303, 2010.

Perez, F. F., H. Mercier, M. Vazquez-Rodriguez, P. Lherminier, A. Velo, P. Pardo, G. Roson, A. Rios, Reconciling air-sea CO2 fluxes and anthropogenic CO2 budgets in a changing North Atlantic. Nature Geosciences, 6, 146-152, doi:10.1038/ngeo1680, 2013.

Pérez F. F., M. Vázquez-Rodríguez, H. Mercier, A. Velo, P. Lherminier, and A. F. Ríos, Trends of anthropogenic CO2 storage in North Atlantic water masses. Biogeosciences, 7, 1789-1807, doi:10.5194/bg-7-1789-2010, 2010.

Pérez, F. F., M. Vazquez-Rodriguez, E. Louarn, X. A. Padin, H. Mercier, A. Rios, Temporal trends of the anthropogenic CO2 storage in the Irminger Sea. Biogeosciences, 5,1669-1679, doi:10.5194/bg-5-1669-2008, 2008.

Pierrot et al., CARINA TCO2 Data in the Atlantic Ocean, Earth Sys. Sci. Data 2, 177-187, 2010.

Plancherel, Y., A Study of the Ocean's Water Masses Using Data and Models, PhD. Thesis, Princeton University, 307pp, 2012.

Purkey and Johnson, Global contraction of Antarctic Bottom Water between the 1980s and 2000s, Journal of Climate, doi:10.1175/JCLI-D-11-00612.1, in press.

Purkey and Johnson, Warming of global abyssal and deep Southern Ocean waters Between the 1990s and 2000s: Contributions to global heat and sea level rise budgets, Journal of Climate, 23, 6336-6351, doi:10.1175/2010JCLI3682.1, 2010.

Robinson et al., Mesopelagic microbial metazoan diversity and function- a synthesis, Deep Sea Research II 57:1504-1518, 2010.

Rodgers et al., Altimetry helps to explain patchy changes in hydrographic carbon measurements, J. Geophys. Res. 114, C09013, doi:10.1029/2009JC005305, 2009.

Sabine and Tanhua, Estimation of Anthropogenic CO2 Inventories in the Ocean, Annual Reviews of Marine Science 2, 269-92, doi:10.1146/annurev-marine-120308-080947, 2010.

Sabine et al., Assessing the internal consistency of the CARINA database in the Pacific sector of the Southern Ocean, Earth Sys. Sci. Data 2, 195-204, 2010.

Sarafanov, A., A. Falina, H. Mercier, A. Sokov, P. Lherminier, C. Gourcuff, S. Gladyshev, F. Gaillard, N. Daniault, Mean full-depth summer circulation and transports at the northern periphery of the Atlantic Ocean in the 2000s. J. Geophys. Res. Ocean, 117, C01014, doi:10.1029/2011JC007572, 2012.

Sarafanov, A., A. Falina, P. Lherminier, H. Mercier, A. Sokov, C. Gourcuff, Assessing decadal changes in the deep western boundary current absolute transports southeast of of Cape Farewell (Greenland) from hydrography and altimetry. J. Geophys. Res. Oceans, 115, C11003, doi:10.1029/2009JC005811, 2010.

Sarafanov, A., A. Falina, H. Mercier, P. Lherminier, A. Sokov, Recent changes in the Greenland-Scotland overflow-derived water transport inferred from hydrographic observations in the southern Irminger Sea. Geophysical Research Letters, 36, L13707, doi:10.1029/2009GL038041, 2009.

Sarmiento et al., Deep ocean biogeochemistry of silicic acid and nitrate, Global Biogeochem. Cycles, 21, GB1S90, doi:10.1029/2006GB002720, 2007.

Schmidtko and Johnson, Multi-decadal warming and shoaling of Antarctic Intermediate Water, Journal of Climate 25, 207-221, doi:10.1175/JCLI-D-11-00021.1, 2012.

Schmittner et al., Simulating the Three-Dimensional Distribution of $d^{13}C$ in the Global Oceans, Global Biogeochem. Cycles, In preparation.

Sloyan, B. M., Wijffels, S. E., Tilbrook, B, Katsumata, K, Murata, A and Mcdonald, A, Deep Ocean changes near the western boundary of the Pacific Ocean. Journal of Physical Oceanography, in press.

Sloyan and Kamenkovich, Simulation of subantartic mode and Antarctic Intermediate Waters in climate models, Journal of climate 20(20):5061-5080, 2007.

Sloyan, B. M., Antarctic bottom and lower circumpolar deep water circulation in the eastern Indian Ocean, Journal of geophysical research - Oceans 111(2): C02006, doi:10.1029/2005JC003011, 2006.

Sloyan, B. M., Spatial variability of mixing in the Southern Ocean, Geophysical Research Letters 32(18), 18603, doi:10.1029/2005GL023568, 2005.

Steinberg and Hansell, Introduction to: "Ecological and biogeochemical interactions in the deep ocean" Deep-Sea Research II 57: 1429-1432, 2010.

Steinfeldt et al., Atlantic CFC data in CARINA, Earth Sys. Sci. Data 2, 1-15, 2010.

Steinfeldt et al., Inventory changes of anthropogenic carbon in the Atlantic between 1997 and 2003, Global Biogeochemical Cycles, GB3010, doi:10.1029/2008GB003311, 2009.

Stendardo et al., CARINA oxygen data in the Atlantic Ocean, Earth Syst. Sci. Data 1, 87-100, 2009.

Stramma et al., Ocean oxygen minima expansions and their biological impacts, Deep-Sea Research I 57, 587-595, doi:10.1016/j.dsr.2010.01.005, 2010.

Stramma et al., Eastern Pacific oxygen minimum zones: Supply paths and multi-decadal changes, Journal of Geophysical Research 115, C09011, doi:10.1029/2009JC005976, 2010.

Stramma et al., Deoxygenation in th oxygen minimum zone of the eastern tropical North Atlantic, Geophysical Research Letters 36, L20607, doi:10.1029GL039593, 2009.

Stramma et al., Expanding Oxygen-Minimum Zones in the Tropical Oceans. Science, 320, 655-658, doi: 10.1126/science.1153847, 2008.

Swan, C. M., Nelson, N. B., Siegel, D. A., and E. A. Fields, A model for remote estimation of ultraviolet absorption by chromophoric dissolved organic matter based on the global distribution of spectral slope, Remote Sensing of the Environment, 136, 277 - 285, 2013.

Swan et al., The effect of surface irradiance on the absorption spectrum of chromophoric dissolved organic matter in the global ocean. Deep-Sea Research Part I 63, 52-64, 2012.

Swan et al., Biogeochemical and hydrographic controls on chromophoric dissolved organic matter in the Pacific Ocean, Deep-sea Res. I 56:2175-2192, 2010.

Sweeney et al., Constraining global air-sea gas exchange for CO2 with recent bomb 14C measurements, Global Biogeochem. Cycles 21, GB2015, doi:10.1029/2006GB002784, 2007.

Takatani et al., Decrease of dissolved oxygen after the mid-1980s in the western North Pacific subtropical gyre along the 137ºE repeat section, Global Biogeochem. Cycles, 26, GB2013, doi:10.1029/2011GB004227, 2012.

Tanhua, T., Waugh, D.W., Bullister, J.L., Estimating changes in ocean ventilation from the early 1990s CFC-12 and late 2000s SF6 measurements. Geophysical Research Letters, 40, 1-6, doi:10.1002/grl.50251, 2013.

Tanhua, T. and Keeling R.F. Changes in column inventories of carbon and oxygen in the Atlantic Ocean, Biogeosciences, 9, 4819-4833, doi:10.5194/bg-9-4819-2012, 2012.

Tanhua et al., Atlantic Ocean CARINA data: overview and salinity adjustments, Earth Sys. Sci. Data 2, 17-34, 2010.

Tanhua et al., Expanding the ocean interior carbon data collection, EOS Transactions AGU, 91(48), 457-458, 2010.

Tanhua et al., Quality control procedures and methods of the CARINA database, Earth Sys. Sci. Data 2, 35-49, 2010.

Tanhua, T, P. Brown and R.M. Key, CARINA: Nutrient data in the Atlantic Ocean, Earth Sys. Sci. Data 1, 7-24, 2009.

Tanhua, T., Körtzinger, A., Friis, K., Waugh, D.W., Wallace, D.W.R., An estimate of anthropogenic CO2 inventory from decadal changes in oceanic carbon content. PNAS, 104, 9, 3037-3042, 2007.

Tanhua, T., Biastoch, A., Körtzinger, A., Lüger, H., Böning, C., and Wallace, D.W.R., Changes of anthropogenic CO2 and CFCs in the North Atlantic between 1981 and 2004. Global Biogeochemical Cycles, GB4017, doi:10.1029/2006GB002695, 2006.

Torres-Valdes, S., T. Tsubouchi, S. Bacon, A. Naveira-Garabato, R. Sanders, B. Petrie, G. Kattner, K. Azetsu-Scott, T. E. Whitledge, Export of Nutrients from the Arctic Ocean. Journal of Geophysical Research, DOI: 10.1002/jgrc.20063, 2013.

Trossman et al., A model evaluation technique using oceanographic tracer data. Revised for J. Atmos. Ocean. Tech., 2012.

Trossman et al., Using Bayesian Model Averaging to Estimate Mode Water Ventilation in the North Atlantic and Southern Oceans, J. Geophys. Res., in preparation.

Trossman et al., Using Bayesian Model Averaging to Infer Along-Isopycnal Diffusivities in the North Atlantic and Southern Oceans, J. Geophys. Res., in preparation.

Trossman et al., Application of thin-plate splines in two-dimension to oceanographic tracer data, J. Atmos. Ocean. Tech. 28(11), 1522-1538, 2011.

Van Heuven et al., Direct observation of increasing CO2 in the Weddell Gyre along the Prime Meridian during 1973-2008, Deep-Sea Research, part II 58: 2613-2635, 2011.

Van Sebille et al., Tasman leakage in a fine-resolution ocean model. Geophysical Research Letter, in press (2012).

Vazquez-Rodriguez, M., F. Perez, A. Velo, A. Rios, H. Mercier, Observed acidification trends in the North Atlantic water masses. Biogeosciences, 9, 5217-5230, doi:10.5194/bg-9-5217-2012, 2012.

Velo, A., F.F. Perez, T. Tanhua, M. Gilcoto, A.F. Rios and R.M. Key, Total alkalinity estimation using MLR and neural network techniques, J. Mar. Systems, doi: 10.1016/j.jmarsys.2012.09.002, 111–112, 11–18, 2012.

Velo et al., CARINA data synthesis project: pH data scale unification and cruise adjustments, Earth Sys. Sci. Data 2, 133-155, 2010.

Velo et al., CARINA Alkalinity data in the Atlantic Ocean, Earth Sys. Sci. Data 1, 45-61, 2009.

Virginie, T.,de Boisséson, E., Mercier, H., Interannual variability of the Subpolar Mode Water properties over the Reykjanes Ridge during 1990-2006. J. Geophys. Res., 113, C04016, doi:10.1029/2007JC004443, 2008.

Wanninkhof et al., Detecting anthropogenic CO2 changes in the interior Atlantic Ocean between 1989-2005, J Geophys. Res. 115, C11028, doi:10.1029/2010JC006251, 2010.

Weijer et al., The Southern Ocean and its climate in CCSM4, Journal of Climate doi:10.1175/JCLI-D-11-00302.1, in press (2012).

Williams et al., Nutrient streams in the North Atlantic: advection pathways of inorganic and dissolved organic nutrients. Global Biogeochemical Cycles GB4008 doi.org/10.1029/2010GB003853, 2011.

Willis et al., In situ data biases and recent ocean heat content variability. Journal of Atmospheric and Oceanic Technology 26, 846-852, doi:10.1175/2008JTECHO608.1, 2009.

Yeats, P. A., Azetsu-Scott, K., Petrie, B., Soukhovtsev, V., Chemical Transports Through Davis Strait, ASOF newletter, No. 5., 2006.

Zika et al., Diagnosing the southern ocean overturning from tracer fields, Journal of Physical Oceanography 39(11), 2926-2940, 2009.