QA TEST SUMMARY REPORT

HandyMen App - Backend API Testing (Postman/Newman)
QA Report - Prepared for Development Team Review
By Oche Akor

Detail	Information
Project	HandyMen App API Testing - Functional, Negative, Edge, Contract, and Security Testing
Environment Tested	https://staging.api.onyapay.com/api/v1/handyman/swagger-ui/index.html#/
Scope	58 API operations across 57 endpoint paths and 11 modules
Test Cases Executed	332 (58 Positive / 224 Negative / 50 Edge)
Method	Postman + Newman automated API execution, manual retest reconciliation, Excel dashboard refresh
Report Date	July 11, 2026
Prepared By	Oche Akor, QA Engineer

Contents

Section	Topic
1	Executive Summary
2	Objective and Scope
3	Test Approach
4	Execution Summary
5	Detailed Findings
6	Results by Module
7	Defect Analysis
8	What Is Working Well
9	Immediate Action Items
10	Evidence Guide
11	Recommendations
12	Conclusion

1. Executive Summary

This report presents the QA execution results for the HandyMen App backend API tests. Test Cases were developed for Functional happy paths, negative scenarios and edge cases scenarios, then auto-tested using Newman in the CLI after which manual Postman retesting for each test case was done to aggregate result correctness and the findings reconciled into the Excel workbook and Newman JSON results (Files attached). The aggregated source of truth shows 332 executed test cases, with 188 passing and 144 failing. The resulting pass rate is 56.63%.

Although, 144 failed cases were recorded, they are not 144 individual bugs, but three different issues that were reflected over 144 tests.

The headline risk is authentication and authorization enforcement: 83 tests expected 401 Unauthorized but received HTTP 200, meaning requests without valid authorization appear to be processed across multiple modules. For these, while the Functional Happy paths worked as expected, most failed when tested against negative and edge case scenarios. (For example, various endpoints still validated when tested with expired or invalid Bearer token). These were marked as consolidated Critical release risk.

The defect log (Excel Workbook) contains 144 active defects: 83 Critical, 9 High, and 52 Low.

2. Objective and Scope

The objective was to verify that each API endpoint behaves according to the supplied Swagger/OpenAPI contract: valid requests should succeed, invalid requests should be rejected clearly, authentication controls should be enforced, and responses should be suitable for downstream clients.

Testing covered 58 API operations across 57 endpoint paths and 11 modules. E2E testing, Load testing, mobile UI testing, production verification, and full penetration testing were outside this cycle. E2E will be done using Appium and a separate report sent.

3. Test Approach

The test approach combined automated API execution through Postman/Newman with manual verification of failed or ambiguous cases. Corrected results were written back into the workbook, the dashboard and defect log were refreshed, and the Newman JSON was reconciled so the evidence chain is consistent.

Test Type	Count	Purpose
Positive	58	Confirm documented success behavior with valid requests
Negative	224	Confirm invalid input, missing auth, invalid auth, and malformed data are rejected
Edge	50	Confirm boundary behavior, empty payloads, pagination limits, and unusual values

4. Execution Summary

Metric	Value
Total Test Cases	332
Passed	188
Failed	144
Not Run	0
Pass Rate	56.63%
Open Defects	144
High Priority Open Defects	92
Newman Assertion Failures	144

Newman Evidence Summary

Metric	Value
Executions	332
Assertions	681
Failed Assertions	144
Average Response Time	951 ms
95th Percentile Response Time	3143 ms
Maximum Response Time	8321 ms

5. Detailed Findings

5.1 Critical Finding - Bearer Token Is Not Enforced Consistently

Across the corrected evidence set, 83 cases expected a 401 Unauthorized response but received HTTP 200. meaning requests without valid authorization appear to be processed across multiple modules. For these, while the Functional Happy paths worked as expected, most failed when tested against negative and edge case scenarios. *(For example, various endpoints still validated when tested with expired or invalid Bearer token)*. These were marked as consolidated Critical release risk.

This is the most serious finding and was handled as one systemic authentication-control defect, with individual workbook rows retained as supporting evidence.

- Treated as a release blocker until fixed and retested.
- Fix shared authentication middleware or route guards before chasing endpoint-by-endpoint symptoms.
- Retest every affected endpoint after the fix.

5.2 High Severity Functional / Contract Failures

There are 9 High severity defects. These include positive-path or documented-contract failures that can affect feature readiness and should be triaged after the Critical authentication issue. Most of these were bad exception and error handling rules similar to the Low severity status failed tests but marked high because of where they occurred.

5.3 Low Severity Status-Code Consistency Issues

There are 52 Low severity defects. A common pattern is correct rejection with an imprecise status code; for example, several auth checks expected 401 Unauthorized but received 400 Bad Request. These are lower risk, but can affect client error handling and contract tests.

5.4 Positive Path Retest Outcome

Of the 58 positive test cases, 58 now pass. Showing that functional test for the endpoints was validated. This will also be reviewed with Manual and E2E test to determine the final verdict.

6. Results by Module

The table below is generated from the corrected Test Cases sheet. Failed counts include repeated instances of the same root-cause issue, especially authorization bypass checks.

Module	Endpoints	Total	Passed	Failed	Not Run
Authentication	7	34	34	0	0
Chat	3	16	8	8	0
dashboard-controller	1	3	1	2	0
Disputes	2	19	10	9	0
Handyman Categories	3	4	4	0	0
Handyman Geo Location	2	17	11	6	0
Handyman Reviews	5	35	17	18	0
Health	1	1	1	0	0
Jobs	27	172	83	89	0
Storage	1	3	1	2	0
User Management	5	28	18	10	0

7. Defect Analysis

Severity	Count	Interpretation
Critical	83	Release blocker / urgent security risk
High	9	High-impact functional or contract failure
Low	52	Incorrect status code or low-risk consistency issue

Priority	Count
High	9
Low	52

- The Defect Log contains only active failures from the corrected workbook.
- The Test Cases sheet references only defect IDs that exist in the Defect Log.

8. What Is Working Well

The API demonstrates strong behavior in many defensive testing areas. Many malformed payloads, wrong data types, missing required fields, and edge values are rejected. This is an important quality signal: the main risk is not broad input validation collapse, but authorization enforcement and selected contract/status-code mismatches. Overall, the API delivers excellently on its promise with no critical challenge and is set for further implementation.

- Negative and edge testing coverage is broad: 274 of 332 cases.
- The corrected dataset has no Not Run cases.
- All Endpoints for positive scenarios (Happy Path) are working as expected

9. Immediate Action Items

1. Fix authentication enforcement for missing, invalid, and expired tokens.
2. Retest all affected authorization scenarios after the fix is deployed.
3. Review the 13 High severity defects and decide which are release blockers based on business criticality.
4. Standardize error codes so rejected unauthenticated requests return 401 where applicable.
5. Keep Excel and Newman JSON synchronized after every retest.

10. Evidence Guide

Artifact	**Location**
Test workbook	HandyMan_API_Test_Suite_updated.xlsx
Newman JSON evidence	\HandyMen Collection\results\newman-results.json
Generated report	QA TEST SUMMARY REPORT HandyMen API Oche Akor.pdf
Workbook Tab	**Purpose**
Test Plan	Objective, scope, assumptions, approach, and deliverables
Test Scenarios	Module-level scenario planning
Test Cases	All 332 cases with corrected actual result, status, and valid defect reference where applicable
Defect Log	All 144 active defects
Summary Dashboard	Corrected execution rollup

11. Recommendations

- Lead development triage with the consolidated authentication defect.
- Use workbook rows as supporting evidence rather than creating many separate root-cause narratives for the same auth issue.
- Keep High severity positive-path failures visible because they affect real user journeys.
- After fixes are deployed, rerun Newman and refresh the workbook before release-readiness sign-off.

12. Conclusion

After correction, the HandyMen API test evidence is internally consistent: 188 of 332 tests pass, 144 fail, the defect log contains 144 active defects, and Newman records 144 assertion failures. The API shows good defensive validation in many areas, but the repeated authorization bypass pattern is a Critical risk that should be fixed and retested before release approval.