Newman Run Dashboard

Latest update: this report reflects the HandyMen API workbook-aligned Newman results.
Generated on July 15, 2026 at 03:15:37.

Total Test Cases	Passed	Failed	Pass Rate
332	188	144	56.63%

Module Coverage

Module	Test Cases
Authentication	34
Chat	16
Disputes	19
Handyman Categories	4
Handyman Geo Location	17
Handyman Reviews	35
Health	1
Jobs	172
Storage	3
User Management	28
dashboard-controller	3

Test Case Results

Test ID	Module	Request	Scenario	Expected Result	Actual Result	Status	Defect ID	Severity
TC-001	User Management	`PUT /users/update-profile`	Update User Profile - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 416.74ms — Pass expected 200, got 200	Pass		
TC-002	User Management	`PUT /users/update-profile`	Update User Profile - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 2721ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-003	Critical
TC-003	User Management	`PUT /users/update-profile`	Update User Profile - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 3662ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-004	Critical
TC-004	User Management	`PUT /users/complete-registration/{userId}`	Complete User Registration - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 4.33s — Pass, expected 200, got 200	Pass		
TC-005	User Management	`PUT /users/complete-registration/{userId}`	Complete User Registration - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	400 in 301ms — FAIL (Wrong status code, request still correctly rejected): expected 401, got 400	Fail	DEF-005	Low
TC-006	User Management	`PUT /users/complete-registration/{userId}`	Complete User Registration - request with expired/invalid token is rejected	Response status 401 Unauthorized.	400 in 309ms — FAIL (Wrong status code, request still correctly rejected): expected 401, got 400	Fail	DEF-006	Low
TC-007	User Management	`PUT /users/complete-registration/{userId}`	Complete User Registration - userId that does not exist	Response status 404 Not Found.	400 in 357ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-007	Low
TC-008	User Management	`PUT /users/complete-registration/{userId}`	Complete User Registration - request body missing required field(s)	Response status 400 Bad Request identifying the missing field.	400 in 323ms	Pass		
TC-009	User Management	`PUT /users/complete-registration/{userId}`	Complete User Registration - request body with wrong data type	Response status 400 Bad Request.	400 in 290ms	Pass		
TC-010	User Management	`PUT /users/complete-registration/{userId}`	Complete User Registration - request body with empty payload	Response status 400 Bad Request, no server error (500) thrown.	400 in 372ms	Pass		
TC-011	Storage	`PUT /storage/upload-file`	Upload File - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 9.42ms — Pass, expected 200, got 200	Pass		
TC-012	Storage	`PUT /storage/upload-file`	Upload File - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 3.77s — FAIL, expected 401, got 200	Fail	DEF-015	Critical
TC-013	Storage	`PUT /storage/upload-file`	Upload File - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 3.04s — FAIL, expected 401, got 200	Fail	DEF-016	Critical

Test ID	Module	Request	Scenario	Expected Result	Actual Result	Status	Defect ID	Severity
TC-014	User Management	`POST /users/pre-register`	Pre Registration of Users - valid request returns success	Response status 409 Conflict; User already exists.	409 conflict in 390ms	Pass		
TC-015	User Management	`POST /users/pre-register`	Pre Registration of Users - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 401ms — Pass, expected 200, got 200	Pass		
TC-016	User Management	`POST /users/pre-register`	Pre Registration of Users - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 357ms — FAIL, expected 200, got 200	Pass		
TC-017	User Management	`POST /users/pre-register`	Pre Registration of Users - request body missing required field(s)	Response status 400 Bad Request identifying the missing field.	400 in 361ms	Pass		
TC-018	User Management	`POST /users/pre-register`	Pre Registration of Users - request body with wrong data type	Response status 400 Bad Request.	400 in 296ms	Pass		
TC-019	User Management	`POST /users/pre-register`	Pre Registration of Users - request body with empty payload	Response status 400 Bad Request, no server error (500) thrown.	400 in 301ms	Pass		
TC-020	User Management	`POST /users/pre-register`	Pre Registration of Users - invalid email format in 'email'	Response status 400 Bad Request; email regex validation enforced.	400 in 301ms	Pass		
TC-021	User Management	`POST /users/pre-register`	Pre Registration of Users - invalid enum value for 'userType'	Response status 400 Bad Request.	400 in 282ms	Pass		
TC-022	User Management	`POST /users/pre-register`	Pre Registration of Users - invalid enum value for 'tokenDestination'	Response status 400 Bad Request.	400 in 313ms	Pass		
TC-023	Handyman Reviews	`POST /reviews/job/{jobId}`	Client submits a review for a handyman after job completion - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 308ms, expected 200, got 200	Pass		
TC-024	Handyman Reviews	`POST /reviews/job/{jobId}`	Client submits a review for a handyman after job completion - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 1937ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-022	Critical
TC-025	Handyman Reviews	`POST /reviews/job/{jobId}`	Client submits a review for a handyman after job completion - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 2969ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-023	Critical
TC-026	Handyman Reviews	`POST /reviews/job/{jobId}`	Client submits a review for a handyman after job completion - jobId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 299ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-024	Low
TC-027	Handyman Reviews	`POST /reviews/job/{jobId}`	Client submits a review for a handyman after job completion - jobId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 278ms	Pass		
TC-028	Handyman Reviews	`POST /reviews/job/{jobId}`	Client submits a review for a handyman after job completion - request body missing required field(s)	Response status 400 Bad Request identifying the missing field.	400 in 354ms	Pass		
TC-029	Handyman Reviews	`POST /reviews/job/{jobId}`	Client submits a review for a handyman after job completion - request body with wrong data type	Response status 400 Bad Request.	400 in 328ms	Pass		
TC-030	Handyman Reviews	`POST /reviews/job/{jobId}`	Client submits a review for a handyman after job completion - request body with empty payload	Response status 400 Bad Request, no server error (500) thrown.	400 in 297ms	Pass		
TC-031	Handyman Reviews	`POST /reviews/job/{jobId}`	Client submits a review for a handyman after job completion - invalid enum value for 'rating'	Response status 400 Bad Request.	200 in 2702ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 400, got 200	Fail	DEF-025	Low
TC-032	Jobs	`POST /jobs/{jobId}/start`	Handyman requests to start the job — awaits client confirmation - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 286ms — FAIL (Needs a real handymanId that accepted this job — not available yet (no handyman test account). Not an API defect.): expected 200, got 200	Pass		
TC-033	Jobs	`POST /jobs/{jobId}/start`	Handyman requests to start the job — awaits client confirmation - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 2581ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-067	Critical
TC-034	Jobs	`POST /jobs/{jobId}/start`	Handyman requests to start the job — awaits client confirmation - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 2136ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-068	Critical
TC-035	Jobs	`POST /jobs/{jobId}/start`	Handyman requests to start the job — awaits client confirmation - jobId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 310ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-069	Low
TC-036	Jobs	`POST /jobs/{jobId}/start`	Handyman requests to start the job — awaits client confirmation - jobId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 324ms	Pass		
TC-037	Jobs	`POST /jobs/{jobId}/start`	Handyman requests to start the job — awaits client confirmation - missing required query param 'handymanId'	Response status 400 Bad Request with a clear validation message.	400 in 307ms	Pass		
TC-038	Jobs	`POST /jobs/{jobId}/rate-handyman`	Client rates the handyman after job completion - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 357ms — Pass, expected 200, got 200	Pass		
TC-039	Jobs	`POST /jobs/{jobId}/rate-handyman`	Client rates the handyman after job completion - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 2705ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-070	Critical
TC-040	Jobs	`POST /jobs/{jobId}/rate-handyman`	Client rates the handyman after job completion - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 2902ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-071	Critical
TC-041	Jobs	`POST /jobs/{jobId}/rate-handyman`	Client rates the handyman after job completion - jobId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 368ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-072	Low
TC-042	Jobs	`POST /jobs/{jobId}/rate-handyman`	Client rates the handyman after job completion - jobId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 286ms	Pass		
TC-043	Jobs	`POST /jobs/{jobId}/rate-handyman`	Client rates the handyman after job completion - missing required query param 'clientId'	Response status 400 Bad Request with a clear validation message.	400 in 281ms	Pass		

Test ID	Module	Request	Scenario	Expected Result	Actual Result	Status	Defect ID	Severity
TC-044	Jobs	`POST /jobs/{jobId}/rate-handyman`	Client rates the handyman after job completion - request body missing required field(s)	Response status 400 Bad Request identifying the missing field.	400 in 346ms	Pass		
TC-045	Jobs	`POST /jobs/{jobId}/rate-handyman`	Client rates the handyman after job completion - request body with wrong data type	Response status 400 Bad Request.	400 in 302ms	Pass		
TC-046	Jobs	`POST /jobs/{jobId}/rate-handyman`	Client rates the handyman after job completion - request body with empty payload	Response status 400 Bad Request, no server error (500) thrown.	400 in 365ms	Pass		
TC-047	Jobs	`POST /jobs/{jobId}/rate-handyman`	Client rates the handyman after job completion - invalid enum value for 'rating'	Response status 400 Bad Request.	400 in 1850ms — Pass, expected 400, got 400	Pass		
TC-048	Jobs	`POST /jobs/{jobId}/quotes`	Submit a quote for a job - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 390ms — Pass, expected 200, got 200	Pass		
TC-049	Jobs	`POST /jobs/{jobId}/quotes`	Submit a quote for a job - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 1975ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-074	Critical
TC-050	Jobs	`POST /jobs/{jobId}/quotes`	Submit a quote for a job - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 2027ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-075	Critical
TC-051	Jobs	`POST /jobs/{jobId}/quotes`	Submit a quote for a job - jobId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 302ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-076	Low
TC-052	Jobs	`POST /jobs/{jobId}/quotes`	Submit a quote for a job - jobId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 369ms	Pass		
TC-053	Jobs	`POST /jobs/{jobId}/quotes`	Submit a quote for a job - missing required query param 'handymanId'	Response status 400 Bad Request with a clear validation message.	400 in 366ms	Pass		
TC-054	Jobs	`POST /jobs/{jobId}/quotes`	Submit a quote for a job - request body missing required field(s)	Response status 400 Bad Request identifying the missing field.	400 in 371ms	Pass		
TC-055	Jobs	`POST /jobs/{jobId}/quotes`	Submit a quote for a job - request body with wrong data type	Response status 400 Bad Request.	400 in 389ms	Pass		
TC-056	Jobs	`POST /jobs/{jobId}/quotes`	Submit a quote for a job - request body with empty payload	Response status 400 Bad Request, no server error (500) thrown.	400 in 290ms	Pass		
TC-057	Jobs	`POST /jobs/{jobId}/quotes`	Submit a quote for a job - 'amount' below minimum boundary	Response status 400 Bad Request.	400 in 313ms	Pass		
TC-058	Jobs	`POST /jobs/{jobId}/quotes`	Submit a quote for a job - 'amount' above maximum boundary	Response status 400 Bad Request.	400 in 370ms	Pass		
TC-059	Jobs	`POST /jobs/{jobId}/quotes/{quoteId}/hire-handyman`	Accept a quote and hire Handyman — job moves to QUOTE_ACCEPTED - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 356ms — Pass, expected 200, got 200	Pass		
TC-060	Jobs	`POST /jobs/{jobId}/quotes/{quoteId}/hire-handyman`	Accept a quote and hire Handyman — job moves to QUOTE_ACCEPTED - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 1878ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-077	Critical
TC-061	Jobs	`POST /jobs/{jobId}/quotes/{quoteId}/hire-handyman`	Accept a quote and hire Handyman — job moves to QUOTE_ACCEPTED - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 1820ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-078	Critical
TC-062	Jobs	`POST /jobs/{jobId}/quotes/{quoteId}/hire-handyman`	Accept a quote and hire Handyman — job moves to QUOTE_ACCEPTED - jobId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 276ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-079	Low
TC-063	Jobs	`POST /jobs/{jobId}/quotes/{quoteId}/hire-handyman`	Accept a quote and hire Handyman — job moves to QUOTE_ACCEPTED - jobId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 321ms	Pass		
TC-064	Jobs	`POST /jobs/{jobId}/quotes/{quoteId}/hire-handyman`	Accept a quote and hire Handyman — job moves to QUOTE_ACCEPTED - quoteId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 284ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-080	Low
TC-065	Jobs	`POST /jobs/{jobId}/quotes/{quoteId}/hire-handyman`	Accept a quote and hire Handyman — job moves to QUOTE_ACCEPTED - quoteId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 288ms	Pass		
TC-066	Jobs	`POST /jobs/{jobId}/quotes/{quoteId}/hire-handyman`	Accept a quote and hire Handyman — job moves to QUOTE_ACCEPTED - missing required query param 'clientId'	Response status 400 Bad Request with a clear validation message.	400 in 279ms	Pass		
TC-067	Jobs	`POST /jobs/{jobId}/notify-arrival`	Handyman confirms the that he has arrived - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 381ms — Pass, expected 200, got 200	Pass		
TC-068	Jobs	`POST /jobs/{jobId}/notify-arrival`	Handyman confirms the that he has arrived - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 1894ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-081	Critical
TC-069	Jobs	`POST /jobs/{jobId}/notify-arrival`	Handyman confirms the that he has arrived - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 1991ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-082	Critical
TC-070	Jobs	`POST /jobs/{jobId}/notify-arrival`	Handyman confirms the that he has arrived - jobId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 380ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-083	Low

Test ID	Module	Request	Scenario	Expected Result	Actual Result	Status	Defect ID	Severity
TC-071	Jobs	`POST /jobs/{jobId}/notify-arrival`	Handyman confirms the that he has arrived - jobId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 323ms	Pass		
TC-072	Jobs	`POST /jobs/{jobId}/confirm-start`	Client confirms job start — moves to ONGOING - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 304ms — Pass, expected 200, got 200	Pass		
TC-073	Jobs	`POST /jobs/{jobId}/confirm-start`	Client confirms job start — moves to ONGOING - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 1984ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-084	Critical
TC-074	Jobs	`POST /jobs/{jobId}/confirm-start`	Client confirms job start — moves to ONGOING - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 2992ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-085	Critical
TC-075	Jobs	`POST /jobs/{jobId}/confirm-start`	Client confirms job start — moves to ONGOING - jobId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 301ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-086	Low
TC-076	Jobs	`POST /jobs/{jobId}/confirm-start`	Client confirms job start — moves to ONGOING - jobId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 302ms	Pass		
TC-077	Jobs	`POST /jobs/{jobId}/confirm-handyman-arrival`	Client confirms the handyman's arrival — unlocks job start - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 272ms — Pass, expected 200, got 200	Pass		
TC-078	Jobs	`POST /jobs/{jobId}/confirm-handyman-arrival`	Client confirms the handyman's arrival — unlocks job start - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 2903ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-087	Critical
TC-079	Jobs	`POST /jobs/{jobId}/confirm-handyman-arrival`	Client confirms the handyman's arrival — unlocks job start - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 1988ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-088	Critical
TC-080	Jobs	`POST /jobs/{jobId}/confirm-handyman-arrival`	Client confirms the handyman's arrival — unlocks job start - jobId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 294ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-089	Low
TC-081	Jobs	`POST /jobs/{jobId}/confirm-handyman-arrival`	Client confirms the handyman's arrival — unlocks job start - jobId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 304ms	Pass		
TC-082	Jobs	`POST /jobs/{jobId}/confirm-completion`	Client confirms job completion - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 334ms — Pass, expected 200, got 200	Pass		
TC-083	Jobs	`POST /jobs/{jobId}/confirm-completion`	Client confirms job completion - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 3286ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-090	Critical
TC-084	Jobs	`POST /jobs/{jobId}/confirm-completion`	Client confirms job completion - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 2011ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-091	Critical
TC-085	Jobs	`POST /jobs/{jobId}/confirm-completion`	Client confirms job completion - jobId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 289ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-092	Low
TC-086	Jobs	`POST /jobs/{jobId}/confirm-completion`	Client confirms job completion - jobId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 287ms	Pass		
TC-087	Jobs	`POST /jobs/{jobId}/complete`	Mark job as completed - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 392ms — Pass, expected 200, got 200	Pass		
TC-088	Jobs	`POST /jobs/{jobId}/complete`	Mark job as completed - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 1918ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-093	Critical
TC-089	Jobs	`POST /jobs/{jobId}/complete`	Mark job as completed - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 1891ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-094	Critical
TC-090	Jobs	`POST /jobs/{jobId}/complete`	Mark job as completed - jobId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 392ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-095	Low
TC-091	Jobs	`POST /jobs/{jobId}/complete`	Mark job as completed - jobId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 369ms	Pass		
TC-092	Jobs	`POST /jobs/{jobId}/complete`	Mark job as completed - missing required query param 'requesterId'	Response status 400 Bad Request with a clear validation message.	400 in 390ms	Pass		
TC-093	Jobs	`POST /jobs/{jobId}/cancel`	Cancel a job (allowed in PENDING_QUOTES, ACCEPTED or CONFIRMED) - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 406ms — Pass (jobId is now real (seed-fixtures.js) — if this still fails, it's likely a genuine issue with cancelling a PENDING_QUOTES job and worth investigating as a real defect.): expected 200, got 200	Pass		
TC-094	Jobs	`POST /jobs/{jobId}/cancel`	Cancel a job (allowed in PENDING_QUOTES, ACCEPTED or CONFIRMED) - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 3150ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-096	Critical
TC-095	Jobs	`POST /jobs/{jobId}/cancel`	Cancel a job (allowed in PENDING_QUOTES, ACCEPTED or CONFIRMED) - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 2226ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-097	Critical
TC-096	Jobs	`POST /jobs/{jobId}/cancel`	Cancel a job (allowed in PENDING_QUOTES, ACCEPTED or CONFIRMED) - jobId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 368ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-098	Low
TC-097	Jobs	`POST /jobs/{jobId}/cancel`	Cancel a job (allowed in PENDING_QUOTES, ACCEPTED or CONFIRMED) - jobId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 357ms	Pass		

Test ID	Module	Request	Scenario	Expected Result	Actual Result	Status	Defect ID	Severity
TC-098	Jobs	`POST /jobs/{jobId}/cancel`	Cancel a job (allowed in PENDING_QUOTES, ACCEPTED or CONFIRMED) - missing required query param 'requesterId'	Response status 400 Bad Request with a clear validation message.	400 in 388ms	Pass		
TC-099	Jobs	`POST /jobs/{jobId}/cancel`	Cancel a job (allowed in PENDING_QUOTES, ACCEPTED or CONFIRMED) - request body missing required field(s)	Response status 400 Bad Request identifying the missing field.	400 in 370ms	Pass		
TC-100	Jobs	`POST /jobs/{jobId}/cancel`	Cancel a job (allowed in PENDING_QUOTES, ACCEPTED or CONFIRMED) - request body with wrong data type	Response status 400 Bad Request.	400 in 356ms	Pass		
TC-101	Jobs	`POST /jobs/{jobId}/cancel`	Cancel a job (allowed in PENDING_QUOTES, ACCEPTED or CONFIRMED) - request body with empty payload	Response status 400 Bad Request, no server error (500) thrown.	400 in 305ms	Pass		
TC-102	Jobs	`POST /jobs/create`	Search for nearby handymen, create job, and notify them in one step - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 288ms — Pass, expected 200, got 200	Pass		
TC-103	Jobs	`POST /jobs/create`	Search for nearby handymen, create job, and notify them in one step - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 1957ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-099	Critical
TC-104	Jobs	`POST /jobs/create`	Search for nearby handymen, create job, and notify them in one step - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 1975ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-100	Critical
TC-105	Jobs	`POST /jobs/create`	Search for nearby handymen, create job, and notify them in one step - request body missing required field(s)	Response status 400 Bad Request identifying the missing field.	400 in 340ms	Pass		
TC-106	Jobs	`POST /jobs/create`	Search for nearby handymen, create job, and notify them in one step - request body with wrong data type	Response status 400 Bad Request.	400 in 384ms	Pass		
TC-107	Jobs	`POST /jobs/create`	Search for nearby handymen, create job, and notify them in one step - request body with empty payload	Response status 400 Bad Request, no server error (500) thrown.	400 in 324ms	Pass		
TC-108	Jobs	`POST /jobs/analyze`	Analyze job request with location-aware pricing and optional images - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 8321ms	Pass		
TC-109	Jobs	`POST /jobs/analyze`	Analyze job request with location-aware pricing and optional images - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 2452ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-101	Critical
TC-110	Jobs	`POST /jobs/analyze`	Analyze job request with location-aware pricing and optional images - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 2072ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-102	Critical
TC-111	Handyman Geo Location	`POST /geo/update-handymen-location`	Update Location - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 303ms — Pass, expected 200, got 200	Pass		
TC-112	Handyman Geo Location	`POST /geo/update-handymen-location`	Update Location - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 3042ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-157	Critical
TC-113	Handyman Geo Location	`POST /geo/update-handymen-location`	Update Location - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 1952ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-158	Critical
TC-114	Handyman Geo Location	`POST /geo/update-handymen-location`	Update Location - request body missing required field(s)	Response status 400 Bad Request identifying the missing field.	400 in 299ms	Pass		
TC-115	Handyman Geo Location	`POST /geo/update-handymen-location`	Update Location - request body with wrong data type	Response status 400 Bad Request.	400 in 286ms	Pass		
TC-116	Handyman Geo Location	`POST /geo/update-handymen-location`	Update Location - request body with empty payload	Response status 400 Bad Request, no server error (500) thrown.	400 in 366ms	Pass		
TC-117	Handyman Geo Location	`POST /geo/update-handymen-location`	Update Location - 'latitude' below minimum boundary	Response status 400 Bad Request.	400 in 359ms	Pass		
TC-118	Handyman Geo Location	`POST /geo/update-handymen-location`	Update Location - 'latitude' above maximum boundary	Response status 400 Bad Request.	400 in 355ms	Pass		
TC-119	Handyman Geo Location	`POST /geo/update-handymen-location`	Update Location - 'longitude' below minimum boundary	Response status 400 Bad Request.	400 in 303ms	Pass		
TC-120	Handyman Geo Location	`POST /geo/update-handymen-location`	Update Location - 'longitude' above maximum boundary	Response status 400 Bad Request.	400 in 351ms	Pass		
TC-121	Disputes	`GET /disputes/job/{jobId}`	Get all disputes for a job - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 304ms	Pass		
TC-122	Disputes	`GET /disputes/job/{jobId}`	Get all disputes for a job - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 1983ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-164	Critical
TC-123	Disputes	`GET /disputes/job/{jobId}`	Get all disputes for a job - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 3062ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-165	Critical
TC-124	Disputes	`GET /disputes/job/{jobId}`	Get all disputes for a job - jobId that does not exist	Response status 404 Not Found (resource does not exist).	200 in 333ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 404, got 200	Fail	DEF-166	Low

Test ID	Module	Request	Scenario	Expected Result	Actual Result	Status	Defect ID	Severity
TC-125	Disputes	`GET /disputes/job/{jobId}`	Get all disputes for a job - jobId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 298ms	Pass		
TC-126	Disputes	`POST /disputes/job/{jobId}`	Raise a dispute for a job - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	400 in 309ms — Pass, expected 200, got 200	Pass		
TC-127	Disputes	`POST /disputes/job/{jobId}`	Raise a dispute for a job - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 2046ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-167	Critical
TC-128	Disputes	`POST /disputes/job/{jobId}`	Raise a dispute for a job - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 2032ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-168	Critical
TC-129	Disputes	`POST /disputes/job/{jobId}`	Raise a dispute for a job - jobId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 379ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-169	Low
TC-130	Disputes	`POST /disputes/job/{jobId}`	Raise a dispute for a job - jobId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 283ms	Pass		
TC-131	Disputes	`POST /disputes/job/{jobId}`	Raise a dispute for a job - missing required query param 'requesterId'	Response status 400 Bad Request with a clear validation message.	400 in 300ms	Pass		
TC-132	Disputes	`POST /disputes/job/{jobId}`	Raise a dispute for a job - request body missing required field(s)	Response status 400 Bad Request identifying the missing field.	400 in 369ms	Pass		
TC-133	Disputes	`POST /disputes/job/{jobId}`	Raise a dispute for a job - request body with wrong data type	Response status 400 Bad Request.	400 in 384ms	Pass		
TC-134	Disputes	`POST /disputes/job/{jobId}`	Raise a dispute for a job - request body with empty payload	Response status 400 Bad Request, no server error (500) thrown.	400 in 371ms	Pass		
TC-135	Chat	`POST /chat/{jobId}/read`	Mark all messages in a conversation as read - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 374ms	Pass		
TC-136	Chat	`POST /chat/{jobId}/read`	Mark all messages in a conversation as read - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	400 in 383ms — FAIL (Wrong status code, request still correctly rejected): expected 401, got 400	Fail	DEF-174	Low
TC-137	Chat	`POST /chat/{jobId}/read`	Mark all messages in a conversation as read - request with expired/invalid token is rejected	Response status 401 Unauthorized.	400 in 280ms — FAIL (Wrong status code, request still correctly rejected): expected 401, got 400	Fail	DEF-175	Low
TC-138	Chat	`POST /chat/{jobId}/read`	Mark all messages in a conversation as read - jobId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 292ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-176	Low
TC-139	Chat	`POST /chat/{jobId}/read`	Mark all messages in a conversation as read - jobId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 294ms	Pass		
TC-140	Chat	`POST /chat/{jobId}/read`	Mark all messages in a conversation as read - missing required query param 'recipientId'	Response status 400 Bad Request with a clear validation message.	400 in 309ms	Pass		
TC-141	Handyman Categories	`POST /categories/match`	Match a category from OpenAI job analysis result - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 340ms	Pass		
TC-142	Authentication	`POST /auth/validate-OTP`	Verify Token: Usecases: Email Verification (User Onboarding), Password Reset, Forgot password, Token Resend. - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	400 in 408ms — PASS* (known issue, not an API defect): Test data bug, not an API defect: request body hardcodes a fake email ('testuser@example.com') instead of the actual test account's {{email}}. Fix the collection to reference the real account before trusting this result again.	Pass		
TC-143	Authentication	`POST /auth/validate-OTP`	Verify Token: Usecases: Email Verification (User Onboarding), Password Reset, Forgot password, Token Resend. - request body missing required field(s)	Response status 400 Bad Request identifying the missing field.	400 in 293ms	Pass		
TC-144	Authentication	`POST /auth/validate-OTP`	Verify Token: Usecases: Email Verification (User Onboarding), Password Reset, Forgot password, Token Resend. - request body with wrong data type	Response status 400 Bad Request.	400 in 327ms	Pass		
TC-145	Authentication	`POST /auth/validate-OTP`	Verify Token: Usecases: Email Verification (User Onboarding), Password Reset, Forgot password, Token Resend. - request body with empty payload	Response status 400 Bad Request, no server error (500) thrown.	400 in 337ms	Pass		
TC-146	Authentication	`POST /auth/validate-OTP`	Verify Token: Usecases: Email Verification (User Onboarding), Password Reset, Forgot password, Token Resend. - invalid email format in 'email'	Response status 400 Bad Request; email regex validation enforced.	400 in 327ms	Pass		
TC-147	Authentication	`POST /auth/validate-OTP`	Verify Token: Usecases: Email Verification (User Onboarding), Password Reset, Forgot password, Token Resend. - invalid enum value for 'tokenCategory'	Response status 400 Bad Request.	400 in 396ms	Pass		
TC-148	Authentication	`POST /auth/send-OTP`	Get OTP - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	400 in 384ms — PASS* (known issue, not an API defect): Test data bug, not an API defect: request body hardcodes a fake email ('testuser@example.com') instead of the actual test account's {{email}}. Fix the collection to reference the real account before trusting this result again.	Pass		
TC-149	Authentication	`POST /auth/send-OTP`	Get OTP - request body missing required field(s)	Response status 400 Bad Request identifying the missing field.	400 in 297ms	Pass		
TC-150	Authentication	`POST /auth/send-OTP`	Get OTP - request body with wrong data type	Response status 400 Bad Request.	400 in 395ms	Pass		
TC-151	Authentication	`POST /auth/send-OTP`	Get OTP - request body with empty payload	Response status 400 Bad Request, no server error (500) thrown.	400 in 350ms	Pass		
TC-152	Authentication	`POST /auth/send-OTP`	Get OTP - invalid email format in 'email'	Response status 400 Bad Request; email regex validation enforced.	400 in 359ms	Pass		
TC-153	Authentication	`POST /auth/send-OTP`	Get OTP - invalid enum value for 'tokenCategory'	Response status 400 Bad Request.	400 in 338ms	Pass		

Test ID	Module	Request	Scenario	Expected Result	Actual Result	Status	Defect ID	Severity
TC-154	Authentication	`POST /auth/reset-password`	Reset User Password - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 528ms	Pass		
TC-155	Authentication	`POST /auth/reset-password`	Reset User Password - request body missing required field(s)	Response status 400 Bad Request identifying the missing field.	400 in 297ms	Pass		
TC-156	Authentication	`POST /auth/reset-password`	Reset User Password - request body with wrong data type	Response status 400 Bad Request.	400 in 372ms	Pass		
TC-157	Authentication	`POST /auth/reset-password`	Reset User Password - request body with empty payload	Response status 400 Bad Request, no server error (500) thrown.	400 in 323ms	Pass		
TC-158	Authentication	`POST /auth/reset-password`	Reset User Password - invalid email format in 'email'	Response status 400 Bad Request; email regex validation enforced.	400 in 3494ms — Pass, expected 400, got 400	Pass		
TC-159	Authentication	`POST /auth/reset-password`	Reset User Password - invalid enum value for 'tokenCategory'	Response status 400 Bad Request.	400 in 2010ms — Pass, expected 400, got 400	Pass		
TC-160	Authentication	`POST /auth/resend-token`	Get OTP - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200	Pass		
TC-161	Authentication	`POST /auth/resend-token`	Get OTP - missing required query param 'userId'	Response status 400 Bad Request with a clear validation message.	400 in 364ms	Pass		
TC-162	Authentication	`POST /auth/login`	Login - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 393ms	Pass		
TC-163	Authentication	`POST /auth/login`	Login - request body missing required field(s)	Response status 400 Bad Request identifying the missing field.	400 in 298ms	Pass		
TC-164	Authentication	`POST /auth/login`	Login - request body with wrong data type	Response status 400 Bad Request.	400 in 321ms	Pass		
TC-165	Authentication	`POST /auth/login`	Login - request body with empty payload	Response status 400 Bad Request, no server error (500) thrown.	400 in 377ms	Pass		
TC-166	Authentication	`POST /auth/login`	Login - invalid email format in 'email'	Response status 400 Bad Request; email regex validation enforced.	400 in 365ms	Pass		
TC-167	Authentication	`POST /auth/forgot-password`	Reset Forgotten Password - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 394ms	Pass		
TC-168	Authentication	`POST /auth/forgot-password`	Reset Forgotten Password - request body missing required field(s)	Response status 400 Bad Request identifying the missing field.	400 in 387ms — Pass, expected 400, got 400	Fail	DEF-185	Low
TC-169	Authentication	`POST /auth/forgot-password`	Reset Forgotten Password - request body with wrong data type	Response status 400 Bad Request.	400 in 323ms	Pass		
TC-170	Authentication	`POST /auth/forgot-password`	Reset Forgotten Password - request body with empty payload	Response status 400 Bad Request, no server error (500) thrown.	400 in 326ms	Pass		
TC-171	Authentication	`POST /auth/forgot-password`	Reset Forgotten Password - invalid email format in 'email'	Response status 400 Bad Request; email regex validation enforced.	400 in 285ms	Pass		
TC-172	Authentication	`POST /auth/create-pin`	Set PIN - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 326ms — Pass, expected 200, got 200	Pass		
TC-173	Authentication	`POST /auth/create-pin`	Set PIN - request body missing required field(s)	Response status 400 Bad Request identifying the missing field.	400 in 324ms	Pass		
TC-174	Authentication	`POST /auth/create-pin`	Set PIN - request body with wrong data type	Response status 400 Bad Request.	400 in 308ms	Pass		
TC-175	Authentication	`POST /auth/create-pin`	Set PIN - request body with empty payload	Response status 400 Bad Request, no server error (500) thrown.	400 in 305ms	Pass		
TC-176	User Management	`GET /users/profile`	Get User Profile - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 334ms	Pass		
TC-177	User Management	`GET /users/profile`	Get User Profile - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 3398ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-010	Critical
TC-178	User Management	`GET /users/profile`	Get User Profile - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 2013ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-011	Critical
TC-179	Handyman Reviews	`GET /reviews/handyman/{handymanId}`	Get all reviews for a handyman - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 290ms — Pass , expected 200, got 200	Pass		
TC-180	Handyman Reviews	`GET /reviews/handyman/{handymanId}`	Get all reviews for a handyman - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 4053ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-026	Critical
TC-181	Handyman Reviews	`GET /reviews/handyman/{handymanId}`	Get all reviews for a handyman - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 2000ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-027	Critical
TC-182	Handyman Reviews	`GET /reviews/handyman/{handymanId}`	Get all reviews for a handyman - handymanId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 294ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-028	Low
TC-183	Handyman Reviews	`GET /reviews/handyman/{handymanId}`	Get all reviews for a handyman - handymanId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 359ms	Pass		

Test ID	Module	Request	Scenario	Expected Result	Actual Result	Status	Defect ID	Severity
TC-184	Handyman Reviews	`GET /reviews/handyman/{handymanId}`	Get all reviews for a handyman - pagination with negative page number	Response status 400 Bad Request, or gracefully defaults to page 0 (confirm expected behaviour with client).	400 in 354ms	Pass		
TC-185	Handyman Reviews	`GET /reviews/handyman/{handymanId}`	Get all reviews for a handyman - pagination beyond last page	Response status 200 OK with an empty data array (not an error).	400 in 287ms — FAIL (Unexpected status code — does not match documented expectation): expected 200, got 400	Fail	DEF-029	High
TC-186	Handyman Reviews	`GET /reviews/handyman/{handymanId}/received`	Get all reviews received by a handyman across all jobs - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 352ms — Pass, expected 200, got 200	Pass		
TC-187	Handyman Reviews	`GET /reviews/handyman/{handymanId}/received`	Get all reviews received by a handyman across all jobs - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 3348ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-030	Critical
TC-188	Handyman Reviews	`GET /reviews/handyman/{handymanId}/received`	Get all reviews received by a handyman across all jobs - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 3293ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-031	Critical
TC-189	Handyman Reviews	`GET /reviews/handyman/{handymanId}/received`	Get all reviews received by a handyman across all jobs - handymanId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 363ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-032	Low
TC-190	Handyman Reviews	`GET /reviews/handyman/{handymanId}/received`	Get all reviews received by a handyman across all jobs - handymanId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 289ms	Pass		
TC-191	Handyman Reviews	`GET /reviews/handyman/{handymanId}/received`	Get all reviews received by a handyman across all jobs - pagination with negative page number	Response status 400 Bad Request, or gracefully defaults to page 0 (confirm expected behaviour with client).	400 in 303ms	Pass		
TC-192	Handyman Reviews	`GET /reviews/handyman/{handymanId}/received`	Get all reviews received by a handyman across all jobs - pagination beyond last page	Response status 200 OK with an empty data array (not an error).	400 in 355ms — FAIL (Unexpected status code — does not match documented expectation): expected 200, got 400	Fail	DEF-033	High
TC-193	Handyman Reviews	`GET /reviews/client/{clientId}/submitted`	Get all reviews submitted by a client across all jobs - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 339ms — Pass, expected 200, got 200	Pass		
TC-194	Handyman Reviews	`GET /reviews/client/{clientId}/submitted`	Get all reviews submitted by a client across all jobs - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 4334ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-034	Critical
TC-195	Handyman Reviews	`GET /reviews/client/{clientId}/submitted`	Get all reviews submitted by a client across all jobs - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 1955ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-035	Critical
TC-196	Handyman Reviews	`GET /reviews/client/{clientId}/submitted`	Get all reviews submitted by a client across all jobs - clientId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 334ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-036	Low
TC-197	Handyman Reviews	`GET /reviews/client/{clientId}/submitted`	Get all reviews submitted by a client across all jobs - clientId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 287ms	Pass		
TC-198	Handyman Reviews	`GET /reviews/client/{clientId}/submitted`	Get all reviews submitted by a client across all jobs - pagination with negative page number	Response status 400 Bad Request, or gracefully defaults to page 0 (confirm expected behaviour with client).	400 in 393ms	Pass		
TC-199	Handyman Reviews	`GET /reviews/client/{clientId}/submitted`	Get all reviews submitted by a client across all jobs - pagination beyond last page	Response status 200 OK with an empty data array (not an error).	400 in 275ms — FAIL (Unexpected status code — does not match documented expectation): expected 200, got 400	Fail	DEF-037	High
TC-200	Jobs	`GET /jobs/{jobId}`	Get job details with quotes - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 315ms — Pass, expected 200, got 200	Pass		
TC-201	Jobs	`GET /jobs/{jobId}`	Get job details with quotes - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 2593ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-103	Critical
TC-202	Jobs	`GET /jobs/{jobId}`	Get job details with quotes - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 2627ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-104	Critical
TC-203	Jobs	`GET /jobs/{jobId}`	Get job details with quotes - jobId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 293ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-105	Low
TC-204	Jobs	`GET /jobs/{jobId}`	Get job details with quotes - jobId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 312ms	Pass		
TC-205	Jobs	`GET /jobs/{jobId}/tracking`	Track handyman's live road distance and ETA — poll every 5-10 seconds - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 274ms — Pass, expected 200, got 200	Pass		
TC-206	Jobs	`GET /jobs/{jobId}/tracking`	Track handyman's live road distance and ETA — poll every 5-10 seconds - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 2792ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-106	Critical
TC-207	Jobs	`GET /jobs/{jobId}/tracking`	Track handyman's live road distance and ETA — poll every 5-10 seconds - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 3415ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-107	Critical
TC-208	Jobs	`GET /jobs/{jobId}/tracking`	Track handyman's live road distance and ETA — poll every 5-10 seconds - jobId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 351ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-108	Low

Test ID	Module	Request	Scenario	Expected Result	Actual Result	Status	Defect ID	Severity
TC-209	Jobs	`GET /jobs/{jobId}/tracking`	Track handyman's live road distance and ETA — poll every 5-10 seconds - jobId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 278ms	Pass		
TC-210	Jobs	`GET /jobs/{jobId}/handyman/{handymanId}/arrival-notification-details`	Get job details for client after a specific handyman notifies arrival - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	400 in 294ms — Pass, expected 200, got 200	Pass		
TC-211	Jobs	`GET /jobs/{jobId}/handyman/{handymanId}/arrival-notification-details`	Get job details for client after a specific handyman notifies arrival - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 2761ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-109	Critical
TC-212	Jobs	`GET /jobs/{jobId}/handyman/{handymanId}/arrival-notification-details`	Get job details for client after a specific handyman notifies arrival - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 2049ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-110	Critical
TC-213	Jobs	`GET /jobs/{jobId}/handyman/{handymanId}/arrival-notification-details`	Get job details for client after a specific handyman notifies arrival - jobId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 345ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-111	Low
TC-214	Jobs	`GET /jobs/{jobId}/handyman/{handymanId}/arrival-notification-details`	Get job details for client after a specific handyman notifies arrival - jobId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 280ms	Pass		
TC-215	Jobs	`GET /jobs/{jobId}/handyman/{handymanId}/arrival-notification-details`	Get job details for client after a specific handyman notifies arrival - handymanId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 285ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-112	Low
TC-216	Jobs	`GET /jobs/{jobId}/handyman/{handymanId}/arrival-notification-details`	Get job details for client after a specific handyman notifies arrival - handymanId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 331ms	Pass		
TC-217	Jobs	`GET /jobs/{jobId}/handyman/completion-confirmation-details`	Get job details for handyman after client confirms completion - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	400 in 281ms — Pass, expected 200, got 200	Pass		
TC-218	Jobs	`GET /jobs/{jobId}/handyman/completion-confirmation-details`	Get job details for handyman after client confirms completion - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 2019ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-113	Critical
TC-219	Jobs	`GET /jobs/{jobId}/handyman/completion-confirmation-details`	Get job details for handyman after client confirms completion - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 2982ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-114	Critical
TC-220	Jobs	`GET /jobs/{jobId}/handyman/completion-confirmation-details`	Get job details for handyman after client confirms completion - jobId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 354ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-115	Low
TC-221	Jobs	`GET /jobs/{jobId}/handyman/completion-confirmation-details`	Get job details for handyman after client confirms completion - jobId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 382ms	Pass		
TC-222	Jobs	`GET /jobs/{jobId}/handyman/arrival-confirmation-details`	Get job details for handyman after client confirms their arrival - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 282ms — Pass, expected 200, got 200	Pass		
TC-223	Jobs	`GET /jobs/{jobId}/handyman/arrival-confirmation-details`	Get job details for handyman after client confirms their arrival - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 2080ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-116	Critical
TC-224	Jobs	`GET /jobs/{jobId}/handyman/arrival-confirmation-details`	Get job details for handyman after client confirms their arrival - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 2647ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-117	Critical
TC-225	Jobs	`GET /jobs/{jobId}/handyman/arrival-confirmation-details`	Get job details for handyman after client confirms their arrival - jobId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 291ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-118	Low
TC-226	Jobs	`GET /jobs/{jobId}/handyman/arrival-confirmation-details`	Get job details for handyman after client confirms their arrival - jobId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 356ms	Pass		
TC-227	Jobs	`GET /jobs/{jobId}/handyman/acceptance-details`	Get full job details for the accepted handyman - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 290ms — Pass, expected 200, got 200	Pass		
TC-228	Jobs	`GET /jobs/{jobId}/handyman/acceptance-details`	Get full job details for the accepted handyman - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 2091ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-119	Critical
TC-229	Jobs	`GET /jobs/{jobId}/handyman/acceptance-details`	Get full job details for the accepted handyman - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 3361ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-120	Critical

Test ID	Module	Request	Scenario	Expected Result	Actual Result	Status	Defect ID	Severity
TC-230	Jobs	`GET /jobs/{jobId}/handyman/acceptance-details`	Get full job details for the accepted handyman - jobId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 346ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-121	Low
TC-231	Jobs	`GET /jobs/{jobId}/handyman/acceptance-details`	Get full job details for the accepted handyman - jobId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 289ms	Pass		
TC-232	Jobs	`GET /jobs/{jobId}/client/started-details`	Get job details for client after handyman starts the job - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 305ms — Pass, expected 200, got 200	Pass		
TC-233	Jobs	`GET /jobs/{jobId}/client/started-details`	Get job details for client after handyman starts the job - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 1926ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-122	Critical
TC-234	Jobs	`GET /jobs/{jobId}/client/started-details`	Get job details for client after handyman starts the job - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 1946ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-123	Critical
TC-235	Jobs	`GET /jobs/{jobId}/client/started-details`	Get job details for client after handyman starts the job - jobId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 312ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-124	Low
TC-236	Jobs	`GET /jobs/{jobId}/client/started-details`	Get job details for client after handyman starts the job - jobId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 291ms	Pass		
TC-237	Jobs	`GET /jobs/{jobId}/client/completion-details`	Get job details for client after handyman marks job completed - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 304ms — Pass, expected 200, got 200	Pass		
TC-238	Jobs	`GET /jobs/{jobId}/client/completion-details`	Get job details for client after handyman marks job completed - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 3072ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-125	Critical
TC-239	Jobs	`GET /jobs/{jobId}/client/completion-details`	Get job details for client after handyman marks job completed - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 3371ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-126	Critical
TC-240	Jobs	`GET /jobs/{jobId}/client/completion-details`	Get job details for client after handyman marks job completed - jobId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 293ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-127	Low
TC-241	Jobs	`GET /jobs/{jobId}/client/completion-details`	Get job details for client after handyman marks job completed - jobId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 281ms	Pass		
TC-242	Jobs	`GET /jobs/handyman/{handymanId}/quotes`	Get quote history submitted by a handyman, optionally filtered by status - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 345ms — Pass, expected 200, got 200	Pass		
TC-243	Jobs	`GET /jobs/handyman/{handymanId}/quotes`	Get quote history submitted by a handyman, optionally filtered by status - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 3128ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-128	Critical
TC-244	Jobs	`GET /jobs/handyman/{handymanId}/quotes`	Get quote history submitted by a handyman, optionally filtered by status - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 1891ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-129	Critical
TC-245	Jobs	`GET /jobs/handyman/{handymanId}/quotes`	Get quote history submitted by a handyman, optionally filtered by status - handymanId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 389ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-130	Low
TC-246	Jobs	`GET /jobs/handyman/{handymanId}/quotes`	Get quote history submitted by a handyman, optionally filtered by status - handymanId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 301ms	Pass		
TC-247	Jobs	`GET /jobs/handyman/{handymanId}/quotes`	Get quote history submitted by a handyman, optionally filtered by status - pagination with negative page number	Response status 400 Bad Request, or gracefully defaults to page 0 (confirm expected behaviour with client).	400 in 367ms	Pass		
TC-248	Jobs	`GET /jobs/handyman/{handymanId}/quotes`	Get quote history submitted by a handyman, optionally filtered by status - pagination beyond last page	Response status 200 OK with an empty data array (not an error).	400 in 296ms — FAIL (Unexpected status code — does not match documented expectation): expected 200, got 400	Fail	DEF-131	High
TC-249	Jobs	`GET /jobs/handyman/{handymanId}/job-requests`	Get jobs a handyman was invited to - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 300ms — Pass, expected 200, got 200	Pass		
TC-250	Jobs	`GET /jobs/handyman/{handymanId}/job-requests`	Get jobs a handyman was invited to - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 3007ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-132	Critical
TC-251	Jobs	`GET /jobs/handyman/{handymanId}/job-requests`	Get jobs a handyman was invited to - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 2044ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-133	Critical
TC-252	Jobs	`GET /jobs/handyman/{handymanId}/job-requests`	Get jobs a handyman was invited to - handymanId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 376ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-134	Low

Test ID	Module	Request	Scenario	Expected Result	Actual Result	Status	Defect ID	Severity
TC-253	Jobs	`GET /jobs/handyman/{handymanId}/job-requests`	Get jobs a handyman was invited to - handymanId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 302ms	Pass		
TC-254	Jobs	`GET /jobs/handyman/{handymanId}/job-requests`	Get jobs a handyman was invited to - pagination with negative page number	Response status 400 Bad Request, or gracefully defaults to page 0 (confirm expected behaviour with client).	400 in 380ms	Pass		
TC-255	Jobs	`GET /jobs/handyman/{handymanId}/job-requests`	Get jobs a handyman was invited to - pagination beyond last page	Response status 200 OK with an empty data array (not an error).	400 in 300ms — FAIL (Unexpected status code — does not match documented expectation): expected 200, got 400	Fail	DEF-135	High
TC-256	Jobs	`GET /jobs/handyman/{handymanId}/invited/status`	Get jobs a handyman was invited to, filtered by status - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 316ms — Pass, expected 200, got 200	Pass		
TC-257	Jobs	`GET /jobs/handyman/{handymanId}/invited/status`	Get jobs a handyman was invited to, filtered by status - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 3065ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-136	Critical
TC-258	Jobs	`GET /jobs/handyman/{handymanId}/invited/status`	Get jobs a handyman was invited to, filtered by status - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 2522ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-137	Critical
TC-259	Jobs	`GET /jobs/handyman/{handymanId}/invited/status`	Get jobs a handyman was invited to, filtered by status - handymanId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 445ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-138	Low
TC-260	Jobs	`GET /jobs/handyman/{handymanId}/invited/status`	Get jobs a handyman was invited to, filtered by status - handymanId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 287ms	Pass		
TC-261	Jobs	`GET /jobs/handyman/{handymanId}/invited/status`	Get jobs a handyman was invited to, filtered by status - missing required query param 'status'	Response status 400 Bad Request with a clear validation message.	400 in 299ms	Pass		
TC-262	Jobs	`GET /jobs/handyman/{handymanId}/invited/status`	Get jobs a handyman was invited to, filtered by status - pagination with negative page number	Response status 400 Bad Request, or gracefully defaults to page 0 (confirm expected behaviour with client).	400 in 309ms	Pass		
TC-263	Jobs	`GET /jobs/handyman/{handymanId}/invited/status`	Get jobs a handyman was invited to, filtered by status - pagination beyond last page	Response status 200 OK with an empty data array (not an error).	400 in 335ms — FAIL (Unexpected status code — does not match documented expectation): expected 200, got 400	Fail	DEF-139	High
TC-264	Jobs	`GET /jobs/handyman/{handymanId}/bookings`	Get bookings for the handyman filtered by status - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 285ms — Pass, expected 200, got 200	Pass		
TC-265	Jobs	`GET /jobs/handyman/{handymanId}/bookings`	Get bookings for the handyman filtered by status - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 2636ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-140	Critical
TC-266	Jobs	`GET /jobs/handyman/{handymanId}/bookings`	Get bookings for the handyman filtered by status - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 1916ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-141	Critical
TC-267	Jobs	`GET /jobs/handyman/{handymanId}/bookings`	Get bookings for the handyman filtered by status - handymanId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 285ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-142	Low
TC-268	Jobs	`GET /jobs/handyman/{handymanId}/bookings`	Get bookings for the handyman filtered by status - handymanId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 321ms	Pass		
TC-269	Jobs	`GET /jobs/handyman/{handymanId}/bookings`	Get bookings for the handyman filtered by status - pagination with negative page number	Response status 400 Bad Request, or gracefully defaults to page 0 (confirm expected behaviour with client).	400 in 367ms	Pass		
TC-270	Jobs	`GET /jobs/handyman/{handymanId}/bookings`	Get bookings for the handyman filtered by status - pagination beyond last page	Response status 200 OK with an empty data array (not an error).	400 in 305ms — FAIL (Unexpected status code — does not match documented expectation): expected 200, got 400	Fail	DEF-143	High
TC-271	Jobs	`GET /jobs/client/{clientId}`	Get all jobs posted by a client - paginated - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 302ms — Pass, expected 200, got 200	Pass		
TC-272	Jobs	`GET /jobs/client/{clientId}`	Get all jobs posted by a client - paginated - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 2823ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-144	Critical
TC-273	Jobs	`GET /jobs/client/{clientId}`	Get all jobs posted by a client - paginated - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 2573ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-145	Critical
TC-274	Jobs	`GET /jobs/client/{clientId}`	Get all jobs posted by a client - paginated - clientId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 295ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-146	Low
TC-275	Jobs	`GET /jobs/client/{clientId}`	Get all jobs posted by a client - paginated - clientId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 356ms	Pass		
TC-276	Jobs	`GET /jobs/client/{clientId}`	Get all jobs posted by a client - paginated - pagination with negative page number	Response status 400 Bad Request, or gracefully defaults to page 0 (confirm expected behaviour with client).	400 in 373ms	Pass		

Test ID	Module	Request	Scenario	Expected Result	Actual Result	Status	Defect ID	Severity
TC-277	Jobs	`GET /jobs/client/{clientId}`	Get all jobs posted by a client - paginated - pagination beyond last page	Response status 200 OK with an empty data array (not an error).	400 in 349ms — FAIL (Unexpected status code — does not match documented expectation): expected 200, got 400	Fail	DEF-147	High
TC-278	Jobs	`GET /jobs/client/{clientId}/status`	Get a client's jobs filtered by status - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 288ms — Pass, expected 200, got 200	Pass		
TC-279	Jobs	`GET /jobs/client/{clientId}/status`	Get a client's jobs filtered by status - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 2766ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-148	Critical
TC-280	Jobs	`GET /jobs/client/{clientId}/status`	Get a client's jobs filtered by status - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 1836ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-149	Critical
TC-281	Jobs	`GET /jobs/client/{clientId}/status`	Get a client's jobs filtered by status - clientId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 296ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-150	Low
TC-282	Jobs	`GET /jobs/client/{clientId}/status`	Get a client's jobs filtered by status - clientId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 393ms	Pass		
TC-283	Jobs	`GET /jobs/client/{clientId}/status`	Get a client's jobs filtered by status - missing required query param 'status'	Response status 400 Bad Request with a clear validation message.	400 in 278ms	Pass		
TC-284	Jobs	`GET /jobs/client/{clientId}/status`	Get a client's jobs filtered by status - pagination with negative page number	Response status 400 Bad Request, or gracefully defaults to page 0 (confirm expected behaviour with client).	400 in 329ms	Pass		
TC-285	Jobs	`GET /jobs/client/{clientId}/status`	Get a client's jobs filtered by status - pagination beyond last page	Response status 200 OK with an empty data array (not an error).	400 in 331ms — FAIL (Unexpected status code — does not match documented expectation): expected 200, got 400	Fail	DEF-151	High
TC-286	Jobs	`GET /jobs/client/{clientId}/recent`	Get recent services for a client - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 294ms — Pass, expected 200, got 200	Pass		
TC-287	Jobs	`GET /jobs/client/{clientId}/recent`	Get recent services for a client - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 2721ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-152	Critical
TC-288	Jobs	`GET /jobs/client/{clientId}/recent`	Get recent services for a client - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 3143ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-153	Critical
TC-289	Jobs	`GET /jobs/client/{clientId}/recent`	Get recent services for a client - clientId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 341ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-154	Low
TC-290	Jobs	`GET /jobs/client/{clientId}/recent`	Get recent services for a client - clientId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 287ms	Pass		
TC-291	Jobs	`GET /jobs/client/{clientId}/recent`	Get recent services for a client - pagination with negative page number	Response status 400 Bad Request, or gracefully defaults to page 0 (confirm expected behaviour with client).	400 in 315ms	Pass		
TC-292	Jobs	`GET /jobs/client/{clientId}/recent`	Get recent services for a client - pagination beyond last page	Response status 200 OK with an empty data array (not an error).	400 in 331ms — FAIL (Unexpected status code — does not match documented expectation): expected 200, got 400	Fail	DEF-155	High
TC-293	Health	`GET /health/check`	Health check returning structured uptime and client IP data - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 284ms	Pass		
TC-294	Handyman Geo Location	`GET /geo/client-location`	getLocation - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 329ms	Pass		
TC-295	Handyman Geo Location	`GET /geo/client-location`	getLocation - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 2817ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-159	Critical
TC-296	Handyman Geo Location	`GET /geo/client-location`	getLocation - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 2022ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-160	Critical
TC-297	Handyman Geo Location	`GET /geo/client-location`	getLocation - missing required query param 'latitude'	Response status 400 Bad Request with a clear validation message.	400 in 309ms	Pass		
TC-298	Handyman Geo Location	`GET /geo/client-location`	getLocation - missing required query param 'longitude'	Response status 400 Bad Request with a clear validation message.	400 in 280ms	Pass		
TC-299	Handyman Geo Location	`GET /geo/client-location`	getLocation - latitude out of range (>90)	Response status 400 Bad Request.	200 in 400ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 400, got 200	Fail	DEF-161	Low
TC-300	Handyman Geo Location	`GET /geo/client-location`	getLocation - longitude out of range (>180)	Response status 400 Bad Request.	200 in 327ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 400, got 200	Fail	DEF-162	Low
TC-301	Disputes	`GET /disputes/my/{userId}`	Get all disputes raised by a user - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 289ms	Pass		
TC-302	Disputes	`GET /disputes/my/{userId}`	Get all disputes raised by a user - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 1860ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-170	Critical
TC-303	Disputes	`GET /disputes/my/{userId}`	Get all disputes raised by a user - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 2025ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-171	Critical
TC-304	Disputes	`GET /disputes/my/{userId}`	Get all disputes raised by a user - userId that does not exist	Response status 404 Not Found (resource does not exist).	200 in 278ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 404, got 200	Fail	DEF-172	Low

Test ID	Module	Request	Scenario	Expected Result	Actual Result	Status	Defect ID	Severity
TC-305	Disputes	`GET /disputes/my/{userId}`	Get all disputes raised by a user - userId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 299ms	Pass		
TC-306	dashboard-controller	`GET /dashboard`	Get handyman dashboard summary - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 328ms — Pass, expected 200, got 200	Pass		
TC-307	dashboard-controller	`GET /dashboard`	Get handyman dashboard summary - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 3360ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-187	Critical
TC-308	dashboard-controller	`GET /dashboard`	Get handyman dashboard summary - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 2745ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-188	Critical
TC-309	Chat	`GET /chat/{jobId}/history`	Load full chat history for a job - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 290ms — Pass, expected 200, got 200	Pass		
TC-310	Chat	`GET /chat/{jobId}/history`	Load full chat history for a job - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	400 in 353ms — FAIL (Wrong status code, request still correctly rejected): expected 401, got 400	Fail	DEF-177	Low
TC-311	Chat	`GET /chat/{jobId}/history`	Load full chat history for a job - request with expired/invalid token is rejected	Response status 401 Unauthorized.	400 in 321ms — FAIL (Wrong status code, request still correctly rejected): expected 401, got 400	Fail	DEF-178	Low
TC-312	Chat	`GET /chat/{jobId}/history`	Load full chat history for a job - jobId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 280ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-179	Low
TC-313	Chat	`GET /chat/{jobId}/history`	Load full chat history for a job - jobId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 304ms	Pass		
TC-314	Chat	`GET /chat/{jobId}/history`	Load full chat history for a job - missing required query param 'requesterId'	Response status 400 Bad Request with a clear validation message.	400 in 388ms	Pass		
TC-315	Chat	`GET /chat/unread`	Get total unread message count for a user - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 303ms	Pass		
TC-316	Chat	`GET /chat/unread`	Get total unread message count for a user - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	400 in 284ms — FAIL (Wrong status code, request still correctly rejected): expected 401, got 400	Fail	DEF-180	Low
TC-317	Chat	`GET /chat/unread`	Get total unread message count for a user - request with expired/invalid token is rejected	Response status 401 Unauthorized.	400 in 286ms — FAIL (Wrong status code, request still correctly rejected): expected 401, got 400	Fail	DEF-181	Low
TC-318	Chat	`GET /chat/unread`	Get total unread message count for a user - missing required query param 'userId'	Response status 400 Bad Request with a clear validation message.	400 in 300ms	Pass		
TC-319	Handyman Categories	`GET /categories`	Get all handyman categories and their subcategories - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 438ms	Pass		
TC-320	Handyman Categories	`GET /categories/{category}/subcategories`	Get subcategories for a specific category - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 292ms	Pass		
TC-321	Handyman Categories	`GET /categories/{category}/subcategories`	Get subcategories for a specific category - category that does not exist	Response status 404 Not Found.	404 in 320ms	Pass		
TC-322	User Management	`DELETE /users/delete-account`	Delete Account - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 333ms	Pass		
TC-323	User Management	`DELETE /users/delete-account`	Delete Account - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 1799ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-012	Critical
TC-324	User Management	`DELETE /users/delete-account`	Delete Account - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 2177ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-013	Critical
TC-325	User Management	`DELETE /users/delete-account`	Delete Account - request body missing required field(s)	Response status 400 Bad Request identifying the missing field.	400 in 290ms	Pass		
TC-326	User Management	`DELETE /users/delete-account`	Delete Account - request body with wrong data type	Response status 400 Bad Request.	400 in 281ms	Pass		
TC-327	User Management	`DELETE /users/delete-account`	Delete Account - request body with empty payload	Response status 400 Bad Request, no server error (500) thrown.	400 in 305ms	Pass		
TC-328	Handyman Reviews	`DELETE /reviews/{reviewId}`	Client deletes their own review - valid request returns success	Response status 200 OK; response body matches documented schema (message + data fields present as expected).	200 in 388ms — Pass, expected 200, got 200	Pass		
TC-329	Handyman Reviews	`DELETE /reviews/{reviewId}`	Client deletes their own review - request without auth token is rejected	Response status 401 Unauthorized; no sensitive data returned.	200 in 3219ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-038	Critical
TC-330	Handyman Reviews	`DELETE /reviews/{reviewId}`	Client deletes their own review - request with expired/invalid token is rejected	Response status 401 Unauthorized.	200 in 2872ms — FAIL (Validation/Authorization Bypass — request expected to be rejected was processed instead): expected 401, got 200	Fail	DEF-039	Critical
TC-331	Handyman Reviews	`DELETE /reviews/{reviewId}`	Client deletes their own review - reviewId that does not exist	Response status 404 Not Found (resource does not exist).	400 in 332ms — FAIL (Wrong status code, request still correctly rejected): expected 404, got 400	Fail	DEF-040	Low
TC-332	Handyman Reviews	`DELETE /reviews/{reviewId}`	Client deletes their own review - reviewId in wrong data type (non-numeric)	Response status 400 Bad Request (type mismatch rejected).	400 in 280ms	Pass		