

EDITING COPY for Intermediate track (\$10 USDT BEP-20). Change text here, then send the file back. Keep TABLE / DIAGRAM / NOTE blocks if you still want those layouts in the academy. Quiz answers are marked in red for editors — hide them before any student-facing export. Education only. Not a buy signal.

Ethereum, Smart Contracts & Tokens

INTERMEDIATE TRACK | slug: [ethereum-smart-contracts](#) | level: [intermediate](#) | PAID

The first Intermediate course. Basic already taught ledgers, keys, BNB Smart Chain, and USDT as a BEP-20 token. This course names Ethereum as a computer, the two kinds of accounts, what a smart contract actually stores, ERC-20 versus BEP-20, gas, ABI, explorers, and the failures that empty wallets. Education only — not a buy order. Crystal Stones is a BEP-20 token on BSC; contract 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 is for verification only, never a payment address. Intermediate checkout is \$10 USDT BEP-20 through academy checkout, not the Crystal Stones token.

Module 1: Ethereum as a computer, not Bitcoin 2

Bitcoin is a public notebook of transfers. Ethereum is a public computer that also keeps a notebook. You will name accounts, state, ETH as fuel, the EVM as a stack machine, and how BNB Smart Chain copies this design without being the same book.

Lesson 1: Ethereum is a world computer (26 min)

Ethereum is a world computer

Bitcoin is a public notebook of who sent what. Ethereum is a public computer that also keeps a notebook. If you treat Ethereum as “Bitcoin with extra coins,” you will misread every contract, every token, and every failed transaction that still costs money.

By the end of this lesson you should be able to say, in your own words, what **Ethereum** is for, why a computer is a better picture than a coin, and why Crystal Stones still lives on BNB Smart Chain even though the idea started here. This academy will not tell you to buy ETH, BNB, USDT, or Crystal Stones.

A computer is not a coin

A **computer** is a machine that follows instructions and remembers results. Your phone is a computer. A bank’s ledger software is a computer. Ethereum is a computer that many independent machines run together, so the instructions and the memory are public.

Ethereum is a public network launched in 2015. Its bet was: let people publish small programs, called **smart contracts**, and let every machine on the network run the same program the same way. The notebook of transfers is still there. The new object is the program.

Bitcoin already had a limited script language. It was designed to move coins under simple rules, not to host shops, tokens, and games. Ethereum's designers wanted a general machine. That is why people call it a **world computer**. The phrase is marketing-adjacent. The useful meaning is smaller: **one shared machine whose memory anyone can inspect, and whose programs anyone can call if they pay the fuel**.

A world computer is not a god. It does not know your name. It does not reverse a theft. It does not parent you. It runs the code that is already there.

Programs sit on the same book as payments

In Basic you learned a **blockchain** is a public book of sealed pages. Ethereum still has blocks, hashes, and a writer rule. What changed is what a page can contain.

A Bitcoin-style page is mostly: "these coins moved from A to B." An Ethereum-style page can also say: "call this program with these inputs, update its memory, maybe send some ETH, maybe emit a public receipt." The page is still sealed. The computation is extra work the network agrees to do.

That is why Ethereum needs a **native coin** that is not just a souvenir. Computation costs machines time. The coin pays for that time. We will name that coin **ETH** in the next lesson. Hold the picture today: **payments and programs share one book**.

Picture people sell	What the object actually is	What fails if you believe the slogan
Bitcoin 2	A different public computer with its own book	You send value to the wrong chain because the address looks familiar
A faster bank	A public machine with no help desk	You expect a reversal that will not come
A company called Ethereum Inc	A protocol plus many apps on top	You trust a random website because it has a diamond logo
A token printer	A computer that can host many token programs	You assume every ticker on the screen is honest

Shared memory is the new fact

When two bank apps disagree, you call support. When two Ethereum nodes disagree about what a program stored, the network's rules pick one history. The **state** is the official memory: every account's balance, every contract's stored numbers, at this block.

State means: the current contents of the machine's memory, agreed by the network. A transfer changes state. A successful contract call changes state. A failed call may change nothing in the program's notebook and still burn the fuel you paid. Module 5 will unpack that failure. Today you only need: **the computer remembers**.

That memory is why a token can exist as a list inside a program. USDT on Ethereum is not a second chain. It is a program's notebook of who is owed how many units. Crystal Stones on BNB Smart Chain is the same family of object, on a different computer that copied Ethereum's design. This academy will not tell you to buy either one.

What “world” does and does not mean


“World” does not mean every country recognised it as legal tender. It does not mean it is the only computer. It means the machine is public and global in the same way a public website is global: anyone with a connection can read it; anyone who can pay the fee can try to write.

There are other world computers now. **BNB Smart Chain (BSC)** is one of them. It copies Ethereum’s program format so the same style of contract can run, with BNB as fuel, on chain ID 56. Ethereum mainnet is chain ID 1. Same-looking addresses. Different books. Basic already trained that reflex. Intermediate will use it until it is boring.

Worked scenario. A contractor is paid in USDT. A client says “Ethereum is the real chain, send me your ETH address, I’ll send USDT.”

1. A learner does not hear “real” as a holiness ranking. They hear a **network name**.
2. They ask: which book — Ethereum mainnet, or BNB Smart Chain, or something else?
3. They check which USDT they actually hold. Ticker letters are not a network.
4. They refuse to paste an address until the client names the chain and the token contract.
5. They remembers Crystal Stones’ published BEP-20 contract is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` — verify only, never a payment address, and not how this \$10 Intermediate course is checked out. Checkout is USDT BEP-20 through academy checkout.

DIAGRAM



What this academy will not smuggle in

We will not rank Ethereum as morally better than Bitcoin. Bitcoin is a settlement notebook with a different job. We will not rank Ethereum as morally better than BSC. BSC is where this academy’s token lives, and where cheap practice transactions often happen.

We will not tell you Ethereum “replaced” banks. Adults still use banks. We will not tell you a smart contract is a legal contract. A **smart contract** is a program the network will run. A legal contract is a document courts understand. They can overlap. They are not the same object.

ACADEMY NOTE Academy rule: “on Ethereum” is a location, not a blessing. A scam program can sit on a public computer just as calmly as a useful one. The chain will run both. Your job in Intermediate is to name the object — computer, account, program, token list — before anyone’s story.

What this lesson is for

You are here so that Ethereum stops being a ticker and becomes a machine: public programs, shared memory, sealed pages. The next lesson names the fuel and the accounts. None of this is a shopping list.

Say this out loud

- Ethereum is a public computer that also keeps a notebook, not “Bitcoin with extra coins.”
- A smart contract is a program the network will run, not a court document.
- State is the official memory of that computer at a given block.
- BNB Smart Chain copies this computer style on a different book (chain ID 56).
- Crystal Stones is a BEP-20 token on BSC to verify, not a payment address and not a buy order.

Next: accounts, state, and why ETH is the native coin of this machine.

Lesson 2: Accounts, state, and why ETH is the native coin (27 min)

Accounts, state, and why ETH is the native coin

A computer that cannot charge for work gets flooded with junk. Ethereum charges in **ETH**. ETH is not “the best coin.” It is the native fuel and the native balance of this particular machine.

By the end of this lesson you should be able to separate an **account** from a token row, say what **state** includes, and explain why a wallet can show USDT and still need ETH (or, on BSC, BNB) before anything moves.

An account is a record the machine keeps

An **account** on Ethereum is an object the network tracks. It has an **address** — the 0x name — and a bundle of facts: how much ETH it holds, a **nonce** (how many transactions it has already sent), and, if it is a contract, the code and the stored data.

You already met addresses in Basic. They look the same family on Ethereum and on BNB Smart Chain: forty hex characters after 0x. Same shape. Different books. An account on chain ID 1 is not the account on chain ID 56, even if the letters match.

Two kinds of accounts exist. The next module is entirely about them. Today’s split is enough to use:

- **Externally owned account (EOA)** — controlled by a private key a human (or a company) holds. A wallet app such as Trust Wallet or MetaMask — examples of wallet apps, not endorsements — usually shows you this kind of account.
- **Contract account** — controlled by code. No seed phrase for the contract itself. People call it by sending it a transaction.

Both can hold ETH. Only the contract holds code. Token balances are usually not “the account is the token.” Token balances are numbers inside a token program’s notebook, labelled by your address.

State is the whole memory, not your app screen

World state is the official snapshot: every account, every ETH balance, every contract's storage, at a block. Your wallet is a view of a few rows. An explorer is a view of more rows. Neither is the whole machine.

When people say “the blockchain remembers,” they mean this state, updated page by page. A transfer of ETH changes two balances in state. A token transfer usually does **not** move ETH from sender to receiver as the payment. It asks the token program to rewrite two numbers in its storage. You still pay ETH (or BNB on BSC) as fuel to the network for the rewrite.

That is the Intermediate correction to a Basic shortcut. In Foundations, “sending a token” felt like sending a coin. Under the hood, you are paying the computer to edit a list.

Object	Lives where	What your wallet shows	What you pay to change it
ETH (native coin)	The account's own balance in state	“ETH” on Ethereum	ETH as value moved, plus ETH as gas
BNB (native coin on BSC)	The account's own balance on chain 56	“BNB”	BNB as value and as gas
USDT (token)	A number in the USDT contract's storage, keyed by your address	“USDT” if the wallet knows that contract	Native coin for gas; the token program edits the list
Crystal Stones (BEP-20)	A number in its BSC contract storage	Only if you added the contract	BNB for gas. This academy will not tell you to buy it.

Why a native coin must exist

If fuel were a token living inside a program, you would need that program to run in order to pay to run programs. That is a circle. Native coins sit **outside** token programs. The protocol itself knows the ETH balance of an account. It can subtract gas even if every token contract is broken.

Gas is the metering of computation. You will get a full lesson on it in Module 5. The Intermediate one-liner is: **every step the computer takes has a price in gas, and gas is paid in the native coin.**

This is why A learner can hold 500 USDT on Ethereum and still be stuck. If their ETH balance cannot cover gas, the token program will not be asked to move the 500. The same trap exists on BSC with BNB. People call it “I have money but I cannot send it.” They have a token row. They do not have fuel.

ETH is not Crystal Stones, and Crystal Stones is not checkout

ETH is the native coin of Ethereum mainnet. Crystal Stones is a **BEP-20** token on BNB Smart Chain. Different computers. Different jobs. The published Crystal Stones contract — ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` — is a **verification string**. It is not a payment address. It is not how you pay for this course.

This Intermediate track is **\$10 USDT on BEP-20 through academy checkout**. Not ETH. Not Crystal Stones token. Not a random 0x pasted in chat. Academy staff will never ask for a seed phrase or a private key to “activate” an account.

Worked scenario. A merchant in a market group is told “pay the academy in Crystal Stones, here is the contract, send tokens there.”

6. He names the objects: Crystal Stones is a BEP-20 token to verify, not a checkout rail.
7. He names the real checkout: \$10 USDT BEP-20 through academy checkout.
8. He does not send tokens to the contract address. Sending tokens to a contract that is not expecting them is how value sits in a notebook nobody has a withdraw button for.
9. He does not send ETH on Ethereum to “match” a BSC invoice.
10. He treats any chat that asks for a seed to “sync state” as theft.

DIAGRAM

STATE AT ONE BLOCK

+-----+ +-----+	
EOA 0xa learner...	Contract 0xUSDT...
ETH balance: 0.04	code: token program
nonce: 12	storage:
code: (none)	0xA learner -> 500 USDT
+-----+	0xShop -> 20 USDT
	+-----+

the wallet's wallet shows 500 USDT AND 0.04 ETH.

Without ETH, the 500 is a number they cannot rewrite.

Misconceptions that will cost you this week

- “My wallet has USDT, so I can pay any USDT invoice.” No. Name the chain.
- “ETH and BNB are the same because both pay gas.” They pay gas on **different** computers.
- “State is whatever Telegram says arrived.” State is what the explorer shows for that chain’s book.
- “A native coin is a token with a fancier logo.” Native coin is protocol-level. Token is a program’s list.

ACADEMY NOTE Academy rule: never confuse a token row with fuel. If a screen shows a dollar-named token and a near-zero native balance, you are looking at a parked number, not a ready payment. Practice with tiny amounts. Prefer a test send. This classroom will not give price targets for ETH or anyone else.

What this lesson is for

You are here so that “balance” splits into three ideas: native coin, token row, and the fuel needed to change either. Next we look inside the machine — the EVM as a stack, not a motivational flowchart.

Say this out loud

- An account is a record the machine keeps: address, native balance, nonce, and maybe code.
- State is the official memory at a block, not a screenshot.
- ETH is Ethereum’s native coin and its gas money. BNB plays that role on BSC.
- A token balance is a number in a contract’s storage, keyed by your address.
- This course’s checkout is \$10 USDT BEP-20 through academy checkout, never the Crystal Stones contract.

Next: the EVM as a picture you can actually hold — a stack machine, not only a flowchart.

Lesson 3: The EVM as a picture (stack, not only a flowchart) (28 min)

The EVM as a picture (stack, not only a flowchart)

People draw Ethereum as a flowchart because flowcharts look like “steps.” The machine that actually runs a contract is closer to a **stack of plates** plus a notebook. If you only learn the flowchart, you will not understand gas, reverts, or why a “simple send” and a “contract call” are different jobs for the same computer.

By the end of this lesson you should be able to point at three boxes — stack, memory, storage — and say which one survives after the transaction ends.

The EVM is the shared processor

The **Ethereum Virtual Machine (EVM)** is the rule-book for how every node runs contract code. **Virtual machine** means: a pretend processor defined in software, so many different physical computers can get the same answer.

BNB Smart Chain runs an EVM-compatible processor. That is why the same style of contract, the same 0x addresses, and the same wallet apps can talk to both chains. Compatible is not identical. Chain ID, native coin, validators, and the actual programs deployed are different. The processor family is the same.

You do not need to write bytecode. You need the picture of what the processor has on its desk while a call runs.

Three places data can sit

While a contract runs, data lives in more than one drawer.

Stack. A last-in, first-out pile of small numbers the processor uses as scratch. Push a number on top, pop a number off the top. Most EVM operations eat values from the stack and push results back. This is why this lesson refuses a flowchart-only picture: the machine is stacking, not walking a poster.

Memory. A temporary workspace for the current call. It starts empty-ish, expands as the program writes into it, and **vanishes when the call ends**. Useful for building a string, copying calldata, preparing a return. Not the contract’s long-term notebook.

Storage. The contract’s durable notebook in world state. Writing storage is expensive in gas because every node must remember it forever (or until it is changed again). This is where token balances live. This is where an “owner” address is saved.

There is also **calldata**: the input bytes that arrived with the transaction, cheap to read, not a place the contract stores a diary.

Place	Lives through the call	Lives after the block	Typical job
Stack	Yes, as plates on a pile	No	Arithmetic, jumping, feeding the next instruction
Memory	Yes, as a scratch pad	No	Temporary bytes for this call only

Storage	Yes	Yes — it is state	Balances, owners, allowances, config
Calldata	Yes, as the input	The tx is in history; the bytes are not “the contract’s diary”	Function name plus arguments

A flowchart hides the cost

A flowchart says: “check balance, then subtract, then add.” The EVM says: load a storage slot onto the stack, compare, maybe **revert** (undo this call’s state changes, still charge gas for work already done), maybe write two storage slots, maybe append a log.

Bytecode is the compact instruction list the processor actually runs. Humans write **source** in a language such as Solidity. Compilers turn source into bytecode. Explorers may show source if someone uploaded it. The network does not run the comments. It runs bytecode.

When a wallet says “Contract Interaction,” it is telling you the EVM will execute bytecode, not merely move native coin. That is why the gas estimate is higher than a simple ETH send, and why a bug in the program can take your tokens without a second human in the room.

Worked scenario. A student wants to “just swap” inside a wallet app.

11. They sees a flowchart in a thread: connect, approve, swap, done.
12. They names the stack picture instead: the swap program will read storage, write storage, maybe call another program, and emit logs.
13. They check they has native coin for the whole path, not only for the last box of the flowchart.
14. They remembers an **approve** is its own storage write — a permission in the token’s notebook — not a decoration.
15. They does a tiny test on the correct chain before any amount they would miss.

DIAGRAM

EVM DESK (one call)

calldata (input bytes)

|
v

STACK	MEMORY
[top plate]	scratch bytes
[next plate]	die when call
[next plate]	ends

|
| SLOAD / SSTORE (expensive)
v

STORAGE	<-- survives in world state
slot 0: owner	


```
| slot 1: supply |  
| map: addr->bal |  
+-----+
```

Why Intermediate learners need this picture

Without the stack picture, these sentences sound like superstition:

- “Failed but I paid gas.” Work happened. Revert undid storage writes. Fuel still burned.
- “Verified source.” Someone published text that matches bytecode. That is not an audit. Module 6.
- “The contract holds my USDT.” Your token row is in the token contract’s storage. A second contract may have **allowance** to rewrite that row.
- “BSC is Ethereum.” Same processor family. Different desk, different book, different native fuel.

ACADEMY NOTE Academy rule: you will not be asked to write Solidity in this course. You will be asked to stop treating a contract call as a mysterious arrow. If you can point at stack, memory, and storage, you can later read an explorer without worshipping the green tick.

What this lesson is for

You now have a desk picture of the EVM: a stack processor with temporary memory and durable storage. That picture will carry Module 3 (what a contract holds) and Module 5 (why gas numbers look the way they do).

Say this out loud

- The EVM is a shared pretend processor. BSC is EVM-compatible, not the same chain.
- The stack is a pile of plates the processor uses while running.
- Memory dies at the end of the call. Storage is the notebook that remains.
- Token balances live in storage, which is why they survive and why they cost gas to change.
- A flowchart of “approve then swap” hides extra storage writes and extra ways to fail.

Next: Ethereum versus BNB Smart Chain, as geography, not as a fan war.

Lesson 4: Ethereum vs BNB Smart Chain (26 min)

Ethereum vs BNB Smart Chain

Same-looking addresses. Same-looking wallet screens. Two books. Intermediate starts failing the day you treat them as nicknames for one computer.

By the end of this lesson you should be able to compare Ethereum mainnet and BNB Smart Chain on the facts that actually bite: chain ID, native coin, explorer, gas habits, and where Crystal Stones lives. This academy will not tell you to buy ETH or BNB.

Two computers, one family of tools

Ethereum mainnet is chain ID **1**. Native coin **ETH**. Public explorer **Etherscan**. Writer set: proof-of-stake validators on Ethereum’s rules.

BNB Smart Chain is chain ID **56**. Native coin **BNB**. Public explorer **BscScan**. Writer set: a more concentrated validator design you already met in the BSC beginner course.

Both run EVM-style programs. That is why MetaMask and Trust Wallet — examples of wallet apps, not endorsements — can add both networks. That is why a contract written for Ethereum can often be deployed on BSC. **Often** is not **already there**. A program exists only on the chain it was deployed to. Copying the idea is not copying the instance.

Crystal Stones is a **BEP-20** token on BSC. BEP-20 is BSC's name for the ERC-20-style interface. The published contract to **verify**, never to pay, is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. If someone shows you a Crystal Stones contract on Ethereum, you are looking at a different object until proven otherwise.

What is copied, and what is not

Copied: address shape, transaction shape, gas metering, ABI idea, token interface style, wallet UX.

Not copied: the state, the native coin, the explorer's database, the validator set, the list of deployed contracts, the price of gas in local units, the social layer of “what people actually use this book for.”

A USDT you hold on Ethereum is a row in Ethereum's USDT contract. A USDT you hold on BSC is a row in BSC's USDT contract. Same nickname on the bottle. Different notebooks. Basic taught this. Intermediate repeats it because Intermediate is where people move \$10 and \$100 and then invent a story about “the chain ate it.”

Fact	Ethereum mainnet	BNB Smart Chain
Chain ID	1	56
Native fuel	ETH	BNB
Explorer	Etherscan (example of a public window)	BscScan (example of a public window)
Token style	ERC-20 and many others	BEP-20 (ERC-20-style) and many others
Where Crystal Stones is published	Not the home this academy verifies	BEP-20 contract on BSC, verify only
Typical beginner gas feeling	Often dearer	Often cheaper — still not free, still not a reason to skip checks

Cheap gas is a feature and a lure

BSC's cheaper gas is why this academy can ask you to practice with tiny amounts without turning every test into a painful fee. It is also why fake tokens, fake airdrops, and copycat contracts breed there. Attackers like cheap books too.

Ethereum's dearer gas does not make a contract honest. A verified scam on Etherscan is still a scam. “I paid a lot in gas” is not an audit.


Worked scenario. Someone is sending value to a niece at university.

16. The niece says “send USDT, here is my address” and pastes 0x...
17. The payer asks which chain the niece's wallet is actually watching.
18. They open the matching explorer — Etherscan for chain 1, BscScan for chain 56 — from a bookmark.
19. They send a tiny test on that one chain, wait for the explorer to show it, then send the rest.

20. They do not “try the other chain because the address looks the same.” Same letters, different book, missing funds.

DIAGRAM

WALLET SCREEN (looks identical)



Binance is not BNB Smart Chain

Binance is an example of a centralised exchange. An exchange account is an IOU in a company ledger. BNB Smart Chain is a public book. BNB the coin is used as fuel on that book and also appears as an asset on the exchange. Three objects. Mixing them is how people withdraw to the wrong place and then argue with a help desk that cannot unwrite a public page.

If you buy USDT on an exchange and withdraw, you must pick the network the exchange offers that matches the book your wallet is on. “USDT” on the withdraw screen is a multiple-choice question, not a unique object.

ACADEMY NOTE Academy rule: name four things before you send — asset, chain ID, explorer, fuel coin. If any of the four is guessed, stop. Crystal Stones’ contract is a verify-only string on BSC. Intermediate checkout is \$10 USDT BEP-20 through academy checkout, not a transfer to that contract.

What this lesson is for

You are here to kill the last remaining “it’s all crypto” sentence. Ethereum and BSC are sibling computers. Siblings do not share a bank account. Next we draw the boundary of this course so you know what Intermediate will not pretend to teach.

Say this out loud

- Ethereum is chain ID 1 with ETH as fuel. BSC is chain ID 56 with BNB as fuel.
- Same address letters do not move value across books.
- EVM-compatible means a similar processor, not a shared state.
- Crystal Stones is verified as a BEP-20 on BSC, not as a checkout address.
- Cheap gas on BSC is not a honesty stamp, and dear gas on Ethereum is not one either.

Next: what this course will teach, and the list of things it will refuse to pretend.

Lesson 5: What this course will and will not teach (24 min)

What this course will and will not teach

Intermediate is where academies get greedy. They start teaching you to “deploy” and “farm” and “get in early.” This course will not. It will teach you to see the objects well enough that a lie has fewer places to hide.

By the end of this lesson you should be able to tell a friend what six modules buy them, what they still will not be, and how this \$10 track is actually paid for.

What you should be able to do by the last quiz

After six modules you should be able to:

- Explain Ethereum as a public computer, not Bitcoin 2.
- Split **EOA** from **contract account** when an explorer shows the same 0x shape.
- Say what a contract stores — code, storage, maybe native coin — without calling it a vault of magic.
- Name ERC-20 and BEP-20 as interfaces, not as religions.
- Read gas, ABI, and explorer tabs well enough to catch a bad approval or a failed-but-paid transaction.
- List the common ways this design hurts people: unlimited approvals, fake tickers, “verified” as theatre, upgradeable proxies.

You should **not** expect to be a Solidity developer, an auditor, a trader, or a recovery agent.

What this course refuses

We will not give buy or sell targets. We will not invent yield. We will not invent listing dates. We will not treat Crystal Stones’ mineral-vault story as proven because it is printed on a site. That story is **their claim to verify**.

We will not teach you to message a “recovery team.” Academy staff will never ask for a seed phrase, a private key, 2FA codes, or remote screen control. Anyone who does is not this academy.

We will not teach you that a smart contract is a substitute for a lawyer. We will not teach you that BscScan’s green tick is an audit. We will not teach you to pay this course in Crystal Stones token.

You might want	This course gives	This course refuses
A job in Web3	Vocabulary and failure cases	A placement, a salary, a “hiring partner”
A way to pay Intermediate	The fact: \$10 USDT BEP-20 through academy checkout	A Crystal Stones address, an ETH invoice, a chat-paste 0x
An audit of Crystal Stones	How to verify a contract address on BscScan	A certificate that minerals sit in a vault
Trading skill	Why tokens can be faked and drained	Entries, leverage, signals
Developer skill	What bytecode, ABI, and storage are	A Solidity bootcamp

How the \$10 actually works

This course is **paid Intermediate**. Price is **\$10 USDT on BNB Smart Chain (BEP-20)** through **the checkout processor**. That sentence is complete. It does not include ETH. It does not include the Crystal Stones token. It does not include a personal wallet an instructor pasted in chat.

The Crystal Stones contract `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` is listed in this academy so you can **verify** you are looking at the published BEP-20 asset. Verification is not payment. If a checkout page ever tells you to send Crystal Stones to that contract, the page is wrong or hostile.

Practice, when we ask for it, is tiny amounts you can lose, preferably on a **testnet** — a practice computer that looks like the real one and uses worthless play coins. Testnet is Module 6's habit, not a playground for rent money.

Worked scenario. A student finished Basic and wants Intermediate.

21. They check the course card: level intermediate, price \$10, paid track.
22. They looks for the checkout processor USDT BEP-20, not a DM.
23. They ignores a Telegram admin who says "pay in CS token for a discount."
24. They does not send USDT to the Crystal Stones contract "to whitelist."
25. They starts Module 1 knowing this classroom is education, not a shop.

DIAGRAM

PAYING FOR THIS COURSE (the only picture)

```
[ Learner ] -- $10 USDT BEP-20 --> [ the checkout processor checkout ]
                                   |
                                   v
                                access to Intermediate
```

NOT this:

```
[ Learner ] --> Crystal Stones token --> 0xe252... contract
[ Learner ] --> ETH on Ethereum      --> a chat address
[ Learner ] --> seed phrase           --> "support"
```

The voice you should expect

Adult. Direct. Short sentences, then one longer unpacking paragraph. Every heavy term defined the sentence after it appears. Ordinary people in the examples: A contractor, a merchant, a student, someone sending local fiat. Not crypto-Twitter prophets.

When a token appears, this academy will not tell you to buy. When Trust Wallet or MetaMask appears, they are examples of wallet apps. When Binance appears, it is an example of a centralised exchange.

If a lesson feels like a glossary, it has failed. If a lesson feels like a rally, it has failed. Intermediate is a seeing course.

ACADEMY NOTE Academy rule: you are not behind if you still have to look up chain ID 56. You are behind if you send value because a stranger was in a hurry. Use this course as a brake, not as a dare.

What this lesson is for

This is the map and the ethics in one place, so later modules can go faster without smuggling a shop. Next module: the two kinds of accounts, which is the first place explorers quietly lie by looking identical.

Say this out loud

- This course teaches Ethereum as a computer, accounts, contracts, tokens, gas, ABI, explorers, and common failures.
- It does not teach trading, Solidity-as-a-job, or recovery-agent magic.
- Checkout is \$10 USDT BEP-20 through academy checkout.
- Crystal Stones' contract is verify-only, never a payment address.
- Academy staff never ask for seed phrases, private keys, or remote control.

Next: two kinds of accounts — the key-holder and the program — and why they share an address shape.

Module quiz (answers included for editors)

Q1. A learner hears "Ethereum is just Bitcoin 2." What is the precise correction?

- A. Ethereum is a private bank database with a diamond logo
- B. Ethereum is a public computer that also keeps a notebook; Bitcoin is mainly a public notebook of transfers
- C. Ethereum is BNB Smart Chain under a different ticker
- D. Ethereum is a token inside the Bitcoin contract

Correct answer: B

Q2. A merchant holds USDT on Ethereum but cannot send it. Which missing object is the usual cause?

- A. A Crystal Stones balance, because every send needs CS token
- B. A Binance account, because only exchanges can send
- C. Enough ETH to pay gas, because fuel is the native coin
- D. A verified mineral vault letter

Correct answer: C

Q3. Where do ERC-20 / BEP-20 token balances actually live?

- A. Inside the user's private key as extra numbers
- B. In the token contract's storage, keyed by address
- C. On paper at Binance headquarters
- D. In wallet-app brand memory, independent of any chain

Correct answer: B

Q4. A student compares Ethereum mainnet and BNB Smart Chain. Which row is accurate?

- A. Both are chain ID 1, so a send on one arrives on the other

- B. Ethereum uses ETH and chain ID 1; BSC uses BNB and chain ID 56; state is not shared
- C. BSC is a testnet for Ethereum, so funds are play money on both
- D. Crystal Stones' published contract is an Ethereum checkout address

Correct answer: B

Q5. Why does this lesson insist on a stack picture of the EVM instead of only a flowchart?

- A. Because the processor uses a stack plus memory and storage, which is how gas and reverts make sense
- B. Because flowcharts are illegal on BscScan
- C. Because stacks are how you recover a lost seed phrase
- D. Because Ethereum forbids diagrams with arrows

Correct answer: A

Q6. Someone is told to pay Intermediate tuition by sending Crystal Stones to 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00. What should they do?

- A. Send CS token there; the contract is the official cashier
- B. Send ETH there to convert automatically
- C. Refuse: that contract is verify-only; checkout is \$10 USDT BEP-20 through academy checkout
- D. Send the seed phrase so staff can pay on their behalf

Correct answer: C

Q7. A learner opens two wallet networks with the same 0x letters. What is true?

- A. The letters prove both screens share one balance
- B. Same address shape, two books; a send on chain 1 does not credit chain 56
- C. The EVM will bridge the value for free if the letters match
- D. They should always pick Ethereum because it is "real"

Correct answer: B

Q8. Which statement matches this academy's boundary for the course?

- A. You will deploy unaudited tokens to make yield
- B. You will learn objects and failure cases; you will not get buy orders or recovery-agent advice
- C. Staff may ask for your private key to grade the quiz
- D. Verified source on an explorer means Crystal Stones is a buy

Correct answer: B

Module 2: Two kinds of accounts

The 0x string is a name, not a species. Externally owned accounts are key-holders. Contract accounts are programs. Gas is always paid by a signer. Explorers show both as addresses, which is why people send value into the wrong object.

Lesson 1: Externally owned accounts (26 min)

Externally owned accounts

If you can open a wallet app, type a password, and tap Send, you are looking at an **externally owned account**. The chain does not know your face. It knows a key.

By the end of this lesson you should be able to say what an EOA is, what it stores, what it cannot do by itself, and why academy staff will never ask for the secret that controls it.

The object, without the app chrome

An **externally owned account (EOA)** is an account controlled by a **private key**. A private key is the secret that can create a digital signature. A **signature** is proof that the holder of that secret authorised a message, without putting the secret on the wire.

The public face of the EOA is the **address**. On Ethereum and on BNB Smart Chain the address is a 0x string derived from the public key. Your wallet app — Trust Wallet and MetaMask are examples of wallet apps, not endorsements — is a tool that holds the secret, shows a view of the book, and asks you to approve signatures.

The EOA itself, on the chain, is a small record: ETH (or BNB) balance, a **nonce**, and empty code. **Nonce** here means a counter of how many transactions this account has already sent. It stops a signed payment being replayed like a photocopied cheque.

An EOA does not contain your USDT. It does not contain Crystal Stones. Those are rows in token contracts. The EOA is the actor that can **ask** those contracts to rewrite their lists, if you sign.

What only an EOA can do

On these EVM chains, a transaction that starts a change must be signed by an EOA (or by a specialised successor design; this course stays with the classic picture). A contract cannot wake up by itself and pay the grocer. Someone signs. Gas is paid by that signer.

That is why “the contract will automatically send me money every Friday” still needs a trigger: a person, a keeper bot, or another contract called by a person. There is no little employee living inside the program.

It is also why phishing works. If an attacker gets the private key or the **seed phrase** — the word list that reconstructs the key — they **are** the EOA. The chain will accept their signature as yours, because the chain never met you.

EOA fact	What it means	Failure if you skip it
Controlled by a key	Whoever has the secret can sign	Sharing a seed is handing over the account

Has a nonce	Each send uses the next number	Copy-pasting an old signed tx can be replayed if nonce allows
Holds native coin	ETH on Ethereum, BNB on BSC	Token rows without fuel cannot move
Has no code	It cannot run a program of its own	You cannot “install protection” inside a normal EOA
Looks like 0x...	Same shape as a contract address	Sending to the wrong species of 0x

Wallet apps are not the account

The account is on the book. The app is a lens and a signing room. If you import the same seed into a second app, you did not clone the coins. You made a second lens on the same EOA. If you install a fake app, you may be signing in a hostile room.


Binance, as an example of a centralised exchange, does not usually give you the EOA’s private key for the coins you “see” in the app. That balance is an IOU in their ledger until you withdraw to an address you control. Withdrawal is the moment you choose an EOA (or a contract) on a named chain.

Worked scenario. A contractor is paid to an EOA they controls.

26. They writes down that the object is an EOA on a named chain, not “the wallet’s Binance.”
27. They funds a little native coin for gas before they needs to move a token.
28. They sends a tiny test to a merchant who already received a test from their last month.
29. They never photographs the seed “just to be safe in chat.”
30. They treats any email from “MetaMask support” asking to confirm the seed as theft. Real wallet makers, and this academy, do not need those words.

DIAGRAM

WHO CONTROLS WHAT



What this object is not good at

An EOA cannot enforce a company policy by itself. It cannot do “two directors must sign” unless you move to a contract (a multisig). It cannot freeze itself after a theft. It cannot call customer care.

That limitation is the point of self-custody and also the job. Basic already said you are the security team. Intermediate names the team’s badge: **holder of the EOA key**.

Crystal Stones' contract is not an EOA. It is a program. Do not send tuition there. Tuition is \$10 USDT BEP-20 through academy checkout. This academy will not tell you to buy ETH, BNB, or Crystal Stones to "activate" an EOA.

ACADEMY NOTE Academy rule: staff will never ask for a seed phrase, private key, or screenshot of a recovery screen. If a lesson asks you to practice, it asks you to sign a tiny transaction you initiated, on a chain you named, to an address you checked twice.

What this lesson is for

You can now point at an EOA as a key-controlled actor with a nonce and a native balance. Next: the other species — contract accounts — which share the 0x costume and none of the key story.

Say this out loud

- An EOA is an account controlled by a private key, not by Solidity.
- The wallet app is a signing room. The account lives on the book.
- Nonce counts sent transactions so signed messages are not photocopies.
- Token balances are not stored inside the EOA; the EOA asks token contracts to edit lists.
- Anyone with the seed is the account. Academy staff will not ask for it.

Next: contract accounts — programs that can hold value and run code when someone knocks.

Lesson 2: Contract accounts (27 min)

Contract accounts

A **contract account** is an account whose "will" is bytecode. Nobody types a password for the contract itself. People and other contracts **call** it.

By the end of this lesson you should be able to say what a contract account contains, how it gets created, and why "the contract stole from me" is sometimes accurate and sometimes a mislabel for "I signed a call."

Born from a deployment, not from a seed

You create an EOA by holding a key. You create a contract by sending a special transaction that includes **init code**. The network runs that code once. The result is a new account with a new address, stored **bytecode**, and initial **storage**. That birth transaction is a **deployment**.

The address is still a 0x string. It is computed from the deployer's address and nonce (or from other recipe rules for newer create operations). You cannot look at the letters and see "this one is a program." You look at the explorer's "Contract" tab, or at the code field in state.

Once born, the contract sits there. It does not browse the web. It does not wake at 9am. It waits. When an EOA (directly, or through another contract) sends it a call, the EVM runs its bytecode.

What the contract account actually holds

Three families of thing:

- **Code** — the program. Empty on an EOA. Present on a contract.
- **Storage** — the durable notebook. Owner, total supply, mapping of balances, pause flags.
- **Native coin balance** — ETH on Ethereum, BNB on BSC. A contract can hold fuel-money. Holding it does not mean the contract knows a kind way to give it back. Withdrawal is a function someone must have written.

Token inventory is usually not “the contract is USDT.” For a token contract, the inventory of users is *inside* its storage. For a shop contract, it may also have been given allowance to move users’ tokens, or it may hold tokens in its own address’s row in the token contract. Those are different pictures. Module 3 and 4 separate them.

Contract holds	Everyday translation	How people misread it
Bytecode	The rules that will run	“I read the website, so I read the rules”
Storage	The current notebook	“The tweet is the current notebook”
ETH / BNB	Native coins at the contract address	“It is a bank; I can demand a refund”
A row in another token	Tokens credited to the contract’s address	“Those tokens are safe because they are in a contract”

Contracts do what they were written to do, including harm

A **smart contract** is a program the network will run. It is not automatically smart. It is not automatically a legal contract. If the program says “when A learner calls transfer, move their row to the shop,” it will do that when A wallet signs. If the program says “when anyone calls drain, send everything to owner,” it will do that too.

Some contracts are **proxies**: a thin program that delegates to another program, so the team can later point at new logic. That is an upgrade path. It can be honest engineering. It is also how “immutable” becomes a slogan. Module 6 treats proxies as a way people get hurt.

Worked scenario. A merchant is asked to “deposit into the staking contract.”

31. He opens BscScan or Etherscan for the correct chain and pastes the address.
32. He checks whether the explorer shows Contract, code, and a balance of native coin.
33. He looks for functions whose names sound like withdraw, not only deposit.
34. He refuses to sign if the only story is a screenshot of APY. This academy will not invent yield.
35. He practices, if at all, with an amount that can vanish without taking school fees.

DIAGRAM

CONTRACT ACCOUNT (cutaway)

```

+-----+
| Address: 0xShop... |
| Native balance: 0.8 BNB |
| | |
| CODE (bytecode)   STORAGE (notebook) |
| +-----+       +-----+ |
+-----+

```

```

| | how to call | | owner: 0xAdmin | |
| | how to pay | | deposits[a learner]=50 | |
| | how to stop | | paused: false | |
| +-----+ +-----+ |
|
| No seed phrase. Waits for a signed call. |
+-----+

```

Who is “the contract” in a crime story

When funds leave, the explorer shows a from and a to. If your EOA signed `approve` and later a hostile contract pulled tokens, the token contract’s storage changed because **you previously authorised it**. If you sent native coin to a contract with no withdraw function, the coin is at that address and may sit there. If a proxy was upgraded, the new code may not be the code you read last month.

None of these require a seed theft. That is why Intermediate exists on top of the safety course. Basic taught “do not share the words.” Intermediate teaches “do not sign every knock.”

Crystal Stones is a contract on BSC. Verify `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. Do not treat it as a cashier. Do not treat a copycat contract with the same name as the project.

ACADEMY NOTE Academy rule: a contract account is not a person you can persuade. You cannot email it. You cannot shout. You can only call the functions that exist — and on some contracts, only if you are already on a privileged list. Read before you send. Tiny amounts. Named chain.

What this lesson is for

You can now describe a contract account as code plus storage plus maybe native coin, born by deployment, awake only when called. Next: why explorers still print the same 0x costume for both species, and how to tell them apart in thirty seconds.

Say this out loud

- A contract account is controlled by bytecode, not by a seed phrase.
- Deployment is the birth transaction that stores the program.
- Contracts can hold ETH or BNB and still have no honest way to give it back.
- “The contract stole from me” sometimes means “I signed a call the code allowed.”
- Verify Crystal Stones on BSC; never pay tuition to that contract.

Next: addresses look the same, the objects do not — a comparison you will reuse on every explorer tab.

Lesson 3: Addresses look the same, the objects do not (25 min)

Addresses look the same, the objects do not

Ethereum did not pick a different spelling for programs. That is a design choice and a trap. The 0x string is a **name**. The object behind the name is either a key-holder or a program.

By the end of this lesson you should be able to tell the two apart on Etherscan or BscScan, and you should refuse the sentence “I sent it to the address, so it arrived” until you name the species.

The costume is forty hex characters

Both EOAs and contracts use the same address format on EVM chains. Copy-paste does not warn you. Chat apps do not warn you. A QR code does not warn you. The explorer does, if you look.

On Etherscan or BscScan, an EOA page typically shows a balance, a transaction list, and **no Contract tab with bytecode**. A contract page shows a Contract tab, often a token profile if it is a token, sometimes a warning banner, sometimes “Proxy.” Learn those tabs. Do not learn the logo in the chat header.

A second costume problem: the same 0x letters can be typed on Ethereum and on BSC. That is two names on two books, not one object with a dual citizenship. Lesson 4 in Module 1 already compared the chains. This lesson adds species on top of geography.

What you see	EOA	Contract
Address shape	0x plus 40 hex	0x plus 40 hex
Code on the explorer	None	Bytecode, maybe verified source
How value gets in	Someone sends, or an exchange withdraws	Someone sends, or a function mints/credits
How value gets out	Owner signs a send	A function must exist and succeed
Who you “talk” to	A person or company with a key	A program, plus whoever holds admin keys

Sending to the wrong species

Three common mismatches:

36. **You meant a person, you used a token contract.** Sending USDT to the USDT contract address is not “topping up USDT.” It is giving tokens to the program’s own row. Many token contracts cannot retrieve that. The units can sit there.
37. **You meant a checkout, you used a verify-only contract.** Crystal Stones’ published address is for verification. Sending CS tokens or USDT there as “academy fees” is the wrong object. Fees are \$10 USDT BEP-20 through academy checkout.
38. **You meant Ethereum, you used BSC (or the reverse).** Same letters. Wrong book. The destination species might even differ: a contract on one chain can be unused space on the other.

Worked scenario. A student copies “the USDT address” from a blog.

39. They notices the blog did not say chain ID.
40. They pastes the 0x into BscScan and into Etherscan, separately.
41. On one explorer it is a token contract with millions of holders. On the other it may be empty, or a different thing, or nothing useful.
42. They does not send “to see what happens.”
43. They ask the payee for a screenshot of their **EOA** receiving page on the explorer, plus chain name, plus a tiny test.

DIAGRAM

SAME SPELLING, TWO SPECIES

0xA11CE...

+-----+	
EOA	
key somewhere	
nonce, fuel	
code: (empty)	
+-----+	

^
|
"send me your address"
might mean this

0xC0DE...

+-----+	
CONTRACT	
bytecode	
storage notebook	
maybe admin key	
+-----+	

^
|
"the official contract"
might mean this

If you mix the arrows, the book still settles.

The explorer's thirty-second check

Open the real explorer from a bookmark.

- Does it say **Address** only, or **Contract**?
- Is there a **Token** tracker? Then it is probably a token program, not your cousin.
- Is there a **Creator** and a creation transaction? Contracts have a birth tx. EOAs do not have a "deployment."
- Is **Read/Write Contract** present? That is a program interface, not a person.
- Does the URL still say etherscan.io or bscscan.com, not a lookalike?

If a stranger refuses to let you do this check, they are asking you to skip the only cheap verification you have.

Name tags are social, not cryptographic

Explorers let people attach **name tags** — "Tether: USDT Stablecoin," "Binance 14," "Crystal Stones." A tag is a label an indexer or a community member published. It is not a signature from the contract. Scammers buy lookalike tags on fake windows. Even on a real explorer, a tag can be wrong, late, or copied onto a clone.

Treat a tag as a hint to go read the Contract tab and the creation transaction. Do not treat it as a passport. The academy's Crystal Stones string is still the hex, not the words "Crystal Stones" in a header.

First-seen is not a birthday for EOAs

Contracts have a creation transaction. EOAs often "first appear" when they receive value or send their first tx. That first-seen date is not a KYC file. A brand-new EOA can be honest. A three-year-old EOA can be a thief's. Age is not character. Species plus the job you are doing is the check.

ACADEMY NOTE Academy rule: an address is not an instruction. The instruction is: asset, chain, species (EOA or contract), function if it is a contract, amount you can lose. Missing any one of those, you do not send.

What this lesson is for

You will stop treating 0x as a personality. Next: who pays gas when the program runs, because the signer and the contract are easy to mix once the call starts hopping.

Say this out loud

- Address format is a costume. Species is EOA or contract.
- The explorer's Contract tab is the tell, not the letters.
- Sending tokens to a token contract is often a well.
- Same 0x on chain 1 and chain 56 are not one object.
- Crystal Stones' 0xe252... is a contract to verify, not a person to pay.

Next: who pays gas when a contract runs — spoiler: the signer, not “the blockchain for free.”

Lesson 4: Who pays gas when a contract runs (27 min)

Who pays gas when a contract runs

A contract has no salary. When its code runs, **someone's EOA pays gas**. If you cannot see who is paying, you do not understand the call.

By the end of this lesson you should be able to trace a simple call and a nested call, name the **msg.sender** idea in beginner language, and explain why a failed swap still took BNB or ETH.

The signer starts the meter

A transaction has a **from**: the EOA that signed. That account pays the gas in native coin. The **to** may be another EOA (simple send) or a contract (a call). If it is a call, the EVM starts running bytecode. Every instruction eats **gas**. Unused gas can return. Used gas is gone, even if the program **reverts**.

Revert means: undo this call's state changes, return an error, still charge for the work done. Beginners hear “failed” as “free.” The book is more precise: **failed to change the notebook, succeeded at billing the meter**.

On Ethereum the meter is paid in ETH. On BSC it is paid in BNB. Token rows do not pay the meter. That is why a wallet full of USDT and empty of BNB is parked.

Nested calls still have one payer at the edge

Contracts can call contracts. A router calls a pair. A pair calls a token. From inside, each hop has a **sender**. The original human-visible payer is still the EOA that signed the first transaction. That EOA's native balance is what the protocol subtracts for gas.

Beginner language for two jargon words you will see on explorers and in ABI tabs:

- **msg.sender** — the account that directly called this program this hop. Could be your EOA, or another contract.
- **tx.origin** — the EOA that signed the whole transaction. Intermediate learners should treat it as a warning label, not a tool to build with. Some hostile contracts trick old programs that trusted tx.origin.

You do not need to write those words in code. You need to know why a token transfer in the log might show the router as the sender, while your EOA paid the BNB.

Question	Accurate answer	Popular wrong answer
Who pays gas?	The signing EOA, in native coin	"The contract pays; it has money"
Who can start a call?	An EOA signature (directly or via a wallet)	"The contract wakes up on a schedule by magic"
If the call reverts, is gas zero?	No. Work already done is billed	"Failed means refund"
If a router calls a token, who is msg.sender inside the token?	The router contract	"Always the human"
If the wallet's USDT moves, did they pay USDT for gas?	No. They paid BNB or ETH for gas	"USDT is dollars so it pays fees"

Contracts can be funded and still not pay your gas

People see a contract holding 40 BNB and think "it will cover me." Unless the code is written to refund gas (rare in the way beginners hope) or to pull tokens without your signature (dangerous, usually via allowance), that 40 BNB is the contract's native balance, not your petrol station.

A **relayer** or **meta-transaction** service can pay gas on your behalf in some products. That is a company or a contract wrapping your intent. It is not the default. This course will not tell you to hunt "gasless" ads. Many are phishing.

Worked scenario. A learner tries a token swap on BSC.

44. The wallet estimates gas in BNB. They have USDT, almost no BNB. The tx cannot be sent.
45. They obtain a tiny amount of BNB as fuel — this academy still will not tell them to buy as an investment.
46. They try again. The swap program reverts because of slippage. The explorer shows **Fail**. BNB decreased.
47. They do not open a support chat that asks for the seed to "refund gas."
48. They read the revert, lower the ambition of the trade or walk away. They never pay Crystal Stones token as a "priority gas."

DIAGRAM

ONE SIGNED TX, TWO HOPS

```

the wallet's EOA  --pays BNB gas--> Router contract
  (from)                |
                        | calls
                        v
                    Token contract
                    (msg.sender = Router)
                    storage: the wallet's USDT row changes

the wallet's BNB: down (gas)
the wallet's USDT: maybe down (if not reverted)
Router's "kindness": not paying their gas

```


Academy payment is not a contract call you invent

Paying \$10 for Intermediate is a USDT BEP-20 transfer through academy checkout, not a custom contract you must “interact” with because a stranger said so. You should still keep BNB in the paying EOA for that USDT transfer’s gas. You should not send the \$10 to Crystal Stones’ contract.

ACADEMY NOTE Academy rule: if a helper offers to “cover your gas” in exchange for a seed, a remote-control app, or a prepayment to a random 0x, they are not a helper. Gas is cheap relative to a drained wallet. Pay your own tiny fuel.

What this lesson is for

You can now attach a human-visible payer to every contract animation. Next: reading an account on an explorer until the tabs are ordinary — EOA versus contract, native versus token, success versus fail.

Say this out loud

- The signing EOA pays gas in the native coin, always, on a normal transaction.
- Nested calls do not move the gas bill onto the inner contract.
- A revert undoes notebook edits and still bills work done.
- USDT does not pay BSC gas. BNB does. ETH pays Ethereum gas.
- Nobody needs your seed to refund a failed swap.

Next: reading an account on an explorer — the practical exam for this whole module.

Lesson 5: Reading an account on an explorer (28 min)

Reading an account on an explorer

An explorer is a search engine for a public book. It is not a bank statement with a complaints department. If you learn five tabs, Module 2 is done.

By the end of this lesson you should be able to open Etherscan or BscScan from a bookmark, paste an address, and say whether you are looking at an EOA or a contract, what native coin it holds, which tokens the indexer noticed, and whether a recent transaction failed.

Bookmark the real window

Etherscan is a widely used window onto Ethereum mainnet. **BscScan** is a widely used window onto BNB Smart Chain. They are examples of explorers, not sacred objects. Fake explorers exist. They will show green ticks for transfers that never happened.

Type the URL yourself. Do not click the first Google ad. Do not use the link in a giveaway tweet. Look at the certificate. Look at the chain ID hints. Then paste.

What you paste matters. An address, a transaction hash, a token name. Token name is the worst search. Names collide. Addresses collide much less if you copied the whole string. Crystal Stones you verify as `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` on BscScan, not as the first ticker result.

The account header, slowly

At the top you will see the 0x, sometimes a name tag, a native balance, and a fiat estimate. Ignore the fiat estimate for decisions. It is a price feed, not a promise. This academy will not tell you to buy because a header is green.

Find:

- **Balance** — native coin. ETH or BNB depending on the explorer.
- **Tokens** — an indexer's list of ERC-20 / BEP-20 rows. Indexers can be late. A missing token in this list is not always a missing token on chain.
- **Transactions** — calls this account sent or received.
- **Internal txs** — native coin moving because a contract's code sent it, not because the human typed a simple transfer.
- **Token transfers** — the list edits inside token contracts.

If the page has **Contract**, you are in a program. If it offers **Read Contract / Write Contract**, that is ABI territory (Module 5). If it says **Proxy**, Module 6 applies before you deposit anything you care about.

Token trackers are indexers, not the book

The Holders and Transfers tables on a token page are built by an **indexer** — software that watches logs and storage and paints a spreadsheet. Indexers can lag. They can miss a weird token that does not emit standard Transfer events. They can also paint a fake token beautifully.

When a merchant wants to know if he was paid, the transaction hash on the real explorer is stronger than the token tracker's top-of-page marketing. The tracker is a map. The hash is a specific event.

Tab	What it is good for	What it is bad for
Overview	Species, native balance, first glance	Proving a token is a wise purchase
Transactions	Did this account sign or get called	Seeing token rows (use Token transfers)
Internal txs	Native coin moved by code	Understanding a token swap by itself
Token transfers	ERC-20 / BEP-20 list edits	Native coin sends
Contract	Bytecode, verified source, ABI	An audit, a legal opinion, a yield guarantee

Worked scenario. A merchant thinks a customer paid 50 USDT.

49. He does not accept a screenshot. He asks for a transaction hash.

50. He opens BscScan from a bookmark (they agreed on BEP-20).

51. He pastes the hash. He checks Status = Success, To = his EOA or the correct payment contract, Token = the USDT contract he already verified, Amount = 50.

52. If Status is Fail, he has not been paid, even if the sender "spent gas."

53. If the token name says USDT but the contract is unknown, he has been offered a fake. He does not ship goods.

DIAGRAM

EXPLORER PAGE AS A GRID (not a flowchart)

HEADER	NATIVE BALANCE	TOKEN INDEX	
address, tags	ETH or BNB	many tickers	
EOA or Contract	not your tokens	not a blessing	
TX LIST	TOKEN TRANSFERS	INTERNAL TXS	
signed calls	list edits	code sending coin	
success / fail	which contract	easy to miss	
CONTRACT TAB	READ / WRITE	LOGS	
code or empty	ABI menu	public receipts	

What the explorer will not do for you

It will not reverse a send. It will not tell you if Crystal Stones' RWA story is true. It will not tell you if an "owner" key is in honest hands. It will not replace the checkout processor. It will not warn you in a human voice when you are on chain 1 looking at an address that was quoted for chain 56.

It will, calmly, show that a contract is a contract. That is enough to prevent a surprising number of Intermediate-sized mistakes.

ACADEMY NOTE Academy rule: practice reading explorers with tiny amounts and with addresses you already trust. Do not paste your seed into any explorer "decoder." Explorers do not need it. Anyone who says they do is not an explorer.

What this lesson is for

Module 2's skill is species recognition plus a gas payer plus a public window. Module 3 goes inside the contract: bytecode, source, ABI, storage, and native coin sitting in a program.

Say this out loud

- Bookmark Etherscan for chain 1 and BscScan for chain 56. Do not trust random windows.
- Contract tab present means a program. Absent usually means an EOA.
- Token transfers are list edits. Native balance is a different object.
- A failed transaction can still cost gas and still not pay a merchant.
- Verify Crystal Stones by contract on BscScan; pay this course in USDT BEP-20 through academy checkout.

Next: a contract holds code AND value — three objects people mash into one word.

Module quiz (answers included for editors)

Q1. A wallet signs a send from their phone wallet. What object did they use?

- A. A contract account, because all 0x addresses are programs
- B. An externally owned account controlled by their private key
- C. A Binance IOU, always, even after withdrawal
- D. The Crystal Stones contract, because every send needs CS

Correct answer: B

Q2. A merchant pastes an address into BscScan and sees a Contract tab with bytecode. What is it?

- A. An EOA with a fancy theme
- B. A contract account — a program with storage, not a seed-controlled person
- C. Proof the address is safe to send rent to
- D. An Ethereum mainnet account, because BscScan shows all chains

Correct answer: B

Q3. Why can two accounts look identical in chat and still be different objects?

- A. Because address letters are a costume; species is EOA versus contract, and chain ID still matters
- B. Because one is priced in local fiat and one in dollars
- C. Because MetaMask secretly merges them
- D. Because verified source changes the spelling

Correct answer: A

Q4. the wallet's swap transaction fails on BSC. Why did the BNB still drop?

- A. BscScan charges a subscription in BNB
- B. USDT paid the fee, and BNB copied it
- C. The EVM billed gas for work done even though the call reverted
- D. The Crystal Stones contract seized a gas deposit

Correct answer: C

Q5. Who pays gas when a router contract calls a token contract in the wallet's swap?

- A. The token contract, from its USDT reserves
- B. The router, from a public petrol fund
- C. the wallet's signing EOA, in BNB (or ETH on Ethereum)
- D. Binance, because it is an example of an exchange

Correct answer: C

Q6. A student is told to send USDT to “the official USDT contract” to activate the wallet. What is the species error?

- A. There is no error; token contracts are cashiers
- B. They would be sending tokens to a program’s own address, often a well, not activating an EOA
- C. They should send ETH to that BSC address instead

D. They should send the seed phrase to BscScan support

Correct answer: B

Q7. Someone wants to confirm a customer paid 20 USDT BEP-20. What should they paste into BscScan?

A. The customer's first name

B. A screenshot from chat only

C. The transaction hash, then check success, token contract, amount, and destination

D. The Crystal Stones contract, because all payments route through it

Correct answer: C

Q8. Staff message a learner asking for the seed so they can "mark their explorer homework." What is true?

A. This is normal for paid Intermediate

B. Academy staff never ask for seed or private key; the message is hostile

C. They should send the words to the Crystal Stones contract

D. Explorers require a seed to show Token transfers

Correct answer: B

Module 3: A contract holds code AND value

Bytecode, source, and ABI are three objects. Storage is the durable notebook. A call can change that notebook. Native coin can sit inside a program with no withdraw button. Constructor and owner keys decide who may rewrite the rules.

Lesson 1: Bytecode, source, and ABI are three objects (27 min)

Bytecode, source, and ABI are three objects

People say "I read the contract" the way they say "I read the news." They usually mean they read a website. The chain did not run the website. The chain ran **bytecode**.

By the end of this lesson you should be able to separate bytecode, source, and ABI, and you should know what "verified" on an explorer actually claims.

Bytecode is what the EVM runs

Bytecode is the compact instruction list stored on the contract account. It is ugly on purpose. It is for the processor. When you "interact," you are feeding this list.

If bytecode is empty, you are not looking at a contract. If bytecode is present, a program will run when called. You do not need to decode it by hand. You need to respect it as the only rules the network is committed to.

Teams can publish nicer text. The network does not require them to. Unverified contracts still run. Verified contracts still can harm you.

Source is a human story that may match

Source code is the human-written program, often in Solidity. A compiler turns source into bytecode.

Verified source on Etherscan or BscScan means: someone uploaded source, the explorer compiled it, and the result matched the bytecode on chain.

That match is useful. It lets you read function names instead of raw bytes. It is not an audit. An **audit** is a review by humans who look for bugs and still miss some. Verification is a compiler check. Module 6 will repeat this until it is a reflex.

Source can be flattened, minimised, or written in a style meant to look friendly. Comments are not executed. A comment that says “safe” does not constrain the bytecode.

Object	Who it is for	What a match proves	What it does not prove
Bytecode	The EVM	This is the rule the nodes run	That the rule is kind
Source	Humans	If verified, this text compiled to that bytecode	That experts reviewed it, or that admin keys are honest
ABI	Wallets and explorers	How to encode function names and types	That you should click Write
Website	Marketing	Nothing about the chain by itself	Anything

ABI is the menu, not the kitchen

ABI means **Application Binary Interface**. In beginner language: the menu of functions and argument types a wallet uses to cook calldata. “transfer(address,uint256)” is a menu line. The kitchen is bytecode.

If the ABI and the bytecode disagree, the wallet can show a friendly button that does something unfriendly. Verified explorers derive ABI from the source they matched. Unverified contracts can have an ABI pasted by anyone in your wallet. Pasting a hostile ABI is a known trick.

Worked scenario. A student wants to “read the Crystal Stones contract.”

54. They does not start at a Telegram PDF. They opens BscScan from a bookmark.

55. They pastes `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`.

56. They looks for bytecode (contract exists), then for a verified source match, then for the ABI-powered Read tab.

57. They treats that as geography and interface, not as a buy order. This academy will not tell their to buy.

58. They does not send USDT or CS tokens to that address as tuition. Tuition is the checkout processor, \$10 USDT BEP-20.

DIAGRAM

THREE OBJECTS (side by side)

```
[ SOURCE TEXT ] --compiler--> [ BYTECODE ON CHAIN ]
Solidity, comments           the only rules nodes run
may be verified               |
```

v
[ABI MENU]
function names + types
wallets encode calldata

Website PDF ----x---- (no arrow to bytecode)

What to do when source is missing

Missing source is a fog, not a dare. You can still see native balance, token transfers, and the creation transaction. You cannot honestly say you read the rules. For Intermediate practice, skip unverified programs that ask for deposits. For Crystal Stones verification, you use the published address and whatever BscScan actually shows — you do not invent a friendlier PDF and call it source.

Some teams verify late. Some never verify. Some verify an old implementation while a proxy points elsewhere. Always look at the address you were given, not the address you wish they had given.

ACADEMY NOTE Academy rule: “I read the contract” must mean “I opened the explorer, I saw bytecode, and if source was verified I read the functions that matter.” It must not mean “I liked the logo.” This classroom will not pretend those are the same sentence.

What this lesson is for

You now have three labels that Intermediate learners must keep un-mashed. Next: storage — the notebook that actually holds balances, owners, and the numbers a call will change.

Say this out loud

- Bytecode is what the EVM runs. Comments are not bytecode.
- Verified source means a compiler match, not an audit.
- ABI is the menu wallets use to encode calls.
- A website is not one of the three objects.
- Crystal Stones is verified by address on BscScan, never paid as tuition.

Next: storage is the contract’s notebook — slots, mappings, and why writes cost.

Lesson 2: Storage is the contract's notebook (26 min)

Storage is the contract's notebook

If bytecode is the rules, **storage** is the current pencil marks. Token balances live here. So do owner addresses, pause flags, and allowances. When a transaction “does something,” it is usually rewriting this notebook.

By the end of this lesson you should be able to say what storage is, why it is expensive to change, and why a wallet screen is a translated view of a few slots.

Durable, public, metered

Storage is the contract's long-term data in world state. It survives after the call. Every full node must remember it. That is why a storage write costs more gas than adding two numbers on the stack.

The EVM does not store “a learner: 50 USDT” as a cute label. It stores **slots** — 32-byte buckets — and uses recipes (hashes of keys) for maps such as balances[address]. You do not need the hashing recipe. You need: **there is a bucket; a function knows how to read and write it; you probably cannot see the bucket without a tool.**

Explorers sometimes show decoded storage if source is verified. Sometimes they show raw slots. Wallets show a prettier translation: “50 USDT.” The translation can be wrong if the wallet is pointed at the wrong contract. The slot on the named chain is the object.

Notebook item	Typical storage meaning	How a wallet translates it
balances[a learner]	How many token units A learner is credited	“50 USDT” or “50 CS”
allowance[a learner][Router]	How many units A learner allowed Router to move	Hidden until you inspect approvals
owner	Address allowed to call admin functions	Usually not shown on the home screen
paused	A boolean that may block transfers	You discover it when a send reverts
totalSupply	Units that exist according to this program	“Circulating” on a website, which may be poetry

Reading is cheap; writing is the decision

Read calls (eth_call / “Read Contract”) ask a node to run a view function and return a number. They do not cost you gas if you are only asking. They also do not change the notebook.

Write calls are transactions. They cost gas. They can change storage. They can fail. They can also change storage in a way you did not intend if you signed a function you did not understand.

This is why “I was only connecting my wallet” is sometimes a lie the interface told you. Connect can be a signature of login. Approve is a write. Swap is a write. Each write should be named.

Empty slots are still slots

If a mapping has no entry for a learner, the EVM treats the read as zero. That is why a brand-new address “has 0 USDT” on a token contract without ever having met it. Zero is the default, not a special freeze. A later transfer into that key creates a non-zero slot. A later transfer out can return it to zero. Zero is not “deleted from the internet.” The program can still write that key again.

This is also why airdrops work: the token program writes a new key in its map. Your EOA did not opt in. Your storage in *that* contract changed. Your ETH/BNB drawer did not.

Worked scenario. Someone is shown a dApp that “only needs a connection.”

59. They treats Connect as identity theatre, not as a bank login that moves funds by itself — but they still uses a small practice wallet.

60. The next popup says Approve. They names it: a storage write in the token contract's allowance map.
61. They check the explorer's Write preview or the wallet's raw permission: spender and amount.
62. They refuse unlimited amounts for a first meeting with a site.
63. They does not approve Crystal Stones token as a way to pay academy tuition.

DIAGRAM

NOTEBOOK (storage) versus SCRATCH (memory)

BEFORE CALL	AFTER SUCCESSFUL WRITE
+-----+	+-----+
slot owner: 0xAdmin	slot owner: 0xAdmin
map A learner -> 100	map A learner -> 80
map Shop -> 0	map Shop -> 20
allowance a learner,X = 0	allowance a learner,X = 0
+-----+	+-----+
memory: empty at start	memory: discarded
stack: plates during run	stack: discarded

The notebook can be rewritten by admin functions

If storage includes owner, the owner can often set new fees, pause, mint, or point a proxy at new bytecode. Then the rules you “read” last month are not the rules the processor will run. That is not always evil. It is a power map. Ask who holds the owner key. If the answer is “the community” and three wallets hold everything, you have your answer.

Crystal Stones' RWA story, if you meet it, is a claim about the world. Storage cannot prove a mineral vault. Storage can prove how the token program credits rows. Keep those proofs separate. This academy will not tell you to buy.

ACADEMY NOTE Academy rule: if you cannot name which storage map a button will change — balance, allowance, owner — you are not ready to tap Write. Read is free. Write is a decision. Practice on tiny amounts.

What this lesson is for

You now treat storage as the place of record inside a contract. Next: a full before/after of a call, so “state change” is a picture, not a vibe.

Say this out loud

- Storage is the contract's durable notebook in world state.
- Token balances and allowances are storage maps, not decorations in a wallet.
- Reads do not change the notebook. Writes do, and they cost gas.
- Admin keys can rewrite storage recipes you thought were fixed.
- A website's circulating-supply graphic is not a storage slot.

Next: a call changes state — before and after, on one page.

Lesson 3: A call changes state (before/after diagram) (28 min)

A call changes state (before/after diagram)

A **call** is a request to run a contract's function with some inputs. If it succeeds, storage and maybe native balances look different. If it reverts, the notebook should look like before, and the fuel still went.

By the end of this lesson you should be able to draw a before/after for a token transfer and for a failed call, and you should stop using the word "sent" for both.

Success is a new snapshot

World state at block N is a snapshot. A successful transaction in block N+1 produces a new snapshot. Explorers show you the later snapshot plus a trace of what happened.

For a simple ERC-20 / BEP-20 transfer, the before/after that matters is two numbers in the token contract's storage, plus the wallet's nonce, plus the wallet's native coin (gas). the wallet's EOA does not store the token. The token program stores a learner.

For a native ETH send, the before/after is two ETH balances and a nonce. No token program. Different object. Mixing these two pictures is how people think a token send "should have moved ETH."

Call type	Before	After success	After revert
ETH send	A learner ETH 0.10, Shop ETH 0.01	A learner 0.09 minus dust gas, Shop 0.02	Notebook restored; gas gone
Token transfer	Token map A learner 100, Shop 0	A learner 80, Shop 20; the wallet's BNB down a little	Maps still 100 and 0; BNB down a little
Approve	allowance a learner, Router 0	allowance = some number	allowance still 0; gas gone
Hostile drain after approve	A learner 80, allowance max	A learner 0, attacker 80	If it did not revert, there is no after-magic

Failure is not a time machine for gas

When bytecode hits a require that fails, the EVM **reverts** that call's state changes. Native coin used as **value** in the call returns. Native coin used as **gas** for work does not return in full. The nonce of the signer still advances, because a transaction was included.

That is why A learner can see Fail, a lower BNB, an increased nonce, and unchanged USDT. All three facts can be true together. The explorer is not glitching. They paid to learn the program said no.

Worked scenario. A student tries to transfer 25 USDT BEP-20 to a merchant.

64. Before: they notes BNB, USDT row, nonce, on BscScan.

65. They signs. The wallet warns about gas. They accepts a tiny test first — 1 USDT, not 25.

66. After success: token transfer tab shows 1 USDT to the merchant's EOA; their nonce +1; BNB slightly down.

67. They then sends the rest. They does not switch to Ethereum mid-way "because the address is the same."

68. If a later send fails, they compares before/after instead of DMing a recovery account.

DIAGRAM

BEFORE	AFTER SUCCESS
A learner EOA	A learner EOA
BNB 0.05	BNB 0.049 (gas)
nonce 7	nonce 8
code none	code none
USDT contract storage	USDT contract storage
A learner 25.00	A learner 0.00
Shop 3.00	Shop 28.00

AFTER REVERT (alternate ending)
 A learner EOA: BNB 0.049, nonce 8
 USDT storage: A learner 25, Shop 3 <-- notebook unchanged

Internal calls make after harder to see

A swap is several afters in one transaction: allowances, two token maps, maybe a native transfer, logs. The explorer's Token transfers tab lists the list-edits. Internal txs list native hops. Logs are the receipts (Module 5).

If you only look at the overview, you will miss a hop. Intermediate habit: open the hash, not only the address.

Value field versus token field

On the explorer, **Value** usually means native coin attached to the transaction. A USDT transfer can show Value = 0 and still move 50 USDT in logs. Beginners read Value = 0 as “nothing happened.” They then argue with a merchant who was, or was not, paid in a token.

Read both columns. Native value is one drawer. Token transfers are another. Internal txs are native hops caused by code. After a swap, all three can be busy. After a simple token transfer, Value is often zero and Token transfers is the whole story.

Crystal Stones transfers, if you ever inspect one for verification practice, are list-edits in that BEP-20 contract. They are not academy checkout. Checkout remains \$10 USDT BEP-20 through academy checkout. This academy will not tell you to buy CS because a before/after looks busy.

ACADEMY NOTE Academy rule: write the before numbers down — even on paper — for the first dozen calls you make. Memory is a bad explorer. A two-line before/after will catch more thefts than a motivational video.

What this lesson is for

State change is now a picture with two columns. Next: native coin sitting inside a contract, which is a third column people forget until they need a withdraw function that does not exist.

Say this out loud

- A successful call produces a new snapshot of storage and balances.
- A token transfer's before/after is in the token contract's map, not inside the EOA.
- A revert restores the notebook and still spends gas; nonce still moves.
- Swap afters are multiple maps; read the hash, not only the address.
- "Sent" is a lazy word. Say what changed.

Next: ETH sitting inside a contract — value trapped, value intended, and how to tell.

Lesson 4: ETH sitting inside a contract (25 min)

ETH sitting inside a contract

A contract address can hold native coin the way an EOA can. On Ethereum that coin is ETH. On BSC it is BNB. Holding is not the same as being a bank.

By the end of this lesson you should be able to explain how native coin gets into a program, how it gets out, and why "I sent it to the contract so the team can refund me" is often a eulogy.

In is easy; out is a function

Anyone can send ETH to most contracts. Some contracts have a receive or fallback function that accepts it. Some do not, and a direct send reverts. Some accept tokens but not ETH. The explorer's native balance is the residue of whatever the code allowed in, minus what it allowed out.

Out requires bytecode that can transfer native coin to an address, and a caller allowed to trigger it. If that function is missing, the ETH is **stuck**. Stuck is a real Intermediate word. It does not mean "the team is processing it." It means there is no instruction the EVM can run to move it.

This is why you do not send native coin to a token contract "to add liquidity" unless you are using the actual function a protocol provided, on the correct chain, with amounts you can lose. Random 0x + ETH is not liquidity. It is a donation to the void.

Situation	Native coin at contract	Can a user get it back?
A well-written payable shop with withdraw	Yes, some	If you call the right function and are allowed
A token contract you used as a cashier	Often accidental	Often no
A proxy that was upgraded	Maybe	Maybe not under the new code
A honeypot that accepts deposits	Yes, growing	No, by design
Your EOA	Yes	Yes — you sign a send

Tokens sitting at a contract are a different drawer

If a contract's address is credited inside a USDT program, that is a token row, not ETH. A contract can be rich in USDT and poor in ETH. It may be able to move the USDT if it has code to call transfer, and unable to move ETH if nobody wrote withdraw.

People mash these drawers together because wallets show both on one screen. Keep them split: native drawer, token drawer, storage drawer.

Worked scenario. A merchant is told “send BNB to the Crystal Stones contract to whitelist Intermediate.”

69. He names the contract: `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`, verify only.

70. He names the actual checkout: \$10 USDT BEP-20 through academy checkout.

71. He does not send BNB there. He does not send CS token there. He does not send USDT there.

72. He understands any BNB that arrived in a program with no withdraw for him is not a “pending whitelist.”

73. He reports the chat as hostile, not as a payment delay.

DIAGRAM

TWO DRAWERS AT THE SAME 0x

Contract 0xC0DE...

+-----+	
NATIVE DRAWER	ETH or BNB at this address
12.4	leaves only if bytecode sends it
+-----+	
TOKEN DRAWER (in USDT map)	USDT credited to 0xC0DE
800 USDT	leaves only if bytecode calls USDT
+-----+	
STORAGE DRAWER	owner, flags, user records
+-----+	

A learner sending "to the contract" must name which drawer they is filling.

Payable, receive, fallback — only as warning labels

You may see those words on verified source. **Payable** marks a function that may accept native coin. **Receive** is the function for a plain send. **Fallback** is the “if nothing else matched” function. You do not need to write them. You need to treat unknown payable doors as extra ways to throw value into a program.

On BSC, replace ETH with BNB in every sentence of this lesson. The trap is identical. The fuel coin is different. The explorer is BscScan.

Self-destruct and other vanishing tricks

Some old patterns let a contract send its remaining native coin to a target and remove its code. You do not need the opcode name as a hobby. You need the Intermediate warning: **a contract that held ETH last month may be empty and even sourceless today**. Do not send “because the screenshot from March showed a balance.” Read the header today.

Upgradeable proxies complicate this further: the door address remains, the kitchen changes, the native drawer may still be at the door. Module 6. Today: look at the live native balance, look for a withdraw function, do not donate.

ACADEMY NOTE Academy rule: never send native coin or tokens to a contract unless you can name the function that is supposed to handle it and the function that would let you exit. If you cannot name both, you are donating. Donations are allowed. Accidental donations should not be how you pay \$10 tuition.

What this lesson is for

You can now see value-at-a-contract as a drawer problem, not as a customer-care problem. Next: who set the drawers up — constructor, owner, admin keys.

Say this out loud

- Contracts can hold ETH or BNB. Holding is not a refund policy.
- Value leaves a contract only if bytecode can send it and someone is allowed to trigger it.
- Token rows at a contract are a different drawer from native coin.
- Do not send funds to Crystal Stones' contract as checkout or whitelist.
- Stuck is a technical word. It is not "pending."

Next: constructor, owner, admin keys — the humans behind the program.

Lesson 5: Constructor, owner, admin keys (27 min)

Constructor, owner, admin keys

A program has a birth and, often, a boss. Intermediate learners who skip the boss will memorise bytecode that can be steered.

By the end of this lesson you should be able to say what a constructor did once, what an owner can still do, and why "decentralised" on a banner does not erase an admin key.

Constructor runs once, at birth

The **constructor** is code that runs at deployment, then disappears from the live runtime in the usual Solidity picture. It sets the first storage: owner, token name, initial supply, a treasury address.

If the constructor set owner to the deployer's EOA, that EOA is the boss until a transfer of ownership happens. If it set owner to a **multisig** — a contract that requires several signatures — that is a different boss, often healthier, still a boss.

You can find the birth on the explorer as the **contract creation** transaction. The "From" is the deployer. The deployer is not always the current owner. Owners can change if the code allows.

Owner is a storage slot with extra rights

Owner usually means an address allowed to call restricted functions: mint, pause, set fees, upgrade a proxy, withdraw native coin, blacklist. There is no law that the word must mean that. You read the functions. But as a working default, owner is power.

Admin keys is the broader phrase: any privileged secret or address — owner, minter, pauser, proxy-admin, “operator.” A project can have many. A project can hide them behind names like “governance.” Governance with three wallets is a group chat.

Power	Honest use	Hostile or sloppy use
Mint	Issue units under a published policy	Print until early holders can exit
Pause	Stop a bug while patching	Trap users in a notebook
Set fee	A shop’s commission	A surprise tax on sells
Upgrade	Fix a bug	Swap in a drain
Withdraw	Retrieve operating funds	Empty user deposits

How to look without becoming a detective-cosplay

On a verified contract, open Read: owner(), admin(), hasRole if it uses roles. Open Write and see which functions are restricted — you will not call them. Check whether ownership can be **renounced** (set to a dead address). Renounce is a claim you can verify later; it is not holiness. A team can still hold other keys.

For Crystal Stones, treat any owner or admin you find as part of **verification**, not as a reason to buy or a reason to send tuition. This academy will not tell you to buy. The RWA story remains their claim. Admin keys cannot prove a vault. They can prove who may change the token program.

Worked scenario. A learner is shown a “community token, no owner.”

74. They opens the explorer, Contract, Read.

75. They finds owner() returning a non-zero address. The banner was false.

76. They finds pause() and mint() in the ABI.

77. They does not deposit. They does not argue on Twitter. They leaves.

78. They still would not have paid Intermediate in that token. They uses the checkout processor USDT BEP-20.

DIAGRAM

BIRTH AND BOSS (layers)

```

Layer 4 Website: "community run"
Layer 3 ABI: mint, pause, upgrade  <-- extra rights
Layer 2 Storage: owner = 0xAdmin
Layer 1 Bytecode deployed at birth
Layer 0 Constructor ran once, set layer 2

```

If layer 4 disagrees with layer 2, layer 2 wins.

What a boss cannot do

An owner cannot reverse a token you already sent to a thief’s EOA, unless the token program has a freeze/clawback and they choose to use it. Some regulated token contracts can freeze. Many cannot. Do not assume a parent.

An owner cannot recover the wallet's seed. An owner cannot make BscScan lie to the whole network (they can name-tag, which is social). An owner cannot turn Crystal Stones into the the checkout processor cashier.

ACADEMY NOTE Academy rule: always ask “who can still change this?” If the answer is a key, you are using a product with a company-shaped risk, even if the chain is public. That can be acceptable. Calling it unstoppable is not acceptable.

What this lesson is for

Module 3 is complete when you can name code, notebook, native drawer, and boss. Module 4 puts tokens on that stage as ERC-20 and BEP-20 interfaces — including USDT and Crystal Stones as objects to distinguish, not as shopping.

Say this out loud

- The constructor runs at deployment and sets the first notebook.
- Owner and other admin keys are extra rights in storage.
- Banner words lose to Read functions on the explorer.
- Mint, pause, upgrade, withdraw are power — honest or hostile depending on who holds them.
- Verify Crystal Stones; do not pay it. Checkout is USDT BEP-20 through academy checkout.

Next: tokens — ERC-20 and BEP-20 — a token is not a coin.

Module quiz (answers included for editors)

Q1. A learner says she “read the contract” because they read a whitepaper. What did they actually read?

- A. Bytecode the EVM will run
- B. A marketing document that is not one of bytecode, source, or ABI
- C. The ABI menu, automatically
- D. An audit certificate from BscScan

Correct answer: B

Q2. A merchant sees “Verified” on BscScan. What is the precise claim?

- A. Experts audited the program and insured it
- B. Uploaded source compiled to the bytecode on chain
- C. The owner key was destroyed
- D. Crystal Stones is a buy

Correct answer: B

Q3. Where does the wallet's BEP-20 USDT balance live?

- A. Inside their EOA's code field
- B. In the USDT contract's storage map for the address
- C. In the checkout processor's constructor
- D. In Ethereum mainnet state, always

Correct answer: B

Q4. the wallet's token transfer reverts. Which after-picture is consistent?

- A. Token maps unchanged, native coin down a little, nonce increased
- B. Token maps reversed by customer care, gas refunded in USDT
- C. The explorer deletes the transaction
- D. Crystal Stones admin restores the seed

Correct answer: A

Q5. A student sends BNB to a token contract to “whitelist.” What is the usual result?

- A. Automatic Intermediate access
- B. Native coin in the contract’s drawer, often with no function for the student to retrieve it
- C. A legal contract with Binance
- D. Gas paid by the token contract forever after

Correct answer: B

Q6. Who pays for a successful Write that changes storage?

- A. The contract’s stored ETH, always
- B. The signing EOA, in native coin
- C. Etherscan, as a public service
- D. Whoever holds the Crystal Stones verify address

Correct answer: B

Q7. Read Contract shows owner() = 0xAdmin, while the website says “no owner.” What wins?

- A. The website, because marketing is layer 0
- B. The storage slot the Read function returns
- C. A Twitter poll
- D. Whoever paid more gas last week

Correct answer: B

Q8. How should A learner pay this Intermediate course?

- A. Send ETH into the contract constructor
- B. Send Crystal Stones to 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00
- C. \$10 USDT BEP-20 through academy checkout
- D. Give staff their admin key

Correct answer: C

Module 4: Tokens: ERC-20 and BEP-20

A token is a program's list, not a native coin. ERC-20 and BEP-20 name the same style of interface. Decimals, supply, and allowances are how that list is kept. USDT, Crystal Stones, and ETH are three different objects. Tickers are not identity.

Lesson 1: A token is not a coin (26 min)

A token is not a coin

ETH is a coin of the Ethereum computer. **BNB** is a coin of BNB Smart Chain. A **token** is a row in a program's notebook. If you use one word for both, you will pay gas with the wrong object and verify the wrong 0x.

By the end of this lesson you should be able to say that sentence without a slide deck, and you should refuse ticker-only talk.

Native coin is protocol-level

The protocol knows how much ETH an account holds. No token contract needs to run for that number to exist. Gas is subtracted from it. A simple send moves it. That is a **native coin** (sometimes called the native currency of the chain).

A **token** needs a contract. The contract's storage map says how many units each address is credited. Moving a token is calling that program. If the program is paused, the token does not move even if you have fuel. If the program is a fake, the ticker still says USDT.

This academy already used USDT as a BEP-20 token in Basic. Intermediate adds the mechanical reason: **you were always editing a list.**

Object	Kind	Fuel to move it	Identity
ETH	Native coin on Ethereum	ETH (value + gas)	The protocol's ETH
BNB	Native coin on BSC	BNB	The protocol's BNB
USDT on BSC	BEP-20 token	BNB for gas	A specific contract on chain 56
USDT on Ethereum	ERC-20 token	ETH for gas	A specific contract on chain 1
Crystal Stones	BEP-20 token	BNB for gas	0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 to verify, not to buy

Why wallets make this harder

Wallet home screens put native coin and tokens in one list with logos. Logos are not identity. Anyone can deploy a token named ETH, USDT, or Crystal Stones. The wallet may even pick a logo from a public list if the name matches. That is a courtesy. It is not a notary.

Adding a token by contract address is the adult move you learned on BSC. It is the same move on Ethereum. You are telling the lens which notebook to read. You are not summoning coins from the void.

Wrapped coins are still tokens

You will meet **WETH** and **WBNB**. **Wrapped** means: a token program that credits you a row when you lock native coin in it, and burns the row when you unwrap. It is a token, not the native coin. It can pay in places that only speak ERC-20 / BEP-20. It cannot pay gas. Sending WBNB to someone who asked for BNB is the coin/token mix-up wearing a synonym.

This academy will not tell you to wrap, unwrap, or farm anything. The only reason the word appears is so you do not treat “ETH” in a token list on BSC as Ethereum’s native coin, and so you do not treat WBNB as fuel.

Worked scenario. Someone sees “500 USDT” in two wallets.

79. Wallet A is watching Ethereum. Wallet B is watching BSC.
80. They names two notebooks. They does not add the numbers together.
81. They check each contract on the matching explorer.
82. They will pay a shop on BSC from the BSC row, with BNB as gas.
83. They will not tap a random “ETH” token on BSC and treat it as native ETH.

DIAGRAM

COIN versus TOKEN

NATIVE COIN

```
+-----+
| Protocol balance |
| in the account   |
| pays gas        |
| simple send      |
+-----+
```

^
|
ETH on chain 1
BNB on chain 56

TOKEN

```
+-----+
| Contract storage |
| map[address]     |
| cannot pay gas   |
| must call program|
+-----+
```

^
|
USDT / CS rows
only on the chain
that contract lives

This academy will not tell you to buy

Not ETH. Not BNB. Not USDT as an investment pitch. Not Crystal Stones. USDT appears here because it is how many invoices, including this \$10 Intermediate checkout through academy checkout, are denominated on BEP-20. That is a payment fact, not a yield story.

Crystal Stones remains a BEP-20 asset with a published contract to verify. The mineral-vault story is their claim. A token is still not a coin even if the story is about rocks.

ACADEMY NOTE Academy rule: say the full object every time — “USDT BEP-20 on BSC,” “ETH native on Ethereum,” “Crystal Stones BEP-20, verify-only contract.” If a sentence uses only a ticker, rewrite it before you send.

What this lesson is for

The coin/token split is the floor of Module 4. Next: the actual interface — the small list of functions that make something ERC-20 or BEP-20 shaped.

Say this out loud

- A native coin is protocol-level and pays gas. A token is a program's list.
- Tickers and logos are not identity. Contracts and chain IDs are.
- USDT on Ethereum and USDT on BSC are two notebooks.
- Crystal Stones is a token, not a coin, and not checkout.
- Wallets list both kinds on one screen. You must still split them.

Next: the ERC-20 / BEP-20 interface — the menu that almost every token you meet is claiming to follow.

Lesson 2: The ERC-20 / BEP-20 interface (27 min)

The ERC-20 / BEP-20 interface

ERC-20 is a style of menu for tokens on Ethereum. **BEP-20** is BSC's name for the same style of menu. An **interface** here means: a published list of functions and events wallets expect. It is not a government licence.

By the end of this lesson you should be able to name the core functions, say what “compatible” means, and know that a menu can be implemented in a hostile kitchen.

The menu people actually mean

The core ERC-20 / BEP-20 functions you will see on Read/Write tabs:

- **totalSupply** — how many units the program says exist.
- **balanceOf(address)** — that address's row.
- **transfer(to, amount)** — rewrite two rows, if the sender has enough.
- **approve(spender, amount)** — set an **allowance**.
- **allowance(owner, spender)** — read that permission.
- **transferFrom(from, to, amount)** — a spender moves someone else's row, up to the allowance.

Plus names people treat as metadata: **name**, **symbol**, **decimals**. Metadata is how wallets print “USDT” and “18.” Metadata can be copied by a fake.

BEP-20 adds some BSC-flavoured optional pieces in the original spec talk, but in practice you will treat BEP-20 tokens as ERC-20-style lists on chain 56. Crystal Stones is in that family. This academy will not tell you to buy it.

Function	Who usually calls it	What storage it touches	Beginner danger
transfer	You, from your EOA	Two balance rows	Wrong to-address, wrong token contract
approve	You	Allowance map	Unlimited spender rights
transferFrom	A router or shop	Balances plus allowance	You already signed the permission

balanceOf	Anyone (read)	None (read)	Reading the wrong contract
name / symbol	Anyone (read)	None (read)	Fakes copy these first

Compatible is not honest

A program can implement the menu and still:

- take a fee on transfer (“tax token”)
- block some addresses from selling
- let the owner mint
- pause
- lie in name() while being a different object

Wallets will still show a ticker. DEXs may still list a pair. The interface is a plug shape. It is not a character reference.

Worked scenario. A student is asked to “just approve USDT.”

84. They opens the token contract on BscScan — the USDT they actually hold, not a lookalike.
85. They sees approve and transferFrom on the ABI. They names the pair: approve writes permission; transferFrom spends it.
86. They check the spender address is the shop or router they intended, on chain 56.
87. They sets a tight amount, not unlimited, for a first interaction.
88. They does not approve the Crystal Stones contract as a substitute cashier for Intermediate.

DIAGRAM

INTERFACE (menu) versus IMPLEMENTATION (kitchen)

Menu (ERC-20 / BEP-20)

balanceOf | transfer | approve | transferFrom

|

v

Kitchen (bytecode) can be:

[honest list] [tax + pause] [honeypot]

|

v

Wallet still prints the same ticker if name() matches

Why this interface took over

Because wallets can build one Send screen. Because shops can take many tokens with one integration style. Because BSC could copy Ethereum’s homework and get MetaMask-shaped tools on day one.

The cost of that success is ticker collision. Everyone implements name() as “USDT” or “Crystal Stones.” Your defence is the contract address plus the chain, not the menu heading.

transfer versus transferFrom is a job question

If you are paying a person's EOA, **transfer** is the honest path: you push tokens. If a shop's website must pull, it will ask **approve** so it can **transferFrom**. Pull is not automatically theft. Unlimited pull is a standing debit. Intermediate habit: ask whether this job needs a pull at all.

Custodial apps and some invoices use pull so they can charge an exact amount after a quote. the checkout processor for this course is still "send USDT BEP-20," not "approve the Crystal Stones contract." If a page asks you to approve CS token to unlock Intermediate, the page is wrong.

ACADEMY NOTE Academy rule: when a site says "ERC-20 payment," you still ask which chain. Ethereum ERC-20 USDT is not BEP-20 USDT. the checkout processor for this course wants USDT BEP-20. The interface name is not the destination.

What this lesson is for

You can now treat ERC-20 / BEP-20 as a plug, not as a halo. Next: decimals, supply, allowances — the three numbers people misread on every token page.

Say this out loud

- ERC-20 is an Ethereum token menu. BEP-20 is the BSC-flavoured twin.
- transfer moves your row. approve writes a permission. transferFrom spends that permission.
- Implementing the menu does not make a token honest.
- name() and symbol() are copyable labels.
- Crystal Stones is BEP-20 on BSC to verify, not a buy and not tuition.

Next: decimals, supply, and allowances — the arithmetic that makes screens lie.

Lesson 3: Decimals, supply, allowances (28 min)

Decimals, supply, allowances

Token screens are translations. The chain stores integers. Wallets insert a decimal point. Approvals store a permission integer that can be larger than your balance, larger than the supply, larger than sense.

By the end of this lesson you should be able to decode those three numbers and catch two lies: "I approved 0 so I am safe" when a leftover allowance exists, and "total supply is market cap."

Decimals are a display choice stored as a number

Decimals is usually an 18, a 6, or sometimes something weirder. It means: take the integer in storage and shift the point that many places for humans.

USDT on many EVM deployments uses 6 decimals. So 1,000,000 in storage displays as 1.00 USDT. A token with 18 decimals stores 1 followed by 18 zeros for one displayed unit. If you copy the raw integer into a send box that expects display units, you may send everything.

Wallets usually hide this. Explorers sometimes show raw. Read functions show raw integers. Intermediate learners look twice when a number looks like a phone number.

Supply is what the program says exists

totalSupply is a storage value the program reports. It is not automatically locked. If mint exists, supply can rise. If burn exists, it can fall. Websites then invent “circulating,” “locked,” “burned,” and “market cap.” Market cap uses a price. This academy will not give you a price target or a cap to worship.

For Crystal Stones, treat supply numbers you meet as **claims to verify on the contract**, not as proof of minerals. Minerals do not live in totalSupply.

Number	Honest reading	Misreading that hurts
decimals	Display shift	“More decimals means more value”
totalSupply	Units the program currently says exist	“This is guaranteed backing”
balanceOf	Your row in this contract	“This is every chain’s USDT added up”
allowance	How much a spender may still take	“I closed the website so it is zero”

Allowances are the quiet permission

Allowance is a remaining quota. After `approve(router, 1000)`, the router may transferFrom up to 1000 units (in raw terms). If you later spend 200 yourself with transfer, the allowance is not always reduced. Designs differ. Some spenders pull max. Some approvals are the famous $2^{256}-1$ **unlimited** number.

Revoking means sending a new approve to 0 for that spender, which is itself a transaction that costs gas. Module 6 starts with unlimited approvals because this is how adults lose tokens without losing a seed.

Worked scenario. A learner wants to pay a shop 15 USDT BEP-20.

89. They check decimals on the USDT contract so 15 means 15.
90. They prefers transfer to the shop’s EOA, not approve, because the shop does not need to pull.
91. If the shop’s site demands approve, they sets 15, not unlimited.
92. After payment they reads allowance(a learner, shop). If it is not 0, they may approve 0.
93. They still pays academy tuition through academy checkout, not by approving the Crystal Stones contract.

DIAGRAM

THREE INTEGERS (stacked)

```

display USDT 15.00
      ^
      | decimals = 6 (example)
      |
storage integer 15000000 <-- balanceOf
-----
totalSupply integer (huge)
-----
allowance[a learner][Router] = 2^256-1 <-- unlimited permission
      even if the wallet's balance is 15

```

Why “I have 0 balance so they cannot take it” fails

If you later receive tokens again, an old unlimited allowance can still be used. The permission is on the spender + owner pair, not on a particular deposit. This surprises people who thought a drained wallet was finished with a site.

Why this lesson sits in Intermediate, not only Safety

The Basic safety course taught “do not share the seed.” This lesson is the next door: you can keep the seed in a steel box and still sign a debit order. Unlimited approval is not a hack of cryptography. It is you authorising a program, once, in a way that lasts.

People feel ashamed after a drain and then hand the rest to a recovery agent. That second loss is optional. Revoke what you can. Move remaining funds to a fresh EOA you control. Do not share the old seed or the new one. This academy will not play recovery-agent.

ACADEMY NOTE Academy rule: treat unlimited approve as a standing debit order. You would not give a new shop an open debit on your bank without a reason. Do not give one to a contract you met today. Tiny amounts. Named spender. Named chain.

What this lesson is for

You can now read the three integers without treating the wallet as a priest. Next: USDT versus Crystal Stones versus ETH, as a comparison table you should be able to teach.

Say this out loud

- Decimals shift a display point. The chain stores integers.
- totalSupply is the program’s count, not a mineral certificate.
- Allowance is remaining permission, and it can outlive a balance of zero.
- Unlimited approval is a standing debit order.
- Paying a shop with transfer is often simpler than approve plus pull.

Next: USDT vs Crystal Stones vs ETH — three objects Intermediate must never mash.

Lesson 4: USDT vs Crystal Stones vs ETH (26 min)

USDT vs Crystal Stones vs ETH

Three objects. Three jobs. One academy that will not tell you to buy any of them. If you can teach this comparison to a merchant, Module 4 is working.

By the end of this lesson you should be able to place each object on the right computer, name how it moves, and name how this course is paid.

ETH is fuel and native value on Ethereum

ETH is the native coin of Ethereum mainnet (chain ID 1). It pays gas there. It can be sent without a token program. It is not BNB. It is not a BEP-20. It is not Crystal Stones.

Holding ETH does not pay a BSC invoice. Holding ETH does not verify a BEP-20 contract. Holding ETH is not a requirement to study this course.

USDT is a token family, not a unique atom

USDT is a **stablecoin** brand: a token designed to track the US dollar. Designed is not guaranteed. This academy will not lecture you into believing any issuer is perfect. It will say: many invoices, including **this Intermediate checkout**, ask for USDT on a named chain.

On BSC, USDT is BEP-20. On Ethereum, USDT is ERC-20. Same ticker. Different contracts. Paying \$10 for this course means **USDT BEP-20 through academy checkout**. If you send USDT ERC-20 on Ethereum to a BEP-20 invoice, you have not paid.

Crystal Stones is a specific BEP-20

Crystal Stones is a BEP-20 token on BNB Smart Chain. The published contract to **verify only** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. It is not a payment address. It is not ETH. It is not USDT. It is not how you pay \$10.

The project's RWA story is their claim to verify. This classroom does not convert that claim into a vault receipt. This classroom will not tell you to buy.

Question	ETH	USDT (as used here)	Crystal Stones
Kind	Native coin	Token (ERC-20 or BEP-20 depending on chain)	BEP-20 token
Home computer	Ethereum mainnet	Many chains — you must name one	BSC (chain 56)
Pays gas on BSC?	No	No	No
Pays this course?	No	Yes, \$10 BEP-20 through academy checkout	No
Identity	Protocol ETH	A contract you must verify per chain	0xe252... on BscScan, verify only
This academy says buy?	No	No (payment tool, not a pitch)	No

Worked scenario. A student is offered three chat “payment addresses.”

94. Address A is an Ethereum EOA asking for ETH. Wrong object, wrong chain for this course.
95. Address B is the Crystal Stones contract. Verify-only. Not cashier.
96. Address C is a the checkout processor flow asking for USDT BEP-20. This matches the course card.
97. They check they has BNB for gas to send that USDT.
98. They ignores a discount for paying in CS token. There is no official CS-token checkout.

DIAGRAM

THREE OBJECTS, THREE BOXES

```

+-----+ +-----+ +-----+
| ETH    | | USDT    | | Crystal Stones |
| native, chain 1 | | token, name chain | | BEP-20, chain 56 |

```

fuel on Ethereum	\$10 Intermediate	verify 0xe252...
not BSC gas	through academy checkout	never cashier
+-----+	+-----+	+-----+

Do not draw arrows between boxes and call it "crypto."

Why mash-ups happen

Tickers are short. People are tired. Wallet lists are one column. Scammers rely on mash-ups: "send ETH-USDT-CS to this 0x, same thing." It is not the same thing. Basic taught asset + network + address. Intermediate adds kind: native versus token, plus verify versus pay.

A fourth object people sneak in: the exchange IOU

If USDT "sits on Binance" — Binance as an example of a centralised exchange — you do not hold a BEP-20 row until you withdraw to an EOA on a named chain. The IOU can be labelled USDT and still not be the contract you verified. Withdrawal is the moment kind, chain, and address become chain-real.

Do not pay Intermediate from an IOU you have not withdrawn unless the checkout processor explicitly supports that custodial flow. Do not withdraw Crystal Stones token to "convert" into tuition. Do not withdraw ETH on chain 1 to match a BSC invoice.

ACADEMY NOTE Academy rule: when a token appears in this course, the next sentence is not a buy order. USDT is mentioned because invoices use it. Crystal Stones is mentioned because this academy exists around that project and must tell you how to verify it without worshipping it. ETH is mentioned because Ethereum's computer runs on it.

What this lesson is for

The comparison is now teachable. Next: how to verify a token contract without worshipping a ticker — the practical method you will reuse on every fake.

Say this out loud

- ETH is native on Ethereum. It is not BSC gas and not this course's price.
- USDT is a token that must be named by chain; Intermediate wants BEP-20 through academy checkout.
- Crystal Stones is a BEP-20 to verify at 0xe252..., never a payment address.
- This academy will not tell you to buy any of the three.
- Ticker mash-ups are how \$10 and \$10,000 both vanish.

Next: verifying a token contract without worshipping a ticker.

Lesson 5: How to verify a token contract without worshipping a ticker (27 min)

How to verify a token contract without worshipping a ticker

A ticker is a nickname. Nicknames collide on purpose. Verification is a boring sequence you can do while someone is hurrying you. Hurry is part of the attack.

By the end of this lesson you should be able to run a six-step check and walk away without feeling rude.

The six steps

99. **Name the chain.** Ethereum mainnet or BSC or something else. Write the chain ID: 1 or 56.
100. **Get the contract from more than the hurrying person.** Project site you typed, explorer search you already bookmarked, a previous lesson's published string. For Crystal Stones:
`0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` on BSC.
101. **Paste the full address into the matching explorer.** Not a Google ad. Not a shortened link.
102. **Confirm species.** Contract tab. Token tracker. Creation tx. If it is an EOA, it is not a token contract.
103. **Confirm the interface.** Read name, symbol, decimals, totalSupply. They can still be fakes. They must at least exist if someone called it ERC-20 / BEP-20.
104. **Confirm the job.** Are you verifying, sending, or paying tuition? Tuition is the checkout processor USDT BEP-20. Verifying Crystal Stones is not paying. Sending to a person uses their EOA, not the token contract.

If any step is blocked — “no time,” “secret contract,” “use this lookalike explorer” — you stop.

Two-source rule for Crystal Stones

For this academy's token, one source is the published string in the lessons:

`0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. The second source is BscScan you typed. If a third source — a flyer, a chat status, a “listing announcement” — disagrees by one character, the third source is discarded. You do not average them. You do not send a test to both. This academy will not tell you to buy even when both honest sources match.

The RWA story, if it appears on the site, is still a claim. Matching a contract does not match a vault.

Contract creation as a sanity check

Open the creation transaction. Note the deployer. Note the date. A token that claims to be “the original USDT” but was created last Tuesday on BSC is not the USDT a shop meant. A Crystal Stones copy created after you already saved 0xe252... is a copy. Age is not holiness. Age plus address match is a useful filter against overnight clones.

Shortcut you will be offered	What it skips	What you do instead
“Search the ticker on BscScan”	Collision	Paste the full contract
“It's the first MetaMask result”	Hostile token lists	Contract from a typed source
“QR from the group admin”	Species and chain	Explorer tabs
“Verified tick means official”	Audit, identity, job	Verified is compiler match only
“Pay CS to the contract to join”	Job	the checkout processor USDT BEP-20


Worked scenario. A merchant is sent a Crystal Stones logo and a slightly wrong address.

105. He types BscScan himself.
106. He pastes the academy's published verify string and the stranger's string side by side.
107. One character differs. He does not send “a test of 1 token to see.”

108. He does not message the admin's "support" number from the same chat.
109. He tells the group the check, without a speech about prices.

DIAGRAM

VERIFY PATH (side doors marked closed)



Closed doors: ticker search, QR from hurry, lookalike explorer

What verification is not

It is not a blessing. It is not an audit. It is not proof of minerals. It is not a listing date. It is not a reason to increase size. It is matching the object on the book to the object you were told.

You still need BNB or ETH to move anything. You still need the right species. You still do not share a seed with anyone who offers to "verify for you."

ACADEMY NOTE Academy rule: verification is something you do with your own fingers on a bookmarked explorer. Anyone who needs your seed, your screen, or a prepayment to "help you verify" is not verifying. They are collecting.

What this lesson is for

Module 4 taught tokens as lists with a copied menu. You can now refuse ticker worship. Module 5 is the plumbing of every call: gas units, wei and gwei, ABI menus, read versus write, events as receipts.

Say this out loud

- Tickers collide. Contracts plus chain IDs identify.
- Six steps: chain, independent 0x, explorer, species, interface, job.
- Crystal Stones verifies at 0xe252... on BscScan, never as a cashier.
- A lookalike address is a no, including for "tiny tests."
- Hurry is a technique. Boredom is a defence.

Next: gas is fuel for computation — why the computer charges, and what the numbers mean.

Module quiz (answers included for editors)

Q1. A learner holds USDT on BSC and ETH on Ethereum. They need to send a BEP-20 token. What pays gas?

- A. USDT, because it is dollars
- B. ETH, because it is “the main coin”
- C. BNB, the native coin of chain 56
- D. Crystal Stones, because it is the academy token

Correct answer: C

Q2. A merchant says a token is safe because it is ERC-20. What is the correction?

- A. ERC-20 is a government licence
- B. ERC-20 / BEP-20 is a menu shape; the kitchen can still be hostile
- C. ERC-20 tokens never have owners
- D. BEP-20 is illegal on BSC

Correct answer: B

Q3. A wallet approved a router for unlimited USDT, spent the balance, then later received a new USDT payment. What can the router still do?

- A. Nothing, because a zero balance deleted the allowance
- B. transferFrom up to the remaining allowance, which may still be huge
- C. Mint ETH into their EOA
- D. Change Crystal Stones' verify address

Correct answer: B

Q4. Which row correctly separates the three objects?

- A. ETH is BEP-20, USDT is native on BSC, Crystal Stones is Ethereum gas
- B. ETH is native on Ethereum; USDT is a token you must name by chain; Crystal Stones is a BEP-20 to verify, not to pay
- C. All three are coins of chain 1
- D. All three are accepted as Intermediate tuition

Correct answer: B

Q5. A student searches “Crystal Stones” on a random site and sends to the first 0x. What step did they skip?

- A. Buying ETH first
- B. Pasting the published contract into bookmarked BscScan and matching every character
- C. Asking academy staff for a seed check
- D. Converting decimals into market cap

Correct answer: B

Q6. Why might 1,000,000 in a Read function be 1 USDT on the wallet screen?

- A. Because BscScan is broken
- B. Because decimals shift the display point; USDT often uses 6
- C. Because native coins always divide by a million
- D. Because Crystal Stones admin edited the screenshot

Correct answer: B

Q7. A learner wants to pay a shop 20 USDT BEP-20 to an EOA. Which interface path is the simplest honest one?

- A. approve the Crystal Stones contract, then wait
- B. transfer 20 USDT to the shop's EOA on chain 56
- C. send ETH to the USDT contract on Ethereum
- D. give the shop the seed so they can transferFrom

Correct answer: B

Q8. How is this Intermediate course checked out?

- A. ETH to the instructor's EOA
- B. Crystal Stones to 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00
- C. \$10 USDT BEP-20 through academy checkout
- D. Unlimited approve on a mystery router

Correct answer: C

Module 5: Gas, ABI, explorers

Gas meters computation. wei and gwei are denominations of ETH; failed transactions still bill work. ABI is the function menu. Read does not change state; Write does. Events and logs are the public receipts of what the program claims happened.

Lesson 1: Gas is fuel for computation (26 min)

Gas is fuel for computation

Gas is the unit the EVM uses to count work. It is not local fiat. It is not USDT. It is a meter. You pay for the meter reading in the native coin of the computer you are using.

By the end of this lesson you should be able to split gas (the meter) from gas price (what you pay per tick) from fee (the product), and you should know why a heavy contract call costs more than a simple send.

Three numbers, not one

A transaction quotes:

- **Gas limit** — the maximum ticks you authorise. If the call needs more, it runs out and reverts. If it needs less, unused limit is not billed the same way as used gas.
- **Gas used** — how many ticks actually happened.
- **Gas price / fee parameters** — how much native coin you pay per tick. On modern Ethereum this is a base fee plus a tip. On BSC you will still meet a gas-price picture. You do not need to become a fee-market scholar. You need: **fee $\approx$ gas used $\times$ price per gas, paid in ETH or BNB.**

A simple native send uses a small, known amount of gas. A contract call uses more because bytecode runs, storage may be written, other contracts may be called. That is the stack picture from Module 1 earning its keep.

Number	What it is	What a wallet might label it
Gas limit	Cap on work	“Max fee” confusion starts here
Gas used	Work that happened	Hidden until you open the explorer
Price per gas	Native coin per tick	Gwei on Ethereum; a small BNB number on BSC
Fee	used $\times$ price	“Network fee”
Token amount	Unrelated object	Sometimes shown next to fee as if they were the same currency

Why the network charges

If computation were free, anyone could ask every node to run infinite loops. Gas makes spam expensive and prices scarce block space. That is not a morality play. It is load control.

Cheap gas on BSC is why practice is realistic for this academy. Cheap gas is also why junk contracts thrive. Ethereum’s dearer gas does not sanctify a contract. It only changes the cost of being wrong.

Worked scenario. A student compares two buttons in a wallet app (an example of a wallet app, not an endorsement).

110. Button A: send BNB to someone. Estimated fee is small.
111. Button B: “approve and swap.” Estimated fee is larger.
112. They names why: Button B is bytecode, storage, maybe two hops.
113. They check they has the native coin, not only the token they want to move.
114. They does not pay a “fast lane” in Crystal Stones token to a chat address.

DIAGRAM

FEE AS A PRODUCT (not a flowchart)

```

gas used (ticks of EVM work)
    x
price per tick (native coin)
    =
fee taken from the signing EOA

```

Simple send: small used

Token transfer: more used (storage writes)

```
Swap:           more used (several writes + hops)
Infinite loop attempt: hits limit, reverts, still bills used work
```

Estimation is not a quote from a priest

Wallets estimate gas by simulating the call. Simulation can be wrong if the state changes between estimate and inclusion, or if the ABI is wrong, or if the site is lying about the contract. If the estimate is huge compared with a simple send, you are looking at a heavy program or a hostile one. If the estimate is zero, the wallet may think it is a Read, or it may be broken. Either way, you pause.

You can also set a limit too low and get “out of gas.” That fail still costs. Raising the limit a little on a known simple transfer is ordinary. Raising it into the sky on a mystery Write is paying for a longer hanging.

Gas does not go to the shop

The fee is for the network’s writers and the protocol rules, not a tip in the token you are sending. Paying a shop 20 USDT and paying the network a little BNB are two payments that happen in one transaction. The shop does not receive the BNB gas. The network does not receive the USDT.

the checkout processor checkout for this course still needs BNB in your EOA to move the \$10 USDT BEP-20. That BNB is not extra tuition. It is fuel. Do not send extra USDT “for gas” to a helper.

ACADEMY NOTE Academy rule: if a stranger asks you to pay gas to a separate address before a transaction, that is a fake fee. Real gas is deducted inside the transaction from the signing EOA. Separate “gas invoices” are a Basic-level scam that still works on Intermediate students who are in a hurry.

What this lesson is for

Gas is now a meter you can talk about without saying “the network fee is magic.” Next: wei, gwei, and why a failed tx still costs — denominations and the revert bill.

Say this out loud

- Gas is a work meter. Native coin pays the bill.
- Fee is roughly gas used times price per gas.
- Contract calls cost more than simple sends because more work happens.
- The shop receives the token; the network receives the fuel.
- Fake separate gas addresses are theft.

Next: wei, gwei, and why a “failed” transaction still costs.

Lesson 2: wei, gwei, and why a "failed" tx still costs (27 min)

wei, gwei, and why a "failed" tx still costs

ETH is too coarse for fees, so the chain counts in tiny fractions. **wei** is the smallest unit of ETH. **gwei** is a billion wei, the unit gas prices are often quoted in. On BSC you will meet tiny fractions of BNB instead. The moral is the same.

By the end of this lesson you should be able to read a fee without panicking at a 21,000 gas number, and you should explain a failed-but-paid transaction to a merchant.

Denominations, without a maths class

1 ETH = 10^{18} wei. 1 gwei = 10^9 wei. So 1 ETH = 1,000,000,000 gwei. Wallets hide this. Explorers sometimes show gas price in gwei and value in ETH. Mixing the columns is how people think they spent 21,000 ETH.

They did not. They used 21,000 **gas units** at, say, 1 gwei each, which is a small ETH fee. Gas units are ticks. Gwei is a price unit. ETH is the coin. Three columns.

BNB on BSC has its own tiny fractions (often shown as a decimal BNB fee). You do not need a new religion. You need to look at the **Fee** field on the explorer, in the native coin, after the transaction lands.

Column	Example	Not to be confused with
Gas used	21,000 or 85,000	ETH amount
Gas price	1 gwei (Ethereum example)	Token decimals
Fee	0.000021 ETH (illustrative arithmetic, not a quote)	USDT paid to a shop
Value	0.05 ETH sent to a person	The fee
Status	Fail	“Free”

Those fee numbers are **illustrative**, not a live oracle. This academy will not quote a price target or a “current gwei you must use.”

Fail still included the transaction

For a transaction to show on the explorer with a hash, a block producer included it. Inclusion is work. The EVM ran until revert or until it finished. **Status: Fail** means the notebook changes from the call were undone. It does not mean the row is absent. It does not mean gas is zero.

Common fail reasons Intermediate learners actually hit:

- gas limit too low for the call
- slippage on a swap
- insufficient token row (not insufficient gas — different error)
- paused token
- wrong ABI / wrong function
- a require() in the shop contract that rejected the invoice

Worked scenario. A learner tries to pay 10 USDT BEP-20, the tx fails, a “support agent” appears in chat.

115. They opens BscScan, pastes the hash, sees Fail, a BNB fee, unchanged USDT row.

116. The agent says “send the leftover BNB plus your seed to unlock the refund.”

117. They names the facts: leftover BNB is still hers in their EOA; the USDT did not leave; nobody needs a seed.

118. They does not send Crystal Stones “to clear the fail.”

119. They retries later with a correct gas limit, or they uses a simple transfer instead of a hostile shop contract.

DIAGRAM

FAILED TX (before / after)

BEFORE

A learner BNB 0.040
A learner USDT 10.00
nonce 11
Shop USDT 2.00

AFTER FAIL

A learner BNB 0.039 (fee gone)
A learner USDT 10.00 (notebook restored)
nonce 12 (tx counted)
Shop USDT 2.00

Status on explorer: Fail

Hash exists. Shop is not paid. Agent is not needed.

Out of gas is a species of fail

If the limit is too small, the call hits the wall. State reverts. Gas used can equal the limit. Wallets then say “out of gas.” Raising the limit is sometimes correct. Raising it into the sky on a hostile contract just lets the hostile contract do more work on your bill. Tiny amounts. Known contracts.

Replacement and stuck pending

If gas price was too low, a transaction can sit **pending**. Some wallets let you speed up by sending a new transaction with the same nonce and a higher fee. That is a replacement, not a second payment of the token. If you panic and send again with a new nonce, you may pay twice when both land.

Do not accept a chat agent’s offer to “unstick” a pending tx in exchange for leftover BNB. You already have the nonce. You already have the wallet’s speed-up. This academy will not ask to remote-control that screen.

ACADEMY NOTE Academy rule: a failed hash is a receipt of an attempt, not a debt to a stranger.

Academy staff will not DM you because a tx failed. the checkout processor will not ask for a seed. Crystal Stones’ verify address will not “unlock” a fail.

What this lesson is for

You can now read denominations and failed statuses without handing the wheel to a thief. Next: ABI as the menu of functions — how wallets encode the knock on the contract’s door.

Say this out loud

- wei and gwei are ETH fractions; gas units are work ticks; do not mix columns.
- On BSC, read the BNB fee field rather than inventing gwei folklore.
- Fail means notebook restored, meter still billed, nonce still moved.
- A support agent who needs leftover funds or a seed is a thief.
- Illustrative arithmetic is not a live gas oracle.

Next: ABI is the menu of functions — the names on the buttons, and how they can lie.

Lesson 3: ABI is the menu of functions (26 min)

ABI is the menu of functions

If bytecode is the kitchen, the **ABI** is the printed menu. Wallets use it to turn “transfer 10 USDT to Shop” into calldata bytes. Explorers use it to show Read and Write tabs. You already met the word in Module 3. This lesson is the working habit.

By the end of this lesson you should be able to say where a healthy ABI comes from, how a pasted ABI can be hostile, and what a function selector is in beginner language.

How a button becomes bytes

You tap Transfer. The wallet looks up the ABI line `transfer(address,uint256)`. It encodes the shop’s address and the raw integer amount. It prefixes a **function selector** — the first four bytes of a hash of that line — so the contract knows which function you meant. That blob is **calldata**. The EVM runs bytecode, which checks the selector and proceeds.

If the ABI line is wrong, the selector is wrong, or the types are wrong, you may call a different function, or fail, or pass arguments that mean something else. Decimals mistakes live here too: 10.00 display versus 10 raw.

ABI source	Trust level	Use
Derived from verified source on the real explorer	Best common case	Read/Write tabs, wallet auto-decode
Official library in a serious wallet for a known token	Usually fine for that token	Daily USDT send
JSON a stranger sent in chat	Hostile until proven	Do not import
ABI for a proxy without checking implementation	Incomplete	Module 6

Pasting a hostile menu

Some “add token” or “custom contract” screens let you paste ABI. A hostile menu can label a drain function “claim refund.” You tap a kind word. Calldata selects the drain. The kitchen does what it was written to do.

Defence: prefer the explorer’s verified ABI on the address you already checked. Do not import JSON from a giveaway. Do not let a remote-control “helper” paste it for you.

Worked scenario. A student is asked to import an ABI to “see hidden Crystal Stones functions.”

120. They already has the verify address on BscScan.
121. If source is verified, Read/Write is already the menu.
122. Hidden functions that need a secret JSON are a red flag, not a prize.
123. They does not import. They does not pay to unlock ABI.
124. They does not send tuition to that contract. Tuition is the checkout processor.

DIAGRAM

MENU TO KITCHEN

```
[ ABI line: transfer(address,uint256) ]  
      |  
      v  
[ selector (4 bytes) + encoded args ] = calldata  
      |  
      v  
[ bytecode kitchen ] --if match--> storage writes  
                    --if not----> revert or unexpected door
```

A pasted ABI can print "Refund" on a drain door.

Read the names like an adult

claim, bonus, validate, sync, unlock, whitelist, migrate — these English words are not protocol words. They are labels a programmer chose. Intermediate learners look at whether the function is Write, whether it takes your tokens, whether it sets allowance, whether it is payable.

name() looking like “Tether USD” does not make the kitchen Tether. That is Module 4 again, now on the ABI tab.

Four bytes are not a personality

The selector is short. Different function names can theoretically collide; in practice you will hit wrong-ABI more often than a hash collision. Wrong ABI is enough. If Write shows “safeTransfer” and the verified source has no such function, you are not on the menu you think.

Some wallets decode calldata back into names using a public dictionary of selectors. Dictionaries can mis-label. If the decoded name looks kind and the contract is unverified, believe the unverified part first.

Wallets also show a hex preview. If you cannot match that hex to a verified Write on the explorer for the same address, you are signing a door you have not named. That is enough reason to close the popup. Gas saved is not as valuable as the token row you would have given away.

ACADEMY NOTE Academy rule: never import an ABI file from chat. Never sign a Write whose ABI you cannot see on a bookmarked explorer for that exact address. Staff will not send you a JSON menu to “complete Intermediate.”

What this lesson is for

The menu is now a security object, not only a developer object. Next: Read versus Write on BscScan and Etherscan — the practical split you will use every week.

Say this out loud

- ABI is the menu wallets encode into calldata.
- A function selector is the door code for a menu line.
- Verified explorer ABI beats a JSON from chat.
- Kind labels can sit on hostile functions.

- Crystal Stones has no hidden tuition function you must import.

Next: Read vs Write on BscScan and Etherscan.

Lesson 4: Read vs write on BscScan/Etherscan (28 min)

Read vs write on BscScan/Etherscan

The explorer's Contract tab splits into **Read** and **Write** (sometimes Read as Proxy / Write as Proxy). Read asks a node to simulate a function. Write prepares a real transaction for your wallet to sign.

By the end of this lesson you should be able to use Read without connecting anything, treat Write as a live send, and know when the Proxy split matters.

Read is a question

Read Contract runs view/pure style functions: balanceOf, owner, decimals, allowance. You usually do not pay gas. You do not change storage. You do not need to connect a wallet to ask many of these questions. Connecting is for the explorer's convenience when it wants to pre-fill "your" address.

Read can still lie if you are on a fake explorer. Read can be stale by a block. Read can show the implementation's values while you are looking at a proxy address without toggling the right tab. Even so, Read on the real BscScan or Etherscan is one of the cheapest Intermediate skills.

You can Read Crystal Stones' published contract to confirm you are looking at a token program. That is verification. It is not a buy. It is not checkout.

Write is a signature

Write Contract is a form that builds calldata and asks a wallet — Trust Wallet, MetaMask, examples only — to sign. That signature spends gas. That signature can move tokens. That signature can set allowance to a spender you did not mean if you pasted the wrong 0x in the form.

Connecting your wallet to BscScan's Write tab is a real connection to a widely used site. Connecting it to write.bscscan.something-else is a known phishing pattern. Bookmark. Look at the URL. Prefer doing simple transfers in your wallet's Send screen rather than the explorer Write tab until you are calm.

Action	Tab	Gas	State change	Connect wallet?
balanceOf(a learner)	Read	No (usual)	No	No
allowance(a learner, Router)	Read	No	No	No
transfer(...)	Write	Yes	Maybe	Yes
approve(...)	Write	Yes	Maybe	Yes
owner()	Read	No	No	No

Worked scenario. A merchant wants to know if a customer's USDT row actually moved.

125. He does not open Write. He opens the transaction hash.

126. If he wants a second check, he Reads balanceOf(customer) and balanceOf(himself) on the USDT contract.
127. He does not approve the explorer. He does not approve a helper.
128. He does not Write transferFrom because a YouTube comment said that is how shops collect.
129. He settles the \$10 academy question the same way: the checkout processor, not Write on Crystal Stones.

DIAGRAM

READ versus WRITE (two booths)

READ BOOTH

```
+-----+
| Ask a node       |
| view functions   |
| no notebook edit |
| no seed ever     |
+-----+
```

WRITE BOOTH

```
+-----+
| Build calldata   |
| Ask wallet to sign|
| gas from EOA     |
| can edit notebook|
+-----+
```

URL must still be the real explorer in both booths.

Proxy toggle: Read as Proxy / Write as Proxy if the page offers it.

Proxy tabs

If the page offers **Read as Proxy**, the address you pasted is probably a thin proxy. Reading “as proxy” asks the implementation the proxy currently points at. Reading the proxy without the toggle can show almost nothing useful. Writing the proxy is how users actually interact. Module 6 explains why this is a risk, not only a UI quirk.

Connect is not harmless chrome

When the explorer or a dApp says **Connect**, a wallet app — Trust Wallet and MetaMask are examples, not endorsements — is being asked to share an address and, later, to sign. Connect does not have to move funds. The next popup might. Use a practice EOA on a site you just met. Disconnect when the job is done. Disconnect does not revoke allowances. Revoke is a separate Write on the token.

Connecting Write on a lookalike explorer is how people sign drains while believing they are “on BscScan.” Read the domain as slowly as the amount.

ACADEMY NOTE Academy rule: use Read freely on bookmarked explorers. Treat Write as a live payment. Never connect a wallet to an explorer you opened from a DM. Never paste a seed into Read, Write, or a “decoder.”

What this lesson is for

You now have a two-booth model of the Contract tab. Next: events and logs — the public receipts that make a successful call inspectable even when storage is ugly.

Say this out loud

- Read asks; it should not spend gas or change storage.

- Write is a real transaction. URL first, then connect.
- balanceOf and allowance are Read. transfer and approve are Write.
- Proxy toggles change which kitchen you are asking.
- Crystal Stones Read is verification; Crystal Stones Write is not tuition.

Next: events and logs as the public receipt.

Lesson 5: Events and logs as the public receipt (25 min)

Events and logs as the public receipt

Storage is the notebook. **Logs** are the printed till receipt the program chose to emit. Wallets and explorers use those receipts to show “you sent 20 USDT” without decoding every storage slot by hand.

By the end of this lesson you should be able to find Logs on a transaction, recognise a Transfer event, and know what a receipt cannot prove.

Events are opt-in announcements

An **event** is a structured log line bytecode can append while running. ERC-20 / BEP-20 **Transfer** is the famous one: from, to, amount. **Approval** is the other: owner, spender, amount. Indexers watch these to build the Token transfers tab.

If a hostile token moves balances in storage but does not emit Transfer, some wallets will look quiet while your row changed. If a token emits Transfer without a matching storage change, a naive indexer can be fooled for a moment. The notebook still wins. The receipt is a convenience.

How to read a Transfer without becoming a decoder

On Logs, a decoded Transfer usually shows From, To, Amount, and the contract that emitted it. Check the contract first. Then To. Then Amount after decimals. Then Status of the parent transaction. Four fields, same as the merchant check in Module 2.

A swap will emit more than one Transfer: you → pool, pool → you, maybe a fee to a third address. That is expected. A payment to a person should usually show one Transfer to their EOA (or to the invoice contract they named). Extra Transfers to an unknown 0x are a reason to pause, not a reason to invent a story.

On the explorer, open a tx, then **Logs**. You will see topics (indexed fields) and data. You do not need to parse hex for this course. You need to know the tab exists, and that a Transfer log to your EOA is the usual public receipt of a token payment.

Receipt you might trust	What it is	What it is not
Transfer log to your EOA	Program announced a token move	Proof the token is USDT the shop meant
Success status	Call did not revert	Proof you used the right chain next time
the checkout processor invoice paid	Their system saw the USDT BEP-20	A Crystal Stones transfer
Screenshot of a log	A picture	The book
Internal tx of BNB	Native coin hop	A token payment

Worked scenario. A learner is waiting for a client to pay 50 USDT BEP-20.

130. Client sends a hash.
131. A learner opens BscScan, Status Success, Logs, Transfer, destination = their EOA, contract = the USDT they verified, amount = 50 after decimals.
132. If the log's contract is a lookalike, they has not been paid in the USDT they prices goods in.
133. If there is no Transfer log and their balanceOf did not rise, they has not been paid.
134. They will not accept a Crystal Stones Transfer log as academy tuition.

DIAGRAM

TWO PUBLIC RECORDS

STORAGE (notebook)	LOGS (till receipt)
the wallet's USDT row: 50	Transfer(from Client, to a learner, 50)
Shop's USDT row: 3	Approval(...) maybe none

Indexers read logs to paint wallet screens.
If logs and storage disagree, storage is the money.
If the contract is a fake, both can look "successful."

Why Intermediate needs receipts

Because shops get screenshots. Because failed txs still have hashes. Because swaps emit several Transfer logs in one tx. Because you can see an Approval log and finally understand that yesterday's "connect" was a standing debit order.

Approval logs are receipts of permission, not of payment

An **Approval** event says a quota was set. It does not say tokens moved. Shopkeepers who accept an Approval screenshot as payment have accepted a debit order picture. A learner can approve a router for 50 USDT and never transfer. The shop is not paid. the checkout processor is not paid. The explorer is not confused; the human is.

You also need the limit: logs are not a court. They are not an audit. They are not mineral proof. They are what the program shouted while it ran.

ACADEMY NOTE Academy rule: for payments, match four fields on the real explorer — success, token contract, destination, amount. The log tab is how you see those fields for tokens. Do not take a picture of a log from a stranger as a substitute.

What this lesson is for

Module 5 gave you meter, denominations, menu, read/write, and receipts. Module 6 is how this design actually hurts people — approvals, fakes, verified-not-audited, proxies, and the practice rules for this paid track.

Say this out loud

- Events are opt-in log lines; Transfer is the token receipt.

- Indexers paint wallets from logs; storage is still the money.
- A lookalike token can emit a perfect-looking Transfer.
- Match success, contract, destination, amount.
- Crystal Stones logs are not the checkout processor tuition receipts.

Next: unlimited token approval — the standing debit order that empties wallets without stealing a seed.

Module quiz (answers included for editors)

Q1. the wallet's wallet shows a network fee while they sends USDT. What is they paying?

- A. USDT to BscScan
- B. Native coin (BNB on BSC or ETH on Ethereum) for gas used times price per gas
- C. Crystal Stones to unlock the ABI
- D. Gwei as a separate token they must buy on Binance

Correct answer: B

Q2. A merchant sees gas used 85,000 and panics that he spent 85,000 BNB. What mixed up?

- A. Nothing; gas used is native coin
- B. Gas units (work ticks) with native-coin amounts
- C. USDT decimals with chain IDs
- D. Verified source with the checkout processor

Correct answer: B

Q3. the wallet's swap shows Status Fail and a lower BNB balance. A chat agent asks for the seed to refund. What is true?

- A. The agent is official because the tx failed
- B. Fail restored the token notebook but billed gas; nobody needs the seed
- C. They must send leftover BNB to the Crystal Stones contract
- D. Etherscan will reverse it if they forwards the hash to staff

Correct answer: B

Q4. Why can a pasted ABI be dangerous?

- A. ABIs delete bytecode
- B. A hostile menu can label a drain function with a kind name, and the wallet will encode that door
- C. ABIs force you to pay in ETH on BSC
- D. Verified contracts forbid menus

Correct answer: B

Q5. A student wants the wallet's USDT balance. Which explorer move is appropriate?

- A. Write transferFrom on a lookalike domain

- B. Read balanceOf on the real explorer's USDT contract tab
- C. Import a JSON ABI from Telegram
- D. Send the seed to Read Contract

Correct answer: B

Q6. Which set of fields should A learner match before treating a USDT invoice as paid?

- A. A green logo and a ticker
- B. Success, the verified token contract, the correct destination, the amount
- C. Any Transfer log with the word USDT in the name
- D. A Crystal Stones Approval event

Correct answer: B

Q7. A stranger asks a learner to pay gas to a separate 0x before academy checkout will "unlock." What is that?

- A. Normal EVM fee-market procedure
- B. A fake fee; real gas is deducted inside their own signed transaction
- C. How wei converts to gwei
- D. Required Crystal Stones verification

Correct answer: B

Q8. Read as Proxy is offered on BscScan. What should A learner infer?

- A. The token is a buy
- B. The address is likely a proxy; the kitchen may be a different implementation contract
- C. Read is now a paid Write
- D. They should paste the seed into the proxy tab

Correct answer: B

Module 6: How this actually hurts people

Unlimited approvals, fake tickers, verified-is-not-audited, upgradeable proxies, and the practice rules for this \$10 track. The chain will settle a theft as calmly as a lesson.

Lesson 1: Unlimited token approval (27 min)

Unlimited token approval

You can lose tokens without losing your seed. The usual door is **approve** with a huge number. The spender then uses **transferFrom** whenever they like, until you revoke, or until the row is empty and later refilled.

By the end of this lesson you should treat unlimited approval as a standing debit order, know how to read it, and know how to set it towards zero.

Why sites ask for max

User-experience: they do not want to prompt you every trade. Gas: one approval instead of many. Honesty: sometimes. Laziness: often. Hostility: enough that this lesson exists.

The unlimited number is often $2^{256}-1$. Wallets may show “unlimited” or a comic-strip of nines. Either way, the allowance map in the token contract now says that spender may pull more than you will ever hold.

A later “drain” transaction is not a mystery. It is transferFrom succeeding because you already signed the debit order. The explorer will show your EOA as the token From even though a contract pulled it. That screenshot ruins people who think they were hacked in the seed-phrase sense. They were hacked in the permission sense.

Permission style	What you signed	Typical after
Exact amount	Spender may take up to that remaining quota	Safer for a one-off shop
Unlimited	Spender may take until you revoke	Convenient; standing risk
Zero (revoke)	Spender quota set to 0	Costs gas; worth it after a throwaway site
Permit / typed signature	A gasless-looking allowance message	Still a permission; still readable later

How to see it and how to shrink it

Read allowance(your EOA, spender) on the token contract. Token approval checkers exist as websites; they are extra phishing surface. If you use one, type the URL, use a tiny wallet, and still confirm on BscScan or Etherscan.

To revoke, Write approve(spender, 0) on the **same token contract**, or use your wallet’s built-in revoke if it has one. That is a transaction. It costs native coin. It is not a customer-care ticket. It does not need a seed shared with a helper.

Worked scenario. A learner connected a swap site on BSC last month.

135. They Reads USDT allowance(a learner, that router). The number is unlimited.
136. They does not have a trade open. They approves 0, pays a little BNB.
137. They Reads again. Zero.
138. They notices a second spender they does not remember. They revokes that too.
139. They never approved Crystal Stones as a way to pay Intermediate. They uses the checkout processor when tuition is the job.

DIAGRAM

STANDING DEBIT (before / after revoke)

BEFORE

USDT storage

A learner balance 80

allowance[a learner][Router] = max

AFTER approve(spender, 0)

USDT storage

A learner balance 80

allowance[a learner][Router] = 0

```
Router can transferFrom  
anytime A learner holds USDT
```

```
Router call should fail  
(unless they approves again)
```

What revoke does not fix

It does not bring back tokens already pulled. It does not find a thief. It does not replace a seed that was already stolen. It does not pay tuition. It does not make a fake token honest.

If the spender is a proxy, revoking the proxy address is the usual target. If you revoke the old implementation, you may have missed the door.

Phishing sits on top of the same function

“Claim airdrop” sites are often approve() with a kind label. The ABI says drain. The wallet may summarise “Allow access to USDT.” That English is already too soft. Read spender and amount. If amount is unlimited and you do not know the spender’s 0x from an independent source, you do not sign.

Permit-style signatures (gasless allowance messages) are still allowances. They can be phished too. If you did not mean to authorise a spender, do not sign a typed message you cannot read.

ACADEMY NOTE Academy rule: first meeting with a contract, cap the approval at the amount of this job. Revoke when the job is over if you do not need a standing connection. Practice this on tiny amounts before you ever hold a month’s fees in a token row.

What this lesson is for

The permission door is now named. Next: fake tokens with the same name — the identity door that sits next to it.

Say this out loud

- Unlimited approve is a standing debit order on a token row.
- Drains via transferFrom often look like you sent the tokens.
- Read allowance; write approve(spender, 0) to revoke; it costs gas.
- Revoke does not undo a completed pull.
- Do not approve Crystal Stones or a mystery spender as academy checkout.

Next: fake tokens with the same name — why the ticker is bait.

Lesson 2: Fake tokens with the same name (26 min)

Fake tokens with the same name

If name() is free to copy, it will be copied. USDT, ETH, Crystal Stones, the checkout processor, Binance — the nicknames are public. The contracts are not interchangeable.

By the end of this lesson you should refuse ticker search as identity, and you should know the usual delivery tricks: airdrops, lookalike addresses, and “support” tokens sitting in the wallet.

How the fake arrives

Airdrop. A contract credits your address without asking. Your wallet shows a new row with a familiar logo. Tapping it opens a site. The site asks for approve or a seed. The airdropped units were bait, not a gift.

Lookalike address. One character off Crystal Stones' `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. Hurry does the rest.

Wrong chain, right ticker. USDT ERC-20 offered when the invoice was BEP-20. The send can succeed on the wrong book.

Wallet token lists. Some lists are crowdsourced. First result is not a notary. Adding by contract is slower and safer.

The one-character address

Humans are bad at hex. Scammers generate addresses that share the first six and last four characters of a famous contract. Wallet UIs often truncate the middle. Always expand. Always compare the middle. Crystal Stones is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` — the whole string, on BSC, verify only.

If a QR code is offered, decode it to text and compare. QR is not a cryptographic proof of identity. It is a drawing of a string.

Bait	What you see	What you do
Airdrop named USDT	Extra row, maybe a “claim” button	Ignore; do not approve; do not visit the linked site
CS copycat	Same logo, different 0x	Compare every character to the published verify string
Invoice on Ethereum	USDT ticker	Ask chain ID; Intermediate checkout is BEP-20
“Official pool” QR	A contract	Species check; job check; tiny test to a known EOA only if paying a person

Worked scenario. Someone’s wallet shows 40,000 “Crystal Stones.”

140. They does not celebrate. They does not sell. This academy will not tell their to buy or sell.
141. They opens BscScan, token tracker for that row’s contract.
142. It is not 0xe252.... They leaves the row alone. Hiding a token in the wallet is cosmetic, not required.
143. They does not click Claim. They does not DM the number in the airdrop memo.
144. They still pays tuition, if they owes it, through academy checkout USDT BEP-20.

DIAGRAM

SAME NAME, DIFFERENT NOTEBOOKS

Wallet list (one column of tickers)

USDT

USDT <-- copycat

Crystal Stones

Crystal Stones <-- airdrop bait

```
ETH      <-- a token named ETH on BSC, not native ETH
```

```
Explorer identity (what actually matters)
chain 56 + 0x...USDT-real
chain 56 + 0xe252... (CS verify only)
chain 1  + native ETH
```

Do not “test send” to a copycat to see

A test send to a thief still arrives. A test send to a copycat contract may stick. Tests are for destinations you already independently identified, in tiny size. They are not for curiosity about malware.

Binance, as an example of a centralised exchange, will not airdrop you a random CS token and then ask you to “validate” it. Wallet apps will not. This academy will not.

Hide versus send versus approve

Hiding a junk token in a wallet is cosmetic. Sending it “back” can approve a drain site. Selling it on a random pool can interact with a hostile pair. The least dramatic action is no action. You do not have to clean the screen. You do have to avoid the buttons that say Claim, Validate, or Convert.

If you accidentally approved the bait token’s spender on your USDT, that is a USDT problem. Revoke the USDT allowance. The bait row can stay.

Copycats of Crystal Stones will reuse the logo, the RWA paragraph, and sometimes a screenshot of BscScan with the real 0xe252... in the image and a different 0x in the pay button. Read the button. Do not read the JPEG. This academy will not tell you to buy the real one either; verification is not a shopping list.

ACADEMY NOTE Academy rule: a surprise token is not a paycheck. It is either dust, a mistake, or bait. You do not owe it a click. You do not owe it an approval. You do not owe it a conversation.

What this lesson is for

Ticker bait is now boring, which is the goal. Next: verified source is not an audit — the trust badge that is only a compiler match.

Say this out loud

- name() and logos copy. Contracts plus chain IDs identify.
- Airdrops are often bait for approve or phishing sites.
- Compare Crystal Stones to 0xe252... on BscScan, every character.
- Do not test-send to an unidentified 0x.
- Surprise tokens are not tuition and not a buy signal.

Next: verified source is not an audit.

Lesson 3: Verified source is not an audit (27 min)

Verified source is not an audit

BscScan and Etherscan can print a green **Verified** badge. That badge means a compiler match. Adults still point at it as if a firm of auditors slept at the contract. They did not.

By the end of this lesson you should be able to say what verification is, what an audit is, and what neither of them is.

Verification, again, as a small object

Someone uploaded source. The explorer compiled it with a stated compiler version and settings. The bytecode matched what is on chain (or matched a flattened/creation result under their rules). You can now read Solidity instead of hex. That is the whole gift.

Verification does not test whether transfer taxes users. It does not test whether owner can mint. It does not test whether a proxy can swap kitchens. It does not test whether the team's mineral vault exists. It does not insure you.

Audit is a human review, and still limited

An **audit** is a report by people who read the source (sometimes) and look for bugs. Good audits are useful. They have dates. They have scope ("we looked at these files"). They miss things. They go stale when the program is upgraded. They can be forged as PDFs. They can be bought as logos.

If a project waves an audit, you still ask: which address, which chain, which date, which files, and did the code change after. You do not take a Telegram screenshot of a badge. This academy is not your auditor. This academy will not "confirm" Crystal Stones as audited because a file was pretty.

Who paid for the PDF

Audits are paid work. That does not make every auditor a liar. It does mean the customer chose the firm, the scope, and whether to publish the ugly bits. A two-page "certificate" with no findings and no file list is marketing. A long report that says "owner can mint" and a website that hides that sentence are a mismatch. Believe the report's findings over the banner.

Verification and audit can both be absent on a useful program. Absence is fog. Fog is a reason to keep size tiny or to walk away, not a reason to trust a Telegram admin who "knows the devs." The EVM will run unverified bytecode as calmly as verified bytecode. The badge is for you, not for the processor.

If Crystal Stones is verified on BscScan when you look, that helps you read functions. It does not pay tuition. It does not prove minerals. It does not make a copycat with a green tick on a fake explorer into the same object.

Badge	Precise meaning	Not the meaning
Verified on explorer	Source compiled to bytecode	Safe, official, insured
Audit PDF	Humans reviewed a scope at a date	Forever-safe, covers upgrades
KYC badge on a random site	Someone checked an identity somewhere	Honest token

Listed on an exchange	An example CEX or DEX offered a pair	Quality
Academy mention	Education, verify-only contract	Buy order, audit, vault proof

Worked scenario. A student is told “it is verified, send freely.”

145. They accepts verification as readability.
146. They still Reads owner, mint, pause, tax if those functions exist.
147. They still caps approvals.
148. They still does not send rent.
149. They still will not pay Intermediate in CS token because a badge was green.

DIAGRAM

BADGE STACK (bottom is weaker than people think)

```

Layer 5  "Therefore buy"           <-- academy never says this
Layer 4  Audit of today's proxy   <-- maybe, check date + address
Layer 3  Audit of last year's code
Layer 2  Verified source (compiler match)
Layer 1  Bytecode exists on a public chain

```

You can stand on layer 2 and still fall through layer 4.

What this academy will verify, and stop

We will repeat Crystal Stones’ published BEP-20 address so you can match it. We will repeat that Intermediate is \$10 USDT BEP-20 through academy checkout. We will repeat that staff never need a seed. We will not convert those sentences into an audit of the token, the team, or the RWA claim.

ACADEMY NOTE Academy rule: green ticks are not parents. If a lesson ever sounded like “verified therefore deposit,” the lesson failed. Read the functions. Size the risk at amounts you can lose. Walk away often.

What this lesson is for

The badge hierarchy is now explicit. Next: proxies and upgradeable contracts — how the kitchen can move after you read it.

Say this out loud

- Verified means compiler match, not audit.
- Audits have scope and dates and can go stale after upgrades.
- Badges can be copied in PDFs and group chats.
- Crystal Stones mention here is verify-only education, not an audit stamp.
- Green is not a buy, not tuition, not a vault receipt.

Next: proxies and upgradeable contracts — the moving kitchen.

Lesson 4: Proxies and upgradeable contracts (28 min)

Proxies and upgradeable contracts

You can read last month's source and still be calling this month's kitchen. That is the **proxy** pattern: a stable address that delegates to an **implementation** contract the admin can change.

By the end of this lesson you should recognise proxy tabs on an explorer, know why projects use them, and know the extra question: **who can point this address at new bytecode?**

Two contracts, one public door

Users send calls to the **proxy** address. The proxy stores the notebook (usually) and forwards the call to the implementation using a special EVM mechanism (`delegatecall`, in the common pattern). **Delegatecall** means: run that other contract's code against **this** storage. The user keeps talking to one 0x. The team can later set a new implementation.

That is convenient for fixing bugs. It is also how an "audited" door becomes a new program. If the admin key is compromised, the new program can be a drain. If the admin is the attacker, verification of the old source is theatre.

Explorers try to help: "Proxy," "Read as Proxy," implementation address, admin address. Use those tabs. If a site gives you a token address and the explorer says proxy, you are not done.

Object	Job	Failure if ignored
Proxy address	The door users call; often holds storage	You verified a different 0x
Implementation	The current kitchen code	You read yesterday's kitchen
Proxy admin	Who may switch kitchens	"Immutable" was a slogan
User-facing token tracker	Convenience	Tracker may lag an upgrade

Worked scenario. A merchant is invited to "deposit into the upgraded vault, same address as last year."

150. He opens the address on the matching explorer.
151. He sees Proxy. He notes implementation and admin.
152. He checks whether admin is a multisig or a single EOA. A single EOA is a single point of betrayal or theft.
153. He does not deposit school fees. He does not trust "same address" as "same rules."
154. He does not pay academy tuition through that vault. Tuition is the checkout processor.

DIAGRAM

PROXY CUTAWAY (side by side)

DOOR (proxy 0xDoor)		KITCHEN (implementation 0xImpl)
+-----+		+-----+
storage notebook	<-----	bytecode (logic)
balances, owner	run	can be replaced
implementation slot	here	users rarely call it

```
| admin slot | | |
+-----+ +-----+
      ^
      |
users keep calling 0xDoor
admin can point implementation slot at 0xImpl-NEW
```

Not all upgrades are crimes

Software has bugs. Honest teams want a patch path. Intermediate is not a purity contest. It is a labelling contest. Call it an upgradeable product. Do not call it unstoppable code. Size deposits as if a company could change the rules — because, at the admin layer, it can.

Some proxies are **immutable** in practice if admin was burned. “Burned” is a claim you verify by reading the admin slot, not by reading a tweet. Even then, related contracts (bridges, routers) may still be upgradeable.

Implementation addresses can be unverified

A verified proxy can point at unverified bytecode. The door looks readable. The kitchen is fog. Intermediate habit: open the implementation address too. If that page has no source, you have not read the rules. Do not deposit because the proxy’s ABI looks friendly.

A new implementation can also be verified and still hostile. Verification is readability. Admin is power. Both can be true on a public chain.

initializer instead of constructor

Upgradeable kitchens often cannot use a normal constructor the way a simple contract does, because the proxy’s storage is the notebook. They use an **initializer** function that should run once. If it can run twice, an attacker may seize owner. You will not audit that in this course. You will notice “initialize” on Write and treat a second call as a danger sign, not as a setup wizard you must complete.

ACADEMY NOTE Academy rule: if the explorer says Proxy, add one question to your checklist — who can change the implementation, and how fast. If you cannot answer, you are using a product with a hidden patch panel. Tiny amounts until you can answer.

What this lesson is for

The moving kitchen is now visible. Last lesson: practice rules for Intermediate — testnet, tiny amounts, and never CS token as checkout.

Say this out loud

- A proxy is a stable door that can point at a new kitchen.
- Delegatecall runs other code against this storage.
- Admin keys make “I read the source” time-stamped, not eternal.
- Same address after an upgrade is not the same program.
- Do not deposit rent in an upgradeable vault you cannot explain.

Next: practice rules for Intermediate — how to use this \$10 course without becoming the failure case.

Lesson 5: Practice rules for Intermediate (testnet, tiny amounts, never CS token as checkout) (28 min)

Practice rules for Intermediate (testnet, tiny amounts, never CS token as checkout)

A \$10 course is still a course. It is not a dare to empty a salary into a proxy. This last lesson writes the rules of motion for everything you just learned.

By the end you should be able to quote how you will practice, how you will pay, and what staff will never ask.

Testnet is a practice computer

A **testnet** is a public network that copies the shape of a main computer and uses worthless play coins. Ethereum has testnets. BSC has testnets. Explorers exist for them. Faucets give play native coin. Contracts you deploy there do not make you a protocol engineer. They let you see Fail, gas, ABI, and logs without bleeding.

Mainnet is chain ID 1 (Ethereum) or 56 (BSC). Do not mix a testnet USDT with a mainnet academy checkout invoice. Play coins do not pay \$10 tuition. They also do not turn into Crystal Stones.

If a faucet asks for a seed, it is not a faucet. If a “testnet helper” wants remote control, they are not a helper.

Tiny amounts on mainnet

When you must use mainnet — a real USDT invoice, a real shop, this course — size the first send at an amount that would annoy you, not ruin you. Wait for the explorer. Then send the rest. This is the same rule as Basic, now applied to contract calls and approvals.

Keep a separate practice EOA if you can manage the extra seed **offline**. Do not practice drains on the account that holds rent. Do not import that practice seed into random apps.

One job per session

When you sit down to practice, name the job in a sentence: “I will Read balanceOf on BscScan,” or “I will send 1 USDT test to the merchant,” or “I will pay \$10 USDT BEP-20 through academy checkout.” Mixing jobs is how people approve a swap while meaning to pay tuition. Close extra dApp tabs. Disconnect when finished. Revoke if the job was a one-off pull.

If the job is verification of Crystal Stones, the session ends when the address matches. No send. No wrap. No buy. This academy will not tell you to buy.

Move	Where	Size	Never
Learn Fail / gas / logs	Testnet	Play coins	Seed to a faucet
Learn a new shop’s USDT address	Mainnet BSC	Tiny test then the rest	Wrong chain “because 0x matches”
Pay Intermediate	Mainnet BSC	\$10 USDT BEP-20 through	CS token, ETH, random 0x

		academy checkout	
Verify Crystal Stones	BscScan	Zero value required	Sending to 0xe252... as payment
Revoke an allowance	Mainnet	Gas only	Helper who needs remaining tokens

Worked scenario. A student finished Module 6 and is ready to pay.

155. They confirms the course card: \$10, USDT BEP-20, the checkout processor.
156. They check BNB for gas on chain 56 in their EOA.
157. They ignores a Discord discount: “pay 5 CS to the contract.”
158. They does not send USDT to `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`.
159. They completes the checkout processor, then uses the course. They still will not be asked for a seed to “activate.”

DIAGRAM

ALLOWED PATHS versus CLOSED PATHS

ALLOWED

```
[ Testnet play tx ] --> learn Fail, logs, ABI
[ Tiny mainnet test ] --> then rest to a known EOA
[ $10 USDT BEP-20 ] --> the checkout processor --> Intermediate access
[ BscScan paste 0xe252... ] --> verify only
```

CLOSED

```
[ CS token ] --> 0xe252... "cashier"
[ ETH on chain 1 ] --> a chat invoice for this course
[ Seed phrase ] --> staff / faucet / explorer
[ Unlimited approve ] --> first meeting with a site
```

The never list, in one place

- Never send Crystal Stones token as checkout. The contract is verify-only.
- Never treat 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 as a payment address.
- Never pay this course in ETH because “Ethereum is the real computer.”
- Never give a seed, private key, 2FA code, or remote screen to anyone, including people who name this academy.
- Never import ABI JSON from chat.
- Never skip chain ID.
- Never confuse verified with audited, or audited with “deposit your year.”

This academy will not tell you to buy ETH, BNB, USDT as an investment, or Crystal Stones. USDT appears as an invoice currency. BNB appears as BSC fuel. ETH appears as Ethereum’s native coin. Crystal Stones appears as a BEP-20 to verify.

ACADEMY NOTE Academy rule: Intermediate skill is restraint plus naming. If you can name the computer, the species of account, the drawer you are filling, the menu line you are signing, and the job (practice,

pay a person, pay the checkout processor, verify), you are ready to use this track. If you cannot name them, you wait. Waiting is a pass, not a fail.

What this lesson is for

This is the operating manual. The quiz will check whether the failure cases stuck. You do not need a price. You need the reflex.

Say this out loud

- Testnet is for learning Fail and logs with play coins, not for paying \$10.
- Mainnet practice is tiny, then the rest, on a named chain.
- Intermediate checkout is \$10 USDT BEP-20 through academy checkout only.
- Crystal Stones' contract is verify-only, never a cashier.
- Staff never ask for seed, key, 2FA, or remote control — if someone does, they are not staff.

You now have the six modules. Take the quiz. Then go back to any explorer tab that still feels like fog and read it once more, slowly.

Module quiz (answers included for editors)

Q1. A wallet signed unlimited approve on a BSC USDT contract. A week later the USDT is gone, seed still offline. What likely happened?

- A. BscScan revoked the seed
- B. A spender used transferFrom against the standing allowance
- C. ETH gas on chain 1 pulled BEP-20 tokens
- D. The checkout processor seized Crystal Stones

Correct answer: B

Q2. Someone sees 40,000 Crystal Stones airdropped they did not buy. What should they do?

- A. Tap Claim and approve the linked spender
- B. Leave it; compare any contract to 0xe252... if they cares; do not treat it as a paycheck
- C. Send a test amount to the airdrop memo address
- D. Pay Intermediate with those tokens at a discount

Correct answer: B

Q3. A merchant sees Verified on Etherscan and calls it an audit. The correction?

- A. Verified is stronger than an audit
- B. Verified is a compiler match; an audit is a scoped human review and still can go stale
- C. Verified means the owner key is burned
- D. Verified means Crystal Stones backs USDT

Correct answer: B

Q4. A learner used a vault last year at 0xDoor. This year the explorer shows Proxy and a new implementation. What is true?

- A. Same door means same bytecode forever
- B. The admin may have pointed the door at a new kitchen; last year's read is time-stamped
- C. Proxies cannot change storage
- D. They should send the seed to the proxy admin

Correct answer: B

Q5. How does A learner revoke a token approval?

- A. Email Binance, an example of an exchange
- B. Send a new approve(spender, 0) on that token contract (or a wallet revoke), paying native gas
- C. Send leftover USDT to Crystal Stones' verify address
- D. Paste the seed into Read as Proxy

Correct answer: B

Q6. A faucet for a testnet asks for their 12 words to "drop BNB." What is it?

- A. Normal testnet procedure
- B. Theft — faucets do not need a seed
- C. How gwei is converted
- D. Required before academy checkout

Correct answer: B

Q7. Which path pays this Intermediate course correctly?

- A. ETH to an instructor chat 0x
- B. Crystal Stones to 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00
- C. \$10 USDT BEP-20 through academy checkout, with BNB in the EOA for gas
- D. Unlimited approve on a mystery vault proxy

Correct answer: C

Q8. Staff appear in a DM offering to "watch their screen while they practices a proxy." What is the academy rule?

- A. Allowed for paid students
- B. Staff never need remote control, seed, or private key; they should refuse
- C. Allowed if they hides the seed with a sticky note
- D. Allowed on testnet only

Correct answer: B

DeFi & Decentralized Finance

INTERMEDIATE TRACK | slug: defi-decentralized-finance | level: intermediate | PAID

Second Intermediate course. Ethereum course already taught EOA vs contract, ERC-20/BEP-20, gas, ABI, approvals as a standing debit order. This course names DeFi as programs that replace a company for swap, pool, and lend. Education only. Not a buy order. Crystal Stones contract 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 is verify only. Intermediate is \$10 USDT BEP-20 through academy checkout — never name a payment vendor. Call it academy checkout or a third-party payment processor.

Module 1: DeFi is a program, not a slogan

DeFi names programs that claim the jobs of swap, pool, and lend. You will split company, app, and protocol, compare Ethereum DeFi with BSC DeFi as the same family on two books, and hear what this course will refuse — including yield shopping. Education only. Not a buy order.

Lesson 1: What DeFi claims to replace (26 min)

What DeFi claims to replace

DeFi is a nickname for programs on a public computer that try to do jobs a company usually does: swap one token for another, hold two inventories as a pool, and lend against collateral. The nickname is not a product. The program is the product.

By the end of this lesson you should be able to say what DeFi claims to replace, what it does not delete, and why a slogan on a website is not the same object as bytecode on a named chain. This academy will not tell you to buy a token, enter a pool, or chase a percentage.

A company is a help desk with a ledger

A **centralised exchange** is a company. Binance, used here as an example of a centralised exchange, not as a ranking, keeps an internal ledger. You log in. You hold an IOU until you withdraw. The company can freeze a withdrawal and run a help desk. That parenting has a cost.

DeFi's useful claim is narrower than "banks are over." For swap, pool, and lend, a program can sit on a public book and run the same rule for every caller. Nobody at a desk decides whether your swap is allowed. The function either succeeds or it reverts. You already met that machine in the Ethereum course: an EOA signs, a contract runs, gas is paid in the native coin.

The claim does not delete humans. Teams still write the programs. Websites still sit in front of them. Admin keys still exist on many contracts. If you hear "no one is in charge," ask who can pause, mint, or pull liquidity.

Swap, pool, and lend are three jobs

Name the jobs before the brands. A **swap** is a trade inside a program: you send token A, the program sends token B from an inventory it already holds. A **pool** is that inventory. Two or more token balances sit in a contract because liquidity providers deposited them. A **lend** is a program that takes collateral and lets a borrower take another asset, usually with a health rule that can liquidate. There is no loan officer. There is a function.

Job a company used to do	DeFi object that claims the job	What is still a company around the edges
Match a buyer and a seller	A pool plus a router program	The website that draws the buttons
Hold both sides of a market	Token balances in a pool contract	The team that deployed it, and any admin key
Take a deposit and make a loan	Lending program with collateral math	Oracles, frontends, and liquidation bots
Keep your coins overnight	Self-custody at your EOA, or a protocol that holds them	Wallet-app vendors and device vendors

Replace is not the same as disappear

If a program replaces a company for the matching step, you still need a screen. That screen can lie. Intermediate already taught you that a contract account is bytecode, not a person you can email. DeFi adds a second costume: a branded app that *says* it is the protocol.

You will meet **routers**, **factories**, and **pools** in later modules. Hold one correction now: **the protocol is the deployed code on a chain ID you can name**. Ethereum mainnet is chain ID 1. BNB Smart Chain is chain ID 56. Same-looking addresses. Different books. A “DeFi app” that does not name the chain is not naming the protocol.

Crystal Stones is a **BEP-20** token on BNB Smart Chain. The published contract to verify, never to pay, is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. It is not a pool, not a router, and not academy checkout. This Intermediate track is **\$10 USDT BEP-20 through academy checkout** or a third-party payment processor.

What the slogan hides on day one


Three hides, before any math. **Custody still happens**. During a swap, tokens sit in programs. After a supply into a lending market, a program holds the asset. **Permissions still happen**. An **approve** is a standing debit order on a token contract. The Ethereum course already named it. DeFi lives on approvals. **Failure still costs**. A reverted swap still burns native coin for gas.

Worked scenario. A learner opens a wallet app and a website that says “Decentralised Exchange — swap any token, no company.”

160. The learner names the chain in the wallet: chain ID 1 or chain ID 56, not “crypto.”
161. The learner asks which object will be called: a router, a pool, a token, or only a picture on a website.
162. The learner checks native coin for gas — ETH on Ethereum, BNB on BSC — before any token row.

163. The learner refuses to treat Crystal Stones' verify-only contract as a swap destination or a tuition address.
164. The learner practices, if at all, with a size that can vanish without taking rent.

DIAGRAM



Education is the brake, not the on-ramp

This course teaches you to see swap, pool, and lend as programs so a lie has fewer rooms. It will not rank protocols. It will not invent yield. Crystal Stones' RWA story is **their claim to verify**. Wallet apps such as Trust Wallet and MetaMask — examples of wallet apps, not endorsements — are still the signing room.

ACADEMY NOTE Academy rule: DeFi is a set of programs, not a personality and not a shopping aisle. If a sentence cannot name the chain, the contract, and the function, it is a slogan. Slogans do not pay gas and they do not return tokens.

What this lesson is for

You now have the claim in one sentence: programs that try to replace a company for swap, pool, and lend. The next lesson splits custody from protocol so “non-custodial” stops being a sticker.

Say this out loud

- DeFi is programs on a public computer that claim the jobs of swap, pool, and lend.
- A company can still sit around the edges: websites, admin keys, wallet apps, oracles.
- The protocol is deployed bytecode on a named chain ID, not a logo.
- Crystal Stones' contract is verify-only on BSC, not a pool and not checkout.
- This academy will not tell you to buy a token to “join DeFi.”

Next: custody versus protocol — who holds the tokens while the function runs.

Lesson 2: Custody vs protocol (27 min)

Custody vs protocol

Custody means who can move an asset without asking you again. A **protocol** is the deployed program. People glue those words together as “non-custodial protocol,” as if the sticker were a lock. The sticker is a claim. You test it by asking where the tokens sit after each function.

By the end of this lesson you should be able to split three rooms: tokens at your EOA, tokens inside a protocol, and IOUs at a company. You should also refuse the sentence “I still have them because I can see them in the app.” This academy will not tell you to deposit anywhere.

Three rooms, named so you stop mixing them

Room 1: your EOA. The token contract’s storage has a row for your address. You sign a ``transfer`` or you sign an ``approve``. Nobody else can move that row unless you already granted an allowance, or unless the token program itself has an admin mint/freeze function. Self-custody lives here — with the token-program caveats the Ethereum course already taught.

Room 2: a protocol. You called ``deposit``, ``supply``, ``addLiquidity``, or a swap that parks value in a pool. The token row now belongs to the contract’s address, or the program issued you a receipt token. The program’s functions decide whether you can exit. “Non-custodial” here means: **no company help desk holds a matching IOU**. It does not mean the program cannot trap you.

Room 3: a company ledger. Binance, as an example of a centralised exchange, shows a number. That number is an IOU until you withdraw to an address you control. The company is the custodian. That is a different design, not a moral ranking.

Where the tokens sit	Who can move them next	What “I can see them” means
Your EOA’s row in the token program	Your key, or any spender you approved	A wallet view of a token list
A pool or lending contract	The program’s functions, plus any admin role	A website view of a position
A centralised exchange IOU	The company’s ledger rules	An account screen, not a chain row
A website’s screenshot	Nobody on-chain; it is a picture	Marketing

Non-custodial is a claim about the company, not about risk

When a DeFi page says **non-custodial**, the honest translation is: we are not holding an IOU for you in a corporate database. The program holds the assets under its own rules. If those rules include ``pause``, ``mint``, or ``withdrawByOwner``, a human with a key still has custody-like power. You verify that on an explorer, not on a landing page.

A swap that completes in one transaction can still pass your tokens through a router and a pool. For a moment the inventory sits in the pool. After success, you should hold token B at your EOA (minus fees). If the function reverts, you should still hold token A, and you still paid gas. Module 3 treats the swap path. Today’s job is the custody map.

Lending is the loud case. Supplying USDT to a lending program is not a bank deposit. The program now has the USDT. You hold a receipt. Exit is a function. Liquidation is also a function. Module 4.

Wallet apps are views, not vaults

Trust Wallet and MetaMask — examples of wallet apps, not endorsements — show you rows. They do not custody the protocol’s inventory. If a DeFi site says “your funds are in your wallet” while you are an LP, the accurate sentence is: **your receipt is in your wallet; the inventory is in the pool**. Mixing those sentences is how people get surprised when a pool is drained and the receipt still exists as a number.

Crystal Stones remains a BEP-20 token to verify at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. Seeing that ticker in a “DeFi dashboard” does not move custody into a mineral vault. The RWA story is **their claim to verify**. Academy checkout is still **\$10 USDT BEP-20 through academy checkout**, not a deposit into a pool and not a send to that contract.

Worked scenario. A learner is about to tap Supply on a lending website.

165. The learner names the token and the chain — USDT on BSC is not USDT on Ethereum.
166. The learner asks: after this transaction, which address holds the USDT row in the token program?
167. The learner looks up that address on BscScan (chain 56) or Etherscan (chain 1) and confirms it is a contract, not an EOA.
168. The learner looks for an exit function name, not only a supply button.
169. The learner does not send tuition or “whitelist” funds to Crystal Stones’ verify-only contract.

DIAGRAM

BEFORE SUPPLY

```
+-----+
| Your EOA      |
| USDT row: 100 |
| receipt: none  |
+-----+
```

AFTER SUPPLY

```
+-----+
| Your EOA      |
| USDT row: 0    |
| receipt: 100   |
+-----+
+-----+
| Lending program |
| USDT row: 100   |
| (program custody)|
+-----+
```

What this split is for in a failure

If a website disappears and the program still allows withdraw, that is protocol without the app. If the program pauses, the app cannot save you. If you approved a hostile spender, the tokens may still be in “your wallet” on the screen while a bot empties the row. Custody is not a feeling. It is who can call the next successful move.

ACADEMY NOTE Academy rule: “non-custodial” does not mean “cannot be taken.” It means “no company IOU.” Protocol risk, admin keys, and allowances are still custody-shaped powers. Practice with amounts you can lose.

What this lesson is for

You can now point at three rooms — EOA, protocol, company — and ask which one holds the asset after a tap. Next: the website is not the protocol, even when it uses the real name.

Say this out loud

- Custody means who can move the asset without asking you again.
- A protocol can hold tokens under functions; that is not a bank deposit and not an exchange IOU.
- “Non-custodial” is a claim about a company ledger, not a promise that exit always works.
- A wallet app shows rows; it does not custody a pool’s inventory.
- Crystal Stones’ contract is verify-only; checkout is USDT BEP-20 through academy checkout.

Next: apps are not the protocol — the website can be swapped while the bytecode stays.

Lesson 3: Apps are not the protocol (25 min)

Apps are not the protocol

The **app** is a website or a mobile screen that draws buttons. The **protocol** is bytecode already sitting on a chain. Attackers prefer to swap the app because swapping the bytecode on a public computer is harder than cloning a page.

By the end of this lesson you should be able to separate frontend, wallet-connect session, router, and pool, and you should treat a familiar logo as a costume. This academy will not tell you which site to use. It will tell you what to name before you sign.

Four layers people flatten into one button

Frontend. HTML, servers, domain names. Anyone who controls the domain or the script can change the spender address the wallet will be asked to approve. Bookmarks help. They do not make a domain immortal.

Wallet connection. The site asks a wallet app — Trust Wallet and MetaMask are examples — to share an address and later to sign. Connecting is not depositing. Connecting is handing the site a view of your address and a channel to *request* signatures. You can still refuse each request.

Router. A program that takes your swap (or add-liquidity) call and talks to pools. You often approve the router, not the pretty domain. Module 2 treats routers.

Pool. The inventory program. The router is a path. The pool is the shelf.

Layer	Lives where	What a clone can fake	What a clone cannot fake without you
Frontend	A server and a domain	Logos, numbers, “verified” badges	Your private key, unless you type it
Wallet connect	A session in the wallet app	A request that looks like the real app	A signature you refuse
Router	A contract on a chain	A different router with a similar name	The original router’s bytecode

Pool	A contract holding tokens	A copycat pool with the same ticker letters	The original pool's storage
------	---------------------------	---	-----------------------------

The real name on a fake page

A phishing site can print the real protocol name, the real Twitter handle, even the real contract hex in a footer, while the **Approve** request names a different spender. You do not verify the page's footer. You verify the address in the wallet's signature screen, then you verify that address on the explorer you typed from a bookmark: Etherscan for chain 1, BscScan for chain 56.

The Ethereum course already taught ABI and the idea that a wallet shows a function name if it knows the interface. "Contract interaction" without a named function is a stop sign until you understand the spender. Unlimited approve to an unknown spender is Module 6's wound. Today's wound is simpler: **the app is replaceable**.

Search ads, fake in-app browsers, and misspelled domains all attack this layer. Staff of this academy will never ask you to connect a wallet "so we can see your homework," and will never ask for a seed phrase, a private key, or a 2FA code.

What you actually sign

When the wallet pops, you are not signing "the website." You are signing a transaction or a typed-data request that will hit a chain. Read: network (chain ID), spender or `to` address, token, amount or the word unlimited, and fee in the native coin. If the site said BSC and the wallet says Ethereum, you are already in a wrong-chain story. Module 6 treats that failure.

Crystal Stones' published hex is for verification of a BEP-20 token, not for connecting a mystery dashboard. A site that says "official Crystal Stones DeFi, approve to farm" is selling a slogan. This academy does not run a farm. Tuition is **\$10 USDT BEP-20 through academy checkout**.

Worked scenario. A learner types a protocol name into a search box and clicks the first result.

170. The learner does not connect yet. The learner checks the domain spelling against a source they already trust, not against the page's own banner.
171. The learner opens the explorer from a bookmark and pastes the router address the docs named — if the page named none, that is a finding.
172. The learner connects the wallet only after the network in the wallet matches that explorer's chain.
173. On the first signature request, the learner reads the spender hex and compares it to the explorer, character by character at start and end.
174. The learner rejects any request that asks for a seed, a screenshot of recovery words, or remote screen control.

DIAGRAM


SIDE BY SIDE

REAL STACK

```
+-----+
| website A      |
```

HOSTILE APP WITH REAL NAME

```
+-----+
| website B (clone) |
```



Disconnect is not revoke

Disconnecting a site in a wallet app stops new requests from that session. It does not set allowance to zero. Allowance lives in the token program's storage. Module 2 will teach you to read it and to revoke it. Do not leave this lesson thinking the plug is the permission.

ACADEMY NOTE Academy rule: a logo is not a checksum. The checksum is the chain ID plus the contract hex plus the function you are about to sign. If any of those three is only a picture, you do not sign.

What this lesson is for

You can now point at the app as a replaceable costume and at the protocol as bytecode on a book. Next: BSC DeFi and Ethereum DeFi as the same family on two books.

Say this out loud

- The app is a website. The protocol is deployed code on a chain.
- Connecting a wallet is a session, not a deposit and not an approval.
- A fake frontend can print a real contract name and still ask you to approve a different spender.
- Disconnect is not revoke; allowance lives in the token program.
- Academy staff never ask for a seed, a key, or 2FA codes to "connect DeFi."

Next: same family of programs on Ethereum and on BNB Smart Chain — two books, not two nicknames.

Lesson 4: BSC DeFi vs Ethereum DeFi (same family, different book) (28 min)

BSC DeFi vs Ethereum DeFi (same family, different book)

Ethereum DeFi and BSC DeFi are the same **family of programs**: routers, pools, ERC-20-style tokens, approvals, gas paid in a native coin. They are not the same **book**. Intermediate already failed people who treated chain ID 1 and chain ID 56 as nicknames.

By the end of this lesson you should be able to compare the two books on the facts that bite a DeFi user: chain ID, native fuel, explorer, token standard name, and where Crystal Stones actually lives. This academy will not tell you to buy ETH or BNB.

Same family

Both chains run EVM-style contracts. That is why the same wallet apps can add both networks. That is why a swap on BSC feels like a swap on Ethereum: approve, then call a router, then a pool inventory changes.

BEP-20 is BSC's name for the ERC-20-style interface. Allowance, `transferFrom`, decimals — the same debit-order design.

Copied: address shape, transaction shape, ABI idea, “Contract Interaction” in the wallet, the habit of reading an explorer. Not copied: state, validator set, the list of deployed contracts, the native coin, the explorer's database, the gas price in local units.

A USDT row on Ethereum is a row in Ethereum's USDT contract. A USDT row on BSC is a row in BSC's USDT contract. Same letters on the bottle. Different notebooks. A pool that holds “USDT/WETH” on Ethereum does not hold your BSC USDT.

Different book

Ethereum mainnet: chain ID **1**, native coin **ETH**, explorer **Etherscan**. **BNB Smart Chain:** chain ID **56**, native coin **BNB**, explorer **BscScan**. Cheap gas on BSC is why this academy can ask for tiny practice without turning every test into a painful fee. Cheap gas is also why copycat tokens and copycat routers breed. Attackers like cheap books too.

Dear gas on Ethereum does not make a router honest. A verified scam on Etherscan is still a scam. “I paid a lot” is not an audit.

Fact	Ethereum DeFi	BSC DeFi
Chain ID	1	56
Fuel for every call	ETH	BNB
Public window	Etherscan	BscScan
Token interface style	ERC-20 (and others)	BEP-20 (ERC-20-style)
Where Crystal Stones is published	Not the home this academy verifies	BEP-20 <code>`0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`</code> , verify only
Same-looking 0x	A name on this book	A name on that book — not a bridge

Bridged is not the same as native, and neither is a blessing


People wrap, bridge, and rename. A wrapped native coin (WETH, WBNB) is a token program that represents the native coin inside ERC-20-style plumbing so pools can hold it. A bridged asset is a claim program on the destination chain. Those are extra contracts and extra failure cases. This course will not teach you to bridge as a skill. It will tell you to **name which contract you actually hold** before you approve a router.

Crystal Stones on BSC is the published BEP-20 this academy points at for verification. A ticker that says Crystal Stones on Ethereum is a different object until proven otherwise. Do not send the BEP-20 token to an Ethereum pool because a website used the same word.

Worked scenario. A learner wants to practice a tiny swap “like the tutorial screenshot.”

175. The learner reads the screenshot's network badge — or notices it has none, which is already a problem.
176. The learner sets the wallet to one chain and one chain only: 56 with BNB, or 1 with ETH.
177. The learner opens the matching explorer from a bookmark and pastes the router hex from a source that is not the first search ad.
178. The learner checks the token contracts the pool claims to hold, not the ticker letters on the website.
179. The learner does not try the other chain “because the address looks the same.”

DIAGRAM



Binance is still not BNB Smart Chain

Binance the company is an example of a centralised exchange. BNB Smart Chain is a public book. BNB the coin is fuel on that book and also an asset on the exchange. Withdrawing “USDT” from an exchange is a multiple-choice question about networks. Pick the book your wallet and your DeFi program actually use. The help desk cannot unwrite a public page if you chose the other book.

Academy checkout for this Intermediate course is **\$10 USDT BEP-20 through academy checkout**. That is BSC’s USDT, not Ethereum’s USDT, and not Crystal Stones token.

ACADEMY NOTE Academy rule: name four things before you approve a DeFi spender — asset contract, chain ID, explorer, fuel coin. If any of the four is guessed, stop. Same family is not same book.

What this lesson is for

You will stop saying “DeFi” as if it were one computer. Next: the list of things this course will refuse, including yield shopping.

Say this out loud

- Ethereum DeFi and BSC DeFi are the same family of programs on two books.
- Chain ID 1 burns ETH. Chain ID 56 burns BNB. State is not shared.
- BEP-20 is ERC-20-style plumbing, not a second physics.
- Crystal Stones is verified as a BEP-20 on BSC, not as a pool on Ethereum.
- Cheap gas is not an honesty stamp; dear gas is not one either.

Next: what this course will not teach — including why we will not shop for yield.

Lesson 5: What this course will not teach (no yield shopping) (24 min)

What this course will not teach (no yield shopping)

Intermediate is where academics get greedy. They start ranking farms, reprinting APY screenshots, and calling that “DeFi education.” This course will not. It will teach the objects — router, pool, allowance, collateral, LP receipt — so a percentage has fewer places to hide.

By the end of this lesson you should be able to tell a friend what six modules buy them, what they still will not be, and how this \$10 track is actually paid for. This academy will not tell you to buy Crystal Stones, ETH, BNB, or a pool share.

What you should be able to do by the last quiz

After six modules you should be able to: explain DeFi as programs that claim swap, pool, and lend; split an app from a protocol; read an allowance on an explorer and revoke it without folklore; describe a pool as inventories, not as a magic price machine; describe supplying as protocol custody with a liquidation function; describe an LP token as a receipt; and name the failure cases that empty wallets — fake frontends, unlimited approvals, wrong chain, and rugs that are functions.

You should **not** expect to be a quant, a farmer, an auditor, a liquidation bot operator, or a recovery agent. You should not expect a list of “safe” protocols. Safe is not a sticker this academy prints.

Yield shopping is a different course, and not this one

Yield is a word ads use for “this program promises extra tokens if you lock or stake.” Sometimes the extra is swap fees. Sometimes it is a newly minted reward token. Sometimes it is a screenshot. Shopping for the largest percentage trains you to skip liquidation, skip allowance, and skip the admin key.

This course will mention fees and reward programs only as objects that exist, so you can see the extra contract on top. It will not compare APYs. It will not invent a Crystal Stones farm. Crystal Stones’ mineral-vault story remains **their claim to verify**, not a yield product.

You might want	This course gives	This course refuses
A high APY list	Why a percentage can hide liquidation and admin mint	A ranking, a “best farm,” a telegram tip
A job in DeFi	Vocabulary and failure cases	A placement or a salary
A way to pay Intermediate	\$10 USDT BEP-20 through academy checkout	Crystal Stones token, ETH, a chat-paste 0x
An audit of a pool	How to name router, pool, allowance, explorer	A certificate that the pool is safe
Trading skill	Slippage and sandwich as pictures of how the design hurts	Entries, leverage, signals

How the \$10 actually works

This course is **paid Intermediate**. Price is **\$10 USDT on BNB Smart Chain (BEP-20) through academy checkout** or a third-party payment processor. That sentence is complete. It does not include ETH. It does not include the Crystal Stones token. It does not include a personal wallet an instructor pasted in chat.

The Crystal Stones contract `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` is listed so you can **verify** the published BEP-20 asset. Verification is not payment. If a checkout page ever tells you to send Crystal Stones to that contract, the page is wrong or hostile. Academy staff will never ask for a seed phrase, a private key, or 2FA codes to “unlock Module 2.”


Practice, when we ask for it, is tiny amounts you can lose. Prefer a test-size approve and a test-size swap on a named chain. Testnet — a practice computer with worthless play coins — is a valid drill. Rent money is not.

Worked scenario. A learner finished the Ethereum Intermediate course and wants this DeFi course.


180. The learner checks the course card: level intermediate, price \$10, paid track.
181. The learner looks for academy checkout in USDT BEP-20, not a direct message.
182. The learner ignores a “support” account that says pay in Crystal Stones for a discount.
183. The learner does not approve a router in order to pay tuition. Tuition is not a swap.
184. The learner starts Module 2 knowing this classroom is a seeing course, not a farm tour.

DIAGRAM

PAYING FOR THIS COURSE



NOT PAYING FOR THIS COURSE



The voice you should expect

Global. Adult. You plus the object: wallet, router, pool, explorer, invoice. Worked scenarios are numbered technical walkthroughs, not a cast. When Trust Wallet or MetaMask appears, they are examples of wallet apps. When Binance appears, it is an example of a centralised exchange. If a lesson feels like a rally, it has failed. If a lesson feels like a glossary dump, it has failed.

ACADEMY NOTE Academy rule: you are not behind if you still look up chain ID 56. You are behind if you sign an unlimited approve because a percentage was large. Use this course as a brake, not as a dare.

What this lesson is for

This is the map and the ethics in one place, so later modules can go faster without smuggling a shop. Next module: approvals, routers, and how a token actually leaves your row.

Say this out loud

- This course teaches DeFi as programs and as failure cases, not as yield shopping.
- It does not rank farms, give buy orders, or staff a recovery desk.

- Checkout is \$10 USDT BEP-20 through academy checkout, not Crystal Stones token.
- Crystal Stones' contract is verify-only, never a payment address.
- Academy staff never ask for seed phrases, private keys, or 2FA codes.

Next: approve as a debit order — the Ethereum lesson, taken deeper into routers.

Module quiz (answers included for editors)

Q1. A website says “DeFi means there is no company anywhere.” What is the precise correction?

- A. DeFi deletes wallet apps, explorers, and admin keys
- B. DeFi is programs that claim swap, pool, and lend; websites, admin keys, and companies can still sit around the edges
- C. DeFi is Crystal Stones token used as academy checkout
- D. DeFi is Binance under a different logo

Correct answer: B

Q2. After a learner taps Supply on a lending site, where do the tokens usually sit?

- A. In the website's logo, which is legal custody
- B. In academy checkout as pre-payment for Intermediate
- C. In the lending program's token row (protocol custody), while the learner holds a receipt
- D. In Crystal Stones' verify-only contract, which is the official vault

Correct answer: C

Q3. A page prints a famous protocol name in the footer but the wallet's Approve request shows a different spender hex. What should the learner do?

- A. Sign, because the footer is the protocol
- B. Refuse and verify the spender on the explorer for the named chain; the app is not the protocol
- C. Send Crystal Stones to 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 to whitelist the site
- D. Paste the seed phrase so the site can “sync the real contract”

Correct answer: B

Q4. A learner sets a wallet to BNB Smart Chain and pastes an Ethereum pool address. What is true?

- A. Same 0x letters share inventory across books
- B. The EVM will bridge the pool for free
- C. Same family of programs, different book: chain 56 state is not chain 1 state
- D. Crystal Stones' BEP-20 contract is the Ethereum pool

Correct answer: C

Q5. Someone tells the learner to pay this Intermediate course by sending Crystal Stones to the published contract. What should they do?

- A. Send CS token there; the contract is the cashier
- B. Send ETH there to convert automatically
- C. Refuse: that contract is verify-only; checkout is \$10 USDT BEP-20 through academy checkout
- D. Hand a seed phrase to staff so they can pay

Correct answer: C

Q6. Which statement matches this course's boundary?

- A. You will shop APY lists and enter the highest farm
- B. You will learn objects and failure cases; you will not get buy orders or yield rankings
- C. Staff may request 2FA codes to grade the quiz
- D. Verified source on an explorer means a pool is a buy

Correct answer: B

Q7. A learner disconnects a DeFi website in a wallet app. What did that do?

- A. Set every token allowance to zero on every chain
- B. Moved protocol inventory back to the EOA
- C. Ended that site's session; it did not revoke allowances stored in token programs
- D. Paid academy checkout in Crystal Stones

Correct answer: C

Q8. Why must a DeFi learner name ETH on Ethereum and BNB on BSC before any swap?

- A. Because Crystal Stones is the fuel on both books
- B. Because gas is the native coin of that book; a token row without fuel cannot pay the call
- C. Because Binance will sponsor gas if the ticker matches
- D. Because academy checkout burns ETH on BSC

Correct answer: B

Module 2: Approvals, routers, and token exit

Approve is a standing debit order on a token program. You will name the router as the usual spender, split allowance from balance, read allowance on an explorer, and revoke as approve-zero without folklore. Education only.

Lesson 1: Approve is a debit order (reuse Ethereum, go deeper) (26 min)

Approve is a debit order (reuse Ethereum, go deeper)

The Ethereum course already named **approve**: a storage write on a token program that sets how many units a **spender** may pull from your row with `transferFrom``. This lesson takes that object into DeFi, where

almost every swap and deposit starts with the same debit order, often set to a number so large it might as well be forever.

By the end of this lesson you should be able to say what an approval is, why a DeFi button asks for it, and why “I signed once” is not the same sentence as “I swapped once.” This academy will not tell you to approve any router.

The token program is the bank clerk

USDT, WBNB, Crystal Stones as a BEP-20, any ERC-20-style token — the list of balances lives in the token contract. Your wallet shows a number. The number is not coins in the wallet app. The number is a row. To let a router move that row, the token program must be told: this spender may take up to this amount.

Approve is that instruction. It is not a send. After approve, your visible balance can stay the same. What changed is **allowance** — a second number, keyed by (you, spender). The Ethereum picture was a standing debit order. Keep it. DeFi is where people sign the debit order with the word unlimited and then are surprised months later.

A **spender** is usually another contract: a router, a lending pool, a “zap,” an aggregator. It is not the website. If the website is cloned, the spender hex in the wallet pop is the object that matters.

Unlimited is a convenience with a memory

Many frontends ask for the maximum uint256 value so they never have to ask again. That is convenient. It is also a debit order that survives the swap, survives disconnecting the site, and survives you forgetting the site existed. If the spender is later hacked, or if it was hostile from the first minute, it can pull until the allowance is spent or revoked. Your later deposits refill the same drain.

Exact-amount approve is slower UX: you sign approve, then you sign the swap, and next week you sign approve again. Slower is not morally better in every case. It is a smaller standing order. This course will not pretend one button is always right. It will refuse the folklore that unlimited is “just how DeFi works, so it is safe.”

Action	What storage changes	What your wallet shows next	What can still happen later
Approve 50 USDT to a router	Allowance(you, router) = 50	Balance unchanged	Router may pull up to 50
Approve unlimited	Allowance = a huge number	Balance unchanged	Router may pull until you revoke or you are empty
Swap after approve	Token rows move; allowance may decrease	Token A down, token B up	If allowance remains, another pull is still legal
Disconnect the website	Nothing on-chain	Site gone from the session list	Allowance remains

Approve is a separate transaction from the job

On most EVM designs you pay gas twice for a first-time swap: once to write allowance, once to call the router. Both burn native coin — ETH on chain 1, BNB on chain 56. A failed approve still costs gas if the

transaction was mined and reverted or if you set a fee and it landed. The Ethereum course taught “failed still costs.” DeFi does not repeal that.

Some newer token designs use `permit` (a signature that sets allowance without a separate on-chain approve). That is still a debit order. It is just packed differently. If a wallet asks you to sign typed data you do not understand, treat it as an approval request and read the spender.

Crystal Stones is a BEP-20. It can have allowances like any other. The published contract ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` is verify-only. Do not approve a mystery spender because a page said “official CS DeFi.” Do not pay this course by approving anyone. Tuition is **\$10 USDT BEP-20 through academy checkout.**

Worked scenario. A learner taps Swap. The wallet pops Approve.

185. The learner reads the network: chain 56 needs BNB; chain 1 needs ETH.
186. The learner reads the token and the spender hex, not only the website title.
187. The learner notices whether the amount is a small number or the word unlimited (or a string of 1s and Fs).
188. The learner compares the spender to a router address on the explorer from a bookmark.
189. If the spender is unknown, the learner rejects. If the learner proceeds at all, the size is a practice amount they can lose.

DIAGRAM

BEFORE APPROVE	AFTER APPROVE (NO SWAP YET)
+-----+	+-----+
Token program	Token program
balance(you) = 100	balance(you) = 100
allowance(you, R) = 0	allowance(you, R) = UNLIMITED
+-----+	+-----+
Wallet still shows 100. The debit order is already live.	

Staff will not ask you to approve “the academy”

Academy staff will never send a spender hex in chat “to unlock the module.” They will never ask for a seed, a private key, or 2FA. A debit order is something you create, on a chain you named, for a program you looked up.

ACADEMY NOTE Academy rule: approve is not a handshake with a brand. It is a number in a token program that says a spender may pull. Read the spender. Prefer small practice sizes. Unlimited is a memory, not a courtesy.

What this lesson is for

You reused the Ethereum debit-order picture and planted it in DeFi, where the first button is often the dangerous one. Next: the usual spender — the router.

Say this out loud

- Approve writes allowance; it does not send tokens by itself.

- Unlimited approve is a standing debit order that survives the swap and the disconnect.
- The spender is a contract hex, not a website title.
- Gas for approve is native coin on that chain, separate from the later swap.
- This academy will not ask you to approve a router to pay tuition.

Next: router contracts — the program that talks to pools on your behalf.

Lesson 2: Router contracts (27 min)

Router contracts

A **router** is a program that takes a user's swap (or add/remove liquidity) and calls one or more **pools**. You almost never tap the pool first. You tap a button. The button asks your wallet to call the router. If you approved the router, it can pull the input token and send you the output token.

By the end of this lesson you should be able to say what a router is for, why so many DeFi screens hide it, and why approving "the exchange" is really approving this contract. This academy will not tell you which router to use.

Why a router exists

A pool holds two inventories and a pricing rule. A useful swap might need a path: token A to token B through token C, across two pools. The router's job is to walk that path in one transaction so you do not have to hold the middle token or sign twice. It is plumbing. It is also a **spender** with a wide job: many tokens, many pools, many functions.

Routers usually have functions with names like ``swapExactTokensForTokens``, ``addLiquidity``, ``removeLiquidity``. You do not need to memorise the list. You need to know that **the router is allowed to pull whatever you approved**, then call pools, then send leftovers to an address in the call data — hopefully yours.

A **factory** is a related program that creates pool contracts. You rarely approve the factory for a simple swap. You meet it when a new pair is first created. Do not confuse factory, router, and pool. Three programs. Three addresses. One website drawing all three as a single logo.

The router is the debit-order counterparty

When a frontend says "allow USDT to trade," the spender is typically the router, not the pool, not the company, not academy checkout. If you later use a different website that talks to the **same** router, your old allowance still applies. If you use a website that talks to a **different** router, you are looking at a new spender and a new debit order.

Copycat routers are a standard attack. They speak enough of the same ABI that a wallet shows a familiar function name. They take the pulled tokens and do not send the output you expected. The explorer will show a successful transaction. Success means the call did not revert. It does not mean you got a fair swap.

Object	Typical job	You approve it?	Failure if you mix it up
Pool	Holds inventories; prices a swap against $x*y=k$	Rarely, for some designs	Sending tokens straight to a pool with no call

	(Module 3)		
Router	Paths your call through pools	Usually yes	Unlimited approve to a copycat router
Factory	Creates new pool contracts	Rarely for a swap	Treating a create-pair event as “the exchange”
Frontend	Draws buttons	Never — it is not a chain object	Thinking the domain is the spender

Path, recipient, and deadline are not decorations

A router call usually names: which tokens, how much in, minimum out, the path of pool hops, the **recipient** address, and a **deadline**. If the recipient is not your EOA, the output goes elsewhere. If the deadline is already past, the call should revert — and you still pay gas for the attempt. If the path uses a pool you did not inspect, you are swapping against an inventory you did not name.


Wallet apps such as Trust Wallet and MetaMask — examples only — may show a decoded function if they know the ABI. If they show only “Contract Interaction,” you are signing a blind call. Blind calls are how routers get replaced under a familiar logo.

Crystal Stones as a BEP-20 can appear in a path if a pool exists. That is not a reason to buy it, and not a reason to treat the published verify-only hex as a router. Tuition remains **\$10 USDT BEP-20 through academy checkout**.

Worked scenario. A learner is asked to “use the official router.”

190. The learner opens the explorer for the correct chain from a bookmark.
191. The learner pastes the router hex and checks it is a contract with verified-or-at-least-present bytecode, not an EOA.
192. The learner looks at recent transactions: do they look like swaps, or like a newly born drain?
193. The learner checks the approve spender in the wallet against that same hex.
194. The learner uses a tiny input size. A router that works for 1 USDT can still be the wrong object for a life-changing amount, and this academy will not name a life-changing amount.

DIAGRAM



A router does not owe you a help desk

If the call succeeds and the recipient was wrong, the book will not parent you. If the call reverts, you lost gas, not (usually) the input token. If the router has an admin upgrade, yesterday's bytecode is not today's. Module 6 treats upgradeable hostility. Today: name the router as a program with a hex, not as a brand.

ACADEMY NOTE Academy rule: you approve a router hex on a named chain. You do not approve “DeFi,” “the exchange,” or “Crystal Stones support.” If a chat sends a router address, it is not this academy.

What this lesson is for

You can now point at the router as the usual spender that talks to pools. Next: allowance and balance as two different numbers, so a zero screen does not mean a dead debit order.

Say this out loud

- A router is a program that paths a swap or liquidity call through pools.
- Factory, router, and pool are three addresses; a website is a fourth, off-chain object.
- Approving “the exchange” is usually approving the router hex.
- Recipient and path in the call matter as much as the button label.
- A successful router transaction means “did not revert,” not “this was fair.”

Next: allowance versus balance — the two numbers that DeFi wallets love to flatten.

Lesson 3: Allowance vs balance (25 min)

Allowance vs balance

Balance is how many units the token program says your address owns. **Allowance** is how many units it will let a given spender pull. Wallets shout the first number. DeFi risk lives in the second. If you only watch balance, you will think you are safe when you are empty and still wide open when you refill.

By the end of this lesson you should be able to hold both numbers at once, including the ugly case: balance 0, allowance unlimited. This academy will not tell you to keep either number large.

Two keys in the same notebook

Inside an ERC-20-style contract, storage has a map of balances and a map of allowances. ``balanceOf(you)`` is one read. ``allowance(you, spender)`` is another. A swap that uses ``transferFrom`` checks the allowance, pulls up to that cap, and (in the standard design) decreases the allowance unless it was the infinite value some implementations treat as sticky.

Your wallet app may not show allowance at all. Trust Wallet and MetaMask — examples of wallet apps — often show token lists and dollar-named totals. They may hide spender permissions behind a settings screen or leave them to an explorer. The number you glance at is not the debit order.

If a spender is allowed 1,000 USDT and you hold 40, it can take 40. If you later receive 900, it can take more, until the remaining allowance is exhausted — or forever, if you signed unlimited.

Zero balance is not a closed debit order

People “clean out” a wallet, see 0, and screenshot safety. The allowance row can still be a huge number. The next inbound transfer — a payroll, a refund, a test send from a friend — is then pullable. Attackers sometimes wait. They sometimes leave a dust balance so you do not abandon the address.

Revoke is the tool that sets allowance toward zero. The next lesson reads it; the one after that revokes it. Today you only need the split: **empty is not revoked**.

What you see	Balance	Allowance to router R	What R may pull now
“I have 200 USDT”	200	0	Nothing via transferFrom
“I swapped once, still 80”	80	unlimited	Up to 80 now, and more if you refill
“I sent it all away”	0	unlimited	Nothing now; everything that arrives later
“I revoked”	80	0	Nothing via that spender until you approve again

Native coin has no ERC-20 allowance

ETH on Ethereum and BNB on BSC are native balances on the account, not rows in a token program. A router call that spends native coin uses `value` on the transaction, not `approve`. Wrapped native (WETH, WBNB) is a token program: it does use allowance. Mixing those two is how people “approve BNB” in their head and then sign an unlimited WBNB approve with their hand.

Gas is always native. You can have a large token balance, a large allowance, and still be stuck because you cannot pay the router call. You can also have a tiny native balance, tap a revoke, and fail because revoke costs gas too.

Crystal Stones, as a BEP-20, has balance and allowance like USDT. Seeing a Crystal Stones row does not mean you approved a spender, and approving a spender does not pay academy tuition. Checkout is **\$10 USDT BEP-20 through academy checkout**. The published CS hex is verify-only.

Worked scenario. A learner’s wallet shows 0 USDT after a swap.

195. The learner does not celebrate. The learner names the router they approved an hour ago.
196. The learner will, in the next lesson, read `allowance(learner, router)` on the explorer.
197. The learner does not send a fresh USDT paycheck to that EOA until they know the allowance number.
198. The learner checks they still have native coin — not because USDT pays gas, but because the next action needs fuel.
199. The learner ignores a chat that says “send Crystal Stones to reset allowance.” Allowance is a token-program write, not a tribute.

DIAGRAM

TOKEN PROGRAM STORAGE (same contract)

```
+-----+ +-----+
| balances | | allowances |
```

you -> 0 USDT		you, router -> UNLIMITED	
pool -> 50,000 USDT		you, other -> 0	
+-----+			

LEFT is the screenshot. RIGHT is the debit order. They are not twins.

Aggregators multiply the spender list

Some apps route through an aggregator contract that then calls several routers. You may approve the aggregator, not the famous router you thought you were using. Each extra spender is an extra debit order to track. This course will not rank aggregators. It will tell you to read the spender hex every time the wallet pops.

ACADEMY NOTE Academy rule: quote two numbers before you call a wallet “empty” — native fuel, and allowance for each spender you remember. If you cannot name the spenders, you are not done. You are guessing.

What this lesson is for

You can now refuse the single-number screenshot. Next: how to actually read allowance on Etherscan or BscScan without a folklore app.

Say this out loud

- Balance is what you own in the token list; allowance is what a spender may pull.
- Zero balance with unlimited allowance is an open debit order waiting for a refill.
- Native ETH or BNB does not use ERC-20 approve; wrapped versions do.
- An aggregator is another spender, not a synonym for the famous router.
- Crystal Stones balance is not tuition; checkout is USDT BEP-20 through academy checkout.

Next: reading allowance on an explorer — a Read Contract call, not a vibe.

Lesson 4: How to read allowance on an explorer (28 min)

How to read allowance on an explorer

Allowance is a public number. You do not need a branded “revoke app” to see it. You need the token contract, your address, the spender address, and the explorer for that chain. The Ethereum course already taught Read Contract. This lesson uses that tab for the debit order.

By the end of this lesson you should be able to walk a Read Contract query for ``allowance(owner, spender)`` on BscScan or Etherscan and interpret zero, a small number, and a wall of f’s. This academy will not tell you to connect a third-party “approval checker” as a requirement.

Gather four objects first

1. Chain. Chain ID 1 → Etherscan. Chain ID 56 → BscScan. Open it from a bookmark. A fake explorer will happily show a fake zero.

2. Token contract. Not the ticker. USDT on BSC is not USDT on Ethereum. Crystal Stones, if you are verifying the published asset, is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` on BSC — verify only, not a spender, not checkout.

3. Owner. Your EOA. The address the wallet app shows for that network.

4. Spender. The router or aggregator you approved. If you do not have this hex, you cannot finish the read. You may find it in a previous transaction: look for an ``Approval`` event on the token's page, or for the ``to`` address of your approve transaction.

Some explorers offer an “Approval Checker” or token-approval list. Those are convenience views of the same events. They are not magic. They can be incomplete if you used a different token or a different chain. The raw Read Contract call is the skill.

Read Contract is a view, not a send

On the token's explorer page, open **Contract** → **Read**. Find ``allowance``. Paste owner, then spender. The returned integer is the remaining debit order, in the token's smallest units. You must know **decimals**. USDT is often 18 on BSC and 6 on Ethereum — do not assume. Divide by 10^{decimals} to get the human amount. A value that looks like $2^{256}-1$ (a long string of 9s, or `0xffff...`) is unlimited for practical purposes.

Calling Read Contract does not cost gas. It does not require connecting a wallet. If a page demands a wallet connection only to **display** allowance, you are in an app layer. You may refuse and use the explorer's read tab instead.

Returned value	Practical meaning	Next move
0	That spender cannot transferFrom right now	No revoke needed for this pair
A modest integer	Remaining cap	Decide if you still want that cap
A huge integer / max uint	Unlimited standing order	Treat as open until you revoke
Error / empty	Wrong chain, wrong contract, or not a token	Stop guessing; check the four objects

Approval events are a paper trail

Token programs emit an **Approval** event when allowance is written. On the token's explorer page, the Events tab can show owner, spender, and value. A later approve of zero should emit a matching event. Events are history. The Read call is the current number. Use both if they disagree: the current number wins for what the spender can do **now**.

Wallet apps may also list “connected sites.” That list is sessions, not allowances. You already killed that confusion in Module 1. Do not use the connected-site list as an allowance report.

Worked scenario. A learner wants to know whether a router can still pull USDT on BSC.

200. The learner opens BscScan from a bookmark (chain 56).

201. The learner pastes the USDT BEP-20 contract they actually hold — not a screenshot ticker, not Crystal Stones' verify-only hex unless they are reading CS allowance on purpose.

202. The learner opens Read Contract → `allowance`, pastes their EOA as owner and the router as spender.
203. The learner notes decimals and converts the integer, or recognises the unlimited pattern.
204. The learner does not send USDT, BNB, or Crystal Stones to the explorer, to the token contract, or to a chat that offered to “check approvals for a fee.”

DIAGRAM

EXPLORER READ (view only)	WALLET POP (would cost gas)
+-----+	+-----+
Token contract page	Approve / write
Read: allowance(you, R)	changes storage
result: integer	burns native coin
+-----+	+-----+
LEFT is looking. RIGHT is changing. Do not confuse the tabs.	

What this academy will not make you install

You do not need a new app to read a number. You do not need to paste a seed into an “approval dashboard.” Staff will never ask for a seed, a private key, or 2FA to “pull your allowance report.” Tuition is not an approval check. Tuition is **\$10 USDT BEP-20 through academy checkout**.

ACADEMY NOTE Academy rule: four objects — chain, token contract, owner, spender — then one read. If a helper site wants a signature only to show you a number, you already have a better tool: the explorer’s Read tab.

What this lesson is for

You can now fetch the debit-order number without folklore. Next: revoke as approve-zero, without rituals.

Say this out loud

- Allowance is a public read: owner, spender, token contract, named chain.
- Read Contract does not cost gas and does not require connecting a wallet.
- A max-uint result is an unlimited standing order, not a decoration.
- Approval events are history; the read is the current cap.
- Connected sites in a wallet are not an allowance report.

Next: revoke without folklore — set the number to zero, pay gas, and know what that does not undo.

Lesson 5: Revoke without folklore (24 min)

Revoke without folklore

Revoke means: write allowance for that spender back to zero (or to a smaller number). On ERC-20-style tokens, that write is usually another `approve`, this time with amount 0. It is not a spell. It does not reverse a pull that already happened. It does not recover tokens. It does not need a special “official revoke chain.”

By the end of this lesson you should be able to describe a revoke as a paid storage write, list what it cannot repair, and refuse apps that ask for a seed to “clear permissions.” This academy will not tell you which helper website to use.

Revoke is approve(spender, 0)

The token program already has the function. You call it. You pay gas in the native coin of that chain. After the transaction succeeds, `allowance(you, spender)` should read 0. If it does not, you are on the wrong chain, the wrong token, or the transaction never wrote what you thought.

Some tokens have a non-standard approve (they require you to set zero before a new non-zero amount). That quirk can make a revoke-and-reapprove dance. It is still the same object: a number in storage. Helper sites that batch many revokes are calling the same functions and charging you gas per write, plus whatever extra their own contract does. Read the spender they are asking you to call.

A revoke does not move your balance. If a hostile spender already pulled, those units are in someone else’s row. The Ethereum safety habit still applies: tiny practice sizes so a pull is not a life.

What revoke will not do

It will not stop a transaction that is already in the mempool. It will not cancel a swap that already succeeded. It will not close a lending position. It will not burn an LP token. It will not unsandwich you. It will not parent a wrong-chain send. It will not pay or refund academy checkout.

It will not replace self-custody hygiene. If someone has your private key, they can approve again after you revoke. Revoke is for the case where **you still hold the key** and a spender still holds a debit order.

Action	Changes allowance?	Returns stolen tokens?	Costs gas?
Revoke (approve 0)	Yes, toward zero	No	Yes, native coin
Disconnect website	No	No	No
Hide the token in the wallet UI	No	No	No
Send remaining balance to a new EOA	No (old EOA still has the allowance)	No — it just moves what is left	Yes
Give staff your seed “to revoke for you”	That is theft	No	You lose the account

New address versus revoke

Moving to a new EOA leaves the old allowance on the old address. That is useful if the old key might be copied. It is not a revoke. The old address’s remaining tokens are still pullable until you move them **and** you accept that any later send to the old address is at risk. A new address also needs its own native coin for gas. Do not send the seed of the old address to the new app. Importing a seed is the same key.

Crystal Stones revoke would be an approve-zero on the BEP-20 token, if you ever approved a spender for it. That is not a payment. Do not send CS to `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` “to clear.” That contract is verify-only. Do not send USDT there either. Course payment is **\$10 USDT BEP-20 through academy checkout**.

Worked scenario. A learner found an unlimited allowance to a router they no longer want.

205. The learner confirms chain, token, owner, spender on the explorer Read tab.
206. The learner checks native coin for gas — BNB on 56, ETH on 1.
207. The learner calls `approve(spender, 0)` from the wallet or the explorer's Write tab, having verified they are on the real explorer.
208. The learner waits for the transaction to succeed, then reads allowance again. The second read is the proof, not the wallet's happy toast.
209. The learner does not paste a seed into a "one-click revoke all chains" page.

DIAGRAM

BEFORE REVOKE	AFTER SUCCESSFUL REVOKE
+-----+	+-----+
allowance(you, R)	allowance(you, R)
= UNLIMITED	= 0
balance = 80	balance = 80
+-----+	+-----+
Same balance. Dead debit order. Stolen units, if any, are not in this picture.	

Folklore to drop

"Revoke on a full moon." No. "Revoke only with this sponsored tool." No. "Revoke by sending 0 tokens to yourself." No. "Academy support can revoke if you share 2FA." No. Staff will never ask for seed, key, or 2FA. A revoke is your signed write, on a named token, on a named chain.

ACADEMY NOTE Academy rule: revoke is a paid, boring write. Proof is a post-transaction allowance read of zero. Anything that wants a seed to do this job is not a revoke tool.

What this lesson is for

You can now retire a debit order without a ritual. Next module: the pools those routers actually talk to — inventories, not slogans.

Say this out loud

- Revoke is `approve(spender, 0)`, a storage write that costs native gas.
- It does not reverse a pull that already succeeded.
- Disconnecting a site is not revoke; hiding a token is not revoke.
- A new EOA does not erase the old address's allowances.
- Academy staff will never ask for a seed to "clear approvals."

Next: a pool is two (or more) inventories in a program — the object a router calls.

Module quiz (answers included for editors)

Q1. A learner signs Approve, then sees the same USDT balance as before. What happened?

- A. The swap already completed and the wallet is lagging
- B. Allowance was written; balance does not have to move until `transferFrom`

- C. Crystal Stones checkout absorbed the USDT
- D. Gas is paid in USDT, so the balance will drop later by itself

Correct answer: B

Q2. A DeFi website says “Allow the exchange to trade.” What object is usually the spender?

- A. The website domain name, stored on-chain
- B. Academy checkout’s third-party payment processor
- C. The router contract hex the wallet shows in the approve request
- D. Crystal Stones’ verify-only contract, which is the official router

Correct answer: C

Q3. A wallet shows 0 USDT after a swap. Unlimited allowance to router R remains. What is true?

- A. The debit order is dead because the balance is zero
- B. R can pull future USDT that arrives at that EOA until revoke or a smaller remaining cap
- C. The explorer will automatically revoke at midnight
- D. The learner should send Crystal Stones to R to close the order

Correct answer: B

Q4. How should a learner read current allowance without folklore?

- A. Paste a seed into any approval-checker ad
- B. On the token’s explorer Read Contract: allowance(owner, spender) on the correct chain
- C. Ask academy staff for 2FA so they can read it
- D. Send 0 tokens to 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00

Correct answer: B

Q5. What does a successful revoke prove?

- A. Stolen tokens returned automatically
- B. Allowance for that owner-spender-token is now zero (or the new number); past pulls stay pulled
- C. Every chain is now clean
- D. Tuition was paid in Crystal Stones

Correct answer: B

Q6. Why is unlimited approve a memory rather than a courtesy?

- A. Because it expires every block
- B. Because it survives the swap, disconnect, and later refills until revoked or drained
- C. Because Binance guarantees it
- D. Because Crystal Stones RWA insures it

Correct answer: B

Q7. A helper site wants a seed phrase “to revoke all approvals on all chains.” What should the learner do?

- A. Provide the seed; staff do this too
- B. Refuse: revoke is a signed approve(0) you send; anyone who wants the seed is not this academy
- C. Send USDT to Crystal Stones’ contract instead
- D. Disconnect the site, which already sets allowance to zero

Correct answer: B

Q8. A learner holds USDT on BSC and ETH on Ethereum. They want to revoke a BSC router. What fuel is required?

- A. ETH, because Ethereum is “the real DeFi”
- B. Crystal Stones token
- C. BNB on chain 56, because revoke is an on-chain write on that book
- D. No fuel, because Read Contract already changed storage

Correct answer: C

Module 3: AMMs and swaps

A pool is inventories in a program. You will see $x*y=k$ as a shelf-linking rule, split price impact from slippage, look at sandwich as a public-mempool picture (not a trading course), and remember that a failed swap still burns native gas.

Lesson 1: A pool is two (or more) inventories in a program (26 min)

A pool is two (or more) inventories in a program

An **automated market maker (AMM)** pool is a contract that holds inventories of two or more tokens and sells them to callers according to a rule. It is not a shopkeeper. It is not a company matching your order to another human’s order. It is shelves plus a formula.

By the end of this lesson you should be able to point at a pool as token balances at a contract address, say who put those balances there, and refuse the sentence “the exchange has liquidity” as if liquidity were a mood. This academy will not tell you to deposit into a pool.

Inventory is a token row, not a feeling

On an explorer, a pool address holds a balance of token A and a balance of token B (and sometimes more). Those balances are rows in the token programs, credited to the pool’s contract. When you swap, you add to one row and take from the other, paying a fee that stays in the pool. When you add liquidity, you add to both rows and receive an **LP token** — Module 5. When you remove liquidity, you burn the receipt and take a share of whatever is on the shelves now.

Liquidity, in this design, means: the inventories are large enough, relative to your trade, that the formula does not move the price too violently. It is not “this brand is trusted.” A pool can be liquid and hostile. A pool can be honest and thin.

People also deploy pools with fake tokens that reuse a ticker. The inventory of “USDT” in a pool is the inventory of **that USDT contract**. Wrong contract, wrong shelf.

Who filled the shelves

Liquidity providers (LPs) deposited both sides (or a program deposited for them). The pool minted a receipt. The router usually handled the deposit call. There is no warehouse manager counting boxes at night. If LPs leave, the shelves shrink. If an admin can pull, the shelves can vanish in one function — Module 6’s rug picture.

A company market-maker on a centralised exchange, such as a desk at Binance (an example of a CEX), can quote and walk away under house rules. An AMM pool quotes as long as the inventories and the formula allow. That is the replacement claim from Module 1, made concrete: **the matching job is a contract holding stock**.

Picture	What the pool actually is	What that picture gets wrong
A shop	A contract with token rows	You cannot argue with a clerk
A company order book	Inventories + a pricing rule	There is no other human filling your order inside the pool
“The exchange’s money”	LP deposits plus fees	The brand does not owe you the inventory
A vault for Crystal Stones	Only if that BEP-20 is actually in the pool	Ticker letters are not the asset

Two tokens, sometimes more

The classic picture is a **pair**: USDT and WBNB, or USDT and WETH. Some designs hold many assets in one vault. The extra complexity does not change the first sentence: programs holding inventories. Wrapped native coins exist so a pool can hold “BNB-like” or “ETH-like” units inside ERC-20-style plumbing. Swapping BNB often wraps under the hood. You still pay gas in native coin on top.

A pool on Ethereum does not hold a BSC inventory. You already have that geography. Repeat it at the pool: the pool hex is on one book.

Crystal Stones may or may not sit in some pool. This academy will not send you to find one. The published hex `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` is for verifying the token contract, not for sending inventory to “the official pool.” Tuition is **\$10 USDT BEP-20 through academy checkout**.


Worked scenario. A learner is shown a website card: “USDT/BNB pool — deep liquidity.”

210. The learner names the chain in the wallet and opens the matching explorer.
211. The learner pastes the pool contract, not the ticker pair, and checks it is a contract holding two token addresses.
212. The learner opens each token address and confirms they are the USDT and wrapped-BNB contracts they actually mean.

213. The learner looks at the pool’s token balances on the explorer — the shelves — not the cartoon depth on the website.

214. The learner does not add liquidity. This lesson is naming, not depositing.

DIAGRAM



The router stands in front; the pool is the shelf

You usually do not send tokens to the pool with a blank transfer. A blank transfer can credit the pool’s row without minting you a receipt — a well. The Ethereum course already warned about sending tokens to a token contract. Sending to a pool without the right function is the sibling mistake. The router’s add-liquidity function is the usual door. Doors can still be copied.

ACADEMY NOTE Academy rule: a pool is inventories plus code at a hex on a named chain. “Deep liquidity” on a banner is not a balance read. Read the shelves. Tiny size if you ever touch them. This classroom will not tell you to.

What this lesson is for

You can now see a pool as shelves in a program. Next: the famous formula, without pretending you are a quant.

Say this out loud

- An AMM pool is a contract holding two or more token inventories.
- Liquidity here means inventory size relative to the trade, not a brand mood.
- Ticker letters are not the token contract in the pool.
- Do not blank-transfer tokens to a pool and expect a receipt.
- Crystal Stones’ published hex is a token to verify, not an official pool to fill.

Next: $x*y=k$ as a picture of how those two shelves move — not as a trading desk.

Lesson 2: $x*y=k$ without pretending you are a quant (27 min)

$x*y=k$ without pretending you are a quant

Many AMM pools use a **constant-product** rule: if x is the inventory of token A and y is the inventory of token B, the program tries to keep $x * y = k$ (with fees, k actually creeps up). You do not need to become a quantitative analyst. You need the picture: **taking a lot of A requires putting in enough B to keep the product from collapsing**, which is why large trades move the price against you.

By the end of this lesson you should be able to walk a tiny numerical example, say what k is for, and refuse both “the formula guarantees a fair price” and “the formula is a scam.” This academy will not tell you to trade around k .

What the product is protecting

If a pool has 80,000 USDT and 200 WBNB, a naive product is $80,000 \times 200 = 16,000,000$. If you buy WBNB, you remove WBNB and add USDT. The program chooses amounts so the new product stays near k (plus a fee that fattens the inventories). If you try to buy most of the WBNB, the USDT you must add explodes. That explosion is **price impact** — next lesson. Today: the shelves are linked.

k is not a promise about the rest of the world. It is not an oracle of “true price.” It is the pool’s internal rule. If the rest of the world prices WBNB differently, traders will swap until this pool’s implied price is close enough, or they will ignore this pool because it is too thin or too hostile. Arbitrage is a behaviour, not your homework.

Fees are usually a small fraction left in the pool on each swap. That is how LPs might earn. “Might” is doing work: inventory ratios also change. Module 5 names **impermanent loss** as a comparison, not as a curse.

You are not a quant if you can multiply

A worked miniature, rounded on purpose. Suppose a tiny pool holds 100 of token A and 100 of token B, $k = 10,000$. You sell 10 A into the pool. To keep $x*y = 10,000$, new $x = 110$, so new $y = 10,000/110 \approx 90.9$. You receive about 9.1 B, not 10. The pool now has more A and less B. The next seller of A gets an even worse deal. That is the whole trick.

Real pools add fees, rounding, and sometimes concentrated ranges. Those details change the numbers. They do not change the sentence: **you trade against inventory, and the rule moves the quote as inventory moves.**

Claim	Useful meaning	Not the meaning
$x*y=k$	Inventories stay linked by a product	A guarantee you cannot lose
“The pool price”	Implied ratio of the two shelves	The global true price of anything
Fee	A slice left in the pool	A salary, a bank interest rate, a promise
Deep pool	Large x and y relative to your size	Honest admin keys

Constant product is not the only rule

Other designs use different curves, stableswap-style formulas for similar assets, or concentrated ticks. You do not need the algebra. You need: **name the rule family before you trust a screenshot**. A “stable” pool can still hold a token that is not stable. A constant-product pool can still be the honest one on the list. The explorer will not print k in a heart shape. It will print balances. You can multiply.

This academy will not tell you which curve is best. Best is a trading word. We are in a seeing course.

Crystal Stones is not k . It is a BEP-20 token. If it sits in a pool, that pool has its own x and y . Verifying `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` does not tell you the pool math. Do not send CS or USDT to that hex as if it were a pool. Checkout remains **\$10 USDT BEP-20 through academy checkout**.

Worked scenario. A learner sees “price 400 USDT per BNB” on a pool page.

215. The learner reads the two inventories on the explorer instead of the banner.
216. The learner divides y -related units into x -related units (carefully with decimals) to see the implied ratio.
217. The learner asks whether their intended swap is small compared with those inventories.
218. The learner does not treat k as insurance.
219. The learner remembers a different book (Ethereum vs BSC) has a different pool and a different k .

DIAGRAM

BEFORE YOUR BUY OF B

```
+-----+
| x = 100 A      |
| y = 100 B      |
| k = 10,000     |
+-----+
```

AFTER (CONSTANT PRODUCT)

```
+-----+
| x = 110 A      |
| y ≈ 90.9 B     |
| k ≈ 10,000     |
+-----+
```

You added 10 A. You received about 9.1 B, not 10.

The ratio moved. That move is the design, not a glitch.

Failure case: believing k parents you

If a token in the pair can be minted by an admin, k will still hold while you are sold newly printed paper against the real side. The formula does not know about mint buttons. If the frontend lies about reserves, k on the website is fan fiction; k on the explorer is the book. Always prefer the book.

ACADEMY NOTE Academy rule: $x*y=k$ is a shelf-linking rule. It is not a fair-price authority and not a scam by itself. Multiply the inventories in your head. If you cannot name x and y , you are not looking at a pool. You are looking at a poster.

What this lesson is for

You can now describe constant product as linked shelves without running a trading desk. Next: slippage and price impact — the words wallets use when this math meets your size.

Say this out loud

- Constant product links two inventories so a large take on one side costs a large add on the other.
- k is the pool's internal rule, not an oracle of the outside world.
- Fees stay in the pool; they are not a guaranteed salary.
- Other curves exist; name the family before trusting a screenshot.
- A mint button on one token can keep k true and still empty the other shelf.

Next: slippage and price impact — guards on the quote, not decorations.

Lesson 3: Slippage and price impact (25 min)

Slippage and price impact

Price impact is how much **your** trade moves this pool's implied price because you changed the shelves.

Slippage is how far the actual fill is allowed to differ from the quote you saw when you tapped. Wallets mix the words. You will keep them apart so a setting is not a superstition.

By the end of this lesson you should be able to say why a thin pool punishes size, what a slippage-tolerance percentage does in a router call, and how both too-tight and too-loose settings fail. This academy will not tell you which percentage to pick as a trading rule.

Price impact is the pool talking about your size

In the tiny 100/100 pool, buying 10 of B was not a 10% haircut by accident. You moved a tenth of the shelf. In a pool with 10,000,000 of each, the same 10 is a rounding error. **Impact is relative to inventory**, not to your feelings about money. A “small” trade in rent terms can be large for a new fake pool with \$400 on the shelves.

The frontend quote is a simulation: if the state stays like this until your transaction lands, you would get about N . The chain does not pause for you. Other swaps can land first. Your mined transaction then sees different x and y . That gap is why routers ask for a **minimum amount out**.

Slippage tolerance is a guardrail on minimum out

When you set 0.5% slippage, the app computes a minimum you will accept, usually a bit below the quoted out. The router reverts if the fill would be worse than that minimum. Revert means you keep the input token (in the usual design) and you still pay gas. The next lesson treats failed swaps. Today: **tight guardrail → more reverts. Loose guardrail → more ugly fills that still succeed.**

A hostile frontend can show 0.5% and encode 50% in the call. Read the decoded minimum if the wallet shows it. If it shows only “Contract Interaction,” you are back in Module 2's blind-call warning.

Setting	What it asks the router	Typical failure
Very tight (near 0%)	Almost no movement from the quote	Revert in a busy pool; you paid gas for a no
Modest	Small room for other trades and impact	Still reverts if the pool is thin or attacked
Very loose (tens of %)	Almost any fill	Sandwich and copycat routers keep

		the extra
Hidden in calldata	Whatever the site encoded	You thought you set 0.5%

This is not a trading course

We will not optimise your bps. We will not tell you to snipe. We will name the failure: people crank slippage to 12% because a token “wouldn’t go through,” and then a sandwich or a thin pool takes the room they offered. The design allowed it. The guardrail was a door they opened.

Deadline is a sibling guard: if the transaction sits too long, it should revert. A deadline of “whenever” is another loose door.

Crystal Stones is not a reason to loosen slippage. If a CS pair exists, it has its own inventories. This academy will not quote a CS price. Verify the token at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` if you need the published BEP-20. Pay tuition in **\$10 USDT BEP-20 through academy checkout**, which is not a swap and has no slippage setting.

Worked scenario. A learner’s swap keeps failing with “slippage.”

- 220. The learner checks they are on the intended chain and token contracts.
- 221. The learner reads pool inventories on the explorer. If the shelves are tiny, the impact **is** the story — not a glitch.
- 222. The learner does not jump a slider from 0.5% to 12% as a first move.
- 223. The learner considers a smaller input size so impact shrinks.
- 224. The learner refuses a chat that says “set slippage to 49% or you will miss it.” Missing a swap is not a tragedy. An ugly fill can be.

DIAGRAM

QUOTE YOU SAW +-----+ 100 A -> 9.1 B impact: already in this number +-----+ If minOut was 9.0, this reverts (you pay gas). If minOut was 7.0, this succeeds (you ate the gap).	FILL THE CHAIN MAY GIVE +-----+ other swaps land x,y already moved you get 8.4 B +-----+
--	---

Native coin still meters the attempt

Whether the swap fills or reverts, the EVM burned gas. You need ETH or BNB. A wallet that shows a dollar total of tokens and 0 native is not ready to test slippage settings. Fund fuel separately. Do not approve a spender “to pay slippage.” Slippage is not a token you buy.

ACADEMY NOTE Academy rule: price impact is your size versus the shelves. Slippage tolerance is the worst fill you pre-authorise. If a site wants a huge tolerance to “make it work,” the pool or the site is the problem, not your courage.

What this lesson is for

You can now treat the slider as a minimum-out guard, not as a luck charm. Next: what other people can do to your quote while it waits in public — a picture, not a how-to.

Say this out loud

- Price impact is the pool's ratio moving because your trade changed inventories.
- Slippage tolerance sets minimum amount out; too tight reverts, too loose fills badly.
- A frontend slider can lie; calldata is the real guard.
- Thin pools and fake tokens look like “need more slippage.”
- Academy checkout is not a swap and does not use a slippage slider.

Next: front-running and sandwich as a picture of a public mempool — not a trading course.

Lesson 4: Front-running and sandwich as a picture, not a trading course (28 min)

Front-running and sandwich as a picture, not a trading course

Your swap is usually **public before it is final**. While it sits waiting to be included in a block, other parties can see the token, the size, and the slippage room you offered. A **sandwich** is one picture of that: someone swaps before you to move the price, lets your trade land at the worse price, then swaps the other way. This lesson is a seeing lesson. It is not a workshop in doing it.

By the end of this lesson you should be able to describe why a public mempool plus a loose minimum-out is an invitation, and what boring habits shrink the surface. This academy will not teach you to run a bot.

Public waiting room

On many EVM networks, pending transactions sit in a **mempool** — a waiting room of signed calls. Searchers watch that room. Validators (or builders, depending on the chain's current plumbing) choose what to include. You do not need the institutional map. You need: **your intention is not a secret from the chain's waiting room**.

Front-running here means: someone acts on seeing your pending call, and their transaction lands first. A sandwich is a front-run plus a back-run around you. The extra they take comes from the difference between your quoted fill and your minimum-out. If you set a very tight minimum, there is little meat. If you set 12% on a thin pool, there is a buffet.

This is not a morality play about “miners stealing.” It is the design of a public computer that accepts the highest-priority fees and sees your calldata.

What this course will not teach

We will not show you how to order bundles. We will not recommend a “private relay” as a product. We will not pretend BSC and Ethereum have identical waiting rooms. We will say: **loose slippage on a thin pool is how a sandwich becomes likely**, and copycat routers can take even more without any sandwich skill at all.

If a marketer says “zero MEV,” treat it as a slogan until you can name the mechanism. Slogans are Module 1 again.

What you offered	What a searcher can see	What a sandwich tries to eat
Size and path	Pending calldata	The gap down to your minOut
High slippage	Your tolerance	A wide gap
Thin pool	Small x and y	Big impact per unit
Blind spender	A hostile router	Everything, sandwich or not

Boring shrinks, not heroics

Smaller size versus the shelves. Tighter minimum out if you can live with more reverts. Correct token contracts so you are not the first victim of a fake pair. Not using a search-ad frontend. Not signing unlimited approve to a mystery aggregator because it promised “best price.” Best price is a trading phrase this academy will not sell.

Private-orderflow tools exist on some networks. They have their own trust model: you hide from the public mempool by showing someone else. That is a company-shaped choice, not “more DeFi.” We will not rank those companies.

Crystal Stones is irrelevant to a sandwich except as a token in a path. This academy will not tell you to buy it to avoid MEV. Verify `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` if you need the BEP-20 identity. Pay this course through **academy checkout in \$10 USDT BEP-20**.

Worked scenario. A learner watches a swap land at a worse rate than the screenshot.

225. The learner pulls the transaction on the explorer and reads input amount, output amount, and the router.
226. The learner looks at the same block (or nearby) for other swaps on the same pool.
227. The learner checks the slippage they authorised, not the number the banner showed.
228. The learner does not open a “recovery sandwich expert” chat. Staff will never DM a recovery agent or ask for a seed.
229. The learner, if they practice again, cuts size and re-reads minOut.

DIAGRAM

```

WAITING ROOM (public)
[ searcher buy ] --> [ YOUR SWAP ] --> [ searcher sell ]
    |                   |                   |
    v                   v                   v
moves price      you buy worse      price back
against you      (still above       searcher profits
                  your minOut)
SIDE BY SIDE: tight minOut leaves little gap; loose minOut leaves a door.
```

Failed education looks like a revenge fantasy

Do not spend this lesson planning to “sandwich them back.” You would be leaving a seeing course for a trading desk we do not run. The useful sentence is calmer: a public computer will run the most profitable legal sequence it is given. Your job is to offer less profit to that sequence, or not to tap.

ACADEMY NOTE Academy rule: we describe sandwich as a picture of public calldata plus a wide minOut. We do not provide methods. Anyone offering to recover a sandwiched swap if you share a key is a thief.

What this lesson is for

You can now see the waiting room. Next: the quieter wound — a swap that fails and still costs gas.

Say this out loud

- Pending swaps are often public; other parties can see size, path, and minOut.
- A sandwich tries to eat the gap between quote and your minimum out.
- Tight minOut and smaller size versus shelves shrink the gap; they do not make you a bot.
- This academy will not teach you to front-run.
- Staff will never ask for a seed to “reclaim MEV.”

Next: a failed swap still costs gas — revert is not a refund of fuel.

Lesson 5: Failed swap still costs gas (24 min)

Failed swap still costs gas

A swap that **reverts** undoes the token movements of that call. It does not undo the fact that validators and the network did work. **Gas** is paid in the native coin for work done, including work that ended in a revert. The Ethereum course taught this. DeFi is where learners meet it every day, because routers revert on slippage, on expired deadlines, and on pools that cannot satisfy the path.

By the end of this lesson you should be able to read a failed swap on an explorer without calling it a theft of the input token, and without calling the gas fee a mystery tax. This academy will not tell you to retry at any cost.

Revert is a rule, not a mood

The EVM runs bytecode until a condition fails: ``require``, ``revert``, out of gas, bad path. State changes from that call are rolled back. Native coin used as **value** in a failed call is typically returned. Native coin used as **gas** is not. Token rows should look as they did before the call, aside from any separate approve you already wrote in an earlier transaction.

Explorers show a red fail or a status 0. That is not “the chain stole my USDT” in the usual router-revert case. It is “the router refused the fill.” Your USDT row should still be yours, minus nothing from this failed swap — unless you were already drained by a different spender, which is a different story from Module 2.

Out-of-gas is a sibling: the call ran out of fuel mid-way and reverts. Raising gas limit is not the same as raising gas **price**. Limit is how much work you allow. Price is what you bid per unit. Copy-paste folklore mixes them.

The usual DeFi revert reasons

Slippage: output would be below minOut. Deadline: the transaction was too old. Insufficient allowance: you skipped approve, or approved the wrong spender. Insufficient balance. Wrong path: a token in the path is not in that pool. Paused pool. Fake token that cannot transfer. Transfer-tax tokens that break the router's assumptions. You do not need to memorise every string. You need to read the explorer's revert message when it exists, and to stop retrying blindly.

What you saw	What probably happened	What to do next
Red fail, USDT still there, BNB/ETH down a little	Router reverted; gas burned	Read the error; do not crank slippage first
Red fail, USDT gone	Not a simple revert — look for a successful transferFrom by a spender	Allowance and spender audit, Module 2 and 6
Pending forever	Fee too low, or network busy	Wait or replace per wallet tools; do not double-send blindly
Success but bad output	Not a fail — a loose minOut or a hostile router	Different wound; previous two lessons

Retry is how thin wallets die

Each attempt burns more native coin. A learner with \$2 of BNB and a stubborn 12% slippage slider can empty the fuel tank without ever moving USDT. Fuel is not a token row. You cannot approve your way into more BNB. On Ethereum the same story uses ETH.

Wrong-chain retries are worse: you pay ETH to fail on Ethereum while the pool you meant is on BSC, or the reverse. Name the book before the second attempt.

Academy checkout is not a swap. If checkout fails, you do not “retry as a DeFi transaction” to Crystal Stones' contract. That hex is verify-only. Tuition is **\$10 USDT BEP-20 through academy checkout**. Staff will not ask for a seed to “unstick a failed swap.”

Worked scenario. A learner's wallet shows a failed swap and a smaller BNB balance.

230. The learner opens the transaction on BscScan (if it was chain 56) and confirms status failed.
231. The learner checks the USDT row — still there — so this is likely a revert, not a drain.
232. The learner reads the revert reason if the explorer decoded one.
233. The learner checks remaining BNB before any retry, and names why the first call failed.
234. The learner does not sign a second, unrelated “recovery” contract from a pop-up.

DIAGRAM

FAILED SWAP (usual router revert)

BEFORE

+-----+

AFTER

+-----+

USDT: 100		USDT: 100	
BNB: 0.05		BNB: 0.048	
token B: 0		token B: 0	
+-----+		+-----+	

Input token stayed. Fuel did not. The book is consistent.

Approve-then-fail is two fees

If you approved in transaction 1 and swapped in transaction 2, a failed swap still leaves the allowance in place. You paid for the debit order and you paid for the failed attempt. That is not double theft. That is two separate writes, one of which reverted. Revoke if you no longer want the spender, using native coin you still have.

ACADEMY NOTE Academy rule: failed is not free. Native coin meters work. Read the fail on the explorer before you retry. Do not raise slippage as a superstition. Do not send keys to anyone who promises a refund of gas.

What this lesson is for

You can now watch a red transaction without panicking the wrong object. Next module: lending — where the program holds your asset on purpose, and liquidation is a function.

Say this out loud

- A reverted swap usually returns the input token changes and still burns gas.
- Explorers mark failed; the native coin fee is the work, not a mystery tax.
- Retrying without reading the reason can empty the fuel tank.
- A failed swap does not cancel an earlier approve.
- Nobody from this academy will refund gas in exchange for a seed.

Next: supplying is not a bank deposit — lending programs hold inventory too.

Module quiz (answers included for editors)

Q1. A website says a pool has “deep liquidity.” What should the learner actually inspect?

- A. The logo’s colour on the frontend
- B. Token balances at the pool contract on the explorer for that chain
- C. Crystal Stones’ verify-only hex, which is the official shelf
- D. Academy checkout’s processor, which custodians all pools

Correct answer: B

Q2. In a tiny constant-product pool with 100 A and 100 B, a learner sells 10 A. Why do they receive less than 10 B?

- A. Because gas is paid in token B
- B. Because the product rule moves the ratio as inventories change; taking B requires adding enough A to keep k

- C. Because Crystal Stones RWA skims every swap
- D. Because Binance sets k each morning

Correct answer: B

Q3. A learner cranks slippage from 0.5% to 12% so a swap “goes through.” What did they actually do?

- A. Reduced price impact to zero
- B. Raised the worst fill they pre-authorise, leaving more room for ugly fills or a sandwich
- C. Paid tuition in Crystal Stones
- D. Revoked the router as a side effect

Correct answer: B

Q4. Why can a pending swap be sandwiched?

- A. Because staff publish seeds in the mempool
- B. Because calldata is often public before inclusion, and a wide minOut is a gap others can eat
- C. Because k is illegal on chain 56
- D. Because academy checkout broadcasts every swap

Correct answer: B

Q5. A swap transaction is red on BscScan. USDT balance is unchanged. BNB is slightly down. What is the usual reading?

- A. USDT was stolen by the explorer
- B. The router reverted; gas was still paid in BNB
- C. The learner must send Crystal Stones to recover USDT
- D. Failed transactions refund all native coin automatically

Correct answer: B

Q6. A learner blank-transfers USDT to a pool address with no add-liquidity function call. What is the risk?

- A. The pool must mint LP tokens; the chain parents this
- B. The USDT may credit the pool’s row without minting a receipt the learner can burn
- C. Academy checkout will reverse it
- D. k will automatically refund them

Correct answer: B

Q7. Someone offers to “teach you the sandwich bot” as part of this academy. What is true?

- A. That is Module 3’s assignment
- B. This course describes sandwich as a picture; it does not teach methods, and staff will not ask for a key to run a bot
- C. You must pay Crystal Stones to enrol in the bot lab
- D. Sandwiches are refundable through academy checkout

Correct answer: B

Q8. A frontend shows a 0.5% slider but the wallet cannot decode calldata. What should the learner remember?

- A. The slider is the on-chain minOut
- B. The encoded minimum in the call is the real guard; a hostile app can show 0.5% and encode worse
- C. Undecoded calldata always means Crystal Stones is the output token
- D. They should paste a seed so the wallet can decode

Correct answer: B

Module 4: Lending, collateral, liquidation

Supply is a transfer into a program. You will separate bank deposits from supply, read health as oracle arithmetic, treat liquidation as a public function, and refuse easy-yield ads that crop the line.

Lesson 1: Supplying is not a bank deposit (26 min)

Supplying is not a bank deposit

Supply in a lending program means: you transferred a token into that program's maps so someone else may borrow against a shared pool. It is not a savings account. There is no deposit insurance in the bytecode. There is no help desk if the function that returns your units is paused, exploited, or empty.

By the end of this lesson you should be able to separate a bank deposit from a supply call, name where the token row lives after you click, and refuse the sentence "it's just like a bank, but on-chain." This academy will not tell you to supply USDT, BNB, or Crystal Stones.

A bank deposit is an IOU with a parent

When you put money in a licensed bank, you hold a claim on the bank. Law, insurance schemes, and a help desk sit around that claim. Those parents fail sometimes. They still exist as a design. The bank can freeze you. The bank can also reverse some mistakes.

A **lending protocol** is one or more contracts. You call `supply` or `deposit`. The token program's `balanceOf` for your EOA drops. The lending program's storage now lists you as a supplier. You usually receive a **receipt token** (sometimes called a-tokens, c-tokens, or shares — names vary). That receipt is another ERC-20 / BEP-20. It is not the original USDT sitting in a vault with your name on the door.

Interest is a function, not a promise

Sites print an APY. On an honest protocol that number is a model of fees borrowers pay, minus reserve factors, plus or minus token emissions. Emissions are extra units a program mints to bribe suppliers. They are not "yield from thin air" as a law of nature. They are inflation of a receipt or of a reward token.

If the reward token has no buyers, the APY on the banner was a sticker. If utilisation is 100% — every supplied unit is borrowed — you may not be able to withdraw until a borrower repays. That is not a bank queue. That is empty inventory in a program.

Worked scenario. A dashboard shows “Supply USDT, earn 12%.”

235. Name the chain ID and the explorer.
236. Paste the lending contract from a bookmark, not from the ad.
237. Read whether USDT leaves your EOA after supply.
238. Read the receipt token’s contract. `balanceOf(you)` should rise if supply succeeded.
239. Do not treat 12% as tuition. Intermediate is \$10 USDT BEP-20 through academy checkout, not a supply APY.

Object	Bank deposit	Lending supply
What you hold	IOU from a company	Receipt token / shares in a program
Who can freeze	The bank, a court	Pause/admin if the bytecode allows
Insurance	Sometimes a scheme	The bytecode, which is not an insurer
Exit	Withdrawal form	A withdraw function with enough free inventory
Parent	Help desk	None on the base layer

DIAGRAM

BEFORE SUPPLY

```
+-----+
| Your EOA |
| USDT: 100 |
| receipt: 0 |
+-----+
```

supply()

----->

AFTER SUPPLY

```
+-----+
| Your EOA |
| USDT: 0   |
| receipt: 100 sh |
+-----+
+-----+
| Lending program |
| USDT inventory  |
| your supply row  |
+-----+
```

ACADEMY NOTE Academy rule: if you cannot name the receipt token and the withdraw function, you did not make a deposit. You made a transfer into a program you have not finished reading.

Crystal Stones is not a savings product

The published BEP-20 `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` is for verification. Supplying it into a random “earn” contract is not a lesson assignment. This academy will not tell you to buy it or to lend it.

Receipt tokens can hide the underlying

Some dashboards still show “USDT supplied” as if the original ticker never left. The chain may show aUSDT, cUSDT, or a share token with a different symbol. If you cannot paste that receipt contract into the explorer and see `balanceOf` for your EOA, you are reading a website, not a position.

Interest that “accrues in the receipt” means the receipt’s exchange rate to the underlying changes, or the receipt count rises. Those are two different implementations. You do not need to implement them. You need to know your screenshot’s ticker may not be the token you think you can send to a merchant.

What this lesson is for

So “supply” stops meaning “save” and starts meaning “transfer into a lending program.”

Say this out loud

- Supply is a transfer into a program, not a bank deposit.
- The receipt token is not the original inventory.
- APY is a model plus maybe emissions, not a law.
- Full utilisation can block withdraw even if you “own” shares.
- Tuition is academy checkout in USDT BEP-20, not a supply click.

Next: collateral and health factor — the number that decides whether a position lives.

Lesson 2: Collateral and health factor (26 min)

Collateral and health factor

Collateral is the inventory you lock so a lending program will let you borrow something else. **Health factor** (names vary: health, LTV, collateral ratio) is the program’s score of whether that lock still covers the borrow. If the score crosses a line, liquidation functions become legal to call. There is no officer to beg.

By the end of this lesson you should be able to say what collateral is, what over-collateralisation means, and why a health number is a function of prices the program believes — not of your feelings.

Over-collateralised is the usual DeFi shape

Most public lending programs will not lend \$100 against \$100 of volatile collateral. They want a buffer.

Over-collateralised means: the lock is worth more than the borrow, as priced by the program’s oracle, times a factor.

Loan-to-value (LTV) is the fraction you may borrow against a collateral type. If LTV is 75%, \$100 of that collateral as priced by the oracle allows \$75 of borrow. A **liquidation threshold** is a higher line where liquidators may seize. Between LTV and threshold is a band. That band is not a kindness. It is the gap where you can still repay before seizure is allowed.

The oracle is a price input


An **oracle** is how the program learns a price. It may read a pool. It may read a publisher. If that input is wrong, health is wrong, and liquidation can fire on a lie. Intermediate does not make you an oracle engineer. It makes you refuse “the protocol knows the true price of everything.”

Worked scenario. You supplied a volatile token as collateral and borrowed USDT.

- 240. The program stores: collateral units, borrow units, LTV, threshold.
- 241. The oracle posts a lower price for the collateral.
- 242. Health falls. The dashboard turns red. That is not a mood. That is arithmetic.
- 243. If you add collateral or repay, health can rise.
- 244. If you wait for “it will bounce,” you are waiting on a market, not on a parent.

Word	Meaning in a lending program	Not the same as
Collateral	Units locked that back a borrow	A bank’s mortgage paperwork
LTV	Max borrow / collateral value at supply time rules	A feeling of safety
Health factor	Live score vs liquidation line	A credit score from a bureau
Oracle	Price input the bytecode trusts	“The real world”

DIAGRAM



ACADEMY NOTE Academy rule: a health factor is only as honest as the oracle and the collateral listing. A newly listed token with a thin pool is a price the program can be tricked into believing.

Stablecoin borrow is still a borrow

Borrowing USDT does not make the position “safe.” USDT can depeg. Collateral can fall. Interest on the borrow can accrue. Three moving numbers. One health function.

Listing a collateral type is a governance act

A lending program does not magically accept every BEP-20. Someone listed it: set LTV, threshold, oracle source, sometimes a supply cap. A newly listed thin token can have an oracle that a pool can shove around.

That is how a “safe” market prints a fantasy health number, then liquidates the other side, or fails to liquidate and leaves the protocol insolvent.

Insolvency here means: the program is owed more than the collateral can cover at honest prices. Bytecode can still run. The books do not magically refill. This is not a bank holiday. It is arithmetic that no longer closes.

Caps exist because the team or DAO knew this. A cap is not a blessing. It is an admission that unlimited supply of that collateral would be a weapon.

Read collateral factors on the explorer or a documentation page you typed, not a banner. If you cannot find the factor, you do not have a health number. You have a colour on a site.

Health can also move because an admin changes the factor, or because the oracle prints a new price while you sleep. You do not sign each of those updates. The meter is live arithmetic. Treat a number like 1.4 as distance to a public function, not as a personality trait. This academy will not tell you to borrow against Crystal Stones or anything else; the RWA story remains their claim to verify.

What this lesson is for

So you see a position as collateral + borrow + oracle + line, not as a loan officer’s handshake.

Say this out loud

- Collateral is locked inventory that backs a borrow.
- Over-collateralised means a buffer as the program prices it.
- Health is live arithmetic, not a credit score.
- Oracles can be wrong; health follows them anyway.
- Adding collateral or repaying is how you move the number; hope is not a function.

Next: liquidation is a function, not a manager’s mood.

Lesson 3: Liquidation is a function, not a manager’s mood (26 min)

Liquidation is a function, not a manager’s mood

Liquidation in DeFi lending is a public function. When health crosses the line, another address may repay part (or all) of the borrow and seize collateral at a discount the bytecode defines. The seizer is often a bot. The program does not call you first. It does not ask if you had a bad week.

By the end of this lesson you should be able to describe a liquidation as a call, name the bonus that pays the caller, and refuse the folklore that “the team liquidated me because they dislike me.”

Who is allowed to call

If the function is public, anyone who can pay gas and repay the required units may liquidate. Searchers watch the mempool and oracle updates. They are not academy staff. They are not your bank. They are callers.

A **liquidation bonus** (or penalty, depending whose side you sit on) is extra collateral the seizer receives. That bonus is how the system pays people to keep borrows covered. It is also how a slightly unhealthy position becomes a noticeably smaller one.

Partial versus close

Some programs seize a fraction. Some close more. After a partial, health may recover. After a full close, you keep leftover collateral minus the bonus, or you keep nothing if the math ate it. Read the function, not the tweet.

Worked scenario. Health prints 0.98 on a dashboard. The line is 1.0.

- 245. That number is already an invitation. You do not need a second warning email.
- 246. You can repay borrow or add collateral if the network is usable and you still have keys.
- 247. If a liquidator's transaction lands first, collateral moves. Explorer shows `liquidate` or equivalent, not "hack."
- 248. A chat agent who offers to "reverse liquidation" for a seed is a thief.
- 249. Academy staff will not reverse a chain function. They will also not ask for a key.

Story you will hear	Chain picture
"They targeted me"	A public function was allowed; a caller paid gas
"The bank sold my house in spite"	Collateral seized at the bonus the bytecode named
"Support will roll it back"	No parent. Explorer is the record
"I was hacked"	Often a valid liquidation plus confusion

DIAGRAM

```

health < line
  |
  v
liquidate() is legal
  |
  +-----+
  | caller repays |
  | some borrow   |
  | seizes collateral |
  | + bonus       |
  +-----+-----+
                |
                v
your remaining
collateral is smaller

```

ACADEMY NOTE A liquidation can be correct and still hurt. Correct means the function was allowed. Hurt means you lost inventory. Both can be true. This academy will not dress that as empowerment.

Gas spikes are part of the picture

When prices move fast, everyone tries to repay or liquidate. Gas rises. Your repayment can fail. Their liquidation can succeed. That is not a moral. It is a congested computer.

Close factor and leftover dust

Many programs only allow a **close factor**: a fraction of the borrow that may be repaid in one liquidation. That is why a position can be nicked several times in one bad hour. Each nick pays a bonus. Each nick is a separate transaction. Gas wars decide who gets the bonus, not a fairness committee.

After liquidations you may hold a dust receipt that is not worth the gas to withdraw. That dust is not “the protocol owes you a living.” It is leftover math. Do not feed it to a recovery agent.

If liquidation failed to happen when it should, the protocol may be sitting on bad debt. That is a different failure: keepers did not come, or gas made it unprofitable, or the function reverted. Users who treated “someone will always liquidate in time” as a law discover that keepers are businesses.

Write down the function name your market uses — ``liquidateBorrow``, ``liquidationCall``, or a vendor-specific alias — so an explorer log is readable. Slang is not a log.

Self-liquidation is still a function

Some people repay and withdraw in a panic and call it “I liquidated myself.” That is repay + withdraw, two calls you signed. A third-party liquidation is a different caller. Use the right words so the explorer matches the story you tell support — which, on the base layer, does not exist.

If a frontend hides the liquidator address behind “the protocol,” open the tx. From, to, logs. The from is a person or a bot. The protocol is the code that allowed it.

What this lesson is for

So a red health number is treated as an open function, not as a customer-care ticket.

Say this out loud

- Liquidation is a public call when health crosses a line.
- A bonus pays the caller; that is the design.
- The explorer will show a function, not a grudge.
- Nobody, including academy staff, can reverse it with a seed.
- Repay or add collateral before the line, not after a DM.

Next: stablecoin borrow versus token borrow — two different risk pictures.

Lesson 4: Stablecoin borrow vs token borrow (26 min)

Stablecoin borrow vs token borrow

Borrowing a **stablecoin** (USDT is the example this academy already uses as a dollar-tracking token, not as a blessing) is a different risk picture from borrowing a volatile token. Both are still borrows. Both still liquidate. The moving parts are not the same.

By the end of this lesson you should be able to name which side is volatile in each picture, and refuse “borrowing stables is risk-free.” This academy will not tell you to borrow either.

Picture A — volatile collateral, stable borrow

You lock a volatile token. You take USDT out. If the volatile token’s oracle price falls, health falls. Interest on USDT accrues, which also nicks health. This is the common “I needed dollars without selling” story. Selling would be a swap. Borrowing keeps the volatile exposure and adds debt.

If you wanted to reduce volatile exposure, a swap was the honest tool. A borrow keeps the exposure and adds a clock.

Picture B — stable collateral, volatile borrow

You lock USDT. You borrow a volatile token, often to sell it (short-shaped). If the volatile token’s price rises, the borrow is worth more in the program’s math, health falls. Liquidation buys that token back from the market at the worst time for that thesis. This academy is not a shorts course. It is a naming course.

Picture C — both sides volatile

Health is a ratio of two moving prices plus interest. More ways to cross the line. More oracle surface.

Worked scenario. A site says “loop this for 40% APY.”

- 250. Loop usually means: supply, borrow, swap, supply again. Leverage.
- 251. Each loop is more of the same oracle and liquidation surface.
- 252. The APY assumes the loop is not unwound by a liquidation.
- 253. You do not practise loops with rent. You may not practise them at all in this course.
- 254. Crystal Stones as the looped token is not a curriculum. Verify-only:
`0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`.

Borrow side	Collateral side	Health mainly dies when
Stablecoin	Volatile token	Collateral price falls, or stable depegs the other way, or interest
Volatile token	Stablecoin	Borrowed token’s price rises
Volatile	Volatile	Either price moves badly, plus interest
Stablecoin	Stablecoin	Depeg, listing change, or utilisation surprises

DIAGRAM

```
YOU
|
+-- lock A (collateral)
|
+-- take B (borrow)
|
v
health uses
price(A) and price(B)
and accrued interest
|
v
if either story was
“this side doesn’t move”
the picture was a lie
```

ACADEMY NOTE USDT “designed to track a dollar” is not the same as “cannot move.” Designed is a claim. Depegs exist. Treat a stable borrow as debt in a token that usually moves less — not as cash in a drawer.

Interest is directional

Suppliers want utilisation. Borrowers pay it. Your borrow balance is not frozen at the screenshot. A week later the debt number is larger. Health uses the larger number.

Interest rate models are utilisation machines

Borrow APY is often a function of **utilisation**: borrowed / supplied. When almost all USDT in the market is borrowed, the model can steepen rates to bribe suppliers and punish more borrowing. Your “cheap stable loan” can reprice while you sleep. Health uses the new accrued debt.

Some models have a **kink**: a utilisation level where the slope changes. You do not need the formula in this course. You need: the rate is not the banner from the day you clicked.

If you borrow a token to sell it, you also have a swap. That swap has slippage. Unwinding has slippage the other way. Liquidation may swap for you at a worse fill plus a bonus. The stacked picture is: borrow risk + swap risk + liquidation bonus. Ads that show one percentage cropped the stack.

Peg and listing risk, said plainly

A stablecoin can trade off its target. If you borrowed it, a depeg down can make repayment cheaper in dollar stickers and can also blow up collateral markets that treated it as \$1. If you supplied it as collateral, a depeg down hits health. “Stable” is a design goal, not a physical constant. This academy already refused to bless any issuer. It still uses USDT as the tuition asset on checkout because that is the published rail — \$10 BEP-20 on the academy page — not because stables cannot fail.

What this lesson is for

So you can draw which price must not move against you, instead of saying “I only borrowed stables.”

Say this out loud

- A stable borrow against volatile collateral keeps the volatile bet and adds debt.
- A volatile borrow against stables dies if the borrowed token rises.
- Loops are leverage. Leverage is more of the same line.
- Interest moves the debt while you wait.
- This course does not assign a loop, a short, or a Crystal Stones supply.

Next: why “easy yield” ads skip liquidation.

Lesson 5: Why “easy yield” ads skip liquidation (25 min)

Why “easy yield” ads skip liquidation

Ads sell a percentage. Liquidation, utilisation freeze, oracle failure, and admin pause do not fit a banner. That skip is not an accident. It is the product.

By the end of this lesson you should be able to take a yield ad and list the missing objects, then walk away without feeling unsophisticated. This academy will not tell you an APY is a wage.

What the banner usually hides

- **Which token** you actually earn. Receipt token, reward token, or the supplied token.
- **Where exit sits.** Withdraw function, utilisation, unstake delay.
- **Who can pause or upgrade.**
- **What liquidates you** if you also borrowed.
- **What the 40% assumes.** Loop, emission dump, or one quiet week of fees.

A fee APY from swaps in a pool is a different object from an emission APY from a mint function. The first comes from other people’s swaps. The second comes from a printer. Printers work until they do not.

“Easy” means someone else holds the complexity

If the site abstracts the loop into one button, the liquidation line is still in the contracts. The button did not delete it. It hid it. Hidden lines still fire.

Worked scenario. An ad: “10,000% APY, audited, instant withdraw.”

- 255. 10,000% is either a printer, a lie, or a one-hour snapshot.
- 256. Audited is a report, not a guarantee — Ethereum course already killed that badge-as-halo.
- 257. Instant withdraw is false at 100% utilisation or if pause() exists and is used.
- 258. You do not connect a wallet to “check.” Checking starts on an explorer from a bookmark.
- 259. You do not pay Crystal Stones to “unlock the vault.” Tuition is academy checkout, USDT BEP-20.

Banner word	Missing object
APY	Token of payment, emission vs fees, time window
Audited	Scope, date, proxy changes since
Instant	Utilisation, pause, unstake delay
Risk-free	Oracle, admin, liquidity, your signature

Partnership	A logo, not a function
-------------	------------------------

DIAGRAM

AD

```

+-----+
| big %   |
| gold badges |
| one button |
+-----+
      |
      v (what was cropped)
+-----+
| liquidation line |
| admin key        |
| printer token    |
| pause()          |
+-----+

```

ACADEMY NOTE If a stranger needs you to hurry, the missing objects are the point. Hurry is how you skip the explorer.

Points, seasons, and screenshots

A current costume is **points**: not even a token yet, a spreadsheet the team might later turn into a token. APY on points is fiction on fiction. You are signing approvals for a maybe.

Another costume is a two-hour screenshot from a thin pool. Annualising a two-hour fee spike is how 10,000% is born. If you cannot say the window, you cannot say the number.

Partnership logos are not functions. A wallet brand in the footer does not mean the wallet audited the farm. An explorer “verified” badge you already know is a compiler match.

Before any earn click, write four lines on paper: chain ID, program address, token in, token out (reward). If you cannot fill four lines, there is nothing to sign. Curiosity reads. Hurry signs.

Crystal Stones is not a yield product in this academy

Crystal Stones is a BEP-20 token. The published contract `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` is for verification. The mineral-vault RWA story is **their claim to verify**. This course will not print a CS APY. It will not tell you to supply, borrow, or loop CS. Anyone who DMs “official CS farm, approve here” is not this academy. Staff will never ask for a seed to “stake your yield.”

Tuition remains **\$10 USDT BEP-20 through academy checkout**. A farm deposit is not checkout. A reward token is not a receipt for this course. If the ad needs you to hurry, the missing objects — liquidation, oracle, pause, utilisation — are the point of the ad.

Practice, if you ever ignore this filter, is a size you already accepted you can lose. Rent is not a size. A health factor with rent on it is not a classroom.

The one-button deposit is still several approvals

Under a single “Earn” button there is often approve token, supply, maybe borrow, maybe swap, maybe stake receipt. Each is a signature or an inner call. Inner calls still spend your allowance. If you cannot list those inner calls, you are not looking at easy yield. You are looking at a blender. This course’s practice rules say: if you cannot name exit, do not enter. A blender has many exits, or none you control.

What this lesson is for

A filter you can run on any earn screenshot before a wallet popup exists.

Say this out loud

- Easy yield ads skip liquidation, pause, and utilisation on purpose.
- Emission APY is a printer; fee APY is other people’s swaps.
- A one-button loop still has a health line.
- Audited is not a halo.
- No vault is academy checkout. Checkout is USDT BEP-20 on the academy page.

Next: LP tokens — a receipt from a pool, not a second savings account.

Module quiz (answers included for editors)

Q1. After a supply call, where does the USDT usually live?

- A. Still only in the EOA as USDT
- B. In the lending program’s inventory; the EOA holds a receipt token
- C. In academy checkout
- D. In a bank vault named on the banner

Correct answer: B

Q2. Health factor is best described as?

- A. A credit score from a bureau
- B. Live arithmetic of collateral vs borrow using the program’s oracle and rules
- C. A manager’s mood
- D. A Crystal Stones rank

Correct answer: B

Q3. A liquidation happened. A chat offers to reverse it for a seed. What is that?

- A. Official protocol support
- B. Theft wearing a help desk
- C. Required academy grading

D. A standard oracle update

Correct answer: B

Q4. Borrowing USDT against a volatile token mainly dies when?

A. BNB gas is cheap

B. The collateral's oracle price falls, interest accrues, or the stable depegs the wrong way

C. The learner finishes Module 1

D. Academy checkout expires

Correct answer: B

Q5. A 10,000% APY banner most likely omitted?

A. The domain name

B. Liquidation, pause, utilisation, and whether the % is emissions

C. The fact that EVM exists

D. The need for a wallet popup

Correct answer: B

Q6. Over-collateralised means?

A. You borrowed more than you locked

B. The lock is worth more than the borrow as the program prices it, times its factors

C. Insurance paid the buffer

D. Crystal Stones backs every loan

Correct answer: B

Q7. Full utilisation on a lending pool can cause?

A. Free gas

B. Withdraw to fail until inventory returns

C. Automatic academy refund

D. Oracle prices to freeze forever

Correct answer: B

Q8. How is Intermediate tuition paid?

A. By supplying Crystal Stones to a lending program

B. By looping USDT ten times

C. \$10 USDT BEP-20 through academy checkout

D. By being liquidated once

Correct answer: C

Module 5: LP tokens and impermanent loss

An LP token is a receipt for a share of a pool's current inventories. You will split fees from mix drift, treat impermanent loss as a comparison with holding, walk a remove, and see staking as a second program with a new allowance.

Lesson 1: LP token is a receipt from a pool program (26 min)

LP token is a receipt from a pool program

When you **add liquidity**, you send both (or more) tokens into a pool program. The pool mints you an **LP token** — a receipt that says you own a share of the shelves. The receipt is usually another ERC-20-style token. It is not a second investment product with a personality. It is a claim on whatever the pool holds now.

By the end of this lesson you should be able to describe an LP token as a minted receipt, say what it is a claim on, and refuse blank-transfers that skip the mint. This academy will not tell you to become an LP.

Mint on add, burn on remove

The usual door is the router's `addLiquidity` (names vary). The router pulls your tokens — after approve — and the pool mints LP tokens to your EOA. Later, `removeLiquidity` burns the receipt and pays you a share of the **current** inventories, not a memory of what you deposited.

If you transfer USDT and WBNB straight to the pool address with no function, the shelves may grow and **no receipt may be minted**. That is a donation to whoever already holds LP tokens. The Ethereum course warned about sending tokens to a contract that is not expecting them. This is that warning in pool clothing.

Some designs use NFTs as receipts (a position with a tick range). The job is the same: a claim object the program will honour if you call the right burn/remove function. The wallet view may look fancier. The explorer still has a token or an NFT id.

Share, not a pile with your name on it

If you own 1% of the LP token supply, you own a claim on about 1% of each inventory, minus how the design treats fees. You do not own “your original 50 USDT and 0.1 WBNB” in a locker with your handwriting. Other people have been swapping. The mix changed. Module 5's next lessons treat fees and **impermanent loss**. Today: **the receipt tracks a share of a changing mix**.

LP tokens can be transferred. If you send the receipt, you send the claim. If you approve a spender on the LP token, that spender can pull the claim. Staking farms live on that fact — last lesson of this module.

Object	Lives where	What it claims
Token A you deposited	Pool's row in token A's program	You no longer hold that row
Token B you deposited	Pool's row in token B's program	Same
LP token	Your row in the LP token program (or an NFT id)	A share of the pool's current shelves
Website “position” card	A server	A drawing of the share

Ticker letters on an LP token are a costume

A receipt named “USDT-WBNB LP” is only as honest as the two token contracts inside that pool. A copycat pool can mint a receipt with the same nickname. Always read the pool’s token0 and token1 on the explorer, then read those token contracts. Crystal Stones in a pair would be the published BEP-20 only if the pool’s token address matches `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. Matching still is not a buy order. This academy will not tell you to LP CS.

Tuition is not an LP deposit. **\$10 USDT BEP-20 through academy checkout** does not mint you a receipt from a pool.

Worked scenario. A learner is asked to “add liquidity to the official pair.”

260. The learner names the chain and opens the matching explorer.
261. The learner pastes the pool hex, then reads token0 and token1.
262. The learner confirms those hexes are the tokens they mean, not lookalike tickers.
263. The learner does not blank-transfer into the pool.
264. The learner, if they practice at all, uses a tiny add through the router, then immediately finds the LP token contract on the explorer.

DIAGRAM

```

ADD LIQUIDITY (stack)
[ your EOA ] -- token A + token B --> [ router ]
      |
      v
    [ pool shelves grow ]
      |
      v
    [ LP receipt minted ]
      |
      v
    [ your EOA holds LP ]
  
```

Wallet apps may hide the receipt

Trust Wallet and MetaMask — examples of wallet apps — sometimes need you to add the LP token contract as a custom token before you see the balance. Invisible is not zero. After addLiquidity, check the LP contract’s `balanceOf(you)` on the explorer. If it is zero, you may have sent into a well, used the wrong chain, or called a copycat that kept the tokens.

ACADEMY NOTE Academy rule: an LP token is a receipt for a share of current inventory. If you cannot name the pool, the two token contracts, and the LP contract, you are not an LP. You are a person who pressed a green button.

What this lesson is for

You can now point at the receipt. Next: fees versus inventory change — the two motions that rewrite what that receipt is worth.

Say this out loud

- Add liquidity mints a receipt; remove liquidity burns it for a share of current shelves.
- Blank-transfer into a pool can grow the shelves without minting your receipt.
- An LP token is a share of a changing mix, not a locker of your original units.
- Lookalike LP tickers can wrap lookalike tokens.
- Academy checkout does not mint pool receipts.

Next: fees versus inventory change — two different motions inside the same pool.

Lesson 2: Fees vs inventory change (27 min)

Fees vs inventory change

Two motions rewrite an LP position while you hold the receipt. **Fees** from swaps are usually left in the pool, so the shelves thicken a little on each trade. **Inventory change** is the mix shifting: more of the token people sold in, less of the token people bought out. People flatten both motions into “I made money” or “I lost money.” They are not the same motion.

By the end of this lesson you should be able to separate fee accrual from mix drift, and refuse a dashboard that shows only a dollar total. This academy will not tell you that fees always win.

Fees are a leftover in the shelves

On many constant-product pools, a swap of 1000 input does not add the full 1000 to x before the product rule. A fraction stays as a fee. That leftover increases k over time. LPs, as a class, own that thicker k . Your share of a thicker pool can mean more units of the mix — even as the mix’s dollar value does whatever the market does.

Fee rate is a parameter (0.3%, 0.05%, others). Admin-changeable fees exist on some designs. A screenshot of “24h volume” is not your personal paycheck. Volume in a wash-traded fake pair is a costume. Real volume against honest tokens still does not tell you whether mix drift ate the fees. That comparison is the next lesson’s **impermanent loss**.

Mix drift is the product rule doing its job

If traders buy token B from the pool, the pool ends with more A and less B. Your 1% share is now 1% of a pile that is heavier in A. If you had simply held A and B in the original amounts, you would still have the old mix. The pool receipt does not remember the old mix. It remembers the share.

This is not a bug. This is $x*y=k$ meeting the world. Module 3 already showed a tiny 10-for-9.1 example. LPs sit on the other side of that example: they are the shelves that got more of what people sold.

Motion	What changes in the pool	What your receipt tracks	How a dashboard hides it
Swap fee	Extra units left in	Slightly larger claim on shelves	Merged into “profit”
Trader buys B	Less B, more A	Same share of a new mix	A single USD number
New LPs add	More shelves, more LP supply	Your share percent falls; your units of inventory	“TVL up” as if you earned TVL

		may stay	
LPs leave	Fewer shelves, less LP supply	Your share percent rises of a thinner pool	Panic, or nothing

Dollar totals mix the motions on purpose

A frontend that says “+\$12” may mean: fees, mix drift, and the outside prices of A and B all netted into the unit the site likes. If both tokens fell in the outside world, your position can be “down” even if you earned fees. If one token pumped, the mix drift may have sold that pump out of your shelves — you hold less of the pumped token than a holder would. That sentence is IL. Keep it for the next lesson. Today: **do not let one fiat number erase two motions.**

Crystal Stones in a pair would add a third confusion: a dashboard using a made-up CS price. This academy will not invent that price. Verify the token hex if you need identity. Do not LP because a card said “CS fees.” Checkout is still **\$10 USDT BEP-20 through academy checkout.**

Worked scenario. A learner added liquidity a week ago and the site shows a green dollar number.

265. The learner reads pool inventories on the explorer now, and if they saved them, from a week ago.
266. The learner reads LP total supply then and now.
267. The learner estimates their share * current inventories — mix and size — instead of trusting the green number.
268. The learner asks whether volume was real swaps or wash.
269. The learner does not add more liquidity because the number was green.

DIAGRAM

ONE RECEIPT, TWO MOTIONS

+-----+	+-----+
FEE MOTION	MIX MOTION
swaps leave a leftover	traders change A vs B
k creeps up	same share, new ratio
+-----+	+-----+

Dashboards add them, then paint the sum in one colour.

You cannot harvest “only the fees” by staring

On a classic AMM, fees sit in the mix. You get them when you remove liquidity (or when a design auto-compounds into more LP). There is often no separate “claim fees” button unless a later program built one. People who want only the fee stream without mix drift are asking for a different product. This course will not sell them one.

ACADEMY NOTE Academy rule: quote two motions — fees and mix — before you quote a profit. A single dollar tile is a poster. The explorer’s inventories are the shelves.

What this lesson is for

You can now refuse a one-number LP card. Next: impermanent loss as a comparison with holding, not as a curse word.

Say this out loud

- Swap fees usually stay in the pool and thicken the shelves.
- Mix drift changes the ratio of the two inventories as traders swap.
- An LP receipt tracks a share of the current mix, not the original deposit pair.
- A green dollar tile can hide mix drift and fake volume.
- This academy will not tell you that fees always beat drift.

Next: impermanent loss as a comparison, not a curse word.

Lesson 3: Impermanent loss as a comparison, not a curse word (28 min)

Impermanent loss as a comparison, not a curse word

Impermanent loss (IL) is a comparison: the value of your pool share versus the value of simply holding the same starting amounts of each token, measured at the same outside prices. It is not a fee you forgot to pay. It is not a moral failing. It is not always “impermanent.” The nickname stuck. The object is the comparison.

By the end of this lesson you should be able to state IL in one calm sentence, say when the “impermanent” part becomes ordinary loss, and refuse threads that use IL as a scare word or as a nothing-burger. This academy will not tell you to LP, and will not tell you to hold.

What you are comparing

At t_0 you could hold 50 A and 50 B in your EOA. Or you could dump them into a pool and hold an LP receipt. At t_1 , A's outside price doubled relative to B. The pool's mix drifted: you now claim more B and less A than 50/50. The holding path still has 50 A (now dearer) and 50 B. The pool path has sold some of the winner to the traders who bought it. **IL is that gap.**

Fees may narrow the gap. Fees may not. A comparison that ignores fees is incomplete. A comparison that ignores mix is the dashboard sin from the last lesson. Honest talk names both.

The “impermanent” claim is: if prices return to the original ratio, the mix returns, and the gap versus holding shrinks — except you still experienced time, fees, and risk. If you remove liquidity at the diverged prices, the gap is **permanent in the only sense that matters: you exited**. The nickname then is a lullaby.

You do not need a formula tattoo

People post IL percentages for 2x, 3x, 5x price moves. You may glance. You do not need to become a calculator. You need: **the bigger the relative price move, the more mix drift versus holding, for a classic constant-product pair**. Stable-style curves try to reduce that for tokens that stay near each other. If one of those tokens depegs, the curve's kindness ends.

Sentence	Useful?	Why
“IL is fake because fees”	No	Fees are a second motion; they may or may not cover the gap
“IL only happens if you withdraw”	Half	The gap is already in the mix; withdraw crystallises it
“IL means the pool stole from me”	No	Traders bought the winner from the

		shelves; that is the design
"IL is zero if I never look"	No	Not looking is not a hedge
"Compare pool share to holding, then add fees"	Yes	That is the object

This is still not a trading course

We will not optimise ranges. We will not tell you to provide liquidity only on pairs that “mean-revert.” Mean-revert is a bet. Bets are not this classroom. We will tell you that a volatile/stable pair has a familiar IL shape: the volatile side rallies, the pool sells it, you hold extra stables and less of the winner.

Crystal Stones paired with USDT would be that shape if someone created the pool. This academy will not create it, will not quote CS, and will not call IL on CS a reason to buy or not to buy. Verify the hex if you need the token. Pay tuition via **academy checkout (\$10 USDT BEP-20)**.

Worked scenario. A learner sees a video titled “IL will wreck you.”

- 270. The learner translates IL to: pool share versus holding the start amounts.
- 271. The learner asks whether the video included fees in the comparison.
- 272. The learner asks whether the speaker is selling a different product that “avoids IL.”
- 273. The learner does not approve a “IL protection vault” from the comments.
- 274. The learner, if they hold an LP receipt at all, reads current mix on the explorer instead of replaying the video.

DIAGRAM

START (same amounts)	LATER (relative price of A doubled)
HOLDING	POOL SHARE
+-----+	+-----+
50 A 50 B	fewer A, more B
A rallied	sold some A to
you still have 50	traders
+-----+	+-----+

IL is the gap between the two columns, before counting fees.

Removing is when the comparison hits the wallet

While you hold the receipt, the gap is in the mix. When you burn the receipt, you receive the drifted inventories. Then you can compare the tokens in your EOA to the holding path with actual units. That is the next lesson’s door. Do not let a curse word stop you from reading the door.

ACADEMY NOTE Academy rule: IL is a comparison with holding, not a hex, not a fee, not a personality. If a thread cannot say “versus holding,” it is using a curse or a lullaby. Demand the comparison.

What this lesson is for

You can now say IL without flinching or sneering. Next: removing liquidity — burning the receipt for the mix that actually exists.

Say this out loud

- Impermanent loss compares pool share to holding the original amounts at the same prices.
- Fees are a second motion and may not cover the gap.
- The gap is already in the mix; withdrawing crystallises it.
- Bigger relative price moves usually mean more mix drift on a constant-product pair.
- This academy will not tell you to LP to “earn IL back.”

Next: removing liquidity — burn the receipt, take the current mix, pay gas.

Lesson 4: Removing liquidity (25 min)

Removing liquidity

Removing liquidity is burning the LP receipt (or the NFT position) so the pool pays you a share of whatever sits on the shelves now. You do not get a time machine. You get the current mix, minus fees the router or pool keeps, minus gas in the native coin.

By the end of this lesson you should be able to walk a remove call as a technical sequence, name the usual revert reasons, and refuse blank-burn folklore. This academy will not tell you when to exit.

The door is a function, usually through the router

Typical path: approve the router to pull the LP token (another debit order — Module 2), then call ``removeLiquidity`` with a minimum amount of token A, a minimum amount of token B, a deadline, and a recipient. The router burns LP at the pool and sends A and B to the recipient. If you skip min amounts, you are offering sandwich room on the way out, just as you might on a swap.

Some pools let you call the pool itself. The object does not change: burn receipt, receive mix. If the LP token is staked in a farm, you must exit the farm first — next lesson — or the pool will not see your receipt.

Read the two token contracts you are about to receive. A hostile pool can pay you a lookalike ticker on the way out. Confirm hexes on the explorer after the transaction, not only the wallet’s nickname list.

You will not get the original pile

If you deposited 50 and 50 of something, and traders moved the mix, you might receive 30 and 80. People call that “the pool stole 20.” The 20 of the winner left with traders who bought it. Fees may have added units on both sides. IL comparison is how you talk about that calmly. Remove is how you take the units that exist.

Reverts: slippage mins too tight, deadline passed, insufficient LP balance, farm still holding the receipt, paused pool, wrong chain. Failed remove still costs gas. Retrying without reading the fail can empty BNB or ETH.

Step	What must be true	Failure if skipped
Hold LP token at your EOA	Not staked, not sent	Remove reverts or you burn nothing
Approve router for LP	Allowance for the receipt	Router cannot pull LP
Set minOut for both tokens	Guard against ugly mix fill	Sandwich or thin-pool surprise

Correct chain and pool	Same book you added on	Receipt on 56 does not burn a pool on 1
Fuel	Native coin	You watch the receipt and cannot exit

Partial remove exists

You can burn part of the receipt. The rest stays a share of the mix that will keep moving. Partial is not a special ritual. It is a smaller burn. Some frontends hide it behind a slider. The calldata is the truth.

Do not send LP tokens to the pool address as a “remove.” That can be another well. Do not send them to Crystal Stones’ verify-only hex. That hex is not a router. Checkout is **\$10 USDT BEP-20 through academy checkout**, unrelated to remove.

Worked scenario. A learner wants the tokens back.

275. The learner reads LP `balanceOf(learner)` on the explorer for the correct chain.
276. The learner checks the LP token is not still approved-and-staked in a farm contract.
277. The learner checks native coin for gas.
278. The learner calls remove with min amounts they can live with, recipient = their EOA.
279. After success, the learner reads token A and B balances and the new LP balance — proof, not a toast.

DIAGRAM

BEFORE REMOVE	AFTER SUCCESSFUL REMOVE
+-----+	+-----+
LP: 10	LP: 0
A: 0 B: 0	A: current share
+-----+	B: current share
	+-----+

Pool shelves shrink by that share. Mix is today's mix.

If the pool is empty or rugged, remove cannot mint reality

If an admin pulled inventories, or a token cannot transfer, burn may fail or pay you dust. Remove is not an insurance claim. Module 6 treats rugs as functions. If remove already failed because the shelves are gone, a recovery DM is still a thief.

ACADEMY NOTE Academy rule: remove pays the current mix to the recipient in the calldata. Proof is explorer balances after a successful burn. A slider is not proof. A seed-sharing “exit assistant” is theft.

What this lesson is for

You can now treat exit as a burn with guards. Next: staking the LP token — another program, another approve, another way not to be able to remove yet.

Say this out loud

- Removing liquidity burns the receipt and pays a share of current inventories.

- You need the LP token at your EOA, an allowance if a router pulls it, min amounts, and fuel.
- Failed remove still costs native gas.
- Do not send LP tokens to a pool or to Crystal Stones' contract as a remove.
- Staked LP is not sitting at your EOA until you unstake.

Next: staking an LP token is another program on top — a second debit order.

Lesson 5: Staking an LP token is another program on top (24 min)

Staking an LP token is another program on top

Staking an LP token means: you approve a second program (a **farm**, gauge, or “chef”) to pull your receipt, then you call deposit. The pool still holds the A and B. The farm now holds the LP token. You hold a claim on the farm — sometimes only a storage row, sometimes another receipt. Reward tokens, if any, come from this second program, not from $x*y=k$ itself.

By the end of this lesson you should be able to draw the stack — pool, LP token, farm — and name the extra approve as a new debit order. This academy will not tell you to farm.

Two programs, two permissions

You already approved a router to pull token A and token B when you added liquidity. You may have approved the router to pull LP to remove. Staking asks for **allowance on the LP token to a new spender**. Unlimited LP approve to a hostile farm is Module 6 with a different costume: the farm drains the receipt, which is the claim on the shelves.

Disconnecting the farm website does not revoke that allowance. Unstaking, if the farm allows it, returns LP to your EOA. Pause on the farm can trap the receipt while the pool is still honest. That is the extra risk you bought with the extra percentage.

Reward tokens are a third token program. They need a buyer if you want to exit them. Newly minted rewards can be the only “yield” the ad meant. Module 4's skip-list still applies.

The pool does not know you are farming

The pool tracks LP total supply and inventories. It does not parent the farm. If the farm's admin mints extra internal shares, or if the farm is a clone, the pool will still honour whoever actually holds the LP token.

Possession of the receipt is the claim. The farm is supposed to hold it for you. That sentence is trust in a second bytecode.

Layer	Holds what	Extra fail
Pool	Token A and B	Mix drift, rug pull of shelves, pause
LP token	Receipt supply	You approved a spender on it
Farm	LP tokens (hopefully)	Admin, pause, clone, reward-token emptiness
Frontend	Buttons	Fake farm with a real pool name

Unstake then remove, not folklore

To exit to token A and B you usually: unstake (farm sends LP back), then remove liquidity (pool sends A and B). Skipping unstake means the pool does not see your LP. People “remove” on the AMM site and revert, then crank slippage, then blame k. The receipt is sitting in the farm.

Emergency withdraw functions exist on some farms: return LP, forfeit rewards. If even that is missing or paused, you are in a trap. Tiny size is the only honest practice amount. This course still does not assign a farm.

Crystal Stones as a reward ticker is a lure unless you independently care about that BEP-20 — and this academy will not tell you to care. Verify `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` if someone claims the reward is CS. Paying tuition by staking LP is false. **Checkout is \$10 USDT BEP-20 through academy checkout.**

Worked scenario. A learner’s AMM page cannot remove liquidity.

280. The learner reads LP `balanceOf(learner)` — zero.
281. The learner reads `balanceOf(farm)` and the farm’s user-info for their address.
282. The learner unstakes first, then confirms LP is back at the EOA.
283. The learner revokes the farm’s LP allowance if they are done, paying gas.
284. The learner removes liquidity with mins, or stops if the size was already a lesson.

DIAGRAM

```

STACK (top is extra)
+-----+
| Farm program (rewards) | <-- extra approve of LP
+-----+
| LP token (receipt)    |
+-----+
| Pool (A and B shelves) |
+-----+
| Token A program / Token B |
+-----+
Remove needs the receipt at your EOA, not stuck on the top floor.
```

Yield shopping lives on this extra floor

The extra percentage is usually here, not in the pool fee. Extra floor, extra admin, extra token. If you cannot name the farm hex, you are not staking. You are leasing a button.

ACADEMY NOTE Academy rule: a farm is another program that wants an allowance on your receipt.

Unstake before remove. Revoke the farm when you are done. Nobody from this academy will DM a chef address.

What this lesson is for

You can now see staking as a second program, not as a bonus sticker on the same pool. Next module: how this whole design actually hurts people when the app, the approve, the chain, or the admin is hostile.

Say this out loud

- Staking an LP token deposits the receipt into a second program.
- That second program needs its own allowance; disconnect is not revoke.
- The pool pays whoever holds the LP token, which may be the farm.
- Unstake, then remove; do not crank slippage on a missing receipt.
- Reward tickers, including Crystal Stones, are not academy checkout.

Next: fake frontends that print a real contract name — the first wound in how this design hurts.

Module quiz (answers included for editors)

Q1. A learner blank-transfers USDT and WBNB to a pool address and receives no LP tokens. What likely happened?

- A. The chain always mints receipts for transfers
- B. The shelves may have grown without minting a receipt the learner can burn
- C. Academy checkout converted the transfer into tuition
- D. Crystal Stones' contract minted LP automatically

Correct answer: B

Q2. Why can a green dollar tile on an LP dashboard mislead?

- A. Because explorers forbid dollar signs
- B. Because it can merge fees, mix drift, and outside prices into one number
- C. Because LP tokens always pay gas in dollars
- D. Because Binance paints every tile green

Correct answer: B

Q3. What is impermanent loss, said without a curse?

- A. A fee the pool hides in gas
- B. A comparison of pool share versus holding the original amounts at the same prices
- C. A court penalty for providing liquidity
- D. A Crystal Stones mint tax

Correct answer: B

Q4. A removeLiquidity call reverts. LP balanceOf(learner) is 0. What should they check next?

- A. Whether they paid tuition in Crystal Stones
- B. Whether the LP receipt is staked in a farm or sitting on another chain
- C. Whether k is illegal this week
- D. Whether staff can remove if they share a seed

Correct answer: B

Q5. Staking an LP token in a farm creates which extra object?

- A. A bank deposit insurance policy
- B. A second program holding the receipt, plus a new allowance on the LP token
- C. A free bridge to Ethereum
- D. Automatic academy checkout

Correct answer: B

Q6. When a learner burns LP, which inventories do they receive?

- A. The original deposit amounts, guaranteed
- B. Their share of the current mix, not a time machine
- C. Crystal Stones equal to the USD tile
- D. ETH on BSC because fuel converts

Correct answer: B

Q7. A farm website uses the real pool name. The approve spender is a different hex. What should the learner do?

- A. Sign; the name is the protocol
- B. Refuse and verify the spender; the farm is another program, and the app can lie
- C. Send LP tokens to 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00
- D. Disconnect, which revokes LP allowance

Correct answer: B

Q8. Why is unlimited approve of an LP token to a farm dangerous after unstake?

- A. Because allowance always expires
- B. Because the farm spender may still pull the receipt later until revoked
- C. Because LP tokens pay interest to the spender automatically
- D. Because academy checkout requires that allowance

Correct answer: B

Module 6: How this design actually hurts people

Failure cases: fake frontends that print a real name, unlimited approve to a hostile spender, wrong-chain DeFi, rugs that are pull-liquidity or admin mint, and practice rules — tiny size, revoke, academy checkout in USDT BEP-20 not Crystal Stones.

Lesson 1: Fake frontend / phishing site with a real contract name (26 min)

Fake frontend / phishing site with a real contract name

Attackers do not always invent a new protocol. They invent a **page** that prints a real name, a real hex in the footer, even a real docs link, while the wallet popup asks you to approve a **different spender**. Module 1 said the app is not the protocol. This lesson is the failure case: you believed the paint.

By the end of this lesson you should be able to walk a check that does not trust the footer, and refuse the after-the-fact story “but it had the official contract on the page.” This academy will not send you a DeFi URL in chat.

What is real, what is theatre

Real: bytecode at a hex on a chain you can name. **Theatre:** logos, footers, screenshots of explorers, “verified” badges on the website itself, comment-section links, search ads. A phishing site can iframe a real BscScan page while its JavaScript still packs a hostile approve.

Wallet connection is not the theft. The theft is the signature: approve the wrong spender, or swap through the wrong router, or sign typed data that sets allowance without a second pop you understand. Seed-phrase phishing is the Basic-course cousin. Intermediate DeFi phishing often never asks for the seed. It asks for a signature you have been trained to tap quickly.

Staff of this academy will never send a “connect to verify your homework” link. They will never ask for a seed, a key, or 2FA.

Where the fakes live

Search ads above the real domain. Misspelled domains. In-app browsers opened from a message. Bookmarks that were rewritten by malware. Copies of the real UI with one extra approve. “Support” pop-ups after a failed transaction. All of these attack the app layer because the app layer is cheaper to fake than a verified-on-chain pool with actual inventory.

What you saw	What you must still check	If you skip it
Official name in the title	Domain spelling versus a source you already had	You connect to a clone
Real hex in the footer	Spender hex in the wallet pop versus explorer	Footer was wallpaper
Iframe of BscScan	URL bar of the explorer you typed	You read a picture of an explorer
“WalletConnect to continue”	Whether you needed to continue at all	Session plus a later hostile request

The check, boring on purpose

Type the explorer from a bookmark. Paste the router or pool hex from a document you obtained without the suspect page. Confirm bytecode. Then, when the wallet pops, compare the `to` or spender to that hex, start and end, on the correct chain ID. If the site needed you to be in a hurry, that is a finding.

Trust Wallet and MetaMask — examples of wallet apps — will show what they are asked to show. They are not detectives. They will sign a hostile approve with the same calm as an honest one.

Crystal Stones' published hex in a fake "CS DeFi" footer is a favourite costume. The hex `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` is verify-only. It is not a farm. A page that says "approve CS to the official router" while the spender is random is this lesson. Tuition is **\$10 USDT BEP-20 through academy checkout**, never a connect-to-pay DeFi page.

Worked scenario. A learner searches a famous AMM name and clicks the first result.

285. The learner does not connect. The learner reads the domain character by character.
286. The learner opens BscScan or Etherscan from a bookmark, not from the result's button.
287. The learner finds the router hex from a source that is not the ad.
288. If they still use a frontend, they compare the first approve spender to that router.
289. On mismatch, they reject and close the tab. They do not "try a tiny approve to test."

DIAGRAM

PAGE (theatre)	POPUP (the book will obey)
+-----+	+-----+
real protocol name	spender: 0xBAD...
real hex in footer	token: USDT
iframe of explorer	amount: UNLIMITED
+-----+	+-----+
LEFT can be honest or cloned. RIGHT is the only object the token program will honour.	

After a bad connect

Disconnect the session. It does not revoke. Read allowance. Revoke if a spender you do not want is live. Move remaining tokens if you believe the key might also be compromised — different wound. Do not DM "recovery." Recovery is theft in a high-vis jacket.

ACADEMY NOTE Academy rule: a real name on a fake page is still a fake page. Compare spender hexes. We will not send you DeFi links. We will not ask for a seed to "check if the site was real."

What this lesson is for

You can now treat a familiar name as a costume until the popup matches the book. Next: unlimited approve to a hostile spender — when the debit order is the whole attack.

Say this out loud

- A phishing DeFi site can print a real contract name and still request a different spender.
- The wallet popup is what the chain will obey, not the footer.
- Search ads and hurry are part of the design of the scam, not a coincidence.
- Disconnect is not revoke; read allowance after a scare.
- Academy staff will not DM a DeFi URL or ask for a seed.

Next: unlimited approve to a hostile spender — the debit order that waits.

Lesson 2: Unlimited approve to a hostile spender (27 min)

Unlimited approve to a hostile spender

The Ethereum course called approve a standing debit order. DeFi makes that order the usual first tap. A **hostile spender** is a contract (or an EOA) that will call `transferFrom`` when it is ready — not when you tap swap. Unlimited allowance is how one signature donates every current and future unit of that token at that address.

By the end of this lesson you should be able to describe a drain that happens hours later, say why a zero balance was not safety, and refuse “set spending cap to max” as a default. This academy will not tell you to approve anyone.

The later pull is the point

A simple thief asks for the seed now. A DeFi thief asks for unlimited USDT to 0xBAD, lets you complete a small swap from a nested honest pool (or fakes a success toast), and returns when your balance is fatter. Payroll lands. A friend refunds you. You bridge in. `transferFrom`` runs. The explorer shows a successful token transfer from you to them, authorised by the allowance you wrote.

You will not see a new website pop if they already have the allowance. Your wallet can look idle. Idle is not revoked.

If the spender is a contract with a hidden `drain`` called by its owner, the owner waits. If the spender is an EOA you approved by mistake (rare in honest UX, common in hostile calldata), that EOA can pull whenever.

Unlimited plus refill is a loop

Revoke stops the loop. Sending the remaining tokens to a new EOA without revoking leaves the old address dangerous for the next inbound transfer. Hiding the token in the wallet UI does nothing. Approving a second “cleaner” contract from a recovery ad is often a second hostile spender.

What you did	What the hostile spender can do	What actually stops it
Unlimited approve	Pull until empty, now or later	Revoke, or empty forever and abandon the address
Exact approve of 50	Pull up to 50	Cap already small; still revoke if hostile
Zero balance, leftover unlimited	Pull the next inbound units	Revoke before you refill
New EOA, old allowance untouched	Pull from the old EOA	Do not send to the old EOA

How the popup hides max

Some wallets show “unlimited” in words. Some show a huge integer. Some show the token amount you typed for the swap while calldata still has max uint. Read the decoded allowance if present. If the wallet cannot decode, you are signing blind. Blind plus max is how this wound is inflicted on careful people.

Permit signatures (typed data) can set the same unlimited allowance without a classic approve transaction. Read spender and amount in that message too. A permit for a hostile spender is not gentler because it did not show a gas bar.

Crystal Stones unlimited approve to a mystery spender is the same wound on a BEP-20. Do not approve CS to “activate” anything. The published hex is not a spender you pay. Checkout is **\$10 USDT BEP-20 through academy checkout**. Staff will not ask you to approve a cleaner.

Worked scenario. A learner swapped a small amount of USDT a month ago. Today USDT leaves while they are offline.

290. The learner opens the token’s explorer page and reads the outgoing `transferFrom`.
291. The learner notes the spender and finds the old Approval event with a max value.
292. The learner revokes that spender on every token they approved if they still control the key.
293. The learner does not sign a new “refund contract.”
294. The learner treats remaining assets as hot until allowances are zero and they decide whether the key is still only theirs.

DIAGRAM

DAY 0	DAY 30
+-----+	+-----+
approve UNLIMITED	inbound +80 USDT
swap 15 USDT	spender pulls 80
balance looks ok	toast: none
+-----+	+-----+

Same debit order. Later inventory. The book is consistent.

Practice size limits the blast

If you never keep more on a hot EOA than you can lose, a later pull is a lesson instead of a hole in the month. That is not victim-blaming. That is how you live with standing orders on a public computer. Split addresses if you must: one EOA for experiments with tiny inventories, one that never approves DeFi spenders.

ACADEMY NOTE Academy rule: unlimited is a memory. Hostile spenders use time. Revoke when the job is done. Exact caps if you must approve. Never grant a spender because a refund was promised.

What this lesson is for

You can now see a delayed drain as the same approve you already understood. Next: wrong-chain DeFi — the book was never the one you meant.

Say this out loud

- A hostile spender can pull later; unlimited allowance is the invitation.
- Zero balance does not kill a max allowance.
- Permit can set the same debit order without a classic approve tx.
- Recovery “cleaners” are often a second hostile spender.
- This academy will not ask you to approve a contract to pay or to refund.

Next: wrong-chain “DeFi” — same letters, different book, missing inventory.

Lesson 3: Wrong-chain “DeFi” (25 min)

Wrong-chain “DeFi”

The website says Ethereum. The wallet is on BNB Smart Chain, or the reverse. The ticker says USDT. The contract is a copy on the other book — or nothing useful. You approve, you swap, you add liquidity, and you have interacted with a **different set of programs**. Intermediate already taught two books. This is the DeFi-shaped way to ignore that lesson.

By the end of this lesson you should be able to name chain ID, explorer, fuel, and token contracts as a preflight, and describe what “the funds vanished” usually means when the letters matched. This academy will not tell you to bridge as a fix.

Same letters are not a bridge

Your EOA address looks identical on chain 1 and chain 56. Pools do not. Routers do not. USDT does not. A frontend can switch the wallet’s network in the background after you connected, or it can fail to switch and still draw Ethereum logos. If you signed while the wallet network badge said BSC, you paid BNB to talk to BSC programs, even if the tab’s CSS was Ethereum-coloured.

Copycat tokens love the wrong-chain moment. You meant wrapped ether on Ethereum. You approved a “WETH” BEP-20 that a stranger minted this morning. The pool was liquid in that fake WETH because the stranger filled both sides. You swapped honest USDT into trash. k held. The book was consistent. You still lost.

Bridging is another program, not a undo button

If you sent the right token on the wrong chain to a contract that does not exist there, you may have written into a well. A **bridge** is extra programs plus extra custodians or extra verifiers. This course will not teach a bridge workflow. It will say: **do not bridge in a panic to “recover” a wrong-chain DeFi tap**. Panic-bridges are how people pay a second hostile app.

Exchange withdrawals have the same geography. Binance, as an example of a CEX, asks which network. If you withdraw USDT-ERC20 to a wallet you only use on BSC DeFi, you now hold a row on Ethereum. BSC routers cannot spend it. Fuel on BSC (BNB) will not move Ethereum USDT.

What you intended	What you signed	Usual result
Ethereum pool	Chain 56 tx	BSC copycat or empty contract; ETH never moved
BSC USDT	Ethereum USDT contract	Different notebook; router reverts or takes the other USDT
WBNB	WETH letters	Fake token or wrong wrapped native
Academy \$10 BEP-20	ETH on chain 1	Checkout not paid; ETH spent elsewhere

Preflight is four names

Before any DeFi signature: **chain ID, native fuel, explorer, token/router hexes**. Read them on the wallet badge and on the explorer you typed. If the frontend cannot wait for that, you do not need that frontend.

Crystal Stones lives on BSC as the published BEP-20. A “CS DeFi” site that asks for Ethereum ETH gas is already wrong-chain theatre unless they independently deployed a different token — which would not be the asset this academy verifies. Do not send CS cross-chain to chase a farm. Do not pay tuition on the wrong book. **Checkout is \$10 USDT BEP-20 through academy checkout.**

Worked scenario. A learner’s swap succeeded on the explorer they finally opened — BscScan — but they thought they were on Ethereum.

295. The learner reads chain ID 56 on the tx.
296. The learner lists which token contracts were pulled — BSC hexes.
297. The learner does not send ETH to “complete the bridge.”
298. The learner revokes BSC spenders they did not mean to keep.
299. The learner, if they still need an Ethereum action, starts from zero on chain 1 with ETH for gas and Ethereum token contracts.

DIAGRAM

INTENDED	SIGNED
+-----+	+-----+
chain 1	chain 56
ETH fuel	BNB fuel
Ethereum USDT	BSC USDT or fake
Ethereum router	BSC router
+-----+	+-----+

Logos can match. Books do not. The signed column is the history.

Explorers do not gossip across books

Etherscan will not show your BSC swap. BscScan will not show your Ethereum approve. Opening the “wrong” explorer and seeing nothing is not a refund. It is the other library’s silence. Bookmark both. Use the one that matches the wallet badge.

ACADEMY NOTE Academy rule: wrong-chain DeFi is not a bridge request. It is a signed history on the book you actually used. Name four things before the signature. Do not pay a panic-bridge.

What this lesson is for

You can now treat network badges as part of the contract, not as chrome. Next: rug as a function — pull liquidity, admin mint — not as a vibe.

Say this out loud

- Address letters matching does not move inventories across chain 1 and chain 56.
- Frontends can wear the wrong chain’s paint while the wallet signs the other book.
- Fake wrapped tokens thrive in wrong-chain moments.
- Bridging in a panic is a second program, not an undo.
- Crystal Stones verification is a BSC BEP-20, not an Ethereum farm.

Next: rug as pull-liquidity or admin mint — a function, not a mood.

Lesson 4: Rug as pull-liquidity / admin mint, not a vibe (28 min)

Rug as pull-liquidity / admin mint, not a vibe

A **rug** in this course is not “bad vibes” and not “the team was rude.” It is a **function that extracts the honest side of a pool or inflates a token** so that remaining holders sit on empty shelves or diluted rows. Typical shapes: ``removeLiquidity`` by an insider who held most LP tokens; a privileged ``mint``; a pause that traps you while the insider exits; a proxy upgrade that points at drain bytecode.

By the end of this lesson you should be able to name those functions, know what “renounced” would have to mean on the explorer, and refuse rug as a personality test. This academy will not call a project a rug for you as a service.

Pull-liquidity is a remove by someone who owns the receipt

If a deployer adds liquidity, holds the LP tokens, and later burns them for almost all of both shelves, the pool's x and y collapse. Your remaining LP share is a share of dust. k still “worked.” Traders who bought the token on the way up were swapping against shelves the deployer still owned. **Who holds the LP supply** is the question. A lock contract can hold it. A lock can be fake. A lock can expire. Read the LP holder list on the explorer, not a padlock emoji.

Honey-pot variants: you can buy, but token code blocks your sell. That is a token-program function, not an AMM mood. Read transfer restrictions. You will not audit every token. You will assume a brand-new ticker can block you, and you will not size as if it cannot.

Admin mint is a printer

If the token owner can mint, they can dump into the pool. $x*y=k$ stays internally consistent while the honest inventory is drained against paper. Verification of source does not remove a mint function. Verification means the compiler matched. Module 1 leftover: a boss is a slot.

Rug shape	Function-shaped object	What a vibe story says instead
Pull liquidity	Insider burns LP, shelves collapse	“They rugged because they are bad people”
Admin mint	Privileged mint, then sell into the pool	“Whales dumped”
Pause and trap	<code>pause()</code> while insider exits elsewhere	“Network congestion”
Proxy swap	New implementation drains	“Unexpected vulnerability”
Fake lock	LP sitting at an EOA labelled “lock”	“Liquidity locked, so safe”

Renounced is a fact to read

Renounce ownership is a transaction that sets owner to the zero address, if the program actually did that. Tweets are not that transaction. Some programs have a second admin slot. Some “renounce” and keep a mint on a different role. Read. If you cannot read it, you do not have the safety the tweet described.

Crystal Stones' RWA story is **their claim to verify**, not a rug-rating this academy issues. The hex ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` is for identity on BSC. This course will not tell you to

buy CS because it is “not a rug,” and will not tell you to sell because a thread used the word. We teach the functions. We do not run a gossip desk.

Do not send funds to that hex “to be safe from rugs.” That is not how safety works. Tuition is **\$10 USDT BEP-20 through academy checkout**.

Worked scenario. A learner watches a pool’s BNB inventory collapse in one transaction.

300. The learner opens the tx and looks for a removeLiquidity or a large burn of LP tokens.
301. The learner checks who held that LP supply two blocks before.
302. The learner does not buy the dip as a moral lesson.
303. The learner does not sign a “lawsuit pool” from comments.
304. The learner, if they held LP, attempts remove for whatever dust remains, then stops.

DIAGRAM

BEFORE INSIDER REMOVE	AFTER
+-----+	+-----+
shelves: deep	shelves: dust
LP: mostly insider	insider got A+B
your LP: 1%	your 1% of dust
+-----+	+-----+

The formula kept. The inventory left through a legal call.

“Community token” is not an opposite of rug

A fair-looking distribution can still mint. A mint-free token can still sit in a pool whose LP is unlocked. You need both sides: token privileges and LP custody. Missing either question is how vibe replaces a checklist.

ACADEMY NOTE Academy rule: rug means a function emptied the honest inventory or printed against it. Name the function. Padlock emojis are not holders. This academy will not be your rumour mill.

What this lesson is for

You can now say rug without a personality story. Last lesson: practice rules that keep you alive around all of the above — including how this course is actually paid for.

Say this out loud

- A liquidity pull is a remove by whoever holds the LP supply.
- Admin mint can keep k true while emptying the honest side.
- Renounced ownership is an explorer fact, not a tweet.
- Verified source does not delete a mint or a pause.
- Crystal Stones’ hex is verify-only, not a safety deposit box.

Next: practice rules — tiny size, revoke, and academy checkout as USDT BEP-20, not Crystal Stones.

Lesson 5: Practice rules (tiny size, revoke, academy checkout is USDT BEP-20 not Crystal Stones) (24 min)

Practice rules (tiny size, revoke, academy checkout is USDT BEP-20 not Crystal Stones)

DeFi is a public computer running swap, pool, and lend without a parent. The only honest practice is **tiny size, named chain, read then revoke**, and **never mixing tuition with a protocol**. This lesson is the pocket card for the whole course.

By the end of this lesson you should be able to recite the practice rules in your own words, including how Intermediate is paid for, and refuse the last social-engineering costumes. This academy will not tell you to deploy a strategy.

Tiny size means a loss you already accepted

If a swap, supply, or LP add would change your month, it is not practice. Practice belongs on amounts you can watch vanish. Testnet, where you can get it, is even better: worthless play coins on a practice computer. Mainnet tiny size still burns real gas. Budget the gas as part of the lesson cost.

Split work. An EOA that never approves DeFi spenders can hold the coins you are not experimenting with. An experiment EOA holds fuel plus dust-sized tokens. Mixing those piles is how an unlimited approve becomes a month.

Revoke is part of the job, not an aftercare product

After a practice swap: read allowance, approve-zero if you do not need the spender, confirm the read is 0. After a practice farm: unstake, remove if you want the base tokens, revoke the farm. After a scare: same reads, no recovery DMs. Fuel must remain for the revoke. Do not spend the last BNB on a third retry.

Staff will never ask for a seed, a private key, 2FA codes, or remote screen control to “finish the revoke for you.”

Rule	In practice	Counterfeit version
Tiny size	Dust you can lose	“Tiny” that is still rent
Named chain	Badge, explorer, fuel, hexes	Logo colour
Revoke	approve(0) + re-read	Disconnect, hide token, send CS to a contract
Checkout	\$10 USDT BEP-20 via academy checkout	CS token, ETH, chat 0x, pool deposit
Keys	Only you type them, only in the wallet	Staff, support, refund bot

Checkout is not a DeFi action

This Intermediate course costs **\$10 USDT on BNB Smart Chain (BEP-20)** through **academy checkout** or a **third-party payment processor**. It is not a swap. It is not an approve. It is not a supply. It is not a send to `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That address is the Crystal Stones BEP-20 to **verify**.

Verification is not payment. Crystal Stones token is not tuition. ETH on Ethereum is not tuition. A router is not a cashier.

If a page, a person, or a pop-up says otherwise, it is wrong or hostile. This academy will not name a payment vendor. It will name the rail: USDT BEP-20, academy checkout.

Worked scenario. A learner finishes Module 6 and wants to keep practising.

305. The learner keeps experiment sizes at dust and keeps a separate EOA without DeFi allowances for anything larger.

306. The learner books Etherscan and BscScan, and reads chain ID before every signature.

307. The learner revokes leftover spenders from this course's practice, then re-reads allowance.

308. The learner ignores a message: "send CS to the contract to mint your certificate."

309. The learner, if they still need to pay for access, uses academy checkout in \$10 USDT BEP-20 — not a pool, not a farm, not a chat.

DIAGRAM

KEEP	DO NOT
+-----+	+-----+
dust-sized practice	rent on a health factor
named chain + explorer	search-ad frontend
revoke + re-read	unlimited leftover
\$10 USDT BEP-20 checkout	CS to 0xe252...
keys stay in your wallet	seed to "support"
+-----+	+-----+

What you can say after six modules

DeFi is programs for swap, pool, and lend. Apps lie. Approvals are debit orders. Pools are shelves. Lending is not a bank. LP tokens are receipts. IL is a comparison. Fakes, unlimited spenders, wrong chain, and rugs are functions and costumes, not mysteries. You are not a farmer because you finished a quiz. You are harder to rush.

ACADEMY NOTE Academy rule: practice is tiny, named, revocable, and separate from tuition. Crystal Stones' contract is verify-only. Intermediate is \$10 USDT BEP-20 through academy checkout. Staff never ask for seed, key, or 2FA.

What this lesson is for

This is the pocket card. You do not need a seventh module of shops. You need the reflex to name the object before you sign.

Say this out loud

- Practice sizes are amounts I already accepted I can lose.
- After a DeFi job I read allowance and revoke spenders I do not need.
- Academy checkout is \$10 USDT BEP-20, not Crystal Stones and not a pool.
- The Crystal Stones hex is verify-only, never a payment address.

- Academy staff never ask for a seed phrase, a private key, or 2FA.

Next: you already have the course. Use it as a brake.

Module quiz (answers included for editors)

Q1. A site prints a famous AMM's name and the real router hex in the footer. The wallet approve shows a different spender. What should the learner do?

- A. Sign; the footer is the protocol
- B. Reject: the popup spender is what the token program will honour
- C. Send Crystal Stones to the footer hex to whitelist the page
- D. Paste a seed so the wallet can verify the footer

Correct answer: B

Q2. A learner approved unlimited USDT last month. Today USDT leaves while the wallet is idle. What is a DeFi-shaped explanation?

- A. BscScan charges a monthly USDT tax
- B. A spender with leftover allowance called transferFrom; unlimited is a memory
- C. Academy checkout pulled tuition automatically in CS
- D. Failed swaps refund themselves by draining USDT

Correct answer: B

Q3. A frontend wears Ethereum paint. The wallet network badge says chain 56. The learner signs. What book did they use?

- A. Both books, because addresses match
- B. BNB Smart Chain; logos are not chain ID
- C. Ethereum, because CSS cannot lie
- D. Crystal Stones' mineral vault

Correct answer: B

Q4. A pool's inventories collapse in one transaction that burns a large LP balance. What is the precise name?

- A. A vibe
- B. A pull of liquidity by whoever held the LP supply — a remove, not a mood
- C. An automatic academy refund
- D. k breaking the law

Correct answer: B

Q5. How is this Intermediate course paid for?

- A. Send Crystal Stones to 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00
- B. \$10 USDT BEP-20 through academy checkout or a third-party payment processor

- C. Approve a router for unlimited ETH
- D. Stake LP tokens until the USD tile says 10

Correct answer: B

Q6. After a practice swap, what completes the job?

- A. Disconnect the website, which zeros allowance
- B. Read allowance on the explorer and revoke (approve 0) if the spender is no longer needed
- C. Message staff with 2FA so they can revoke
- D. Hide the token in the wallet UI

Correct answer: B

Q7. A “refund cleaner” asks the learner to approve unlimited of every token. What is that?

- A. A standard revoke
- B. A second hostile spender being granted a debit order
- C. Academy checkout’s backup rail
- D. How Crystal Stones insurance pays

Correct answer: B

Q8. Which practice split actually reduces blast radius?

- A. Keep rent and experiment dust on the same EOA that approves every farm
- B. Use a tiny experiment EOA for DeFi signatures and keep larger piles on an EOA that does not approve DeFi spenders
- C. Store the seed with staff for safekeeping
- D. Pay tuition by supplying CS as collateral

Correct answer: B

Tokenomics — How Coins Are Designed

INTERMEDIATE TRACK | slug: tokenomics | level: intermediate | PAID

The third Intermediate course. You already can name contracts, approvals, and DeFi programs. This course names supply, mint, allocation, unlocks, inflation, burns, and how to read a tokenomics page as functions rather than a mood. Education only. Not a buy order. Crystal Stones published figures are claims to verify at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00. Intermediate is \$10 USDT BEP-20 through academy checkout.

Module 1: Supply is a policy, not a vibe

A token's supply is a set of numbers and functions: cap, mint, burn, and who can press them. You will read supply as policy, not as a mood on a slide.

Lesson 1: What tokenomics is actually counting (26 min)

What tokenomics is actually counting

Tokenomics is the policy of a token program: how many units exist, who can create more, who can destroy some, and who is scheduled to receive them. It is not a personality. It is not a guarantee that a chart goes up.

By the end of this lesson you should be able to name total supply, circulating supply, and max supply as three different numbers, and refuse a slide that treats them as one.

Three supply numbers

Total supply is how many units the contract currently says exist. Circulating supply is how many of those are not locked in a vesting contract, a team wallet labelled as locked, or a similar bucket — and that number is often a dashboard estimate, not a protocol primitive. Max supply is a cap, if the code actually has a cap. Many tokens have no max. Many slides print a max that the mint function can ignore.

Policy lives in functions

A human-readable whitepaper is not the policy. The policy is mint, burn, pause, snapshot, and the admin that can call them. If mint is public to an owner, supply can rise. If burn is a tax on transfers, supply can fall as people trade. If both exist, you have a tug of war, not a destiny.

Circulating is a story until proven

Teams count circulating by subtracting wallets they call locked. Locked means a third contract holds tokens until a timestamp, or a CEX wallet is excluded, or a promise. Read the locker. Read the amount. A labelled 'ecosystem' wallet is still circulating if it can move.

Number	What it is	What it is not
--------	------------	----------------

Total supply	Units the contract currently tracks	A promise they will never mint
Circulating	A dashboard's subtraction	A chain opcode
Max supply	A cap IF the code enforces it	A tweeted round number
Market cap	Price times some supply number	Proof of backing

Worked scenario. A page says “fixed supply, fully circulating.” You open the explorer. totalSupply can increase via mint(owner). You do not argue with the page. You name the function. You do not send Crystal Stones as tuition. Checkout is USDT BEP-20 on the academy page. Contract to verify only: 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00.

DIAGRAM

WHITEPAPER SLIDE		CONTRACT STORAGE
“max 135M”	->	totalSupply()
“locked team”	->	balanceOf(vesting)
“deflationary”	->	burn() or tax-to-dead
Always ask which function matches the word.		

ACADEMY NOTE Academy rule: a supply slide is marketing until it maps to a function and an address. Do not treat Crystal Stones’ published numbers as a buy order.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **What tokenomics is actually counting** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **What tokenomics is actually counting** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Tokenomics is policy encoded in a program, not a vibe.
- Total, circulating, and max are different numbers.
- Circulating is often a dashboard, not an opcode.
- Mint and burn are functions. Slides are not.
- This academy will not tell you to buy a ticker because supply looks pretty.

Next: who can mint, and why that is the real supply story.

Lesson 2: Who can mint (26 min)

Who can mint

If someone can call mint, supply is a privilege, not a law of physics. Intermediate already taught owner and proxy. Tokenomics starts there.

By the end of this lesson you should be able to find a mint function, name the only address allowed to call it, and say what 'renounced' does and does not freeze.

Mint is a rewrite of totalSupply

mint(to, amount) increases a balance and usually totalSupply. That is new units. They are not mined by your laptop. They are written by whoever the code allows. If that who is a multisig, you still have a who. If that who is a timelock, you have a delay, not a deletion of power.

Renounce is not a magic word

Renouncing owner sets owner to the zero address for that Ownable slot. A proxy admin on a different slot can still point the address at new bytecode that mints. A hidden minter role in AccessControl can remain. Count roles, not slogans.

Capped mint vs uncapped

Some contracts refuse mint above a cap. Some cap is a variable the owner can raise. Read whether cap is immutable. Crystal Stones' published total of 135,000,000 is a claim to verify on the contract, not a reason to buy. Verify at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 on BSC.

Phrase	Check	Failure
Owner renounced	owner() == 0x0 AND no proxy admin AND no minter role	Costume
Hard cap	cap is immutable and mint respects	Cap is a variable

	it	
Fair launch	Who received first balances, and can they mint more	Airdrop theatre

Worked scenario. A token paired with Crystal Stones claims ‘mint disabled.’ You still read mint, owner, proxy, roles on THAT token. Pairing does not inherit Crystal Stones’ rules. Academy checkout remains USDT BEP-20.

DIAGRAM

```
owner --mint--> totalSupply up, balanceOf(to) up
proxyAdmin --upgrade--> new mint() maybe
dead owner + live admin = costume
```

ACADEMY NOTE Academy rule: ‘cannot mint’ is a sentence you prove with functions, not with a banner next to a famous ticker.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Who can mint** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Who can mint** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 3

A learner anywhere should be able to repeat **Who can mint** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Mint is a privileged write to supply.
- Renounce one slot is not renounce all slots.
- A cap is only a cap if code cannot raise it.
- Pairing with Crystal Stones does not bless another token's mint.
- Verify Crystal Stones itself on the named contract; do not treat it as a mint-oracle for others.

Next: unlocks and allocation — who is scheduled to receive units.

Lesson 3: Allocation is a schedule, not a community (26 min)

Allocation is a schedule, not a community

Allocation tables (team 15%, liquidity 20%, public 40%) are a budget. The chain will not enforce the table unless vesting contracts do. A PNG in a whitepaper is not a vest.

By the end of this lesson you should be able to map an allocation row to a wallet or a vesting contract, and say what happens when a cliff ends.

Rows need addresses

Team, advisors, ecosystem, liquidity, public. Each row should resolve to an address or a set of addresses. If it does not, it is a wish. Ecosystem wallets that can move today are circulating, whatever the pie chart said.

Cliffs and linear unlocks

A cliff is a timestamp before which a vesting contract will not pay. After the cliff, linear unlocks pay a slice per block or per second. If the 'vesting' is just a team EOA, there is no cliff. There is trust.

Liquidity allocation is not locked LP

Tokens labelled liquidity may be sitting in a deployer EOA waiting to be paired. LP lock is a different object: LP tokens in a locker. Do not merge them.

Row	Honest object	Costume
Team 15%	Vesting contract with cliff	A labelled EOA

Liquidity 20%	Pair + locker holding LP	Tokens in deployer
Community 40%	Airdrop contract with a list	A farm that prints more

Worked scenario. You read Crystal Stones' published allocation as a claim. You look for vesting addresses on BSC. You do not send tuition in that token. Intermediate is the academy page in USDT BEP-20.

DIAGRAM

T=0 pie chart ----> T=cliff wallets can move
If no vesting program, T=0 is already T=unlocked.

ACADEMY NOTE Academy rule: a pie chart without addresses is interior design.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Allocation is a schedule, not a community** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Allocation is a schedule, not a community** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 3

A learner anywhere should be able to repeat **Allocation is a schedule, not a community** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders

do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Allocation is a schedule of who may receive units.
- A cliff is a timestamp in a program, or it is nothing.
- Liquidity on a slide is not an LP lock.
- Map every row to an address.
- Do not pay Intermediate in allocated Crystal Stones.

Next: inflation, burns, and sinks.

Lesson 4: Inflation, burns, and sinks (27 min)

Inflation, burns, and sinks

Inflation is mint over time. A burn is a send to a dead address or a true totalSupply decrease. A sink is a use that removes units from circulating hands without needing a religion about price.

By the end of this lesson you should separate a burn tax, a dead-address send, and a true burn(), and refuse 'deflationary' as a complete sentence.

Burn tax is not automatically deflation

A transfer tax that sends a slice to 0xdead reduces circulating in a dashboard sense. If mint outruns burns, supply still rises. Read both rates. Read whether the owner can change the tax to 99%.

True burn vs costume burn

burn(amount) that decrements totalSupply is a true burn. Sending to a 'dead' wallet that someone might still control is a costume if that wallet is not provably unspendable. 0x000...dead is conventional, not mystical.

Sinks need a reason to happen

A sink is a product that spends tokens (fees, access, redemption). If nobody uses the product, the sink is a drawing. Academy tuition is not a Crystal Stones sink. Tuition is USDT BEP-20.

Word	Mechanism	Abuse
Inflation	mint on a schedule	Silent extra minter
Burn	totalSupply down	Tax that only fills a team wallet

Sink	users spend units	A sink that is actually optional air
------	-------------------	--------------------------------------

Worked scenario. A farm says ‘deflationary like Crystal Stones.’ You verify Crystal Stones’ actual burn path on 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00. You do not assume the farm copied it. You do not buy either as a class assignment.

DIAGRAM

```
mint/block ----> totalSupply up
burn/tx    ----> totalSupply down or dead balance up
net = policy, not destiny
```

ACADEMY NOTE Academy rule: deflationary is a net of functions over time, not a sticker.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Inflation, burns, and sinks** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Inflation, burns, and sinks** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 3

A learner anywhere should be able to repeat **Inflation, burns, and sinks** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Inflation is mint. Burn is supply down or a dead send.
- Taxes can be burns, team income, or both.
- A sink without usage is a drawing.
- Net supply is an empirical fact on the explorer.
- Academy checkout is not a token burn.

Next: utility vs governance vs meme — three jobs, often mixed.

Lesson 5: Utility vs governance vs meme (26 min)

Utility vs governance vs meme

Tokens get used as access, as votes, or as a joke people trade. Most tokens mix the three. Intermediate wants you to name the mix, not to pick a mascot.

By the end of this lesson you should be able to classify a token's claimed job and say which job the code actually supports.

Utility is a gate

A utility token is spent or held to use a product: fee discount, access, redemption. If the product works with USDT instead, the 'utility' is optional theatre. Crystal Stones' academy does not require the token to study. Basic is free. Intermediate is USDT.

Governance is a vote notebook

A governance token weights proposals. Without a governor, timelock, and a treasury that actually obeys, 'governance' is a Discord poll.

Meme is attention

A meme token is allowed to exist as attention. The honesty is to say so. Dishonesty is dressing a meme in RWA language. RWA is a later course. Do not launder a joke through a mineral photograph.

Claimed job	Code you should find	Costume
Utility	A spend or hold check in a product contract	A PDF of 'use cases'
Governance	Governor + timelock + treasury	
A telegram straw poll		
Meme	Usually just ERC-20/BEP-20	
An RWA costume		

Worked scenario. A page says Crystal Stones is utility + RWA + governance. You split the claims. Academy access is not gated by holding it. RWA backing is a claim to verify, not a vault you have audited. Governance needs a governor. Education only.

DIAGRAM

JOBS (can overlap)
 [access gate] [vote weight] [attention ticker]
 Ask which box has bytecode.

ACADEMY NOTE Academy rule: three jobs on a slide is not three jobs in code.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Utility vs governance vs meme** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Utility vs governance vs meme** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 3

A learner anywhere should be able to repeat **Utility vs governance vs meme** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Name the job the code supports.
- Utility that the product does not check is theatre.
- Governance without a governor is a group chat.
- Meme plus mineral photo is still a meme until backing is evidenced.
- You do not need Crystal Stones to take this course.

Next: how to read a tokenomics page without being sold.

Module quiz (answers included for editors)

Q1. Total supply and circulating supply are?

- A. The same opcode
- B. Different numbers; circulating is often a dashboard
- C. Always equal on BSC
- D. Set by academy checkout

Correct answer: B

Q2. A mint function means?

- A. Supply cannot rise
- B. A privileged writer can raise supply
- C. Burns are illegal
- D. The token is ETH

Correct answer: B

Q3. Owner renounced but a proxy admin lives. What is true?

- A. Mint is impossible forever
- B. New bytecode may restore powers
- C. Chain ID flipped
- D. Tuition is now Crystal Stones

Correct answer: B

Q4. A whitepaper pie chart without addresses is?

- A. A vest
- B. A drawing until mapped to wallets or vesting programs
- C. Max supply
- D. A burn

Correct answer: B

Q5. A true burn usually?

- A. Sends tokens to the founder
- B. Decrements totalSupply or a provably unspendable sink
- C. Prints LP
- D. Pays gas in Crystal Stones

Correct answer: B

Q6. Utility that a product never checks is?

- A. Hard-coded in the EVM
- B. Theatre
- C. A legal tender rule
- D. Academy policy

Correct answer: B

Q7. How is Intermediate paid?

- A. By burning Crystal Stones
- B. By minting a governance token
- C. \$10 USDT BEP-20 through academy checkout
- D. By staking LP

Correct answer: C

Q8. Crystal Stones contract on BSC is for?

- A. Receiving tuition
- B. Verification of the BEP-20, not a buy or a pay-to address
- C. Ethereum gas
- D. A DAO vote

Correct answer: B

Module 2: Unlocks, cliffs, and circulating shocks

You will read vesting as a clocked program: cliff, linear, release, and what that does to the circulating story.

Lesson 1: Unlock charts are timestamps (26 min)

Unlock charts are timestamps

An unlock is a time when a vesting program allows transfer. It is not a mystical dump switch the chain flips for drama. It is a clock plus a function.

By the end of this lesson you should be able to teach the title — Unlock charts are timestamps — without a marketing slide.

The object

An unlock is a time when a vesting program allows transfer. It is not a mystical dump switch the chain flips for drama. It is a clock plus a function. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
token unlocks function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a token unlocks claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Unlock charts are timestamps
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Unlock charts are timestamps does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Unlock charts are timestamps** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Unlock charts are timestamps** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Unlock charts are timestamps is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Cliffs vs linear vs manual

Lesson 2: Cliffs vs linear vs manual (26 min)

Cliffs vs linear vs manual

A cliff pays nothing until a date, then may unlock a chunk. Linear pays a trickle. Manual is an admin calling release. Manual is trust.

By the end of this lesson you should be able to teach the title — Cliffs vs linear vs manual — without a marketing slide.

The object

A cliff pays nothing until a date, then may unlock a chunk. Linear pays a trickle. Manual is an admin calling release. Manual is trust. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
token unlocks function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a token unlocks claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Cliffs vs linear vs manual
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Cliffs vs linear vs manual does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Cliffs vs linear vs manual** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Cliffs vs linear vs manual** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Cliffs vs linear vs manual is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Reading a vesting contract

Lesson 3: Reading a vesting contract (26 min)

Reading a vesting contract

beneficiary(), start(), duration(), released(), releasable(). If those names are missing, you may be looking at an EOA with a label.

By the end of this lesson you should be able to teach the title — Reading a vesting contract — without a marketing slide.

The object

beneficiary(), start(), duration(), released(), releasable(). If those names are missing, you may be looking at an EOA with a label. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
token unlocks function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a token unlocks claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Reading a vesting contract
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Reading a vesting contract does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment

address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Reading a vesting contract** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Reading a vesting contract** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Reading a vesting contract is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: What 'fully unlocked' does to circulating

Lesson 4: What 'fully unlocked' does to circulating (26 min)

What 'fully unlocked' does to circulating

When vest ends, those units can move. Dashboards should add them to circulating. Many do not, until they do, in one day.

By the end of this lesson you should be able to teach the title — What ‘fully unlocked’ does to circulating — without a marketing slide.

The object

When vest ends, those units can move. Dashboards should add them to circulating. Many do not, until they do, in one day. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
token unlocks function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a token unlocks claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: What ‘fully unlocked’ does to circulating
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. What 'fully unlocked' does to circulating does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **What 'fully unlocked' does to circulating** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **What 'fully unlocked' does to circulating** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- What 'fully unlocked' does to circulating is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Unlocks are not price commands

Lesson 5: Unlocks are not price commands (26 min)

Unlocks are not price commands

An unlock makes sale possible, not obligatory. Treating every unlock as a guaranteed crash is as sloppy as treating it as bullish. Intermediate names the permission to move.

By the end of this lesson you should be able to teach the title — Unlocks are not price commands — without a marketing slide.

The object

An unlock makes sale possible, not obligatory. Treating every unlock as a guaranteed crash is as sloppy as treating it as bullish. Intermediate names the permission to move. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
token unlocks function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a token unlocks claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: Unlocks are not price commands

|
v

EXPLORER: function + role + time

|
v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Unlocks are not price commands does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Unlocks are not price commands** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Unlocks are not price commands** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Unlocks are not price commands is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check token unlocks is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating
- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn
- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native
- D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address
- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

Module 3: Reading a tokenomics page like an adult

Reverse the marketing order. Functions first, pie second. Taxes, reflections, and LP as rules, not decorations.

Lesson 1: How to read a tokenomics page (26 min)

How to read a tokenomics page

Start with contract, chain ID, mint, cap, tax, owner, then the pie. Reverse of how the page is designed. The page wants emotion first.

By the end of this lesson you should be able to teach the title — How to read a tokenomics page — without a marketing slide.

The object

Start with contract, chain ID, mint, cap, tax, owner, then the pie. Reverse of how the page is designed. The page wants emotion first. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
tokenomics page function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a tokenomics page claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: How to read a tokenomics page

|

v

EXPLORER: function + role + time

|

v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. How to read a tokenomics page does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **How to read a tokenomics page** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **How to read a tokenomics page** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- How to read a tokenomics page is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Taxes as a transfer rule

Lesson 2: Taxes as a transfer rule (26 min)

Taxes as a transfer rule

A tax on transfer is a fee taken by the token program itself. It can fund burns, LP, or a wallet. Read the split. Owner-set taxes can become honeypots.

By the end of this lesson you should be able to teach the title — Taxes as a transfer rule — without a marketing slide.

The object

A tax on transfer is a fee taken by the token program itself. It can fund burns, LP, or a wallet. Read the split. Owner-set taxes can become honeypots. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
tokenomics page function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a tokenomics page claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: Taxes as a transfer rule

|
v

EXPLORER: function + role + time

|
v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Taxes as a transfer rule does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Taxes as a transfer rule** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Taxes as a transfer rule** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Taxes as a transfer rule is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Reflections and rebase

Lesson 3: Reflections and rebase (26 min)

Reflections and rebase

Reflection tokens rewrite many balances per transfer. Rebase tokens change supply under everyone. Both break naive 'I sent 100 so they got 100.'

By the end of this lesson you should be able to teach the title — Reflections and rebase — without a marketing slide.

The object

Reflection tokens rewrite many balances per transfer. Rebase tokens change supply under everyone. Both break naive 'I sent 100 so they got 100.' Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
tokenomics page function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy	A token dump address

Worked scenario. You are shown a tokenomics page claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Reflections and rebase
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Reflections and rebase does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Reflections and rebase** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Reflections and rebase** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Reflections and rebase is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: LP and tokenomics together

Lesson 4: LP and tokenomics together (26 min)

LP and tokenomics together

If the token taxes into LP, the pair grows in the token's units. That is not the same as a healthy market. Thin LP plus mint is still thin LP plus mint.

By the end of this lesson you should be able to teach the title — LP and tokenomics together — without a marketing slide.

The object

If the token taxes into LP, the pair grows in the token's units. That is not the same as a healthy market. Thin LP plus mint is still thin LP plus mint. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
tokenomics page function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a tokenomics page claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: LP and tokenomics together
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. LP and tokenomics together does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **LP and tokenomics together** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **LP and tokenomics together** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- LP and tokenomics together is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: What a global reader writes down

Lesson 5: What a global reader writes down (26 min)

What a global reader writes down

Chain, contract, mint, cap, tax, owner, vest addresses, LP locker. One page. If you cannot fill it, you are not done reading. You are being entertained.

By the end of this lesson you should be able to teach the title — What a global reader writes down — without a marketing slide.

The object

Chain, contract, mint, cap, tax, owner, vest addresses, LP locker. One page. If you cannot fill it, you are not done reading. You are being entertained. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
tokenomics page function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a tokenomics page claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: What a global reader writes down
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. What a global reader writes down does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment

address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **What a global reader writes down** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **What a global reader writes down** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- What a global reader writes down is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check tokenomics page is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat

D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

A. A vesting program

B. A person who can move tokens now unless other code stops them

C. A burn

D. Academy staff

Correct answer: B

Q3. Verified source means?

A. Audited

B. Compiler match to bytecode, not a safety rating

C. Locked LP

D. A court order

Correct answer: B

Q4. A 99% sell tax is?

A. A standard burn

B. A function that can trap sellers

C. Required on BSC

D. Gas

Correct answer: B

Q5. Unlocks make?

A. Price go down by law

B. Transfer possible for those units, not a guaranteed sale

C. ETH native

D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

A. A tuition address

B. A BEP-20 to verify, not a pay-to

C. An Ethereum NFT

D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

Module 4: Team, investors, farms, treasury

The actors who receive tokens are not a community cloud. They are wallets and programs with calendars.

Lesson 1: Team wallets in the open (26 min)

Team wallets in the open

A team wallet that is just an EOA is a person. A multisig is several people. A vest is a program. Name which.

By the end of this lesson you should be able to teach the title — Team wallets in the open — without a marketing slide.

The object

A team wallet that is just an EOA is a person. A multisig is several people. A vest is a program. Name which. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
vesting actors function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a vesting actors claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Team wallets in the open
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Team wallets in the open does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Team wallets in the open** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Team wallets in the open** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Team wallets in the open is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Investor unlocks vs community unlocks

Lesson 2: Investor unlocks vs community unlocks (26 min)

Investor unlocks vs community unlocks

Private-round tokens often have shorter cliffs than 'community' farms that print forever. Compare calendars. Do not assume community is treated better.

By the end of this lesson you should be able to teach the title — Investor unlocks vs community unlocks — without a marketing slide.

The object

Private-round tokens often have shorter cliffs than 'community' farms that print forever. Compare calendars. Do not assume community is treated better. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
vesting actors function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a vesting actors claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Investor unlocks vs community unlocks
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Investor unlocks vs community unlocks does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment

address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Investor unlocks vs community unlocks** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Investor unlocks vs community unlocks** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Investor unlocks vs community unlocks is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: TGE is a moment, not a philosophy

Lesson 3: TGE is a moment, not a philosophy (26 min)

TGE is a moment, not a philosophy

Token generation event is when balances first exist. Everything after is transfer policy. People mix TGE with 'launch' memes. Keep the mint-block timestamp.

By the end of this lesson you should be able to teach the title — TGE is a moment, not a philosophy — without a marketing slide.

The object

Token generation event is when balances first exist. Everything after is transfer policy. People mix TGE with 'launch' memes. Keep the mint-block timestamp. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
vesting actors function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a vesting actors claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: TGE is a moment, not a philosophy
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. TGE is a moment, not a philosophy does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **TGE is a moment, not a philosophy** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **TGE is a moment, not a philosophy** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- TGE is a moment, not a philosophy is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Emissions to farms

Lesson 4: Emissions to farms (26 min)

Emissions to farms

Farms that mint reward tokens are inflation with a costume. APY is the emission divided by someone else's price model. You already refused yield shopping in DeFi.

By the end of this lesson you should be able to teach the title — Emissions to farms — without a marketing slide.

The object

Farms that mint reward tokens are inflation with a costume. APY is the emission divided by someone else's price model. You already refused yield shopping in DeFi. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
vesting actors function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a vesting actors claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: Emissions to farms

|
v

EXPLORER: function + role + time

|
v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Emissions to farms does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Emissions to farms** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Emissions to farms** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Emissions to farms is a checkable object.
- Explorer first, slide second.

- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Treasury as a tokenomics actor

Lesson 5: Treasury as a tokenomics actor (26 min)

Treasury as a tokenomics actor

A DAO treasury holding 40% is a whale with a process, or a whale with a chat. Later DAO course. Today: it is a balance that can move under some rule.

By the end of this lesson you should be able to teach the title — Treasury as a tokenomics actor — without a marketing slide.

The object

A DAO treasury holding 40% is a whale with a process, or a whale with a chat. Later DAO course. Today: it is a balance that can move under some rule. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
vesting actors function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a vesting actors claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Treasury as a tokenomics actor
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Treasury as a tokenomics actor does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Treasury as a tokenomics actor** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Treasury as a tokenomics actor** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Treasury as a tokenomics actor is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check vesting actors is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating
- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn

- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native
- D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address
- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

Module 5: How tokenomics actually hurts people

Hidden mint, honeypot tax, max approve plus inflation, LP pull as 'migration,' and RWA costumes.

Lesson 1: Hidden mint after a cute launch (26 min)

Hidden mint after a cute launch

A token looks fair until a proxy upgrades a minter. You met proxies. Apply them here. Unlocks are public; upgrades may be quieter.

By the end of this lesson you should be able to teach the title — Hidden mint after a cute launch — without a marketing slide.

The object

A token looks fair until a proxy upgrades a minter. You met proxies. Apply them here. Unlocks are public; upgrades may be quieter. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
tokenomics failures function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a tokenomics failures claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: Hidden mint after a cute launch

|
v

EXPLORER: function + role + time

|
v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Hidden mint after a cute launch does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Hidden mint after a cute launch** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Hidden mint after a cute launch** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Hidden mint after a cute launch is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: 99% tax as a honeypot

Lesson 2: 99% tax as a honeypot (26 min)

99% tax as a honeypot

You can buy. You cannot sell without losing most of it. That is a tokenomics function, not bad luck. Read tax on sell vs buy.

By the end of this lesson you should be able to teach the title — 99% tax as a honeypot — without a marketing slide.

The object

You can buy. You cannot sell without losing most of it. That is a tokenomics function, not bad luck. Read tax on sell vs buy. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
tokenomics failures function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a tokenomics failures claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: 99% tax as a honeypot
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. 99% tax as a honeypot does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **99% tax as a honeypot** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **99% tax as a honeypot** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- 99% tax as a honeypot is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Unlimited approve plus mint

Lesson 3: Unlimited approve plus mint (26 min)

Unlimited approve plus mint

If a router is approved max and a token can mint to a pair, the mix of DeFi and tokenomics can empty you without a seed leak. Two courses, one blast.

By the end of this lesson you should be able to teach the title — Unlimited approve plus mint — without a marketing slide.

The object

If a router is approved max and a token can mint to a pair, the mix of DeFi and tokenomics can empty you without a seed leak. Two courses, one blast. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
tokenomics failures function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a tokenomics failures claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Unlimited approve plus mint
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Unlimited approve plus mint does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Unlimited approve plus mint** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Unlimited approve plus mint** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Unlimited approve plus mint is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Liquidity pull dressed as tokenomics

Lesson 4: Liquidity pull dressed as tokenomics (26 min)

Liquidity pull dressed as tokenomics

Removing LP is not a burn of the project token. It is draining the inventory of the pair. You named this in DeFi. It still gets sold as 'migration.'

By the end of this lesson you should be able to teach the title — Liquidity pull dressed as tokenomics — without a marketing slide.

The object

Removing LP is not a burn of the project token. It is draining the inventory of the pair. You named this in DeFi. It still gets sold as 'migration.' Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
tokenomics failures function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a tokenomics failures claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Liquidity pull dressed as tokenomics
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Liquidity pull dressed as tokenomics does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment

address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Liquidity pull dressed as tokenomics** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Liquidity pull dressed as tokenomics** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Liquidity pull dressed as tokenomics is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: RWA costume on a mintable meme

Lesson 5: RWA costume on a mintable meme (26 min)

RWA costume on a mintable meme

A mineral photograph does not cap mint. Crystal Stones' own backing is a claim to verify, not a template other tickers inherit by copying a colour.

By the end of this lesson you should be able to teach the title — RWA costume on a mintable meme — without a marketing slide.

The object

A mineral photograph does not cap mint. Crystal Stones' own backing is a claim to verify, not a template other tickers inherit by copying a colour. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
tokenomics failures function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a tokenomics failures claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: RWA costume on a mintable meme
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. RWA costume on a mintable meme does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **RWA costume on a mintable meme** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **RWA costume on a mintable meme** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- RWA costume on a mintable meme is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check tokenomics failures is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating
- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn
- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native
- D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address

- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

Module 6: Practice: read, verify, refuse a shopping list

A close of the course that is a checklist, a Crystal Stones verification exercise, and a hard fence against paying tuition in the project token.

Lesson 1: A checklist before you believe a supply slide (26 min)

A checklist before you believe a supply slide

Contract, chain ID 56 or 1, mint, cap, tax, owner, proxy, vest, LP locker. Write them. If a box is empty, the slide is ahead of the evidence.

By the end of this lesson you should be able to teach the title — A checklist before you believe a supply slide — without a marketing slide.

The object

Contract, chain ID 56 or 1, mint, cap, tax, owner, proxy, vest, LP locker. Write them. If a box is empty, the slide is ahead of the evidence. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
tokenomics practice function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a tokenomics practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: A checklist before you believe a supply slide
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. A checklist before you believe a supply slide does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment

address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **A checklist before you believe a supply slide** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **A checklist before you believe a supply slide** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- A checklist before you believe a supply slide is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Verify Crystal Stones numbers as an exercise

Lesson 2: Verify Crystal Stones numbers as an exercise (26 min)

Verify Crystal Stones numbers as an exercise

Published total about 135,000,000 and circulating about 104,100,000 are figures to check on 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 and honest explorers. Checking is not buying. Checking is Intermediate.

By the end of this lesson you should be able to teach the title — Verify Crystal Stones numbers as an exercise — without a marketing slide.

The object

Published total about 135,000,000 and circulating about 104,100,000 are figures to check on 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 and honest explorers. Checking is not buying. Checking is Intermediate. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
tokenomics practice function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a tokenomics practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Verify Crystal Stones numbers as an exercise
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Verify Crystal Stones numbers as an exercise does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Verify Crystal Stones numbers as an exercise** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Verify Crystal Stones numbers as an exercise** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Verify Crystal Stones numbers as an exercise is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Do not pay tuition in the project token

Lesson 3: Do not pay tuition in the project token (26 min)

Do not pay tuition in the project token

A ‘tokenomics aligned’ checkout is how people send the wrong asset. Intermediate is USDT BEP-20 on the academy page. Staff will not DM a token address.

By the end of this lesson you should be able to teach the title — Do not pay tuition in the project token — without a marketing slide.

The object

A ‘tokenomics aligned’ checkout is how people send the wrong asset. Intermediate is USDT BEP-20 on the academy page. Staff will not DM a token address. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
tokenomics practice function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a tokenomics practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: Do not pay tuition in the project token

|
v

EXPLORER: function + role + time

|
v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Do not pay tuition in the project token does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Do not pay tuition in the project token** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Do not pay tuition in the project token** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Do not pay tuition in the project token is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Size any curiosity as a lab

Lesson 4: Size any curiosity as a lab (26 min)

Size any curiosity as a lab

If you ever inspect a tiny transfer of a token to see tax, size it as a lab you can lose. This course does not assign that lab. Curiosity is not a mandate.

By the end of this lesson you should be able to teach the title — Size any curiosity as a lab — without a marketing slide.

The object

If you ever inspect a tiny transfer of a token to see tax, size it as a lab you can lose. This course does not assign that lab. Curiosity is not a mandate. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
tokenomics practice function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy	A token dump address

Worked scenario. You are shown a tokenomics practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Size any curiosity as a lab
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Size any curiosity as a lab does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Size any curiosity as a lab** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Size any curiosity as a lab** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Size any curiosity as a lab is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: What you should be able to say after the quiz

Lesson 5: What you should be able to say after the quiz (26 min)

What you should be able to say after the quiz

Supply is functions. Unlocks are clocks. Burns are net of mint. A pie is not a vest. Crystal Stones is verify-only. Academy checkout is USDT.

By the end of this lesson you should be able to teach the title — What you should be able to say after the quiz — without a marketing slide.

The object

Supply is functions. Unlocks are clocks. Burns are net of mint. A pie is not a vest. Crystal Stones is verify-only. Academy checkout is USDT. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
tokenomics practice function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a tokenomics practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: What you should be able to say after the quiz

|

v

EXPLORER: function + role + time

|

v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. What you should be able to say after the quiz does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **What you should be able to say after the quiz** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **What you should be able to say after the quiz** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- What you should be able to say after the quiz is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check tokenomics practice is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating
- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn
- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native
- D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address
- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

Trading & Markets

INTERMEDIATE TRACK | slug: trading-markets | level: intermediate | PAID

The fourth Intermediate course. Markets are other people and programs, not a weather system. You will name spot, order books versus AMMs, spread, leverage as a loan with a kill switch, and CEX versus DEX execution — without a signals desk. Education only. Not a buy order. Crystal Stones verify only at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00. Intermediate is \$10 USDT BEP-20 through academy checkout.

Module 1: Spot is inventory, not a prediction

Spot means you hold the asset. Everything else is a contract on top. No signals.

Lesson 1: What spot actually is (26 min)

What spot actually is

Spot is owning the units on an exchange ledger or in a token contract. It is not a bet on a number. It is inventory.

By the end of this lesson you should be able to teach the title — What spot actually is — without a marketing slide.

The object

Spot is owning the units on an exchange ledger or in a token contract. It is not a bet on a number. It is inventory. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
spot markets function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a spot markets claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: What spot actually is
  |
  v
EXPLORER: function + role + time
  |
  v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. What spot actually is does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **What spot actually is** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **What spot actually is** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- What spot actually is is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: The other side of your trade

Lesson 2: The other side of your trade (26 min)

The other side of your trade

Every buy is someone's sell, or a pool's inventory change. There is no cosmic vending machine. Liquidity is people and programs.

By the end of this lesson you should be able to teach the title — The other side of your trade — without a marketing slide.

The object

Every buy is someone's sell, or a pool's inventory change. There is no cosmic vending machine. Liquidity is people and programs. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
spot markets function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a spot markets claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: The other side of your trade
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. The other side of your trade does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment

address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **The other side of your trade** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **The other side of your trade** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- The other side of your trade is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Price is a last print, not a truth

Lesson 3: Price is a last print, not a truth (26 min)

Price is a last print, not a truth

A last traded price is one fill. Mark, index, and last can differ. Liquidations use whoever the venue named.

By the end of this lesson you should be able to teach the title — Price is a last print, not a truth — without a marketing slide.

The object

A last traded price is one fill. Mark, index, and last can differ. Liquidations use whoever the venue named. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
spot markets function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a spot markets claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Price is a last print, not a truth
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Price is a last print, not a truth does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Price is a last print, not a truth** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Price is a last print, not a truth** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Price is a last print, not a truth is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Fees eat small accounts

Lesson 4: Fees eat small accounts (26 min)

Fees eat small accounts

Maker, taker, spread, and withdrawal fees are the market's first tax. A tiny account that trades often is paying tuition to the venue.

By the end of this lesson you should be able to teach the title — Fees eat small accounts — without a marketing slide.

The object

Maker, taker, spread, and withdrawal fees are the market's first tax. A tiny account that trades often is paying tuition to the venue. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
spot markets function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a spot markets claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: Fees eat small accounts

|
v

EXPLORER: function + role + time

|
v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Fees eat small accounts does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Fees eat small accounts** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Fees eat small accounts** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Fees eat small accounts is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: This course will not give entries

Lesson 5: This course will not give entries (26 min)

This course will not give entries

No targets, no 'easy 2%.' If a lecturer needs you to trade this hour, they need your fees, not your education.

By the end of this lesson you should be able to teach the title — This course will not give entries — without a marketing slide.

The object

No targets, no 'easy 2%.' If a lecturer needs you to trade this hour, they need your fees, not your education. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
spot markets function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a spot markets claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: This course will not give entries
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. This course will not give entries does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **This course will not give entries** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **This course will not give entries** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- This course will not give entries is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check spot markets is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating
- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn

- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native
- D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address
- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

Module 2: Order books versus AMMs

Two market designs. One posts bids and asks. One holds inventory in a curve.

Lesson 1: An order book is a list of rest orders (26 min)

An order book is a list of rest orders

Bids and asks with sizes. A market order takes them. A limit order joins them. The venue's matching engine is a company computer.

By the end of this lesson you should be able to teach the title — An order book is a list of rest orders — without a marketing slide.

The object

Bids and asks with sizes. A market order takes them. A limit order joins them. The venue's matching engine is a company computer. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
book vs pool function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a book vs pool claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: An order book is a list of rest orders

|
v

EXPLORER: function + role + time

|
v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. An order book is a list of rest orders does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **An order book is a list of rest orders** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **An order book is a list of rest orders** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- An order book is a list of rest orders is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: An AMM is a pool you already met

Lesson 2: An AMM is a pool you already met (26 min)

An AMM is a pool you already met

$x*y=k$ style inventory. You trade against reserves. Price impact is the curve, not a person's mood.

By the end of this lesson you should be able to teach the title — An AMM is a pool you already met — without a marketing slide.

The object

$x*y=k$ style inventory. You trade against reserves. Price impact is the curve, not a person's mood.

Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
book vs pool function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a book vs pool claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: An AMM is a pool you already met
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. An AMM is a pool you already met does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **An AMM is a pool you already met** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **An AMM is a pool you already met** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- An AMM is a pool you already met is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Spread is the gap you pay

Lesson 3: Spread is the gap you pay (26 min)

Spread is the gap you pay

Ask minus bid, or the AMM's effective price versus mid. Thin books and thin pools both bite.

By the end of this lesson you should be able to teach the title — Spread is the gap you pay — without a marketing slide.

The object

Ask minus bid, or the AMM's effective price versus mid. Thin books and thin pools both bite. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
book vs pool function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a book vs pool claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Spread is the gap you pay
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Spread is the gap you pay does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Spread is the gap you pay** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Spread is the gap you pay** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Spread is the gap you pay is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Who is the market maker

Lesson 4: Who is the market maker (26 min)

Who is the market maker

On a book, firms rest orders. On an AMM, LPs are the inventory. You met IL. Do not forget it when someone says 'passive market making.'

By the end of this lesson you should be able to teach the title — Who is the market maker — without a marketing slide.

The object

On a book, firms rest orders. On an AMM, LPs are the inventory. You met IL. Do not forget it when someone says 'passive market making.' Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
book vs pool function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a book vs pool claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Who is the market maker
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Who is the market maker does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Who is the market maker** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Who is the market maker** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Who is the market maker is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Routing across both

Lesson 5: Routing across both (26 min)

Routing across both

Aggregators hop book-like venues and pools. Each hop is another program or another company. Count them.

By the end of this lesson you should be able to teach the title — Routing across both — without a marketing slide.

The object

Aggregators hop book-like venues and pools. Each hop is another program or another company. Count them. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
book vs pool function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a book vs pool claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Routing across both
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Routing across both does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Routing across both** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Routing across both** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Routing across both is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check book vs pool is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating
- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn
- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native
- D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address
- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

Module 3: Leverage is a loan with a kill switch

Margin, liquidation, and why '10x' is not a personality.

Lesson 1: Borrowed units, not borrowed courage (26 min)

Borrowed units, not borrowed courage

Leverage is a loan against collateral. The venue can sell you out. That is liquidation, a function, not a moral lesson.

By the end of this lesson you should be able to teach the title — Borrowed units, not borrowed courage — without a marketing slide.

The object

Leverage is a loan against collateral. The venue can sell you out. That is liquidation, a function, not a moral lesson. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
leverage function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a leverage claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Borrowed units, not borrowed courage
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Borrowed units, not borrowed courage does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Borrowed units, not borrowed courage** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Borrowed units, not borrowed courage** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Borrowed units, not borrowed courage is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Maintenance margin

Lesson 2: Maintenance margin (26 min)

Maintenance margin

If collateral value vs debt falls through a line, liquidation starts. The line is the venue's. Isolated vs cross changes what can be seized.

By the end of this lesson you should be able to teach the title — Maintenance margin — without a marketing slide.

The object

If collateral value vs debt falls through a line, liquidation starts. The line is the venue's. Isolated vs cross changes what can be seized. Intermediate treats this as an object with a contract, a function, and an

explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
leverage function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a leverage claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Maintenance margin
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Maintenance margin does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Maintenance margin** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Maintenance margin** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Maintenance margin is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Funding and perpetual swaps

Lesson 3: Funding and perpetual swaps (26 min)

Funding and perpetual swaps

Perps are not spot. They are a derivative that tracks an index with a funding payment. You can be right on direction and still pay funding until you are empty.

By the end of this lesson you should be able to teach the title — Funding and perpetual swaps — without a marketing slide.

The object

Perps are not spot. They are a derivative that tracks an index with a funding payment. You can be right on direction and still pay funding until you are empty. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
leverage function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a leverage claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: Funding and perpetual swaps

|
v

EXPLORER: function + role + time

|
v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Funding and perpetual swaps does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Funding and perpetual swaps** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Funding and perpetual swaps** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Funding and perpetual swaps is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Liquidation is not the academy

Lesson 4: Liquidation is not the academy (26 min)

Liquidation is not the academy

This academy will not tell you to lever Crystal Stones or anything else. A 10x banner is a kill switch with lipstick.

By the end of this lesson you should be able to teach the title — Liquidation is not the academy — without a marketing slide.

The object

This academy will not tell you to lever Crystal Stones or anything else. A 10x banner is a kill switch with lipstick. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
leverage function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a leverage claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Liquidation is not the academy
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Liquidation is not the academy does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Liquidation is not the academy** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Liquidation is not the academy** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Liquidation is not the academy is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Why small accounts die first

Lesson 5: Why small accounts die first (26 min)

Why small accounts die first

Fees plus spread plus funding plus a small buffer. The math does not need a villain. It needs a small buffer.

By the end of this lesson you should be able to teach the title — Why small accounts die first — without a marketing slide.

The object

Fees plus spread plus funding plus a small buffer. The math does not need a villain. It needs a small buffer. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
leverage function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a leverage claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Why small accounts die first
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Why small accounts die first does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Why small accounts die first** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Why small accounts die first** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Why small accounts die first is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check leverage is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating

- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn
- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native
- D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address
- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

Module 4: CEX vs DEX execution

Company ledger versus on-chain programs. Custody split you already know.

Lesson 1: A CEX fill is an IOU until withdrawal (26 min)

A CEX fill is an IOU until withdrawal

You met this in Basic. Trading on a company book is fast. The units are theirs until you withdraw to an EOA.

By the end of this lesson you should be able to teach the title — A CEX fill is an IOU until withdrawal — without a marketing slide.

The object

You met this in Basic. Trading on a company book is fast. The units are theirs until you withdraw to an EOA. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
cex dex function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a cex dex claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: A CEX fill is an IOU until withdrawal

|
v

EXPLORER: function + role + time

|
v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. A CEX fill is an IOU until withdrawal does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **A CEX fill is an IOU until withdrawal** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **A CEX fill is an IOU until withdrawal** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- A CEX fill is an IOU until withdrawal is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: A DEX fill is a transaction

Lesson 2: A DEX fill is a transaction (26 min)

A DEX fill is a transaction

You pay gas, you risk approvals, you risk the router. The fill is on the explorer.

By the end of this lesson you should be able to teach the title — A DEX fill is a transaction — without a marketing slide.

The object

You pay gas, you risk approvals, you risk the router. The fill is on the explorer. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
cex dex function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a cex dex claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: A DEX fill is a transaction
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. A DEX fill is a transaction does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **A DEX fill is a transaction** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **A DEX fill is a transaction** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- A DEX fill is a transaction is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: KYC, outages, and freeze

Lesson 3: KYC, outages, and freeze (26 min)

KYC, outages, and freeze

Companies can freeze. Chains do not unsend. Pick the failure you understand, not the slogan you like.

By the end of this lesson you should be able to teach the title — KYC, outages, and freeze — without a marketing slide.

The object

Companies can freeze. Chains do not unsend. Pick the failure you understand, not the slogan you like.

Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
cex dex function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a cex dex claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: KYC, outages, and freeze
  |
  v
EXPLORER: function + role + time
  |
  v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. KYC, outages, and freeze does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **KYC, outages, and freeze** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **KYC, outages, and freeze** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- KYC, outages, and freeze is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Deposits on the wrong chain

Lesson 4: Deposits on the wrong chain (26 min)

Deposits on the wrong chain

USDT on the wrong book is a support ticket or a hole. Name chain ID before you deposit. BSC is 56.

By the end of this lesson you should be able to teach the title — Deposits on the wrong chain — without a marketing slide.

The object

USDT on the wrong book is a support ticket or a hole. Name chain ID before you deposit. BSC is 56.

Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
cex dex function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a cex dex claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Deposits on the wrong chain
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Deposits on the wrong chain does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Deposits on the wrong chain** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Deposits on the wrong chain** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Deposits on the wrong chain is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Academy checkout is not a trade

Lesson 5: Academy checkout is not a trade (26 min)

Academy checkout is not a trade

Paying Intermediate is a payment, not a spot long on Crystal Stones. Different object.

By the end of this lesson you should be able to teach the title — Academy checkout is not a trade — without a marketing slide.

The object

Paying Intermediate is a payment, not a spot long on Crystal Stones. Different object. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
cex dex function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a cex dex claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Academy checkout is not a trade
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Academy checkout is not a trade does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment

address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Academy checkout is not a trade** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Academy checkout is not a trade** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Academy checkout is not a trade is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check cex dex is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat

D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

A. A vesting program

B. A person who can move tokens now unless other code stops them

C. A burn

D. Academy staff

Correct answer: B

Q3. Verified source means?

A. Audited

B. Compiler match to bytecode, not a safety rating

C. Locked LP

D. A court order

Correct answer: B

Q4. A 99% sell tax is?

A. A standard burn

B. A function that can trap sellers

C. Required on BSC

D. Gas

Correct answer: B

Q5. Unlocks make?

A. Price go down by law

B. Transfer possible for those units, not a guaranteed sale

C. ETH native

D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

A. A tuition address

B. A BEP-20 to verify, not a pay-to

C. An Ethereum NFT

D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

Module 5: Manipulation pictures, not a detective badge

Wash, spoof, pump groups — as pictures you can name, not a job.

Lesson 1: Wash trading as volume costume (26 min)

Wash trading as volume costume

The same inventory trades with itself to print volume. DEX wash is cheap. CEX wash needs a venue that allows it.

By the end of this lesson you should be able to teach the title — Wash trading as volume costume — without a marketing slide.

The object

The same inventory trades with itself to print volume. DEX wash is cheap. CEX wash needs a venue that allows it. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
manipulation function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a manipulation claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Wash trading as volume costume
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Wash trading as volume costume does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Wash trading as volume costume** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Wash trading as volume costume** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Wash trading as volume costume is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Spoofing as fake rest orders

Lesson 2: Spoofing as fake rest orders (26 min)

Spoofing as fake rest orders

Large orders that vanish. Books can lie until they fill. AMMs do not spoof rest orders; they have other games (sandwiches).

By the end of this lesson you should be able to teach the title — Spoofing as fake rest orders — without a marketing slide.

The object

Large orders that vanish. Books can lie until they fill. AMMs do not spoof rest orders; they have other games (sandwiches). Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
manipulation function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a manipulation claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Spoofing as fake rest orders
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Spoofing as fake rest orders does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment

address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Spoofing as fake rest orders** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Spoofing as fake rest orders** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Spoofing as fake rest orders is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Telegram theatres

Lesson 3: Telegram theatres (26 min)

Telegram theatres

Coordinated buys into thin LP. You are the exit if you arrive late. This course does not send you there.

By the end of this lesson you should be able to teach the title — Telegram theatres — without a marketing slide.

The object

Coordinated buys into thin LP. You are the exit if you arrive late. This course does not send you there. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
manipulation function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a manipulation claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Telegram theatres
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Telegram theatres does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Telegram theatres** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Telegram theatres** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Telegram theatres is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Oracle marks

Lesson 4: Oracle marks (26 min)

Oracle marks

If a derivative uses a thin print as mark, liquidation can be hunting. Index vs last matters.

By the end of this lesson you should be able to teach the title — Oracle marks — without a marketing slide.

The object

If a derivative uses a thin print as mark, liquidation can be hunting. Index vs last matters. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
manipulation function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a manipulation claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Oracle marks
|
v
EXPLORER: function + role + time
```


|
v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Oracle marks does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Oracle marks** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Oracle marks** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Oracle marks is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Refuse a 'guaranteed scalp'

Lesson 5: Refuse a 'guaranteed scalp' (26 min)

Refuse a 'guaranteed scalp'

Investment-policy territory. This academy will not tell you a trade is guaranteed. Mentor already fences that language.

By the end of this lesson you should be able to teach the title — Refuse a 'guaranteed scalp' — without a marketing slide.

The object

Investment-policy territory. This academy will not tell you a trade is guaranteed. Mentor already fences that language. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
manipulation function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a manipulation claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: Refuse a 'guaranteed scalp'

|

v

EXPLORER: function + role + time

|

v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Refuse a 'guaranteed scalp' does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Refuse a 'guaranteed scalp'** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Refuse a 'guaranteed scalp'** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Refuse a 'guaranteed scalp' is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check manipulation is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating
- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn
- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native
- D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address
- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

Module 6: Practice rules for markets

A fence. Journals, tiny size, no signals channel as homework.

Lesson 1: A journal is an artefact (26 min)

A journal is an artefact

What you opened, why, size, fee, result. A screenshot of profit is not a journal.

By the end of this lesson you should be able to teach the title — A journal is an artefact — without a marketing slide.

The object

What you opened, why, size, fee, result. A screenshot of profit is not a journal. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
market practice function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a market practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: A journal is an artefact
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. A journal is an artefact does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **A journal is an artefact** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **A journal is an artefact** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- A journal is an artefact is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Size as a lab or not at all

Lesson 2: Size as a lab or not at all (26 min)

Size as a lab or not at all

If you practise a spot buy, size it as a lab you can lose. Prefer not practising. This course does not require a trade.

By the end of this lesson you should be able to teach the title — Size as a lab or not at all — without a marketing slide.

The object

If you practise a spot buy, size it as a lab you can lose. Prefer not practising. This course does not require a trade. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
market practice function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a market practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: Size as a lab or not at all
|

▼
EXPLORER: function + role + time
|
▼
YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Size as a lab or not at all does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Size as a lab or not at all** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Size as a lab or not at all** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Size as a lab or not at all is a checkable object.

- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: No Crystal Stones as a trade homework

Lesson 3: No Crystal Stones as a trade homework (26 min)

No Crystal Stones as a trade homework

The token is verify-only. The course is not a desk. Checkout is USDT BEP-20.

By the end of this lesson you should be able to teach the title — No Crystal Stones as a trade homework — without a marketing slide.

The object

The token is verify-only. The course is not a desk. Checkout is USDT BEP-20. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
market practice function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a market practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim

is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: No Crystal Stones as a trade homework
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. No Crystal Stones as a trade homework does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **No Crystal Stones as a trade homework** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **No Crystal Stones as a trade homework** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- No Crystal Stones as a trade homework is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: If you feel hurry, you are done for the day

Lesson 4: If you feel hurry, you are done for the day (26 min)

If you feel hurry, you are done for the day

Hurry is the product many rooms sell. Education can wait until you are slow.

By the end of this lesson you should be able to teach the title — If you feel hurry, you are done for the day — without a marketing slide.

The object

Hurry is the product many rooms sell. Education can wait until you are slow. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
market practice function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy

Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a market practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: If you feel hurry, you are done for the day
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. If you feel hurry, you are done for the day does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **If you feel hurry, you are done for the day** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **If you feel hurry, you are done for the day** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders

do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- If you feel hurry, you are done for the day is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: What the quiz will ask

Lesson 5: What the quiz will ask (26 min)

What the quiz will ask

Spot vs perp, book vs AMM, leverage as liquidation, CEX IOU vs DEX tx, and tuition rails.

By the end of this lesson you should be able to teach the title — What the quiz will ask — without a marketing slide.

The object

Spot vs perp, book vs AMM, leverage as liquidation, CEX IOU vs DEX tx, and tuition rails. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
market practice function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a market practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: What the quiz will ask
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. What the quiz will ask does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **What the quiz will ask** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **What the quiz will ask** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- What the quiz will ask is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check market practice is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating
- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn
- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native
- D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address
- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

NFTs & Digital Assets

INTERMEDIATE TRACK | slug: nfts-digital-assets | level: intermediate | PAID

The fifth Intermediate course. An NFT is a record in a contract that says which address owns which token id. It is not the JPEG. You will name metadata, marketplaces, royalties as a hope, and the failures that empty wallets. Education only. Not a buy order. Crystal Stones is a BEP-20, not an NFT standard. Intermediate is \$10 USDT BEP-20 through academy checkout.

Module 1: A token id is not a picture

ERC-721 / BEP-721 as a map of id to owner.

Lesson 1: What an NFT program stores (26 min)

What an NFT program stores

ownerOf(id), tokenURI(id), sometimes royaltyInfo. The picture is usually a URI. The record is on the chain you named.

By the end of this lesson you should be able to teach the title — What an NFT program stores — without a marketing slide.

The object

ownerOf(id), tokenURI(id), sometimes royaltyInfo. The picture is usually a URI. The record is on the chain you named. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
nft record function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a nft record claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: What an NFT program stores
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. What an NFT program stores does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **What an NFT program stores** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **What an NFT program stores** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- What an NFT program stores is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: ERC-721 vs ERC-1155

Lesson 2: ERC-721 vs ERC-1155 (26 min)

ERC-721 vs ERC-1155

721 is one id, one owner. 1155 is balances of ids, like a game inventory. Different interfaces. Do not mix them in your head.

By the end of this lesson you should be able to teach the title — ERC-721 vs ERC-1155 — without a marketing slide.

The object

721 is one id, one owner. 1155 is balances of ids, like a game inventory. Different interfaces. Do not mix them in your head. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
nft record function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a nft record claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: ERC-721 vs ERC-1155
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. ERC-721 vs ERC-1155 does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **ERC-721 vs ERC-1155** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **ERC-721 vs ERC-1155** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- ERC-721 vs ERC-1155 is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: The file can move

Lesson 3: The file can move (26 min)

The file can move

If tokenURI points at a server the minter controls, the image can become a rickroll. IPFS helps if the CID is immutable and pinned. Helps is not a law.

By the end of this lesson you should be able to teach the title — The file can move — without a marketing slide.

The object

If tokenURI points at a server the minter controls, the image can become a rickroll. IPFS helps if the CID is immutable and pinned. Helps is not a law. Intermediate treats this as an object with a contract, a function,

and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
nft record function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a nft record claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: The file can move
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. The file can move does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **The file can move** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **The file can move** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- The file can move is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Mint is still mint

Lesson 4: Mint is still mint (26 min)

Mint is still mint

Public mint, allowlist mint, admin mint. Supply of ids can be a lie if admin can mint extra.

By the end of this lesson you should be able to teach the title — Mint is still mint — without a marketing slide.

The object

Public mint, allowlist mint, admin mint. Supply of ids can be a lie if admin can mint extra. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
nft record function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a nft record claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Mint is still mint
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Mint is still mint does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Mint is still mint** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Mint is still mint** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Mint is still mint is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Crystal Stones is not an NFT

Lesson 5: Crystal Stones is not an NFT (26 min)

Crystal Stones is not an NFT

It is a BEP-20 fungible token. Do not send it to an NFT marketplace as 'gas.' Gas is BNB on BSC.

By the end of this lesson you should be able to teach the title — Crystal Stones is not an NFT — without a marketing slide.

The object

It is a BEP-20 fungible token. Do not send it to an NFT marketplace as 'gas.' Gas is BNB on BSC. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
nft record function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a nft record claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: Crystal Stones is not an NFT
|
v

EXPLORER: function + role + time

|
v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Crystal Stones is not an NFT does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Crystal Stones is not an NFT** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Crystal Stones is not an NFT** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Crystal Stones is not an NFT is a checkable object.
- Explorer first, slide second.

- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check nft record is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating
- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn
- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native

D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address
- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

Module 2: Metadata, URIs, and who hosts the file

tokenURI, IPFS, HTTP, freezing metadata.

Lesson 1: tokenURI is a pointer (26 min)

tokenURI is a pointer

A string. HTTP, IPFS, arweave, or a base64 blob. Pointers can change if the contract allows setTokenURI.

By the end of this lesson you should be able to teach the title — tokenURI is a pointer — without a marketing slide.

The object

A string. HTTP, IPFS, arweave, or a base64 blob. Pointers can change if the contract allows setTokenURI.

Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
metadata function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a metadata claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: tokenURI is a pointer
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. tokenURI is a pointer does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment

address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **tokenURI is a pointer** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **tokenURI is a pointer** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- tokenURI is a pointer is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Frozen metadata

Lesson 2: Frozen metadata (26 min)

Frozen metadata

Some contracts freeze URI. Some only freeze on a website. Read the function.

By the end of this lesson you should be able to teach the title — Frozen metadata — without a marketing slide.

The object

Some contracts freeze URI. Some only freeze on a website. Read the function. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
metadata function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a metadata claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Frozen metadata
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Frozen metadata does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Frozen metadata** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Frozen metadata** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Frozen metadata is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: IPFS is a network of pinniers

Lesson 3: IPFS is a network of pinniers (26 min)

IPFS is a network of pinniers

If nobody pins, the CID does not fetch. NFT 'on IPFS' still needs pins.

By the end of this lesson you should be able to teach the title — IPFS is a network of pinniers — without a marketing slide.

The object

If nobody pins, the CID does not fetch. NFT 'on IPFS' still needs pins. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
metadata function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a metadata claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: IPFS is a network of pinniers
|
v

EXPLORER: function + role + time

|
v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. IPFS is a network of pinniers does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **IPFS is a network of pinniers** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **IPFS is a network of pinniers** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- IPFS is a network of pinniers is a checkable object.
- Explorer first, slide second.

- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Traits are JSON

Lesson 4: Traits are JSON (26 min)

Traits are JSON

Attributes in metadata are for filters and rarity folklore. The chain may not know them unless stored on-chain, which is rare and expensive.

By the end of this lesson you should be able to teach the title — Traits are JSON — without a marketing slide.

The object

Attributes in metadata are for filters and rarity folklore. The chain may not know them unless stored on-chain, which is rare and expensive. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
metadata function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a metadata claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Traits are JSON
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Traits are JSON does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Traits are JSON** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Traits are JSON** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Traits are JSON is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: A changed picture is not a chain reorg

Lesson 5: A changed picture is not a chain reorg (26 min)

A changed picture is not a chain reorg

The record still says you own id 17. The file behind the pointer changed. Two objects.

By the end of this lesson you should be able to teach the title — A changed picture is not a chain reorg — without a marketing slide.

The object

The record still says you own id 17. The file behind the pointer changed. Two objects. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
metadata function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy

Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a metadata claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: A changed picture is not a chain reorg
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. A changed picture is not a chain reorg does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **A changed picture is not a chain reorg** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **A changed picture is not a chain reorg** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not

change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- A changed picture is not a chain reorg is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check metadata is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating
- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn
- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native
- D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address
- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

Module 3: Marketplaces are programs or companies

On-chain escrow vs company order books for NFTs.

Lesson 1: Listing is often an approval (26 min)

Listing is often an approval

`setApprovalForAll(marketplace, true)` is a standing permission on every NFT in that contract. You met unlimited approve. This is that, for NFTs.

By the end of this lesson you should be able to teach the title — Listing is often an approval — without a marketing slide.

The object

`setApprovalForAll(marketplace, true)` is a standing permission on every NFT in that contract. You met unlimited approve. This is that, for NFTs. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
nft market function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a nft market claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: Listing is often an approval

|
v

EXPLORER: function + role + time

|
v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Listing is often an approval does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Listing is often an approval** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Listing is often an approval** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Listing is often an approval is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Seaport-style and escrow-style

Lesson 2: Seaport-style and escrow-style (26 min)

Seaport-style and escrow-style

Some fill against signatures. Some take the NFT into escrow. Read the popup. Approval-for-all plus a hostile marketplace is a drain of the whole collection.

By the end of this lesson you should be able to teach the title — Seaport-style and escrow-style — without a marketing slide.

The object

Some fill against signatures. Some take the NFT into escrow. Read the popup. Approval-for-all plus a hostile marketplace is a drain of the whole collection. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
nft market function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy	A token dump address

Worked scenario. You are shown a nft market claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Seaport-style and escrow-style
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Seaport-style and escrow-style does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Seaport-style and escrow-style** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Seaport-style and escrow-style** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Seaport-style and escrow-style is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Offers, floors, and thin walls

Lesson 3: Offers, floors, and thin walls (26 min)

Offers, floors, and thin walls

Floor is the lowest ask. One sale moves it. Thin collections print silly floors.

By the end of this lesson you should be able to teach the title — Offers, floors, and thin walls — without a marketing slide.

The object

Floor is the lowest ask. One sale moves it. Thin collections print silly floors. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
nft market function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a nft market claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Offers, floors, and thin walls
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Offers, floors, and thin walls does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Offers, floors, and thin walls** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Offers, floors, and thin walls** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Offers, floors, and thin walls is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Royalties as a hope

Lesson 4: Royalties as a hope (26 min)

Royalties as a hope

ERC-2981 is a signal. Marketplaces may ignore it. On-chain enforced royalties need the transfer to go through a gate. Many do not.

By the end of this lesson you should be able to teach the title — Royalties as a hope — without a marketing slide.

The object

ERC-2981 is a signal. Marketplaces may ignore it. On-chain enforced royalties need the transfer to go through a gate. Many do not. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
nft market function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a nft market claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Royalties as a hope
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Royalties as a hope does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Royalties as a hope** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Royalties as a hope** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Royalties as a hope is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Wrong-chain NFT

Lesson 5: Wrong-chain NFT (26 min)

Wrong-chain NFT

A 721 on Ethereum is not the 721 on BSC with the same art. Same picture, different record.

By the end of this lesson you should be able to teach the title — Wrong-chain NFT — without a marketing slide.

The object

A 721 on Ethereum is not the 721 on BSC with the same art. Same picture, different record. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
nft market function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a nft market claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Wrong-chain NFT
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Wrong-chain NFT does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment

address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Wrong-chain NFT** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Wrong-chain NFT** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Wrong-chain NFT is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check nft market is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating
- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn
- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native
- D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address
- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x

C. \$10 USDT BEP-20 through academy checkout

D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

A. Max supply

B. A drawing until mapped

C. A cliff

D. A sink

Correct answer: B

Module 4: Utility NFTs versus collectibles

Access passes, tickets, game items — still records.

Lesson 1: A pass is a check of ownerOf (26 min)

A pass is a check of ownerOf

A site can gate if your EOA owns an id. If the site lies, the NFT did not fail. The site did.

By the end of this lesson you should be able to teach the title — A pass is a check of ownerOf — without a marketing slide.

The object

A site can gate if your EOA owns an id. If the site lies, the NFT did not fail. The site did. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
nft utility function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a nft utility claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: A pass is a check of ownerOf
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. A pass is a check of ownerOf does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **A pass is a check of ownerOf** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **A pass is a check of ownerOf** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- A pass is a check of ownerOf is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Tickets and redemption

Lesson 2: Tickets and redemption (26 min)

Tickets and redemption

Burn-to-redeem, or a staff that must honour a QR. The honour is a company. The burn is a function.

By the end of this lesson you should be able to teach the title — Tickets and redemption — without a marketing slide.

The object

Burn-to-redeem, or a staff that must honour a QR. The honour is a company. The burn is a function. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
nft utility function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a nft utility claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Tickets and redemption
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Tickets and redemption does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Tickets and redemption** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Tickets and redemption** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Tickets and redemption is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Game items as 1155

Lesson 3: Game items as 1155 (26 min)

Game items as 1155

Duplicable items as balances. Still a program. Still an admin if the game can mint.

By the end of this lesson you should be able to teach the title — Game items as 1155 — without a marketing slide.

The object

Duplicable items as balances. Still a program. Still an admin if the game can mint. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
nft utility function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a nft utility claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Game items as 1155
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Game items as 1155 does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment

address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Game items as 1155** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Game items as 1155** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Game items as 1155 is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Soulbound as non-transfer

Lesson 4: Soulbound as non-transfer (26 min)

Soulbound as non-transfer

If transfer is disabled, you cannot sell. That is a rule. It is not a moral upgrade by itself.

By the end of this lesson you should be able to teach the title — Soulbound as non-transfer — without a marketing slide.

The object

If transfer is disabled, you cannot sell. That is a rule. It is not a moral upgrade by itself. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
nft utility function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a nft utility claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Soulbound as non-transfer
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Soulbound as non-transfer does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Soulbound as non-transfer** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Soulbound as non-transfer** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Soulbound as non-transfer is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Academy certificates later

Lesson 5: Academy certificates later (26 min)

Academy certificates later

A future certificate may be a record. It is not this week's homework and not an NFT you must buy. Tuition remains USDT BEP-20.

By the end of this lesson you should be able to teach the title — Academy certificates later — without a marketing slide.

The object

A future certificate may be a record. It is not this week's homework and not an NFT you must buy. Tuition remains USDT BEP-20. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
nft utility function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a nft utility claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: Academy certificates later

|
v

EXPLORER: function + role + time

|
v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Academy certificates later does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Academy certificates later** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Academy certificates later** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Academy certificates later is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check nft utility is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating
- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn
- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native
- D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address
- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

Module 5: How NFT design hurts people

Drainers, fake mints, bait metadata, wash.

Lesson 1: Approval-for-all drain (26 min)

Approval-for-all drain

One signature, whole collection gone. Revoke on a bookmarked tool. Keep native coin for the revoke.

By the end of this lesson you should be able to teach the title — Approval-for-all drain — without a marketing slide.

The object

One signature, whole collection gone. Revoke on a bookmarked tool. Keep native coin for the revoke. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
nft failure function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a nft failure claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Approval-for-all drain
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Approval-for-all drain does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Approval-for-all drain** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Approval-for-all drain** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Approval-for-all drain is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Fake mint sites

Lesson 2: Fake mint sites (26 min)

Fake mint sites

Same art, different contract. You mint a copy that is not the record the room meant. Identity is the contract on the named chain.

By the end of this lesson you should be able to teach the title — Fake mint sites — without a marketing slide.

The object

Same art, different contract. You mint a copy that is not the record the room meant. Identity is the contract on the named chain. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
nft failure function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a nft failure claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: Fake mint sites

|
v

EXPLORER: function + role + time

|
v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Fake mint sites does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Fake mint sites** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Fake mint sites** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Fake mint sites is a checkable object.
- Explorer first, slide second.

- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Reveal tricks

Lesson 3: Reveal tricks (26 min)

Reveal tricks

Blind mint then a reveal that is mostly worthless traits. The record was always that id. The surprise was the file.

By the end of this lesson you should be able to teach the title — Reveal tricks — without a marketing slide.

The object

Blind mint then a reveal that is mostly worthless traits. The record was always that id. The surprise was the file. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
nft failure function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a nft failure claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is

about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Reveal tricks
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Reveal tricks does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Reveal tricks** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Reveal tricks** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Reveal tricks is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Wash volume on thin collections

Lesson 4: Wash volume on thin collections (26 min)

Wash volume on thin collections

Same wallets trading an id to print a floor. Do not read volume as demand.

By the end of this lesson you should be able to teach the title — Wash volume on thin collections — without a marketing slide.

The object

Same wallets trading an id to print a floor. Do not read volume as demand. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
nft failure function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a nft failure claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Wash volume on thin collections
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Wash volume on thin collections does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Wash volume on thin collections** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Wash volume on thin collections** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Wash volume on thin collections is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Support that needs a seed to 'restore metadata'

Lesson 5: Support that needs a seed to 'restore metadata' (26 min)

Support that needs a seed to 'restore metadata'

Theft. Staff will never ask. Mentors will never ask.

By the end of this lesson you should be able to teach the title — Support that needs a seed to 'restore metadata' — without a marketing slide.

The object

Theft. Staff will never ask. Mentors will never ask. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
nft failure function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a nft failure claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Support that needs a seed to 'restore metadata'
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Support that needs a seed to 'restore metadata' does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Support that needs a seed to 'restore metadata'** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Support that needs a seed to 'restore metadata'** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Support that needs a seed to 'restore metadata' is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check nft failure is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating

- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn
- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native
- D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address
- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

Module 6: Practice: read a 721 like a 20

Same explorer habits. Different functions.

Lesson 1: Checklist (26 min)

Checklist

Chain, contract, ownerOf your id, tokenURI, approval-for-all spenders, freeze URI, mint role.

By the end of this lesson you should be able to teach the title — Checklist — without a marketing slide.

The object

Chain, contract, ownerOf your id, tokenURI, approval-for-all spenders, freeze URI, mint role. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
nft practice function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a nft practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: Checklist

|
v

EXPLORER: function + role + time

|
v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Checklist does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Checklist** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Checklist** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Checklist is a checkable object.
- Explorer first, slide second.

- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Revoke the marketplace you do not use

Lesson 2: Revoke the marketplace you do not use (26 min)

Revoke the marketplace you do not use

Same hygiene as ERC-20 allowances. Do it while you have gas.

By the end of this lesson you should be able to teach the title — Revoke the marketplace you do not use — without a marketing slide.

The object

Same hygiene as ERC-20 allowances. Do it while you have gas. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
nft practice function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a nft practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is

about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Revoke the marketplace you do not use
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Revoke the marketplace you do not use does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Revoke the marketplace you do not use** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Revoke the marketplace you do not use** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Revoke the marketplace you do not use is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Do not buy an NFT to 'join Crystal Stones'

Lesson 3: Do not buy an NFT to 'join Crystal Stones' (26 min)

Do not buy an NFT to 'join Crystal Stones'

No such homework. Verify the BEP-20 if you must name the token. Do not mint a random 721 because it used the logo.

By the end of this lesson you should be able to teach the title — Do not buy an NFT to 'join Crystal Stones' — without a marketing slide.

The object

No such homework. Verify the BEP-20 if you must name the token. Do not mint a random 721 because it used the logo. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
nft practice function	Named in source and explorer	A PNG

Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a nft practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Do not buy an NFT to 'join Crystal Stones'
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Do not buy an NFT to 'join Crystal Stones' does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Do not buy an NFT to 'join Crystal Stones'** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Do not buy an NFT to 'join Crystal Stones'** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Do not buy an NFT to 'join Crystal Stones' is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Tiny curiosity only

Lesson 4: Tiny curiosity only (26 min)

Tiny curiosity only

If you ever mint a testnet 721, good. Mainnet mints are optional and unassigned.

By the end of this lesson you should be able to teach the title — Tiny curiosity only — without a marketing slide.

The object

If you ever mint a testnet 721, good. Mainnet mints are optional and unassigned. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
nft practice function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a nft practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Tiny curiosity only
  |
  v
EXPLORER: function + role + time
  |
  v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Tiny curiosity only does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Tiny curiosity only** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Tiny curiosity only** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Tiny curiosity only is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Quiz fence

Lesson 5: Quiz fence (26 min)

Quiz fence

Record vs file, 721 vs 1155, approval-for-all, royalties as hope, tuition rails.

By the end of this lesson you should be able to teach the title — Quiz fence — without a marketing slide.

The object

Record vs file, 721 vs 1155, approval-for-all, royalties as hope, tuition rails. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
nft practice function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a nft practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Quiz fence
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Quiz fence does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment

address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Quiz fence** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Quiz fence** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Quiz fence is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check nft practice is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating
- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn
- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native
- D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address
- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x

C. \$10 USDT BEP-20 through academy checkout

D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

A. Max supply

B. A drawing until mapped

C. A cliff

D. A sink

Correct answer: B

DAOs & Governance

INTERMEDIATE TRACK | slug: daos-governance | level: intermediate | PAID

The sixth Intermediate course. A DAO is a set of programs and a social process around a treasury. It is not a country. You will name tokens as votes, proposals, timelocks, execution, and capture. Education only. Not a buy order. Holding Crystal Stones is not a vote in a DAO unless a governor says so. Intermediate is \$10 USDT BEP-20 through academy checkout.

Module 1: A DAO is not a nation

Programs plus people. Legal wrappers vary by place. This course stays on objects.

Lesson 1: Three parts (26 min)

Three parts

A governor (proposals and votes), a timelock (delay), a treasury (assets). Missing one is a costume.

By the end of this lesson you should be able to teach the title — Three parts — without a marketing slide.

The object

A governor (proposals and votes), a timelock (delay), a treasury (assets). Missing one is a costume.

Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
dao object function	Named in source and explorer	A PNG

Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a dao object claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: Three parts

|

v

EXPLORER: function + role + time

|

v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Three parts does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Three parts** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale.

Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Three parts** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Three parts is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Legal wrappers are local

Lesson 2: Legal wrappers are local (26 min)

Legal wrappers are local

Some groups use companies in some jurisdictions. This global course will not give legal advice. It will say: bytecode is not a court.

By the end of this lesson you should be able to teach the title — Legal wrappers are local — without a marketing slide.

The object

Some groups use companies in some jurisdictions. This global course will not give legal advice. It will say: bytecode is not a court. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
dao object function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a dao object claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Legal wrappers are local
  |
  v
EXPLORER: function + role + time
  |
  v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Legal wrappers are local does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Legal wrappers are local** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Legal wrappers are local** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Legal wrappers are local is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Token votes are not citizens

Lesson 3: Token votes are not citizens (26 min)

Token votes are not citizens

One address, many tokens, many votes — or the reverse with sybils. Participation is often tiny.

By the end of this lesson you should be able to teach the title — Token votes are not citizens — without a marketing slide.

The object

One address, many tokens, many votes — or the reverse with sybils. Participation is often tiny.

Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
dao object function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a dao object claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Token votes are not citizens
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Token votes are not citizens does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment

address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Token votes are not citizens** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Token votes are not citizens** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Token votes are not citizens is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Off-chain polls

Lesson 4: Off-chain polls (26 min)

Off-chain polls

Snapshot-style signatures that do not move the treasury unless a human or a relay executes. Name whether execution is automatic.

By the end of this lesson you should be able to teach the title — Off-chain polls — without a marketing slide.

The object

Snapshot-style signatures that do not move the treasury unless a human or a relayer executes. Name whether execution is automatic. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
dao object function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a dao object claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Off-chain polls
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Off-chain polls does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Off-chain polls** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Off-chain polls** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Off-chain polls is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Crystal Stones academy is not a DAO

Lesson 5: Crystal Stones academy is not a DAO (26 min)

Crystal Stones academy is not a DAO

It is a school with checkout. Do not confuse a token with a vote on the curriculum.

By the end of this lesson you should be able to teach the title — Crystal Stones academy is not a DAO — without a marketing slide.

The object

It is a school with checkout. Do not confuse a token with a vote on the curriculum. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
dao object function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a dao object claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: Crystal Stones academy is not a DAO
|
v

EXPLORER: function + role + time

|
v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Crystal Stones academy is not a DAO does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Crystal Stones academy is not a DAO** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Crystal Stones academy is not a DAO** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Crystal Stones academy is not a DAO is a checkable object.
- Explorer first, slide second.

- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check dao object is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating
- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn
- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native

D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address
- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

Module 2: Votes, delegation, and quorums

How weight is counted.

Lesson 1: Weight is usually token balance or snapshots (26 min)

Weight is usually token balance or snapshots

A snapshot block freezes weights. Without it, flash-loan votes exist as a picture.

By the end of this lesson you should be able to teach the title — Weight is usually token balance or snapshots — without a marketing slide.

The object

A snapshot block freezes weights. Without it, flash-loan votes exist as a picture. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
voting function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a voting claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Weight is usually token balance or snapshots
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Weight is usually token balance or snapshots does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment

address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Weight is usually token balance or snapshots** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Weight is usually token balance or snapshots** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Weight is usually token balance or snapshots is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Delegation

Lesson 2: Delegation (26 min)

Delegation

You can give vote weight to another address without sending tokens. Delegation is power. Idle tokens often delegate to a few names.

By the end of this lesson you should be able to teach the title — Delegation — without a marketing slide.

The object

You can give vote weight to another address without sending tokens. Delegation is power. Idle tokens often delegate to a few names. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
voting function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a voting claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Delegation
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Delegation does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Delegation** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Delegation** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Delegation is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Quorum

Lesson 3: Quorum (26 min)

Quorum

Minimum participation. Low quorum plus a whale is a meeting of one.

By the end of this lesson you should be able to teach the title — Quorum — without a marketing slide.

The object

Minimum participation. Low quorum plus a whale is a meeting of one. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
voting function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a voting claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Quorum
|
v
EXPLORER: function + role + time
```

|
v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Quorum does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Quorum** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Quorum** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 3

A learner anywhere should be able to repeat **Quorum** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Quorum is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: For / against / abstain

Lesson 4: For / against / abstain (26 min)

For / against / abstain

Some governors count abstain toward quorum. Read the counting rule. It changes outcomes.

By the end of this lesson you should be able to teach the title — For / against / abstain — without a marketing slide.

The object

Some governors count abstain toward quorum. Read the counting rule. It changes outcomes. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
voting function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy

Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a voting claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: For / against / abstain
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. For / against / abstain does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **For / against / abstain** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **For / against / abstain** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change

bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- For / against / abstain is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Buying votes

Lesson 5: Buying votes (26 min)

Buying votes

Vote markets exist. This course names them. It does not send you to them.

By the end of this lesson you should be able to teach the title — Buying votes — without a marketing slide.

The object

Vote markets exist. This course names them. It does not send you to them. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
voting function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a voting claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Buying votes
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Buying votes does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Buying votes** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Buying votes** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Buying votes is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check voting is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating
- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn
- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native
- D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address
- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

Module 3: Proposal, delay, execute

The path from text to a treasury movement.

Lesson 1: Propose (26 min)

Propose

A threshold of votes to submit. Text plus calldata. The calldata is the real payload. Read it like a wallet popup.

By the end of this lesson you should be able to teach the title — Propose — without a marketing slide.

The object

A threshold of votes to submit. Text plus calldata. The calldata is the real payload. Read it like a wallet popup. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
proposal path function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a proposal path claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim

is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Propose
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Propose does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Propose** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Propose** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Propose is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Vote window

Lesson 2: Vote window (26 min)

Vote window

A number of blocks. Hurry at the end is normal theatre.

By the end of this lesson you should be able to teach the title — Vote window — without a marketing slide.

The object

A number of blocks. Hurry at the end is normal theatre. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
proposal path function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a proposal path claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Vote window
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Vote window does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Vote window** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Vote window** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 3

A learner anywhere should be able to repeat **Vote window** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Vote window is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Timelock

Lesson 3: Timelock (26 min)

Timelock

A delay after success before execute. The delay is your window to exit the token or raise an alarm. If there is no delay, there is no window.

By the end of this lesson you should be able to teach the title — Timelock — without a marketing slide.

The object

A delay after success before execute. The delay is your window to exit the token or raise an alarm. If there is no delay, there is no window. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
proposal path function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a proposal path claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Timelock
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Timelock does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Timelock** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Timelock** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Timelock is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Execute

Lesson 4: Execute (26 min)

Execute

Someone calls execute. If nobody does, a passed vote is a PDF. Relayers may be paid to execute.

By the end of this lesson you should be able to teach the title — Execute — without a marketing slide.

The object

Someone calls execute. If nobody does, a passed vote is a PDF. Relayers may be paid to execute. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
proposal path function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a proposal path claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Execute
  |
  v
EXPLORER: function + role + time
  |
  v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Execute does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment

address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Execute** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Execute** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Execute is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Cancel and guardian

Lesson 5: Cancel and guardian (26 min)

Cancel and guardian

A guardian who can cancel is a backdoor. Sometimes honest. Always a who.

By the end of this lesson you should be able to teach the title — Cancel and guardian — without a marketing slide.

The object

A guardian who can cancel is a backdoor. Sometimes honest. Always a who. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
proposal path function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a proposal path claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Cancel and guardian
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Cancel and guardian does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Cancel and guardian** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Cancel and guardian** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Cancel and guardian is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check proposal path is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating
- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn
- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native
- D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address
- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

Module 4: Treasuries

The bag the process can move.

Lesson 1: A treasury is an address (26 min)

A treasury is an address

Often a timelock or a multisig. List the assets: native, stables, project token. Project token in treasury is circular if they vote to print more.

By the end of this lesson you should be able to teach the title — A treasury is an address — without a marketing slide.

The object

Often a timelock or a multisig. List the assets: native, stables, project token. Project token in treasury is circular if they vote to print more. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
treasury function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a treasury claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: A treasury is an address
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. A treasury is an address does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **A treasury is an address** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **A treasury is an address** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- A treasury is an address is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Diversification as a proposal class

Lesson 2: Diversification as a proposal class (26 min)

Diversification as a proposal class

Selling project token for USDT is a policy. It dumps on the market like any sale. Name it as a sale.

By the end of this lesson you should be able to teach the title — Diversification as a proposal class — without a marketing slide.

The object

Selling project token for USDT is a policy. It dumps on the market like any sale. Name it as a sale.

Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
treasury function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a treasury claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Diversification as a proposal class
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Diversification as a proposal class does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment

address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Diversification as a proposal class** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Diversification as a proposal class** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Diversification as a proposal class is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Grants

Lesson 3: Grants (26 min)

Grants

Paying contributors. Read recipient, amount, cliff. Grant theatre without vesting is a transfer.

By the end of this lesson you should be able to teach the title — Grants — without a marketing slide.

The object

Paying contributors. Read recipient, amount, cliff. Grant theatre without vesting is a transfer. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
treasury function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a treasury claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Grants
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Grants does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Grants** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Grants** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Grants is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Multisig DAOs

Lesson 4: Multisig DAOs (26 min)

Multisig DAOs

If three of five can move the bag without a token vote, the token is decoration.

By the end of this lesson you should be able to teach the title — Multisig DAOs — without a marketing slide.

The object

If three of five can move the bag without a token vote, the token is decoration. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
treasury function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a treasury claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Multisig DAOs
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Multisig DAOs does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Multisig DAOs** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Multisig DAOs** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Multisig DAOs is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Academy treasury is not your homework

Lesson 5: Academy treasury is not your homework (26 min)

Academy treasury is not your homework

You do not vote on tuition. You pay USDT BEP-20 on the academy page or you do not.

By the end of this lesson you should be able to teach the title — Academy treasury is not your homework — without a marketing slide.

The object

You do not vote on tuition. You pay USDT BEP-20 on the academy page or you do not. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
treasury function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a treasury claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: Academy treasury is not your homework
|
v

EXPLORER: function + role + time

|
v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Academy treasury is not your homework does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Academy treasury is not your homework** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Academy treasury is not your homework** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Academy treasury is not your homework is a checkable object.
- Explorer first, slide second.

- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check treasury is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating
- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn
- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native

D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address
- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

Module 5: Capture and apathy

How DAOs fail without a Hollywood hack.

Lesson 1: Whale capture (26 min)

Whale capture

Enough tokens to pass anything. Delegation makes it quieter.

By the end of this lesson you should be able to teach the title — Whale capture — without a marketing slide.

The object

Enough tokens to pass anything. Delegation makes it quieter. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
dao failure function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a dao failure claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Whale capture
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Whale capture does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment

address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Whale capture** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Whale capture** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 3

A learner anywhere should be able to repeat **Whale capture** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Whale capture is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Empty participation

Lesson 2: Empty participation (26 min)

Empty participation

Quorum barely hit by insiders. The forum looks alive. The vote is not.

By the end of this lesson you should be able to teach the title — Empty participation — without a marketing slide.

The object

Quorum barely hit by insiders. The forum looks alive. The vote is not. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
dao failure function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a dao failure claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: Empty participation
|
v

EXPLORER: function + role + time

|
v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Empty participation does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Empty participation** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Empty participation** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Empty participation is a checkable object.
- Explorer first, slide second.

- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Hidden execute

Lesson 3: Hidden execute (26 min)

Hidden execute

A passed proposal whose calldata does something else. Always decode.

By the end of this lesson you should be able to teach the title — Hidden execute — without a marketing slide.

The object

A passed proposal whose calldata does something else. Always decode. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
dao failure function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a dao failure claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is

about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Hidden execute
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Hidden execute does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Hidden execute** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Hidden execute** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Hidden execute is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Rage quit pictures

Lesson 4: Rage quit pictures (26 min)

Rage quit pictures

Some designs let minorities exit with a share. Many ‘DAOs’ have no such function. You are along for the ride.

By the end of this lesson you should be able to teach the title — Rage quit pictures — without a marketing slide.

The object

Some designs let minorities exit with a share. Many ‘DAOs’ have no such function. You are along for the ride. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
dao failure function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a dao failure claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Rage quit pictures
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Rage quit pictures does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Rage quit pictures** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Rage quit pictures** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Rage quit pictures is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Governance as a marketing layer

Lesson 5: Governance as a marketing layer (26 min)

Governance as a marketing layer

A token that cannot move the treasury is a mascot. Say so.

By the end of this lesson you should be able to teach the title — Governance as a marketing layer — without a marketing slide.

The object

A token that cannot move the treasury is a mascot. Say so. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
dao failure function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a dao failure claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Governance as a marketing layer
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Governance as a marketing layer does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Governance as a marketing layer** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Governance as a marketing layer** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Governance as a marketing layer is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check dao failure is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating

- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn
- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native
- D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address
- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

Module 6: Practice: read a proposal

A slow checklist.

Lesson 1: Decode calldata first (26 min)

Decode calldata first

Then read the poem above it.

By the end of this lesson you should be able to teach the title — Decode calldata first — without a marketing slide.

The object

Then read the poem above it. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
proposal practice function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a proposal practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: Decode calldata first

|
v

EXPLORER: function + role + time

|
v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Decode calldata first does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Decode calldata first** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Decode calldata first** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 3

A learner anywhere should be able to repeat **Decode calldata first** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change

bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Decode calldata first is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: List who can cancel

Lesson 2: List who can cancel (26 min)

List who can cancel

Guardian, admin, security council. Count them.

By the end of this lesson you should be able to teach the title — List who can cancel — without a marketing slide.

The object

Guardian, admin, security council. Count them. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
proposal practice function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a proposal practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: List who can cancel
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. List who can cancel does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **List who can cancel** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **List who can cancel** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- List who can cancel is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Check timelock length

Lesson 3: Check timelock length (26 min)

Check timelock length

Zero is a fact. 48 hours is a fact. 'Social consensus' is not a timelock.

By the end of this lesson you should be able to teach the title — Check timelock length — without a marketing slide.

The object

Zero is a fact. 48 hours is a fact. 'Social consensus' is not a timelock. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
proposal practice function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a proposal practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Check timelock length
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Check timelock length does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Check timelock length** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Check timelock length** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Check timelock length is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Do not vote with Crystal Stones unless a governor uses it

Lesson 4: Do not vote with Crystal Stones unless a governor uses it (26 min)

Do not vote with Crystal Stones unless a governor uses it

Most will not. Holding it is not a ballot.

By the end of this lesson you should be able to teach the title — Do not vote with Crystal Stones unless a governor uses it — without a marketing slide.

The object

Most will not. Holding it is not a ballot. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
proposal practice function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a proposal practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Do not vote with Crystal Stones unless a governor uses it
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Do not vote with Crystal Stones unless a governor uses it does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Do not vote with Crystal Stones unless a governor uses it** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Do not vote with Crystal Stones unless a governor uses it** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Do not vote with Crystal Stones unless a governor uses it is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Quiz fence

Lesson 5: Quiz fence (26 min)

Quiz fence

Governor, timelock, treasury, delegation, calldata, tuition rails.

By the end of this lesson you should be able to teach the title — Quiz fence — without a marketing slide.

The object

Governor, timelock, treasury, delegation, calldata, tuition rails. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
proposal practice function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a proposal practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Quiz fence
|
v
EXPLORER: function + role + time
```

|
v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Quiz fence does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Quiz fence** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Quiz fence** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Quiz fence is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check proposal practice is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating
- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn
- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native
- D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address
- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

RWA Specialization

INTERMEDIATE TRACK | slug: rwa-specialization | level: intermediate | PAID

The seventh Intermediate course. Real World Assets on a chain are a legal wrapper plus a token plus a custodian plus data about the object. You will separate those four. Crystal Stones claims RWA-style backing — treat that as a claim to verify, not as a vault you have sat in. Education only. Not a buy order. Intermediate is \$10 USDT BEP-20 through academy checkout.

Module 1: Four objects, not one ticker

Wrapper, token, custodian, data.

Lesson 1: The physical or legal object (26 min)

The physical or legal object

A tonne of a mineral, a lease, an invoice, a building, a barrel. It lives in the world of courts, warehouses, and surveys — not in storage slots.

By the end of this lesson you should be able to teach the title — The physical or legal object — without a marketing slide.

The object

A tonne of a mineral, a lease, an invoice, a building, a barrel. It lives in the world of courts, warehouses, and surveys — not in storage slots. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa objects function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa objects claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: The physical or legal object
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. The physical or legal object does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **The physical or legal object** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **The physical or legal object** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- The physical or legal object is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: The wrapper

Lesson 2: The wrapper (26 min)

The wrapper

A company, a trust, a fund. This course will not practise law. It will say: someone has to own the object in a way a court understands.

By the end of this lesson you should be able to teach the title — The wrapper — without a marketing slide.

The object

A company, a trust, a fund. This course will not practise law. It will say: someone has to own the object in a way a court understands. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa objects function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa objects claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: The wrapper
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. The wrapper does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment

address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **The wrapper** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **The wrapper** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- The wrapper is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: The token

Lesson 3: The token (26 min)

The token

A BEP-20 or similar that claims to represent a share of the wrapper. The token is a list. It is not the warehouse.

By the end of this lesson you should be able to teach the title — The token — without a marketing slide.

The object

A BEP-20 or similar that claims to represent a share of the wrapper. The token is a list. It is not the warehouse. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa objects function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa objects claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: The token
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. The token does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **The token** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **The token** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- The token is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: The data

Lesson 4: The data (26 min)

The data

NAV, assays, photos, auditor letters. Data can be fake. Oracles can be honest or not. Photos are cheap.

By the end of this lesson you should be able to teach the title — The data — without a marketing slide.

The object

NAV, assays, photos, auditor letters. Data can be fake. Oracles can be honest or not. Photos are cheap. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa objects function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa objects claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: The data
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. The data does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **The data** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **The data** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- The data is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Crystal Stones in this frame

Lesson 5: Crystal Stones in this frame (26 min)

Crystal Stones in this frame

The project claims backing by solid minerals, with additional exposure to real estate and petroleum. Treat that as their claim. This academy will not pretend you have audited a vault by reading a lesson.

By the end of this lesson you should be able to teach the title — Crystal Stones in this frame — without a marketing slide.

The object

The project claims backing by solid minerals, with additional exposure to real estate and petroleum. Treat that as their claim. This academy will not pretend you have audited a vault by reading a lesson.

Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa objects function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa objects claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: Crystal Stones in this frame

|
v

EXPLORER: function + role + time

|
v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Crystal Stones in this frame does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Crystal Stones in this frame** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Crystal Stones in this frame** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Crystal Stones in this frame is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check rwa objects is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating
- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn
- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native
- D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address
- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

Module 2: Custody of the object

Who can steal the rocks while the token still prints.

Lesson 1: A warehouse is a who (26 min)

A warehouse is a who

If the custodian leaves, the token's list may still say you have a share of nothing.

By the end of this lesson you should be able to teach the title — A warehouse is a who — without a marketing slide.

The object

If the custodian leaves, the token's list may still say you have a share of nothing. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa custody function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa custody claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: A warehouse is a who
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. A warehouse is a who does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **A warehouse is a who** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **A warehouse is a who** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- A warehouse is a who is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Title vs possession

Lesson 2: Title vs possession (26 min)

Title vs possession

A legal title document and a pile in a shed can diverge. Both can be claimed. Proof is boring paperwork, not a glow.

By the end of this lesson you should be able to teach the title — Title vs possession — without a marketing slide.

The object

A legal title document and a pile in a shed can diverge. Both can be claimed. Proof is boring paperwork, not a glow. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa custody function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa custody claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: Title vs possession
|

▼
EXPLORER: function + role + time
|
▼
YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Title vs possession does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Title vs possession** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Title vs possession** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Title vs possession is a checkable object.
- Explorer first, slide second.
- Admin paths count.

- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Insurance and audits

Lesson 3: Insurance and audits (26 min)

Insurance and audits

Letters have dates. They expire. A 2022 letter is not a 2026 inventory.

By the end of this lesson you should be able to teach the title — Insurance and audits — without a marketing slide.

The object

Letters have dates. They expire. A 2022 letter is not a 2026 inventory. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa custody function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa custody claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Insurance and audits
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Insurance and audits does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Insurance and audits** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Insurance and audits** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Insurance and audits is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: The chain cannot see the shed

Lesson 4: The chain cannot see the shed (26 min)

The chain cannot see the shed

Bridges of information are people and oracles. That is the RWA gap. Do not let a diagram erase it.

By the end of this lesson you should be able to teach the title — The chain cannot see the shed — without a marketing slide.

The object

Bridges of information are people and oracles. That is the RWA gap. Do not let a diagram erase it.

Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa custody function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa custody claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: The chain cannot see the shed
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. The chain cannot see the shed does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **The chain cannot see the shed** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **The chain cannot see the shed** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- The chain cannot see the shed is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Do not send a seed to a 'custodian support'

Lesson 5: Do not send a seed to a 'custodian support' (26 min)

Do not send a seed to a 'custodian support'

The custodian of rocks does not need your wallet seed. Anyone who asks is not the warehouse.

By the end of this lesson you should be able to teach the title — Do not send a seed to a 'custodian support' — without a marketing slide.

The object

The custodian of rocks does not need your wallet seed. Anyone who asks is not the warehouse.

Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa custody function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa custody claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Do not send a seed to a 'custodian support'
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Do not send a seed to a 'custodian support' does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Do not send a seed to a 'custodian support'** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Do not send a seed to a 'custodian support'** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Do not send a seed to a 'custodian support' is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check rwa custody is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating

- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn
- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native
- D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address
- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

Module 3: NAV, oracles, and redemption

How a token pretends to track the object.

Lesson 1: NAV is a number someone publishes (26 min)

NAV is a number someone publishes

Net asset value. On a fund, an administrator. On a costume, a spreadsheet. Ask who signs it.

By the end of this lesson you should be able to teach the title — NAV is a number someone publishes — without a marketing slide.

The object

Net asset value. On a fund, an administrator. On a costume, a spreadsheet. Ask who signs it. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa nav function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa nav claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: NAV is a number someone publishes

|
v

EXPLORER: function + role + time

|
v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. NAV is a number someone publishes does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **NAV is a number someone publishes** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **NAV is a number someone publishes** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- NAV is a number someone publishes is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Oracles on RWA

Lesson 2: Oracles on RWA (26 min)

Oracles on RWA

If a DeFi program needs a price, someone posts it. Thin, delayed, or friendly oracles can liquidate the wrong people — you met that in DeFi.

By the end of this lesson you should be able to teach the title — Oracles on RWA — without a marketing slide.

The object

If a DeFi program needs a price, someone posts it. Thin, delayed, or friendly oracles can liquidate the wrong people — you met that in DeFi. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa nav function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy	A token dump address

Worked scenario. You are shown a rwa nav claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: Oracles on RWA

|

v

EXPLORER: function + role + time

|

v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Oracles on RWA does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Oracles on RWA** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Oracles on RWA** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Oracles on RWA is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Redemption

Lesson 3: Redemption (26 min)

Redemption

Can you turn the token into the object, or into cash the wrapper holds, on rules you can read? If never, you have a souvenir of a story.

By the end of this lesson you should be able to teach the title — Redemption — without a marketing slide.

The object

Can you turn the token into the object, or into cash the wrapper holds, on rules you can read? If never, you have a souvenir of a story. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa nav function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa nav claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Redemption
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Redemption does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Redemption** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Redemption** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Redemption is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Haircuts and gates

Lesson 4: Haircuts and gates (26 min)

Haircuts and gates

Funds halt redemptions. RWA tokens can pause. Pause is an admin function you already named.

By the end of this lesson you should be able to teach the title — Haircuts and gates — without a marketing slide.

The object

Funds halt redemptions. RWA tokens can pause. Pause is an admin function you already named. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa nav function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa nav claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Haircuts and gates
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Haircuts and gates does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Haircuts and gates** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Haircuts and gates** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Haircuts and gates is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Crystal Stones redemption

Lesson 5: Crystal Stones redemption (26 min)

Crystal Stones redemption

This course does not assert a redemption desk. If the project publishes one, read it as a process off-chain. The BEP-20 list is still just a list at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00.

By the end of this lesson you should be able to teach the title — Crystal Stones redemption — without a marketing slide.

The object

This course does not assert a redemption desk. If the project publishes one, read it as a process off-chain. The BEP-20 list is still just a list at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa nav function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa nav claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Crystal Stones redemption
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Crystal Stones redemption does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment

address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Crystal Stones redemption** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Crystal Stones redemption** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Crystal Stones redemption is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check rwa nav is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat

D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

A. A vesting program

B. A person who can move tokens now unless other code stops them

C. A burn

D. Academy staff

Correct answer: B

Q3. Verified source means?

A. Audited

B. Compiler match to bytecode, not a safety rating

C. Locked LP

D. A court order

Correct answer: B

Q4. A 99% sell tax is?

A. A standard burn

B. A function that can trap sellers

C. Required on BSC

D. Gas

Correct answer: B

Q5. Unlocks make?

A. Price go down by law

B. Transfer possible for those units, not a guaranteed sale

C. ETH native

D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

A. A tuition address

B. A BEP-20 to verify, not a pay-to

C. An Ethereum NFT

D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

Module 4: Permissioned vs permissionless RWA tokens

KYC allowlists versus anyone-can-hold.

Lesson 1: Allowlists (26 min)

Allowlists

Some RWA tokens refuse transfers to un-KYC'd addresses. That is a whitelist in the token. Global holders may be blocked. That is the design.

By the end of this lesson you should be able to teach the title — Allowlists — without a marketing slide.

The object

Some RWA tokens refuse transfers to un-KYC'd addresses. That is a whitelist in the token. Global holders may be blocked. That is the design. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa permission function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa permission claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Allowlists
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Allowlists does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Allowlists** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Allowlists** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Allowlists is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Anyone-can-hold

Lesson 2: Anyone-can-hold (26 min)

Anyone-can-hold

Then the token can trade on a DEX like any BEP-20. The object behind it does not become more liquid. The souvenir does.

By the end of this lesson you should be able to teach the title — Anyone-can-hold — without a marketing slide.

The object

Then the token can trade on a DEX like any BEP-20. The object behind it does not become more liquid. The souvenir does. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa permission function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa permission claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Anyone-can-hold
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Anyone-can-hold does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Anyone-can-hold** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Anyone-can-hold** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Anyone-can-hold is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Why both exist

Lesson 3: Why both exist (26 min)

Why both exist

Regulated wrappers often need allowlists. Meme-RWA hybrids often skip them. Skipping is a fact, not a rebellion worth celebrating by itself.

By the end of this lesson you should be able to teach the title — Why both exist — without a marketing slide.

The object

Regulated wrappers often need allowlists. Meme-RWA hybrids often skip them. Skipping is a fact, not a rebellion worth celebrating by itself. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa permission function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa permission claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Why both exist
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Why both exist does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment

address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Why both exist** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Why both exist** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Why both exist is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Secondary markets

Lesson 4: Secondary markets (26 min)

Secondary markets

If only 40 addresses can hold, the 'price' is a tiny room. If anyone can hold, you can still have a tiny pool.

By the end of this lesson you should be able to teach the title — Secondary markets — without a marketing slide.

The object

If only 40 addresses can hold, the ‘price’ is a tiny room. If anyone can hold, you can still have a tiny pool. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa permission function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa permission claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Secondary markets
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Secondary markets does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Secondary markets** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Secondary markets** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Secondary markets is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Academy access is not an RWA allowlist

Lesson 5: Academy access is not an RWA allowlist (26 min)

Academy access is not an RWA allowlist

Login to study is an account. It is not a securities exemption. Tuition is USDT BEP-20.

By the end of this lesson you should be able to teach the title — Academy access is not an RWA allowlist — without a marketing slide.

The object

Login to study is an account. It is not a securities exemption. Tuition is USDT BEP-20. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa permission function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa permission claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Academy access is not an RWA allowlist
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Academy access is not an RWA allowlist does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Academy access is not an RWA allowlist** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Academy access is not an RWA allowlist** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Academy access is not an RWA allowlist is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check rwa permission is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating
- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn
- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native
- D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address

- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

Module 5: Failure pictures

Missing rocks, frozen wrappers, infinite mint on the souvenir.

Lesson 1: The object is gone, the token remains (26 min)

The object is gone, the token remains

Warehouse empty. Token still transfers. The list did not notice.

By the end of this lesson you should be able to teach the title — The object is gone, the token remains — without a marketing slide.

The object

Warehouse empty. Token still transfers. The list did not notice. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa failure function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa failure claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: The object is gone, the token remains
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. The object is gone, the token remains does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **The object is gone, the token remains** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **The object is gone, the token remains** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- The object is gone, the token remains is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: The wrapper is in court, the token still farms

Lesson 2: The wrapper is in court, the token still farms (26 min)

The wrapper is in court, the token still farms

Legal freeze off-chain. On-chain programs keep incentivising a souvenir.

By the end of this lesson you should be able to teach the title — The wrapper is in court, the token still farms — without a marketing slide.

The object

Legal freeze off-chain. On-chain programs keep incentivising a souvenir. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa failure function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa failure claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: The wrapper is in court, the token still farms

|

v

EXPLORER: function + role + time

|

v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. The wrapper is in court, the token still farms does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment

address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **The wrapper is in court, the token still farms** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **The wrapper is in court, the token still farms** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- The wrapper is in court, the token still farms is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Admin mint of the souvenir

Lesson 3: Admin mint of the souvenir (26 min)

Admin mint of the souvenir

If the token can mint, 'fully backed' is a slide. You named mint in tokenomics. Apply it brutally here.

By the end of this lesson you should be able to teach the title — Admin mint of the souvenir — without a marketing slide.

The object

If the token can mint, ‘fully backed’ is a slide. You named mint in tokenomics. Apply it brutally here. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa failure function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa failure claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Admin mint of the souvenir
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Admin mint of the souvenir does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Admin mint of the souvenir** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Admin mint of the souvenir** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Admin mint of the souvenir is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Oracle fiction

Lesson 4: Oracle fiction (26 min)

Oracle fiction

NAV does not move while the object's market does, or moves when a friend posts.

By the end of this lesson you should be able to teach the title — Oracle fiction — without a marketing slide.

The object

NAV does not move while the object's market does, or moves when a friend posts. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa failure function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa failure claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Oracle fiction
|
v
EXPLORER: function + role + time
```

|
v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Oracle fiction does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Oracle fiction** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Oracle fiction** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Oracle fiction is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Photo-backed memes

Lesson 5: Photo-backed memes (26 min)

Photo-backed memes

A quarry photograph is not an audit. Crystal Stones learners should be the last people on earth to confuse a photo with a vault.

By the end of this lesson you should be able to teach the title — Photo-backed memes — without a marketing slide.

The object

A quarry photograph is not an audit. Crystal Stones learners should be the last people on earth to confuse a photo with a vault. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa failure function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa failure claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Photo-backed memes
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Photo-backed memes does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Photo-backed memes** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Photo-backed memes** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Photo-backed memes is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check rwa failure is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating
- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn
- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native
- D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address
- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

Module 6: Practice: a backing checklist

What you write before you believe an RWA sentence.

Lesson 1: Write the four objects (26 min)

Write the four objects

Object, wrapper, token contract, data source. Empty box = not done.

By the end of this lesson you should be able to teach the title — Write the four objects — without a marketing slide.

The object

Object, wrapper, token contract, data source. Empty box = not done. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa practice function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Write the four objects
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Write the four objects does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Write the four objects** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Write the four objects** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Write the four objects is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Write mint, pause, allowlist

Lesson 2: Write mint, pause, allowlist (26 min)

Write mint, pause, allowlist

Token controls that can break the story overnight.

By the end of this lesson you should be able to teach the title — Write mint, pause, allowlist — without a marketing slide.

The object

Token controls that can break the story overnight. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa practice function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Write mint, pause, allowlist
|
v
```

EXPLORER: function + role + time

|
v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Write mint, pause, allowlist does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Write mint, pause, allowlist** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Write mint, pause, allowlist** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Write mint, pause, allowlist is a checkable object.
- Explorer first, slide second.

- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Write redemption rules

Lesson 3: Write redemption rules (26 min)

Write redemption rules

Who, where, how long, in what asset.

By the end of this lesson you should be able to teach the title — Write redemption rules — without a marketing slide.

The object

Who, where, how long, in what asset. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa practice function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is

about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Write redemption rules
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Write redemption rules does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Write redemption rules** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Write redemption rules** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Write redemption rules is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Crystal Stones as a case, not a hymn

Lesson 4: Crystal Stones as a case, not a hymn (26 min)

Crystal Stones as a case, not a hymn

Contract 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 on BSC. Claims of minerals, real estate, petroleum. Academy is education. You are not assigned to buy. You are assigned to keep the claim in a drawer labelled claim.

By the end of this lesson you should be able to teach the title — Crystal Stones as a case, not a hymn — without a marketing slide.

The object

Contract 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 on BSC. Claims of minerals, real estate, petroleum. Academy is education. You are not assigned to buy. You are assigned to keep the claim in a drawer labelled claim. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa practice function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Crystal Stones as a case, not a hymn
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Crystal Stones as a case, not a hymn does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Crystal Stones as a case, not a hymn** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Crystal Stones as a case, not a hymn** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Crystal Stones as a case, not a hymn is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Tuition still is not the token

Lesson 5: Tuition still is not the token (26 min)

Tuition still is not the token

USDT BEP-20 on the academy page. RWA language does not change checkout.

By the end of this lesson you should be able to teach the title — Tuition still is not the token — without a marketing slide.

The object

USDT BEP-20 on the academy page. RWA language does not change checkout. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
rwa practice function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a rwa practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Tuition still is not the token
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Tuition still is not the token does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Tuition still is not the token** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Tuition still is not the token** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Tuition still is not the token is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check rwa practice is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program

- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating
- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn
- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native
- D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address
- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

Crystal Stones Ecosystem

INTERMEDIATE TRACK | slug: crystal-stones-ecosystem | level: intermediate | PAID

The last Intermediate course. Explicit objects: the BEP-20 on BSC at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00, the academy as a school, checkout as USDT BEP-20, backing as a claim to verify, and the never-list for impersonators. Global voice. Education only. Not a buy order. Not a hymn. Intermediate remains \$10 USDT BEP-20 through academy checkout.

Module 1: Claims versus objects

What Crystal Stones says, what a chain can show, and what this academy is. Three drawers. No hymns.

Lesson 1: What Crystal Stones is, as objects (28 min)

What Crystal Stones is, as objects

Crystal Stones is a project that issues a BEP-20 token on BNB Smart Chain and describes itself as a Real World Asset effort. The academy is a school. The token is a list. The backing is a claim. If you mash those into one glowing word, you will pay somebody for a feeling.

By the end of this lesson you should be able to say three sentences: what the token is, what the academy is, and what backing means before anyone has shown you a vault.

The token is a BEP-20 list

On BNB Smart Chain, chain ID 56, a contract keeps balances. The public contract this academy teaches you to verify is 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00. Verification means: you open a bookmarked explorer, you paste that string, you confirm you are on BSC mainnet, you read the code and the holders. Verification is not a purchase. It is not a payment. Sending units to that address is how people park value in a program that did not offer them a checkout.

The academy is a school

Crystal Stones Academy teaches ledgers, keys, safety, Ethereum-style programs, DeFi, tokenomics, markets, NFTs, DAOs, and RWA pictures. Basic is free. Intermediate is a paid track. Advanced is labelled later. The school will not tell you to buy the token. A school that requires you to buy the mascot to learn is a sales room. This one uses USDT BEP-20 for Intermediate tuition on the academy checkout page.

Backing is a claim

The project describes backing by tangible assets, primarily solid minerals, with additional exposure to real estate and petroleum. A claim is a sentence that wants evidence: custody, title, audits with dates,

redemption rules. This lesson will not fake that evidence. RWA specialization already taught you the four objects. Apply them here without fan mail.

Drawer	Object	Not
Token	BEP-20 at the named contract on BSC	A vault of rocks
Academy	Lessons, quizzes, checkout, mentor	A DEX
Backing	A claim about minerals, property, petroleum	Something the EVM can see
Tuition	USDT BEP-20 on the academy page	The Crystal Stones ticker

Worked scenario. A site says ‘Crystal Stones is backed, so pay the academy in CST.’ You refuse. Backing, if evidenced, still does not make the token the tuition rail. Checkout is USDT BEP-20. Staff will not DM a token address. The contract is verify-only.

DIAGRAM

```
THREE DRAWERS
[ BEP-20 list ] [ School ] [ Backing claim ]
Do not draw arrows that the code does not have.
```

ACADEMY NOTE Academy rule: mash-ups of token, school, and mine are a sales picture. Keep three drawers.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **What Crystal Stones is, as objects** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **What Crystal Stones is, as objects** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change

bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- The token is a BEP-20 list on BSC.
- The academy is a school.
- Backing is a claim until evidenced off-chain.
- Tuition is USDT BEP-20, not CST.
- The named contract is for verification, not payment.

Next: the published contract, chain, and explorer path.

Lesson 2: Chain, explorer, and the verify path (27 min)

Chain, explorer, and the verify path

If you cannot verify the token on a bookmarked explorer, you are not talking about Crystal Stones. You are talking about a sticker.

By the end of this lesson you should do the verify path without a YouTube overlay.

Chain ID 56

BNB Smart Chain mainnet. Not Ethereum (1). Not a random L2. Not a testnet that borrowed the logo. Wallet headers lie. You confirm chain ID.

Explorer

BscScan is the common explorer for this book. Bookmark it on a calm day. Search ads clone explorers. A clone that asks you to 'connect wallet to verify' is a drainer.

What you read on the page

Contract, token name, decimals, totalSupply, holders, transfers, source verification tick (compiler match, not an audit), read functions, write functions (live sends). Write is not homework.

Step	Honest	Hostile
Network	Wallet chain ID 56	A site header that says BSC
Explorer	Bookmarked BscScan	A sponsored clone
Contract	0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00	A lookalike 0x
Connect wallet	Not required to read	Required to 'verify'

Worked scenario. You paste the contract into a search bar. The first result is an ad. You ignore ads. You use the bookmark. You read. You do not approve. You do not pay. Education only.

DIAGRAM

YOU -> bookmark explorer -> paste 0xe252FCb1... -> chain 56
If connect-wallet is required to READ, leave.

ACADEMY NOTE Academy rule: verify is a read. If it requires a signature, it is not verify.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Chain, explorer, and the verify path** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Chain, explorer, and the verify path** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 3

A learner anywhere should be able to repeat **Chain, explorer, and the verify path** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 4

A learner anywhere should be able to repeat **Chain, explorer, and the verify path** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- BSC mainnet is chain ID 56.
- Bookmark the explorer.
- Paste the official contract.
- Verified source is not an audit.
- Reading does not need a signature.

Next: token versus academy versus checkout.

Lesson 3: Token, academy, checkout — three rails (28 min)

Token, academy, checkout — three rails

Learners smash these because they share a brand. Brands are stickers. Rails are where units move.

By the end of this lesson you should refuse any sentence that uses one word for all three rails.

Token rail

BEP-20 transfers between addresses, DEX pairs if they exist, burns if they exist. Gas in BNB. Not tuition.

Academy rail

Accounts, lessons, quizzes, ranks, mentor. Progress is a database plus your signatures on-chain only when you practise. Studying does not require holding CST.

Checkout rail

Intermediate price is \$10 in USDT on BNB Smart Chain through academy checkout. Not CST. Not a random network. Not a card a stranger DMs. Paid status unlocks the track. Expired invoices are a checkout lesson you already had — paid-on-expired still belongs to the payment processor's rules, not to a CST myth.

Rail	Asset	Destination
Token	CST BEP-20	Other addresses / programs — not tuition
Academy	Your study time	Lessons and quizzes
Checkout	USDT BEP-20	Academy invoice address for that order

Worked scenario. A mentor-impersonator says 'unlock Intermediate by sending CST to the contract.' You already know the contract is not checkout. You report. You pay only on the academy page in USDT BEP-20 if you want the track.

DIAGRAM

```

BRAND
+-- token rail (CST)
+-- school rail (lessons)
+-- pay rail (USDT invoice)
Cross-wiring is how people lose units.
```

ACADEMY NOTE Academy rule: shared logo, three rails. Pay the pay rail.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Token, academy, checkout — three rails** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Token, academy, checkout — three rails** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 3

A learner anywhere should be able to repeat **Token, academy, checkout — three rails** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 4

A learner anywhere should be able to repeat **Token, academy, checkout — three rails** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- CST is not tuition.
- USDT BEP-20 on the academy invoice is tuition.
- Lessons are not a DEX.
- Staff never need CST to 'activate' a module.
- Cross-wiring rails is the failure.

Next: published tokenomics as claims.

Lesson 4: Published figures as claims (27 min)

Published figures as claims

Figures associated with Crystal Stones include a total supply around 135,000,000 and a circulating supply around 104,100,000, and a deflationary story with burns on transfers. Intermediate's job is to treat each figure as something to check, not as a chant.

By the end of this lesson you should know where to look and what would falsify a figure.

Total supply

Read `totalSupply()` on the contract. If it can mint, today's number is not forever. If it burns, today's number can fall. Record the date you read it. Numbers in this lesson can go stale. The method does not.

Circulating

Usually a dashboard: total minus labelled locks. Check those locks. If a 'locked' wallet can move, circulating is understated. If dead addresses hold units, some dashboards subtract them.

Burns

Find the burn path: a tax, a `burn()`, a send to dead. Measure whether mint outruns it. 'Deflationary' is a net, as tokenomics taught.

Figure	Where to check	Falsifier
Total ~135M	<code>totalSupply()</code>	A different number on the contract
Circulating ~104.1M	Holders + lockers	Moveable 'locked' wallets
Burns	Transfer tax / <code>burn()</code>	Owner mint larger than burns

Worked scenario. A year-old infographic still circulates. You do not argue from memory. You read the contract today. You still do not buy because a number matched. Education only.

DIAGRAM

```
DATE-STAMPED NOTE
totalSupply = ?
owner/mint  = ?
burn path   = ?
circulating story = ?
Method > memory of a PDF.
```

ACADEMY NOTE Academy rule: stale marketing plus a live mint function is how global buyers get old stories.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment

address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Published figures as claims** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Published figures as claims** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 3

A learner anywhere should be able to repeat **Published figures as claims** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 4

A learner anywhere should be able to repeat **Published figures as claims** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Read totalSupply on the contract, dated.
- Circulating is a story until lockers are real.
- Burns net of mint.
- Matching a PDF is not a purchase order.
- Figures in lessons go stale; the verify path does not.

Next: what the academy will never do.

Lesson 5: What this academy will never do (25 min)

What this academy will never do

A brand that teaches safety and then DMs you for a seed is not this academy. Learn the never-list until it is boring.

By the end of this lesson you should recognise impersonation in one glance.

Never seed, key, 2FA, remote control

No mentor, no admin, no 'wallet support,' no 'rank repair.' If they need those, they need your account, not your education.

Never CST as tuition

Never ETH on Ethereum as Intermediate. Never a second invoice in chat. Never 'send to contract to whitelist.'

Never investment advice

No price targets. No 'guaranteed' anything. Mentor fences that language. Lecturers who need you to ape are not the curriculum.

Ask	This academy	Impostor
Seed	Never	'Sync your rank'
Pay CST	Never	'Contract payment'
Pay USDT on academy page	Yes, Intermediate	A DM invoice
Price target	Never	A VIP room

Worked scenario. You get a chat from a stranger. Any app. A 'mentor' wants CST. You close it. You open the academy URL you typed. That is the whole lesson.

DIAGRAM

IMPOSTOR FLOW

chat link -> new 0x -> CST or seed

ACADEMY FLOW

logged-in page -> USDT BEP-20 invoice -> paid status

ACADEMY NOTE Academy rule: hurry plus a new 0x is not support.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **What this academy will never do** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **What this academy will never do** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 3

A learner anywhere should be able to repeat **What this academy will never do** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 4

A learner anywhere should be able to repeat **What this academy will never do** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- No seed. No key. No 2FA to staff. No remote control.
- No CST tuition.
- No price targets.
- Typed URL, not chat URL.
- Hurry is the product they are selling.

Next: how token and school sit next to each other without merging.

Module quiz (answers included for editors)

Q1. Crystal Stones the token is?

- A. A warehouse
- B. A BEP-20 list on BSC at a named contract
- C. Academy checkout
- D. ETH

Correct answer: B

Q2. Backing by minerals is?

- A. Visible to the EVM
- B. A claim to verify off-chain
- C. A reason tuition is CST
- D. Automatic

Correct answer: B

Q3. To verify the token you?

- A. Connect wallet to an ad
- B. Read the bookmarked explorer on chain ID 56

- C. Send CST to the contract
- D. DM staff a seed

Correct answer: B

Q4. Intermediate tuition is?

- A. CST
- B. ETH
- C. \$10 USDT BEP-20 on academy checkout
- D. A farm

Correct answer: C

Q5. Verified source tick means?

- A. Audit
- B. Compiler match
- C. Locked rocks
- D. KYC

Correct answer: B

Q6. Staff asking for a seed are?

- A. Support
- B. Not this academy
- C. A DAO vote
- D. A vest

Correct answer: B

Q7. Circulating supply is?

- A. Always totalSupply
- B. Often a dashboard subtraction
- C. Gas
- D. A certificate

Correct answer: B

Q8. The official contract is for?

- A. Payment
- B. Verification, not pay-to
- C. NFT mint
- D. A CEX deposit memo

Correct answer: B

Module 2: The BEP-20 in detail

Holders, decimals, transfers, taxes if any, owners, as a reading of THIS contract.

Lesson 1: Decimals and units (26 min)

Decimals and units

Decimals decide how a raw integer becomes a display amount. Misread decimals and you misread every transfer. Read decimals() on the contract.

By the end of this lesson you should be able to teach the title — Decimals and units — without a marketing slide.

The object

Decimals decide how a raw integer becomes a display amount. Misread decimals and you misread every transfer. Read decimals() on the contract. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
cst contract function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a cst contract claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is

about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Decimals and units
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Decimals and units does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Decimals and units** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Decimals and units** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Decimals and units is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Holders as a map, not a community

Lesson 2: Holders as a map, not a community (26 min)

Holders as a map, not a community

Holders are addresses with balances. Exchanges, pairs, lockers, EOAs. A ‘community of holders’ is a speech. The map is the fact.

By the end of this lesson you should be able to teach the title — Holders as a map, not a community — without a marketing slide.

The object

Holders are addresses with balances. Exchanges, pairs, lockers, EOAs. A ‘community of holders’ is a speech. The map is the fact. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
cst contract function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy	A token dump address

Worked scenario. You are shown a cst contract claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Holders as a map, not a community
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Holders as a map, not a community does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Holders as a map, not a community** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Holders as a map, not a community** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Holders as a map, not a community is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Transfers you can explain

Lesson 3: Transfers you can explain (26 min)

Transfers you can explain

From, to, value, and whether a tax took a slice. You already read logs in earlier courses. Apply it here.

By the end of this lesson you should be able to teach the title — Transfers you can explain — without a marketing slide.

The object

From, to, value, and whether a tax took a slice. You already read logs in earlier courses. Apply it here. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
cst contract function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a cst contract claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Transfers you can explain
  |
  v
EXPLORER: function + role + time
  |
  v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Transfers you can explain does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Transfers you can explain** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Transfers you can explain** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Transfers you can explain is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Owner and roles on THIS contract

Lesson 4: Owner and roles on THIS contract (26 min)

Owner and roles on THIS contract

Do not inherit a rumour. Read owner, minter, pauser, proxy on 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00.

By the end of this lesson you should be able to teach the title — Owner and roles on THIS contract — without a marketing slide.

The object

Do not inherit a rumour. Read owner, minter, pauser, proxy on 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
cst contract function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a cst contract claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Owner and roles on THIS contract
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Owner and roles on THIS contract does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Owner and roles on THIS contract** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Owner and roles on THIS contract** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Owner and roles on THIS contract is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: What you still will not know from the contract

Lesson 5: What you still will not know from the contract (26 min)

What you still will not know from the contract

The warehouse. The court. The intent of a founder. The contract is silent there. That silence is the RWA gap.

By the end of this lesson you should be able to teach the title — What you still will not know from the contract — without a marketing slide.

The object

The warehouse. The court. The intent of a founder. The contract is silent there. That silence is the RWA gap. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
cst contract function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a cst contract claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: What you still will not know from the contract

|

v

EXPLORER: function + role + time

|

v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. What you still will not know from the contract does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment

address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **What you still will not know from the contract** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **What you still will not know from the contract** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- What you still will not know from the contract is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check cst contract is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat

D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

A. A vesting program

B. A person who can move tokens now unless other code stops them

C. A burn

D. Academy staff

Correct answer: B

Q3. Verified source means?

A. Audited

B. Compiler match to bytecode, not a safety rating

C. Locked LP

D. A court order

Correct answer: B

Q4. A 99% sell tax is?

A. A standard burn

B. A function that can trap sellers

C. Required on BSC

D. Gas

Correct answer: B

Q5. Unlocks make?

A. Price go down by law

B. Transfer possible for those units, not a guaranteed sale

C. ETH native

D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

A. A tuition address

B. A BEP-20 to verify, not a pay-to

C. An Ethereum NFT

D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

Module 3: Academy product, honestly

Tracks, prices, certificates later, mentor, ranks — as a school.

Lesson 1: Basic is free (26 min)

Basic is free

Five courses you already know. No CST gate. No USDT gate.

By the end of this lesson you should be able to teach the title — Basic is free — without a marketing slide.

The object

Five courses you already know. No CST gate. No USDT gate. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
academy product function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a academy product claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Basic is free
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Basic is free does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Basic is free** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Basic is free** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Basic is free is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Intermediate is \$10 USDT BEP-20

Lesson 2: Intermediate is \$10 USDT BEP-20 (26 min)

Intermediate is \$10 USDT BEP-20

A bundle. Skip-Basic is allowed if you pay. That was a product decision. It is not a token burn.

By the end of this lesson you should be able to teach the title — Intermediate is \$10 USDT BEP-20 — without a marketing slide.

The object

A bundle. Skip-Basic is allowed if you pay. That was a product decision. It is not a token burn. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
academy product function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a academy product claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Intermediate is $10 USDT BEP-20
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Intermediate is \$10 USDT BEP-20 does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Intermediate is \$10 USDT BEP-20** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Intermediate is \$10 USDT BEP-20** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Intermediate is \$10 USDT BEP-20 is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Advanced is labelled later

Lesson 3: Advanced is labelled later (26 min)

Advanced is labelled later

Do not sell a future track as a token utility. If it is not live, it is not live.

By the end of this lesson you should be able to teach the title — Advanced is labelled later — without a marketing slide.

The object

Do not sell a future track as a token utility. If it is not live, it is not live. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
academy product function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a academy product claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Advanced is labelled later
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Advanced is labelled later does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment

address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Advanced is labelled later** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Advanced is labelled later** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Advanced is labelled later is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Ranks and XP

Lesson 4: Ranks and XP (26 min)

Ranks and XP

Ranks come from study progress via buildRankProgress — completed courses, passed module quizzes, overall progress, streak. Not from holding CST.

By the end of this lesson you should be able to teach the title — Ranks and XP — without a marketing slide.

The object

Ranks come from study progress via `buildRankProgress` — completed courses, passed module quizzes, overall progress, streak. Not from holding CST. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
academy product function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a academy product claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Ranks and XP
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Ranks and XP does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Ranks and XP** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Ranks and XP** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Ranks and XP is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Mentor

Lesson 5: Mentor (26 min)

Mentor

A teaching assistant that uses academy context plus a model. It will not process payments or change ranks. It will not ask for a seed.

By the end of this lesson you should be able to teach the title — Mentor — without a marketing slide.

The object

A teaching assistant that uses academy context plus a model. It will not process payments or change ranks. It will not ask for a seed. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
academy product function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a academy product claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: Mentor

|

▼
EXPLORER: function + role + time
|
▼
YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Mentor does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Mentor** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Mentor** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Mentor is a checkable object.
- Explorer first, slide second.
- Admin paths count.

- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check academy product is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating
- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn
- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native
- D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address
- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

Module 4: Safety specific to this brand

Clones, ticker lookalikes, fake academies, fake invoices.

Lesson 1: Lookalike tickers and contracts (26 min)

Lookalike tickers and contracts

Anyone can deploy a BEP-20 named similarly. Identity is 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 on chain 56. Letters are cheap.

By the end of this lesson you should be able to teach the title — Lookalike tickers and contracts — without a marketing slide.

The object

Anyone can deploy a BEP-20 named similarly. Identity is 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 on chain 56. Letters are cheap. Intermediate treats

this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
cst safety function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a cst safety claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Lookalike tickers and contracts
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Lookalike tickers and contracts does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Lookalike tickers and contracts** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Lookalike tickers and contracts** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Lookalike tickers and contracts is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Fake academy domains

Lesson 2: Fake academy domains (26 min)

Fake academy domains

Type the URL. Bookmark it. Homographs exist. Certificate of SSL is not identity of the school.

By the end of this lesson you should be able to teach the title — Fake academy domains — without a marketing slide.

The object

Type the URL. Bookmark it. Homographs exist. Certificate of SSL is not identity of the school. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
cst safety function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a cst safety claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: Fake academy domains
|
v

EXPLORER: function + role + time

|
v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Fake academy domains does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Fake academy domains** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Fake academy domains** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Fake academy domains is a checkable object.
- Explorer first, slide second.

- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Fake invoices

Lesson 3: Fake invoices (26 min)

Fake invoices

A checkout clone with a different address. You compare to the invoice the academy page created for your order id.

By the end of this lesson you should be able to teach the title — Fake invoices — without a marketing slide.

The object

A checkout clone with a different address. You compare to the invoice the academy page created for your order id. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
cst safety function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a cst safety claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about

that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Fake invoices
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Fake invoices does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Fake invoices** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Fake invoices** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Fake invoices is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Fake 'backing auditor' PDFs

Lesson 4: Fake 'backing auditor' PDFs (26 min)

Fake 'backing auditor' PDFs

PDFs are files. Anyone can make one. Dates, names, repeatable confirmation — or it is art.

By the end of this lesson you should be able to teach the title — Fake 'backing auditor' PDFs — without a marketing slide.

The object

PDFs are files. Anyone can make one. Dates, names, repeatable confirmation — or it is art. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
cst safety function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a cst safety claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Fake 'backing auditor' PDFs
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Fake 'backing auditor' PDFs does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Fake 'backing auditor' PDFs** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Fake 'backing auditor' PDFs** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Fake 'backing auditor' PDFs is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Recovery rooms

Lesson 5: Recovery rooms (26 min)

Recovery rooms

After a drain, a helper who wants CST or a seed. Second drain. Close it.

By the end of this lesson you should be able to teach the title — Recovery rooms — without a marketing slide.

The object

After a drain, a helper who wants CST or a seed. Second drain. Close it. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
cst safety function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a cst safety claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Recovery rooms
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Recovery rooms does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Recovery rooms** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Recovery rooms** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Recovery rooms is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check cst safety is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating
- C. Locked LP

D. A court order

Correct answer: B

Q4. A 99% sell tax is?

A. A standard burn

B. A function that can trap sellers

C. Required on BSC

D. Gas

Correct answer: B

Q5. Unlocks make?

A. Price go down by law

B. Transfer possible for those units, not a guaranteed sale

C. ETH native

D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

A. A tuition address

B. A BEP-20 to verify, not a pay-to

C. An Ethereum NFT

D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

A. Crystal Stones dump

B. BNB to a random 0x

C. \$10 USDT BEP-20 through academy checkout

D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

A. Max supply

B. A drawing until mapped

C. A cliff

D. A sink

Correct answer: B

Module 5: How the pieces fit

A map of token, school, checkout, mentor, ranks, RWA claim — with no extra arrows.

Lesson 1: Draw allowed arrows (26 min)

Draw allowed arrows

USDT -> academy invoice -> Intermediate unlock. Study -> XP/rank. Explorer -> verify token. That is most of the honest map.

By the end of this lesson you should be able to teach the title — Draw allowed arrows — without a marketing slide.

The object

USDT -> academy invoice -> Intermediate unlock. Study -> XP/rank. Explorer -> verify token. That is most of the honest map. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
cst map function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a cst map claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about

that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: Draw allowed arrows

|

v

EXPLORER: function + role + time

|

v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Draw allowed arrows does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Draw allowed arrows** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Draw allowed arrows** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Draw allowed arrows is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Forbidden arrows

Lesson 2: Forbidden arrows (26 min)

Forbidden arrows

CST -> tuition. Seed -> rank. Mentor -> payment. RWA photo -> mint cap. Pair with CST -> the other token is safe.

By the end of this lesson you should be able to teach the title — Forbidden arrows — without a marketing slide.

The object

CST -> tuition. Seed -> rank. Mentor -> payment. RWA photo -> mint cap. Pair with CST -> the other token is safe. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
cst map function	Named in source and explorer	A PNG

Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a cst map claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: Forbidden arrows

|

v

EXPLORER: function + role + time

|

v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Forbidden arrows does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Forbidden arrows** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Forbidden arrows** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Forbidden arrows is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Where DeFi sits

Lesson 3: Where DeFi sits (26 min)

Where DeFi sits

If CST trades in a pair, that is a pool with inventory and IL and approvals. It is not the academy. It is not a vault of minerals.

By the end of this lesson you should be able to teach the title — Where DeFi sits — without a marketing slide.

The object

If CST trades in a pair, that is a pool with inventory and IL and approvals. It is not the academy. It is not a vault of minerals. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
cst map function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a cst map claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Where DeFi sits
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Where DeFi sits does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Where DeFi sits** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Where DeFi sits** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Where DeFi sits is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Where DAOs sit

Lesson 4: Where DAOs sit (26 min)

Where DAOs sit

Unless a governor uses CST as vote weight and a treasury obeys, holding is not governing.

By the end of this lesson you should be able to teach the title — Where DAOs sit — without a marketing slide.

The object

Unless a governor uses CST as vote weight and a treasury obeys, holding is not governing. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
cst map function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a cst map claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Where DAOs sit
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Where DAOs sit does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment

address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Where DAOs sit** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Where DAOs sit** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Where DAOs sit is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: A closing standard

Lesson 5: A closing standard (26 min)

A closing standard

A global learner should be able to repeat this map without local slang, without a buy order, and without paying anyone extra for a 'whitelist.'

By the end of this lesson you should be able to teach the title — A closing standard — without a marketing slide.

The object

A global learner should be able to repeat this map without local slang, without a buy order, and without paying anyone extra for a 'whitelist.' Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
cst map function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a cst map claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: A closing standard

|

v

EXPLORER: function + role + time

|

v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. A closing standard does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **A closing standard** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **A closing standard** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- A closing standard is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check cst map is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating
- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn
- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native
- D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address
- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

Module 6: Practice and refusal

What you can do this week that is still education.

Lesson 1: Verify, do not send (26 min)

Verify, do not send

Read the contract. Do not transfer CST for this course.

By the end of this lesson you should be able to teach the title — Verify, do not send — without a marketing slide.

The object

Read the contract. Do not transfer CST for this course. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
cst practice function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a cst practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Verify, do not send
  |
  v
EXPLORER: function + role + time
  |
  v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Verify, do not send does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Verify, do not send** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Verify, do not send** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Verify, do not send is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Pay only if you want Intermediate

Lesson 2: Pay only if you want Intermediate (26 min)

Pay only if you want Intermediate

USDT BEP-20, academy page, your order. Brother's wallet is allowed if the invoice address is paid — you already learned that. Still USDT, still that invoice.

By the end of this lesson you should be able to teach the title — Pay only if you want Intermediate — without a marketing slide.

The object

USDT BEP-20, academy page, your order. Brother's wallet is allowed if the invoice address is paid — you already learned that. Still USDT, still that invoice. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
cst practice function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a cst practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```

SLIDE: Pay only if you want Intermediate
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies

```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Pay only if you want Intermediate does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment

address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Pay only if you want Intermediate** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Pay only if you want Intermediate** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Pay only if you want Intermediate is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Finish quizzes for XP

Lesson 3: Finish quizzes for XP (26 min)

Finish quizzes for XP

Ranks move with study. Not with a transfer to a 'rank contract.'

By the end of this lesson you should be able to teach the title — Finish quizzes for XP — without a marketing slide.

The object

Ranks move with study. Not with a transfer to a 'rank contract.' Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because 'the community already checked.' Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to 'apply tokenomics.' Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
cst practice function	Named in source and explorer	A PNG
Admin	Listed with address	'Renounced' with a live proxy
Time	A timestamp you can read	'Soon'
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a cst practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: Finish quizzes for XP
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Finish quizzes for XP does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Finish quizzes for XP** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Finish quizzes for XP** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Finish quizzes for XP is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: Write the never-list on paper

Lesson 4: Write the never-list on paper (26 min)

Write the never-list on paper

Seed, CST tuition, chat 0x, price target, remote control.

By the end of this lesson you should be able to teach the title — Write the never-list on paper — without a marketing slide.

The object

Seed, CST tuition, chat 0x, price target, remote control. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
cst practice function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a cst practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

SLIDE: Write the never-list on paper
|
v

EXPLORER: function + role + time

|

v

YOU: write one sentence that still works if the website dies

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. Write the never-list on paper does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00``. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **Write the never-list on paper** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **Write the never-list on paper** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at ``0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- Write the never-list on paper is a checkable object.
- Explorer first, slide second.

- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: After this course

Lesson 5: After this course (26 min)

After this course

You are not a fund. You are not the warehouse. You are a learner who can refuse a mash-up. That is the \$10 worth on this module.

By the end of this lesson you should be able to teach the title — After this course — without a marketing slide.

The object

You are not a fund. You are not the warehouse. You are a learner who can refuse a mash-up. That is the \$10 worth on this module. Intermediate treats this as an object with a contract, a function, and an explorer row. If you cannot point at those, you have a vibe. Global learners get the same objects. There is no local exception.

How you check it

Open the bookmarked explorer on the named chain. Read the function names. Read the roles. Read timestamps on vesting if any. Do not use a search ad. Do not use a chat screenshot as evidence. Evidence is the chain and the verified source, with the caveat that verified is a compiler match, not an audit.

How it fails

It fails when an admin path exists that the slide omitted, when a tax flips, when a vest is only a labelled EOA, or when someone asks you to skip the explorer because ‘the community already checked.’ Communities are not bytecode.

What this academy will not do

We will not tell you this object is a reason to buy Crystal Stones or anything else. We will not take tuition in Crystal Stones. We will not ask for a seed to ‘apply tokenomics.’ Staff do not DM unlock calendars that require a payment.

Check	Honest	Costume
cst practice function	Named in source and explorer	A PNG
Admin	Listed with address	‘Renounced’ with a live proxy
Time	A timestamp you can read	‘Soon’
Money	USDT checkout on the academy page	A token dump address

Worked scenario. You are shown a cst practice claim next to a Crystal Stones logo. You split the logo from the claim. You verify Crystal Stones at 0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00 if the claim is about that token. You verify the other contract if it is about another token. You pay Intermediate only as USDT BEP-20 on the academy page.

DIAGRAM

```
SLIDE: After this course
|
v
EXPLORER: function + role + time
|
v
YOU: write one sentence that still works if the website dies
```

ACADEMY NOTE Academy rule: if it cannot be named as a function, it is not tokenomics yet.

Global standard: a learner in any country should be able to repeat this lesson with the same contract and the same checkout rails. After this course does not change at a border.

Academy rails (same on every lesson)

Crystal Stones as a token is a BEP-20 on BNB Smart Chain. The public contract to **verify** is `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00`. That string is not a buy order, not a payment address, and not gas. Gas on BSC is BNB. Intermediate tuition is \$10 USDT BEP-20 through academy checkout, never Crystal Stones token, never a chat 0x.

This academy will not tell you to buy, farm, or hold Crystal Stones. Pairing a token with it does not bless the other token. Academy staff never ask for a seed phrase, a private key, 2FA codes, or remote screen control.

Global check 1

A learner anywhere should be able to repeat **After this course** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

Global check 2

A learner anywhere should be able to repeat **After this course** with the same chain ID, the same contract string if the lesson names Crystal Stones, and the same checkout rail. Borders do not change bytecode. Slang does not change a mint function. A local chat app does not become support because it used a logo.

If this lesson named a number, date-stamp it when you read it on the explorer. Lesson text goes stale. Methods do not. Intermediate tuition stays \$10 USDT BEP-20 through academy checkout. Crystal Stones at `0xe252FCb1Aa2E0876E9B5f3eD1e15B9b4d11A0b00` stays verify-only.

What this lesson is for

So the object in the title is something you can name on an explorer, not a slogan on a slide.

Say this out loud

- After this course is a checkable object.
- Explorer first, slide second.
- Admin paths count.
- Crystal Stones is verify-only.
- Tuition is USDT BEP-20, not a ticker.

Next: the module quiz, then the next module.

Module quiz (answers included for editors)

Q1. The honest way to check cst practice is?

- A. Trust the first ad
- B. Named function + role + explorer on the named chain
- C. A seed in chat
- D. Pay in Crystal Stones

Correct answer: B

Q2. A labelled team wallet that is an EOA is?

- A. A vesting program
- B. A person who can move tokens now unless other code stops them
- C. A burn
- D. Academy staff

Correct answer: B

Q3. Verified source means?

- A. Audited
- B. Compiler match to bytecode, not a safety rating
- C. Locked LP
- D. A court order

Correct answer: B

Q4. A 99% sell tax is?

- A. A standard burn
- B. A function that can trap sellers
- C. Required on BSC
- D. Gas

Correct answer: B

Q5. Unlocks make?

- A. Price go down by law
- B. Transfer possible for those units, not a guaranteed sale
- C. ETH native
- D. Certificates

Correct answer: B

Q6. Crystal Stones contract is?

- A. A tuition address
- B. A BEP-20 to verify, not a pay-to
- C. An Ethereum NFT
- D. A DAO

Correct answer: B

Q7. Intermediate is paid how?

- A. Crystal Stones dump
- B. BNB to a random 0x
- C. \$10 USDT BEP-20 through academy checkout
- D. Minting LP

Correct answer: C

Q8. A pie chart without addresses is?

- A. Max supply
- B. A drawing until mapped
- C. A cliff
- D. A sink

Correct answer: B

