



Informe de pruebas

Reto final - Transporte de carga SofkaU

Responsables

Gretty María Mosquera Taborda
Jonathan Andrés Vargas Sepúlveda

Versión: 1

1. Aplicación web

Se identificaron los siguientes bugs en el *formulario de registro* durante la ejecución de pruebas manuales iniciales:

The image shows a web form titled "Registro de Usuario" with five input fields. Red arrows point to specific bugs in each field:

- Nombres ***: The input contains "asd" followed by many "f" characters. A red arrow points to it with the text "Muy largo!".
- Apellidos ***: The input contains "fsd" followed by many "a" and "f" characters. A red arrow points to it with the text "Muy largo!".
- Correo Electrónico ***: The input contains many "a" and "f" characters. A red arrow points to it with the text "Correo no Válido!".
- Contraseña ***: The input contains seven dots. A red arrow points to it with the text "Muy largo!".
- Confirme Contraseña ***: The input contains seven dots. A red arrow points to it with the text "Muy largo!".

Additional annotations on the right side of the form:

- "Se sobreponen" (They overlap) with arrows pointing to the "Muy largo!" labels.
- "Aún puedo escribir hasta el infinito" (I can still write infinitely) with an arrow pointing to the email field.

At the bottom of the form, there is a note: "Los campos marcados con (*) son obligatorios" (Fields marked with (*) are mandatory).

Registro de Usuario

Nombres *

12!@\$!123@\$!@#!^,<>/?\| ← Permite caracteres especiales

Apellidos *

12312!@\$!@\$123!@#!^,<>/?\| ← Permite caracteres especiales

Correo Electrónico *

a@a ← Es posible que existan correos así?

Contraseña *

..... ← Contraseña está llena de espacios

Confirme Contraseña *

.....

Los campos marcados con (*) son obligatorios

Registrar

Se identificaron los siguientes bugs en el *formulario de inicio de sesión* durante la ejecución de pruebas manuales iniciales:

Inicio de Sesión

Correo Electrónico

uuuuuuuuuuuuusuario@gmail.commmmmmmmm ← Puedo escribir infinidad de caracteres en ambos

Contraseña



.....

Resultados obtenidos posterior a la ejecución de pruebas automatizadas:



El reporte asociado a la ejecución de pruebas automatizadas web se puede acceder desde el siguiente repositorio <https://github.com/Ococho/AutoRetoTransporteSofka>

2. APIs

Se identificaron los siguientes bugs en el *registro de un envío* durante la ejecución de pruebas manuales iniciales:



Se identificaron los siguientes bugs en *actualizar envío* durante la ejecución de pruebas manuales iniciales:



Se identificaron los siguientes bugs en *el registro de un usuario* durante la ejecución de pruebas manuales iniciales: <

The screenshot shows a Postman interface for a POST request to `{{base}}/usuario/regar`. The request body is a JSON object with special characters. The response is a 201 Created status with a JSON body containing user details.

Request Body (JSON):

```
{  "rol": 0,  "nombres": "Ho&%/lá ádios!/$%&/&",  "dni": "1234567891$%",  "correo": "rodolfogmail.com",  "contrasenna": "hola1234",  "telefono": "3216549&/%&871"}
```

Response (201 Created):

```
{  "_id": "644a8e395597abe09501049e",  "contrasenna": "12f3c5cddf010bc85d5a563bb828200bf3d791913538f5384b2a5e0f4ab4cd07",  "nombres": "Ho&%/lá",  "apellidos": "Ádios!/$%&/&",  "dni": "1234567891$%",  "correo": "rodolfogmail.com",  "telefono": "3216549&/%&871",  "rol": 10,  "nombreUsuario": "Ho&%Ádios!/$%&/&"}
```

Campos permiten caracteres especiales, incluso el correo no tiene el formato adecuado. Aún así permite registrar

The screenshot shows a Postman interface for a POST request to `{{base}}/usuario/regar`. The request body is a JSON object with an extra field `"hola": "hola"`. The response is a 400 Bad Request status with a message indicating the request is invalid.

Request Body (JSON):

```
{  "rol": 0,  "nombres": "Ho&%/lá ádios!/$%&/&",  "dni": "1234567891$%",  "correo": "rodolfogmail.com",  "contrasenna": "hola1234",  "telefono": "3216549&/%&871",  "hola": "hola"}
```

Response (400 Bad Request):

```
{  "statusCode": 400,  "message": [    "hola no deberia existir"  ],  "error": "Bad Request"}
```

No permite agregar campos o atributos nuevos

Transporte Sofka / Usuario / Registrar usuario

POST `{{base}}/usuario/regar` Send

Params Auth Headers (9) Body Pre-req. Tests Settings

raw JSON Beautify

```
1 {
2   "rol": 0,
3   "nombres": "Hola hola",
4   "dni": "1234567890",
5   "correo": "",
6   "contrasenna": "hola1234",
7   "telefono": "3216549870"
8 }
```

Body 400 Bad Request 162 ms 321 B Save as Example

Pretty Raw Preview Visualize JSON

```
1 {
2   "statusCode": 400,
3   "message": "El correo no es valido",
4   "error": "Bad Request"
5 }
```

Si el correo está vacío, se genera error

Transporte Sofka / Usuario / Registrar usuario

POST `{{base}}/usuario/regar` Send

Params Auth Headers (9) Body Pre-req. Tests Settings

raw JSON Beautify

```
1 {
2   "rol": 0,
3   "nombres": "",
4   "dni": "1234567890",
5   "correo": "a",
6   "contrasenna": "hola1234",
7   "telefono": "3216549870"
8 }
```

Body 500 Internal Server Error 557 ms 308 B Save as Example

Pretty Raw Preview Visualize JSON

```
1 {
2   "statusCode": 500,
3   "message": "Internal server error"
4 }
```

Si los nombres están vacíos, no sé maneja el error

Transporte Sofka / Usuario / Registrar usuario

POST `{{base}}/usuario/regar` Send

Params Auth Headers (9) Body Pre-req. Tests Settings

raw JSON Beautify

```
1 {
2   "rol": 0,
3   "nombres": "a a",
4   "dni": "",
5   "correo": "a",
6   "contrasenna": "hola1234",
7   "telefono": "3216549870"
8 }
```

Body 400 Bad Request 211 ms 318 B Save as Example

Pretty Raw Preview Visualize JSON

```
1 {
2   "statusCode": 400,
3   "message": "El dni no es valido",
4   "error": "Bad Request"
5 }
```

Si el dni está vacío, se genera error

GET Obtener todos los envíos PUT Actualizar usuario GET Obtener todos los usuarios POST Registrar usuario No Environment

Transporte Sofka / Usuario / Registrar usuario

POST `{{base}}/usuario/regar` Send

Params Auth Headers (9) Body Pre-req. Tests Settings

raw JSON Beautify

```
1 {
2   "rol": 0,
3   "nombres": "a a",
4   "dni": "1",
5   "correo": "a",
6   "contrasenna": "",
7   "telefono": "3216549870"
8 }
```

Body 201 Created 883 ms 465 B Save as Example

Pretty Raw Preview Visualize JSON

```
1 {
2   "id": "644a90315597abe0950104b6",
3   "contrasenna":
4     "db1383ecb7509eac2b80a50261b356229753449bfc1a4de79622265
5     a93349975",
6   "nombres": "A",
7   "apellidos": "A",
8   "dni": "1",
9   "correo": "a",
10  "telefono": "3216549870",
11  "rol": 10,
12  "nombreUsuario": "AA"
13 }
```

Permite crear usuario con contraseña sin caracteres

GET Obtener todos los envíos PUT Actualizar usuario GET Obtener todos los usuarios POST Registrar usuario No Environment

Transporte Sofka / Usuario / Registrar usuario

POST `{{base}}/usuario/regar` Send

Params Auth Headers (9) Body Pre-req. Tests Settings

raw JSON Beautify

```
1 {
2   "rol": 0,
3   "nombres": "a a",
4   "dni": "1",
5   "correo": "a",
6   "contrasenna": "a",
7   "telefono": ""
8 }
```

Body 400 Bad Request 299 ms 323 B Save as Example

Pretty Raw Preview Visualize JSON

```
1 {
2   "statusCode": 400,
3   "message": "El telefono no es valido",
4   "error": "Bad Request"
5 }
```

Si el teléfono está vacío, se genera error