Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

December 4, 2013

Welcome

Technician and General Class Amateur Radio

Anthony Odenthal, KE7OSN Amateur Extra

Welcome, over the next several sessions we will cover a substantial amount of information. please ask questions and slow me down. The goals are:

To introduce you to Amateur Radio

Welcome

Technician and General Class Amateur Radio Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Welcome, over the next several sessions we will cover a substantial amount of information. please ask questions and slow me down. The goals are:

- To introduce you to Amateur Radio
- Prepare you to take (and pass) the technician and general exams

Welcome

Technician and General Class Amateur Radio 2 Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Welcome, over the next several sessions we will cover a substantial amount of information. please ask questions and slow me down. The goals are:

- To introduce you to Amateur Radio
- Prepare you to take (and pass) the technician and general exams
- Introduce you to satellite communications.

A little about myeself

Technician and General Class Amateur Radio & Satellite Stuf

- Passed Tech Sept 2007
- Passed Gen Oct 2007
- Joined Benton County ARES April 2012
- Passed Extra April 2012
- Became a VE in June 2012

What is Amateur Radio?

Technician and General Class Amateur Radio Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Amateur radio are people and activities that are regulated and encouraged, in the US and abroad, that allow licensed individuals to play around with radio waves, electronics, software, techniques, practices, and equipment to do all sorts of really cool stuff. Radio Amateurs are some of the least restricted users of radio spectrum, and with that freedom they have proven time and time again their worth. The term Amateur refers to someone who does something as a pastime rather than a profession.

Some useful tools

Technician and General Class Amateur Radio 2 Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Some things you may want to look into as useful for studying

- AA9PW practice exams http://aa9pw.com
- ARRL license Manuals http://www.arrl.org/shop/ Licensing-Education-and-Training/

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

35 questions

Technician and General Class Amateur Radio & Satellite Stuff

- 35 questions
- Multiple Choice

Technician and General Class Amateur Radio & Satellite Stuff

- 35 questions
- Multiple Choice
- No time limit

Technician and General Class Amateur Radio & Satellite Stuff

- 35 questions
- Multiple Choice
- No time limit
- 396 questions in the tech pool, 457 in the general

Technician and General Class Amateur Radio & Satellite Stuff

- 35 questions
- Multiple Choice
- No time limit
- 396 questions in the tech pool, 457 in the general
- Need a 75% to pass

Shal we begin?

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Remember if I go too fast or you have questions, let me know.

Table of Contents

General Class & Satellite Stuff

Anthony Odenthal, Amateur Extra

Who's In Charge

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 9

license

Calisign

...cquerieies

T1 Question

T1A

T1C

T1D

T1C

International Telecommunications Union (ITU)

- Worldwide, treaty-based organization that allocates frequencies for specific uses.
- Primary Users first "rights" to a frequency
- Secondary Users permitted to use a frequency but must not interfere with a primary user
- World divided into 3 regions, US is in Region 2
- Creates "bands" sections of spectrum allocated for amateur radio use.

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

licenses

Callsign

trequencies

T1 Question

T4 A

T1B

T10

T1E

Federal Comunications Commission (FCC)

- Promulgates rules for non-federal radio users within ITU spec
- Divides amateur bands into mode-specific sub-bands
- Rules for telecommunications are in the Code of Federal Regulations, Chapter 47
- Rules for amateur radio are in Part 97 of Chapter 47 (47 CFR 97)

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charge

Part 9

license

Callsign

frequencie

T1 Question

T4 A

T1B

TIC

TE

Frequency Coordinator

 FCC recognized regional groups that coordinate the use of bands between large number of users

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

license

Callsigns

frequenci

T1 Questio

T1 QUESTIC

T1B

110

T1E

- FCC recognized regional groups that coordinate the use of bands between large number of users
- Appointed by amateurs for amateurs

Anthony Odenthal, Amateur Extra

- FCC recognized regional groups that coordinate the use of bands between large number of users
- Appointed by amateurs for amateurs
- Intended to help reduce and allow resolution of interference issues

Technician and General Class Amateur Radio & Satellite Stufl

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 9

license

Callsign

requencies

T1 Question

T QUESTION

T1D

T1C

- FCC recognized regional groups that coordinate the use of bands between large number of users
- Appointed by amateurs for amateurs
- Intended to help reduce and allow resolution of interference issues
- Voluntary rules unless there is interference, then the coordinated user "wins"

Technician and General Class Amateur Radio & Satellite Stuf

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 9

licenses

Callsign

T1 Question

T1A

T1B

T1C

| 1E

- FCC recognized regional groups that coordinate the use of bands between large number of users
- Appointed by amateurs for amateurs
- Intended to help reduce and allow resolution of interference issues
- Voluntary rules unless there is interference, then the coordinated user "wins"
- Gentleman's agreement

FCC allocations

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 9

license

Callsig

rrequence

T1 Questio

T1A

740

T1C

T1D

T1F




Table of Contents

General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

license

frequencie

T1 Question

TI QUESTION

T1D

T1C

IID

T1F

- 1 Who's In Charge
- 2 Part 97
- 3 licenses
- (4) Callsigns
- 5 frequencies
- 6 T1 Questions
 - T1A
 - T1B
 - T10
 - T1D
 - T1E
 - T1F

General Class Amateur Radio & Satellite Stuf

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

iiceiise:

requencie

T1 Question

T1 A

T1B

110

T1D

The rules and regulations in this part are designed to provide an amateur radio service having a fundamental purpose as expressed in the following principles:

A Recognition and enhancement of the value of the amateur service to the public as a voluntary noncommercial communication service, particularly with respect to providing emergency communications.

Anthony Odenthal. Amateur Extra

The rules and regulations in this part are designed to provide an amateur radio service having a fundamental purpose as expressed in the following principles:

- A Recognition and enhancement of the value of the amateur service to the public as a voluntary noncommercial communication service, particularly with respect to providing emergency communications.
- B Continuation and extension of the amateur's proven ability to contribute to the advancement of the radio art.

Anthony Odenthal. Amateur Extra

The rules and regulations in this part are designed to provide an amateur radio service having a fundamental purpose as expressed in the following principles:

- A Recognition and enhancement of the value of the amateur service to the public as a voluntary noncommercial communication service, particularly with respect to providing emergency communications.
- B Continuation and extension of the amateur's proven ability to contribute to the advancement of the radio art.
- C Encouragement and improvement of the amateur service through rules which provide for advancing skills in both the communication and technical phases of the art.

General Class Amateur Radio & Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

licelises

frequencie

T1 Question

T1B

T1D

The rules and regulations in this part are designed to provide an amateur radio service having a fundamental purpose as expressed in the following principles:

- A Recognition and enhancement of the value of the amateur service to the public as a voluntary noncommercial communication service, particularly with respect to providing emergency communications.
- B Continuation and extension of the amateur's proven ability to contribute to the advancement of the radio art.
- C Encouragement and improvement of the amateur service through rules which provide for advancing skills in both the communication and technical phases of the art.
- D Expansion of the existing reservoir within the amateur radio service of trained operators, technicians, and electronics experts.

General Class Amateur Radio & Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

licenses

Callsigns

frequencie

T1 Question

T1A

T1C

T1D

The rules and regulations in this part are designed to provide an amateur radio service having a fundamental purpose as expressed in the following principles:

- A Recognition and enhancement of the value of the amateur service to the public as a voluntary noncommercial communication service, particularly with respect to providing emergency communications.
- B Continuation and extension of the amateur's proven ability to contribute to the advancement of the radio art.
- C Encouragement and improvement of the amateur service through rules which provide for advancing skills in both the communication and technical phases of the art.
- D Expansion of the existing reservoir within the amateur radio service of trained operators, technicians, and electronics experts.
- E Continuation and extension of the amateur's unique ability to enhance international goodwill.

Keyphrase

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 9

license

Callsigns

frequencie

T1 Ouestion

T1 Question

T1A

T1C

T1D

1E

...a voluntary noncommercial communications service...

This phrase sums up almost every rule and tenant of amateur radio.

A voluntary noncommercial communications service

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

i ait si

license

ii equencie.

T1 Question

T1A

T1B

T1D

Noncommercial means no "pecuniary interest". It is illegal to profit from the use of amateur radio.

As with almost any rule there are exceptions"

- Teachers may use ham radio in the classroom as a teaching aid
- "Code practice" transmissions
- Disaster Drills

More basic rules

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

licenses

Callsign

.. equencies

T1 Question

T1A

T1B

T1C

T1D

L1E

- No Music expect transmission or re-transmission of a signal from a space station
- No Broadcasting
- No commercial traffic
- No profanity
- No codes or ciphers intended to hid content
- No international third party traffic unless treaty-approved

Table of Contents

General Class & Satellite Stuff

Anthony Odenthal, Amateur Extra

licenses

Licenses

Amateur Radio & Satellite Stu Anthony Odenthal, KEZOSN

Amateur Extra

Part 97

licenses

C011318113

rrequencies

T1 Question

Τ1Δ

T1B

T1D

T1F

A license is valid for ten years, with a two year grace period. Upgrades don't count as renewals. Basic renewals are free! There are five classes.

- *Novice
- Technician
- General
- *Advanced
- Extra

Licenses

Anthony Odenthal,

Amateur Extra

There are four kinds of licenses, Individual hams hold both a "Station" and "Operator"

- Station
- Operator
- Club W7OSU, K7CVO, W1AW
- Special Event A7W

Clubs can get a "club callsign", and events can get an event callsign.

Table of Contents

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

D---- 07

..

Callsigns

frequencie

T1 Question

T1A

T1C

T1D 0

LE TOTAL TOT

1) vvno s in Charg

2 Part 97

(3) licenses

4 Callsigns

5 frequencies

6 T1 Questions

T1A

o T1B

• T10

T1D

T1E

• T1

Callsigns

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

licenses

Callsign

trequencie

T1 Question

T1B

T1C

T1E

- US callsigns start with A,K,N, or W
- The format is one or two letters, a number, and one to three letters.
- $\,\circ\,$ New callsigns are assigned in sequential order number indicates the region in the US
- Shorter callsigns are reserved for higher license classes
- 1X1 for special events only

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charge

Part 07

Callsigns

frequencie

T1 Question

T1 A

TIA

T1C

T1D

T1E

KE7OSN

• N8GFO

General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, Amateur Extra

KE7OSN

N8GFO -Yep

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 9

licenses

Callsign

trequencie

T1 Questio

T1 A

T1B

TIC

T1D

- KE7OSN
- N8GFO -Yep
- K7HZ

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

licenses

Callsigns

frequencie

T1 Question

T1 A

T1A

T1C

11C

T1E

- KE7OSN
- N8GFO -Yep
- K7HZ -That's an Extra

General Class & Satellite Stuff

Anthony Odenthal, Amateur Extra

KE7OSN

N8GFO -Yep

K7HZ -That's an Extra

VE6GLW

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

licenses

frequencie

T1 Question

11 Question

I 1A

T1C

T1D

I 1E

- KE7OSN
- N8GFO -Yep
- K7HZ -That's an Extra
- VE6GLW -That's Canadian, eh

Technician and General Class & Satellite Stuff

Anthony Odenthal, Amateur Extra

N8GFO -Yep

KE7OSN

K7HZ -That's an Extra

VE6GLW -That's Canadian, eh

KLOO

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 9

licenses

trequencie

T1 Question

T1 A

TIA

T1C

T1D

Г1Е

- KE7OSN
- N8GFO -Yep
- K7HZ -That's an Extra
- VE6GLW -That's Canadian, eh
- KLOO -That's a commercial station

General Class & Satellite Stuff

Anthony Odenthal, Amateur Extra

- KE7OSN
- N8GFO -Yep
- K7HZ -That's an Extra
- VE6GLW -That's Canadian, eh
- KLOO -That's a commercial station
- WSJ509

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

licenses

T1 Question

T1A

T1B

110

T1E

- KE7OSN
- N8GFO -Yep
- K7HZ -That's an Extra
- VE6GLW -That's Canadian, eh
- KLOO -That's a commercial station
- WSJ509 -Land Mobile, Benton County Sheriff

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Char

Part 97

licenses

Ŭ

frequenci

T1 Question

Τ1Δ

11B

110

T1E T1C

- KE7OSN
- N8GFO -Yep
- K7HZ -That's an Extra
- VE6GLW -That's Canadian, eh
- KLOO -That's a commercial station
- WSJ509 -Land Mobile, Benton County Sheriff
- Mission Base

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Char

Part 97

licenses

Ŭ

rrequence

T1 Question

T1A

118

TIC

T1D

KE7OSN

N8GFO -Yep

K7HZ -That's an Extra

VE6GLW -That's Canadian, eh

KLOO -That's a commercial station

KLOO - I hat's a commercial station

WSJ509 -Land Mobile, Benton County Sheriff

Mission Base -What is known as a "tactical callsign"

Anthony Odenthal, Amateur Extra

N8GFO -Yep

KE7OSN

K7HZ -That's an Extra

VE6GLW -That's Canadian, eh

KLOO -That's a commercial station

WSJ509 -Land Mobile, Benton County Sheriff

Mission Base -What is known as a "tactical callsign"

Operator

General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, Amateur Extra

Who "operates" an amateur station?

Operator

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

license

Callsigns

frequencie:

T1 Questions

T1 Question

T1B

T1C

T1D

Who "operates" an amateur station?

The control operator, who is designated by the station licensee, and determines the privileges of operation.

e.g. if you are at a radio that can operate outside your privileges, you still can only use what you are licensed to.

Your Callsign

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

licenses

ricquerieie

T1 Question

T1A T1B

TIC

Г1Е

A station must transmit it's callsign at least every ten minutes and at the end of every communication.

Special situations have special rules

- Control operator working outside of a station licensee privileges.
- Special event station control operator
- Control operator using new privileges prior to FCC database update

The Uniform Licensing System

Technician and General Class Amateur Radio & Satellite Stuf

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 9

licenses

frequencie

T1 Question

T1 Question

T1B

T1C

| 1E

The ULS is an online database of FCC license information. A new licensee may use their privileges as soon as their information appears in the ULS. When you upgrade you may use your new privileges as soon as you pass the test.

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charge

Part 97

liconcoc

_

frequencie

T1 Questio

Ta A

TIA

T1C

T1D

Г1Е

W7OSU This is KE7OSN

 W7OSU This is KE7OSN Net Control This is KE7OSN

General Class & Satellite Stuff

Anthony Odenthal, Amateur Extra

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 9

license

Callsign

frequenci

T1 Questio

11 Questio

T1A

T1C

T1D

ITE

- W7OSU This is KE7OSN
- Net Control This is KE7OSN
- This is W7OSU (Go Ahead)

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 9

license

frequencie

T1 Question

T1 A

T1A

T1B

T1C

T1D

W7OSU This is KE7OSN

- Net Control This is KE7OSN
- This is W7OSU (Go Ahead)
- CQ CQ CQ this is KE7OSN

& Satellite Stuff

Anthony Odenthal, Amateur Extra

- W7OSU This is KE7OSN
- Net Control This is KE7OSN
- This is W7OSU (Go Ahead)
- CQ CQ CQ this is KE7OSN
- KE7OSN monitoring

Anthony Odenthal, Amateur Extra

W7OSU This is KE7OSN

Net Control This is KF7OSN

This is W7OSU (Go Ahead)

CQ CQ CQ this is KE7OSN

KE7OSN monitoring

This is KF7FGE stroke (/) KE7OSN

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 9

licenses

ŭ

trequencie

T1 Question

T1 A

118

T1D

| 1E

- W7OSU This is KE7OSN
- Net Control This is KE7OSN
- This is W7OSU (Go Ahead)
- CQ CQ CQ this is KE7OSN
- KE7OSN monitoring
- This is KF7FGE stroke (/) KE7OSN
- Hey Bob, you around?

Hey bob you around?

Legal?

General Class & Satellite Stuff

Anthony Odenthal, Amateur Extra

General Class & Satellite Stuff

Anthony Odenthal, Amateur Extra

Hey bob you around?

Legal?

Yes, as long as you keep to the every ten minutes and the end of every communication.

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Dort 07

license

cunsigns

trequencie:

T1 Question

T1 Question

T1D

T1C

T1D

Hey bob you around?

Legal?

Yes, as long as you keep to the every ten minutes and the end of every communication.

What if Bob isn't there?

& Satellite Stuff

Anthony Odenthal, Amateur Extra

Legal?

Yes, as long as you keep to the every ten minutes and the end of every communication.

What if Bob isn't there?

KE7OSN clear

Hey bob you around?

Types of stations

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Char

Part 9

licenses

callsigns

trequenci

T1 Question

T1A

T1C

T1D

 Club – at least four people, one of which accepts responsibility and is the "trustee".

- Space at least 50km above the surface.
- Beacon transmits a low-level signal for propagation studies
- Repeater retransmits a signal heard on one frequency on another frequency.
- Auxillary a secondary receiver that feeds a repeater station.

Table of Contents

General Class & Satellite Stuff


Anthony Odenthal, Amateur Extra

5 frequencies

Band Plan

Anthony Odenthal. KF7OSN Amateur Extra

See Sections 97.305(c) and 97.307(f)(11).



ITU Band Names

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 9

licenses

Ŭ

requencie

T1 Question

T1 A

T1B

T1C

T1D

I 1E

- MF Medium Frequency 300KHz to 3MHz
- HF High Frequency 3MHz to 30 MHz
- VHF Very High Frequency 30MHz to 300MHz
- UHF Ultra High Frequency 300MHz to 3GHz
- SHF Super High Frequency 3GHz to 30GHz
- EFE Extremely High Frequency 30GHz to 300GHz
- THF Tremendously High Frequency 300GHZ to 3THz

HF 3-30MHz

General Class Amateur Radio & Satellite Stu Anthony Odenthal,

Amateur Extra

VVIIO S III CIIai g

Part 97

.....

Ŭ

.

T1 Question

T1 A

T1B

TIC

T1C

80 Meters

3.525-3.600MHz: CW Only

40 Meters

7.025-7.125MHz: CW Only

15 Meters

· 21.025-21.200MHz: CW Only

10 Meters

28.000-28.300MHz: CW, RTTY/Data 200 watts PEP max

28.300-28.500MHz: CW, Phone 200 watts PEP max

VHF 30-300MHz

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

licelise

Callsigns

T1 Question

T1D

T1C

T1D

T1E

6 Meters

- 50.0-50.1MHz CW Only
- 50.1-54.0MHz All modes
- 2 Meters
 - 144.0-144.1MHz CW Only
 - 144.1-148.0MHz All modes
- 1.25 Meters
 - 222.00-225.00MHz All modes

UHF 300-3000MHz (3GHz)

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

license

Calisign

requencies

T1 Question

T1 A

T1B

T1C

T1D

L1E

- 70 Centimeters
 - 420.0-450.0MHz All Modes
- 33 Centimeters
 - o 902.0-928.0MHz All Modes
- 23 Centimeters
 - 1240-1300MHz All Modes
- 2.4GHz
 - o 2.3-2.31GHz
 - 2.39-2.45GHz *

2.4GHz

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

Calisigni

frequencie:

T1 Question

T1A

T10

T1D

F1E

We share the 2390-2450MHz band with: 802.11 networks, cordless phones, video cameras, zigbee, etc.

We are PRIMARY users. We have first "rights". Secondary users must not cause us interference and must accept interference from our operations.

SHF 3GHz-30GHz and up

Amateur Radio & Satellite Stuff Anthony Odenthal,

Amateur Extra

.....

Part 9

. .. .

,

rrequence

T1 Question

T1A

T1C

T1D

T1E

- o 3.3-3.5GHz
- o 5.65-5.925GHz
- o 10.0-10.5GHz
- 24.0-24.25GHz
- o 47.0-47.2GHz
- o 76.0-81.9GHz
- o 119.98-120.02GHz
- o 142-149GHz
- o 241-250GHz
- Everything above 300GHz

Table of Contents

General Class & Satellite Stuff

Anthony Odenthal, Amateur Extra

6 T1 Questions

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

licenses

frequencie

T1 Questio

T1A

IIB

TID

T1F

- T1A01 For whom is the Amateur Radio Service intended?
 - D. Persons who are interested in radio technique solely with a personal aim and without pecuniary interest

11 of 396 2.7%

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

licenses

Callsign:

frequencie

T1 Question

T1A

LIB

T1D

T1F

- T1A01 For whom is the Amateur Radio Service intended?
 - D. Persons who are interested in radio technique solely with a personal aim and without pecuniary interest
- T1A02 What agency regulates and enforces the rules for the Amateur Radio Service in the United States?
 C. The FCC

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

D--+ 07

icenses

frequencie

T1 Question

T1A

T1B

110

T1F

- T1A01 For whom is the Amateur Radio Service intended?
 - D. Persons who are interested in radio technique solely with a personal aim and without pecuniary interest
- T1A02 What agency regulates and enforces the rules for the Amateur Radio Service in the United States?
 C. The FCC
- T1A03 Which part of the FCC rules contains the rules and regulations governing the Amateur Radio Service?
 D. Part 97

General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

.

ilectises

.

requeriere.

T1 Question

T1A

T1C

T10

- T1A01 For whom is the Amateur Radio Service intended?
 - D. Persons who are interested in radio technique solely with a personal aim and without pecuniary interest
- T1A02 What agency regulates and enforces the rules for the Amateur Radio Service in the United States?
 C. The FCC
- T1A03 Which part of the FCC rules contains the rules and regulations governing the Amateur Radio Service?
 D. Part 97
- T1A04 Which of the following meets the FCC definition of harmful interference?
 C. That which seriously degrades, obstructs, or repeatedly interrupts a radio communication service operating in accordance with the Radio Regulations

Amateur Radio & Satellite Stu Anthony

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

rait 91

ilectioes

roguenci.

11 Questio

T1R

T1C

T1E

- T1A01 For whom is the Amateur Radio Service intended?
 - D. Persons who are interested in radio technique solely with a personal aim and without pecuniary interest
- T1A02 What agency regulates and enforces the rules for the Amateur Radio Service in the United States?
 C. The FCC
- T1A03 Which part of the FCC rules contains the rules and regulations governing the Amateur Radio Service?
 D. Part 97
- T1A04 Which of the following meets the FCC definition of harmful interference?
 C. That which seriously degrades, obstructs, or repeatedly interrupts a radio communication service operating in accordance with the Radio Regulations
- T1A05 What is the FCC Part 97 definition of a space station?
 D. An amateur station located more than 50 km above the Earth's surface

Amateur Radio & Satellite Stu Anthony

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 9

licelises

. .

requencie

T1 Question

T1B

TID

T1F

- T1A01 For whom is the Amateur Radio Service intended?
 - D. Persons who are interested in radio technique solely with a personal aim and without pecuniary interest
- T1A02 What agency regulates and enforces the rules for the Amateur Radio Service in the United States?
 C. The FCC
- T1A03 Which part of the FCC rules contains the rules and regulations governing the Amateur Radio Service?
 D. Part 97
- T1A04 Which of the following meets the FCC definition of harmful interference?
 C. That which seriously degrades, obstructs, or repeatedly interrupts a radio communication service operating in accordance with the Radio Regulations
- T1A05 What is the FCC Part 97 definition of a space station?
 D. An amateur station located more than 50 km above the Earth's surface
- T1A06 What is the FCC Part 97 definition of telecommand?
 C. A one-way transmission to initiate, modify or terminate functions of a device at a distance

Anthony Odenthal.

KF7OSN Amateur Extra

- T1A01 For whom is the Amateur Radio Service intended?
 - D. Persons who are interested in radio technique solely with a personal aim and without pecuniary interest
- T1A02 What agency regulates and enforces the rules for the Amateur Radio Service in the United States? C The ECC
- T1A03 Which part of the FCC rules contains the rules and regulations governing the Amateur Radio Service? D Part 97
- T1A04 Which of the following meets the FCC definition of harmful interference? C. That which seriously degrades, obstructs, or repeatedly interrupts a radio communication service operating in accordance with the Radio Regulations
- T1A05 What is the FCC Part 97 definition of a space station? D. An amateur station located more than 50 km above the Earth's surface
- T1A06 What is the FCC Part 97 definition of telecommand? C. A one-way transmission to initiate, modify or terminate functions of a device at a distance
- T1A07 What is the FCC Part 97 definition of telemetry? C. A one-way transmission of measurements at a distance from the measuring instrument

T1A01 For whom is the Amateur Radio Service intended?

Amateur Radi & Satellite Stu Anthony Odenthal.

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

licelises

. .

T1 Question

T1A

T1C

T1A02 What agency regulates and enforces

D. Persons who are interested in radio technique solely with a personal aim and without pecuniary interest

T1A02 What agency regulates and enforces the rules for the Amateur Radio Service in the United States?
 C. The FCC

T1A03 Which part of the FCC rules contains the rules and regulations governing the Amateur Radio Service?
 D. Part 97

T1A04 Which of the following meets the FCC definition of harmful interference?

C. That which seriously degrades, obstructs, or repeatedly interrupts a radio communication service operating in accordance with the Radio Regulations

T1A05 What is the FCC Part 97 definition of a space station?
 D. An amateur station located more than 50 km above the Earth's surface

T1A06 What is the FCC Part 97 definition of telecommand?

C. A one-way transmission to initiate, modify or terminate functions of a device at a distance

T1A07 What is the FCC Part 97 definition of telemetry?

C. A one-way transmission of measurements at a distance from the measuring instrument

T1A08 Which of the following entities recommends transmit/receive channels and other parameters for auxiliary and repeater stations?

B. Frequency Coordinator

Amateur Radi & Satellite Stu Anthony Odenthal, KE7OSN

Amateur Extra

licenses

T1 0

T1 Question

T1C

T1A01 For whom is the Amateur Radio Service intended?

D. Persons who are interested in radio technique solely with a personal aim and without pecuniary interest

T1A02 What agency regulates and enforces the rules for the Amateur Radio Service in the United States?
 C. The FCC

T1A03 Which part of the FCC rules contains the rules and regulations governing the Amateur Radio Service?
 D. Part 97

T1A04 Which of the following meets the FCC definition of harmful interference?

C. That which seriously degrades, obstructs, or repeatedly interrupts a radio communication service operating in accordance with the Radio Regulations

T1A05 What is the FCC Part 97 definition of a space station?

D. An amateur station located more than 50 km above the Earth's surface.

■ T1A06 What is the FCC Part 97 definition of telecommand?

C. A one-way transmission to initiate, modify or terminate functions of a device at a distance

T1A07 What is the FCC Part 97 definition of telemetry?

C. A one-way transmission of measurements at a distance from the measuring instrument

T1A08 Which of the following entities recommends transmit/receive channels and other parameters for auxiliary and repeater stations?

B. Frequency Coordinator

T1A09 Who selects a Frequency Coordinator?

C. Amateur operators in a local or regional area whose stations are eligible to be auxiliary or repeater stations

Amateur Radio

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

licelises

. .

T1 0

T1 Questior

T1C

T1E T1F

- T1A01 For whom is the Amateur Radio Service intended?
 - D. Persons who are interested in radio technique solely with a personal aim and without pecuniary interest
- T1A02 What agency regulates and enforces the rules for the Amateur Radio Service in the United States?
 C. The FCC
- T1A03 Which part of the FCC rules contains the rules and regulations governing the Amateur Radio Service?
 D. Part 97
- T1A04 Which of the following meets the FCC definition of harmful interference?
 - C. That which seriously degrades, obstructs, or repeatedly interrupts a radio communication service operating in accordance with the Radio Regulations
- T1A05 What is the FCC Part 97 definition of a space station?
 D. An amateur station located more than 50 km above the Earth's surface
- T1A06 What is the FCC Part 97 definition of telecommand?
 - C. A one-way transmission to initiate, modify or terminate functions of a device at a distance
- T1A07 What is the FCC Part 97 definition of telemetry?
 C. A one-way transmission of measurements at a distance from the measuring instrument
- T1A08 Which of the following entities recommends transmit/receive channels and other parameters for auxiliary and repeater stations?
 - B. Frequency Coordinator
- T1A09 Who selects a Frequency Coordinator?
 - C. Amateur operators in a local or regional area whose stations are eligible to be auxiliary or repeater stations
- T1A10 What is the FCC Part 97 definition of an amateur station?
 - A. A station in an Amateur Radio Service consisting of the apparatus necessary for carrying on radio communications

Amateur Radi & Satellite Stu Anthony Odenthal, KE7OSN

Amateur Extra

vvno s in Charg

Part 9

licenses

.

T4 0 ..

T1 Question **T1A**

T1C

T1F

- T1A01 For whom is the Amateur Radio Service intended?
 - D. Persons who are interested in radio technique solely with a personal aim and without pecuniary interest
- T1A02 What agency regulates and enforces the rules for the Amateur Radio Service in the United States?
 C. The FCC
- T1A03 Which part of the FCC rules contains the rules and regulations governing the Amateur Radio Service?
 D. Part 97
- □ T1A04 Which of the following meets the FCC definition of harmful interference?
 - C. That which seriously degrades, obstructs, or repeatedly interrupts a radio communication service operating in accordance with the Radio Regulations
- T1A05 What is the FCC Part 97 definition of a space station?

 D. An amateur station located more than 50 km above the Earth's surface.
- T1A06 What is the FCC Part 97 definition of telecommand?
 - C. A one-way transmission to initiate, modify or terminate functions of a device at a distance
- T1A07 What is the FCC Part 97 definition of telemetry?
 - C. A one-way transmission of measurements at a distance from the measuring instrument
- T1A08 Which of the following entities recommends transmit/receive channels and other parameters for auxiliary and repeater stations?
 - B. Frequency Coordinator
- T1A09 Who selects a Frequency Coordinator?
 - C. Amateur operators in a local or regional area whose stations are eligible to be auxiliary or repeater stations
- T1A10 What is the FCC Part 97 definition of an amateur station?
 - A. A station in an Amateur Radio Service consisting of the apparatus necessary for carrying on radio communications
- T1A11 Which of the following stations transmits signals over the air from a remotereceive site to a repeater for retransmission?
 C. Auxiliary station

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 9

licenses

frequencie

T1 Question

T1 A

T1B

110

LID

T1B01 What is the ITU?
 B. A United Nations agency for information and communication technology issues

General Class
Amateur Radio
& Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

licenses

frequencie

T1 Question

T1 A

T1B

T1C

T1D

Γ1F

- T1B01 What is the ITU?
 B. A United Nations agency for information and communication technology issues
- T1B02 North American amateur stations are located in which ITU region?
 B. Region 2

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

license

trequence

T1 Question

T1A

LIB

T1C

1 TE

- T1B01 What is the ITU?
 B. A United Nations agency for information and communication technology issues
- T1B02 North American amateur stations are located in which ITU region?
 B. Region 2
- T1B03 Which frequency is within the 6 meter band?
 B. 52.525 MHz

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

ait 3

.

T1 ()....

T1 A

T1D

T1C

110

T1B01 What is the ITU?
 B. A United Nations agency for information and communication technology issues

T1B02 North American amateur stations are located in which ITU region?

B. Region 2

T1B03 Which frequency is within the 6 meter band?
 B. 52.525 MHz

T1B04 Which amateur band are you using when your station is transmitting on 146.52MHz?
 A. 2 meter band

T1B01 What is the ITU?

& Satellite Stuff

Anthony Odenthal, Amateur Extra

T1B02 North American amateur stations are located in which ITU region?

B. A United Nations agency for information and communication technology issues

B. Region 2

○ T1B03 Which frequency is within the 6 meter band? B. 52.525 MHz

T1B04 Which amateur band are you using when your station is transmitting on 146.52MHz? A. 2 meter band

■ T1B05 Which 70 cm frequency is authorized to a Technician Class license holder operating in ITU Region 2? C. 443.350 MHz

General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 9

licelises

.

T1 Question

TIA

T1C

Γ1F

- T1B01 What is the ITU?
 B. A United Nations agency for information and communication technology issues
- T1B02 North American amateur stations are located in which ITU region?
- B. Region 2
- T1B03 Which frequency is within the 6 meter band?
 B. 52.525 MHz
- T1B04 Which amateur band are you using when your station is transmitting on 146.52MHz?
 A. 2 meter band
- T1B05 Which 70 cm frequency is authorized to a Technician Class license holder operating in ITU Region 2?
 C. 443.350 MHz
- T1B06 Which 23 cm frequency is authorized to a Technician Class operator license?
 B. 1296 MHz

& Satellite Stuff

Anthony Odenthal, Amateur Extra

T1B01 What is the ITU? B. A United Nations agency for information and communication technology issues

■ T1B02 North American amateur stations are located in which ITU region? B. Region 2

T1B03 Which frequency is within the 6 meter band? B. 52.525 MHz

T1B04 Which amateur band are you using when your station is transmitting on 146.52MHz? A. 2 meter band

■ T1B05 Which 70 cm frequency is authorized to a Technician Class license holder operating in ITU Region 2? C. 443.350 MHz

T1B06 Which 23 cm frequency is authorized to a Technician Class operator license? B. 1296 MHz

T1B07 What amateur band are you using if you are transmitting on 223.50 MHz? D. 1.25 meter band

General Class Amateur Radio & Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

.....

frequenci

T1 Question

T1A

T1D

T1B01 What is the ITU?

B. A United Nations agency for information and communication technology issues

T1B02 North American amateur stations are located in which ITU region?
 B. Region 2

T1B03 Which frequency is within the 6 meter band?
 B. 52.525 MHz

T1B04 Which amateur band are you using when your station is transmitting on 146.52MHz?
 A. 2 meter band

T1B05 Which 70 cm frequency is authorized to a Technician Class license holder operating in ITU Region 2?
 C. 443.350 MHz

T1B06 Which 23 cm frequency is authorized to a Technician Class operator license?
 B. 1296 MHz

T1B07 What amateur band are you using if you are transmitting on 223.50 MHz?
 D. 1.25 meter band

T1B08 What do the FCC rules mean when an amateur frequency band is said to be available on a secondary basis?
 C. Amateurs may not cause harmful interference to primary users

Anthony Odenthal. KF7OSN Amateur Extra

T1B01 What is the ITU?

B. A United Nations agency for information and communication technology issues

T1B02 North American amateur stations are located in which ITU region? B. Region 2

T1B03 Which frequency is within the 6 meter band? B. 52.525 MHz

T1B04 Which amateur band are you using when your station is transmitting on 146.52MHz? A. 2 meter band

■ T1B05 Which 70 cm frequency is authorized to a Technician Class license holder operating in ITU Region 2? C. 443.350 MHz

T1B06 Which 23 cm frequency is authorized to a Technician Class operator license? B. 1296 MHz

T1B07 What amateur band are you using if you are transmitting on 223.50 MHz? D. 1.25 meter band

T1B08 What do the FCC rules mean when an amateur frequency band is said to be available on a secondary basis? C. Amateurs may not cause harmful interference to primary users

T1B09 Why should you not set your transmit frequency to be exactly at the edge of an amateur band or sub-band?

A. To allow for calibration error in the transmitter frequency display

B. So that modulation sidebands do not extend beyond the band edge C. To allow for transmitter frequency drift

D. All of these choices are correct

General Class Amateur Radio & Satellite Stuf

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 9

.

frequencie

T1 Question

T1A

T1C

T1D

T1B01 What is the ITU?

B. A United Nations agency for information and communication technology issues

T1B02 North American amateur stations are located in which ITU region?
 B. Region 2

T1B03 Which frequency is within the 6 meter band?
B. 52 525 MHz

T1B04 Which amateur band are you using when your station is transmitting on 146.52MHz?
 A. 2 meter band

T1B05 Which 70 cm frequency is authorized to a Technician Class license holder operating in ITU Region 2?
 C. 443.350 MHz

T1B06 Which 23 cm frequency is authorized to a Technician Class operator license?
 B. 1296 MHz

T1B07 What amateur band are you using if you are transmitting on 223.50 MHz?
 D. 1.25 meter band

T1B08 What do the FCC rules mean when an amateur frequency band is said to be available on a secondary basis?
C. Amateurs may not cause harmful interference to primary users

T1B09 Why should you not set your transmit frequency to be exactly at the edge of an amateur band or sub-band?

A. To allow for calibration error in the transmitter frequency display

B. So that modulation sidebands do not extend beyond the band edge C. To allow for transmitter frequency drift

D. All of these choices are correct

T1B10 Which of the bands available to Technician Class operators have mode-restricted sub-bands?
 C. The 6 meter, 2 meter, and 1.25 meter bands

Anthony Odenthal. KF7OSN Amateur Extra

T1B01 What is the ITU?

B. A United Nations agency for information and communication technology issues

T1B02 North American amateur stations are located in which ITU region? B. Region 2

T1B03 Which frequency is within the 6 meter band? B. 52.525 MHz

 T1B04 Which amateur band are you using when your station is transmitting on 146.52MHz? A. 2 meter band

■ T1B05 Which 70 cm frequency is authorized to a Technician Class license holder operating in ITU Region 2? C. 443.350 MHz

T1B06 Which 23 cm frequency is authorized to a Technician Class operator license? B. 1296 MHz

T1B07 What amateur band are you using if you are transmitting on 223.50 MHz? D. 1.25 meter band

T1B08 What do the FCC rules mean when an amateur frequency band is said to be available on a secondary basis? C. Amateurs may not cause harmful interference to primary users

T1B09 Why should you not set your transmit frequency to be exactly at the edge of an amateur band or sub-band?

A. To allow for calibration error in the transmitter frequency display

B. So that modulation sidebands do not extend beyond the band edge C. To allow for transmitter frequency drift

D. All of these choices are correct

T1B10 Which of the bands available to Technician Class operators have mode-restricted sub-bands? C. The 6 meter, 2 meter, and 1.25 meter bands

■ T1B11 What emission modes are permitted in the mode-restricted sub-bands at 50.0 to 50.1 MHz and 144.0 to 144.1 MHz? A. CW only

22 of 396 5.5%

General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, Amateur Extra

T1C01 Which type of call sign has a single letter in both the prefix and suffix? C. Special event

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 07

licenses

trequencie

T1 Question

T1A

T1C

T1D

Γ1F

- T1C01 Which type of call sign has a single letter in both the prefix and suffix?
 C. Special event
- T1C02 Which of the following is a valid US amateur radio station call sign?
 B. W3ABC

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

IICCI13C3

rrequencie

T1 Question

T1A

T1C

T1D

T1F

- T1C01 Which type of call sign has a single letter in both the prefix and suffix?
 C. Special event
- T1C02 Which of the following is a valid US amateur radio station call sign?
 B. W3ABC
- T1C03 What types of international communications are permitted by an FCC-licensed amateur station?
 A. Communications incidental to the purposes of the amateur service and remarks of a personal character

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

ilectises

.

rrequencie:

T1 Question

T1A

T1C

T1D

T1F

- T1C01 Which type of call sign has a single letter in both the prefix and suffix?
 C. Special event
- T1C02 Which of the following is a valid US amateur radio station call sign?
 B W3ABC
- T1C03 What types of international communications are permitted by an FCC-licensed amateur station?
 A. Communications incidental to the purposes of the amateur service and remarks of a personal character
- T1C04 When are you allowed to operate your amateur station in a foreign country?
 A. When the foreign country authorizes it

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Callsigns

frequenci

T1 Question

T1A

T1C

T1D

T1C01 Which type of call sign has a single letter in both the prefix and suffix?
 C. Special event

- T1C02 Which of the following is a valid US amateur radio station call sign?
 B. W3ABC
- T1C03 What types of international communications are permitted by an FCC-licensed amateur station?
 A. Communications incidental to the purposes of the amateur service and remarks of a personal character
- T1C04 When are you allowed to operate your amateur station in a foreign country?
 A. When the foreign country authorizes it
- T1C05 What must you do if you are operating on the 23 cm band and learn that you are interfering with a radiolocation station outside the United States?

A. Stop operating or take steps to eliminate the harmful interference

Technician and General Class Amateur Radio & Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

.....

. .

rrequeriere

T1 Question

T1B

T1D

T1C01 Which type of call sign has a single letter in both the prefix and suffix?
 C. Special event

T1C02 Which of the following is a valid US amateur radio station call sign?
 B W3ABC

T1C03 What types of international communications are permitted by an FCC-licensed amateur station?
 A. Communications incidental to the purposes of the amateur service and remarks of a personal character

T1C04 When are you allowed to operate your amateur station in a foreign country?
 A. When the foreign country authorizes it

T1C05 What must you do if you are operating on the 23 cm band and learn that you are interfering with a radiolocation station outside the United States?

A. Stop operating or take steps to eliminate the harmful interference

• T1C06 From which of the following may an FCC-licensed amateur station transmit, in addition to places where the FCC regulates communications?

D. From any vessel or craft located in international waters and documented or registered in the United States

Technician and General Class Amateur Radio & Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 91

.....

.

trequencie

T1 Question

T1A T1B

T1E

- T1C01 Which type of call sign has a single letter in both the prefix and suffix?
 C. Special event
- T1C02 Which of the following is a valid US amateur radio station call sign?
 B W3ABC
- T1C03 What types of international communications are permitted by an FCC-licensed amateur station?
 A. Communications incidental to the purposes of the amateur service and remarks of a personal character
- T1C04 When are you allowed to operate your amateur station in a foreign country?

 A. When the foreign country authorizes it
- T1C05 What must you do if you are operating on the 23 cm band and learn that you are interfering with a radiolocation station outside the United States?
 - A. Stop operating or take steps to eliminate the harmful interference
- T1C06 From which of the following may an FCC-licensed amateur station transmit, in addition to places where the FCC regulates communications?
 - D. From any vessel or craft located in international waters and documented or registered in the United States
- T1C07 What may result when correspondence from the FCC is returned as undeliverable because the grantee failed to provide the correct mailing address?
 - B. Revocation of the station license or suspension of the operator license

Technician and General Class Amateur Radio & Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

aic 31

Callsigns

requencie:

T1 Questions

T1A

T1C

T1D

T1C01 Which type of call sign has a single letter in both the prefix and suffix?
 C. Special event

T1C02 Which of the following is a valid US amateur radio station call sign?
 B W3ABC

T1C03 What types of international communications are permitted by an FCC-licensed amateur station?
 A. Communications incidental to the purposes of the amateur service and remarks of a personal character

T1C04 When are you allowed to operate your amateur station in a foreign country?
 A. When the foreign country authorizes it

T1C05 What must you do if you are operating on the 23 cm band and learn that you are interfering with a radiolocation station outside the United States?

A. Stop operating or take steps to eliminate the harmful interference

• T1C06 From which of the following may an FCC-licensed amateur station transmit, in addition to places where the FCC regulates communications?

D. From any vessel or craft located in international waters and documented or registered in the United States

T1C07 What may result when correspondence from the FCC is returned as undeliverable because the grantee failed to provide the correct mailing address?

B. Revocation of the station license or suspension of the operator license

T1C08 What is the normal term for an FCC-issued primary station/operator license grant?

C. Ten years

Technician and General Class Amateur Radio & Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

rart 9

.....

fromuoncio

T1 Question

T1 A

T1R

T1C

T1E T1F

- T1C01 Which type of call sign has a single letter in both the prefix and suffix?
 C. Special event
- T1C02 Which of the following is a valid US amateur radio station call sign?
 B W3ABC
- T1C03 What types of international communications are permitted by an FCC-licensed amateur station?
 A. Communications incidental to the purposes of the amateur service and remarks of a personal character
- T1C04 When are you allowed to operate your amateur station in a foreign country?
 A. When the foreign country authorizes it
- T1C05 What must you do if you are operating on the 23 cm band and learn that you are interfering with a radiolocation station outside the United States?
 - A. Stop operating or take steps to eliminate the harmful interference
- T1C06 From which of the following may an FCC-licensed amateur station transmit, in addition to places where the FCC regulates communications?
 - D. From any vessel or craft located in international waters and documented or registered in the United States
- T1C07 What may result when correspondence from the FCC is returned as undeliverable because the grantee failed to provide the correct mailing address?
 - B. Revocation of the station license or suspension of the operator license
- T1C08 What is the normal term for an FCC-issued primary station/operator license grant?
 C. Ten years
- T1C09 What is the grace period following the expiration of an amateur license within which the license may be renewed?
 - A. Two years

Technician and General Class Amateur Radio & Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 9

.....

froguenci

T1 Question

I 1 Question

T1B

T1C

T1E

- T1C01 Which type of call sign has a single letter in both the prefix and suffix?
 C. Special event
- T1C02 Which of the following is a valid US amateur radio station call sign?
 B W3ABC
- T1C03 What types of international communications are permitted by an FCC-licensed amateur station?
 A. Communications incidental to the purposes of the amateur service and remarks of a personal character
- T1C04 When are you allowed to operate your amateur station in a foreign country?
 A. When the foreign country authorizes it
- T1C05 What must you do if you are operating on the 23 cm band and learn that you are interfering with a radiolocation station outside the United States?
 - A. Stop operating or take steps to eliminate the harmful interference
- T1C06 From which of the following may an FCC-licensed amateur station transmit, in addition to places where the FCC regulates communications?
 - D. From any vessel or craft located in international waters and documented or registered in the United States
- T1C07 What may result when correspondence from the FCC is returned as undeliverable because the grantee failed to provide the correct mailing address?
 - B. Revocation of the station license or suspension of the operator license
- T1C08 What is the normal term for an FCC-issued primary station/operator license grant?
 C. Ten years
- T1C09 What is the grace period following the expiration of an amateur license within which the license may be renewed?
- A. Two years
- T1C10 How soon may you operate a transmitter on an amateur service frequency after you pass the examination required for your first amateur radio license?
 - C. As soon as your name and call sign appear in the FCC s ULS database

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

ncenses

. .

T4 0 ...

11 Question

T1B

T1C

T1D T1F

- T1C01 Which type of call sign has a single letter in both the prefix and suffix?
 C. Special event
- T1C02 Which of the following is a valid US amateur radio station call sign?
 B. W3ABC
- T1C03 What types of international communications are permitted by an FCC-licensed amateur station?
 A. Communications incidental to the purposes of the amateur service and remarks of a personal character
- T1C04 When are you allowed to operate your amateur station in a foreign country?
 A. When the foreign country authorizes it
- T1C05 What must you do if you are operating on the 23 cm band and learn that you are interfering with a radiolocation station outside the United States?
 - A. Stop operating or take steps to eliminate the harmful interference
- T1C06 From which of the following may an FCC-licensed amateur station transmit, in addition to places where the FCC regulates communications?
 - D. From any vessel or craft located in international waters and documented or registered in the United States
- T1C07 What may result when correspondence from the FCC is returned as undeliverable because the grantee failed to provide the correct mailing address?
 - B. Revocation of the station license or suspension of the operator license
- T1C08 What is the normal term for an FCC-issued primary station/operator license grant?
 C. Ten years
- T1C09 What is the grace period following the expiration of an amateur license within which the license may be renewed?
 - A. Two years
- T1C10 How soon may you operate a transmitter on an amateur service frequency after you pass the examination required for your first amateur radio license?
 - C. As soon as your name and call sign appear in the FCC s ULS database
- T1C11 If your license has expired and is still within the allowable grace period, may you continue to operate a transmitter on amateur service frequencies?
- A. No, transmitting is not allowed until the ULS database shows that the license has been renewed

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 9

licenses

frequencie

T1 Question

T1A

IIB

TID

T1F

T1D01 With which countries are FCC-licensed amateur stations prohibited from exchanging communications?

A. Any country whose administration has notified the ITU that it objects to such communications

44 of 396 11.1%

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

rait 91

Heerises

frequenci

T1 Question

T1D

TID

T1E

- T1D01 With which countries are FCC-licensed amateur stations prohibited from exchanging communications?
 A. Any country whose administration has notified the ITU that it objects to such communications
- T1D02 On which of the following occasions may an FCC-licensed amateur station exchange messages with a U.S. military station?

A. During an Armed Forces Day Communications Test

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 9

licelises

trequence

T1 Question

T1B

T1E

T1D01 With which countries are FCC-licensed amateur stations prohibited from exchanging communications?
 A. Any country whose administration has notified the ITU that it objects to such communications

T1D02 On which of the following occasions may an FCC-licensed amateur station exchange messages with a U.S. military station?

A. During an Armed Forces Day Communications Test

T1D03 When is the transmission of codes or ciphers allowed to hide the meaning of a message transmitted by an amateur station?

C. Only when transmitting control commands to space stations or radio control craft

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 9

ileenses

. .

trequenci

T1 Question

T1B

T1E

- T1D01 With which countries are FCC-licensed amateur stations prohibited from exchanging communications?
 A. Any country whose administration has notified the ITU that it objects to such communications
- T1D02 On which of the following occasions may an FCC-licensed amateur station exchange messages with a U.S. military station?
 - A. During an Armed Forces Day Communications Test
- T1D03 When is the transmission of codes or ciphers allowed to hide the meaning of a message transmitted by an amateur station?
 - $\ensuremath{\mathsf{C}}.$ Only when transmitting control commands to space stations or radio control craft
- T1D04 What is the only time an amateur station is authorized to transmit music?
 - A. When incidental to an authorized retransmission of manned spacecraft communications

General Class Amateur Radio & Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

ncense

requencie

T1 Question

T1C

T1E T1F

- T1D01 With which countries are FCC-licensed amateur stations prohibited from exchanging communications?
 A. Any country whose administration has notified the ITU that it objects to such communications
- T1D02 On which of the following occasions may an FCC-licensed amateur station exchange messages with a U.S. military station?
 - A. During an Armed Forces Day Communications Test
- T1D03 When is the transmission of codes or ciphers allowed to hide the meaning of a message transmitted by an amateur station?
 - C. Only when transmitting control commands to space stations or radio control craft
- T1D04 What is the only time an amateur station is authorized to transmit music?
 - A. When incidental to an authorized retransmission of manned spacecraft communications
- T1D05 When may amateur radio operators use their stations to notify other amateurs of the availability of equipment for sale or trade?
 - A. When the equipment is normally used in an amateur station and such activity is not conducted on a regular basis

General Class Amateur Radio & Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

ncenses

.

T1 Question T1A

T1C

T1D01 With which countries are FCC-licensed amateur stations prohibited from exchanging communications?
 A. Any country whose administration has notified the ITU that it objects to such communications

T1D02 On which of the following occasions may an FCC-licensed amateur station exchange messages with a U.S. military station?

A. During an Armed Forces Day Communications Test

T1D03 When is the transmission of codes or ciphers allowed to hide the meaning of a message transmitted by an amateur station?

C. Only when transmitting control commands to space stations or radio control craft

T1D04 What is the only time an amateur station is authorized to transmit music?
 A. When incidental to an authorized retransmission of manned spacecraft communications

A. When incidental to an authorized retransmission of manned spacecraft communications

T1D05 When may amateur radio operators use their stations to notify other amateurs of the availability of equipment for sale or trade?

A. When the equipment is normally used in an amateur station and such activity is not conducted on a regular basis

T1D06 Which of the following types of transmissions are prohibited?
 A. Transmissions that contain obscene or indecent words or language

44 of 396 11.1%

General Class Amateur Radio & Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

iiceiise.

froguenci

T1 Question

T1A T1B

T1D

T1D01 With which countries are FCC-licensed amateur stations prohibited from exchanging communications?
 A. Any country whose administration has notified the ITU that it objects to such communications

T1D02 On which of the following occasions may an FCC-licensed amateur station exchange messages with a U.S. military station?

A. During an Armed Forces Day Communications Test

T1D03 When is the transmission of codes or ciphers allowed to hide the meaning of a message transmitted by an amateur station?

C. Only when transmitting control commands to space stations or radio control craft

T1D04 What is the only time an amateur station is authorized to transmit music?

A. When incidental to an authorized retransmission of manned spacecraft communications

T1D05 When may amateur radio operators use their stations to notify other amateurs of the availability of equipment for sale or trade?

A. When the equipment is normally used in an amateur station and such activity is not conducted on a regular basis

T1D06 Which of the following types of transmissions are prohibited?
 A. Transmissions that contain obscene or indecent words or language

T1D08 When may the control operator of an amateur station receive compensation for operating the station?
 B. When the communication is incidental to classroom instruction at an educational institution

General Class Amateur Radio & Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 9

ncense

froguenci

T1 Question:

T1A T1B

T1E

- T1D01 With which countries are FCC-licensed amateur stations prohibited from exchanging communications?
 A. Any country whose administration has notified the ITU that it objects to such communications
- T1D02 On which of the following occasions may an FCC-licensed amateur station exchange messages with a U.S. military station?
 - A. During an Armed Forces Day Communications Test
- T1D03 When is the transmission of codes or ciphers allowed to hide the meaning of a message transmitted by an amateur station?
 - C. Only when transmitting control commands to space stations or radio control craft
- T1D04 What is the only time an amateur station is authorized to transmit music?
 A. When incidental to an authorized retransmission of manned spacecraft communications
- T1D05 When may amateur radio operators use their stations to notify other amateurs of the availability of equipment for sale or trade?
- A. When the equipment is normally used in an amateur station and such activity is not conducted on a regular basis
- T1D06 Which of the following types of transmissions are prohibited?
 A. Transmissions that contain obscene or indecent words or language
- T1D08 When may the control operator of an amateur station receive compensation for operating the station?
 B. When the communication is incidental to classroom instruction at an educational institution
- T1D09 Under which of the following circumstances are amateur stations authorized to transmit signals related to broadcasting, program production, or news gathering, assuming no other means is available?
 A. Only where such communications directly relate to the immediate safety of human life or protection of property

44 of 396 11.1%

Amateur Radio & Satellite Stur

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 9

ncense

.

T1 Question

T1A T1B

T1C T1D T1D01 With which countries are FCC-licensed amateur stations prohibited from exchanging communications?
 A. Any country whose administration has notified the ITU that it objects to such communications

T1D02 On which of the following occasions may an FCC-licensed amateur station exchange messages with a U.S. military station?

A. During an Armed Forces Day Communications Test

T1D03 When is the transmission of codes or ciphers allowed to hide the meaning of a message transmitted by an amateur station?

C. Only when transmitting control commands to space stations or radio control craft

T1D04 What is the only time an amateur station is authorized to transmit music?
 A. When incidental to an authorized retransmission of manned spacecraft communications

T1D05 When may amateur radio operators use their stations to notify other amateurs of the availability of equipment for sale or trade?

A. When the equipment is normally used in an amateur station and such activity is not conducted on a regular basis

T1D06 Which of the following types of transmissions are prohibited?
 A. Transmissions that contain obscene or indecent words or language

T1D08 When may the control operator of an amateur station receive compensation for operating the station?
 B. When the communication is incidental to classroom instruction at an educational institution

T1D09 Under which of the following circumstances are amateur stations authorized to transmit signals related to broadcasting, program production, or news gathering, assuming no other means is available?
A. Only where such communications directly relate to the immediate safety of human life or protection of property

T1D10 What is the meaning of the term broadcasting in the FCC rules for the amateur services?
D. Transmissions intended for reception by the general public

Amateur Radio & Satellite Stu Anthony

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 9

ncense

fraguanci

T1 Questions

T1A T1B

T1D

T1D01 With which countries are FCC-licensed amateur stations prohibited from exchanging communications?
 A. Any country whose administration has notified the ITU that it objects to such communications

T1D02 On which of the following occasions may an FCC-licensed amateur station exchange messages with a U.S. military station?

A. During an Armed Forces Day Communications Test

T1D03 When is the transmission of codes or ciphers allowed to hide the meaning of a message transmitted by an amateur station?

C. Only when transmitting control commands to space stations or radio control craft

T1D04 What is the only time an amateur station is authorized to transmit music?
 A. When incidental to an authorized retransmission of manned spacecraft communications

T1D05 When may amateur radio operators use their stations to notify other amateurs of the availability of equipment for sale or trade?

A. When the equipment is normally used in an amateur station and such activity is not conducted on a regular basis

- T1D06 Which of the following types of transmissions are prohibited?
 A. Transmissions that contain obscene or indecent words or language
- T1D08 When may the control operator of an amateur station receive compensation for operating the station?
 B. When the communication is incidental to classroom instruction at an educational institution
- T1D09 Under which of the following circumstances are amateur stations authorized to transmit signals related to broadcasting, program production, or news gathering, assuming no other means is available?
 A. Only where such communications directly relate to the immediate safety of human life or protection of property
- T1D10 What is the meaning of the term broadcasting in the FCC rules for the amateur services?
 D. Transmissions intended for reception by the general public
- T1D11 Which of the following types of communications are permitted in the Amateur Radio Service?
 A. Brief transmissions to make station adjustments

44 of 396 11.1%

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 9

license

Callsigns

frequenci

T1 Question

T1 A

T1R

TIC

T1D

T1E

T1E01 When must an amateur station have a control operator?
 A. Only when the station is transmitting

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

licenses

freauencie

T1 Question

T1A

T1C

T1D

T1E

- T1E01 When must an amateur station have a control operator?
 A. Only when the station is transmitting
- T1E02 Who is eligible to be the control operator of an amateur station?
 - D. Only a person for whom an amateur operator/primary station license grant appears in the FCC database or who is authorized for alien reciprocal operation

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

licenses

frequencie

T1 Question

TIA

T1C

110

- T1E01 When must an amateur station have a control operator?
 A. Only when the station is transmitting
- T1E02 Who is eligible to be the control operator of an amateur station?
 D. Only a person for whom an amateur operator/primary station license grant appears in the FCC database or who is authorized for alien reciprocal operation.
- T1E03 Who must designate the station control operator?
 A. The station licensee

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 91

licelises

. .

trequenci

T1 Question

T1B

110

Γ1F

- T1E01 When must an amateur station have a control operator?
 A. Only when the station is transmitting
- T1E02 Who is eligible to be the control operator of an amateur station?
 - D. Only a person for whom an amateur operator/primary station license grant appears in the FCC database or who is authorized for alien reciprocal operation
- T1E03 Who must designate the station control operator?
 A. The station licensee
- T1E04 What determines the transmitting privileges of an amateur station?
 - D. The class of operator license held by the control operator

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

licelises

. .

.

T1 A

T1C

T1E

- T1E01 When must an amateur station have a control operator?
 A. Only when the station is transmitting
- T1E02 Who is eligible to be the control operator of an amateur station?
 - D. Only a person for whom an amateur operator/primary station license grant appears in the FCC database or who is authorized for alien reciprocal operation
- T1E03 Who must designate the station control operator?
 A. The station licensee
- T1E04 What determines the transmitting privileges of an amateur station?
 D. The class of operator license held by the control operator
- T1E05 What is an amateur station control point?
 C. The location at which the control operator function is performed.

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

iicense:

roamonci

requence

T1 Question

T1C

T1E T1F

- T1E01 When must an amateur station have a control operator?
 A. Only when the station is transmitting
- T1E02 Who is eligible to be the control operator of an amateur station?
 - D. Only a person for whom an amateur operator/primary station license grant appears in the FCC database or who is authorized for alien reciprocal operation
- T1E03 Who must designate the station control operator?

 A. The station licensee
- T1E04 What determines the transmitting privileges of an amateur station?
 - D. The class of operator license held by the control operator
- T1E05 What is an amateur station control point?
 - C. The location at which the control operator function is performed
- T1E06 Under which of the following types of control is it permissible for the control operator to be at a location other than the control point?
 - B. Automatic control

Technician and General Class Amateur Radio & Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charı

Part 97

.....

fraguanci

T1 Question

T1D

T1E01 When must an amateur station have a control operator?
 A. Only when the station is transmitting

T1E02 Who is eligible to be the control operator of an amateur station?

D. Only a person for whom an amateur operator/primary station license grant appears in the FCC database or who is authorized for alien reciprocal operation

T1E03 Who must designate the station control operator?

A. The station licensee

○ T1E04 What determines the transmitting privileges of an amateur station?

D. The class of operator license held by the control operator

T1E05 What is an amateur station control point?

C. The location at which the control operator function is performed

• T1E06 Under which of the following types of control is it permissible for the control operator to be at a location other than the control point?

B. Automatic control

• T1E07 When the control operator is not the station licensee, who is responsible for the proper operation of the station?

D. The control operator and the station licensee are equally responsible

Technician and General Class Amateur Radio & Satellite Stuf

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charı

Part 9

ncense

. .

T1 Question T1A

T1B

T1D

T1E01 When must an amateur station have a control operator?
 A. Only when the station is transmitting

- T1E02 Who is eligible to be the control operator of an amateur station?
 - D. Only a person for whom an amateur operator/primary station license grant appears in the FCC database or who is authorized for alien reciprocal operation
- T1E03 Who must designate the station control operator?

 A. The station licensee
- T1E04 What determines the transmitting privileges of an amateur station?
 - D. The class of operator license held by the control operator
- T1E05 What is an amateur station control point?
 - C. The location at which the control operator function is performed
- T1E06 Under which of the following types of control is it permissible for the control operator to be at a location other than the control point?
 - B. Automatic control
- T1E07 When the control operator is not the station licensee, who is responsible for the proper operation of the station?
 - D. The control operator and the station licensee are equally responsible
- T1E08 What type of control is being used for a repeater when the control operator is not present at a control point?
 C. Automatic control

Anthony Odenthal. KF7OSN Amateur Extra

T1E01 When must an amateur station have a control operator? A. Only when the station is transmitting

T1E02 Who is eligible to be the control operator of an amateur station?

D. Only a person for whom an amateur operator/primary station license grant appears in the FCC database or who is authorized for alien reciprocal operation

T1E03 Who must designate the station control operator?

A. The station licensee

T1E04 What determines the transmitting privileges of an amateur station?

D. The class of operator license held by the control operator

T1E05 What is an amateur station control point?

C. The location at which the control operator function is performed

T1E06 Under which of the following types of control is it permissible for the control operator to be at a location other than the control point?

B. Automatic control

11E07 When the control operator is not the station licensee, who is responsible for the proper operation of the station?

D. The control operator and the station licensee are equally responsible

T1E08 What type of control is being used for a repeater when the control operator is not present at a control point? C Automatic control

T1E09 What type of control is being used when transmitting using a handheld radio?

D. Local control

& Satellite Stuff

Anthony Odenthal. KF7OSN Amateur Extra

T1E01 When must an amateur station have a control operator? A. Only when the station is transmitting

T1E02 Who is eligible to be the control operator of an amateur station?

D. Only a person for whom an amateur operator/primary station license grant appears in the FCC database or who is authorized for alien reciprocal operation

T1E03 Who must designate the station control operator?

A. The station licensee

T1E04 What determines the transmitting privileges of an amateur station?

D. The class of operator license held by the control operator

T1E05 What is an amateur station control point?

C. The location at which the control operator function is performed

T1E06 Under which of the following types of control is it permissible for the control operator to be at a location other than the control point?

B. Automatic control

11E07 When the control operator is not the station licensee, who is responsible for the proper operation of the station?

D. The control operator and the station licensee are equally responsible

T1E08 What type of control is being used for a repeater when the control operator is not present at a control point? C Automatic control

T1E09 What type of control is being used when transmitting using a handheld radio?

D. Local control

 T1E10 What type of control is used when the control operator is not at the station location but can indirectly manipulate the operating adjustments of a station? R Remote

authorized for alien reciprocal operation

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Char

Part 97

.....

froguenci

T1 Ouestio

T1 Question

TIC

T1D

T1E01 When must an amateur station have a control operator?
 A. Only when the station is transmitting

T1E02 Who is eligible to be the control operator of an amateur station?

D. Only a person for whom an amateur operator/primary station license grant appears in the FCC database or who is

○ T1E03 Who must designate the station control operator?

A. The station licensee

○ T1E04 What determines the transmitting privileges of an amateur station?

D. The class of operator license held by the control operator

T1E05 What is an amateur station control point?

C. The location at which the control operator function is performed

• T1E06 Under which of the following types of control is it permissible for the control operator to be at a location other than the control point?

B. Automatic control

• T1E07 When the control operator is not the station licensee, who is responsible for the proper operation of the station?

D. The control operator and the station licensee are equally responsible

T1E08 What type of control is being used for a repeater when the control operator is not present at a control point?
 C. Automatic control

T1E09 What type of control is being used when transmitting using a handheld radio?

D. Local control

• T1E10 What type of control is used when the control operator is not at the station location but can indirectly manipulate the operating adjustments of a station?

B. Remote

• T1E11 Who does the FCC presume to be the control operator of an amateur station, unless documentation to the contrary is in the station records?

D The station licensee

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 9

license

freauencie

T1 Question

T1 A

T1D

TIC

T1D

Γ1F

T1F01 What type of identification is being used when identifying a station on the air as Race Headquarters ?

A. Tactical call

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

licenses

freauencie

T1 Question

T1A

T-10

TIC

T1D

1F

- T1F01 What type of identification is being used when identifying a station on the air as Race Headquarters?
 A. Tactical call
- T1F02 When using tactical identifiers, how often must your station transmit the stations FCC-assigned call sign?
 Every ten minutes

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

licenses

frequenci

T1 Question

T1A

T1B

T1D

110

T1F01 What type of identification is being used when identifying a station on the air as Race Headquarters?
 A. Tactical call

- T1F02 When using tactical identifiers, how often must your station transmit the stations FCC-assigned call sign?
 C. Every ten minutes
- T1F03 When is an amateur station required to transmit its assigned call sign?
 D. At least every 10 minutes during and at the end of a contact

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

IICCI13C3

rrequencie

T1 Question

T1A

T1D

110

T1F

- T1F01 What type of identification is being used when identifying a station on the air as Race Headquarters?
 A. Tactical call
- T1F02 When using tactical identifiers, how often must your station transmit the stations FCC-assigned call sign?
 C. Every ten minutes
- T1F03 When is an amateur station required to transmit its assigned call sign?
- D. At least every 10 minutes during and at the end of a contact
- T1F04 Which of the following is an acceptable language for use for station identification when operating in a phone sub-band?
 - C. The English language

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charge

art 91

.

.....

T1 Question

T1D

110

T1F

- T1F01 What type of identification is being used when identifying a station on the air as Race Headquarters?
 A. Tactical call
- T1F02 When using tactical identifiers, how often must your station transmit the stations FCC-assigned call sign?
 C. Every ten minutes
- T1F03 When is an amateur station required to transmit its assigned call sign?
- D. At least every 10 minutes during and at the end of a contact

 TIF04 Which of the following is an acceptable language for use for station identification when operating in a phone sub-band?
 - C. The English language
- T1F05 What method of call sign identification is required for a station transmitting phone signals?
 B. Send the call sign using CW or phone emission

Technician and General Class Amateur Radio & Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charge

Part 97

licelises

requencie

T1 Question

T1A T1B

T1D

T1E

- T1F01 What type of identification is being used when identifying a station on the air as Race Headquarters?
 A. Tactical call
- T1F02 When using tactical identifiers, how often must your station transmit the stations FCC-assigned call sign?
 C. Every ten minutes
- T1F03 When is an amateur station required to transmit its assigned call sign?
- D. At least every 10 minutes during and at the end of a contact

 T1F04 Which of the following is an acceptable language for use for station identification
- T1F04 Which of the following is an acceptable language for use for station identification when operating in a phone sub-band?
- C. The English language
- T1F05 What method of call sign identification is required for a station transmitting phone signals?

 B. Send the call sign using CW or phone emission
- T1F06 Which of the following formats of a self-assigned indicator is acceptable when identifying using a phone transmission?

A. KI 7CC stroke W3

B. KL7CC slant W3

C. KL7CC slash W3

D. All of these choices are correct

Technician and General Class Amateur Radio & Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

.....

.

trequencie:

T1 Question

T1A

T1C

T1F01 What type of identification is being used when identifying a station on the air as Race Headquarters?
 A. Tactical call

T1F02 When using tactical identifiers, how often must your station transmit the stations FCC-assigned call sign?
 C. Every ten minutes

T1F03 When is an amateur station required to transmit its assigned call sign?

D. At least every 10 minutes during and at the end of a contact

T1F04 Which of the following is an acceptable language for use for station identification when operating in a phone sub-band?

C. The English language

T1F05 What method of call sign identification is required for a station transmitting phone signals?

B. Send the call sign using CW or phone emission

T1F06 Which of the following formats of a self-assigned indicator is acceptable when identifying using a phone transmission?

A. KL7CC stroke W3

B. KL7CC slant W3

C. KL7CC slash W3

D. All of these choices are correct

T1F07 Which of the following restrictions apply when appending a self-assigned call sign indicator?
D. It must not conflict with any other indicator specified by the FCC rules or with any call sign prefix assigned to another country

Technician and General Class Amateur Radio & Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

iiceiise:

rrequencie

T1 Question

T1B T1C

T1E

- T1F01 What type of identification is being used when identifying a station on the air as Race Headquarters?
 A. Tactical call
- T1F02 When using tactical identifiers, how often must your station transmit the stations FCC-assigned call sign?
 Every ten minutes
- T1F03 When is an amateur station required to transmit its assigned call sign?
- D. At least every 10 minutes during and at the end of a contact
- T1F04 Which of the following is an acceptable language for use for station identification when operating in a phone sub-band?
- C. The English language
- T1F05 What method of call sign identification is required for a station transmitting phone signals?

 B. Send the call sign using CW or phone emission
- T1F06 Which of the following formats of a self-assigned indicator is acceptable when identifying using a phone transmission?

- B. KL7CC slant W3
- C. KL7CC slash W3
- D. All of these choices are correct
- T1F07 Which of the following restrictions apply when appending a self-assigned call sign indicator?
 D. It must not conflict with any other indicator specified by the FCC rules or with any call sign prefix assigned to another country
- T1F08 When may a Technician Class licensee be the control operator of a station operating in an exclusive Extra Class operator segment of the amateur bands? A Never

Technician and General Class Amateur Radio & Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

.....

rrequencies

T1 Question

T1B

T1D

T1F01 What type of identification is being used when identifying a station on the air as Race Headquarters?
 A. Tactical call

T1F02 When using tactical identifiers, how often must your station transmit the stations FCC-assigned call sign?
 C. Every ten minutes

T1F03 When is an amateur station required to transmit its assigned call sign?

D. At least every 10 minutes during and at the end of a contact

T1F04 Which of the following is an acceptable language for use for station identification when operating in a phone sub-band?

C. The English language

T1F05 What method of call sign identification is required for a station transmitting phone signals?

B. Send the call sign using CW or phone emission

T1F06 Which of the following formats of a self-assigned indicator is acceptable when identifying using a phone transmission?

A. KL7CC stroke W3

B. KL7CC slant W3

C. KL7CC slash W3

D. All of these choices are correct

T1F07 Which of the following restrictions apply when appending a self-assigned call sign indicator?
 D. It must not conflict with any other indicator specified by the FCC rules or with any call sign prefix assigned to another country

• TIF08 When may a Technician Class licensee be the control operator of a station operating in an exclusive Extra Class operator segment of the amateur bands?

A. Never

• T1F09 What type of amateur station simultaneously retransmits the signal of another amateur station on a different channel or channels?

C. Repeater station

Technician and General Class Amateur Radio & Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

.....

.

T1 0

T1 Question T1A

T1C

T1F

- T1F01 What type of identification is being used when identifying a station on the air as Race Headquarters?
 A. Tactical call
- T1F02 When using tactical identifiers, how often must your station transmit the stations FCC-assigned call sign?
 Every ten minutes
- T1F03 When is an amateur station required to transmit its assigned call sign?
- D. At least every 10 minutes during and at the end of a contact

 TIF04 Which of the following is an acceptable language for use for station identification when operating in a phone sub-hand?
- C. The English language
- T1F05 What method of call sign identification is required for a station transmitting phone signals?

 B. Send the call sign using CW or phone emission
- T1F06 Which of the following formats of a self-assigned indicator is acceptable when identifying using a phone transmission?

- B. KL7CC slant W3
- C. KL7CC slash W3
- D. All of these choices are correct
- T1F07 Which of the following restrictions apply when appending a self-assigned call sign indicator?

 D. It must not conflict with any other indicator specified by the FCC rules or with any call sign prefix assigned to another
 - D. It must not conflict with any other indicator specified by the FCC rules or with any call sign prefix assigned to anoth country

 TIPO With a proper Transfer Class Research by the country country.
- T1F08 When may a Technician Class licensee be the control operator of a station operating in an exclusive Extra Class operator segment of the amateur bands? A Never
- T1F09 What type of amateur station simultaneously retransmits the signal of another amateur station on a different channel or channels?
 C. Repeater station
- T1F10 Who is accountable should a repeater inadvertently retransmit communications that violate the FCC rules?

 A. The control operator of the originating station

Technician and General Class Amateur Radio & Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

licelises

frequencie

T1 Questions

T1B

T1D

- T1F01 What type of identification is being used when identifying a station on the air as Race Headquarters ?

 A. Tactical call
- T1F02 When using tactical identifiers, how often must your station transmit the stations FCC-assigned call sign?
 Every ten minutes
- T1F03 When is an amateur station required to transmit its assigned call sign?
- D. At least every 10 minutes during and at the end of a contact

 TIF04 Which of the following is an acceptable language for use for station identification when operating in a phone sub-hand?
- C. The English language
- T1F05 What method of call sign identification is required for a station transmitting phone signals?

 B. Send the call sign using CW or phone emission
- T1F06 Which of the following formats of a self-assigned indicator is acceptable when identifying using a phone transmission?

- B. KL7CC slant W3
- C. KL7CC slash W3
- D. All of these choices are correct
- T1F07 Which of the following restrictions apply when appending a self-assigned call sign indicator?
 D. It must not conflict with any other indicator specified by the FCC rules or with any call sign prefix assigned to another country
- T1F08 When may a Technician Class licensee be the control operator of a station operating in an exclusive Extra Class operator segment of the amateur bands?
- A. Never

 TIF09 What type of amateur station simultaneously retransmits the signal of another amateur station on a different channel or channels?
- C. Repeater station

 T1F10 Who is accountable should a repeater inadvertently retransmit communications that violate the FCC rules?

 A. The control operator of the originating station
- T1F11 To which foreign stations do the FCC rules authorize the transmission of non-emergency third party communications?
 - A. Any station whose government permits such communications

Technician and General Class Amateur Radio & Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

Who's In Charg

Part 97

.....

froguenci

T1 Questions

Γ1 Question Τ1Α

T1B

T1D

- T1F01 What type of identification is being used when identifying a station on the air as Race Headquarters?
 A. Tactical call
- T1F02 When using tactical identifiers, how often must your station transmit the stations FCC-assigned call sign?
 Every ten minutes
- T1F03 When is an amateur station required to transmit its assigned call sign?
- D. At least every 10 minutes during and at the end of a contact
- T1F04 Which of the following is an acceptable language for use for station identification when operating in a phone sub-band?
- C. The English language
- T1F05 What method of call sign identification is required for a station transmitting phone signals?

 B. Send the call sign using CW or phone emission
- T1F06 Which of the following formats of a self-assigned indicator is acceptable when identifying using a phone transmission?

- B. KL7CC slant W3
- C. KL7CC slash W3
- D. All of these choices are correct
- T1F07 Which of the following restrictions apply when appending a self-assigned call sign indicator?
 - D. It must not conflict with any other indicator specified by the FCC rules or with any call sign prefix assigned to another country
- T1F08 When may a Technician Class licensee be the control operator of a station operating in an exclusive Extra Class operator segment of the amateur bands? A Never
- T1F09 What type of amateur station simultaneously retransmits the signal of another amateur station on a different channel or channels?
- C. Repeater station
 T1F10 Who is accountable should a repeater inadvertently retransmit communications that violate the FCC rules?
- A. The control operator of the originating station
 TIF11 To which foreign stations do the FCC rules authorize the transmission of non-emergency third party communications?
- A. Any station whose government permits such communications
- T1F12 How many persons are required to be members of a club for a club station license to be issued by the FCC?

 B. At least 4

Anthony Odenthal, KF7OSN Amateur Extra

- T1F01 What type of identification is being used when identifying a station on the air as Race Headquarters? A. Tactical call
- T1F02 When using tactical identifiers, how often must your station transmit the stations FCC-assigned call sign? C. Every ten minutes
- T1F03 When is an amateur station required to transmit its assigned call sign?
- D. At least every 10 minutes during and at the end of a contact
- T1F04 Which of the following is an acceptable language for use for station identification when operating in a phone sub-hand?
 - C. The English language
- T1F05 What method of call sign identification is required for a station transmitting phone signals? B. Send the call sign using CW or phone emission
- T1F06 Which of the following formats of a self-assigned indicator is acceptable when identifying using a phone transmission?

- B. KL7CC slant W3
- C. KI 7CC slash W3
- D. All of these choices are correct
- T1F07 Which of the following restrictions apply when appending a self-assigned call sign indicator?
 - D. It must not conflict with any other indicator specified by the FCC rules or with any call sign prefix assigned to another country
- T1F08 When may a Technician Class licensee be the control operator of a station operating in an exclusive Extra Class operator segment of the amateur bands? A. Never
- T1F09 What type of amateur station simultaneously retransmits the signal of another amateur station on a different channel or channels?
 - C. Repeater station
- T1F10 Who is accountable should a repeater inadvertently retransmit communications that violate the FCC rules? A. The control operator of the originating station
- T1F11 To which foreign stations do the FCC rules authorize the transmission of non-emergency third party communications?
- A. Any station whose government permits such communications
- T1F12 How many persons are required to be members of a club for a club station license to be issued by the FCC? B. At least 4
- T1F13 When must the station licensee make the station and its records available for FCC inspection? B. Any time upon request by an FCC representative

Table of Contents

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Emergence Operation

Nets and messages

Radio Speal

Other Practice

T2 Questions

T2A

(7) Emergency Operations

8 Nets and messages

9 Radio Speak

10 Other Practices

11 T2 Questions

- T2A
- T2E
- T20

97.403 Safety of life and protection of property

Technician and General Class Amateur Radio & Satellite Stufl

Anthony Odenthal, KE7OSN Amateur Extra

Emergenc Operation

Nets and message

Radio Speak

Other Practic

T2 Question

T2A

No provision of these rules prevents the use by an amateur station of any means of radio communication at its disposal to provide essential communication needs in connection with the immediate safety of human life and immediate protection of property when normal communication systems are not available.

97.403 Safety of life and protection of property

Technician and General Class Amateur Radio & Satellite Stufl

Anthony Odenthal, KE7OSN Amateur Extra

Emergenc Operation

Nets and messages

Madio Speak

Other Practic

T2 Questions

T2 Question

No provision of these rules prevents the use by an amateur station of any means of radio communication at its disposal to provide essential communication needs in connection with the immediate safety of human life and immediate protection of property **when normal communication systems are not available.**

ARES

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Operation Control

Nets and messages

Other Fractice

T2 Questions T2A T2B

ARES - Amateur Radio Emergency Service

- Organized and run by ARRL
- Supports governmental and NGO groups.
- Most groups are organized at the county level
- "EC" Emergency Coordinator

RACES

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Emergenc Operation

Nets and messages

Other Fractice

T2 Question T2A

T2B T2C

RACES - Radio Amateur Civil Emergency Service

- Defined by the FCC
- Supports governmental agencies ONLY.
- Operators are registered with the controlling agency.
- RACES Officer
- Activated by federal declaration of emergency.
- In Oregon, ARES members are also registered in RACES

Table of Contents

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Operation

Nets and messages

radio Speak

Other Practice

T2 Questions

T2B

- 7 Emergency Operations
- 8 Nets and messages
- 9 Radio Speak
- 10 Other Practices
- 11 T2 Questions
 - T2A
 - T2E
 - T20

Disaster == Organized Chaos

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operation:

Nets and

rtadio opean

Other Practice

T2 Questions

To keep some organization to the use of frequencies and communications, groups are organized into "nets".

A "net" is a group of stations that are cooperating in the use of a frequency. The "net control" is responsible for deciding who gets to talk

Disaster == Organized Chaos

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operations

Nets and messages

кацю эреак

Other Practic

T2 Questions T2A T2B T2C

There are two kinds of nets:

Directed - the net control is strict in controlling who talks to whom. Stations tell net control they have a message for another station, and the net control directs them to call that station and pass the message.

Free - the net control allows stations to contact each other as they need to.

Disaster == Organized Chaos

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Emergenc Operation

Nets and

rtadio opean

Other Fractice

T2 Questions

T2B T2C There are three types of messages

Formal - written messages.

Informal - unwritten messages.

Administrative - station to station housekeeping.

Written Messages – Formal Traffic

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Emergence Operation

Nets and

rtaaio opeait

Other Practice

T2 Question

T2B T2C ARES and RACES have adopted the NIMS/ICS system for written traffic. I.e., ICS-213 message forms, in either digital or transcribed versions.

Written Messages – Formal Traffic

Technician and General Class Amateur Radio & Satellite Stuf

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operation

Nets and messages

кацю эреак

Other Practic

T2 Question

ARES and RACES have adopted the NIMS/ICS system for written traffic. I.e., ICS-213 message forms, in either digital or transcribed versions.

The TEST doesn't ask you about that. The TEST deals with the National Traffic System message form.

Written Messages – Formal Traffic

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Operation

Nets and messages

rtudio opeait

Other Practic

T2 Question

The National Traffic System (NTS) is a system organized by ARRL to transmit messages in a standard format, usually concerning "Health and Welfare". For example: "Aunt Martha arrived home safely. Have a happy birthday." Or "welcome to Ham radio". These messages use the NTS RadioGram form. The process is described in depth in the Message Processing Guidelines (MPG).

NTS RadioGram Form

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operations

Nets and message

Other Practic

T2 Question T2A

From Date Time

REC'D

A licensed Anateur Radio Operator, whose address is
shown above, handled this message free of charge. As
shown above, handled this message free of charge. As
operating, a "Nam" operator can accept no
compensation. A return message may be filed with the
"Nam" delivering this message may be filed with the
"Nam" delivering this message to you. Purther
"Nam" delivering this message to you. Purther
"Radio and the purchase of the purchase of

The American Radio Relay League RADIOGRAM Via Amateur Radio

lumber	Precedence	HX	Station of Ori	igin Ch	ieck	Place of Origin	Time Filed	Date
To:								
					This	Radio Message wa	as received at	::
					Amat Name Stre City	eeur Station e eet Address y, State, Zip	Date	·
Telephone Number:								

To

SENT

The American Radio Melay League, Inc. 18 the National Membership Society of Honned radio mateurs and the publisher of DAT Megazine. One of its functions is Amateur Operators. To that end, The League has organized the National Traffic System for daily nationated message handling.

Date

Time

Table of Contents

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Operation

Nets and messages

Radio Speak

Other Practic

T2 Questions

T2A T2B T2C

- 7 Emergency Operations
- 8 Nets and messages
- 9 Radio Speak
- 10 Other Practices
- 11 T2 Questions
 - T2A
 - T2E
 - T20

Types of radio short-hand

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Operations 2

Nets and messages

Radio Spea

Other Practice

T2 Question T2A T2B Amateur radio has its own codes, and slang. Much like 1337 or txt, this "shared language" makes it easier to communicate quickly, and efficently. Much of it comes from the days of telegraph and Morse Code.

Q Codes - Three letter codes beginning with Q

Number codes - Codes sent as numbers, we really only us 73

Pro-words - Standardized ways of saying things in a clear and concise fashion

Phonetics - Words for letters, try saying BCDEZGT five times fast.

Q-Codes

Technician and General Class Amateur Radio & Satellite Stuf

Anthony Odenthal, KE7OSN Amateur Extra

Operations Operations

Nets and messages

Oil Division

Other Practice

T2 Questions

T2A

Q codes are three letter codes that begin with Q and not QU and can be sent as either a question or a response. Really useful when using Morse Code as the codes are much shorter than what they represent. Some common Q codes are listed below.

QSY Change frequency

QRT Stop transmitting

QRZ I'm calling

QRM Man made interference

QRN Natural interference or Noise

QSL Acknowledge

QST Message to all amateurs

Q-Codes

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Operations Operations

Nets and messages

Oil Division

Other Fractice

T2 Questions

T2B

Q codes are three letter codes that begin with Q and not QU and can be sent as either a question or a response. Really useful when using Morse Code as the codes are much shorter than what they represent. Some common Q codes are listed below.

QSY Change frequency

QRT Stop transmitting

QRZ I'm calling

QRM Man made interference

QRN Natural interference or Noise

QSL Acknowledge

QST Message to all amateurs

Pro-words

General Class Amateur Radio & Satellite Stuf

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operations

Nets and messages

Other Practic

T2 Question T2A Pro or Professional words are used as shorthand, and because they prevent confusion. Yea and Nah kinda sound the same.

Roger Received

WilCO Will Comply

Over I'm done talking for now

Out I'm done talking to you

This Is I'm going to say my callsign now

Wait Hold on for a while

Affirmative Yes

Negative No

Phonetics

Anthony Odenthal. Amateur Extra

In amateur radio we use ITU phonetics, this helps us reduce the potential of confusion over letters that sound the same

A - Alfa "AL-FAH"

B - Bravo "BRAH-VOH" C - Charlie "CHAR-LEE"

D - Delta "DELL-TAH"

F - Fcho "FCK-OH"

F - Foxtrot "FOKS-TROT"

G - Golf "GOLF"

H - Hotel "HOH-TFII"

I - India "IN-DFF-AH"

I - Juliett " IFW-I FF-FTT

K - Kilo "KFF-I OH" I - Lima "LFF-MAH

M - Mike "MIKF"

N - November "NO-VEM-BER"

O - Oscar "OSS-CAH" P - Papa "PAH-PAH"

Q - Quebec "KEH-BECK"

R - Romeo "ROW-MF-OH

S - Sierra "SFF-AIR-RAH" T - Tango "TANG-GO"

U - Uniform "YOU-NFF-FORM"

V - Victor "VIK-TAH"

W - Whiskey "WISS-KEY"

X - X-Rav "ECKS-RAY"

Y - Yankee "YANG-KFY"

Z - Zulu "ZOO-LOO" W7QH becomes "Whiskey 7 Quebec Hotel" 0 "ZEE-RO"

1 "WUN" 2 "TOO"

3 "TH-UH-REE"

4 "FOW-FR"

5 "FI-IV" OR "FIFF" 6 "SIX"

7 "SEV-EN"

8 "ATF"

9 "NIN-FR"

CQ and 73

Technician and General Class Amateur Radio & Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

Operations 2

Nets and messages

Other Practic

T2 Question T2A

T2B T2C There are two other special cases.

- CQ is the standard calling call. Think of it as Seek You, though no one really knows where it comes from. It is common to add extra stuff depending on the situation. You might hear CQ JOTA, CQ Field Day, CQ Contest, CQ DX, CQ Oregon. This lets people pick who they are looking for. A common general CQ would sound like "CQ CQ CQ this is KE7OSN calling CQ CQ CQ"
- The other thing that comes up is the number 73, this goes back to the old Western Union Telegraph 92 codes, these were numbers that could be used in place of certian phrases, most of them dealing with packages or trains. 73 means "Beast Regards" and is generally used as "goodbye"

Table of Contents

General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Operation Control

Nets and messages

Radio Spe

Other Practice

T2 Questions T2A T2B 7 Emergency Operations

8 Nets and messages

9 Radio Speak

10 Other Practices

11 T2 Questions

T2A

T2E

T20

Power

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Operation Control

Nets and message

rtadio opean

Other Practice

T2 Question T2A T2B In most amateur bands the maximum legal limit for power output is 1500 Watts, PEP. PEP - Peak Envelope Power is the largest amplitude of a signal. On some bands the limit is lower, for each band there is also a point at which you have to do a safety evaluation of your station to avoid unsafe exposure. You should always use the minimal power required to do what you need to do.

Table of Contents

General Class & Satellite Stuff

Anthony Odenthal, Amateur Extra

11 T2 Questions

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Operation

Nets and

Radio Spea

T2 O.....

12 Question

T2A

T2C

T2A01 What is the most common repeater frequency offset in the 2 meter band?
 B. plus or minus 600 kHz

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Operation Operation

Nets and messages

Radio Spea

Other Practi

T2 Question

T2A

T2C

- T2A01 What is the most common repeater frequency offset in the 2 meter band?
 B. plus or minus 600 kHz
- T2A02 What is the national calling frequency for FM simplex operations in the 70 cm band?
 D. 446.000 MHz

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operations

Nets and messages

Radio Spea

Other Practi

Γ2 Question

T2A

T2C

- T2A01 What is the most common repeater frequency offset in the 2 meter band?
 B. plus or minus 600 kHz
- T2A02 What is the national calling frequency for FM simplex operations in the 70 cm band?
 D. 446.000 MHz
- T2A03 What is a common repeater frequency offset in the 70 cm band?
 A. Plus or minus 5 MHz

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operations

Nets and messages

ташо эреак

Other Practic

T2 Question

T2A T2B

- T2A01 What is the most common repeater frequency offset in the 2 meter band?
 B. plus or minus 600 kHz
- T2A02 What is the national calling frequency for FM simplex operations in the 70 cm band?
 D. 446.000 MHz
- T2A03 What is a common repeater frequency offset in the 70 cm band?
 A Plus or minus 5 MHz
- T2A04 What is an appropriate way to call another station on a repeater if you know the other station's call sign?

 B. Say the station's call sign then identify with your call sign

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operations

Nets and messages

ther Fractice

T2 Question T2A

T2C

- T2A01 What is the most common repeater frequency offset in the 2 meter band?
 B. plus or minus 600 kHz
- T2A02 What is the national calling frequency for FM simplex operations in the 70 cm band?
 D. 446.000 MHz
- T2A03 What is a common repeater frequency offset in the 70 cm band?
 A Plus or minus 5 MHz
- T2A04 What is an appropriate way to call another station on a repeater if you know the other station's call sign?
 B. Say the station's call sign then identify with your call sign
- T2A05 What should you transmit when responding to a call of CQ?
 C. The other station's call sign followed by your call sign

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operations

Nets and messages

0.1 0 ...

o tiler i ractice

T2 Question T2A

T2C

- T2A01 What is the most common repeater frequency offset in the 2 meter band?
 B. plus or minus 600 kHz
- T2A02 What is the national calling frequency for FM simplex operations in the 70 cm band?
 D. 446.000 MHz
- T2A03 What is a common repeater frequency offset in the 70 cm band?
 A Plus or minus 5 MHz
- T2A04 What is an appropriate way to call another station on a repeater if you know the other station's call sign?
 B. Say the station's call sign then identify with your call sign
- T2A05 What should you transmit when responding to a call of CQ?
 C. The other station's call sign followed by your call sign
- T2A06 What must an amateur operator do when making on-air transmissions to test equipment or antennas?
 A. Properly identify the transmitting station

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operations

Nets and messages

Other Practice

T2 Question T2A T2A01 What is the most common repeater frequency offset in the 2 meter band?

B. plus or minus 600 kHz

T2A02 What is the national calling frequency for FM simplex operations in the 70 cm band?
 D. 446.000 MHz

T2A03 What is a common repeater frequency offset in the 70 cm band?
 A Plus or minus 5 MHz

T2A04 What is an appropriate way to call another station on a repeater if you know the other station's call sign?
 B. Say the station's call sign then identify with your call sign

T2A05 What should you transmit when responding to a call of CQ?
 C. The other station's call sign followed by your call sign

T2A06 What must an amateur operator do when making on-air transmissions to test equipment or antennas?
 A. Properly identify the transmitting station

T2A07 Which of the following is true when making a test transmission?
 D. Station identification is required at least every ten minutes during the test and at the end

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operations

Nets and messages

Other Fractice

T2 Questions
T2A

T2A01 What is the most common repeater frequency offset in the 2 meter band?
 B. plus or minus 600 kHz

T2A02 What is the national calling frequency for FM simplex operations in the 70 cm band?
 D. 446.000 MHz

T2A03 What is a common repeater frequency offset in the 70 cm band?
 A Plus or minus 5 MHz

T2A04 What is an appropriate way to call another station on a repeater if you know the other station's call sign?
 B. Say the station's call sign then identify with your call sign

T2A05 What should you transmit when responding to a call of CQ?
 C. The other station's call sign followed by your call sign

T2A06 What must an amateur operator do when making on-air transmissions to test equipment or antennas?
 A. Properly identify the transmitting station

T2A07 Which of the following is true when making a test transmission?
 D. Station identification is required at least every ten minutes during the test and at the end

T2A08 What is the meaning of the procedural signal "CQ"?
 D. Calling any station

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operations

Nets and messages

Other Practice

T2 Question

T2C

- T2A01 What is the most common repeater frequency offset in the 2 meter band?

 B. plus or minus 600 kHz
- T2A02 What is the national calling frequency for FM simplex operations in the 70 cm band?
 D. 446.000 MHz
- T2A03 What is a common repeater frequency offset in the 70 cm band?
 A Plus or minus 5 MHz
- T2A04 What is an appropriate way to call another station on a repeater if you know the other station's call sign?
 B. Say the station's call sign then identify with your call sign
- T2A05 What should you transmit when responding to a call of CQ?
 C. The other station's call sign followed by your call sign
- T2A06 What must an amateur operator do when making on-air transmissions to test equipment or antennas?
 A. Properly identify the transmitting station
- T2A07 Which of the following is true when making a test transmission?
 D. Station identification is required at least every ten minutes during the test and at the end
- D. Station identification is required at least every ten minutes during the test and at the
- T2A08 What is the meaning of the procedural signal "CQ"?
 D. Calling any station
- T2A09 What brief statement is often used in place of "CQ" to indicate that you are listening on a repeater?
 B. Say your call sign

Technician and General Class Amateur Radio

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operations

Nets and messages

Other Fractice

T2 Question T2A

T2C

T2A01 What is the most common repeater frequency offset in the 2 meter band?

B. plus or minus 600 kHz

- T2A02 What is the national calling frequency for FM simplex operations in the 70 cm band?
 D. 446.000 MHz
- T2A03 What is a common repeater frequency offset in the 70 cm band?
 A Plus or minus 5 MHz
- T2A04 What is an appropriate way to call another station on a repeater if you know the other station's call sign?
 B. Say the station's call sign then identify with your call sign
- T2A05 What should you transmit when responding to a call of CQ?
 C. The other station's call sign followed by your call sign
- T2A06 What must an amateur operator do when making on-air transmissions to test equipment or antennas?
 A. Properly identify the transmitting station
- T2A07 Which of the following is true when making a test transmission?

 D. Station identification is required at least every ten minutes during the test and at the end
- T2A08 What is the meaning of the procedural signal "CQ"?
 D. Calling any station
- T2A09 What brief statement is often used in place of "CQ" to indicate that you are listening on a repeater?
 B. Say your call sign
- T2A10 What is a band plan, beyond the privileges established by the FCC?

 A. A voluntary guideline for using different modes or activities within an amateur band

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operations

Nets and messages

0.1 5 ...

Other Fractice

T2 Question

T2C

T2A01 What is the most common repeater frequency offset in the 2 meter band?

B. plus or minus 600 kHz

- T2A02 What is the national calling frequency for FM simplex operations in the 70 cm band?
 D. 446.000 MHz
- T2A03 What is a common repeater frequency offset in the 70 cm band?
 A Plus or minus 5 MHz
- T2A04 What is an appropriate way to call another station on a repeater if you know the other station's call sign?
 B. Say the station's call sign then identify with your call sign
- T2A05 What should you transmit when responding to a call of CQ?
 C. The other station's call sign followed by your call sign
- T2A06 What must an amateur operator do when making on-air transmissions to test equipment or antennas?
 A. Properly identify the transmitting station
- T2A07 Which of the following is true when making a test transmission?
- D. Station identification is required at least every ten minutes during the test and at the end
- T2A08 What is the meaning of the procedural signal "CQ"?
 D. Calling any station
- T2A09 What brief statement is often used in place of "CQ" to indicate that you are listening on a repeater?
 B. Say your call sign
- T2A10 What is a band plan, beyond the privileges established by the FCC?

 A. A voluntary guideline for using different modes or activities within an amateur band
- T2A11 What are the FCC rules regarding power levels used in the amateur bands?
 D. An amateur must use the minimum transmitter power necessary to carry out the desired communication

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operation

Nets and messages

ташо эреак

Other Practic

T2 Questions

T2A

T2B T2C • T2B01 What is the term used to describe an amateur station that is transmitting and receiving on the same frequency?

C. Simplex communication

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Emergency

Nets and messages

Other Fractic

T2 Questions

T2B T2C

- T2B01 What is the term used to describe an amateur station that is transmitting and receiving on the same frequency?
 - C. Simplex communication
- T2B02 What is the term used to describe the use of a sub-audible tone transmitted with normal voice audio to open the squelch of a receiver?

 D. CTCSS

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operations

Nets and messages

T2 O-----

T2A T2B

- T2B01 What is the term used to describe an amateur station that is transmitting and receiving on the same frequency?
 - C. Simplex communication
- T2B02 What is the term used to describe the use of a sub-audible tone transmitted with normal voice audio to open
 the squelch of a receiver?
 D. CTCSS
- T2B03 Which of the following describes the muting of receiver audio controlled solely by the presence or absence of an RF signal?
 B. Carrier squelch

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operations

Nets and messages

Other Practice

T2 Question T2A T2B T2B01 What is the term used to describe an amateur station that is transmitting and receiving on the same frequency?

C. Simplex communication

T2B02 What is the term used to describe the use of a sub-audible tone transmitted with normal voice audio to open the squelch of a receiver?

D. CTCSS

T2B03 Which of the following describes the muting of receiver audio controlled solely by the presence or absence of an RF signal?

B. Carrier squelch

T2B04 Which of the following common problems might cause you to be able to hear but not access a repeater even when transmitting with the proper offset?

A. The repeater receiver requires audio tone burst for access

B. The repeater receiver requires a CTCSS tone for access

C. The repeater receiver may require a DCS tone sequence for access

D. All of these choices are correct

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operations

Nets and messages

Other Practice

T2 Questions T2A T2B T2B01 What is the term used to describe an amateur station that is transmitting and receiving on the same frequency?

C. Simplex communication

T2B02 What is the term used to describe the use of a sub-audible tone transmitted with normal voice audio to open the squelch of a receiver?

D. CTCSS

T2B03 Which of the following describes the muting of receiver audio controlled solely by the presence or absence of an RF signal?

B. Carrier squelch

T2B04 Which of the following common problems might cause you to be able to hear but not access a repeater even when transmitting with the proper offset?

A. The repeater receiver requires audio tone burst for access

B. The repeater receiver requires a CTCSS tone for access

C. The repeater receiver may require a DCS tone sequence for access

D. All of these choices are correct

T2B05 What determines the amount of deviation of an FM signal?

C. The amplitude of the modulating signal

Technician and General Class Amateur Radio & Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operations

Nets and messages

Other Practice

T2 Questions T2A T2B • T2B01 What is the term used to describe an amateur station that is transmitting and receiving on the same frequency?

C. Simplex communication

T2B02 What is the term used to describe the use of a sub-audible tone transmitted with normal voice audio to open the squelch of a receiver?

D. CTCSS

T2B03 Which of the following describes the muting of receiver audio controlled solely by the presence or absence of an RF signal?

B. Carrier squelch

T2B04 Which of the following common problems might cause you to be able to hear but not access a repeater even when transmitting with the proper offset?

A. The repeater receiver requires audio tone burst for access

B. The repeater receiver requires a CTCSS tone for access

C. The repeater receiver may require a DCS tone sequence for access

D. All of these choices are correct

T2B05 What determines the amount of deviation of an FM signal?

C. The amplitude of the modulating signal

T2B06 What happens when the deviation of an FM transmitter is increased?

A. Its signal occupies more bandwidth

Anthony Odenthal. KF7OSN Amateur Extra

T2R

 T2B01 What is the term used to describe an amateur station that is transmitting and receiving on the same frequency?

C. Simplex communication

T2B02 What is the term used to describe the use of a sub-audible tone transmitted with normal voice audio to open the squelch of a receiver?

T2B03 Which of the following describes the muting of receiver audio controlled solely by the presence or absence of an RF signal?

B. Carrier squelch

T2B04 Which of the following common problems might cause you to be able to hear but not access a repeater even when transmitting with the proper offset?

A. The repeater receiver requires audio tone burst for access

B. The repeater receiver requires a CTCSS tone for access

C. The repeater receiver may require a DCS tone sequence for access

D. All of these choices are correct

T2B05 What determines the amount of deviation of an FM signal?

C. The amplitude of the modulating signal

T2B06 What happens when the deviation of an FM transmitter is increased?

A. Its signal occupies more bandwidth

 T2B07 What should you do if you receive a report that your station s transmissions are causing splatter or interference on nearby frequencies?

D. Check your transmitter for off-frequency operation or spurious emissions

Technician and General Class Amateur Radio & Satellite Stuf

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operations

Nets and messages

Other Practice

T2 Question

T2R

T2B01 What is the term used to describe an amateur station that is transmitting and receiving on the same frequency?

C. Simplex communication

T2B02 What is the term used to describe the use of a sub-audible tone transmitted with normal voice audio to open the squelch of a receiver?

D. CTCSS

T2B03 Which of the following describes the muting of receiver audio controlled solely by the presence or absence of an RF signal?

B. Carrier squelch

T2B04 Which of the following common problems might cause you to be able to hear but not access a repeater even when transmitting with the proper offset?

A. The repeater receiver requires audio tone burst for access

B. The repeater receiver requires a CTCSS tone for access

C. The repeater receiver may require a DCS tone sequence for access

D. All of these choices are correct

T2B05 What determines the amount of deviation of an FM signal?

C. The amplitude of the modulating signal

T2B06 What happens when the deviation of an FM transmitter is increased?

A. Its signal occupies more bandwidth

T2B07 What should you do if you receive a report that your station s transmissions are causing splatter or interference on nearby frequencies?

D. Check your transmitter for off-frequency operation or spurious emissions

T2B08 What is the proper course of action if your station s transmission unintentionally interferes with another station?

B. Properly identify your transmission and move to a different frequency

Technician and General Class Amateur Radio & Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operations

Nets and messages

Other Fractice

T2 Question T2A T2B T2B01 What is the term used to describe an amateur station that is transmitting and receiving on the same frequency?

C. Simplex communication

T2B02 What is the term used to describe the use of a sub-audible tone transmitted with normal voice audio to open the squelch of a receiver?

D. CTCSS

T2B03 Which of the following describes the muting of receiver audio controlled solely by the presence or absence of an RF signal?

B. Carrier squelch

T2B04 Which of the following common problems might cause you to be able to hear but not access a repeater even when transmitting with the proper offset?

A. The repeater receiver requires audio tone burst for access

B. The repeater receiver requires a CTCSS tone for access

C. The repeater receiver may require a DCS tone sequence for access

D. All of these choices are correct

T2B05 What determines the amount of deviation of an FM signal?

C. The amplitude of the modulating signal

T2B06 What happens when the deviation of an FM transmitter is increased?

A. Its signal occupies more bandwidth

T2B07 What should you do if you receive a report that your station s transmissions are causing splatter or interference on nearby frequencies?

D. Check your transmitter for off-frequency operation or spurious emissions

T2B08 What is the proper course of action if your station s transmission unintentionally interferes with another station?

B. Properly identify your transmission and move to a different frequency

T2B09 Which of the following methods is encouraged by the FCC when identifying your station when using phone?
 A. Use of a phonetic alphabet

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operations

Nets and messages

.

Other Practice

T2 Question T2A T2B • T2B01 What is the term used to describe an amateur station that is transmitting and receiving on the same frequency?

C. Simplex communication

T2B02 What is the term used to describe the use of a sub-audible tone transmitted with normal voice audio to open the squelch of a receiver?

D. CTCSS

T2B03 Which of the following describes the muting of receiver audio controlled solely by the presence or absence of an RF signal?

B. Carrier squelch

T2B04 Which of the following common problems might cause you to be able to hear but not access a repeater even when transmitting with the proper offset?

A. The repeater receiver requires audio tone burst for access

B. The repeater receiver requires a CTCSS tone for access

C. The repeater receiver may require a DCS tone sequence for access

D. All of these choices are correct

T2B05 What determines the amount of deviation of an FM signal?

C. The amplitude of the modulating signal

T2B06 What happens when the deviation of an FM transmitter is increased?

A. Its signal occupies more bandwidth

T2B07 What should you do if you receive a report that your station s transmissions are causing splatter or interference on nearby frequencies?

D. Check your transmitter for off-frequency operation or spurious emissions

T2B08 What is the proper course of action if your station s transmission unintentionally interferes with another station?

B. Properly identify your transmission and move to a different frequency

T2B09 Which of the following methods is encouraged by the FCC when identifying your station when using phone?
 A. Use of a phonetic alphabet

T2B10 What is the "Q" signal used to indicate that you are receiving interference from other stations?
 A. QRM

& Satellite Stuff

Anthony Odenthal. KF7OSN Amateur Extra

T2R

 T2B01 What is the term used to describe an amateur station that is transmitting and receiving on the same frequency?

C. Simplex communication

T2B02 What is the term used to describe the use of a sub-audible tone transmitted with normal voice audio to open the squelch of a receiver?

T2B03 Which of the following describes the muting of receiver audio controlled solely by the presence or absence of an RF signal?

B. Carrier squelch

T2B04 Which of the following common problems might cause you to be able to hear but not access a repeater even when transmitting with the proper offset?

A. The repeater receiver requires audio tone burst for access

B. The repeater receiver requires a CTCSS tone for access

C. The repeater receiver may require a DCS tone sequence for access

D. All of these choices are correct

T2B05 What determines the amount of deviation of an FM signal?

C. The amplitude of the modulating signal

T2B06 What happens when the deviation of an FM transmitter is increased?

A. Its signal occupies more bandwidth

 T2B07 What should you do if you receive a report that your station s transmissions are causing splatter or interference on nearby frequencies?

D. Check your transmitter for off-frequency operation or spurious emissions

■ T2B08 What is the proper course of action if your station s transmission unintentionally interferes with another station?

B. Properly identify your transmission and move to a different frequency

T2B09 Which of the following methods is encouraged by the FCC when identifying your station when using phone? A. Use of a phonetic alphabet

T2B10 What is the "Q" signal used to indicate that you are receiving interference from other stations? A. ORM

T2B11 What is the "O" signal used to indicate that you are changing frequency? B. QSY

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Amateur Ext

Operation

Nets and messages

Radio Speal

Other Pract

T2 Questions

T2A

T2C

T2C01 What set of rules applies to proper operation of your station when using amateur radio at the request of
public service officials?
 C. FCC Rules

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operations

Nets and messages

Radio Speal

Other Practic

T2 Questions

T2C

T2C01 What set of rules applies to proper operation of your station when using amateur radio at the request of
public service officials?
 C. FCC Rules

T2C04 What do RACES and ARES have in common?

D. Both organizations may provide communications during emergencies

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operations

Nets and messages

Radio Spea

Other Practi

T2 Questions

T2C

T2C01 What set of rules applies to proper operation of your station when using amateur radio at the request of
public service officials?
 C. FCC Rules

T2C04 What do RACES and ARES have in common?

D. Both organizations may provide communications during emergencies

T2C05 What is the Radio Amateur Civil Emergency Service?
 B. A radio service using amateur stations for emergency management or civil defense communications

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operations

Nets and messages

Radio Spea

Other Practi

T2 Questions T2A

T2C

T2C01 What set of rules applies to proper operation of your station when using amateur radio at the request of
public service officials?
 C. FCC Rules

T2C04 What do RACES and ARES have in common?

D. Both organizations may provide communications during emergencies

○ T2C05 What is the Radio Amateur Civil Emergency Service?

B. A radio service using amateur stations for emergency management or civil defense communications

T2C06 Which of the following is common practice during net operations to get the immediate attention of the net control station when reporting an emergency?

C. Begin your transmission with Priority or Emergency followed by your call sign

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operation:

Nets and messages

Other Fractice

T2 Question T2A T2B T2C01 What set of rules applies to proper operation of your station when using amateur radio at the request of
public service Officials?
 C. FCC Rules

T2C04 What do RACES and ARES have in common?

D. Both organizations may provide communications during emergencies

○ T2C05 What is the Radio Amateur Civil Emergency Service?

B. A radio service using amateur stations for emergency management or civil defense communications

T2C06 Which of the following is common practice during net operations to get the immediate attention of the net control station when reporting an emergency?

C. Begin your transmission with Priority or Emergency followed by your call sign

T2C07 What should you do to minimize disruptions to an emergency traffic net once you have checked in?
 C. Do not transmit on the net frequency until asked to do so by the net control station

Technician and General Class Amateur Radio & Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operations

Nets and messages

Other Fractice

T2 Question T2A T2B T2C01 What set of rules applies to proper operation of your station when using amateur radio at the request of
public service officials?
 C FCC Rules

T2C04 What do RACES and ARES have in common?

D. Both organizations may provide communications during emergencies

T2C05 What is the Radio Amateur Civil Emergency Service?

B. A radio service using amateur stations for emergency management or civil defense communications

• T2C06 Which of the following is common practice during net operations to get the immediate attention of the net control station when reporting an emergency?

C. Begin your transmission with Priority or Emergency followed by your call sign

T2C07 What should you do to minimize disruptions to an emergency traffic net once you have checked in?
 C. Do not transmit on the net frequency until asked to do so by the net control station

T2C08 What is usually considered to be the most important job of an amateur operator when handling emergency traffic messages?

A. Passing messages exactly as written, spoken or as received

Technician and General Class Amateur Radio & Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operation:

Nets and messages

Other Fractice

T2 Questions T2A T2B T2C01 What set of rules applies to proper operation of your station when using amateur radio at the request of
public service officials?
 C FCC Rules

T2C04 What do RACES and ARES have in common?

D. Both organizations may provide communications during emergencies

T2C05 What is the Radio Amateur Civil Emergency Service?

B. A radio service using amateur stations for emergency management or civil defense communications

• T2C06 Which of the following is common practice during net operations to get the immediate attention of the net control station when reporting an emergency?

C. Begin your transmission with Priority or Emergency followed by your call sign

T2C07 What should you do to minimize disruptions to an emergency traffic net once you have checked in?
 C. Do not transmit on the net frequency until asked to do so by the net control station

T2C08 What is usually considered to be the most important job of an amateur operator when handling emergency traffic messages?

A. Passing messages exactly as written, spoken or as received

 T2C09 When may an amateur station use any means of radio communications at its disposal for essential communications in connection with immediate safety of human life and protection of property?
 When normal communications systems are not available

Anthony Odenthal. KF7OSN Amateur Extra

T2C01 What set of rules applies to proper operation of your station when using amateur radio at the request of public service officials? C. FCC Rules

T2C04 What do RACES and ARES have in common?

D. Both organizations may provide communications during emergencies

T2C05 What is the Radio Amateur Civil Emergency Service?

B. A radio service using amateur stations for emergency management or civil defense communications

 T2C06 Which of the following is common practice during net operations to get the immediate attention of the net control station when reporting an emergency?

C. Begin your transmission with Priority or Emergency followed by your call sign

T2C07 What should you do to minimize disruptions to an emergency traffic net once you have checked in? C. Do not transmit on the net frequency until asked to do so by the net control station

 T2C08 What is usually considered to be the most important job of an amateur operator when handling emergency traffic messages?

A. Passing messages exactly as written, spoken or as received

T2C09 When may an amateur station use any means of radio communications at its disposal for essential communications in connection with immediate safety of human life and protection of property? B. When normal communications systems are not available

T2C10 What is the preamble in a formal traffic message? D. The information needed to track the message as it passes through the amateur radio traffic handling system

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Emergency Operation:

Nets and messages

Other Fractio

T2 Questions T2A T2B • T2C01 What set of rules applies to proper operation of your station when using amateur radio at the request of public service officials?

C. FCC Rules

T2C04 What do RACES and ARES have in common?

D. Both organizations may provide communications during emergencies

○ T2C05 What is the Radio Amateur Civil Emergency Service?

B. A radio service using amateur stations for emergency management or civil defense communications

• T2C06 Which of the following is common practice during net operations to get the immediate attention of the net control station when reporting an emergency?

C. Begin your transmission with Priority or Emergency followed by your call sign $\,$

T2C07 What should you do to minimize disruptions to an emergency traffic net once you have checked in?
 C. Do not transmit on the net frequency until asked to do so by the net control station

T2C08 What is usually considered to be the most important job of an amateur operator when handling emergency traffic messages?

A. Passing messages exactly as written, spoken or as received

T2C09 When may an amateur station use any means of radio communications at its disposal for essential communications in connection with immediate safety of human life and protection of property?

B. When normal communications systems are not available

T2C10 What is the preamble in a formal traffic message?
 D. The information needed to track the message as it passes through the amateur radio traffic handling system

T2C11 What is meant by the term "check" in reference to a formal traffic message?
A. The check is a count of the number of words or word equivalents in the text portion of the message

Table of Contents

General Class & Satellite Stuff

Anthony Odenthal, Amateur Extra

Waves

12 Electromagnetic Waves

Electromagnetic Waves

Anthony Odenthal, Amateur Extra

Waves

Electromagnetic waves are energy waves that move through space, similar to the way waves move in water or sound through air. In a vacuum these waves move at the speed of light 299,792,458m/sor 186,282.397 miles / second. This is good as these waves are light.

Speed of light

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagnet Waves

. .

T2 Ougst

T3A

We can round up to 300,000,000 m/s. Some distance measured in terms of light-time

Average distance between the Sun and Earth - 8 minutes

GEO Satellite to Earth's Surface - about a half second

Nearest other star to our Sun 4.25 Years

Voyager Space probe to the Sun at 18,884,401,200 Km from the sun?

Speed of light

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagneti Waves

. .

T3A

We can round up to 300,000,000m/s. Some distance measured in terms of light-time

Average distance between the Sun and Earth - 8 minutes GEO Satellite to Earth's Surface - about a half second

GEO Satellite to Earth's Surface - about a half second

Nearest other star to our Sun 4.25 Years

Voyager Space probe to the Sun at 18,884,401,200 Km from the

$$sun? \frac{\frac{18884401200Km}{300000Km/s}}{3600s} = Hours$$

Speed of light

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagneti Waves

. .

....

T3 Questic

We can round up to 300,000,000 m/s. Some distance measured in terms of light-time

Average distance between the Sun and Earth - 8 minutes GEO Satellite to Earth's Surface - about a half second

Nearest other star to our Sun 4.25 Years

Voyager Space probe to the Sun at 18,884,401,200 Km from the

sun?
$$\frac{\frac{1888491200Km}{300000Km/s}}{3600s}$$
 = Hours 17:08:00-ish

Frequency - not just an ok movie

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagne Waves

_

· ropugutio

T3 Questi

T3A

We often refer to a wave by it's frequency. Frequency is the number of times a wave cycles in a given time. We use Hertz (Hz) which has the unites of $\frac{1}{Seconds}$.

Middle C is 440Hz, or 440 cycles per second.

KLOO-AM is 1.340MHz, or 1,340,000 cycles per second.

SI Prefixs

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagneti Waves

Propagatio

....

T3A

T3B

Sometimes it is a lot easier to shorten things up a bit.

Tera T 10^{12} 1,000,000,000,000

Giga G 10⁹ 1,000,000,000

Mega M 10⁶ 1,000,000

Kilo K 10³ 1,000

Deci d 10^{-1} 0.1

Ceni c 10^{-2} 0.01

Milli m 10^{-3} 0.001

Micro μ 10⁻⁶ 0.000001

Nano n 10^{-9} 0.000000001

Pico p 10^{-12} 0.00000000001

Wavelength

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra


Waves Waves

Propagatio

T3 Que

T3A

We also use wavelength to describe waves. The wavelength is the distance between two like points on the wave exactly one cycle apart, e.g. the distance between peaks.



ElectoMagnetic


Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Waves

Propagatio

T3A



Electromagnetic waves have two parts, one electric part, and one magnetic part. The magnetic part is rotated and phase shifted by 90°

Wavelength to frequency and back

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagnet Waves

T3A

It is easy to convert between wavelength and frequency just use the equation below.

Wavelength to frequency and back

It is easy to convert between wavelength and frequency just use the

Anthony Odenthal, Amateur Extra

Waves

equation below.

 $\overline{Wavelength(meters)} = \frac{300}{Freq.(MHz)}$

Wavelength to frequency and back

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagnet Waves

Propagation

T3 Questi

ТЗА

It is easy to convert between wavelength and frequency just use the equation below.

$$Wavelength(meters) = \frac{300}{Freq.(MHz)}$$

We'll practice on the next slide

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagnet Waves

Propagatio

. .

T3A

• Lets try to convert 7.025MHz into a wavelength to figure out which band it belongs to.

General Class & Satellite Stuff

Anthony Odenthal, Amateur Extra

Waves

• Lets try to convert 7.025MHz into a wavelength to figure out which band it belongs to.

Wavelength(λ) = $\frac{300}{7.025}$

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagnet Waves

Propagatio

Topagatic

13 Qu T3A Lets try to convert 7.025MHz into a wavelength to figure out which band it belongs to.

 $Wavelength(\lambda) = \frac{300}{7.025}$ that comes out to 42.7meters

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagnet Waves

Propagation

T3 Questi

T3A

• Lets try to convert 7.025MHz into a wavelength to figure out which band it belongs to.

 $Wavelength(\lambda) = \frac{300}{7.025}$ that comes out to 42.7meters That fits nicely in the 40meter band

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagnet Waves

riopagati

T3 Questi

ТЗА

T3B

Lets try to convert 7.025MHz into a wavelength to figure out which band it belongs to. Wavelength(λ) = $\frac{300}{7.025}$ that comes out to 42.7meters

 $Wavelength(\lambda) = \frac{300}{7.025}$ that comes out to 42.7meters That fits nicely in the 40meter band

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagnet Waves

Fropagatio

T3 Questi

T3A

Lets try to convert 7.025MHz into a wavelength to figure out which band it belongs to. Wavelength(λ) = $\frac{300}{7.025}$ that comes out to 42.7meters

 $Wavelength(\lambda) = \frac{300}{7.025}$ that comes out to 42.7meters That fits nicely in the 40meter band

Now lets try 223.50MHz $\frac{300}{223.50}$ =? 1.35, for the 1.25meter band.

Table of Contents

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagn Waves

Propagatio

T3 Questio

T3A T3B 12 Electromagnetic Waves

- 13 Propagation
- 14 T3 Questions
 - T3A
 - T3E
 - T30

Line of sight

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagne Waves

Propagatio

Γ3 Que

T3A

Just like light radio waves travel in a straight line.

Line of sight

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagne Waves

Propagatio

Γ3 Quest T3A Just like light radio waves travel in a straight line. They also reflect off some things like light.

Line of sight

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagn Waves

T2A

T3A

Just like light radio waves travel in a straight line.

They also reflect off some things like light.

If there are multiple ways for radio waves to get between two points we call this Multipath, and it creates interference.

Line of sight

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Waves

D-----

T3 Quest

ТЗА

Just like light radio waves travel in a straight line.

They also reflect off some things like light.

If there are multiple ways for radio waves to get between two points we call this Multipath, and it creates interference.

Reflections can be really useful when you don't have a direct line of sight.

Line of sight

Anthony Odenthal, Amateur Extra

Just like light radio waves travel in a straight line.

They also reflect off some things like light.

If there are multiple ways for radio waves to get between two points we call this Multipath, and it creates interference.

Reflections can be really useful when you don't have a direct line of sight.

Radio waves will also refract.

Solar Wind

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra


Waves

Propagatio

T3 Questio

ТЗА


T3B



Solar Radiation

Anthony Odenthal, Amateur Extra

At night the electrons recombinde with their atoms. This means things change from day to night.



Ionosphere

Technician and General Class Amateur Radio & Satellite Stuff


Anthony Odenthal, KE7OSN Amateur Extra

Electromagnet Waves

Propagatio

Γ3 Que:

T3A T3B



The parts of the atmosphere most affected by ionization are collectively called the lonosphere! It has multiple layers, each interact differently with radio waves. The D layers mostly absorbs RF, while the E and F layers reflect. HF is is ruled by the ionosphere VHF and up ... not so much.

Ionosphere

Anthony Odenthal, Amateur Extra

During the day the D layers absorbs a large chunk of HF, at night it goes away and signals bounce (refract) off the E and F layers. VHF and above mostly just goes through the ionosphere. . . But sometimes at night there is just enough E layer to refract VHF signals. We call this "Sporadic E"

Auroras and Meteor Showers

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Waves

Propagati

T3 Quest

ТЗА

ТЗВ

The auroras are a visible sign of ionization, as they move they can cause received signals to sound fluttery.

Meteor showers leave short lived trails of ionized gases, that can refract signals, these effects are impossible to predict and last seconds.

You can even bounce radio signals off the moon!

Tropospheric Ducting

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra


Waves

Propagatio

....

Т3Д

ТЗВ



Air can refract electromagnetic radiation. A temperature inversion (warm air above cold) can cause VHF signals to refract and travel long distances.

This is called "Tropospheric Ducting" and often happens between here and Hawaii, it mostly affects VHF.

Knife Edge


Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagneti Waves

Propagatio

T3 Que



Polarization

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromag Waves

· ropugutio

T3 Questi

T3A T3B Antennas tend to radiate and receive waves polarized along the direction of the antenna. An antenna pointing vertically produces vertically polarized waves, and the equivalent is true for a horizontal antenna.

If the polarization of the receiving antenna does not match the wave it is receiving then the signal strength is reduced by a significant degree. In an ideal world without the magnetic portion of a wave two antennas rotated $\pm 90^\circ$ would not be able to "see" each other.

Table of Contents

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagne Waves

D.....

T2 Ouestie

T3A T3B 12 Electromagnetic Waves

- 13 Propagation
- 14 T3 Questions
 - T3A
 - T3E
 - T30

General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, Amateur Extra

ТЗА

T3A01 What should you do if another operator reports that your station s 2 meter signals were strong just a moment ago, but now they are weak or distorted? D. Try moving a few feet, as random reflections may be causing multi-path distortion

General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagnet Waves

Propagation

73 Question

- T3A01 What should you do if another operator reports that your station s 2 meter signals were strong just a moment ago, but now they are weak or distorted?
 - D. Try moving a few feet, as random reflections may be causing multi-path distortion
- T3A02 (B) Why are UHF signals often more effective from inside buildings than VHF signals?

 B. The shorter wavelength allows them to more easily penetrate the structure of buildings

General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagnetic Waves

Propagatio

Γ3 Questi

- T3A01 What should you do if another operator reports that your station s 2 meter signals were strong just a moment ago, but now they are weak or distorted?
 - D. Try moving a few feet, as random reflections may be causing multi-path distortion
- T3A02 (B) Why are UHF signals often more effective from inside buildings than VHF signals?

 B. The shorter wavelength allows them to more easily penetrate the structure of buildings
- T3A03 What antenna polarization is normally used for long-distance weak-signal CW and SSB contacts using the VHF and UHF bands?
 - C. Horizontal

General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagneti Waves

Propagatio



T3A01 What should you do if another operator reports that your station s 2 meter signals were strong just a moment ago, but now they are weak or distorted?

- T3A02 (B) Why are UHF signals often more effective from inside buildings than VHF signals?
 B. The shorter wavelength allows them to more easily penetrate the structure of buildings
- T3A03 What antenna polarization is normally used for long-distance weak-signal CW and SSB contacts using the VHF and UHF bands?
 C Horizontal
- T3A04 What can happen if the antennas at opposite ends of a VHF or UHF line of sight radio link are not using the same polarization?
 - B. Signals could be significantly weaker

Amateur Radio & Satellite Stuff Anthony Odenthal,

KE7OSN Amateur Extra

Waves

T3A

T3A01 What should you do if another operator reports that your station s 2 meter signals were strong just a moment ago, but now they are weak or distorted?

D. Try moving a few feet, as random reflections may be causing multi-path distortion

T3A02 (B) Why are UHF signals often more effective from inside buildings than VHF signals?

B. The shorter wavelength allows them to more easily penetrate the structure of buildings

T3A03 What antenna polarization is normally used for long-distance weak-signal CW and SSB contacts using the VHF and UHF bands?

C. Horizontal

• T3A04 What can happen if the antennas at opposite ends of a VHF or UHF line of sight radio link are not using the same polarization?

B. Signals could be significantly weaker

T3A05 When using a directional antenna, how might your station be able to access a distant repeater if buildings or obstructions are blocking the direct line of sight path?

B. Try to find a path that reflects signals to the repeater

Amateur Radio & Satellite Stuff Anthony Odenthal, KF7OSN

Amateur Extra

Propagatio

T3 Questi

T3A T3B T3A01 What should you do if another operator reports that your station s 2 meter signals were strong just a moment ago, but now they are weak or distorted?

- T3A02 (B) Why are UHF signals often more effective from inside buildings than VHF signals?

 B. The shorter wavelength allows them to more easily penetrate the structure of buildings
- T3A03 What antenna polarization is normally used for long-distance weak-signal CW and SSB contacts using the VHF and UHF bands?
 C. Horizontal
- T3A04 What can happen if the antennas at opposite ends of a VHF or UHF line of sight radio link are not using the same polarization?
 B. Signals could be significantly weaker
- T3A05 When using a directional antenna, how might your station be able to access a distant repeater if buildings or obstructions are blocking the direct line of sight path?
- obstructions are blocking the direct line of sight path?

 B. Try to find a path that reflects signals to the repeater
- T3A06 What term is commonly used to describe the rapid fluttering sound sometimes heard from mobile stations
 that are moving while transmitting?
 B. Picket fencing

Amateur Radio & Satellite Stuff Anthony Odenthal

KE7OSN Amateur Extra

Waves

Propagatio

T3A T3B • T3A01 What should you do if another operator reports that your station s 2 meter signals were strong just a moment ago, but now they are weak or distorted?

- T3A02 (B) Why are UHF signals often more effective from inside buildings than VHF signals?

 B. The shorter wavelength allows them to more easily penetrate the structure of buildings
- T3A03 What antenna polarization is normally used for long-distance weak-signal CW and SSB contacts using the VHF and UHF bands?
 C. Horizontal
- T3A04 What can happen if the antennas at opposite ends of a VHF or UHF line of sight radio link are not using the same polarization?
 B. Signals could be significantly weaker
- T3A05 When using a directional antenna, how might your station be able to access a distant repeater if buildings or obstructions are blocking the direct line of sight path?
 B. Try to find a path that reflects signals to the repeater
- T3A06 What term is commonly used to describe the rapid fluttering sound sometimes heard from mobile stations
 that are moving while transmitting?
 B. Picket fencing
- T3A07 What type of wave carries radio signals between transmitting and receiving stations?

 A. Electromagnetic

Title

& Satellite Stuff Anthony

Odenthal. KF7OSN Amateur Extra

■ T3A01 What should you do if another operator reports that your station s 2 meter signals were strong just a moment ago, but now they are weak or distorted?

- T3A02 (B) Why are UHF signals often more effective from inside buildings than VHF signals? B. The shorter wavelength allows them to more easily penetrate the structure of buildings
- T3A03 What antenna polarization is normally used for long-distance weak-signal CW and SSB contacts using the VHF and UHF bands? C. Horizontal
- T3A04 What can happen if the antennas at opposite ends of a VHF or UHF line of sight radio link are not using the same polarization?
 - B. Signals could be significantly weaker
- T3A05 When using a directional antenna, how might your station be able to access a distant repeater if buildings or obstructions are blocking the direct line of sight path?
 - B. Try to find a path that reflects signals to the repeater
- T3A06 What term is commonly used to describe the rapid fluttering sound sometimes heard from mobile stations that are moving while transmitting? B. Picket fencing
- T3A07 What type of wave carries radio signals between transmitting and receiving stations? A. Electromagnetic
- T3A08 What is the cause of irregular fading of signals from distant stations during times of generally good reception? C. Random combining of signals arriving via different path lengths

Amateur Radio & Satellite Stuff Anthony Odenthal, KE7OSN

Amateur Extra

Propagatio

. -

T3A T3B T3A01 What should you do if another operator reports that your station s 2 meter signals were strong just a moment ago, but now they are weak or distorted?

D. Try moving a few feet, as random reflections may be causing multi-path distortion

T3A02 (B) Why are UHF signals often more effective from inside buildings than VHF signals?

B. The shorter wavelength allows them to more easily penetrate the structure of buildings

T3A03 What antenna polarization is normally used for long-distance weak-signal CW and SSB contacts using the VHF and UHF bands?

C. Horizontal

T3A04 What can happen if the antennas at opposite ends of a VHF or UHF line of sight radio link are not using the same polarization?

B. Signals could be significantly weaker

T3A05 When using a directional antenna, how might your station be able to access a distant repeater if buildings or obstructions are blocking the direct line of sight path?

B. Try to find a path that reflects signals to the repeater

T3A06 What term is commonly used to describe the rapid fluttering sound sometimes heard from mobile stations that are moving while transmitting?

B. Picket fencing

T3A07 What type of wave carries radio signals between transmitting and receiving stations?
 A. Electromagnetic

- T3A08 What is the cause of irregular fading of signals from distant stations during times of generally good reception?
 C. Random combining of signals arriving via different path lengths
- T3A09 Which of the following is a common effect of "skip" reflections between the Earth and the ionosphere?

 B. The polarization of the original signal is randomized

Amateur Radio & Satellite Stuff Anthony Odenthal

KE7OSN
Amateur Extra

Waves

Topagatic

T3A T3B T3A01 What should you do if another operator reports that your station s 2 meter signals were strong just a moment ago, but now they are weak or distorted?

- T3A02 (B) Why are UHF signals often more effective from inside buildings than VHF signals?

 B. The shorter wavelength allows them to more easily penetrate the structure of buildings
- T3A03 What antenna polarization is normally used for long-distance weak-signal CW and SSB contacts using the VHF and UHF bands?
 C. Horizontal
- T3A04 What can happen if the antennas at opposite ends of a VHF or UHF line of sight radio link are not using the same polarization?
 B. Signals could be significantly weaker
- T3A05 When using a directional antenna, how might your station be able to access a distant repeater if buildings or obstructions are blocking the direct line of sight path?
 B. Try to find a path that reflects signals to the repeater
- T3A06 What term is commonly used to describe the rapid fluttering sound sometimes heard from mobile stations that are moving while transmitting?

 B. Picket fencing
- T3A07 What type of wave carries radio signals between transmitting and receiving stations?
 A. Electromagnetic
- T3A08 What is the cause of irregular fading of signals from distant stations during times of generally good reception?
 C. Random combining of signals arriving via different path lengths
- T3A09 Which of the following is a common effect of "skip" reflections between the Earth and the ionosphere?
 B. The polarization of the original signal is randomized
- T3A10 What may occur if VHF or UHF data signals propagate over multiple paths?

 D. Error rates are likely to increase

Amateur Radio & Satellite Stuff Anthony Odenthal, KE7OSN

Amateur Extra
Electromagnetic
Waves

Propagatio

T3A T3B • T3A01 What should you do if another operator reports that your station s 2 meter signals were strong just a moment ago, but now they are weak or distorted?

- T3A02 (B) Why are UHF signals often more effective from inside buildings than VHF signals?

 B. The shorter wavelength allows them to more easily penetrate the structure of buildings
- T3A03 What antenna polarization is normally used for long-distance weak-signal CW and SSB contacts using the VHF and UHF bands?
 C. Horizontal
- T3A04 What can happen if the antennas at opposite ends of a VHF or UHF line of sight radio link are not using the same polarization?
 S. Signals could be significantly weaker
- T3A05 When using a directional antenna, how might your station be able to access a distant repeater if buildings or obstructions are blocking the direct line of sight path?

 B. Try to find a path that reflects signals to the repeater
- T3A06 What term is commonly used to describe the rapid fluttering sound sometimes heard from mobile stations
 that are moving while transmitting?
 B. Picket fencing
- T3A07 What type of wave carries radio signals between transmitting and receiving stations?
 A. Electromagnetic
- T3A08 What is the cause of irregular fading of signals from distant stations during times of generally good reception?
 C. Random combining of signals arriving via different path lengths
- T3A09 Which of the following is a common effect of "skip" reflections between the Earth and the ionosphere?
 B. The polarization of the original signal is randomized
- T3A10 What may occur if VHF or UHF data signals propagate over multiple paths?
 D. Error rates are likely to increase
- T3A11 Which part of the atmosphere enables the propagation of radio signals around the world?
 C. The ionosphere

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagne Waves

Propagatio

T3 Questio

T3B

T3B01 What is the name for the distance a radio wave travels during one complete cycle?
 C. Wavelength

General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagnet Waves

Propagatio

T3 Questi

ТЗВ

- T3B01 What is the name for the distance a radio wave travels during one complete cycle?
 C. Wavelength
- T3B02 What term describes the number of times per second that an alternating current reverses direction?
 D. Frequency

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagneti Waves

Propagatio

T3 Qu

ТЗВ

- T3B01 What is the name for the distance a radio wave travels during one complete cycle?
 C. Wavelength
- T3B02 What term describes the number of times per second that an alternating current reverses direction?
 D. Frequency
- T3B03 What are the two components of a radio wave?
 C. Electric and magnetic fields

General Class & Satellite Stuff

Anthony Odenthal, Amateur Extra

ТЗВ

- T3B01 What is the name for the distance a radio wave travels during one complete cycle? C. Wavelength
- T3B02 What term describes the number of times per second that an alternating current reverses direction? D. Frequency
- T3B03 What are the two components of a radio wave? C. Electric and magnetic fields
- T3B04 How fast does a radio wave travel through free space? A. At the speed of light

General Class & Satellite Stuff

Anthony Odenthal, Amateur Extra

ТЗВ

- T3B01 What is the name for the distance a radio wave travels during one complete cycle? C. Wavelength
- T3B02 What term describes the number of times per second that an alternating current reverses direction? D. Frequency
- T3B03 What are the two components of a radio wave? C. Electric and magnetic fields
- T3B04 How fast does a radio wave travel through free space? A. At the speed of light
- T3B05 How does the wavelength of a radio wave relate to its frequency? B. The wavelength gets shorter as the frequency increases

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagneti Waves

- T3B01 What is the name for the distance a radio wave travels during one complete cycle?
 C. Wavelength
- T3B02 What term describes the number of times per second that an alternating current reverses direction?
 D. Frequency
- T3B03 What are the two components of a radio wave?
 C. Electric and magnetic fields
- T3B04 How fast does a radio wave travel through free space?
 A. At the speed of light
- T3B05 How does the wavelength of a radio wave relate to its frequency?
 B. The wavelength gets shorter as the frequency increases
- T3B06 What is the formula for converting frequency to wavelength in meters?
 D. Wavelength in meters equals 300 divided by frequency in megahertz

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagneti Waves

. .

- T3B01 What is the name for the distance a radio wave travels during one complete cycle?
 C. Wavelength
- T3B02 What term describes the number of times per second that an alternating current reverses direction?
 D. Frequency
- T3B03 What are the two components of a radio wave?
 C. Electric and magnetic fields
- T3B04 How fast does a radio wave travel through free space?
 A. At the speed of light
- T3B05 How does the wavelength of a radio wave relate to its frequency?
 B. The wavelength gets shorter as the frequency increases
- T3B06 What is the formula for converting frequency to wavelength in meters?
 D. Wavelength in meters equals 300 divided by frequency in megahertz
- T3B07 What property of radio waves is often used to identify the different frequency bands?
 A. The approximate wavelength

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagneti Waves

. .

- T3B01 What is the name for the distance a radio wave travels during one complete cycle?
 C. Wavelength
- T3B02 What term describes the number of times per second that an alternating current reverses direction?
 D. Frequency
- T3B03 What are the two components of a radio wave?
 C. Electric and magnetic fields
- T3B04 How fast does a radio wave travel through free space?
 A. At the speed of light
- T3B05 How does the wavelength of a radio wave relate to its frequency?
 B. The wavelength gets shorter as the frequency increases
- T3B06 What is the formula for converting frequency to wavelength in meters?
 D. Wavelength in meters equals 300 divided by frequency in megahertz
- T3B07 What property of radio waves is often used to identify the different frequency bands?
 A. The approximate wavelength
- T3B08 What are the frequency limits of the VHF spectrum?
 B. 30 to 300 MHz

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagnet Waves

. .

T3 Question T3A T3B

- T3B01 What is the name for the distance a radio wave travels during one complete cycle?
 C. Wavelength
- T3B02 What term describes the number of times per second that an alternating current reverses direction?
 D. Frequency
- T3B03 What are the two components of a radio wave?
 C. Electric and magnetic fields
- T3B04 How fast does a radio wave travel through free space?
 A. At the speed of light
- T3B05 How does the wavelength of a radio wave relate to its frequency?
 B. The wavelength gets shorter as the frequency increases
- T3B06 What is the formula for converting frequency to wavelength in meters?
 D. Wavelength in meters equals 300 divided by frequency in megahertz
- T3B07 What property of radio waves is often used to identify the different frequency bands?
 A. The approximate wavelength
- T3B08 What are the frequency limits of the VHF spectrum?
 B. 30 to 300 MHz
- T3B09 What are the frequency limits of the UHF spectrum?
 D. 300 to 3000 MHz

General Class
Amateur Radio
& Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagnet Waves

, ropugation

T3 Question T3A T3B

- T3B01 What is the name for the distance a radio wave travels during one complete cycle?
 C. Wavelength
- T3B02 What term describes the number of times per second that an alternating current reverses direction?
 D. Frequency
- T3B03 What are the two components of a radio wave?
 C. Electric and magnetic fields
- T3B04 How fast does a radio wave travel through free space?
 A. At the speed of light
- T3B05 How does the wavelength of a radio wave relate to its frequency?

 B. The wavelength gets shorter as the frequency increases
- T3B06 What is the formula for converting frequency to wavelength in meters?
 D. Wavelength in meters equals 300 divided by frequency in megahertz
- T3B07 What property of radio waves is often used to identify the different frequency bands?

 A. The approximate wavelength
- T3B08 What are the frequency limits of the VHF spectrum?
 B. 30 to 300 MHz
- T3B09 What are the frequency limits of the UHF spectrum?
 D. 300 to 3000 MHz
- T3B10 What frequency range is referred to as HF?

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagnet Waves

, ropugation

T3 Question T3A T3B T3B01 What is the name for the distance a radio wave travels during one complete cycle?
 C. Wavelength

T3B02 What term describes the number of times per second that an alternating current reverses direction?
 D. Frequency

T3B03 What are the two components of a radio wave?
 C. Electric and magnetic fields

T3B04 How fast does a radio wave travel through free space?
 A. At the speed of light

T3B05 How does the wavelength of a radio wave relate to its frequency?
 B. The wavelength gets shorter as the frequency increases

T3B06 What is the formula for converting frequency to wavelength in meters?

D. Wavelength in meters equals 300 divided by frequency in megahertz

T3B07 What property of radio waves is often used to identify the different frequency bands?

A. The approximate wavelength

T3B08 What are the frequency limits of the VHF spectrum?
 B. 30 to 300 MHz

T3B09 What are the frequency limits of the UHF spectrum?
D. 300 to 3000 MHz

T3B10 What frequency range is referred to as HF?

T3B11 What is the approximate velocity of a radio wave as it travels through free space?
 B. 300,000,000 meters per second

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagnet Waves

Propagatio

3 Question

T3B

ТЗС

T3C01 Why are "direct" (not via a repeater) UHF signals rarely heard from stations outside your local coverage area?
 C. UHF signals are usually not reflected by the ionosphere

General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, Amateur Extra

T3C01 Why are "direct" (not via a repeater) UHF signals rarely heard from stations outside your local coverage area? C. UHF signals are usually not reflected by the ionosphere

T3C02 Which of the following might be happening when VHF signals are being received from long distances? D. Signals are being refracted from a sporadic E layer

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagneti Waves

Propagatio

T3 Quest

ТЗВ

- T3C01 Why are "direct" (not via a repeater) UHF signals rarely heard from stations outside your local coverage area?
 C. UHF signals are usually not reflected by the ionosphere
- T3C02 Which of the following might be happening when VHF signals are being received from long distances?
 D. Signals are being refracted from a sporadic E layer
- T3C03 What is a characteristic of VHF signals received via auroral reflection?
 B. The signals exhibit rapid fluctuations of strength and often sound distorted

General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Waves Waves

Propagatio

T3A

T3B

T3C01 Why are "direct" (not via a repeater) UHF signals rarely heard from stations outside your local coverage area?

C. UHF signals are usually not reflected by the ionosphere

- T3C02 Which of the following might be happening when VHF signals are being received from long distances?
 D. Signals are being refracted from a sporadic E layer
- T3C03 What is a characteristic of VHF signals received via auroral reflection?

 B. The signals exhibit rapid fluctuations of strength and often sound distorted
- T3C04 Which of the following propagation types is most commonly associated with occasional strong over-the-horizon signals on the 10, 6, and 2 meter bands?

 B. Sporadic E

Anthony

Anthony Odenthal, KE7OSN Amateur Extra

Waves

Propagatio

T3 Questi

T3A T3B

- T3C01 Why are "direct" (not via a repeater) UHF signals rarely heard from stations outside your local coverage area?
 C. UHF signals are usually not reflected by the ionosphere
- T3C02 Which of the following might be happening when VHF signals are being received from long distances?
 D. Signals are being refracted from a sporadic E layer
- T3C03 What is a characteristic of VHF signals received via auroral reflection?
 B. The signals exhibit rapid fluctuations of strength and often sound distorted
- T3C04 Which of the following propagation types is most commonly associated with occasional strong over-the-horizon signals on the 10, 6, and 2 meter bands?
 Sporadic E
- T3C05 What is meant by the term "knife-edge" propagation?
 C. Signals are partially refracted around solid objects exhibiting sharp edges

Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Waves

Propagation

T2 Ouestie

T3A T3B T3C01 Why are "direct" (not via a repeater) UHF signals rarely heard from stations outside your local coverage area?
 C. UHF signals are usually not reflected by the ionosphere

T3C02 Which of the following might be happening when VHF signals are being received from long distances?

D. Signals are being refracted from a sporadic E layer

T3C03 What is a characteristic of VHF signals received via auroral reflection?
 B. The signals exhibit rapid fluctuations of strength and often sound distorted

 T3C04 Which of the following propagation types is most commonly associated with occasional strong over-the-horizon signals on the 10, 6, and 2 meter bands?
 B. Sporadic E

T3C05 What is meant by the term "knife-edge" propagation?
 C. Signals are partially refracted around solid objects exhibiting sharp edges

73C06 What mode is responsible for allowing over-the-horizon VHF and UHF communications to ranges of approximately 300 miles on a regular basis?
A. Tropospheric scatter

Amateur Radio & Satellite Stuff Anthony Odenthal

KE7OSN Amateur Extra

Waves

Topagation

T3 Questio

T3A T3B T3C01 Why are "direct" (not via a repeater) UHF signals rarely heard from stations outside your local coverage area?
 C. UHF signals are usually not reflected by the ionosphere

T3C02 Which of the following might be happening when VHF signals are being received from long distances?

D. Signals are being refracted from a sporadic E layer

T3C03 What is a characteristic of VHF signals received via auroral reflection?
 B. The signals exhibit rapid fluctuations of strength and often sound distorted

■ T3C04 Which of the following propagation types is most commonly associated with occasional strong over-the-horizon signals on the 10, 6, and 2 meter bands?
B. Sporadic E

T3C05 What is meant by the term "knife-edge" propagation?
 C. Signals are partially refracted around solid objects exhibiting sharp edges

 T3C06 What mode is responsible for allowing over-the-horizon VHF and UHF communications to ranges of approximately 300 miles on a regular basis?
 A. Tropospheric scatter

T3C07 What band is best suited to communicating via meteor scatter?
 B. 6 meters

& Satellite Stuff Anthony

Odenthal. KF7OSN Amateur Extra

- T3C01 Why are "direct" (not via a repeater) UHF signals rarely heard from stations outside your local coverage area? C. UHF signals are usually not reflected by the ionosphere
- T3C02 Which of the following might be happening when VHF signals are being received from long distances? D. Signals are being refracted from a sporadic E laver
- T3C03 What is a characteristic of VHF signals received via auroral reflection? B. The signals exhibit rapid fluctuations of strength and often sound distorted
- T3C04 Which of the following propagation types is most commonly associated with occasional strong over-the-horizon signals on the 10, 6, and 2 meter bands? B. Sporadic E
- T3C05 What is meant by the term "knife-edge" propagation? C. Signals are partially refracted around solid objects exhibiting sharp edges
- T3C06 What mode is responsible for allowing over-the-horizon VHF and UHF communications to ranges of approximately 300 miles on a regular basis? A. Tropospheric scatter
- T3C07 What band is best suited to communicating via meteor scatter? B. 6 meters
- T3C08 What causes "tropospheric ducting"? D. Temperature inversions in the atmosphere

Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Electromagneti Waves

. ropugation

T3 Questio

T3B

- T3C01 Why are "direct" (not via a repeater) UHF signals rarely heard from stations outside your local coverage area?

 C. UHF signals are usually not reflected by the ionosphere
- T3C02 Which of the following might be happening when VHF signals are being received from long distances?
 D. Signals are being refracted from a sporadic E layer
- T3C03 What is a characteristic of VHF signals received via auroral reflection?
 B. The signals exhibit rapid fluctuations of strength and often sound distorted
- T3C04 Which of the following propagation types is most commonly associated with occasional strong over-the-horizon signals on the 10, 6, and 2 meter bands?
 B. Sporadic E
- T3C05 What is meant by the term "knife-edge" propagation?
 C. Signals are partially refracted around solid objects exhibiting sharp edges
- T3C06 What mode is responsible for allowing over-the-horizon VHF and UHF communications to ranges of approximately 300 miles on a regular basis?
 A. Tropospheric scatter
- T3C07 What band is best suited to communicating via meteor scatter?

 B. 6 meters
- T3C08 What causes "tropospheric ducting"?
 D. Temperature inversions in the atmosphere
- T3C09 What is generally the best time for long-distance 10 meter band propagation?
 A. During daylight hours

Amateur Radio & Satellite Stuff Anthony

Anthony Odenthal, KE7OSN Amateur Extra

Waves

i Topagatioi

T3 Questio

T3B

- T3C01 Why are "direct" (not via a repeater) UHF signals rarely heard from stations outside your local coverage area?
 C. UHF signals are usually not reflected by the ionosphere
- T3C02 Which of the following might be happening when VHF signals are being received from long distances?
 D. Signals are being refracted from a sporadic E layer
- T3C03 What is a characteristic of VHF signals received via auroral reflection?
 B. The signals exhibit rapid fluctuations of strength and often sound distorted
- T3C04 Which of the following propagation types is most commonly associated with occasional strong over-the-horizon signals on the 10, 6, and 2 meter bands?

 B. Sporadic E
- T3C05 What is meant by the term "knife-edge" propagation?
 C. Signals are partially refracted around solid objects exhibiting sharp edges
- T3C06 What mode is responsible for allowing over-the-horizon VHF and UHF communications to ranges of approximately 300 miles on a regular basis?
 A. Tropospheric scatter
- T3C07 What band is best suited to communicating via meteor scatter?

 B. 6 meters
- T3C08 What causes "tropospheric ducting"?
 D. Temperature inversions in the atmosphere
- T3C09 What is generally the best time for long-distance 10 meter band propagation?
 A. During daylight hours
- T3C10 What is the radio horizon?
 A. The distance at which radio signals between two points are effectively blocked by the curvature of the Earth

Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Waves

· ropugatio

T3 Questio

T3B

- T3C01 Why are "direct" (not via a repeater) UHF signals rarely heard from stations outside your local coverage area?

 C. UHF signals are usually not reflected by the ionosphere
- T3C02 Which of the following might be happening when VHF signals are being received from long distances?
 D. Signals are being refracted from a sporadic E layer
- T3C03 What is a characteristic of VHF signals received via auroral reflection?
 B. The signals exhibit rapid fluctuations of strength and often sound distorted
- T3C04 Which of the following propagation types is most commonly associated with occasional strong over-the-horizon signals on the 10, 6, and 2 meter bands?
 B. Sporadic E
- T3C05 What is meant by the term "knife-edge" propagation?
 C. Signals are partially refracted around solid objects exhibiting sharp edges
- T3C06 What mode is responsible for allowing over-the-horizon VHF and UHF communications to ranges of approximately 300 miles on a regular basis?
 A. Tropospheric scatter
- T3C07 What band is best suited to communicating via meteor scatter?

 B. 6 meters
- T3C08 What causes "tropospheric ducting"?
 D. Temperature inversions in the atmosphere
- T3C09 What is generally the best time for long-distance 10 meter band propagation?
 A. During daylight hours
- T3C10 What is the radio horizon?
 - A. The distance at which radio signals between two points are effectively blocked by the curvature of the Earth
- T3C11 Why do VHF and UHF radio signals usually travel somewhat farther than the visual line of sight distance between two stations?
 - C. The Earth seems less curved to radio waves than to light

Technician class section 4

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

microphone, speaker, headphones, filters, powe source, connecting a

source, connecting a computer, RF grounding

Operating controls; tuning, use of filters, squelch, AGC, repeater offset, memory channel

T4 Questions

This section is going to be really short as much of the details fit in better elsewhere

Table of Contents

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Station setup; microphone, speaker, headphones, filters, power source, connecting a computer, RF grounding

Operating controls; tuning, use of filters, squelch, AGC, repeater offset, memory channel

T4 Questions

- Station setup; microphone, speaker, headphones, filters, power source, connecting a computer, RF grounding
 - Operating controls; tuning, use of filters, squelch, AGC, repeater offset, memory channels
 - 17 T4 Questions
 - T4A
 - o T4B

Station setup; microphone, speaker, headphones, filters, power source, connecting a computer, RF grounding

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Station setup; microphone, speaker, headphones, filters, power source, connecting a computer, RF grounding

Operating controls; tuning use of filters, squelch, AGC, repeater offset, memory channe

T4 Question

Some microphones include push-to-talk and voltage connections. Headphones can be useful in a noisy area instead of a speaker. A regulated power supply reduces voltage fluctuations. Filters between the transmitter and antenna can reduce harmonic emissions. A band-reject filter is a good first step if your 2 meter radio is causing problems with a TV. A terminal node controller is a modem for your radio, your soundcard can be a modem too. Flat straps are good grounding cables. Ferrite chokes can reduce RF current in cables. If your radio whines in your car and it goes along with the engine its probably the alternator. A radio installed in a car should be connected to a good "ground"

Table of Contents

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

microphone, speaker, headphones, filters, power source, connecting a computer, RF

Operating controls; tuning, use of filters, squelch, AGC, repeater offset, memory channel

T4 Questions

- Station setup; microphone, speaker, headphones, filters, power source, connecting a computer, RF grounding
- 16 Operating controls; tuning, use of filters, squelch, AGC, repeater offset, memory channels
- 17 T4 Questions
 - T4A
 - o T4B

Operating controls; tuning, use of filters, squelch, AGC, repeater offset, memory channels

Technician and General Class Amateur Radio & Satellite Stuf

Anthony Odenthal, KE7OSN Amateur Extra

microphone, speaker, headphones, filters, power source, connecting a computer, RI

Operating controls; tuning, use of filters, squelch, AGC, repeater offset, memory channel

T4 Questions

If your mic is turned up to loud your signal may distort. You can set the frequency of a radio with the keypad or VFO knob. Squelch lets you mute the receiver when no signal is coming in. You can program favorite frequencies in memory. The noise blanker option can reduce noise. The RIT or Receiver Incremental Tuning control can change the pitch of the received audio. A good filter setting for SSB is 2400Hz, and 500Hz for CW. A repeater offset is the difference in its receive and transmit frequencies.

Table of Contents

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Station setup microphone, speaker, headphones, filters, power source, connecting a computer, RF

Operating controls; tuning, use of filters, squelch, AGC, repeater offset, memory channel

T4 Questions

Г4А Г4В

- Station setup; microphone, speaker, headphones, filters, power source, connecting a computer. RF grounding
- Operating controls; tuning, use of filters, squelch, AGC, repeater offset, memory channels
- 17 T4 Questions
 - T4A
 - T4B

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

microphone, speaker, neadphones, filters, power source, connecting a computer, RF

Operating controls; tuning, use of filters, squelch, AGC, repeater offset, memory channel

T4 Questions

T4A

TA01 (B) Which of the following is true concerning the microphone connectors on amateur transceivers?
 B. Some connectors include push-to-talk and voltages for powering the microphone

145 of 396 36.6%

General Class Amateur Radio & Satellite Stuff Anthony

Anthony Odenthal, KE7OSN Amateur Extra

microphone, speaker, neadphones, filters, power source, connecting a

Operating controls; tuning, use of filters, squelch, AGC, repeater offset,

T4 Questions

T4A

- TA01 (B) Which of the following is true concerning the microphone connectors on amateur transceivers?
 B. Some connectors include push-to-talk and voltages for powering the microphone
- T4A02 (C) What could be used in place of a regular speaker to help you copy signals in a noisy area?
 C. A set of headphones

Technician and General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

microphone, speaker, headphones, filters, power source, connecting a computer, RF grounding

Operating controls; tuning, use of filters, squelch, AGC, repeater offset,

T4 Questions

T4A

- TA01 (B) Which of the following is true concerning the microphone connectors on amateur transceivers?
 B. Some connectors include push-to-talk and voltages for powering the microphone
- T4A02 (C) What could be used in place of a regular speaker to help you copy signals in a noisy area?
 C. A set of headphones
- T4A03 (A) Which is a good reason to use a regulated power supply for communications equipment?
 A. It prevents voltage fluctuations from reaching sensitive circuits

Technician and General Class Amateur Radio & Satellite Stuf

Anthony Odenthal, KE7OSN Amateur Extra

microphone, speaker, headphones, filters, power source, connecting a computer, RF grounding

Operating controls; tuning, use of filters, squelch, AGC, repeater offset,

T4 Questions

T4A T4B

- TA01 (B) Which of the following is true concerning the microphone connectors on amateur transceivers?
 B. Some connectors include push-to-talk and voltages for powering the microphone
- T4A02 (C) What could be used in place of a regular speaker to help you copy signals in a noisy area?
 C. A set of headphones
- T4A03 (A) Which is a good reason to use a regulated power supply for communications equipment?
 A. It prevents voltage fluctuations from reaching sensitive circuits
- T4A04 (A) Where must a filter be installed to reduce harmonic emissions?
 A. Between the transmitter and the antenna

Technician and General Class Amateur Radio & Satellite Stuf

Anthony Odenthal, KE7OSN Amateur Extra

Station setup microphone, speaker, headphones, filters, power source, connecting a computer, RF grounding

Operating controls; tuning, use of filters, squelch, AGC, repeater offset,

T4 Questions

T4A

- TA01 (B) Which of the following is true concerning the microphone connectors on amateur transceivers?
 B. Some connectors include push-to-talk and voltages for powering the microphone
- T4A02 (C) What could be used in place of a regular speaker to help you copy signals in a noisy area?
 C. A set of headphones
- T4A03 (A) Which is a good reason to use a regulated power supply for communications equipment?
 A. It prevents voltage fluctuations from reaching sensitive circuits
- T4A04 (A) Where must a filter be installed to reduce harmonic emissions?
 A. Between the transmitter and the antenna
- T4A05 (D) What type of filter should be connected to a TV receiver as the first step in trying to prevent RF overload from a nearby 2 meter transmitter?
 D. Band-reject filter

Technician and General Class Amateur Radio & Satellite Stuf

Anthony Odenthal, KE7OSN Amateur Extra

microphone, speaker, headphones, filters, power source, connecting a computer, Rf

Operating controls; tuning, use of filters, squelch, AGC, repeater offset, memory channel

T4 Questions

T4A

- TA01 (B) Which of the following is true concerning the microphone connectors on amateur transceivers?
 B. Some connectors include push-to-talk and voltages for powering the microphone
- T4A02 (C) What could be used in place of a regular speaker to help you copy signals in a noisy area?
 C. A set of headphones
- T4A03 (A) Which is a good reason to use a regulated power supply for communications equipment?
 A. It prevents voltage fluctuations from reaching sensitive circuits
- T4A04 (A) Where must a filter be installed to reduce harmonic emissions?
 A. Between the transmitter and the antenna
- T4A05 (D) What type of filter should be connected to a TV receiver as the first step in trying to prevent RF overload from a nearby 2 meter transmitter?
 D. Band-reject filter
- T4A06 (C) Which of the following would be connected between a transceiver and computer in a packet radio station?
 C. Terminal node controller

General Class Amateur Radio & Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

microphone, speaker, headphones, filters, power source, connecting a computer, RF grounding

Operating controls; tuning use of filters, squelch, AGC, repeater offset, memory change

T4 Questions

T4A T4B

- TA01 (B) Which of the following is true concerning the microphone connectors on amateur transceivers?
 B. Some connectors include push-to-talk and voltages for powering the microphone
- T4A02 (C) What could be used in place of a regular speaker to help you copy signals in a noisy area?
 C. A set of headphones
- T4A03 (A) Which is a good reason to use a regulated power supply for communications equipment?
 A. It prevents voltage fluctuations from reaching sensitive circuits
- T4A04 (A) Where must a filter be installed to reduce harmonic emissions?
 A. Between the transmitter and the antenna
- T4A05 (D) What type of filter should be connected to a TV receiver as the first step in trying to prevent RF overload from a nearby 2 meter transmitter?
 D. Band-reject filter
- T4A06 (C) Which of the following would be connected between a transceiver and computer in a packet radio station?
 C. Terminal node controller
- T4A07 (C) How is the computer's sound card used when conducting digital communications using a computer?

 C. The sound card provides audio to the microphone input and converts received audio to digital form

General Class Amateur Radio & Satellite Stuf

Anthony Odenthal, KE7OSN Amateur Extra

microphone, speaker, headphones, filters, power source, connecting a computer, RF

Operating controls; tuning, use of filters, squelch, AGC, repeater offset, memory channel

T4 Question

T4A T4B

- TA01 (B) Which of the following is true concerning the microphone connectors on amateur transceivers?
 B. Some connectors include push-to-talk and voltages for powering the microphone
- T4A02 (C) What could be used in place of a regular speaker to help you copy signals in a noisy area?
 C. A set of headphones
- T4A03 (A) Which is a good reason to use a regulated power supply for communications equipment?
 A. It prevents voltage fluctuations from reaching sensitive circuits
- T4A04 (A) Where must a filter be installed to reduce harmonic emissions?
 A. Between the transmitter and the antenna
- T4A05 (D) What type of filter should be connected to a TV receiver as the first step in trying to prevent RF overload from a nearby 2 meter transmitter?
 D. Band-reject filter
- T4A06 (C) Which of the following would be connected between a transceiver and computer in a packet radio station?
 C. Terminal node controller
- T4A07 (C) How is the computer s sound card used when conducting digital communications using a computer?
 C. The sound card provides audio to the microphone input and converts received audio to digital form
- T4A08 (D) Which type of conductor is best to use for RF grounding?
 D. Flat strap

General Class Amateur Radio & Satellite Stuf

Anthony Odenthal, KE7OSN Amateur Extra

microphone, speaker, headphones, filters, power source, connecting a computer, RI

Operating controls; tuning, use of filters, squelch, AGC, repeater offset, memory channel

T4 Questions

T4A T4B

- TA01 (B) Which of the following is true concerning the microphone connectors on amateur transceivers?
 B. Some connectors include push-to-talk and voltages for powering the microphone
- T4A02 (C) What could be used in place of a regular speaker to help you copy signals in a noisy area?
 C. A set of headphones
- T4A03 (A) Which is a good reason to use a regulated power supply for communications equipment?
 A. It prevents voltage fluctuations from reaching sensitive circuits
- T4A04 (A) Where must a filter be installed to reduce harmonic emissions?
 A. Between the transmitter and the antenna
- T4A05 (D) What type of filter should be connected to a TV receiver as the first step in trying to prevent RF overload from a nearby 2 meter transmitter?
 D. Band-reject filter
- T4A06 (C) Which of the following would be connected between a transceiver and computer in a packet radio station?
 Terminal node controller.
- T4A07 (C) How is the computer s sound card used when conducting digital communications using a computer?

 C. The sound card provides audio to the microphone input and converts received audio to digital form
- T4A08 (D) Which type of conductor is best to use for RF grounding?
 D. Flat strap
- T4A09 (D) Which would you use to reduce RF current flowing on the shield of an audio cable?
 D. Ferrite choke

Technician and General Class Amateur Radio & Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

microphone, speaker, headphones, filters, power source, connecting a computer, RI

Operating controls; tuning use of filters, squelch, AGC, repeater offset, memory channe

T4 Questions

T4A T4B

- TA01 (B) Which of the following is true concerning the microphone connectors on amateur transceivers?
 B. Some connectors include push-to-talk and voltages for powering the microphone
- T4A02 (C) What could be used in place of a regular speaker to help you copy signals in a noisy area?
 C. A set of headphones
- T4A03 (A) Which is a good reason to use a regulated power supply for communications equipment?
 A. It prevents voltage fluctuations from reaching sensitive circuits
- T4A04 (A) Where must a filter be installed to reduce harmonic emissions?
 A. Between the transmitter and the antenna
- T4A05 (D) What type of filter should be connected to a TV receiver as the first step in trying to prevent RF overload from a nearby 2 meter transmitter?
 D. Band-reject filter
- T4A06 (C) Which of the following would be connected between a transceiver and computer in a packet radio station?
- T4A07 (C) How is the computer s sound card used when conducting digital communications using a computer?
 C. The sound card provides audio to the microphone input and converts received audio to digital form
- T4A08 (D) Which type of conductor is best to use for RF grounding?
 D. Flat strap
- T4A09 (D) Which would you use to reduce RF current flowing on the shield of an audio cable?
 D. Ferrite choke
- T4A10 (B) What is the source of a high-pitched whine that varies with engine speed in a mobile transceiver s receive audio?
 - B. The alternator

General Class Amateur Radio & Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

microphone, speaker, headphones, filters, power source, connecting a computer, RF

Operating controls; tuning, use of filters, squelch, AGC, repeater offset, memory channel

T4 Questions

- TA01 (B) Which of the following is true concerning the microphone connectors on amateur transceivers?
 B. Some connectors include push-to-talk and voltages for powering the microphone
- T4A02 (C) What could be used in place of a regular speaker to help you copy signals in a noisy area?
 C. A set of headphones
- T4A03 (A) Which is a good reason to use a regulated power supply for communications equipment?
 A. It prevents voltage fluctuations from reaching sensitive circuits
- T4A04 (A) Where must a filter be installed to reduce harmonic emissions?
 A. Between the transmitter and the antenna
- T4A05 (D) What type of filter should be connected to a TV receiver as the first step in trying to prevent RF overload from a nearby 2 meter transmitter?
 D. Band-reject filter
- T4A06 (C) Which of the following would be connected between a transceiver and computer in a packet radio station?
- T4A07 (C) How is the computer s sound card used when conducting digital communications using a computer?
 C. The sound card provides audio to the microphone input and converts received audio to digital form
- T4A08 (D) Which type of conductor is best to use for RF grounding?
 D. Flat strap
- T4A09 (D) Which would you use to reduce RF current flowing on the shield of an audio cable?
 D. Ferrite choke
- T4A10 (B) What is the source of a high-pitched whine that varies with engine speed in a mobile transceiver s receive audio?
 - B. The alternator
- T4A11 (A) Where should a mobile transceiver's power negative connection be made?
 A. At the battery or engine block ground strap

145 of 396 36.6%

General Class Amateur Radio & Satellite Stuff Anthony

Anthony Odenthal, KE7OSN Amateur Extra

microphone, speaker, headphones, filters, power source, connecting a computer, RF

Operating controls; tuning, use of filters, squelch, AGC, repeater offset,

T4 Questions

T4B

T4B01 (B) What may happen if a transmitter is operated with the microphone gain set too high?
 B. The output signal might become distorted

General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

microphone, speaker, headphones, filters, power source, connecting a computer, RF

Operating controls; tuning, use of filters, squelch, AGC, repeater offset,

T4 Questions

T4R

- T4801 (B) What may happen if a transmitter is operated with the microphone gain set too high?
 B. The output signal might become distorted
- T4B02 (A) Which of the following can be used to enter the operating frequency on a modern transceiver?
 A. The keypad or VFO knob

General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

microphone, speaker, headphones, filters, power source, connecting a computer, RF grounding

Operating controls; tuning, use of filters, squelch, AGC, repeater offset,

T4 Questions

T4R

- T4801 (B) What may happen if a transmitter is operated with the microphone gain set too high?
 B. The output signal might become distorted
- T4B02 (A) Which of the following can be used to enter the operating frequency on a modern transceiver?
 A. The keypad or VFO knob
- T4B03 (D) What is the purpose of the squelch control on a transceiver?
 D. To mute receiver output noise when no signal is being received

General Class Amateur Radio & Satellite Stuff

Anthony Odenthal, KE7OSN Amateur Extra

Station setup microphone, speaker, headphones, filters, power source, connecting a computer, RF grounding

Operating controls; tuning, use of filters, squelch, AGC, repeater offset,

T4 Questions

T4A

- T4801 (B) What may happen if a transmitter is operated with the microphone gain set too high?
 B. The output signal might become distorted
- T4802 (A) Which of the following can be used to enter the operating frequency on a modern transceiver?
 A. The keypad or VFO knob
- T4B03 (D) What is the purpose of the squelch control on a transceiver?
 D. To mute receiver output noise when no signal is being received
- T4B04 (B) What is a way to enable quick access to a favorite frequency on your transceiver?
 B. Store the frequency in a memory channel

General Class Amateur Radio & Satellite Stuf

Anthony Odenthal, KE7OSN Amateur Extra

Station setup microphone, speaker, headphones, filters, power source, connecting a computer, RF grounding

Operating controls; tuning use of filters, squelch, AGC, repeater offset,

T4 Questions

TAR

- T4B01 (B) What may happen if a transmitter is operated with the microphone gain set too high?
 B. The output signal might become distorted
- T4B02 (A) Which of the following can be used to enter the operating frequency on a modern transceiver?

 A. The keypad or VFO knob
- T4B03 (D) What is the purpose of the squelch control on a transceiver?

 D. To mute receiver output noise when no signal is being received
- T4B04 (B) What is a way to enable quick access to a favorite frequency on your transceiver?
 B. Store the frequency in a memory channel
- T4B05 (C) Which of the following would reduce ignition interference to a receiver?

 C. Turn on the noise blanker

General Class Amateur Radio & Satellite Stuf

Anthony Odenthal, KE7OSN Amateur Extra

microphone, speaker, headphones, filters, power source, connecting a computer, RF

Operating controls; tuning, use of filters, squelch, AGC, repeater offset, memory channel

T4 Questions

T4A

- T4801 (B) What may happen if a transmitter is operated with the microphone gain set too high?
 B. The output signal might become distorted
- T4B02 (A) Which of the following can be used to enter the operating frequency on a modern transceiver?
 A. The keypad or VFO knob
- T4B03 (D) What is the purpose of the squelch control on a transceiver?
 D. To mute receiver output noise when no signal is being received
- T4B04 (B) What is a way to enable quick access to a favorite frequency on your transceiver?
 B. Store the frequency in a memory channel
- T4B05 (C) Which of the following would reduce ignition interference to a receiver?
 C. Turn on the noise blanker
- T4B06 (D) Which of the following controls could be used if the voice pitch of a single-sideband signal seems too high or low?
 - D. The receiver RIT or clarifier

Amateur Radio

Astellite Stuf

Anthony Odenthal, KE7OSN Amateur Extra

microphone, speaker, headphones, filters, power source, connecting a computer, RF

Operating controls; tuning use of filters, squelch, AGC, repeater offset, memory channe

T4 Questions

TAR

- T4B01 (B) What may happen if a transmitter is operated with the microphone gain set too high?

 B. The output signal might become distorted
- T4B02 (A) Which of the following can be used to enter the operating frequency on a modern transceiver?
 A. The keypad or VFO knob
- T4B03 (D) What is the purpose of the squelch control on a transceiver?
 D. To mute receiver output noise when no signal is being received
- T4B04 (B) What is a way to enable quick access to a favorite frequency on your transceiver?
 B. Store the frequency in a memory channel
- T4B05 (C) Which of the following would reduce ignition interference to a receiver?
 C. Turn on the noise blanker
- T4B06 (D) Which of the following controls could be used if the voice pitch of a single-sideband signal seems too high or low?
 - D. The receiver RIT or clarifier
- T4B07 (B) What does the term "RIT" mean?
 B. Receiver Incremental Tuning

Amateur Radio
2 Satellite Stu

Anthony Odenthal, KE7OSN Amateur Extra

microphone, speaker, headphones, filters, power source, connecting a computer, RF

Operating controls; tuning, use of filters, squelch, AGC, repeater offset, memory channel

T4 Questions

T4A **T4B**

- T4B01 (B) What may happen if a transmitter is operated with the microphone gain set too high?

 B. The output signal might become distorted
- T4B02 (A) Which of the following can be used to enter the operating frequency on a modern transceiver?
 A. The keypad or VFO knob
- T4B03 (D) What is the purpose of the squelch control on a transceiver?

 D. To mute receiver output noise when no signal is being received
- T4B04 (B) What is a way to enable quick access to a favorite frequency on your transceiver?
 B. Store the frequency in a memory channel
- T4B05 (C) Which of the following would reduce ignition interference to a receiver?
 C. Turn on the noise blanker
- T4B06 (D) Which of the following controls could be used if the voice pitch of a single-sideband signal seems too high or low?
 - D. The receiver RIT or clarifier
- T4B07 (B) What does the term "RIT" mean?
 B. Receiver Incremental Tuning
- T4808 (B) What is the advantage of having multiple receive bandwidth choices on a multimode transceiver?
 B. Permits noise or interference reduction by selecting a bandwidth matching the mode

Amateur Radio

2 Satellite Stu

Anthony

Odenthal

Anthony Odenthal, KE7OSN Amateur Extra

microphone, speaker, headphones, filters, power source, connecting a computer, RF grounding

Operating controls; tuning, use of filters, squelch, AGC, repeater offset, memory channel

T4 Questions

- T4B01 (B) What may happen if a transmitter is operated with the microphone gain set too high?
 B. The output signal might become distorted
- T4B02 (A) Which of the following can be used to enter the operating frequency on a modern transceiver?
 A. The keypad or VFO knob
- T4B03 (D) What is the purpose of the squelch control on a transceiver?
 - D. To mute receiver output noise when no signal is being received
- T4B04 (B) What is a way to enable quick access to a favorite frequency on your transceiver?
 B. Store the frequency in a memory channel
- T4B05 (C) Which of the following would reduce ignition interference to a receiver?
 C. Turn on the noise blanker
- T4B06 (D) Which of the following controls could be used if the voice pitch of a single-sideband signal seems too high or low?
 - D. The receiver RIT or clarifier
- T4B07 (B) What does the term "RIT" mean?
 B. Receiver Incremental Tuning
- T4B08 (B) What is the advantage of having multiple receive bandwidth choices on a multimode transceiver?
 B. Permits noise or interference reduction by selecting a bandwidth matching the mode
- T4B09 (C) Which of the following is an appropriate receive filter to select in order to minimize noise and interference for SSB reception?
 C 2400 Hz

156 of 396 39 4%

Amateur Radio & Satellite Stuff Anthony Odenthal

Anthony Odenthal, KE7OSN Amateur Extra

microphone, speaker, headphones, filters, power source, connecting a computer, RF grounding

Operating controls; tuning, use of filters, squelch, AGC, repeater offset, memory channels

T4 Questions T4A

- T4B01 (B) What may happen if a transmitter is operated with the microphone gain set too high?

 B. The output signal might become distorted
- T4B02 (A) Which of the following can be used to enter the operating frequency on a modern transceiver?
 A. The keypad or VFO knob
- T4B03 (D) What is the purpose of the squelch control on a transceiver?
 - D. To mute receiver output noise when no signal is being received
- T4B04 (B) What is a way to enable quick access to a favorite frequency on your transceiver?
 B. Store the frequency in a memory channel
- T4B05 (C) Which of the following would reduce ignition interference to a receiver?
 C. Turn on the noise blanker
- T4B06 (D) Which of the following controls could be used if the voice pitch of a single-sideband signal seems too high or low?
 - D. The receiver RIT or clarifier
- T4B07 (B) What does the term "RIT" mean?
 B. Receiver Incremental Tuning
- T4B08 (B) What is the advantage of having multiple receive bandwidth choices on a multimode transceiver?
 B. Permits noise or interference reduction by selecting a bandwidth matching the mode
- T4B09 (C) Which of the following is an appropriate receive filter to select in order to minimize noise and interference for SSB reception?
 C 2400 Hz
- T4B10 (A) Which of the following is an appropriate receive filter to select in order to minimize noise and interference for CW reception?
 A 500 Hz

Amateur Radio & Satellite Stuff Anthony Odenthal,

Anthony Odenthal, KE7OSN Amateur Extra

microphone, speaker, headphones, filters, power source, connecting a computer, RF grounding

Operating controls; tuning, use of filters, squelch, AGC, repeater offset, memory channel

T4 Questions

- T4B01 (B) What may happen if a transmitter is operated with the microphone gain set too high?
 B. The output signal might become distorted
- T4B02 (A) Which of the following can be used to enter the operating frequency on a modern transceiver?
 A. The keypad or VFO knob
- T4B03 (D) What is the purpose of the squelch control on a transceiver?

 D. To mute receiver output noise when no signal is being received
- T4B04 (B) What is a way to enable quick access to a favorite frequency on your transceiver?
 B. Store the frequency in a memory channel
- T4B05 (C) Which of the following would reduce ignition interference to a receiver?
 C. Turn on the noise blanker
- T4B06 (D) Which of the following controls could be used if the voice pitch of a single-sideband signal seems too high or low?
 - D. The receiver RIT or clarifier
- T4B07 (B) What does the term "RIT" mean?
 B. Receiver Incremental Tuning
- T4B08 (B) What is the advantage of having multiple receive bandwidth choices on a multimode transceiver?
 B. Permits noise or interference reduction by selecting a bandwidth matching the mode
- T4B09 (C) Which of the following is an appropriate receive filter to select in order to minimize noise and interference for SSB reception?
 C 2400 Hz
- T4B10 (A) Which of the following is an appropriate receive filter to select in order to minimize noise and interference for CW reception?
 A 500 Hz
- T4B11 (C) Which of the following describes the common meaning of the term repeater offset?
 C. The difference between the repeater s transmit and receive frequencies

Technician and General Class Amateur Radio & Satellite Stuff

Technician and General Class Amateur Radio & Satellite Stuff

Technician and General Class Amateur Radio & Satellite Stuff

Technician and General Class Amateur Radio & Satellite Stuff

Technician and General Class Amateur Radio & Satellite Stuff

Technician and General Class Amateur Radio & Satellite Stuff

Technician and General Class Amateur Radio & Satellite Stuff

Technician and General Class Amateur Radio & Satellite Stuff

Technician and General Class Amateur Radio & Satellite Stuff

Technician and General Class Amateur Radio & Satellite Stuff

Technician and General Class Amateur Radio & Satellite Stuff

Technician and General Class Amateur Radio & Satellite Stuff

Technician and General Class Amateur Radio & Satellite Stuff

Technician and General Class Amateur Radio & Satellite Stuff

Technician and General Class Amateur Radio & Satellite Stuff