

Home Workspaces API Network Explore

Search Postman

invite

Upgrade

Overview PUT http://localhost:3004/

No Environment

Save

Send

PUT http://localhost:3004/api/dispositivos/644ef8399122e72b04dcc229

Params Authorization Headers (8) Body Pre-request Script Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
1 {
2   "Dispositivo": "Iphone 13",
3   "IME": "12232421234"
4 }
5
```

Body Cookies Headers (7) Test Results (2/2)

Status: 200 OK Time: 48 ms Size: 391 B Save as Example

Pretty Raw Preview Visualize JSON

```
1 {
2   "body": {
3     "acknowledged": true,
4     "modifiedCount": 1,
5     "upsertedId": null,
6     "upsertedCount": 0,
7     "matchedCount": 1
8   },
9   "msg": "Registro actualizado correctamente.",
10  "ok": "SI"
11 }
```

Home Workspaces API Network Explore

Search Postman

invite

Upgrade

Overview DELETE http://localhost:3004/

No Environment

Save

Send

DELETE http://localhost:3004/api/dispositivos/644ef8399122e72b04dcc229

Params Authorization Headers (8) Body Pre-request Script Tests Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON


```
1 {
2   "Dispositivo": "Iphone 13",
3   "IME": "12232421234"
4 }
5
```

Body Cookies Headers (7) Test Results (2/2)

Status: 200 OK Time: 13 ms Size: 288 B Save as Example

Pretty Raw Preview Visualize JSON

```
1 {
2   "msg": "Registro eliminado correctamente.",
3   "ok": "SI"
4 }
```



```
Test Suites: 6 failed, 1 passed, 7 total
Tests:      10 failed, 2 passed, 12 total
Snapshots:  0 total
Time:       13.939 s
Ran all test suites.
```

```
FAIL test/getDispositivos.test.js (6.476 s)
  • GET /api/dispositivos > Debería retornar una lista de dispositivos

ReferenceError: request is not defined

   1 | describe('GET /api/dispositivos', () => {
   2 |   test('Debería retornar una lista de dispositivos', async () => {
>  3 |     const res = await request(app).get('/api/dispositivos');
      |                      ^
   4 |     expect(res.statusCode).toEqual(200);
   5 |     expect(res.body).toBeInstanceOf(Array);
   6 |   });

at Object.<anonymous> (test/getDispositivos.test.js:3:19)
```

```
FAIL test/postUser.test.js (0.574 s)
  • POST /api/users > Debería crear un nuevo usuario

  ReferenceError: request is not defined

   1 | describe('POST /api/users', () => {
   2 |   test('Debería crear un nuevo usuario', async () => {
>  3 |     const res = await request(app)
      |                   ^
   4 |     .post('/api/users')
   5 |     .send({
   6 |       nombresUsuario: 'Juan Perez',

  at Object.<anonymous> (test/postUser.test.js:3:17)

  • POST /api/users > Debería dar error si falta algún campo requerido

  ReferenceError: request is not defined

   12 |   });
   13 |   test('Debería dar error si falta algún campo requerido', async () => {
>  14 |     const res = await request(app)
      |                   ^
   15 |     .post('/api/users')
   16 |     .send({
   17 |       nombresUsuario: 'Juan Perez'

  at Object.<anonymous> (test/postUser.test.js:14:17)

FAIL test/deleteUser.test.js (0.513 s)
  • DELETE /api/users/:id > Debería eliminar un usuario existente

  ReferenceError: request is not defined

   1 | describe('DELETE /api/users/:id', () => {
   2 |   test('Debería eliminar un usuario existente', async () => {
>  3 |     const res = await request(app).delete(`/api/users/${newUserId}`);
      |                   ^
   4 |     expect(res.statusCode).toEqual(200);
   5 |   });
   6 |   test('Debería dar error si se le pasa un ID inválido', async () => {

  at Object.<anonymous> (test/deleteUser.test.js:3:17)
```

En todas las pruebas tuvimos errores con el await, no fuimos capaz de solucionarlo.

Se crearon pruebas por cada modulo de usuarios y en dispositivos se creó una sola,

En las de integración unimos de usuarios y dispositivos

<https://github.com/Ofaehus1/API-P-S.git>

(Para ver el API, está en la rama de anderson, en la main está la copia antes de la transformación total del API)

Anderson Valencia

Mateo Marulanda