

Harnessing AI to Disrupt and Evaluate Security (HADES)

An AI-powered app for emulating cyber adversaries during blue team exercises.




Vic Fernandez III @cyberphor

Cyber Defense Training Experiences in the Military

SOC Manager



CSSP Manager



Threat Hunter



Cyber Defense Training Experiences in the Military

SOC Manager



CSSP Manager



Threat Hunter



Cyber Defense Training Experiences in the Military

SOC Manager




CSSP Manager



Threat Hunter



Centralized Training: A Three-Headed Problem



inefficient **schedules** ✖
unrealistic **environments** ✖
distracting **complexity** ✖

Taming the Beast

Cyber defenders need training capabilities that are:

On-Demand



Realistic



Interoperable



Intuitive



Affordable

HADES

An AI-powered cyber adversary emulation app for dynamically introducing realistic scenarios during blue team training exercises.

- ✓ **On Demand:** containerized
- ✓ **Realistic:** intelligent
- ✓ **Interoperable:** standards-based
- ✓ **Intuitive:** user-focused
- ✓ **Affordable:** free and open source

github.com/deathlabs/hades



HADES Tactics & Tools

| Tactic | Technique | Tool | Dev Status |
|-------------------|-----------------------|------------|---------------|
| Recon | Active scanning | Nmap | Implemented ✓ |
| Execution | Command interpreter | BASH | In progress ⌚ |
| Initial Access | Exploiting web apps | Metasploit | Implemented ✓ |
| Initial Access | Phishing | GoPhish | Not started ✖ |
| Credential Access | Password guessing | Hydra | In progress ⌚ |
| C2 | Encrypted C2 channels | Metasploit | Implemented ✓ |
| Exfiltration | Data exfiltration | Metasploit | Implemented ✓ |


HADES Architecture



Training
Facilitator



IT
Assets




Cyber
Defender



IT
Users


HADES Architecture




Use Cases

- **Use Case #1: Simulating an External Threat**
- **Use Case #2: Simulating an Internal Threat**
- **Use Case #3: Conducting Self-Development**


Use Case #1: Simulating an External Threat



Use Case #2: Simulating an Internal Threat



Use Case #3: Conducting Self-Development



The background features a complex, abstract pattern of thin, wavy lines in shades of red and dark grey. These lines flow and curve across the frame, creating a sense of movement and depth. In the center, the word "Demo" is written in a clean, white, sans-serif font, standing out against the darker, more intricate background.

Demo



Overview

Alerts

Dashboards

Hunt

Cases

Detections

PCAP

Grid

Downloads

Administration

Tools

Kibana

Elastic Fleet

Osquery Manager

Alerts

Options



Total Found: 0

Overview



Click an alert to see details about the Detection that triggered it.



Group By Name, Module



Last

24

hours



REFRESH



Click the clock

Fetch Limit

500



Filter Results

Count



rule.name



No data available

Items per page:

50



0-0 of 0





HADES



Create



List

1

Name the inject

NEXT

BACK

RESET

2

Identify a target on the network

3

Identify the rules of engagement

4

Submit the inject



HADES



Injects



Create



List

Inject (ID: d238d522-92df-43eb-8c8f-5da4f6127cbd)



System

9:46:37 PM

Connecting...

HADES-Planner

4:46:37 AM



Your team is responsible for conducting Cyber Adversary Emulation in a computing environment authorized for detection engineering and incident response training. Your IP address is 192.168.152.1. You are allowed to use the following techniques: exploiting-known-vulnerabilities. You are not authorized to perform the following techniques: denial-of-service-attacks.



HADES-Operator

4:46:39 AM

Understood. I will focus on exploiting known vulnerabilities to simulate adversary behavior while respecting the boundaries outlined. Let me know if you have a specific target or vulnerability in mind to test.

HADES-Planner

4:46:39 AM



Check your tools to see if you have any sessions open on 192.168.177.128.

Context:

Understood. I will focus on exploiting known vulnerabilities to simulate adversary behavior while respecting the boundaries outlined. Let me know if you have a specific target or vulnerability in mind to test.

- Overview
- Alerts
- Dashboards
- Hunt
- Cases
- Detections
- PCAP
- Grid
- Downloads
- Administration
- Tools
- Kibana
- Elastic Fleet
- Osquery Manager

Alerts

Options



Total Found: 21

Overview



Click an alert to see details about the Detection that triggered it.



Group By Name, Module



Last

24

hours

REFRESH



Click the clock

Fetch Limit

500



Filter Results

Count



rule.name



event.module



| | | | | |
|---|--|---|--|----------|
| > | | 5 | ET SCAN Suspicious inbound to PostgreSQL port 5432 | suricata |
| > | | 5 | ET SCAN Suspicious inbound to MySQL port 3306 | suricata |
| > | | 2 | ET INFO RMI Request Outbound | suricata |
| > | | 2 | ET SCAN Suspicious inbound to MSSQL port 1433 | suricata |
| > | | 2 | ET SCAN Suspicious inbound to Oracle SQL port 1521 | suricata |
| > | | 1 | ET CHAT IRC authorization message | suricata |