

Battery report

COMPUTER NAME	CRISJERGUTANA
SYSTEM PRODUCT NAME	LENOVO 82XT
BIOS	LYCN45WW 04/01/2025
OS BUILD	26100.1.amd64fre.ge_release.240331-1435
PLATFORM ROLE	Mobile
CONNECTED STANDBY	Supported
REPORT TIME	2026-06-24 12:57:39

Installed batteries

Information about each currently installed battery

No batteries are currently installed

Recent usage


Power states over the last 7 days

START TIME	STATE	SOURCE	CAPACITY REMAINING	
2026-06-17	16:03:00	Active	AC	-
	16:51:00	Suspended		-
	17:02:31	Active	AC	-
	18:02:00	Suspended		-
	18:32:08	Active	AC	-
	18:35:02	Connected standby	AC	-
	18:35:04	Suspended		-
	18:37:47	Connected standby	AC	-
	18:38:22	Active	AC	-
	20:01:30	Connected standby	AC	-
	20:01:30	Suspended		-
2026-06-18	12:25:16	Connected standby	AC	-
	12:25:51	Active	AC	-
	19:29:00	Suspended		-
2026-06-19	11:47:48	Active	AC	-
	18:45:00	Suspended		-
2026-06-22	12:27:48	Active	AC	-
	19:58:51	Connected standby	AC	-
	19:58:51	Suspended		-
2026-06-23	13:27:38	Connected standby	AC	-
	13:28:09	Active	AC	-
	19:48:48	Connected standby	AC	-
	19:48:49	Suspended		-

START TIME		STATE	SOURCE	CAPACITY REMAINING	
2026-06-24	12:33:46	Connected standby	AC	-	-
	12:34:21	Active	AC	-	-
	12:57:39	Report generated	AC	-	-

Battery usage

Battery drains over the last 7 days



START TIME	STATE	DURATION	ENERGY DRAINED
-	-	-	-

Usage history

History of system usage on AC and battery

PERIOD	BATTERY DURATION		AC DURATION	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2023-10-30 - 2023-11-06	11:47:29	0:02:29	53:05:22	20:07:35
2023-11-06 - 2023-11-13	18:45:27	2:00:57	35:09:55	10:26:20
2023-11-13 - 2023-11-20	20:08:50	35:41:44	41:30:37	4:20:55
2023-11-20 - 2023-11-27	12:16:48	4:47:08	25:10:15	9:31:19
2023-11-27 - 2023-12-04	19:47:48	6:44:48	41:12:29	1:35:01
2023-12-04 - 2023-12-11	14:39:04	3:38:32	19:46:03	5:19:22
2023-12-11 - 2023-12-18	19:01:13	1:34:54	34:09:59	10:22:50
2023-12-18 - 2023-12-25	29:04:31	13:35:14	72:10:48	31:24:49
2023-12-25 - 2024-01-01	9:33:37	2:46:58	63:22:24	12:58:12
2024-01-01 - 2024-01-08	15:26:10	0:43:48	64:42:39	0:02:26
2024-01-08 - 2024-01-15	7:11:57	2:21:38	64:13:35	0:03:39
2024-01-15 - 2024-01-22	21:52:31	7:04:00	122:04:51	0:07:19
2024-01-22 - 2024-01-29	5:29:38	22:07:53	80:53:45	0:02:23
2024-01-29 - 2024-02-05	25:56:13	25:30:26	138:02:37	0:04:54
2024-02-05 - 2024-02-12	8:36:11	4:21:48	59:45:25	0:01:17

PERIOD	BATTERY DURATION		AC DURATION	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2024-02-12 - 2024-02-19	27:07:44	7:03:51	109:47:12	0:04:17
2024-02-19 - 2024-02-26	15:00:31	3:51:05	56:47:48	0:03:04
2024-02-26 - 2024-03-04	22:25:48	1:49:55	25:53:04	0:01:12
2024-03-04 - 2024-03-11	6:23:09	4:55:38	16:54:56	0:00:35
2024-03-11 - 2024-03-18	9:04:32	10:41:54	59:33:12	0:01:53
2024-03-18 - 2024-04-01	18:54:55	25:17:07	36:19:00	1:51:17
2024-04-01 - 2024-04-08	4:19:44	0:01:47	15:07:55	0:01:11
2024-04-08 - 2024-04-15	12:03:25	0:01:53	26:26:35	0:01:46
2024-04-15 - 2024-04-22	21:41:40	2:53:15	59:38:20	0:02:22
2024-04-22 - 2024-04-29	5:23:42	0:00:35	60:08:13	0:01:57
2024-04-29 - 2024-05-06	8:28:47	0:00:37	65:47:07	1:44:22
2024-05-06 - 2024-05-13	10:21:38	0:05:44	27:47:09	-
2024-05-13 - 2024-05-20	16:13:02	0:01:54	50:56:25	0:00:35
2024-05-20 - 2024-06-03	43:13:14	0:03:46	190:25:15	0:02:57
2024-06-03 - 2024-06-10	8:25:37	0:01:41	66:00:23	0:00:36
2024-06-10 - 2024-06-17	20:43:20	0:47:14	94:21:00	0:03:24
2024-06-17 - 2024-06-25	2:46:06	0:00:35	38:27:12	14:36:28
2024-06-25 - 2024-07-01	7:26:05	0:01:49	39:50:00	0:01:47
2024-07-01 - 2024-07-08	25:53:22	0:05:29	83:52:02	0:02:28
2024-07-08 - 2024-07-15	40:28:24	0:05:37	110:48:30	0:06:07
2024-07-15 - 2024-07-22	2:04:57	0:00:35	34:56:21	0:00:40
2024-07-22 - 2024-07-29	11:00:22	0:01:43	7:02:49	-
2024-07-29 - 2024-08-05	6:52:28	0:53:25	78:08:02	0:01:18
2024-08-05 - 2024-08-12	46:03:03	0:01:06	98:42:12	0:01:30
2024-08-12 - 2024-08-19	69:37:43	0:01:09	189:55:49	0:02:40
2024-08-19 - 2024-08-27	17:28:44	-	43:12:39	0:01:10
2024-08-27 - 2024-09-06	0:01:35	-	2:22:20	0:02:49
2024-09-06 - 2024-10-07	10:17:54	167:55:04	12:44:07	0:02:49
2024-10-07 - 2024-10-14	29:58:52	167:55:13	69:27:39	0:03:25
2024-10-14 - 2024-10-22	9:25:07	0:00:34	12:41:15	-
2024-10-22 - 2024-10-28	4:06:52	0:00:35	41:27:48	0:01:10
2024-10-28 - 2024-11-04	5:21:06	0:02:53	17:10:16	-
2024-11-04 - 2024-11-13	11:25:41	0:00:05	42:49:50	0:01:07
2024-11-13 - 2024-11-25	10:25:06	2:59:35	50:28:25	0:01:23
2024-11-25 - 2024-12-02	15:21:44	0:01:12	26:49:14	0:02:20
2024-12-02 - 2024-12-16	29:20:49	5:10:07	221:58:11	1:27:45
2024-12-16 - 2025-01-06	78:52:50	8:14:39	360:09:55	1:33:14
2025-01-06 - 2025-01-14	12:26:40	0:00:01	55:41:32	0:02:55
2025-01-14 - 2025-01-20	1:52:09	-	5:59:52	0:01:46
2025-01-20 - 2025-01-27	0:00:01	-	81:22:39	-
2025-01-27 - 2025-02-03	9:29:33	0:01:05	37:39:56	0:00:17
2025-02-03 - 2025-02-10	1:20:02	0:01:10	82:06:23	0:01:06
2025-02-10 - 2025-02-17	1:59:41	-	87:21:20	0:00:39
2025-02-17 - 2025-02-24	4:17:59	8:00:36	44:10:32	-
2025-02-24 - 2025-03-03	-	-	-	-
2025-03-03	2:44:18	0:00:34	96:29:32	0:00:35
2025-03-03 - 2025-03-10	20:47:06	0:02:25	15:32:55	0:01:09
2025-03-10 - 2025-03-24	2:41:38	0:01:45	34:12:30	0:02:19

PERIOD	BATTERY DURATION		AC DURATION	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2025-03-24 - 2025-04-01	-	-	8:24:49	0:00:35
2025-04-01 - 2025-04-14	5:27:11	0:00:35	44:52:32	16:02:01
2025-04-14 - 2025-04-22	6:27:46	0:00:38	18:30:49	-
2025-04-22 - 2025-05-07	10:49:57	8:02:18	32:57:55	0:01:11
2025-05-07 - 2025-05-13	-	8:00:39	10:18:21	-
2025-05-13 - 2025-05-19	15:05:11	8:02:41	30:14:27	0:00:36
2025-05-19 - 2025-06-16	13:56:11	0:00:04	100:43:53	0:01:07
2025-06-16 - 2025-07-07	12:43:35	0:01:50	32:43:30	0:00:35
2025-07-07 - 2025-07-14	9:45:11	0:01:14	53:45:26	0:00:35
2025-07-14 - 2025-07-28	12:42:43	0:00:02	37:58:24	-
2025-07-28 - 2025-08-04	14:59:55	0:01:42	54:11:54	0:00:36
2025-08-04 - 2025-08-11	16:57:42	0:01:42	69:24:16	0:01:14
2025-08-11 - 2025-08-18	18:30:19	0:01:44	84:39:30	0:03:36
2025-08-18 - 2025-08-26	19:20:58	0:02:20	102:39:17	0:03:36
2025-08-26 - 2025-09-08	20:56:32	0:02:55	219:00:32	0:04:42
2025-09-08 - 2025-09-15	38:09:42	14:31:47	244:16:19	0:07:04
2025-09-15 - 2025-09-22	49:30:18	18:48:31	360:52:56	0:07:40
2025-09-22 - 2025-09-29	12:42:28	0:01:12	44:35:24	0:00:36
2025-09-29 - 2025-10-06	4:24:24	0:00:38	51:55:21	0:01:10
2025-10-06 - 2025-10-13	7:59:53	-	36:58:39	0:01:48
2025-10-13 - 2025-10-27	11:06:22	0:01:12	55:40:03	8:02:44
2025-10-27 - 2025-11-03	17:27:29	0:03:01	122:17:45	8:05:42
2025-11-03 - 2025-11-10	0:40:47	0:01:12	91:20:52	0:01:47
2025-11-10 - 2025-11-17	0:00:01	0:00:35	78:46:56	0:00:37
2025-11-17 - 2025-11-24	0:33:17	0:00:35	97:54:50	-
2025-11-24 - 2025-12-01	1:05:02	0:00:37	178:26:32	0:01:46
2025-12-01 - 2025-12-08	1:05:02	0:00:37	321:36:35	0:02:22
2025-12-08 - 2025-12-15	1:05:02	0:00:37	453:58:59	0:05:52
2025-12-15 - 2025-12-22	-	-	129:29:15	0:00:35
2025-12-22 - 2025-12-29	-	-	96:58:56	0:00:35
2025-12-29 - 2026-01-12	-	-	218:27:40	0:03:53
2026-01-12 - 2026-02-11	-	-	64:49:12	0:02:59
2026-02-11 - 2026-02-16	-	-	29:08:46	0:01:12
2026-02-16 - 2026-03-02	-	-	45:53:07	0:04:08
2026-03-02 - 2026-03-16	-	-	126:44:28	8:02:21
2026-03-16 - 2026-04-06	-	-	226:17:17	0:01:43
2026-04-06 - 2026-04-13	-	-	67:51:49	0:02:22
2026-04-13 - 2026-04-20	-	-	128:00:39	16:04:52
2026-04-20 - 2026-04-27	-	-	592641:43:43	0:01:46
2026-04-27 - 2026-05-04	-	-	1185297:05:50	16:04:04
2026-05-04 - 2026-05-11	-	-	592671:09:54	0:03:32
2026-05-11 - 2026-05-18	-	-	592648:15:59	0:03:26
2026-05-18 - 2026-05-25	-	-	8:08:36	8:01:16
2026-05-25 - 2026-06-01	-	-	4:09:07	8:01:37
2026-06-01 - 2026-06-08	-	-	592658:05:31	0:00:32
2026-06-08 - 2026-06-15	-	-	592653:39:49	0:01:11
2026-06-15	-	-	10:20:52	-
2026-06-16	-	-	-	-

PERIOD	BATTERY DURATION		AC DURATION	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2026-06-17	-	-	12:12:21	0:00:37
2026-06-18	-	-	7:03:03	0:00:35
2026-06-19	-	-	6:57:03	-
2026-06-20	-	-	-	-
2026-06-21	-	-	-	-
2026-06-22	-	-	7:30:57	-
2026-06-23	-	-	6:20:33	0:00:31

Battery capacity history

Charge capacity history of the system's batteries

PERIOD	FULL CHARGE CAPACITY	DESIGN CAPACITY
2023-10-30 - 2023-11-06	62,419 mWh	60,000 mWh
2023-11-06 - 2023-11-13	63,010 mWh	60,000 mWh
2023-11-13 - 2023-11-20	63,127 mWh	60,000 mWh
2023-11-20 - 2023-11-27	63,810 mWh	60,000 mWh
2023-11-27 - 2023-12-04	63,956 mWh	60,000 mWh
2023-12-04 - 2023-12-11	63,196 mWh	60,000 mWh
2023-12-11 - 2023-12-18	62,349 mWh	60,000 mWh
2023-12-18 - 2023-12-25	62,339 mWh	60,000 mWh
2023-12-25 - 2024-01-01	61,956 mWh	60,000 mWh
2024-01-01 - 2024-01-08	60,945 mWh	60,000 mWh
2024-01-08 - 2024-01-15	60,488 mWh	60,000 mWh
2024-01-15 - 2024-01-22	60,134 mWh	60,000 mWh
2024-01-22 - 2024-01-29	58,586 mWh	60,000 mWh
2024-01-29 - 2024-02-05	58,091 mWh	60,000 mWh
2024-02-05 - 2024-02-12	57,160 mWh	60,000 mWh
2024-02-12 - 2024-02-19	57,176 mWh	60,000 mWh
2024-02-19 - 2024-02-26	56,989 mWh	60,000 mWh
2024-02-26 - 2024-03-04	57,051 mWh	60,000 mWh
2024-03-04 - 2024-03-11	57,115 mWh	60,000 mWh
2024-03-11 - 2024-03-18	57,117 mWh	60,000 mWh
2024-03-18 - 2024-04-01	57,178 mWh	60,000 mWh
2024-04-01 - 2024-04-08	57,283 mWh	60,000 mWh
2024-04-08 - 2024-04-15	57,302 mWh	60,000 mWh
2024-04-15 - 2024-04-22	57,553 mWh	60,000 mWh
2024-04-22 - 2024-04-29	57,195 mWh	60,000 mWh
2024-04-29 - 2024-05-06	57,053 mWh	60,000 mWh
2024-05-06 - 2024-05-13	57,055 mWh	60,000 mWh
2024-05-13 - 2024-05-20	57,031 mWh	60,000 mWh
2024-05-20 - 2024-06-03	57,302 mWh	60,000 mWh
2024-06-03 - 2024-06-10	57,186 mWh	60,000 mWh
2024-06-10 - 2024-06-17	57,193 mWh	60,000 mWh
2024-06-17 - 2024-06-25	57,260 mWh	60,000 mWh
2024-06-25 - 2024-07-01	57,197 mWh	60,000 mWh
2024-07-01 - 2024-07-08	57,103 mWh	60,000 mWh
2024-07-08 - 2024-07-15	57,038 mWh	60,000 mWh

PERIOD	FULL CHARGE CAPACITY	DESIGN CAPACITY
2024-07-15 - 2024-07-22	56,648 mWh	60,000 mWh
2024-07-22 - 2024-07-29	56,841 mWh	60,000 mWh
2024-07-29 - 2024-08-05	56,774 mWh	60,000 mWh
2024-08-05 - 2024-08-12	56,552 mWh	60,000 mWh
2024-08-12 - 2024-08-19	56,650 mWh	60,000 mWh
2024-08-19 - 2024-08-27	57,168 mWh	60,000 mWh
2024-08-27 - 2024-09-06	57,138 mWh	60,000 mWh
2024-09-06 - 2024-10-07	56,736 mWh	60,000 mWh
2024-10-07 - 2024-10-14	56,596 mWh	60,000 mWh
2024-10-14 - 2024-10-22	56,525 mWh	60,000 mWh
2024-10-22 - 2024-10-28	56,563 mWh	60,000 mWh
2024-10-28 - 2024-11-04	56,532 mWh	60,000 mWh
2024-11-04 - 2024-11-13	56,867 mWh	60,000 mWh
2024-11-13 - 2024-11-25	56,386 mWh	60,000 mWh
2024-11-25 - 2024-12-02	55,911 mWh	60,000 mWh
2024-12-02 - 2024-12-16	56,810 mWh	60,000 mWh
2024-12-16 - 2025-01-06	56,504 mWh	60,000 mWh
2025-01-06 - 2025-01-14	57,084 mWh	60,000 mWh
2025-01-14 - 2025-01-20	56,913 mWh	60,000 mWh
2025-01-20 - 2025-01-27	56,919 mWh	60,000 mWh
2025-01-27 - 2025-02-03	56,700 mWh	60,000 mWh
2025-02-03 - 2025-02-10	55,414 mWh	60,000 mWh
2025-02-10 - 2025-02-17	55,479 mWh	60,000 mWh
2025-02-17 - 2025-02-24	55,721 mWh	60,000 mWh
2025-02-24 - 2025-03-03	-	-
2025-03-03	55,764 mWh	60,000 mWh
2025-03-03 - 2025-03-10	55,334 mWh	60,000 mWh
2025-03-10 - 2025-03-24	55,390 mWh	60,000 mWh
2025-03-24 - 2025-04-01	55,370 mWh	60,000 mWh
2025-04-01 - 2025-04-14	55,445 mWh	60,000 mWh
2025-04-14 - 2025-04-22	55,883 mWh	60,000 mWh
2025-04-22 - 2025-05-07	55,547 mWh	60,000 mWh
2025-05-07 - 2025-05-13	55,096 mWh	60,000 mWh
2025-05-13 - 2025-05-19	55,704 mWh	60,000 mWh
2025-05-19 - 2025-06-16	55,259 mWh	60,000 mWh
2025-06-16 - 2025-07-07	55,647 mWh	60,000 mWh
2025-07-07 - 2025-07-14	54,826 mWh	60,000 mWh
2025-07-14 - 2025-07-28	54,663 mWh	60,000 mWh
2025-07-28 - 2025-08-04	55,179 mWh	60,000 mWh
2025-08-04 - 2025-08-11	55,342 mWh	60,000 mWh
2025-08-11 - 2025-08-18	55,746 mWh	60,000 mWh
2025-08-18 - 2025-08-26	55,829 mWh	60,000 mWh
2025-08-26 - 2025-09-08	55,298 mWh	60,000 mWh
2025-09-08 - 2025-09-15	55,107 mWh	60,000 mWh
2025-09-15 - 2025-09-22	55,074 mWh	60,000 mWh
2025-09-22 - 2025-09-29	55,300 mWh	60,000 mWh
2025-09-29 - 2025-10-06	54,690 mWh	60,000 mWh
2025-10-06 - 2025-10-13	55,292 mWh	60,000 mWh
2025-10-13 - 2025-10-27	55,099 mWh	60,000 mWh

PERIOD	FULL CHARGE CAPACITY	DESIGN CAPACITY
2025-10-27 - 2025-11-03	54,562 mWh	60,000 mWh
2025-11-03 - 2025-11-10	53,251 mWh	60,000 mWh
2025-11-10 - 2025-11-17	53,189 mWh	60,000 mWh
2025-11-17 - 2025-11-24	53,200 mWh	60,000 mWh
2025-11-24 - 2025-12-01	53,200 mWh	60,000 mWh
2025-12-01 - 2025-12-08	53,200 mWh	60,000 mWh
2025-12-08 - 2025-12-15	53,200 mWh	60,000 mWh
2025-12-15 - 2025-12-22	-	-
2025-12-22 - 2025-12-29	-	-
2025-12-29 - 2026-01-12	-	-
2026-01-12 - 2026-02-11	-	-
2026-02-11 - 2026-02-16	-	-
2026-02-16 - 2026-03-02	-	-
2026-03-02 - 2026-03-16	-	-
2026-03-16 - 2026-04-06	-	-
2026-04-06 - 2026-04-13	-	-
2026-04-13 - 2026-04-20	-	-
2026-04-20 - 2026-04-27	-	-
2026-04-27 - 2026-05-04	-	-
2026-05-04 - 2026-05-11	-	-
2026-05-11 - 2026-05-18	-	-
2026-05-18 - 2026-05-25	-	-
2026-05-25 - 2026-06-01	-	-
2026-06-01 - 2026-06-08	-	-
2026-06-08 - 2026-06-15	-	-
2026-06-15	-	-
2026-06-16	-	-
2026-06-17	-	-
2026-06-18	-	-
2026-06-19	-	-
2026-06-20	-	-
2026-06-21	-	-
2026-06-22	-	-
2026-06-23	-	-

Battery life estimates

Battery life estimates based on observed drains

PERIOD	AT FULL CHARGE		AT DESIGN CAPACITY	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2023-10-30 - 2023-11-06	3:26:39	2:43:09 588 % / 16 h	3:18:39	2:36:50 612 % / 16 h
2023-11-06 - 2023-11-13	3:32:00	17:18:17 92 % / 16 h	3:21:52	16:28:41 97 % / 16 h
2023-11-13 - 2023-11-20	3:04:29	138:29:50 12 % / 16 h	2:55:21	131:38:13 12 % / 16 h
2023-11-20 - 2023-11-27	4:17:48	25:57:59 62 % / 16 h	4:02:24	24:24:57 66 % / 16 h

PERIOD	AT FULL CHARGE		AT DESIGN CAPACITY	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2023-11-27 - 2023-12-04	3:50:57	80:21:06 20 % / 16 h	3:36:40	75:22:54 21 % / 16 h
2023-12-04 - 2023-12-11	5:09:48	44:36:26 36 % / 16 h	4:54:08	42:21:05 38 % / 16 h
2023-12-11 - 2023-12-18	4:37:16	50:49:57 31 % / 16 h	4:26:49	48:55:03 33 % / 16 h
2023-12-18 - 2023-12-25	4:06:37	73:23:53 22 % / 16 h	3:57:22	70:38:38 23 % / 16 h
2023-12-25 - 2024-01-01	3:14:54	40:57:08 39 % / 16 h	3:08:45	39:39:34 40 % / 16 h
2024-01-01 - 2024-01-08	2:55:03	30:28:21 53 % / 16 h	2:52:20	30:00:00 53 % / 16 h
2024-01-08 - 2024-01-15	2:47:22	52:29:40 30 % / 16 h	2:46:01	52:04:15 31 % / 16 h
2024-01-15 - 2024-01-22	3:12:13	53:23:07 30 % / 16 h	3:11:48	53:15:58 30 % / 16 h
2024-01-22 - 2024-01-29	2:50:01	73:37:40 22 % / 16 h	2:54:07	75:24:18 21 % / 16 h
2024-01-29 - 2024-02-05	3:00:07	57:42:00 28 % / 16 h	3:06:02	59:35:46 27 % / 16 h
2024-02-05 - 2024-02-12	3:05:58	30:52:02 52 % / 16 h	3:15:12	32:24:03 49 % / 16 h
2024-02-12 - 2024-02-19	3:16:38	33:41:11 47 % / 16 h	3:26:21	35:21:01 45 % / 16 h
2024-02-19 - 2024-02-26	3:15:02	43:53:50 36 % / 16 h	3:25:21	46:13:00 35 % / 16 h
2024-02-26 - 2024-03-04	4:39:14	43:11:15 37 % / 16 h	4:53:40	45:25:12 35 % / 16 h
2024-03-04 - 2024-03-11	2:54:23	49:48:30 32 % / 16 h	3:03:11	52:19:28 31 % / 16 h
2024-03-11 - 2024-03-18	2:20:49	43:35:04 37 % / 16 h	2:27:56	45:47:04 35 % / 16 h
2024-03-18 - 2024-04-01	3:16:01	61:43:54 26 % / 16 h	3:25:41	64:46:43 25 % / 16 h
2024-04-01 - 2024-04-08	3:25:47	2:28:03 648 % / 16 h	3:35:32	2:35:04 619 % / 16 h
2024-04-08 - 2024-04-15	3:43:04	2:36:24 614 % / 16 h	3:53:35	2:43:46 586 % / 16 h
2024-04-15 - 2024-04-22	3:29:42	68:40:16 23 % / 16 h	3:38:37	71:35:27 22 % / 16 h
2024-04-22 - 2024-04-29	4:00:09	1:41:06 950 % / 16 h	4:11:56	1:46:03 905 % / 16 h
2024-04-29 - 2024-05-06	3:52:18	2:55:54 546 % / 16 h	4:04:18	3:05:00 519 % / 16 h
2024-05-06 - 2024-05-13	6:24:13	3:02:44 525 % / 16 h	6:44:03	3:12:10 500 % / 16 h
2024-05-13 - 2024-05-20	6:29:00	8:12:32 195 % / 16 h	6:49:16	8:38:10 185 % / 16 h
2024-05-20 - 2024-06-03	6:04:31	5:42:35 280 % / 16 h	6:21:41	5:58:43 268 % / 16 h
2024-06-03 - 2024-06-10	3:21:22	10:01:38 160 % / 16 h	3:31:17	10:31:15 152 % / 16 h

PERIOD	AT FULL CHARGE		AT DESIGN CAPACITY	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2024-06-10 - 2024-06-17	3:22:03	13:03:01 123 % / 16 h	3:31:58	13:41:26 117 % / 16 h
2024-06-17 - 2024-06-25	4:04:48	-	4:16:31	-
2024-06-25 - 2024-07-01	3:19:07	3:19:49 480 % / 16 h	3:28:53	3:29:36 458 % / 16 h
2024-07-01 - 2024-07-08	4:49:01	1:53:26 846 % / 16 h	5:03:41	1:59:12 805 % / 16 h
2024-07-08 - 2024-07-15	5:04:14	1:56:04 827 % / 16 h	5:20:02	2:02:06 786 % / 16 h
2024-07-15 - 2024-07-22	2:49:22	1:34:24 1017 % / 16 h	2:59:23	1:40:00 960 % / 16 h
2024-07-22 - 2024-07-29	5:49:57	11:36:58 138 % / 16 h	6:09:24	12:15:42 130 % / 16 h
2024-07-29 - 2024-08-05	2:48:08	18:43:12 85 % / 16 h	2:57:41	19:47:02 81 % / 16 h
2024-08-05 - 2024-08-12	99:21:41	2:09:35 741 % / 16 h	105:25:10	2:17:30 698 % / 16 h
2024-08-12 - 2024-08-19	18:46:43	2:15:43 707 % / 16 h	19:53:20	2:23:45 668 % / 16 h
2024-08-19 - 2024-08-27	4:51:38	-	5:06:05	-
2024-08-27 - 2024-09-06	1:50:19	-	1:55:51	-
2024-09-06 - 2024-10-07	7:01:24	1135:30:59 1 % / 16 h	7:25:39	1200:50:32 1 % / 16 h
2024-10-07 - 2024-10-14	6:44:41	1132:43:52 1 % / 16 h	7:09:02	1200:51:36 1 % / 16 h
2024-10-14 - 2024-10-22	3:07:14	1:28:58 1079 % / 16 h	3:18:45	1:34:26 1017 % / 16 h
2024-10-22 - 2024-10-28	2:29:33	2:17:28 698 % / 16 h	2:38:38	2:25:50 658 % / 16 h
2024-10-28 - 2024-11-04	2:45:17	-	2:55:25	-
2024-11-04 - 2024-11-13	2:41:27	-	2:50:21	-
2024-11-13 - 2024-11-25	2:35:49	37:35:13 43 % / 16 h	2:45:48	39:59:46 40 % / 16 h
2024-11-25 - 2024-12-02	3:01:42	1:13:43 1302 % / 16 h	3:14:59	1:19:07 1213 % / 16 h
2024-12-02 - 2024-12-16	2:45:27	44:09:16 36 % / 16 h	2:54:44	46:38:02 34 % / 16 h
2024-12-16 - 2025-01-06	2:44:38	32:38:38 49 % / 16 h	2:54:50	34:39:49 46 % / 16 h
2025-01-06 - 2025-01-14	3:00:23	-	3:09:36	-
2025-01-14 - 2025-01-20	2:41:30	-	2:50:16	-
2025-01-20 - 2025-01-27	-	-	-	-
2025-01-27 - 2025-02-03	2:19:19	1:04:39 1485 % / 16 h	2:27:25	1:08:25 1403 % / 16 h

PERIOD	AT FULL CHARGE		AT DESIGN CAPACITY	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2025-02-03 - 2025-02-10	2:41:44	1:45:58 906 % / 16 h	2:55:07	1:54:45 837 % / 16 h
2025-02-10 - 2025-02-17	3:45:09	-	4:03:30	-
2025-02-17 - 2025-02-24	2:08:40	2028:45:03 1 % / 16 h	2:18:33	2184:32:43 1 % / 16 h
2025-02-24 - 2025-03-03	-	-	-	-
2025-03-03	2:57:33	1:18:59 1215 % / 16 h	3:11:02	1:25:00 1129 % / 16 h
2025-03-03 - 2025-03-10	5:51:12	-	6:20:49	-
2025-03-10 - 2025-03-24	1:51:49	2:33:51 624 % / 16 h	2:01:08	2:46:40 576 % / 16 h
2025-03-24 - 2025-04-01	-	-	-	-
2025-04-01 - 2025-04-14	3:18:27	1:27:24 1098 % / 16 h	3:34:45	1:34:35 1015 % / 16 h
2025-04-14 - 2025-04-22	2:43:51	1:18:39 1221 % / 16 h	2:55:55	1:24:26 1137 % / 16 h
2025-04-22 - 2025-05-07	11:08:56	-	12:02:34	-
2025-05-07 - 2025-05-13	-	14712:09:44 - / 16 h	-	16021:40:00 - / 16 h
2025-05-13 - 2025-05-19	6:37:05	396:34:09 4 % / 16 h	7:07:42	427:09:12 4 % / 16 h
2025-05-19 - 2025-06-16	7:24:17	-	8:02:24	-
2025-06-16 - 2025-07-07	6:05:19	1:25:43 1120 % / 16 h	6:33:54	1:32:26 1039 % / 16 h
2025-07-07 - 2025-07-14	5:41:16	-	6:13:28	-
2025-07-14 - 2025-07-28	6:55:00	-	7:35:32	-
2025-07-28 - 2025-08-04	5:44:01	17:22:16 92 % / 16 h	6:14:04	18:53:20 85 % / 16 h
2025-08-04 - 2025-08-11	4:11:59	17:25:20 92 % / 16 h	4:33:11	18:53:20 85 % / 16 h
2025-08-11 - 2025-08-18	3:43:18	17:53:37 89 % / 16 h	4:00:20	19:15:33 83 % / 16 h
2025-08-18 - 2025-08-26	3:26:58	7:00:13 228 % / 16 h	3:42:26	7:31:36 213 % / 16 h
2025-08-26 - 2025-09-08	3:09:50	3:03:16 524 % / 16 h	3:25:59	3:18:51 483 % / 16 h
2025-09-08 - 2025-09-15	3:36:03	452:22:00 4 % / 16 h	3:55:14	492:31:58 3 % / 16 h
2025-09-15 - 2025-09-22	3:00:26	422:48:08 4 % / 16 h	3:16:34	460:37:08 3 % / 16 h
2025-09-22 - 2025-09-29	3:20:13	-	3:37:14	-
2025-09-29 - 2025-10-06	2:34:17	-	2:49:16	-

PERIOD	AT FULL CHARGE		AT DESIGN CAPACITY	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2025-10-06 - 2025-10-13	3:54:43	-	4:14:42	-
2025-10-13 - 2025-10-27	3:29:17	-	3:47:54	-
2025-10-27 - 2025-11-03	2:43:05	-	2:59:20	-
2025-11-03 - 2025-11-10	0:44:22	3:40:20 436 % / 16 h	0:50:00	4:08:16 387 % / 16 h
2025-11-10 - 2025-11-17	1:28:38	-	1:40:00	-
2025-11-17 - 2025-11-24	1:03:26	1:06:01 1454 % / 16 h	1:11:33	1:14:28 1289 % / 16 h
2025-11-24 - 2025-12-01	0:43:30	1:09:48 1375 % / 16 h	0:49:03	1:18:43 1220 % / 16 h
2025-12-01 - 2025-12-08	0:43:30	1:09:48 1375 % / 16 h	0:49:03	1:18:43 1220 % / 16 h
2025-12-08 - 2025-12-15	0:43:30	1:09:48 1375 % / 16 h	0:49:03	1:18:43 1220 % / 16 h
2025-12-15 - 2025-12-22	-	-	-	-
2025-12-22 - 2025-12-29	-	-	-	-
2025-12-29 - 2026-01-12	-	-	-	-
2026-01-12 - 2026-02-11	-	-	-	-
2026-02-11 - 2026-02-16	-	-	-	-
2026-02-16 - 2026-03-02	-	-	-	-
2026-03-02 - 2026-03-16	-	-	-	-
2026-03-16 - 2026-04-06	-	-	-	-
2026-04-06 - 2026-04-13	-	-	-	-
2026-04-13 - 2026-04-20	-	-	-	-
2026-04-20 - 2026-04-27	-	-	-	-
2026-04-27 - 2026-05-04	-	-	-	-
2026-05-04 - 2026-05-11	-	-	-	-
2026-05-11 - 2026-05-18	-	-	-	-
2026-05-18 - 2026-05-25	-	-	-	-
2026-05-25 - 2026-06-01	-	-	-	-
2026-06-01 - 2026-06-08	-	-	-	-

PERIOD	AT FULL CHARGE		AT DESIGN CAPACITY	
	ACTIVE	CONNECTED STANDBY	ACTIVE	CONNECTED STANDBY
2026-06-08 - 2026-06-15	-	-	-	-
2026-06-15 2026-06-16	-	-	-	-
2026-06-16 2026-06-17	-	-	-	-
2026-06-17 2026-06-18	-	-	-	-
2026-06-18 2026-06-19	-	-	-	-
2026-06-19 2026-06-20	-	-	-	-
2026-06-20 2026-06-21	-	-	-	-
2026-06-21 2026-06-22	-	-	-	-
2026-06-22 2026-06-23	-	-	-	-

Current estimate of battery life based on all observed drains since OS install

Since OS install	-	-	-	-
------------------	---	---	---	---