Skillomate | Deployment preparation

Before / after comparison - 27 October 2026

Scope: local code, configuration, regression repair, production compilation, and browser checks. No production deployment or real mandate activation was performed.

Area	Before	After
Marketing checkout	One-time request sent to monthly backend	Monthly payload with explicit AutoPay consent
Payment availability	Config failure silently ignored; fallback price	Unavailable checkout blocks OTP and payment
API connection	Local marketing called missing API on port 3001	Development uses port 3000; explicit API origin supported
CORS	Local marketing origin rejected	Port 3001 allowed only in development
Readiness	MongoDB connected; Redis disconnected; HTTP 503	Local Redis connected; readiness HTTP 200
Backend regression	811 passed / 39 failed	853 passed / 0 failed (three added tests)
Mobile test setup	Google Play hook export incompatible with VM harness	Real billing hook tested; mock path rejected
iOS transport policy	Local networking enabled in shared plist	Local networking disabled; HTTPS policy preserved

Verification

Backend: 853/853. Web player: 280/280 across 35 files. Mobile: 15/15. Web and marketing production build passed; marketing TypeScript check passed. Repository diff whitespace check passed. Readiness confirms both MongoDB and Redis connected.

Regression repairs retain verified HTTPS deep-link checks, isolate debug networking from release policy, test the current back-navigation and catalog loaders, and assert pending PhonePe redirects do not grant access. Test changes are not a substitute for live device payment testing.

Remaining launch blockers

PhonePe sandbox Merchant ID, Client ID/secret, callback and redirect URLs, and webhook authentication must be supplied securely. No credentials were invented or copied from unverified legacy keys. Live recurring charges remain disabled. A real sandbox mandate, webhook, entitlement activation, renewal and cancellation cycle is still unverified. Google Play testing requires the registered package and a signed-in license tester. iOS native behavior was not executed.

Configuration changes are local and git-ignored; deployment must provision Redis and payment settings separately. Current result: suitable for further staging validation, not a claim of production payment readiness.