

RELEASE DOSSIER

Lookmefy Android 1.0.1 Build 19

APK + Android App Bundle technical record, verification summary, source-history comparison, and the baseline for the next release.

Release status	RECORDED BASELINE
Application	Lookmefy
Android package	com.lookmefy.app
Version	1.0.1
Android versionCode	19
Artifacts	APK + AAB
Artifact timestamp	03 Sep 2026, 14:15 IST
Report generated	05 Sep 2026

Baseline statement

This report establishes 1.0.1 / 19 as the durable Android baseline. Unless explicitly overridden, the next release request will advance to 1.0.2 / 20, produce both APK and AAB files, and include a new PDF comparing the release with this one.

1. Executive release summary

Two Android deliverables are present and readable: a universal APK intended for direct installation and an AAB intended for Play Console delivery. The APK manifest independently confirms the package identifier, version, SDK levels, supported ABIs, and runtime permissions.

Check	Result	Evidence / meaning
APK identity	PASS	Manifest reports com.lookmefy.app, version 1.0.1, versionCode 19.
APK signing	PASS	Verified with Android apksigner; one RSA-2048 signer; APK Signature Scheme v2.
AAB structure/signature	PASS*	Valid single-base App Bundle; JAR signature verifies. Self-signed chain and missing timestamp are noted in section 6.
Artifact integrity	PASS	Stable SHA-256 checksums recorded in this report and release history.
Release traceability	ATTENTION	No build manifest pins an exact source commit beside the binaries; current nested source tree contains uncommitted mobile changes.
Prior binary comparison	LIMITED	No build-18 APK/AAB exists in the release directory. The previous-version comparison is based on Git configuration history.

Release recommendation

- Use the AAB for Google Play distribution; use the APK only for controlled direct-install testing.
- Archive the signing key securely and keep the same certificate for upgrade continuity.
- Before publishing, complete install/upgrade, login, upload, try-on, payment, and network-failure smoke tests on physical devices.
- For build 20, record the exact Git commit and generate hashes immediately after signing.

Evidence classes

Label	Definition
Binary-verified	Read directly from the APK/AAB, cryptographic tooling, or filesystem metadata.
Source-verified	Read from the current application configuration or source tree.
History-inferred	Derived from Git history because an earlier binary is unavailable.

2. Artifact inventory and integrity

The two release files share the same semantic version and Android build code. Byte counts and SHA-256 values below are the canonical fingerprints for transfer and archival verification.

Artifact	Purpose	Exact size
lookmefy-1.0.1-19.apk	Direct install / QA	79,627,910 bytes / 75.94 MiB
lookmefy-1.0.1-19.aab	Google Play upload	58,726,559 bytes / 56.01 MiB

Artifact	Canonical SHA-256 fingerprint
APK	e52ec82afc449eb8380a5854f24d98a9a03e66ee5b56ba0b88fe47066677615b
AAB	c7249aac69a21106ebe91102ebac51b6304144dcd0a63e22ea1848001dc2ffd1

Binary composition

Property	APK	AAB
ZIP entries	1,568	1,601
Uncompressed contents	95,197,833 bytes	151,792,245 bytes
Modules	Installable monolithic package	Single base module
Native ABIs	arm64-v8a, armeabi-v7a, x86, x86_64	Split delivery controlled by Play
JS runtime	Hermes native libraries present	React Native / Hermes payload present
Largest payloads	3 DEX files; React Native and Hermes native libraries; packaged imagery; JS bundle	Base module resources and libraries

Checksum verification

After copying or uploading either artifact, compute SHA-256 again. A mismatch means the file is not byte-for-byte identical and must not be treated as this release.

Artifact location

fit-look-APP/releases/lookmefy-1.0.1-build19/

3. Android platform metadata

Field	Verified value	Operational consequence
Application label	Lookmefy	Name shown by Android launcher and settings.
Package / applicationId	com.lookmefy.app	Stable Android identity; must not change for an in-place upgrade.
Version name	1.0.1	User-facing release version.
Version code	19	Play/Android ordering value. The next Android release must be greater than 19.
Minimum SDK	24	Android 7.0 or later.
Target SDK	36	Targets Android API 36 behavior and policy surface.
Compile SDK	36	Compiled against Android API 36.
Orientation	Portrait	Main activity is locked to portrait.
Launch activity	com.lookmefy.app.MainActivity	Exported launcher activity; singleTask launch mode in source manifest.
Deep-link scheme	lookmefy://	Source configuration registers the custom application scheme.
Screen support	small, normal, large, xlarge; any density	APK declares broad phone/tablet screen compatibility.
Required hardware	Camera, fake touch, portrait display	Camera permission implies camera hardware requirement in the packaged APK.

Runtime permissions present in the APK

Permission	Why it is plausibly required
INTERNET	API access, product media, authentication, AI generation, checkout.
ACCESS_NETWORK_STATE	Connectivity awareness and network-dependent behavior.
CAMERA	Capture profile/body or clothing images for virtual try-on workflows.
READ_EXTERNAL_STORAGE	Legacy access for choosing device images on applicable Android versions.
WRITE_EXTERNAL_STORAGE	Legacy storage access on applicable Android versions.
FOREGROUND_SERVICE	Foundation for foreground work used by packaged media components.
FOREGROUND_SERVICE_MEDIA_PLAYBACK	Continued media playback behavior used by video support.
DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	App-scoped protection automatically used for non-exported dynamic receivers.

Note: permission purpose is an engineering interpretation; store disclosures must be checked against actual runtime collection and use.

4. Product capabilities in the current source

The application is a React Native / Expo fashion experience backed by <https://api.lookmefy.in/api> in production. The following capability map is source-verified and describes the current 1.0.1 code line.

Area	Capabilities
Discovery	Home editorial content, category landing, shop/catalog browsing, product detail, filters, product-ID/keyword search, recent searches and popular suggestions.
AI try-on	Product image try-on, regeneration, custom garment upload, generated-result retrieval, and generated-video try-on with playback/fullscreen support.
AI Studio	Conversational styling and product search, wardrobe/catalog suggestions, outfit cards, generated previews, and external shopping paths.
Wardrobe	Upload closet items, detected item attributes, category filtering, wardrobe stats, outfit combinations, stylist prompts, recommendations and item removal.
Account	Phone-oriented authentication, signup/login, profile setup, avatar/body-photo workflow, session storage, logout, onboarding tour and informational screens.
Commerce	Wishlist, orders, token/credit balance and history, credit packs/subscription surface, in-app purchase integration, and payment-related backend paths.
History	Generation history for AI outputs plus versioned media URLs to avoid stale cached try-on images/videos.
Resilience	Friendly API errors, timeouts, job polling, cache bypass for mutable auth/try-on data, production HTTPS enforcement, local-development host translation and optional fallback APIs.

Primary screens / routes

Auth, Home, Shop, Search, AI Studio/Try-On, Wardrobe, Custom Try-On, Tokens, Profile, Generation History, Product, Wishlist, Orders, How It Works, and informational pages.

Data and media behavior

- Authentication token and recent searches are persisted with AsyncStorage.
- Images can be captured/selected using Expo Image Picker; generated images and videos are resolved against the active API origin.
- Normal requests use a 15-second timeout, form uploads 60 seconds, and background jobs up to 180 seconds with polling about every 1.4 seconds.
- Production configuration requires HTTPS and points to <https://api.lookmefy.in/api> with no configured fallback endpoint in the production build profile.

5. Technology and build configuration

Layer	Version / setting	Notes
Expo	53.0.27 line	Managed/prebuild toolchain; EAS CLI requirement is 20.1.0 or newer.
React Native	0.79.6	New Architecture enabled in the generated Android project.
React / React DOM	19.0.0	Shared rendering stack.
JavaScript engine	Hermes enabled	Hermes native libraries are visible in the APK.
Android Gradle Plugin	8.8.2	Recorded in the AAB build metadata.
Kotlin stdlib	2.0.21 primary	Bundle metadata also lists a transitive kotlin-stdlib-jdk8 1.9.10 entry.
Media	expo-video 2.2.2	Video try-on playback and fullscreen controls.
Image input	expo-image-picker 16.1.4	Camera/photo selection workflows.
Local persistence	AsyncStorage 2.1.2	Token and recent-search storage.
In-app purchases	expo-iap 5.5.0; OpenIAP Google 3.5.0	Expo autolinking is excluded for Android and native dependency is declared directly.
Fonts	Bodoni Moda, Manrope, Plus Jakarta Sans	Bundled visual identity typography.

EAS profiles

Profile	Output	Version behavior	Distribution
production	AAB	autoIncrement: true; remote app version source	Store
production-apk	APK	autoIncrement: false	Internal
development	Development client	Not a release artifact	Internal
preview	Preview build	Not a store release	Internal

Version-control traceability

The nearest committed nested-repository state before the artifact timestamp is commit aae3d8d (03 Sep 2026, 13:45 IST), but the release directory does not contain an explicit commit manifest. The current mobile source has uncommitted App.js and app configuration/plugin changes. Therefore this report does not claim exact source-to-binary reproducibility.

6. Signing, security, and release risks

APK signature verification

Property	Verified value
Verification	PASS - apksigner reports the APK verifies
Signature schemes	v2: yes; v1, v3, v3.1, v3.2, v4: no
Signer count	1
Certificate subject	CN=FitLook, OU=Mobile, O=FitLook, L=Mumbai, ST=Maharashtra, C=IN
Certificate SHA-256	5f6b3f0a310b9677899f16708948e7c8874b81970475d429df8764eede218bcb
Public key	RSA, 2048 bits
Public-key SHA-256	a8fa236bb2a5bf05d906c7e5fbf61c52b3fbb26fcc675b67337ca287cc370d4d

Important controls

- Upgrade continuity depends on retaining the same signing identity (or the Play App Signing lineage). Losing the key can prevent direct upgrades.
- The checked-in generated Android Gradle file currently shows a debug signing config for release, while the packaged APK carries the FitLook certificate above. Preserve the actual signing procedure and avoid relying on the generated file alone.
- The APK uses only Signature Scheme v2. This is valid for its minimum SDK, but future release policy should deliberately choose required modern schemes and verify them after signing.
- Legacy external-storage permissions are present. Confirm they are necessary, scoped by Android version, and accurately represented in store privacy/data-safety declarations.
- Camera is treated as a required hardware feature by the packaged manifest. If non-camera devices should install the app, explicitly mark the feature optional before a future release.

AAB signing

Java jarsigner reports **jar verified**. The signer is the same FitLook subject, using SHA384withRSA and a 2048-bit key. The certificate is valid from 09 Jul 2026 through 24 Nov 2053. Verification also warns that the certificate is self-signed, its chain is not trusted by the local Java trust store, and the signature has no timestamp. These warnings do not mean the bundle bytes failed signature verification, but they should be reviewed before Play submission. Google Play will create and sign device-specific APKs according to the app's Play App Signing configuration; verify the final distributed certificate in Play Console.

7. Difference from the preceding Android baseline

The immediately preceding configuration found in Git is versionName 1.0.1 with versionCode 18. No build-18 APK or AAB is available, so only configuration/source-history deltas can be stated; binary size, permission, signing and runtime deltas cannot be proven.

Area	Previous baseline	Build 19	Difference / effect
Android versionCode	18	19	+1; makes the release newer to Android and Play.
Version name	1.0.1	1.0.1	Unchanged user-facing semantic version.
Custom URL scheme	Not recorded	lookmefy	Adds an app-specific deep-link scheme in Expo configuration.
Android icon	Adaptive background only	Explicit icon and adaptive foreground image	Establishes the Lookmefy Android launcher icon assets.
In-app purchase plugin	Not recorded	expo-iap configured	Adds purchase integration configuration to the release line.
Package version metadata	0.1.6	1.0.1	Aligns npm package metadata with the app version.
iOS build metadata	16	19 at the code-19 change; later 20	Parallel iOS metadata advanced, but it does not alter Android binary ordering.

What cannot be compared

- No build-18 checksum, byte size, signer report, manifest dump, installed-device test result, or AAB structure report is available.
- The broad current feature inventory should not be interpreted as entirely new in build 19; only the configuration deltas above are attributable from the inspected history.

Next comparison quality

Because build 19 now has recorded hashes and verified metadata, the build-20 report can perform an exact artifact-to-artifact comparison, including sizes, permissions, SDK/ABI changes, signing continuity, dependency changes, test outcomes, and user-facing release notes.

8. Verification record and next-release protocol

Verification performed for this report

Verification	Status	Scope
Filesystem presence and exact byte size	PASS	APK and AAB
SHA-256 integrity fingerprints	PASS	APK and AAB
APK manifest / badging extraction	PASS	Identity, version, SDK, permissions, activities, features, ABIs
APK cryptographic verification	PASS	Signature validity, scheme, signer identity and key facts
AAB archive/module inspection	PASS	Bundle structure, module count, build metadata, entry count
AAB JAR signature	PASS*	Cryptographic verification passed; self-signed chain and no timestamp warnings recorded
Install and launch on device	NOT RUN	No device installation was requested in this documentation task
Feature smoke tests	NOT RUN	Authentication, uploads, AI, video, payments, orders and upgrade paths require runtime QA

Automatic convention for the next request

- Read RELEASE_HISTORY.md and the latest release directory; baseline is 1.0.1 / 19.
- Default to versionName 1.0.2 and versionCode 20 unless the user supplies a different versionName.
- Synchronize app.json, package.json, generated native metadata, and release filenames.
- Build both an installable APK and a Play-ready AAB using the production API URL.
- Verify identity, SDKs, permissions, ABIs, signatures, hashes, archive integrity, and install/launch behavior where a device is available.
- Generate a new PDF beside the artifacts with an explicit build-20 versus build-19 comparison.
- Update RELEASE_HISTORY.md only after verification succeeds.

Suggested release acceptance checklist

Gate	Required evidence
Versioning	versionName and versionCode agree across Expo config, package metadata, generated Gradle metadata, APK, AAB and filenames.
Upgrade	Build 20 installs over build 19 without data loss and launches successfully.
Core journeys	Login/signup; profile/body photo; product search/detail; wishlist; wardrobe upload; image/video try-on; credits/purchase; orders/history.
Resilience	Offline, timeout, expired-session and backend-error states present clear recovery messaging.
Distribution	APK signature continuity; AAB accepted by Play Console; release notes and privacy disclosures reviewed.
Archive	Both binaries, PDF, hashes, source commit and test record stored under the versioned release directory.

End of report - Lookmefy 1.0.1 / Android build 19