



University Institute of Engineering  
Department of Computer Science & Engineering

## Hometask-6

**Student Name:** Pranav Chauhan  
**Branch:** BE CSE (cyber security )  
**Semester:** 5th  
**Subject Name:** ADBMS

**UID:** 24BCY70004  
**Section/Group:** 24AIT\_KRG-G2  
**Date of Performance:** 10/08/2026  
**Subject Code:**24CSP-333

### Question (1)

## 1445. Apples & Oranges

### Description

Table: `Sales`

| Column Name | Type |
|-------------|------|
| sale_date   | date |
| fruit       | enum |
| sold_num    | int  |

(sale\_date, fruit) is the primary key (combination of columns with unique values) of this table. This table contains the sales of "apples" and "oranges" sold each day.

Write a solution to report the difference between the number of **apples** and **oranges** sold each day.

Return the result table **ordered** by `sale_date`.



# University Institute of Engineering

## Department of Computer Science & Engineering

### Solutions

#### Solution 1: Group By + Sum

We can group the data by date, and then use the `sum` function to calculate the difference in sales between apples and oranges for each day. If it is an apple, we represent it with a positive number, and if it is an orange, we represent it with a negative number. Finally, we sort the data by date.

SQL

```
# Write your MySQL query statement below
SELECT
    sale_date,
    SUM(IF(fruit = 'apples', sold_num, -sold_num)) AS diff
FROM Sales
GROUP BY 1
ORDER BY 1;
```