

DIGITAL DIARY

SUNRISE INFOTECH SOLUTION

LUCKNOW

PROJECT REPORT ON

DIGITAL DIARY

Submitted to:

Mr. Sushant Pathak

Submitted by:

Mr. Ashutosh Prasad

Email-ashutoshprasad2427@gmail.com

DECLARATION

I hereby declare that this submission is my own work and that, to the best of my knowledge and belief, it contains no material previously published or written by another person nor material which to a substantial extent has been accepted for the award of any degree or diploma of the university or other institute of higher learning, except where the acknowledgement has been made in the text.

Ashutosh Prasad

ACKNOWLEDGEMENT

This satisfaction accompanies that the successful completion of any would be incomplete without mention the people whose ceaseless made it possible. Whose constant guidance and encouragement crown all effort with success. We owe special debt of gratitude to **Mr. Sushant Pathak Sir** for the guidance, inspiration and constructive suggestions that the helpful us in the preparation of this project.

Her sincerity, thoroughness and preservance have been a constant source of inspiration for us.

Ashutosh Prasad

Abstract

The project report has been prepared based on available data, forecasts provided by experts and other project management tools. The real life situation can be little different depending on the circumstances. The project is considered as not for profit. Any inclusion or deduction is possible as we have enough buffer time. Risks have been estimated based on common issues faced by this type of project. Full effort has been given to complete each and every pros and cons, so that they are taken into account. However, the report isn't full proof. There is always room for improvement.

Problem Statement

Digital Diary is not a specialized website. It is working but, it is not fit for all size of display. Means it is not a responsive yet. We update the website soon and make it responsive then users use this site on any platform like smartphones, iPad, Mobile, etc. In this situation it is necessary to deliver updates as soon as possible.

PROJECT PROPOSAL

Project Title	Digital Diary	Mailing	engg.sushantpathak@gmail.com
Project Manager	Mr. Sushant Pathak	Contact	+91 775580555
Duration			
120 days			
Project Summary			
<p>As the world is adopting cutting edge technologies, internet has become popular. In the fast changing world information technology and information management are going to play an important role. We are living in the computer age during past some year. The Computer its way into almost every aspect of human life and living. A computer is admirably suited to handle any information and hence is an information processor that is, it can receive data; perform some basic operation data and produces results according to a predetermined program.</p>			
Goal/Objectives			
<ul style="list-style-type: none">• Make thing paperless.• Daily purpose.• Simplicity.		<ul style="list-style-type: none">• Free to use.• Data secure forever	
Resource Needed			
<ol style="list-style-type: none">1. Python 3.72. HTML & CSS3. Inline JavaScript		<ol style="list-style-type: none">4. Pycharm 20185. Localhost WAMP Server6. MySQL Database	
Evidence of Accomplishment			
❖ Sunrise Infotech Solution.			

Developer Profile

ASHUTOSH PRASAD

32 BN PAC Kanpur Road Transport Nagar

LUCKNOW-226012

E-MAIL-ashutoshprasad2427 @gmail.com

CONTACT-6386239194



COURSE/DEGREE	BOARD/UNIVERSITY	SCHOOL/COLLEGE	YEAR OF PASSING	PERCENTAGE
BACHELOR OF COMPUTER APPLICATION	LUCKNOW UNIVERSITY	SCHOOL OF MANAGEMENT SCIENCES	2020	61.22%
INTERMEDIATE	U.P BOARD E/M	LUCKNOW CONVENT PUBLIC H S SCHOOL	2017	79.23%
HIGH SCHOOL	U.P BOARD E/M	LUCKNOW CONVENT PUBLIC H S SCHOOL	2015	86.33%

Technical Skill

- | | |
|---|--|
| <ul style="list-style-type: none">• LANGUAGE• WEB PROGRAMMING• DATABASE | <ul style="list-style-type: none">• : C, C++, PYTHON CORE & ADVANCE.• HTML, CSS AND JAVA SCRIPT (basics), and BOOTSTRAP.• MS OFFICE, MYSQL |
|---|--|

Internship

RESTAURANT MANAGEMENT SYSTEM using PYTHON PROGRAMMING LANGUAGE 2019 from MICROSOFT TRAINING ASSOCIATION 2019

Requirement

Frontend	HTML, CSS, inline JavaScript,
Backend	Python 3.7
Interpreter	Python 3.7
Framework	Python Flask
Local server	Apache MySQL (WAMP 2.0 <i>i</i>)
Code Editor	Jet Brains Pycharm Community Edition 2018.1.4
Browser	Google Chrome

Introduction

Introduction to Python 3.7 –

Python is a popular programming language. It was created by **Guido van Rossum**, and released in **1991**. Python is a widely-used, free, and efficient alternative to competitors such as Microsoft's ASP.



- ❖ Python is use for web development (server-side).
- ❖ Software development.
- ❖ Mathematics.
- ❖ System scripting

Introduction to HTML (Hyper Text Markup Language) –



It is a language used for the specification of structural markup. HTML give the web authors the means to publish online documents with headings, texts, tables, lists, photos, etc. HTML is used in our program to create forms in the server side for entering, updating and viewing the server applications in a user friendly environment.

Introduction to CSS (Cascading Style Sheet) –

CSS stands for Cascading Style Sheets. CSS describes how HTML elements are to be displayed on screen, paper, or in other media CSS saves a lot of work.. CSS is used to define styles for your web pages, including the design, layout and variations in display for different devices and screen sizes.



Introduction to MySQL

MySQL provides our small, medium and large enterprise customers with affordable, open access to their web data warehouses. MySQL allows us to offer our System Administrator low cost, low maintenance database solution for applications without sacrificing power, performance or scalability.



(i) Benefits of MySQL are as follows:-

- ❖ Easy to maintain & upgrade, does not have a slew of administrative tasks to put up.
- ❖ Its table format does not vary between releases.
- ❖ It has cleanly separated table handler module and can access to rent type of tables.
- ❖ It seems to be developed iteratively, and the features are very stable when they ship them.
- ❖ It is a relational database. Over the past several years, this relational database management systems have become the most widely accepted way to manage data.
- ❖ Easy to access data.
- ❖ Flexibility in data modeling.
- ❖ Reduced data storage and redundancy.
- ❖ Independence of physical storage and logical data design.
- ❖ A high-level data manipulation language.

Introduction to Flask:-

Flask is a lightweight WSGI web application framework. It is designed to make getting started quick and easy, with the ability to scale up to complex applications. It began as a simple wrapper around Werkzeug and Jinja and has become one of the most popular Python web application frameworks.



Flask offers suggestions, but doesn't enforce any dependencies or project layout. It is up to the developer to choose the tools and libraries they want to use. There are many extensions provided by the community that make adding new functionality easy

- **Jinja:**

Jinja is a modern and designer-friendly templating language for Python, modelled after Django's templates. It is fast, widely used and secure with the optional sandboxed template execution environment:

- **Templates Folder:**

Templates are files that contain static data as well as placeholders for dynamic data. A **template** is rendered with specific data to produce a final document. **Flask** uses the Jinja **template** library to render **templates**. In your application, you will use **templates** to render HTML which will display in the user's browser

- **Static Folder:**

The authentication views and templates work, but they look very plain right now. Some CSS can be added to add style to the HTML layout you constructed. The style won't change, so it's a *static* file rather than a template. Flask automatically adds a static view that takes a path relative to the flask/static directory and serves it.

The base.html template already has a link to the style.css file:

```
{{ url_for('static', filename='style.css') }}
```


Introduction to WAMP:-

Stands for "Windows, Apache, MySQL, and PHP." WAMP is a variation of LAMP for Windows systems and is often installed as a software bundle (Apache, MySQL, and PHP). It is often used for web development and internal testing, but may also be used to serve live websites. The "P" in WAMP can also stand for either Perl or Python, which are other scripting languages. The Mac version of LAMP is known as MAMP.

Project Approaches

The **Model-View-Controller (MVC)** is an architectural pattern that separates an application into three main logical components: the **model**, the view, and the controller. Each of these components is built to handle specific development aspects of an application. MVC is one of the most frequently used industry-standard web development framework to create scalable and extensible projects.

Following are the components of MVC –



Model

The Model component corresponds to all the data-related logic that the user works with. This can represent either the data that is being transferred between the View and Controller components or any other business logic-related data. For example, a Customer object will retrieve the customer information from the database, manipulate it and update it data back to the database or use it to render data.

View

The View component is used for all the UI logic of the application, that the final user interacts with.

Controller

Controllers act as an interface between Model and View components to process all the business logic and incoming requests, manipulate data using the Model component and interact with the Views to render the final output. For example, the Customer controller will handle all the interactions and inputs from the Customer View and update the database using the Customer Model. The same controller will be used to view the Customer data.

Module Design

The proposed system consists of two modules: -

- Administrator Module
- User Module

USER MODULE

User interface consists of a login name and unique password using which he/she can login into the Digital Diary system. This will be supplied by the administrator to the user. Once the user has logged in, he has the privilege to view the names of the candidates and also their thoughts listed by the administrator. The user module constitutes only one sub module.


Authentication

- Each user is provided with unique username and password manually by the administrator. The user uses the username and password for login and exercise the fundamental right of Feeding in Digital Diary. if incorrect username and password entered, the access to is denied to the user. This is the security feature provided against external access of the system.
- After login the user enters the home page, which provides the links.

ADMINISTRATOR MODULE

Administrator interface consists of a login name and unique password using which admin can login into the Digital Diary. Administrator has the main control of the system. By logging into the page it can perform tasks.

Data Flow Diagram



Database Design

Database Name

digitaldiary

Tables of Home-page:

Contact Us –Page	-	contactus
Signup-Page	-	registration
Login-page	-	login

Where username and password entry of signup table and login table are done at once.

Tables of User Portal pages:

My Contact –Page	-	contacts
Notes-Page	-	notes
Jokes-page	-	jokes
Feedback-page	-	feedback

Tables of Administrator Portal pages:

News –Page	-	news
Feedback-Page	-	fdbkreply

Where feedback page controls the taken entries and gave them a reply too..

Server: localhost Database: digitaldiary

[Structure](#)
[SQL](#)
[Search](#)
[Query](#)
[Export](#)
[Import](#)
[Operations](#)
[Privileges](#)
[Drop](#)

Table	Action	Records ¹	Type	Collation	Size	Overhead
<input type="checkbox"/> contacts		33	MyISAM	latin1_swedish_ci	4.8 KiB	92 B
<input type="checkbox"/> contactus		12	MyISAM	latin1_swedish_ci	1.8 KiB	-
<input type="checkbox"/> fdbkreply		1	MyISAM	latin1_swedish_ci	1.1 KiB	-
<input type="checkbox"/> feedback		5	MyISAM	latin1_swedish_ci	1.4 KiB	-
<input type="checkbox"/> jokes		36	MyISAM	latin1_swedish_ci	7.3 KiB	-
<input type="checkbox"/> login		10	MyISAM	latin1_swedish_ci	1.2 KiB	-
<input type="checkbox"/> news		7	MyISAM	latin1_swedish_ci	2.7 KiB	-
<input type="checkbox"/> notes		26	MyISAM	latin1_swedish_ci	3.7 KiB	-
<input type="checkbox"/> registration		9	MyISAM	latin1_swedish_ci	2.3 KiB	-
9 table(s)	Sum	139	MyISAM	latin1_swedish_ci	26.3 KiB	92 B

[Check All / Uncheck All / Check tables having overhead](#)
With selected:

[Print view](#)
[Data Dictionary](#)

Create new table on database digitaldiary

Name: Number of fields:

Go

¹ May be approximate. See FAQ 3.11

[Open new phpMyAdmin window](#)

Fig:-databases.

Details of tables and corresponding fields:


contactus	username, contact_no, email, msg
registration	username, password, confirm_password, gender, email, pincode, mstatus, lstatus, timeline, address, images
login	username, password
contacts	contact_id, username, person, office_address, home_address, whatsapp_no, call_no, details
notes	noteid, username, title, description, date, time
jokes	jokeid, username, jokerefered, jokedetails, jokedate, joketime
feedback	fbid, subject, username, cont, details
news	newsid, title, description, date, time
fdbkreply	fbid, username, reply

Project Structure


Project Path:

C:\Users\Ashutosh Prasad\PycharmProjects\DigitalDiary

Structure:




Libraries:




Screenshot


Final Home:



Final User-Home:



Final Administrator-Home:



Code

Header:-header.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <link rel="shortcut icon" href="{{url_for('static',filename='fav_icon/icon.ico')}}"/>
    <title>Title</title>
    <style>
      html,body{margin:0px;width:100%;padding:0}
      #two
      {
        background:#0009;
        height:10px;
        font-size:17px;
        text-align:center;
        padding:3px;
        width:200px;
        font-family:segoe ui;
      }
      a{color:white; text-decoration:none;}
      .one{
        background:#0009;
        height:140px;
        font-weight:bolder;
        font-size:52pt;
        color:pink;
```

```

        text-align:left;
        width:900px;
    }
</style>
</head>
<body>
    <table width="100%" cellspacing="0" cellpadding="0" >
        <tr>
            <td>
                <table width="100%" cellspacing="0" cellpadding="0">
                    <tr style="height:665px">
                        <td class="one" style="padding:10px">
                            <a href="{{url_for('hom')}}">
                                
                            </a>
                        </td>
                        <td id="two">
                            <a href="{{url_for('hom')}}">
                                
                                <p style="font-size:8pt">HOME</p>
                            </a>
                        </td>
                        <td id="two">
                            <a href="{{url_for('ab')}}">
                                
                                <p style="font-size:8pt">ABOUT</p>
                            </a>

```

```

        </td>
        <td id="two">
            <a href="{{url_for('conts')}}">
                
                <p style="font-size:8pt">CONTACT US</p>
            </a>
        </td>
        <td id="two">
            <a href="{{url_for('reg')}}">
                
                <p style="font-size:8pt">SIGNUP</p>
            </a>
        </td>
        <td id="two">
            <a href="{{url_for('log')}}">
                
                <p style="font-size:8pt">LOGIN</p>
            </a>
        </td>
    </tr>
</table>
</td>
</tr>
</table>
</body>
</html>

```


Header:-userheader.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>Title</title>
    <link rel="shortcut icon" href="{{url_for('static',filename='fav_icon/blue_icon.ico')}}" />
    <style>
      html,body{height:100%;margin:0px;width:100%;}
      .user-header-main{
        font-family:segoe ui;
        position:fixed;
        margin-top:-10px;
        width:100%;
      }
      .user-head-bg
      {
        background-color:#212121;
        font-size:17px;
        text-align:center;
        width:200px;
        color:white;
      }
      .user-head-bg:hover{background-color:#079CA9;color:white;transition:0.6s;}
      .user-brand
      {
        height:10px;
        text-align:center;
```

```
font-weight:bolder;
font-size:10pt;
color: White;
background-color:#212121;
width:700px;
text-align:left;
font-family:segoe ui;
}
.user-header-link{
text-decoration:none;
color:rgb(206, 205, 200);
font-family:segoe ui;
transition:all 0.6s;
}
.user-header-link:hover{color:white;}
```

```
#bod
{
background-repeat:no-repeat;
background-attachment:fixed;
background-position:center;
background-size:cover;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<form>
```

```
<table cellpadding="0" cellspacing="0" class="user-header-main">
```

```
<tr>
```

```

<td>

<table width="100%" cellspacing="0" cellpadding="0" >

  <tr >

    <td style="padding:20px;" class="user-brand">

      <a href="{{url_for('hom')}}" class="user-header-link">

      </a>

    </td>

    <td class="user-head-bg">

      <a href="{{url_for('homeuser')}}" class="user-header-link">

        <p style="font-size:8pt">HOME</p>

      </a>

    </td>

    <td class="user-head-bg">

      <a href="{{url_for('prof')}}" class="user-header-link">

        <p style="font-size:8pt">PROFILE</p>

      </a>

    </td>

    <td class="user-head-bg">

      <a href="{{url_for('ucon')}}" class="user-header-link">

        <p style="font-size:8pt">MY CONTACTS</p>

      </a>

    </td>

```

```

        <td class="user-head-bg">
            <a href="{{url_for('nt')}}" class="user-header-link">
                
            <p style="font-size:8pt">NOTES</p>
        </a>
    </td>

    <td class="user-head-bg">
        <a href="{{url_for('jks')}}" class="user-header-link">
            
        <p style="font-size:8pt">JOKE</p>
    </a>
    </td>

    <td class="user-head-bg">
        <a href="{{url_for('feed')}}" class="user-header-link">
            
        <p style="font-size:8pt">FEEDBACK</p>
    </a>
    </td>

    <td class="user-head-bg">
        <a href="{{url_for('log')}}" class="user-header-link">
            
        <p style="font-size:8pt">LOGOUT</p>
    </a>
    </td>
</tr>
</table>

```

</td>

</tr>

</table>

</form>

</body>

</html>

Header:-adminheader.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>Title</title>
    <link rel="shortcut icon" href="{{url_for('static',filename='fav_icon/blue_icon.ico')}}"/>
    <style>
      html,body{height:100%;margin:0px;width:100%;}
      .admin-head-link{
        text-decoration:none;
        color:white;
      }
      .admin-header-link{
        background-color:#1c1c1c;
        height:35px;
        text-align:center;
        font-size:13pt;
        padding:50px;
      }
      .admin-header-link:hover{
        background:#03b6a5;
        transition:0.6s;
        color:black;
      }
      .admin-head-main{
        position:fixed;
        box-shadow:10px 10px 34px 3px rgba(0,0,0,1);
```

```

        -webkit-box-shadow: 10px 10px 34px 3px rgba(0,0,0,1);
        -moz-box-shadow: 10px 10px 34px 3px rgba(0,0,0,1);
        font-family:segoe ui;
        width:100%;
    }
</style>
</head>
<body>
    <form>
        <table class="admin-head-main" cellspacing="0" cellpadding="0">
            <tr>
                <td>
                    <table width="100%" cellspacing="0" cellpadding="0">
                        <tr>
                            <td class="admin-header-link"><a href="{{url_for('ad')}}" class="admin-
head-link">Home</a></td>
                            <td class="admin-header-link"><a href="{{url_for('adus')}}" class="admin-
head-link">Users</a></td>
                            <td class="admin-header-link"><a href="{{url_for('cnus')}}" class="admin-
head-link">Contact Us</a></td>
                            <td class="admin-header-link"><a href="{{url_for('adcons')}}"
class="admin-head-link">Usercontacts</a></td>
                            <td class="admin-header-link"><a href="{{url_for('adnt')}}" class="admin-
head-link">Notes</a></td>
                            <td class="admin-header-link"><a href="{{url_for('adns')}}" class="admin-
head-link">News</a></td>
                            <td class="admin-header-link"><a href="{{url_for('adjk')}}" class="admin-
head-link">Jokes</a></td>
                            <td class="admin-header-link"><a href="{{url_for('afd')}}" class="admin-
head-link">Feedback</a></td>
                        </tr>

```

</table>

</td>

</tr>

</table>

</form>

</body>

</html>

FOOTER:-footer.html(both user and main portal)

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>footer</title>
    <style>
    </style>
  </head>
  <style>
    a{text-decoration:none}
  </style>
  <body>
    <table width="100%" cellpadding="0" cellspacing="0" style="background:#300011">
      <tr>
        <td>
          <table cellspacing="0" cellpadding="0" width="100%">
            <tr>
              <td style="padding-right:200px">
                <a href="{{url_for('hom')}}">
                  
                </a>
              </td>
              <td>
                <a href="https://wa.me/16386239194" style="color:#bdb5b8;">
                   (+91 6386239194)
                </a>
              </td>
            </tr>
          </table>
        </td>
      </tr>
    </table>
  </body>
</html>
```

```

        </td>
        <td>
            <a href="#" style="color:#bdb5b8;">
                 (+91 6386239194)
            </a>
        </td>
        <td>
            <a href="https://wa.me/16386239194" style="color:#bdb5b8;">
                 (ashutoshprasad2427@gmail.com)
            </a>
        </td>
    </tr>
</table>
</td>
</tr>
<tr>
    <td style="color:#bdb5b8;padding:50px;text-align:center" >
        FOLLOW US
    </td>
</tr>
<tr>
    <td>
        <center>
            <table cellspacing="20" cellpadding="0">
                <tr>
                    <td>
                        <a href="https://www.linkedin.com/in/ashutosh-prasad-02a7b4169">

```

```

height="30px" />
        
    </td>
    <td>
        <a href="https://www.instagram.com/ashutosh_as_2412/">
            
        </a>
    </td>
    <td>
        <a
href="https://www.youtube.com/channel/UCDSOOSUOOnT0S3vfXB1IHtA?view_as=subscribe
r">
            
        </a>
    </td>
    <td>
        <a href="https://www.facebook.com/ashutosh.prasad.754365">
            
        </a>
    </td>
    <td>
    </td>
</tr>
</table>
</center>
</td>

```

</tr>

<tr>

<td style="color:#bdb5b8;text-align:center;padding:20px">

Copyright 2021 © Digital Diary Inc. All rights are reserved.

</td>

</tr>

</table>

</body>

</html>

FOOTER:-adminfooter.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>Title</title>
    <style>
      #tod
      {
        text-align:center;
        color:silver;
        font-size:14pt;
        background:firebrick;
      }
    </style>
  </head>
  <body>
    <form>
      <table width="100%" cellspacing="0">
        <tr>
          <td id="tod">This site is developed by Ashutosh Prasad &copy;</td>
        </tr>
      </table>
    </form>
  </body>
</html>
```

home.html

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8">

    <title>Home</title>

    <link rel="shortcut icon" href="{{url_for('static',filename='fav_icon/icon.ico')}}" />

    <link type="text/css" rel="stylesheet" href="{{url_for('static',filename='css/style.css')}}" />

    <style>

      h1 {

        font-family:segoe ui;

        font-weight: lighter;

        color:black;

      }

    </style>

  </head>

  <body >

    {% block body %}

      <form method="post" action="/home">

<!--===== header section
=====-->

      <table width="100%" cellspacing="0" cellpadding="0">

        <tr style="height:auto">

          <td style="background-image:url('{{url_for('static', filename =
'img/homey.jpg')}}');

            background-repeat:no-repeat;background-attachment:fixed;background-
position:center;">

            {% include('header.html') %}

          </td>
```

```

</tr>
<!--=====news feed section=====-->

<tr>
<td>
<table width="100%" cellspacing="0" cellpadding="0">
<tr>
<!--first table-->
<td>
<table width="300px" cellpadding="0" cellspacing="0" border="1"
style="border-color:bisque;"
height="50px">
<tr>
<td class="home-news-brand">
News Feed

</td>
</tr>
<tr>
<td >
<table>
<tr>
<td>
<marquee direction="down" behavior="alternate"
onmouseover="this.stop();"
onmouseout="this.start();" scrollamount="3"
height="625" >
{% for y in yt %}
<a href="{{url_for('log')}} ">
<div class="home-mark news">

```

```

<b>{{y[0]}}--> {{y[1]}}</b> :
{{y[2]}}<br><br>

</div>

</a>

{% endfor %}

</marquee>

</td>

</tr>

</table>

</td>

</tr>

</table>

</td>

<!--second table-->

<td>

<table cellpadding="0" cellspacing="0">

<tr>

<td class="home-info_branding" style="color:black;font-
weight:100;">

        Looking For A Digital Future.

</td>

</tr>

<tr>

<td>

<center>



</center>

</td>

```


businesses are
presence. Digitize
through the Digital
consists of
experience with
technologies, working
solutions to our
mobile application,
customer's needs.
improve overall
and quality
best-in-class

</tr>

<tr >

<td>

<p class="home-p-5">

Digital technology is taking over the world as more and more

undergoing digital transformation to build the strong brand

Future is a trusted partner for our customers to take them

Transformation. Digitize Future, which is founded in 2018,

talented team of individuals who has more than 11 years of

a rich and varied expertise in all the latest software

together towards a unified mission of delivering quality

customers. Be it bespoke software or web application or

Digitize Future is a one-stop service provider for all the

We always strive towards providing excellent service to

customer satisfaction and experience. We consider innovation

as the two sides of a coin. We provide innovative solutions in

quality to improve efficiency and to support rapid growth.

</p>

</td>

</tr>

```

        </table>

    </td>

</tr>

</table>

</td>

</tr>

<!--
=====NO_PURCHASE_SECTION=====
-->

<tr>

<td>

<table width="100%" cellspacing="0" cellpadding="0">

<tr>

<td>

<center>

<table width="100%" class="home-purchase" cellspacing="0"
cellpadding="0">

<tr>

<td>



</td>

<td class="home-purchase-row">

<p class="home-purchase-brand">

NO PURCHASES REQUIRED !

</p>

</td>

</tr>

</table>

</center>

```

```

</td>
</tr>
</table>
</td>
</tr>
<!--===== our services section
=====-->
<tr>
<td>
<table width="100%" cellspacing="0" cellpadding="0" class="home-services-
bg">
<tr>
<td class="home-heading home-text-dark" style="font-weight:100;">
OUR SERVICES
</td>
</tr>
<tr>
<td>
<table width="100%" cellpadding="0" cellspacing="0">
<tr>
<td>
<table cellpadding="0" cellspacing="0">
<tr>
<td>
<table class="home-m-5" style="padding:30px;" >
<tr style="background-color: rgb(226, 205, 146); ">
<td >
<center>
<h1>JOKES</h1>

```

```


</center>
<p class="home-para home-p-5">
    Using this web app you can
    <br>save your
    personal credential <br> and even jokes too.
</p>
</td>
</tr>
<tr>
<td>
<a href="{{url_for('log')}}" class="home-btn-
danger home-ml-100" >learn more</a>
</td>
</tr>
</table>
</td>
<td>
<table class="home-p-5" >
<tr style="background-color:rgb(226, 205, 146);">
<td >
<center>
<h1>CONTACTS</h1>

</center>

```

yourself.

danger home-ml-100" >learn more

src="{{url_for('static',filename='img/j6.jpg')}}"

<p class="home-para home-p-5">

Using this web app you can

save your

personal contacts
 and make secure

</p>

</td>

</tr>

<tr>

<td>

<a href="{{url_for('log')}}" class="home-btn-

</td>

</tr>

</table>

</td>

<td>

<table class="home-p-5" >

<tr style="background-color:rgb(226, 205, 146);">

<td >

<center>

<h1>NOTES</h1>

<img

class="home-img_service ">

</center>

<p class="home-para home-p-5">

Using this web app you can

save your

[illegible]

```

<table cellpadding="0" cellspacing="0" >
    <tr>
        <td class="home-info_branding" >
            WEBSITE Administrator
        </td>
    </tr>
    <tr class="home-admin_name" style="font-weight:100;">
        <td>
            <a href="#">
                Mr. ASHUTOSH PRASAD
            </a>
        </td>
    </tr>
</table>
</td>
<td>
    <table cellpadding="0" cellspacing="0">
        <tr>
            <td>
                <a href="https://www.facebook.com/ashutosh.prasad.754365">
                    
                </a>
            </td>
        </tr>
    </table>
</td>
</tr>

```

```
        </table>

    </td>

</tr>

<tr>

    <td>

        {% include('footer.html') %}

    </td>

</tr>

<!--===== footer section
=====-->

</table>

</form>

{% endblock %}

</body>

</html>
```


about.html

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8">

    <title>About</title>

    <link rel="shortcut icon" href="{ {url_for('static',filename='fav_icon/icon.ico')}}"/>

    <link type="text/css" rel="stylesheet" href="{ {url_for('static',filename='css/style.css')}}"/>

    <style>


    </style>

  </head>

  <body>

    {% block body %}

      <form method="post" action="/about">

        <table cellpadding="0" width="100%" cellspacing="0">

          <tr>

            <td style="background-image:url('static/img/about.jpg');background-repeat:no-repeat;

              background-attachment:fixed;">

              {% include('header.html') %}

            </td>

            </tr>

            <tr>

              <td>

                <table width="100%" cellpadding="0" cellspacing="0" class="about-page-bg">

                  <tr>
```

<td>

<table width="100%" cellpadding="0" cellspacing="0">

<tr>

<td class="about-page-head">INTRO TO DIGITAL DIARY</td>

</tr>

<tr class="about-page-para">

<td>

<p>"Digital Diary is a digital organizer that can store all your contacts, memo, address and schedule records. This app is based on the concept of diary with digitalization.

It helps user to store important information on mobile which in turn helps user to check for information on a go. It has nice interface which provide user an interactive

experience. User can even mail all stored information to itself or to a friend which can act as online storage. It is developed to store account information, detailed

friends information, set reminder or alert for any event, store other information in description form. This app will help in our day to day life."

<hr/>

</p>

</td>

</tr>

<tr>

<td class="about-page-head">PERFORMANCE</td>

</tr>

<tr>

<td class="about-page-para">

User can store important information related to friends, accounts.

Reminder and other important information.

User can send stored information through mail..

Hook Up).

bar that.

reminder.

<hr/>

</td>

</tr>

<tr>

<td class="about-page-head" >BENEFIT</td>

</tr>

<tr>

<td class="about-page-para">

digitally.

other.

friend

both

</td>

</tr>

</table>

</td>

<td>

<table width="100%" cellpadding="20">

```

        <tr>
            <td>
                <center>
                    <a href="{{url_for('log')}}">
                        <br><br><br><br><br><br><br><br>
                        </a>
                    </center>
                </td>
            </tr>
            <tr>
                <td>
                    <label class="about-page-subhead">
                        CONTACT US
                    </label>
                    <a href="{{url_for('cnt')}}">
                        
                    </a>
                </td>
            </tr>
        </table>
    </td>
</tr>
</table>
</td>
</tr>
<tr>
    <td>{% include('footer.html') %}</td>

```

```
</tr>
</table>
</form>
{% endblock %}
</body>
</html>
```

contact.html(*contact us*)

```
<!DOCTYPE html>
```

```
<html lang="en">
```

<head>

```
<meta charset="UTF-8">
```

Contact Us

```
<link type="text/css" rel="stylesheet" href="{ {url_for('static',filename='css/style.css')}}"/>
```

```
<link rel="shortcut icon" href="{ {url_for('static',filename='fav_icon/icon.ico')}}"/>
```

<style>

```
::placeholder {color: lightslategray;font-size:12pt;}
```

</head>

<body>

```
{% block body %}
```

```
<form method="post" action="/cont">
```

| | |
|---|--|
| <table class="contact-us-main" cellspacing="0" cellpadding="0"> | |
|---|--|

| $\langle \text{tr} \rangle$ | |

```
<td style="background-image:url('static/img/contact_us.jpg');  
background-attachment:fixed;background-position:center">
```

```
{% include('header.html') %}</td>
```

| <tr> |
 |

| | |
|--|--|
| | |
|--|--|

| <tr> |
 > |

<label class="contact-us-head">

```

        Contact Us<br>
    </label>

    Got a question?We'd love to hear from you.

    Send us a message<br>and we'll respond you as soon as possible.
</td>
<td>

    <center>

        <table cellspacing="20" cellpadding="5" >

            <tr>

                <td><input type="text" placeholder="NAME*" name="t1"
class="contact-us-box"/></td>

            </tr>

            <tr>

                <td><input type="text" placeholder="CONTACT*" name="t2"
class="contact-us-box" maxlength="10"/></td>

            </tr>

            <tr>

                <td><input type="email" placeholder="E-MAIL*" name="t3"
class="contact-us-box"/></td>

            </tr>

            <tr>

                <td><textarea name="t4" placeholder="MESSAGE" rows="10"
cols="47" class="contact-us-textarea"></textarea></td>

            </tr>

            <tr>

                <td>

                    <input type="submit" value="SEND" name="send-message"
class="contact-us-send-btn"/>

                </td>

            </tr>
        </table>
    </td>
</tr>

```

```

        </table>
    </center>
</td>
</tr>
<tr>
    <td>
        {{m}}
    </td>
</tr>
</table>
</td>
</tr>
<tr>
    <td>{% include('footer.html') %}</td>
</tr>
</table>
</form>
{% endblock %}
</body>
</html>
```


register.html

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8">

    <title>Registration</title>

    <link type="text/css" rel="stylesheet" href="{ {url_for('static',filename='css/style.css')}}"/>

    <link rel="shortcut icon" href="{ {url_for('static',filename='fav_icon/icon.ico')}}"/>

  </head>

  <body>

    {% block body %}

      <form method="post" action="/register" enctype="multipart/form-data">

        <table width="100%" cellpadding="0" cellspacing="0">

          <tr>

            <td style="background-image:url('static/img/register.jpg');
              background-attachment:fixed;">

              {% include('header.html') %}

            </td>

          </tr>

          <tr>

            <td class="register-brand">REGISTRATIONS</td>

          </tr>

          <tr>

            <td>

              <center>

                <table cellpadding="0" style="padding:10px;" cellspacing="15">

                  <tr>

                    <td class="register-text">USERNAME</td>
```

```

        <td ><input type="text" name="t1" class="register-box" /></td>
        <td class="register-text">PASSWORD</td>
        <td ><input type="password" name="t2" class="register-box"
maxlength="12"/></td>
    </tr>
    <tr>
        <td class="register-text">CONFIRM_PASSWORD</td>
        <td ><input type="password" name="t3" class="register-box"
maxlength="12"/></td>
        <td class="register-text">GENDER</td>
        <td>
            <select name="t4" class="register-selekt">
                <option>male</option>
                <option>female</option>
                <option>transgender</option>
            </select>
        </td>
    </tr>
    <tr>
        <td class="register-text">E-MAIL</td>
        <td><input type="email" name="t5" class="register-box"></td>
        <td class="register-text">PINCODE</td>
        <td><input type="text" maxlength="6" class="register-box"
name="t6"></td>
    </tr>
    <tr>
        <td class="register-text">M.STATUS</td>
        <td><select name="t7" class="register-selekt" >
            <option>--select--</option>

```

```

        <option>married</option>
        <option>unmarried</option>
        <option>divorced</option>
        <option>widower</option>
    </select></td>
    <td class="register-text">L .STATUS</td>
    <td><select name="t8" class="register-selekt">
        <option>--select--</option>
        <option>high class</option>
        <option>middle class</option>
        <option>lower class</option>
        <option>upper middle class</option>
        <option>upper lower class</option>
    </select></td>
</tr>
<tr>
    <td class="register-text">DOB</td>
    <td><input type="date" name="t9" class="register-box" ></td>
    <td class="register-text">TIME-LINE</td>
    <td><input type="time" name="t10" class="register-box"></td>
</tr>
<tr>
    <td class="register-text">ADDRESS</td>
    <td><textarea rows=8 cols=84 name="t11" class="register-
box"></textarea></td>
    <td class="register-text">PROFILE_PICTURE</td>
    <td>
        <input type="file" class="register-file_input" name="file_data"/>
        <p style="color:grey">

```

```

        image size should be 200 X 200
    </p>
</td>
</tr>
</table>
</center>
</td>
</tr>
<tr>
<td>
    <center>
        <table cellpadding="0" cellspacing="0" style="text-align:center;padding:10px;">
            <tr>
                <td>
                    <input type="submit" multiple name="reg" class="register-btn"
value="register" />
                    <button class="register-link-btn" >
                        <a href="{{url_for('log')}}" >
                            Already have an Account
                        </a>
                    </button>
                </td>
            </tr>
        </table>
    </center>
</td>
</tr>
<tr>

```

```
        <td>{% include('footer.html') %}</td>
    </tr>
</table>
</form>
{% endblock %}
</body>
</html>
```

login.html

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8">

    <title>Login</title>

    <link rel="shortcut icon" href="{ {url_for('static',filename='fav_icon/icon.ico')}}"/>

    <link type="text/css" rel="stylesheet" href="{ {url_for('static',filename='css/style.css')}}"/>

    <style>

      ::placeholder {color: lightslategray;font-size:12pt;}

    </style>

  </head>

  <body>

    {% block body %}

      <form method="post" action="/login">

        <table cellspacing="0" cellpadding="0">

          <tr>

            <td style="background-image:url('static/img/login.jpg');
              background-repeat:no-repeat;background-attachment:fixed;background-
position:center;">

              {% include('header.html') %}

            </td>

            </tr>

            <tr>

              <td>

                <table width="100%" cellspacing="0" cellpadding="0" class="contact-us-tab-1"
style="margin-top:0px">

                  <tr>

                    <td class="contact-us-para">
```

```

        <label class="contact-us-head">
            LOGIN<br>
        </label>
        Got Accessibilty ?We'd love to gave you access.<br>
        Make account and enjoy the services.
    </td>
    <td>
        <center>
            <table cellpadding="40" cellspacing="0" width="100%" class="login-
bg">
                <tr>
                    <td>
                        <input type="text" name="t1" placeholder="USERNAME*"
class="contact-us-box" />
                    </td>
                </tr>
                <tr>
                    <td>
                        <input type="password" name="t2" placeholder="PASSWORD
*" class="contact-us-box" />
                    </td>
                </tr>
                <tr>
                    <td>
                        <input type="submit" value="login" name="lo" class="contact-
us-send-btn"/>
                    </td>
                </tr>
            </table>
            <a href="{{url_for('reg')}} " class="login-sub-brand">

```

Create Account. Click Here !

</td>

</tr>

</table>

</center>

</td>

</tr>

</table>

</td>

</tr>

<tr>

<td>{% include('footer.html') %}</td>

</tr>

</table>

</form>

{% endblock %}

</body>

</html>

userhome.html

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8">

    <title>Welcome</title>

    <link type="text/css" rel="stylesheet" href="{ {url_for('static',filename='css/style.css')}}"/>

    <link rel="shortcut icon" href="{ {url_for('static',filename='fav_icon/icon.ico')}}"/>

    <style>

      .background-img{

        background-image:url('static/img/welcome-img.jpg');

        background-repeat:no-repeat;

        background-position:center;

        background-attachment:fixed;

        background-size:cover;

      }

    </style>

  </head>

  <body class="background-img">

    {% block body %}

      <form method='post' action='/users'>

        <table cellspacing="0" class="user-home-main" cellpadding="0">

          <tr>

            <td>{% include('userheader.html') %}</td>

          </tr>

          <tr>

            <td>
```

```
<center>

<table width="100%" cellspacing="0" cellpadding="0">

  <tr >

    <td class="user-welcome">WELCOME,<br>
{{session['un'].upper()}}

    <p class="user-para" style="margin-bottom:0px">

      NOW YOU ARE ELIGIBLE TO USE OUR SERVICES

    </p>

  </td>

</tr>

</table>

</center>

</td>

</tr>

<tr >

  <td>{% include('footer.html') %}</td>

</tr>

</table>

</form>

{% endblock %}

</body>

</html>
```

userprofile.html

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8">

    <title>Profile</title>

    <link type="text/css" rel="stylesheet" href="{ {url_for('static',filename='css/style.css')}}"/>

    <link rel="shortcut icon" href="{ {url_for('static',filename='fav_icon/icon.ico')}}"/>

  </head>

  <body>

    {% block body %}

      <form method="post" action="/profile">

        <table width="100%" cellpadding="0" cellspacing="0" class="userprofile-main-bg">

          <tr>

            <td>{% include('userheader.html') %}</td>

          </tr>

          <tr>

            <td><center>

              <table cellpadding="0" cellspacing="0" class="userprofile-sub-bg">

                <tr>

                  <td>

                    <table cellpadding="0" cellspacing="0" class="userprofile-img">

                      <tr>

                        <td>

                          {% for h in d %}

                          {% endfor %}

                        </td>

                      </tr>

                    </table>

                  </td>

                </tr>

              </table>

            </td>

          </tr>

        </table>

      </form>

    </body>

  </html>
```

```

        </td>
    </tr>
    <tr>
        <td style="font-size:20pt;color:#ddd5d5">
            {{session['un'].upper()}}
        </td>
    </tr>
    <tr>
        <td>
            <table width="100%" cellspacing="30" cellpadding="0"
style="display:flex;text-align:left">
                {% for i in d %}
            <tr>
                <td>
                    <table cellspacing="0" cellpadding="10">

                        <tr>
                            <td>
                                
                                <span class="userprofile-info">
                                    {{i[0]}}
                                </span>
                            </td>
                        </tr>
                    </tr>
                <tr>
                    <td>

```

```

<span class="userprofile-info">
    {{i[8]}}
</span>
</td>
</tr>
<tr>
<td>

<span class="userprofile-info">
    {{i[3]}}
</span>
</td>
</tr>
<tr>
<td>

<span class="userprofile-info">
    {{i[5]}}
</span>
</td>
</tr>
</table>
</td>
```

```

<td>
    <table cellpadding="10" cellspacing="0" style="border-
left:1px solid white">

        <tr>
            <td>
                <span class="userprofile-info">
                    {{i[7]}}
                </span>
            </td>
        </tr>
        <tr>
            <td>
                
                <span class="userprofile-info">
                    {{i[4]}}
                </span>
            </td>
        </tr>
        <tr>
            <td>
                <span>
                    
                </span>
                <span class="userprofile-info">
                    {{i[9]}}
                </span>
            </td>

```

```
</tr>
<tr>
  <td>
    <span class="userprofile-info">
      {{i[10]}}
    </span>
  </td>
</tr>
</table>
</td>
</tr>
</table>
{ % endfor %}
</table>
</td>
</tr>
</table>
</td>
</tr>
</table></center>
</td>
</tr>
<td>{ % include('footer.html') %}</td>
</tr>
</table>
</form>
{ % endblock %}
</body>
```

</html>

usercontact.html

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8">

    <title>Contacts</title>

    <link type="text/css" rel="stylesheet" href="{ {url_for('static',filename='css/style.css')}}"/>

    <link rel="shortcut icon" href="{ {url_for('static',filename='fav_icon/icon.ico')}}"/>

    <style>

      ::placeholder {color: lightslategray;font-size:12pt;}

      .tr_1:hover{

        background:#85b9f7;

        transition:all 0.4s}

    </style>

  </head>

  <body>

    {% block body %}

      <form method="post" action="/usercontact">

        <table cellpadding="0" cellspacing="0" width="100%">

          <tr>

            <td>{% include('userheader.html') %}</td>

          </tr>

          <tr>

            <td>

              <table width="100%" cellspacing="0" cellpadding="0" style="padding-
top:80px;">

                <tr class="user-contact-show-table">

                  <td>
```

```

        <table cellpadding="10" cellspacing="0" style="padding:130px;border-
right:2px solid #4a4e53">
            <tr>
                <td style="font-size:52pt;font-weight:100;">SHOW YOUR
CONTACTS</td>
            </tr>
            <tr>
                <td style="font-size:20pt;font-weight:100;">ENTER YOUR
USERNAME</td>
            </tr>
            <tr>
                <td><input type="text" name='r1' class="contact-us-box"/></td>
            </tr>
            <tr>
                <td><input type="submit" name="fi" value="SHOW"
class="contact-us-send-btn" /></td>
            </tr>
        </table>
    </td>
    <td>
        <table style="padding:100px;" cellpadding="0" cellspacing="0">
            <tr>
                <td>
                    <center>
                        <table cellpadding="10" cellspacing="5">
                            <tr>
                                <td><input type="text" placeholder="USERNAME"
name="t1" class="contact-us-box" /></td>
                                </tr>
                            </table>
                        </center>
                    </td>
                </tr>
            </table>
        </td>
    </tr>
</table>

```

```

        <tr>
            <td><input type="text" placeholder="CONTACT NAME"
name="t2" class="contact-us-box" /></td>
        </tr>
        <tr>
            <td><textarea placeholder="OFFICE ADDRESS"
rows="8" class="contact-us-box" cols="40" name="t3"></textarea></td>
        </tr>
        <tr>
            <td><textarea placeholder="HOME ADDRESS"
class="contact-us-box" name="t4"></textarea></td>
        </tr>
        <tr>
            <td><input type="text" placeholder="WHATSAPP
NUMBER" class="contact-us-box" name="t5" maxlength="10"/></td>
        </tr>
        <tr>
            <td><input type="text" placeholder="CALLING
NUMBER" name="t6" class="contact-us-box" maxlength="10"/></td>
        </tr>
        <tr>
            <td><textarea rows="8" placeholder="DETAILS"
cols="40" class="contact-us-box" name="t7"></textarea></td>
        </tr>
        <tr>
            <td colspan="3"><input class="contact-us-send-btn"
type="submit" name="s" value="save"/></td>
        </tr>
        <tr>
            <td>{{m}}</td>
        </tr>

```

```

        </table>
    </center>
</td>
</tr>
</table>
</td>
</tr>
</table>
</td>
</tr>
</table>
</td>
</tr>
<tr>
<td>
<table border="1" width="100%" cellpadding="10" cellspacing="0">
<tr>
<th>Contact Id</th>
<th>Username</th>
<th> Contact Person</th>
<th>Office Address</th>
<th>Home Address:-</th>
<th>Calling no:-</th>
<th>Whatsapp no:-</th>
<th>Details:-</th>
</tr>
{% for j in ro %}
<tr class="tr_1">
<td>{{j[0]}}</td>
<td>{{j[1]}}</td>
<td>{{j[2]}}</td>

```

```
<td>{{j[3]}}</td>
<td>{{j[4]}}</td>
<td>{{j[5]}}</td>
<td>{{j[6]}}</td>
<td>{{j[7]}}</td>
</tr>
{% endfor %}
</table>
</td>
</tr>
<tr>
<td>
{% include('footer.html') %}
</td>
</tr>
</table>
</form>
{% endblock %}
</body>
</html>
```

notes.html

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8">

    <title>Notes</title>

    <link type="text/css" rel="stylesheet" href="{ {url_for('static',filename='css/style.css')}}"/>

    <link rel="shortcut icon" href="{ {url_for('static',filename='fav_icon/icon.ico')}}"/>

    <style>

      ::placeholder {color: lightslategray;font-size:12pt;}

      .tr_1:hover{

        background:#e26262;

        color:white;

        transition:all 0.4s

      }

    </style>

  </head>

  <body>

    {% block body %}

      <form method="post" action="/notes">

        <table width="100%" cellpadding="0" cellspacing="0">

          <tr>

            <td>{% include('userheader.html') %}</td>

          </tr>

          <tr>

            <td>

              <table width="100%" cellpadding="20" cellspacing="10" class="notes-show">

                <tr>
```

```

        <td style="border-right:1px solid brown;">SEE YOUR NOTES</td>
        <td>
            <input type="text" name="e1" placeholder="ENTER YOUR
USERNAME" class="contact-us-box"/>
            <input type="submit" name="s" value="SHOW"
style="width:100px;border-radius:7px;" class="contact-us-send-btn"/>
        </td>
    </tr>
</table>
</td>
</tr>
<tr>
    <td>
        <table width="100%" cellpadding="0" class="notes-backgrnd"
cellspacing="0">
            <tr>
                <td>
                    <center>
                        <table width="100%" cellpadding="0" cellspacing="10">
                            <tr>
                                <td><input type="text" placeholder="NOTE ID (create
yourself)" name="t1" class="contact-us-box"/></td>
                            </tr>
                            <tr>
                                <td><input type="text" placeholder="USERNAME" name="t2"
class="contact-us-box"/></td>
                            </tr>
                            <tr>
                                <td><input type="text" placeholder="TITLE" name="t3"
class="contact-us-box"/></td>

```

```

        </tr>
        <tr>
            <td><textarea rows="15" placeholder="DESCRIPTION"
cols="40" class="contact-us-box" name="t4" ></textarea></td>
        </tr>
        <tr>
            <td><input type="date" placeholder="DATE" name="t5"
class="contact-us-box"/></td>
        </tr>
        <tr>
            <td><input type="time" placeholder="TIME" name="t6"
class="contact-us-box"/></td>
        </tr>
        <tr>
            <td><input type="submit" value="SAVE" name="save"
class="contact-us-send-btn"/></td>
        </tr>
    </table>
</center>
</td>
<td>
    <table width="100%" cellspacing="0" cellpadding="0">
        <tr>
            <td class="contact-us-head notes-sub-brand">
                ADD NOTES !
                <p style="font-size:22pt;color:white">
                    SAVE YOUR NOTES FOREVER OR TEMPORARY
                </p>
            </td>
        </tr>
    </table>

```



```

        </table>

        </td>

    </tr>

</table>

</td>

<tr>

    <td>

        <table border="1" width="100%" cellspacing="0" cellpadding="10">

            <tr>

                <th><b>Note Id</b></th>

                <th><b>Username</b></th>

                <th><b>Title</b></th>

                <th><b>Description</b></th>

                <th><b>Date</b></th>

                <th><b>Time</b></th>

            </tr>

            {% for q in awm %}

            <tr class="tr_1">

                <td>{{q[0]}}</td>

                <td>{{q[1]}}</td>

                <td>{{q[2]}}</td>

                <td>{{q[3]}}</td>

                <td>{{q[4]}}</td>

                <td>{{q[5]}}</td>

            </tr>

            {% endfor %}

        </table>

    </td>

```

```
</tr>
```

```
<tr>
```

```
<td>{% include('footer.html') %}</td>
```

```
</tr>
```

```
</form>
```

```
{% endblock %}
```

```
</body>
```

```
</html>
```

jokes.html

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8">

    <title>Jokes</title>

    <link type="text/css" rel="stylesheet" href="{ {url_for('static',filename='css/style.css')}}"/>

    <link rel="shortcut icon" href="{ {url_for('static',filename='fav_icon/icon.ico')}}"/>

    <style>

      ::placeholder {color: lightslategray;font-size:12pt;}

      .tr_1:hover{

        background:#5acce1;

        transition:all 0.4s

      }

    </style>

  <body>

    {% block body %}

      <form method="post" action="/jokes" >

        <table width="100%" cellpadding="0" cellspacing="0" class="jokes-backgrnd">

          <tr>

            <td>{% include('userheader.html') %}</td>

          </tr>

          <tr>

            <td>

              <table width="100%" cellspacing="0" cellpadding="0" style="margin-
top:80px;padding:100px;" >

                <tr>
```

```

<td class="contact-us-head" style="color:white;">ADD JOKES
  <p class="joke-sub-brand">
    wanna save your jokes just fill entries and save
    your funny joke...
  </p>
</td>
<td>
  <table cellpadding="10" cellspacing="0">
    <tr>
      <td><input type="text" placeholder="USERNAME" name="t1"
class="contact-us-box" /></td>
    </tr>
    <tr>
      <td><input type="text" placeholder="JOKE SHARED BY"
name="t2" class="contact-us-box" /></td>
    </tr>
    <tr>
      <td><textarea name="t3" placeholder="JOKE DETAILS"
rows="10" cols="40" class="contact-us-box"></textarea></td>
    </tr>
    <tr>
      <td><input type="date" placeholder="DETAILS" name="t4"
class="contact-us-box"/></td>
    </tr>
    <tr>
      <td><input type="time" placeholder="TIME" name="t5"
class="contact-us-box"/></td>
    </tr>
    <tr>
      <td>

```

```

                <input type="submit" name="save" value="SAVE"
class="register-btn joke-btns"/>

                <input type="submit" name="up" value="UPDATE"
class="register-btn joke-btns"/>

                <input type="submit" name="del" value="DELETE"
class="register-btn joke-btns"/>
            </td>
        </tr>
    </table>
</td>
</tr>
</table>
</td>
</tr>
<tr>
    <td>
        <table cellspacing="0" cellpadding="0" width="100%" style="text-align:center;padding:100px">
            <tr>
                <td>
                    <table cellspacing="20" width="100%" cellpadding="0">
                        <tr>
                            <td>
                                <input type="text" name="u1" class="contact-us-box"
placeholder="USERNAME"/>
                            </td>
                        </tr>
                    </table>
                </td>
            </tr>
        </table>
    </td>

```

```

        <input type="submit" name="show" value="SHOW"
class="contact-us-send-btn" />

```

```

    </td>

```

```

  </tr>

```

```

</table>

```

```

</td>

```

```

<td class="contact-us-head" style="color:white">

```

```

    SEE JOKES

```

```

    <p class="joke-sub-brand">

```

```

        Retrieve your jokes using your username..

```

```

    </p>

```

```

  </td>

```

```

</tr>

```

```

</table>

```

```

</td>

```

```

</tr>

```

```

<tr>

```

```

  <td>

```

```

    <table width="100%" cellspacing="0" cellpadding="20" border="1"
style="background:white" >

```

```

      <tr>

```

```

        <th>Joke Id</th>

```

```

        <th>Username</th>

```

```

        <th>Referred By</th>

```

```

        <th>Joke</th>

```

```

        <th>Date</th>

```

```

        <th>Time</th>

```

```

      </tr>

```

```

      {% for l in po %}

```

```
<tr class="tr_1">
    <td>{{l[0]}}</td>
    <td>{{l[1]}}</td>
    <td>{{l[2]}}</td>
    <td>{{l[3]}}</td>
    <td>{{l[4]}}</td>
    <td>{{l[5]}}</td>
</tr>
{% endfor %}
</table>
</td>
</tr>
<tr>
    <td>{% include('footer.html') %}</td>
</tr>
</table>
</form>
{% endblock %}
</body>
</html>
```

feedback.html

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8">

    <title>Feedback</title>

    <link type="text/css" rel="stylesheet" href="{ {url_for('static',filename='css/style.css')}}"/>

    <link rel="shortcut icon" href="{ {url_for('static',filename='fav_icon/icon.ico')}}"/>

    <style>

      ::placeholder {color: lightslategray;font-size:12pt;}

      .tr_1:hover{

        background:#e26262;

        color:white;

        transition:all 0.4s

      }

    </style>

  </head>

  <body>

    {% block body %}

      <form method="post" action="/feedback">

        <table width="100%" cellpadding="0" cellspacing="0" class="feedback-backgrnd" >

          <tr>

            <td>{% include('userheader.html') %}</td>

          </tr>

          <tr>

            <td>

              <table cellpadding="20" width="100%" cellspacing="0" class="feedback-main-

table">
```



```

        <tr>
            <td class="feedback-sub-brand">
                SHOW ADMIN REPLIES
            </td>
            <td class="feedback-sub-brand">ENTER USERNAME</td>
            <td>
                <input type="text" name="y1" class="contact-us-box" />
            </td>
            <td>
                <input type="submit" name="show" value="SHOW" class="contact-us-
send-btn" style="width:120px;border-radius:5px"/>
            </td>
        </tr>
    </table>
</td>
</tr>
<tr>
    <td>
        <table width="100%" cellspacing="0" cellpadding="0">
            <tr>
                <td class="contact-us-head" style="color:white;padding:60px">Give
Feedback</td>
                <td>
                    <table width="100%" cellpadding="5" cellspacing="10"
style="padding:60px">
                        <tr>
                            <td><input type="text" placeholder="FEEDBACK ID(create
yourself)" name="t1" class="contact-us-box"/></td>
                        </tr>
                    </table>
                </td>
            </tr>
        </table>
    </td>

```

```

        <td>
            <select name="t2" class="feedback-selected" >
                <option>SUBJCET</option>
                <option>issue</option>
                <option>suggestion</option>
                <option>complaint</option>
                <option>report</option>
            </select>
        </td>
    </tr>
    <tr>
        <td><input type="text" placeholder="USERNAME" name="t3"
class="contact-us-box"/></td>
    </tr>
    <tr>
        <td><input type="text" placeholder="CONTACT NUMBER"
name="t4" class="contact-us-box"/></td>
    </tr>
    <tr>
        <td>
            <textarea placeholder="DETAILS" name="t5" class="contact-us-
box"></textarea>
        </td>
    </tr>
    <tr>
        <td><input type="submit" value="send" name="sd" class="contact-
us-send-btn"/></td>
    </tr>
</table>
</td>

```

```

        </tr>
    </table>
</td>
</tr>
<tr>
    <td>
        <table cellspacing="0" width="100%" cellpadding="10"
style="background:white">
            <tr>
                <th width="10%" style="border-right:1px solid black">Feedback Id</th>
                <th>Reply from Admin.</th>
            </tr>
            {% for s in er %}
            <tr>
                <td style="border-right:1px solid black">{{s[0]}}</td>
                <td>{{s[2]}}</td>
            </tr>
            {% endfor %}
        </table>
    </td>
</tr>
<tr>
    <td>
        <table>
            <tr>
                <td>{% include('footer.html') %}</td>
            </tr>
        </table>
    </td>
</tr>
</table>
</form>
{% endblock %}
</body>
</html>

```

adminhome.html

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8">

    <title>Admin Home</title>

    <link rel="shortcut icon" href="{{url_for('static',filename='fav_icon/icon.ico')}}" />

    <link type="text/css" rel="stylesheet"
href="{{url_for('static',filename='css/adminCSS.css')}}" />

  </head>

  <body>

    {% block body %}

      <form method="post" action="/ashutoshprasad24720002000">

        <table cellpadding="0" cellspacing="0" width="100%">

          <tr>

            <td style="background:#00c7c1;padding:0px">

              <label style="font-weight:100;font-size:20pt;">ADMIN
DASHBOARD</label>

            </td>

          </tr>

          <tr>

            <td>

              <table cellpadding="30" width="100%" cellspacing="40"
style="padding:40px;">

                <tr>

                  <td class="background-pad shadow ">

                    <p class="count">

                      {{countUser}}
```

```
</p>
<a class="success-btn" href="{{url_for('adus')}}">
    SEE ALL USERS
</a>
</td>
<td class="background-pad shadow">
    <p class="count">
        {{msgCount}}
    </p>
    <a class="danger-btn" href="{{url_for('cnus')}}">
        SEE ALL MESSAGE
    </a>
</td>
<td class="background-pad shadow">
    <p class="count">
        {{contactCount}}
    </p>
    <a class="waiting-btn" href="{{url_for('adcons')}}">
        SEE ALL CONTACTS
    </a>
</td>
<td class="background-pad shadow">
    <p class="count">
        {{notesCount}}
    </p>
    <a class="primary-btn" href="{{url_for('adnt')}}">
        SEE ALL NOTES
    </a>
```

```

</td>

<td class="background-pad shadow">

    <p class="tagline">

        {{newsCount}} NEWS UPDATES DELIVERED...

    </p>

    <a class="primary-btn " href="{{url_for('adns')}}">

        SEE ALL NEWS

    </a>

</td>

</tr>

<tr>

<td colspan="3" class="background-pad shadow">

    <p class="tagline">

        SAVED JOKES....<br>SAVE, EDIT, DELETE..CLICK HERE

    <a class="waiting-btn" href="{{url_for('adjk')}}">

        SEE ALL JOKES

    </a>

    </p>

</td>

<td class="background-pad shadow">

    <a class="danger-btn " href="{{url_for('afd')}}">

        FEEDBACK

    </a>

</td>

<td class="background-pad shadow">

    <a class="success-btn" href="http://127.0.0.1:5000/">

        Go To Site

```

```

        </a>
      </td>
    </tr>
  </table>
</td>
</tr>
</table>
</form>
{% endblock %}
</body>
</html>
```

adminuser.html

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8">

    <title>Users</title>

    <link type="text/css" rel="stylesheet"
href="{ {url_for('static',filename='css/adminCSS.css') } }"/>

    <link rel="shortcut icon" href="{ {url_for('static',filename='fav_icon/icon.ico') } }"/>

  </head>

  <body>

    {% block body %}

      <form method="post" action="/adminusers">

        <table width="100%" cellpadding="0" cellspacing="0">

          <tr>

            <td>{% include('adminheader.html') %}</td>

          </tr>

          <tr>

            <td>

              <center>

                <table cellpadding="0" cellspacing="0" width="100%" class="admin-user-tab-
1">

                  <tr>

                    <td>

                      <table cellpadding="0" cellspacing="0" width="100%" border="1"
class="admin-user-borders">

                        <tr>

                          <th class="admin-user-brand">Users</th>

                        </tr>
```



```

<tr>
  <td>
    <p class="tagline">all registered users is here!</p>
  </td>
</tr>
{% for n in rk %}
<tr class="admin-reg-users">
  <td>
    <label>
      {{ n[0].upper() }}
    </label></td>
  </tr>
{% endfor %}
</table>
</td>
<td>
  <center>
    <table cellpadding="5" cellspacing="0" class="shadow danger-btn"
style="padding:40px" >
      <tr >
        <td class="admin-user-brand">
          See Details
        </td>
      </tr>
      <tr>
        <td style="color:white;text-align:center;">
          <select name="t1" class="admin-user-reg-box">
            <option>SELECT USERNAME</option>
            {% for n in rk %}

```

```

        <option>
            {{n[0]}}
        </option>
    {% endfor %}
</select>
</td>
</tr>
<tr>
<td>
        <input type="submit" name="so" value="SHOW"
class="primary-btn admin-btn" />
    </td>
</tr>
</table>
</center>
</td>
</tr>
</table>
</center>
</td>
</tr>
<tr>
    <td><center>
        <table cellspacing="0" cellpadding="15" class="shadow danger-btn"
style="border-radius:20px;padding:20px;">
            {% for b in fm %}
        <tr>
            <td style="border-right:2px solid #817f7f">Username</td>
            <td style="border-right:2px solid #817f7f">Password</td>

```

```

<td style="border-right:2px solid #817f7f">Confirm Password</td>
<td style="border-right:2px solid #817f7f">Gender</td>
<td style="border-right:2px solid #817f7f">E-mail</td>
<td style="border-right:2px solid #817f7f">Pincode</td>
<td style="border-right:2px solid #817f7f">Marriage status</td>
<td style="border-right:2px solid #817f7f">Living status</td>
<td style="border-right:2px solid #817f7f">Date of birth</td>
<td style="border-right:2px solid #817f7f">Timeline</td>
<td style="border-right:2px solid #817f7f">Address</td>
</tr>
<tr>
<td style="border-right:2px solid #817f7f">{{b[0]}}</td>
<td style="border-right:2px solid #817f7f">{{b[1]}}</td>
<td style="border-right:2px solid #817f7f">{{b[2]}}</td>
<td style="border-right:2px solid #817f7f">{{b[3]}}</td>
<td style="border-right:2px solid #817f7f">{{b[4]}}</td>
<td style="border-right:2px solid #817f7f">{{b[5]}}</td>
<td style="border-right:2px solid #817f7f">{{b[6]}}</td>
<td style="border-right:2px solid #817f7f">{{b[7]}}</td>
<td style="border-right:2px solid #817f7f">{{b[8]}}</td>
<td style="border-right:2px solid #817f7f">{{b[9]}}</td>
<td style="border-right:2px solid #817f7f">{{b[10]}}</td>
</tr>
{% endfor %}
</table></center>
</td>
</tr>
<tr>

```

```
        <td>{% include('adminfooter.html') %}</td>
    </tr>
</table>
</form>
{% endblock %}
</body>
</html>
```

admincontactus.html

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8">

    <title>Admin Contact us</title>

    <link type="text/css" rel="stylesheet"
href="{ {url_for('static',filename='css/adminCSS.css') } }"/>

    <link rel="shortcut icon" href="{ {url_for('static',filename='fav_icon/icon.ico') } }"/>

    <style>

      .tr_1:nth-child(even){

        background:Moccasin;

      }

      th{

        background:#3ec658;

        font-size:15pt;

        position:sticky;top:130px;

      }

    </style>

  </head>

  <body>

    {% block body %}

      <form method="post" action="/admincontus">

        <table width="100%" cellspacing="0" cellpadding="0">

          <tr>

            <td>{% include('adminheader.html') %}</td>

          </tr>

          <tr >
```

```
<td style="height:500px;font-size:72pt" class="admin-user-brand">All
Messages...</td>
```

```
</tr>
```

```
<tr>
```

```
<td>
```

```
<table width="100%" border="1" cellspacing="0" cellpadding="25" >
```

```
<tr class=" success-btn" >
```

```
<th >Username</th>
```

```
<th >Contact no</th>
```

```
<th >Email</th>
```

```
<th >Message</th>
```

```
</tr>
```

```
{% for t in tor %}
```

```
<tr>
```

```
<td>{{t[0]}}</td>
```

```
<td>{{t[1]}}</td>
```

```
<td>{{t[2]}}</td>
```

```
<td>{{t[3]}}</td>
```

```
</tr>
```

```
{% endfor %}
```

```
</table>
```

```
</td>
```

```
</tr>
```

```
<tr>
```

```
<td>{% include('adminfooter.html') %}</td>
```

```
</tr>
```

```
</table>
```

```
</form>
```

```
{% endblock %}
```

</body>

</html>

admincontact.html

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8">

    <title>Admin Contact</title>

    <link type="text/css" rel="stylesheet"
href="{ {url_for('static',filename='css/adminCSS.css')} }"/>

    <link rel="shortcut icon" href="{ {url_for('static',filename='fav_icon/icon.ico')} }"/>

    <style>

      .tr_1:nth-child(even){

        background:#36595b;

        color:white;

      }

      th{

        background:#e22d3f;

        font-size:12pt;

        position:sticky;top:135px;

      }

    </style>

  </head>

  <body>

    {% block body %}

      <form method="post" action="/admincontacts">

        <table width="100%" cellspacing="0" cellpadding="0">

          <tr>

            <td>{% include('adminheader.html') %}</td>

          </tr>

        </table>

      </form>

    </body>

  </html>
```



```

<tr>
  <td>
    <table width="100%" cellspacing="0" cellpadding="0" style="margin-
top:150px;padding:30px">
      <tr>
        <td class="admin-user-brand" style="font-size:70pt;">User Contacts</td>
      </tr>
    </table>
  </td>
</tr>
<tr>
  <tr>
    <td>
      <table width="100%" cellspacing="0" cellpadding="0" style="padding:20px">
        <tr>
          <td>
            <table width="100%" cellpadding="0" cellspacing="0" class="shadow
primary-btn" style="padding:20px">
              <tr>
                <td><center>
                  <table width="100%" cellpadding="10" cellspacing="0">
                    <tr>
                      <td class="admin-user-brand">Show contacts </td>
                    </tr>
                    <tr>
                      <td><input class="admin-user-reg-box"
placeholder="USERNAME" type="text" name="t1" /></td>
                    </tr>
                    <tr>
                      <td><input type="submit" value="SHOW" name="sss"
class="success-btn" style="width:310px"/></td>

```

```

        </tr>
    </table></center>

</td>

</tr>

</table>

</td>

<td>

    <table width="50%" cellspacing="0" border="1" style="border:1px solid
silver;margin-left:100px;" cellpadding="10" class="primary-btn shadow" >

        <tr class="danger-btn">

            <th>Contact Id</th>

            <th>Username</th>

            <th>Person name</th>

            <th>Office address</th>

            <th>Home address</th>

            <th>Whatsapp no.</th>

            <th>Calling no.</th>

            <th>Details</th>

        </tr>

        {% for d in wr %}

        <tr>

            <td>{{d[0]}}</td>

            <td>{{d[1]}}</td>

            <td>{{d[2]}}</td>

            <td>{{d[3]}}</td>

            <td>{{d[4]}}</td>

            <td>{{d[5]}}</td>

            <td>{{d[6]}}</td>

            <td>{{d[7]}}</td>

```

```

        </tr>

        {% endfor %}

    </table><br><br>

</td>

</tr>

</table>

</td>

</tr>

<tr>

<td>

<table width="100%" cellpadding="0" cellspacing="0">

<tr>

<td class="primary-btn ">All Contacts</td>

</tr>

<tr>

<td>

<table width="100%" border="1" cellpadding="10" cellspacing="0">

<tr class="tr_1" style="height:80px">

<th>Contact Id</th>

<th>Username</th>

<th>Contact person</th>

<th>Office address</th>

<th>Home address</th>

<th>Whatsapp no.</th>

<th>Calling no.</th>

<th>Details</th>

</tr>

{% for h in rg %}

```

```
<tr class="tr_1">
    <td>{{h[0]}}</td>
    <td>{{h[1]}}</td>
    <td>{{h[2]}}</td>
    <td>{{h[3]}}</td>
    <td>{{h[4]}}</td>
    <td>{{h[5]}}</td>
    <td>{{h[6]}}</td>
    <td>{{h[7]}}</td>
</tr>
{% endfor %}
</table>
</td>
</tr>
</table><hr>
</td>
</tr>
<tr>
    <td>{% include('adminfooter.html') %}</td>
</tr>
</table>
</form>
{% endblock %}
</body>
</html>
```

adminnotes.html

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8">

    <title>Admin Notes</title>

    <link type="text/css" rel="stylesheet"
href="{ {url_for('static',filename='css/adminCSS.css') } }"/>

    <link rel="shortcut icon" href="{ {url_for('static',filename='fav_icon/icon.ico') } }"/>

    <style>

      .tr_1:nth-child(even){

        background:#36595b;

      }

      th{

        background:#00bd5b;

        font-size:12pt;

        position:sticky;top:135px;

      }

    </style>

  </head>

  <body>

    {% block body %}

    <form method="post" action="/adminnotes">

      <table width="100%" cellspacing="0" cellpadding="0">

        <tr>

          <td>{% include('adminheader.html') %}</td>

        </tr>

      </table>

    </form>

  </body>

</html>
```

```

<tr>
  <td>
    <table cellspacing="0" width="100%" cellpadding="0">
      <tr>
        <td>
          <table width="100%" cellspacing="0" cellpadding="0" style="margin-top:150px;padding:30px">
            <tr>
              <td class="admin-user-brand">Notes</td>
            </tr>
          </table>
        </td>
      </tr>
    </table>
    <tr>
      <td>
        <table width="100%" cellpadding="0" cellspacing="0" style="padding:20px">
          <tr>
            <td>
              <table width="70%" cellpadding="0" cellspacing="10" class="shadow success-btn" style="padding:20px">
                <tr>
                  <td class="admin-user-brand">
                    Show Notes
                  </td>
                </tr>
              </table>
            <td>
              <input class="admin-user-reg-box" placeholder="USERNAME" type="text" name="q1" />

```

```

        </td>

    </tr>

    <tr>

        <td>

            <input type="submit" name="s10" value="SHOW"
class="dark-green" style="width:310px" />

        </td>

    </tr>

</table>

</td>

<td>

    <table width="100%" cellspacing="0" border="1" style="border:1px
solid silver;" cellpadding="10" class="success-btn shadow">

        <tr>

            <th>Note Id</th>

            <th>Username</th>

            <th>Title</th>

            <th>Description</th>

            <th>Date</th>

            <th>Time</th>

        </tr>

        {% for c in rl %}

        <tr>

            <td>{{c[0]}}</td>

            <td>{{c[1]}}</td>

            <td>{{c[2]}}</td>

            <td>{{c[3]}}</td>

            <td>{{c[4]}}</td>

            <td>{{c[5]}}</td>

```

```

        </tr>
        {% endfor %}
    </table>
</td>
</tr>
</table>
</td>
</tr>
</table>
</td>
</tr>
<tr>
<td>
    <table width="100%" cellpadding="0" cellspacing="0">
        <tr>
            <td class="primary-btn ">All Notes:-</td>
        </tr>
        <tr>
            <td>
                <table width="100%" border="1" cellpadding="5" cellspacing="0" style="
border-color:#0003;">
                    <tr style="height:80px" class="tr_1">
                        <th>Note Id</th>
                        <th>Username</th>
                        <th>Title</th>
                        <th>Description</th>
                        <th>Date</th>
                        <th>Time</th>
                    </tr>

```



```
{% for h in cr %}

<tr class="tr_1">

    <td>{{h[0]}}</td>

    <td>{{h[1]}}</td>

    <td>{{h[2]}}</td>

    <td>{{h[3]}}</td>

    <td>{{h[4]}}</td>

    <td>{{h[5]}}</td>

</tr>

{% endfor %}

</table><hr/>

</td>

</tr>

</table>

</td>

</tr>

<tr>

    <td>{% include('adminfooter.html') %}</td>

</tr>

</table>

</form>

{% endblock %}

</body>

</html>
```

adminnews.html

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8">

    <title>Admin news</title>

    <link type="text/css" rel="stylesheet"
href="{ {url_for('static',filename='css/adminCSS.css') } }"/>

    <link rel="shortcut icon" href="{ {url_for('static',filename='fav_icon/icon.ico') } }"/>

    <style>

      .tr_1:nth-child(even){

        background:#36595b;

        color:white;

      }

      th{

        background:#e22d3f;

        font-size:12pt;

        position:sticky;top:135px;

      }

    </style>

  </head>

  <body>

    {% block body %}

      <form method="post" action="/adminnews">

        <table width="100%" cellspacing="0" cellpadding="0">

          <tr>

            <td>{% include('adminheader.html') %}</td>

          </tr>

        </table>

      </form>

    </body>

  </html>
```

```

        <tr>
            <td>
                <table width="100%" cellpadding="0" cellspacing="0" style="margin-
top:200px">
                    <tr>
                        <td>
                            <table width="100%" cellspacing="0" cellpadding="0"
style="padding:30px">
                                <tr>
                                    <td class="admin-user-brand">NEWS Feed</td>
                                </tr>
                                <tr>
                                    <td class="tagline" style="text-align:left">
                                        news feed section, admin notify user from here and only accessible
by administrator !
                                    </td>
                                </tr>
                            </table>
                        </td>
                    </tr>
                </table>
            </td>
            <td><center>
                <table cellpadding="10" cellspacing="0" class="skyblue"
style="padding:50px;margin:50px">
                    <tr>
                        <td><input type="text" placeholder="TITLE" class="admin-user-
reg-box" style="border:none;" name="t1" /></td>
                    </tr>
                    <tr>
                        <td><input type="text" name="t2" style="border:none;"
placeholder="DESCRIPTION" class="admin-user-reg-box"/></td>
                    </tr>
                </table>
            </td>
        </tr>
    </table>

```

```

        <tr>
            <td><input type="date" name="t3" style="border:none;"
class="admin-user-reg-box"/></td>
        </tr>
        <tr>
            <td><input type="time" name="t4" style="border:none;"
class="admin-user-reg-box"/></td>
        </tr>
        <tr>
            <td>
                <input type="submit" value="save" name="sv" class="success-
btn"/>
                <input type="submit" value="delete" name="del" class="danger-
btn"/>
            </td>
        </tr>
    </table></center>
</td>
</tr>
</table>
</td>
</tr>
<tr>
    <td>
        <table width="100%" cellpadding="10" cellspacing="" border="1">
            <tr class="tr_1" style="height:80px">
                <th>Id</th>

```

```
<th>Title</th>

<th>Description</th>

<th>Date</th>

<th>Time</th>

</tr>

{% for v in rt %}

<tr class="tr_1">

    <td>{{v[0]}}</td>

    <td>{{v[1]}}</td>

    <td>{{v[2]}}</td>

    <td>{{v[3]}}</td>

    <td>{{v[4]}}</td>

</tr>

{% endfor %}

</table>

</td>

</tr>

<tr>

    <td>{% include('adminfooter.html') %}</td>

</tr>

</table>

</form>

{% endblock %}

</body>

</html>
```

adminjokes.html

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8">

    <title>Admin Jokes</title>

    <link type="text/css" rel="stylesheet"
href="{ {url_for('static',filename='css/adminCSS.css')} }"/>

    <link rel="shortcut icon" href="{ {url_for('static',filename='fav_icon/icon.ico')} }"/>

    <style>

      .tr_1:nth-child(even){

        background:#36595b;

        color:white;

      }

      th{

        background:#e22d3f;

        font-size:12pt;

        position:sticky;top:135px;

      }

    </style>

  </head>

  <body>

    {% block body %}

      <form method="post" action="/adminjokes">

        <table width="100%" cellpadding="0" cellspacing="0" >

          <tr>

            <td>{% include('adminheader.html') %}</td>

          </tr>

        </table>

      </form>

    </body>

  </html>
```

```

<tr>
  <td>
    <table width="100%" cellspacing="0" cellpadding="0" style="margin-
top:150px;padding:30px">
      <tr>
        <td class="admin-user-brand" style="font-size:70pt;">JOKES </td>
      </tr>
    </table>
  </td>
</tr>
<tr>
  <tr>
    <td>
      <table width="100%" cellspacing="10" cellpadding="0" style="padding:20px">
        <tr>
          <td>
            <table width="100%" cellspacing="0" border="1" style="border:1px solid
silver;margin-left:5px;" cellpadding="10" class="primary-btn shadow" >
              <tr class="danger-btn" >
                <th>Joke Id</th>
                <th>Username</th>
                <th>Joke refered by</th>
                <th>Joke</th>
                <th>Date</th>
                <th>Time</th>
              </tr>
              {% for o in yn %}
              <tr>
                <td>{{ o[0] }}</td>
                <td>{{ o[1] }}</td>

```

```

        <td>{{o[2]}}</td>
        <td>{{o[3]}}</td>
        <td>{{o[4]}}</td>
        <td>{{o[5]}}</td>
    </tr>
    {% endfor %}
</table>
</td>
<td>
    <table cellpadding="5" cellspacing="10" class="shadow primary-btn"
style="padding:20px">
        <tr>
            <td class="admin-user-brand">Show jokes</td>
        </tr>
        <tr>
            <td><input type="text" class="admin-user-reg-box"
placeholder="USERNAME" name="m1" /></td>
        </tr>
        <tr>
            <td>
                <input type="submit" value="show" name="soo" class="success-
btn" style="width:310px"/>
            </td>
        </tr>
    </table>
</td>
</tr>
</table>
</td>

```



```
</tr>
```

```
<tr>
```

```
<td>
```

```
<table width="100%" cellpadding="0" cellspacing="0">
```

```
<tr>
```

```
<td class="primary-btn ">All Jokes</td>
```

```
</tr>
```

```
<tr>
```

```
<td>
```

```
<table width="100%" border="1" cellpadding="10" cellspacing="0" >
```

```
<tr class="tr_1" style="height:80px">
```

```
<th>Joke Id</th>
```

```
<th>Username</th>
```

```
<th>Joke refered by</th>
```

```
<th>Joke</th>
```

```
<th>Date</th>
```

```
<th>Time</th>
```

```
</tr>
```

```
{% for u in ur %}
```

```
<tr class="tr_1">
```

```
<td>{{u[0]}}</td>
```

```
<td>{{u[1]}}</td>
```

```
<td>{{u[2]}}</td>
```

```
<td>{{u[3]}}</td>
```

```
<td>{{u[4]}}</td>
```

```
<td>{{u[5]}}</td>
```

```
</tr>
```

```
{% endfor %}
```

```
        </table>
    </td>
</tr>
</table>
</td>
</tr>
<tr>
    <td>{% include('adminfooter.html') %}</td>
</tr>
</table>
</form>
{% endblock %}
</body>
</html>
```

adminfeedback.html

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8">

    <title>Admin Feedback</title>

    <link type="text/css" rel="stylesheet"
href="{ {url_for('static',filename='css/adminCSS.css') } }"/>

    <link rel="shortcut icon" href="{ {url_for('static',filename='fav_icon/icon.ico') } }"/>

    <style>

      .tr_1:nth-child(even){

        background:#36595b;

        color:white;

      }

      th{

        background:#e22d3f;

        font-size:12pt;

        position:sticky;top:135px;

      }

    </style>

  </head>

  <body>

    {% block body %}

      <form method="post" action="/adminfeedback">

        <table width="100%" cellspacing="0" cellpadding="0">

          <tr>

            <td>{% include('adminheader.html') %}</td>
```

```

</tr>

<tr>

<td>

<table width="100%" cellpadding="0" cellspacing="0" style="margin-
top:200px">

<tr>

<td>

<table width="100%" cellpadding="0" cellspacing="0"
style="padding:30px">

<tr>

<td class="admin-user-brand">

Feedback Panel

</td>

</tr>

<tr class="tagline" style="text-align:left">

<td>All the user' feedback are shown here, and replies given to the
users also see here!</td>

</tr>

</table>

</td>

<td>

<table cellspacing="10" cellpadding="0" class="skyblue"
style="padding:50px;margin:50px">

<tr>

<td ><select name="l1" class="admin-user-reg-box">

<option>--select--</option>

{% for t in yr %}

<option>{{t[0]}}</option>

{% endfor %}

</select></td>

```

```

        </tr>
        <tr>
            <td><select name="l3" class="admin-user-reg-box">
                <option>--select--</option>
                {% for t in yr %}
                <option>{{t[2]}}</option>
                {% endfor %}
            </select></td>

            </tr>
            <tr>
                <td><input name="l2" placeholder="REPLY" class="admin-user-
reg-box" style="width:285px"/></td>

            </tr>
            <tr>
                <td>
                    <input type="submit" value="save" name="send" class="success-
btn" />

                    <input type="submit" value="delete" name="del" class="danger-
btn"/>

                </td>
            </tr>
        </table>
    </td>
</tr>
</table>
</td>
</tr>
</tr>

```

```

<td>
    <table width="100%" cellpadding="0" cellspacing="0">
        <tr>
            <td style="text-align:center;font-size:34pt;padding:50px;">All
Feedbacks.</td>
        </tr>
        <tr>
            <td>
                <table width="100%" cellspacing="0" border="1" cellpadding="10">
                    <tr style="background-color: rgb(2, 27, 19);color:white;border-
color:white;" class="tr_1">
                        <th>Feedback Id</th>
                        <th>Subject</th>
                        <th>Username</th>
                        <th>Contact</th>
                        <th>Details</th>
                    </tr>
                    {% for y in yr %}
                    <tr class="tr_1">
                        <td>{{y[0]}}</td>
                        <td>{{y[1]}}</td>
                        <td>{{y[2]}}</td>
                        <td>{{y[3]}}</td>
                        <td>{{y[4]}}</td>
                    </tr>
                    {% endfor %}
                </table><br><hr/>
            </td>
        </tr>
    </table>

```

```
        </table>

    </td>

</tr>

<tr>

    <td>{% include('adminfooter.html') %}</td>

</tr>

</table>

</form>

{% endblock %}

</body>

</html>
```

CSS-File:-style.css

```
html,body{height:100%;margin:0px;width:100%;padding:0px;font-family:segoe ui;scrolling-behavior:smooth;}
```

```
/*-----home style-----*/
```

```
.home-tables{  
    background-color:darkslategrey;  
    margin-top:-10px;  
    padding:50px;  
    width:100%;  
    text-align:center;  
}
```

```
.home-admin-info{  
    background: rgb(179,36,36);  
    background: linear-gradient(157deg, rgba(179,36,36,1) 24%, rgba(190,0,112,1) 64%);  
    padding:13%;  
}
```

```
.home-info_branding{  
    color: rgba(214, 203, 206, 0.712);  
    font-size:40pt;  
    text-align:center;  
    font-family:segoe ui;  
}
```

```
.home-heading{  
    font-size:42pt;  
    text-align:center;  
    font-family:segoe ui;
```



```
}
```

```
.home-text-dark{color: rgb(33, 34, 34);}
```

```
.home-p-5 {padding:50px;}
```

```
.home-p-1 {padding:10px;}
```

```
.home-m-5 {margin:50px;}
```

```
.home-admin_name{  
    color: rgba(214, 203, 206, 0.712);  
    font-size:16pt;  
    text-align:center;  
    font-family:segoe ui;  
}
```

```
.home-info_img{  
    border-radius:100%;  
    height:300px;  
    width:300px;  
    padding:50px;  
    transition:all 0.5s;  
}
```

```
.home-info_img:hover{  
    transform: scale(1.3);  
    transition: 0.5s;  
}
```

```
.home-img_service{  
    height:200px;  
    width:200px;  
    border-radius:5px;  
    padding-bottom:0px;  
}
```

```
.home-para{  
    padding-top:0px;  
    font-family:segoe ui;  
    color: rgb(68, 67, 63);  
}
```

```
.home-btn-danger{  
    background: rgb(207, 56, 56);  
    text-decoration:none;  
    padding:10px;  
    font-family:segoe ui;  
    border-style:ridge;  
    border-width:1px;  
    border-color: rgb(246, 72, 49);  
    transition:all 0.5s;  
}
```

```
.home-btn-danger:hover{background: rgb(170, 42, 42);  
    transition: 0.5s;  
}
```

```
.home-ml-100{margin-left:100px;}
```

```
.home-mark_news{  
    font-family:segoe ui;  
    color:black;  
    font-size:11pt;  
    transition 0.5s;  
    font-weight:100;  
    font-size:14pt;  
}
```

```
.home-mark_news:hover{  
    background-color:dimgray;  
    transition: all 0.5s;  
    color:floralwhite;  
}
```

```
.home-news-brand{  
    font-size:20pt;  
    font-weight:100;  
    background-color:bisque;  
    text-align:center;  
}
```

```
.home-purchase{  
    padding:6%;  
    padding-right:0;  
    background-color:bisque;  
}
```

```
.home-purchase-row{  
    padding-left:0;  
    height:100%;  
    text-align:left;  
}
```

```
.home-purchase-brand{  
    font-size:45px;  
    padding:50px;  
    text-align:center;  
}
```

```
.home-services-bg{  
    background: rgb(255,255,255);  
    padding-top:0px;  
    background: linear-gradient(157deg, rgba(255,255,255,1) 53%, rgba(214,185,121,1) 53%);  
    color:white;  
}
```

```
/*-----ABout style-----*/
```

```
.about-page-main{  
    width:100%;  
}
```

```
.about-page-bg{  
    color:black;  
    padding:70px;
```

```
}
```

```
.about-page-head{  
    text-align:center;  
    font-weight:100;  
    font-size:42pt;  
    color: rgb(100, 105, 105);  
    padding:10px;  
    font-family:segoe ui;  
}
```

```
.about-page-subhead{  
    text-align:center;  
    font-weight:500;  
    font-size:22pt;  
    color: rgb(100, 105, 105);  
    padding:10px;  
    font-family:segoe ui;  
}
```

```
.about-page-para{  
    font-family:segoe ui;  
    font-size:14pt;  
    text-indent: 50px;  
    text-align: justify;  
    letter-spacing: 3px;  
    text-justify:inter-word;  
}
```

```
/*-----contact us style-----*/
```

```
.contact-us-box{  
    height:30px;  
    width:330px;  
    padding:10px;  
    font-size:16pt;  
    font-weight:100;  
    color:#7A7C71;  
    border-radius:10px;  
    border:none;  
}
```

```
.contact-us-textarea{  
    height:75px;  
    width:330px;  
    padding:10px;  
    font-size:16pt;  
    font-weight:100;  
    color:#7A7C71;  
    resize:none;  
    border-radius:10px;  
}
```

```
.contact-us-send-btn{  
    height:45px;  
    width:355px;  
    background-color:#212f8e;
```

```
    color:white;
    padding:10px;
    font-size:12pt;
    font-weight:100;
    border-radius:20px;
    transition:all 0.5s;
}

.contact-us-send-btn:hover{
    background-color:#131b4a;
    transition: 0.5s;
}

.contact-us-tab-1{
    padding:120px;
    background: rgb(8,222,184);
    background: linear-gradient(326deg, rgba(8,222,184,1) 34%, rgba(255,255,255,1) 63%);
    text-align:center;
    width:100%;
}

.contact-us-main{
    width:100%;
}

.contact-us-head{
    font-size:64pt;
    font-weight:100;
}
```

```
.contact-us-para{  
    text-align:center;  
    font-size:18pt;  
    font-weight:100;  
    padding:10px;  
    letter-space:3px;  
}
```

```
/*-----registration-----*/
```

```
.register-brand{  
    font-size:45pt;  
    text-align:center;  
    padding:40px;  
    font-weight:100;  
}
```

```
.register-box{  
    height:30px;  
    width:320px;  
    padding:10px;  
    font-size:16pt;  
    font-weight:100;  
    color:#b5aaaa;  
    border-radius:10px;  
    background-color:#363030;  
    border:none;  
}
```

```
.register-selekt{
```



```
height:50px;
width:340px;
padding:10px;
font-size:16pt;
font-weight:100;
color:#b5aaaa;
border-radius:10px;
background-color:#363030;
border:none;
}
.register-file_input{
height:50px;
width:340px;
font-size:14pt;
font-weight:100;
color:#7A7C71;
border-radius:10px;
background-color:#363030;
border:none;
}
.register-btn{
height:45px;
background-color:#212f8e;
width:150px;
color:white;
padding:10px;
font-size:12pt;
font-weight:100;
```

```
border:none;
border-radius:2px;
transition:all 0.5s;
}
.register-btn:hover{
background-color:crimson;
color:white;
transition:0.5s;
}
.register-link-btn{
height:45px;
background-color:#4386ff;
width:250px;
color:white;
padding:10px;
font-size:12pt;
font-weight:100;
border-radius:2px;
transition:all 0.5s;
}
.register-link-btn:hover{
background-color:crimson;
color:white;
transition:0.5s;
}
.register-text{
font-size:13pt;
font-weight:100;
```

```
    font-family:segoe ui;
    border-radius:10px;
    padding:20px;
}
.register-ft{
    text-align:right;
    font-size:12pt;
    height:100px;
    border-color:white;
    font-family:segoe ui;
    width:200px;
}
.register-tab-1 {
    background-color:rgb(23, 65, 65);
    font-family:segoe ui;
    padding:30px 100px;
    margin-top:-10px;
    border-radius:1.5%;
    width:50%;
    margin-left:30px;
}
.register-main{
    margin-top:-10px;
    width:100%;
}
.register-tab-2{
    font-size:40pt;
    color:white;
```

```

padding:40px;
font-family:segoe ui;
text-align:center;
text-shadow:3px 3px black;
}
.register-textarea{
background-color:#0003;
color:white;
box-shadow:2px 2px rgb(92, 92,80);
}

/*-----login style-----*/
.login-bg{
box-shadow: 14px 17px 27px 5px rgba(0,0,0,0.64);
-webkit-box-shadow: 14px 17px 27px 5px rgba(0,0,0,0.64);
-moz-box-shadow: 14px 17px 27px 5px rgba(0,0,0,0.64);text-align:center
}

.login-sub-brand{
font-size:12pt;
color:black;
padding-left:10px;
}

/*-----user home style-----*/
.user-welcome{
font-size:52pt;
padding:160px;

```

```
text-align: justify;
letter-spacing: 6px;
font-weight: 100;
color: white;
}
```

```
.user-para{
font-size: 22pt;
color: white;
padding: 160px;
text-align: justify;
letter-spacing: 6px;
font-weight: 100;
}
```

```
.user-home-main{
margin-top: 6px;
width: 100%;
}
```

```
.user-home-tab-1 {
background: rgb(119, 4, 4);
margin-top: -5px;
color: white;
text-align: center;
font-size: 40px;
margin: 100px;
width: 80%;
```

```
font-family:segoe ui;  
border-radius:1%;  
}
```

```
.user-welcome{  
font-size:52pt;  
padding:160px;  
text-shadow:4px 4px black;  
}
```

```
.user-home-name{  
margin-left:-30px;  
font-size:20pt;  
background: rgb(31, 29, 29);  
color:white;  
padding:30px;  
height:40px;  
border-radius:10%;  
}
```

```
/*-----user profile style-----*/
```

```
.userprofile-round{  
border-radius:50%;  
width:170px;  
height:170px;  
border:2px solid #d65757;  
box-shadow: 6px 10px 12px -5px rgba(0,0,0,0.37);  
-webkit-box-shadow: 6px 10px 12px -5px rgba(0,0,0,0.37);
```

```
-moz-box-shadow: 6px 10px 12px -5px rgba(0,0,0,0.37);  
}
```

```
.userprofile-main-bg{  
    background-image: linear-gradient( 109.6deg, rgba(249,79,146,1) 11.2%,  
    rgba(253,114,114,1) 91.1% );  
}
```

```
.userprofile-sub-bg{  
    background-image: linear-gradient( 143.3deg, rgba(216,27,96,1) 33.1%, rgba(237,107,154,1)  
74.9% );  
    box-shadow: 14px 19px 14px -2px rgba(0,0,0,0.59);  
    -webkit-box-shadow: 14px 19px 14px -2px rgba(0,0,0,0.59);  
    -moz-box-shadow: 14px 19px 14px -2px rgba(0,0,0,0.59);  
    margin-top:220px;  
    margin-bottom:200px;  
    padding:50px  
}
```

```
.userprofile-img{  
    text-align:center;  
    margin-top:-140px;  
}
```

```
.userprofile-info{  
    font-size:15pt;  
    color:#ddd5d5  
}
```

```
/*-----user contacts page style-----*/
```

```
.user-contact-show-table{  
    padding:100px;  
    background: rgb(255,255,255);  
    background: linear-gradient(159deg, rgba(255,255,255,1) 34%, rgba(54,104,166,1) 56%);  
}
```

```
/*-----user notes page style-----*/
```

```
.notes-backgrnd{  
    padding:90px;background: #CB356B; /* fallback for old browsers */  
    background: -webkit-linear-gradient(to right, #BD3F32, #CB356B); /* Chrome 10-25, Safari 5.1-6 */  
    background: linear-gradient(to right, #BD3F32, #CB356B); /* W3C, IE 10+/ Edge, Firefox 16+, Chrome 26+, Opera 12+, Safari 7+ */  
}
```

```
.notes-show{  
    margin-top:90px;  
    background:#bcc0c4;  
    text-align:center;  
}
```

```
.notes-sub-brand{  
    color:white;  
    padding:120px;  
    text-align:center;  
}
```



```
/*-----user jokes style-----*/
```

```
.jokes-backgrnd{  
    background-image: radial-gradient( circle farthest-corner at 10% 20%, rgba(0,93,133,1) 0%,  
    rgba(0,181,149,1) 90% );  
}
```

```
.joke-sub-brand{  
    font-size:20pt;  
    font-weight:100;  
    color:white;  
}
```

```
.joke-btns{  
    width:110px;  
    border-radius:5px;  
}
```

```
/*-----user feedback style-----*/
```

```
.feedback-selected{  
    height70px;  
    width:350px;  
    padding:10px;  
    font-size:13pt;  
    font-weight:100;  
    color:#7A7C71;  
    border-radius:10px;  
    border:none;  
}
```

```
.feedback-backgrnd{  
    background: rgb(253,27,176);  
    background: linear-gradient(61deg, rgba(253,27,176,1) 0%, rgba(255,61,61,1) 100%);  
}
```

```
.feedback-main-table{  
    margin-top:80px;  
    padding:5px;  
    text-align:center;  
    background:#f66565;  
}
```

```
.feedback-sub-brand{  
    color:white;  
    border-right:1px solid white;  
    margin-left:50px;  
}
```

Admin-CSS-File:-adminCSS.css

```
html,body{
    height:100%;
    margin:0px;
    width:100%;
    padding:0px;
    font-family:segoe ui;
    background-color:#252f2e;
    color:white;
}
a{text-decoration:none;color:white}
.brand-name{font-size:50pt;font-weight:100;}
.shadow{
    box-shadow: 10px 10px 34px 3px rgba(0,0,0,1);
    -webkit-box-shadow: 10px 10px 34px 3px rgba(0,0,0,1);
    -moz-box-shadow: 10px 10px 34px 3px rgba(0,0,0,1);
}
.success-btn{

    background-color: #4CAF50;
    color: white;
    border-radius:10px;
    padding:15px;
}
.danger-btn{
    border-radius:10px;
    background-color: #f54d4d;
    color: white;padding:15px;
```

```
    }  
.waiting-btn {  
    border-radius: 10px;  
    background-color: #f1f45d;  
    color: black; padding: 15px;  
}  
.primary-btn {  
    border-radius: 10px;  
    background-color: #376eff; padding: 15px;  
    color: white;  
}  
.background-pad {  
    background: #493e3e;  
    text-align: center;  
    padding: 5px;  
    border-radius: 10px;  
}  
.admin-user-tab-1 {  
    margin-top: 10%;  
    padding: 50px;  
}  
.admin-user-reg-box {  
    width: 300px;  
    height: 50px;  
    border-radius: 5px;  
    padding: 5px;  
    font-size: 12pt;  
    font-weight: 100;
```

```
    color:#4c5050;
}
.dark-green{
    background:#00bd5b;
    color: white;
    border-radius:10px;
    padding:15px;
}
.admin-btn{
    width:300px;
    height:50px;
    color:white;
    transition:all 0.5s;
    font-size:12pt;
    font-weight:100;
    border-radius:5px;
    border:none;
}
.admin-user-brand{
    color:rgb(195, 194, 191);
    font-size:44pt;
    font-weight:100;
}
.admin-reg-users{
    color:white;
    font-size:24px;
    text-align:center;
}
```

```
.admin-user-borders{
  border-top:#0000;
  border-bottom:#0000;
  border-left:#0000;
}
.tagline{
  font-size:10;
  color:rgb(182, 179, 179);
  font-style:italic;
  text-align:center;
}
.skyblue{
  background:#0abfbd;
  border-radius:10px;
  color:white;
}
.count{font-size:70pt;font-weight:100;color:white}
```

Python-File:-main.py

```
from flask import Flask, render_template, redirect, request, url_for, session
```

```
from flaskext.mysql import MySQL
```

```
import os
```

```
app = Flask(__name__)
```

```
app.secret_key = "abc"
```

```
mysql = MySQL()
```

```
app.config['MYSQL_DATABASE_USER'] = 'root'
```

```
app.config['MYSQL_DATABASE_DB'] = 'digitaldiary'
```

```
app.config['MYSQL_DATABASE_PASSWORD'] = "
```

```
app.config['MYSQL_DATABASE_HOST'] = 'localhost'
```

```
mysql.init_app(app)
```

```
app.config['UPLOAD_PATH'] = "C:\\Users\\Ashutosh  
Prasad\\PycharmProjects\\DigitalDiary\\static\\upload_images"
```

```
# ----- # for home page -----
```

```
@app.route('/')
```

```
def hom():
```

```
    conn=mysql.connect()
```

```
    cur=conn.cursor()
```

```
    cur.execute("select * from news")
```

```
    qw=cur.fetchall()
```

```
    return render_template('home.html', yt=qw)
```

```
# ----- for registration page -----
```

```
@app.route('/register')
```

```
def reg():
```

```
    return render_template("register.html")
```

```
@app.route('/register',methods=['GET', 'POST'])
```

```
def regist():
```

```
    if request.method == 'POST':
```

```
        if request.form.get('reg'):
```

```
            f = request.files['file_data']
```

```
            f.save(os.path.join(app.config['UPLOAD_PATH'], f.filename))
```

```
            conn = mysql.connect().cursor().execute("insert into registration
values(%s,%s,%s,%s,%s,%s,%s,%s,%s,%s,%s,%s)",(request.form['t1'],request.form['t2'],request
.form['t3'],request.form['t4'],request.form['t5'],request.form['t6'],request.form['t7'],request.form['t
8'],request.form['t9'],request.form['t10'],request.form['t11'],f.filename))
```

```
            name_file = f.filename
```

```
            mysql.connect().commit()
```

```
            conn = mysql.connect().cursor().execute("insert into login values(%s,%s)",
(request.form['t1'], request.form['t2']))
```

```
            mysql.connect().commit()
```

```
            return render_template("login.html", files = name_file)
```

```
    return render_template('register.html')
```

```
# ----- for login page -----
```

```
@app.route('/login')
```

```
def log():
```



```
return render_template("login.html")
```

```
@app.route('/login', methods=['GET', 'POST'])
```

```
def login():
```

```
    mydb=mysql.connect()
```

```
    mycursor=mydb.cursor()
```

```
    if request.method=='POST':
```

```
        username = request.form['t1']
```

```
        password = request.form['t2']
```

```
        session['un'] = request.form['t1']
```

```
        if 'un' in session:
```

```
            s = session['un']
```

```
            mycursor.execute("select * from login where username='"+username+"' and  
password='"+password+"'")
```

```
            mycursor.fetchall()
```

```
            r=request.form['t1'].upper()
```

```
            count=mycursor.rowcount
```

```
            if count==1:
```

```
                return render_template('userhome.html',name = s)
```

```
            else:
```

```
                return render_template('login.html')
```

```
    mydb.commit()
```

```
    mycursor.close()
```

```
# ----- for user home page -----
```

```
@app.route('/users')
```

```

def homeuser():
    return render_template('userhome.html')

# ----- for contact us page -----

@app.route('/cont')
def conts():
    return render_template("contact.html")

@app.route('/cont', methods=['GET', 'POST'])
def cnt():
    if request.method == 'POST':
        if request.form.get('send-message'):
            conn = mysql.connect().cursor().execute("insert into contactus
values(%s,%s,%s,%s)",(request.form['t1'], request.form['t2'], request.form['t3'],
request.form['t4']))

            mysql.connect().commit()

            mesg="contact you soon!"

            return render_template("contact.html", m=mesg)

            return render_template("contact.html")

# ----- for about web page -----

@app.route('/about')
def ab():
    return render_template("about.html")

```

```
# ----- for user profile web page -----
```

```
@app.route('/profile')
```

```
def prof():
```

```
    con = mysql.connect()
```

```
    cur = con.cursor()
```

```
    cur.execute("select * from registration where username = %s", (session['un']))
```

```
    dr = cur.fetchall()
```

```
    return render_template("userprofile.html", d=dr)
```

```
# ----- for user contact web page -----
```

```
@app.route('/usercontact')
```

```
def ucon():
```

```
    return render_template("usercontact.html")
```

```
@app.route('/usercontact',methods=['GET','POST'])
```

```
def uco():
```

```
    if request.method=='POST':
```

```
        if request.form.get('s'):
```

```
            conn=mysql.connect().cursor().execute("insert into  
contacts(username,person,office_address,home_address,whatsapp_no,call_no,details)  
values(%s,%s,%s,%s,%s,%s,%s)",(request.form['t1'],request.form['t2'],request.form['t3'],request.  
form['t4'],request.form['t5'],request.form['t6'],request.form['t7']))
```

```
            mysql.connect().commit()
```

```
msg="successfully saved"

return render_template("usercontact.html",m=msg)

elif request.form.get('fi'):

    conn=mysql.connect()

    cur=conn.cursor()

    cur.execute("select * from contacts where username=%s",(request.form['r1']))

    sr=cur.fetchall()

    return render_template("usercontact.html",ro=sr)

return render_template("usercontact.html")
```

----- for note web page -----

```
@app.route('/notes')
```

```
def nt():
```

```
    return render_template("notes.html")
```

```
@app.route('/notes',methods=['GET','POST'])
```

```
def nitt():
```

```
    if request.method=='POST':
```

```
        if request.form.get('save'):
```

```
            conn=mysql.connect().cursor().execute("insert into notes
values(%s,%s,%s,%s,%s,%s)",(request.form['t1'],
request.form['t2'],request.form['t3'],request.form['t4'],request.form['t5'],request.form['t6']))
```

```
            mysql.connect().commit()
```

```
            msg="Note Saved..."
```

```
            return render_template("notes.html",m=msg)
```

```
    elif request.form.get('s'):
```

```

conn=mysql.connect()

cur=conn.cursor()

cur.execute("select * from notes where username=%s", (request.form['e1']))

sk=cur.fetchall()

return render_template("notes.html",awm=sk)

return render_template("notes.html")

```

```

# ----- for jokes web page -----
-----

```

```

@app.route('/jokes')

```

```

def jks():

```

```

    return render_template("jokes.html")

```

```

@app.route('/jokes',methods=['GET','POST'])

```

```

def jkjs():

```

```

    if request.method == 'POST':

```

```

        if request.form.get('save'):

```

```

            conn = mysql.connect().cursor().execute("insert into
jokes(username,jokerefered,jokedetails,jokedate,joketime)
values(%s,%s,%s,%s,%s)",(request.form['t1'],request.form['t2'],request.form['t3'],request.form['t
4'],request.form['t5']))

```

```

            mysql.connect().commit()

```

```

            return render_template("jokes.html")

```

```

        elif request.form.get('up'):

```

```

            conn=mysql.connect().cursor().execute("update jokes set
jokerefered=%s,jokedetails=%s,jokedate=%s,joketime=%s where
username=%s",(request.form['t2'],request.form['t3'],request.form['t4'],request.form['t5'],request.f
orm['t1']))

```

```

        mysql.connect().commit()

        return render_template("jokes.html")

    elif request.form.get('del'):

        conn=mysql.connect().cursor().execute("delete from jokes where
jokerefered=%s",request.form['t2'])

        mysql.connect().commit()

        return render_template("jokes.html")

    elif request.form.get('show'):

        conn=mysql.connect()

        cur=conn.cursor()

        cur.execute("select * from jokes where username=%s",(request.form['u1']))

        fr=cur.fetchall()

        return render_template("jokes.html",po=fr)

    return render_template("jokes.html")

```

```

# ----- for feedback web page -----
-----

```

```

@app.route('/feedback')

```

```

def feed():

```

```

    return render_template("feedback.html")

```

```

@app.route('/feedback',methods=['GET', 'POST'])

```

```

def feds():

```

```

    if request.method=='POST':

```

```

        if request.form.get('sd'):

```

```
        con = mysql.connect().cursor().execute("insert into feedback values(%s,%s,%s,%s,%s)",
(request.form['t1'],request.form['t2'],request.form['t3'],request.form['t4'],request.form['t5']))

        mysql.connect().commit()

        return render_template("feedback.html")

    elif request.form.get('show'):

        con=mysql.connect()

        cur=con.cursor()

        cur.execute("select * from fdbkreply where username=%s",(request.form['y1']))

        nh=cur.fetchall()

        return render_template("feedback.html",er=nh)

    return render_template("feedback.html")
```

```
# ----- for admin home web page -----
-----
```

```
@app.route('/ashutoshprasad242720002000')
def ad():

    con = mysql.connect()

    currs = con.cursor()

    currs.execute("select username from registration")

    count_1 = currs.rowcount


    conn = mysql.connect()

    cur = conn.cursor()

    cur.execute("select username from contactus")

    count_2 = cur.rowcount
```

```
conn = mysql.connect()
cur = conn.cursor()
cur.execute("select person from contacts")
count_3 = cur.rowcount
```

```
conn = mysql.connect()
cur = conn.cursor()
cur.execute("select noteid from notes")
count_4 = cur.rowcount
```

```
conn = mysql.connect()
cur = conn.cursor()
cur.execute("select newsid from news")
count_5 = cur.rowcount
```

```
return render_template("adminhome.html", countUser = count_1, msgCount = count_2,
contactCount = count_3,
                        notesCount = count_4, newsCount = count_5)
```

```
# ----- for admin users web page -----
-----
```

```
@app.route('/adminusers')
def adus():
    conn = mysql.connect()
    cur = conn.cursor()
    cur.execute("select * from registration")
    kr = cur.fetchall()
```



```
con = mysql.connect()
return render_template("adminuser.html", rk=kr)
```

```
@app.route('/adminusers',methods=['GET','POST'])
```

```
def ads():
```

```
    if request.method=='POST':
```

```
        if request.form.get('so'):
```

```
            conn=mysql.connect()
```

```
            cur=conn.cursor()
```

```
            cur.execute("select * from registration where username=%s", (request.form['t1']))
```

```
            wf=cur.fetchall()
```

```
            return render_template("adminuser.html",fm=wf)
```

```
        return render_template("adminuser.html")
```

```
# ----- for admin contact us form -----
----
```

```
@app.route('/admincontus')
```

```
def cnus():
```

```
    conn = mysql.connect()
```

```
    cur = conn.cursor()
```

```
    cur.execute("select * from contactus")
```

```
    wf = cur.fetchall()
```

```
    return render_template("admincontactus.html", tor=wf)
```

```
@app.route('/admincontacts')
```

```
def adcons():  
    conn = mysql.connect()  
    cur = conn.cursor()  
    cur.execute("select * from contacts")  
    kr = cur.fetchall()  
    return render_template("admincontact.html", rg=kr)
```

```
@app.route('/admincontacts',methods=['GET','POST'])
```

```
def adcn():  
    if request.method=='POST':  
        if request.form.get('sss'):  
            conn=mysql.connect()  
            cur=conn.cursor()  
            cur.execute("select * from contacts where username=%s", (request.form['t1']))  
            wf=cur.fetchall()  
            return render_template("admincontact.html",wr=wf)  
  
    return render_template("admincontact.html")
```

```
# ----- for admin notes web page -----  
-----
```

```
@app.route('/adminnotes')
```

```
def adnt():  
    conn = mysql.connect()  
    cur = conn.cursor()  
    cur.execute("select * from notes")
```

```
rc = cur.fetchall()
return render_template("adminnotes.html", cr=rc)
```

```
@app.route('/adminnotes',methods=['GET','POST'])
```

```
def adddc():
```

```
    if request.method=='POST':
```

```
        if request.form.get('s10'):
```

```
            conn = mysql.connect()
```

```
            cur = conn.cursor()
```

```
            cur.execute("select * from notes where username=%s",(request.form['q1']))
```

```
            lr = cur.fetchall()
```

```
            return render_template("adminnotes.html", rl=lr)
```

```
        return render_template("adminnotes.html")
```

```
# ----- for admin jokes -----
-
```

```
@app.route('/adminjokes')
```

```
def adjk():
```

```
    conn = mysql.connect()
```

```
    cur = conn.cursor()
```

```
    cur.execute("select * from jokes")
```

```
    rf = cur.fetchall()
```

```
    return render_template("adminjokes.html", ur=rf)
```

```
@app.route('/adminjokes',methods=['GET','POST'])
```

```
def adkjs():
    if request.method=='POST':
        if request.form.get('soo'):
            conn = mysql.connect()
            cur = conn.cursor()
            cur.execute("select * from jokes where username=%s",(request.form['m1']))
            po=cur.fetchall()
            return render_template("adminjokes.html",yn=po)
        return render_template("adminjokes.html")
```

```
# ----- for admin feedback -----
----
```

```
@app.route('/adminfeedback')
```

```
def afd():
    conn = mysql.connect()
    cur = conn.cursor()
    cur.execute("select * from feedback")
    re = cur.fetchall()
    return render_template("adminfeedback.html", yr=re)
```

```
@app.route('/adminfeedback',methods=['GET','POST'])
```

```
def rtur():
    if request.method=='POST':
        if request.form.get('send'):
            conn=mysql.connect().cursor().execute("insert into fdbkreply
values(%s,%s,%s)",(request.form['l1'],request.form['l3'],request.form['l2']))
```

```

        mysql.connect().commit()

        return render_template("adminfeedback.html")

    if request.form.get('del'):

        con=mysql.connect().cursor().execute("delete from fdbkreply where
fdid=%s",(request.form['11']))

        mysql.connect().commit()

        return render_template("adminfeedback.html")

    elif request.form.get('so'):

        conn = mysql.connect()

        cur = conn.cursor()

        cur.execute("select * from fdbkreply")

        df = cur.fetchall()

        return render_template("adminfeedback.html", fd=df)

    return render_template("adminfeedback.html")

```

```

# ----- for admin news -----
-----

```

```

@app.route('/adminnews')
def adns():

    conn=mysql.connect()

    cur=conn.cursor()

    cur.execute("select * from news")

    we=cur.fetchall()

    return render_template("adminnews.html",rt=we)


@app.route('/adminnews' , methods=['GET','POST'])

```

```

def adsn():
    if request.method == 'POST':
        if request.form.get('sv'):
            conn = mysql.connect().cursor().execute("insert into news(title,description,date,time)
values(%s,%s,%s,%s)",(request.form['t1'],request.form['t2'],request.form['t3'],request.form['t4']))
            mysql.connect().commit()
            msg="inserted"
            return render_template("adminnews.html",m=msg)
        elif request.form.get('del'):
            conn=mysql.connect().cursor().execute("delete from news where title=%s",
request.form['t1'])
            mysql.connect().commit()
            return render_template("adminnews.html")
        return render_template("adminnews.html")

# ----- end statement -----
-----

if __name__ == "__main__":
    app.run(debug=True)

```

Conclusion

By doing this project we were able to bring a new system for online Digital Diary, With the advent of technology and Internet in our day to day life, we were able to offer advanced thoughts and information sharing system to people and outside through our Country.

Top 4 Reasons to Move to the Online Diary Platform: -

1. Efficient and Cost Effective

Digital Diary system reduce the use of paper and the amount of work for both the organization, as well as peoples.

2. Intelligent

By using this system, we are eligible to control the personal Diary all over the world using login access function.

3. Save Time and Resources

Digital Diary system is very less time consuming and very fast system for all people and also feel free to use no matter what is your age.

4. Easy and convenient

The Digital Diary offers the easiest and most convenient method for administrators and peoples alike. For administrators, the process of setting up an admin account and Diary are manageable.

The other advantages that the system offers are:

- Efficient data storage.
- Accuracy, real-time response and user friendliness.
- Intelligent Management

Bibliography

- www.mysql.com
- www.w3schools.com
- www.google.com
- www.wikipedia.com
- www.eci.nic.in
- www.python.org

