DIGITAL DIARY

DECLARATION

I hereby declare that this submission is my own work and that, to the best of my knowledge and belief, it contains no material previously published or written by another person nor material which to a substantial extent has been accepted for the award of any degree or diploma of the university or other institute of higher learning, except where the acknowledgement has been made in the text.

Vikas Mishra

Ashutosh Prasad

Pranay Shukla

ACKNOWLEDGEMENT

This satisfaction accompanies that the successful completion of any would be incomplete without mention the people whose ceaseless made it possible. Whose constant guidance and encouragement crown all effort with success. We owe special debt of gratitude to **Pervez Rauf Khan** Sir for the guidance, inspiration and constructive suggestions that the helpful us in the preparation of this project.

Her sincerity, thoroughness and preservance have been a constant source of inspiration for us.

Vikas Mishra

Ashutosh Prasad

Pranay Shukla

Pervez Rauf Khan

_____

Abstract

The project report has been prepared based on available data, forecasts provided by experts and other project management tools. The real life situation can be little different depending on the circumstances. The project is considered as not for profit. Any inclusion or deduction is possible as we have enough buffer time. Risks have been estimated based on common issues faced by this type of project. Full effort has been given to complete each and every pros and cons, so that they are taken into account. However, the report isn't full proof. There is always room for improvement.

Pervez Rauf Khan

_____

Problem Statement

Digital Diary is not a specialized website. It is working but, it is not fit for all size of display. Means it is not a responsible yet. We will update the website soon and make it responsible then users use this site on any platform like smartphones, iPad, Mobile, etc. In this situation it is necessary to deliver updates as soon as possible.

Table of content

Contents

Introduction 9

Advantages of a Digital Diary: 10

Disadvantages of a Digital Diary: 10

Requirement 11

Introduction to tools 12

Introduction to Python 3.7 – 12

Introduction to HTML (Hyper Text Markup Language) – 12

Introduction to CSS (Cascading Style Sheet) – 12

Introduction to MySQL 13

Introduction to Flask:- 14

Jinja: 14

Templates Folder: 14

Static Folder: 15

Introduction to WAMP:- 15

Project Approaches 16

Model 16

View 16

Controller 16

Module Design 17

USER MODULE 17

Authentication 17

ADMINISTRATOR MODULE 17

Data Flow Diagram 18

Database Design 19

Database Name 19

Tables of Home-page: 19

Tables of User Portal pages: 19

Tables of Administrator Portal pages: 19

Structure description of database..... 20
Details of tables and corresponding fields:..... 23
Project Structure..... 24
Screenshot..... 25
Code..... 28
Header:-header.html..... 28
Header:-userheader.html..... 30
Header:-adminheader.html..... 32
FOOTER:-footer.html..... 34
FOOTER:-userfooter.html..... 35
FOOTER:-adminfooter.html..... 36
home.html..... 37
about.html..... 40
contact.html(contact us)..... 43
register.html..... 44
login.html..... 47
userhome.html..... 48
userprofile.html..... 49
usercontact.html..... 50
notes.html..... 52
jokes.html..... 54
feedback.html..... 56
adminhome.html..... 58
adminuser.html..... 60
admincontactus.html..... 63
admincontact.html..... 65
adminnotes.html..... 68
adminnews.html..... 72
adminjokes.html..... 75
adminfeedback.html..... 78
CSS-File:-style.css..... 81

Admin-CSS-File:-adminCSS.css 92
Python-File:-main.py 96
Conclusion 106
Bibliography 107

Introduction

A digital diary is a form of diary or journal that is stored and accessed electronically, usually on a computer, smartphone, or other digital devices. It serves as a digital counterpart to traditional pen-and-paper diaries. Digital diaries offer several advantages over their traditional counterparts. They provide a convenient and portable way to record and store personal thoughts, experiences, and reflections. With digital diaries, you can easily edit, delete, or rearrange entries, making it more flexible and customizable compared to physical diaries.

In addition to text, digital diaries often allow users to include multimedia elements such as photos, videos, and audio recordings. This feature enables a more immersive and visually appealing diary experience.

Furthermore, digital diaries can offer enhanced privacy and security features. Many applications and platforms offer password protection or encryption to ensure that your personal entries are kept confidential.

Digital diaries also have the advantage of being easily searchable. You can use keywords or tags to categorize and organize entries, making it simpler to find specific information or reflect on past experiences.

Overall, digital diaries provide a modern and convenient way to keep a personal journal, combining the benefits of traditional journaling with the convenience and capabilities of digital technology.

Advantages of a Digital Diary:

Accessibility: A digital diary can be accessed anytime and anywhere as long as you have your digital device with you.

Organization and Searchability: Digital diaries often offer features like tags, categories, and search functions that make it easier to organize and find specific entries.

Multimedia Integration: Digital diaries allow you to include multimedia elements such as photos, videos, or audio recordings alongside your text entries.

Security and Privacy: Many digital diary platforms provide security features like password protection, encryption, or biometric authentication.

Disadvantages of a Digital Diary:

Technical Issues and Reliability: Digital devices can encounter technical problems such as software glitches, crashes, or data loss.

Distractions and Connectivity: Using a digital device for diary-keeping may expose you to various distractions, such as notifications from other applications or the temptation to browse the internet.

Digital Footprint and Privacy Concerns: Storing personal information electronically carries potential privacy risks

Emotional Disconnect: Some individuals find that physically writing in a diary with pen and paper offers a more intimate and personal connection to their thoughts and emotions.

Requirement

Frontend	HTML, CSS, inline JavaScript,
Backend	Python 3.7
Interpreter	Python 3.7
Framework	Python Flask
Local server	Apache MySQL (WAMP 2.0*i*)
Code Editor	Jet Brains Pycharm Community Edition 2018.1.4
Browser	Google Chrome

Introduction to tools

Introduction to Python 3.7 –

Python is a popular programming language. It was created by Guido van Rossum, and released in 1991. Python is a widely-used, free, and efficient alternative to competitors such as Microsoft's ASP.

- Python is use for web development (server-side).
- Software development.
- Mathematics.
- System scripting

Introduction to HTML (Hyper Text Markup Language) –

It is a language used for the specification of structural markup. HTML give the web authors the means to publish online documents with headings, texts, tables, lists, photos, etc.HTML is used in our program to create forms in the server side for entering, updating and viewing the server applications in a user friendly environment.

Introduction to CSS (Cascading Style Sheet) –

CSS stands for Cascading Style Sheets. CSS describes how HTML elements are to be displayed on screen, paper, or in other media CSS saves a lot of work.. CSS is used to define styles for your web pages, including the design, layout and variations in display for different devices and screen sizes.

Introduction to Javascript

JavaScript is a scripting language widely used in web browsers. Thanks to client-side scripts written in JavaScript, functions such as browser interaction with the user, control of the browser, communication with the server asynchronously and changing the web page content are provided. JavaScript is also widely used on the server side, thanks to platforms like Node.js.

The differences between JavaScript and Java;

- Java is an object-oriented programming language. JavaScript is an object oriented scripting language.
- Java can create applications that can run on a virtual machine or browser. JavaScript codes only work in browsers.
- Java code needs to be compiled, while JavaScript codes are entirely text.
- Both languages need different plugins

Introduction to MySQL

MYSQL provides our small, medium and large enterprise customers with affordable, open access to their web data warehouses. MYSQL allows us to offer our System Administrator low cost, low maintenance database solution for applications without sacrificing power, performance or scalability.

Benefits of MySQL are as follows:-

- Easy to maintain & upgrade, does not have a slew of administrative tasks to put up.
- Its table format does not vary between releases.
- It has cleanly separated table handler module and can access to rent type of tables.

- It seems to be developed iteratively, and the features are very stable when they ship them.
- It is a relational database. Over the past several years, this relational database management systems have become the most widely accepted way to manage data.
- Easy to access data.
- Flexibility in data modeling.
- Reduced data storage and redundancy.
- Independence of physical storage and logical data design.
- A high-level data manipulation language.

Introduction to Flask:-

Flask is a lightweight WSGI web application framework. It is designed to make getting started quick and easy, with the ability to scale up to complex applications. It began as a simple wrapper around Werkzeug and Jinja and has become one of the most popular Python web application frameworks.

Flask offers suggestions, but doesn't enforce any dependencies or project layout. It is up to the developer to choose the tools and libraries they want to use. There are many extensions provided by the community that make adding new functionality easy

Jinja:

Jinja is a modern and designer-friendly templating language for Python, modelled after Django's templates. It is fast, widely used and secure with the optional sandboxed template execution environment:

Templates Folder:

Templates are files that contain static data as well as placeholders for dynamic data. A template is rendered with specific data to produce a final document. Flask uses the Jinja template library to render templates. In your

application, you will use templates to render HTML which will display in the user's browser

Static Folder:

The authentication views and templates work, but they look very plain right now. Some CSS can be added to add style to the HTML layout you constructed. The style won't change, so it's a static file rather than a template. Flask automatically adds a static view that takes a path relative to the flask/static directory and serves it. The base.html template already has a link to the style.css file:

{{ url_for('static', filename='style.css') }}

Introduction to WAMP:-

Stands for "Windows, Apache, MySQL, and PHP." WAMP is a variation of LAMP for Windows systems and is often installed as a software bundle (Apache, MySQL, and PHP). It is often used for web development and internal testing, but may also be used to serve live websites. The "P" in WAMP can also stand for either Perl or Python, which are other scripting languages. The Mac version of LAMP is known as MAMP.

Project Approaches

The Model-View-Controller (MVC) is an architectural pattern that separates an application into three main logical components: the model, the view, and the controller. Each of these components is built to handle specific development aspects of an application. MVC is one of the most frequently used industry-standard web development framework to create scalable and extensible projects.

Following are the components of MVC –



Model

The Model component corresponds to all the data-related logic that the user works with. This can represent either the data that is being transferred between the View and Controller components or any other business logic-related data. For example, a Customer object will retrieve the customer information from the database, manipulate it and update it data back to the database or use it to render data.

View

The View component is used for all the UI logic of the application, that the final user interacts with.

Controller

Controllers act as an interface between Model and View components to process all the business logic and incoming requests, manipulate data using the Model component and interact with the Views to render the final output. For example, the Customer controller will handle all the interactions and inputs from the Customer View and update the database using the Customer Model. The same controller will be used to view the Customer data.

Module Design

The proposed system consists of two modules: -

- Administrator Module
- User Module

USER MODULE

User interface consists of a login name and unique password using which he/she can login into the Digital Diary system. This will be supplied by the administrator to the user. Once the user has logged in, he has the privilege to view the names of the candidates and also their thoughts listed by the administrator. The user module constitutes only one sub module.

Authentication

- Each user is provided with unique username and password manually by the administrator. The user uses the username and password for login and exercise the fundamental right of Feeding in Digital Diary. if incorrect username and password entered, the access to is denied to the user. This is the security feature provided against external access of the system.
- After login the user enters the home page, which provides the links.

ADMINISTRATOR MODULE

Administrator interface consists of a login name and unique password using which admin can login into the Digital Diary. Administrator has the main control of the system. By logging into the page it can perform tasks.

Data Flow Diagram



Database Design

Database Name
digitaldiary

Tables of Home-page:
Contact Us –Page: contactus

Signup-Page: registration

Login-page**:** login

Where username and password entry of signup table and login table are done at once.

Tables of User Portal pages:
My Contact –Page: contacts

Notes-Page: notes

Jokes-page: jokes

Feedback-page: feedback

Tables of Administrator Portal pages:
News –Page: news

Feedback-Page: fdbkreply

Where feedback page controls the taken entries and gave them a reply too..

Structure description of database

```
mysql> show databases;
+--------------------+
| Database           |
+--------------------+
| information_schema |
| digitaldiary       |
| mysql              |
+--------------------+
3 rows in set (0.00 sec)

mysql> use digitaldiary;
Database changed
mysql> show tables;
+------------------------+
| Tables_in_digitaldiary |
+------------------------+
| contacts               |
| contactus              |
| fdbkreply              |
| feedback               |
| jokes                  |
| login                  |
| news                   |
| notes                  |
| registration           |
+------------------------+
9 rows in set (0.05 sec)
```

```
mysql> desc contacts;
+----------------+--------------+------+-----+---------+----------------+
| Field          | Type         | Null | Key | Default | Extra          |
+----------------+--------------+------+-----+---------+----------------+
| contact_id     | int(100)     | NO   | PRI | NULL    | auto_increment |
| username       | varchar(50)  | NO   |     | NULL    |                |
| person         | varchar(50)  | NO   |     | NULL    |                |
| office_address | varchar(200) | NO   |     | NULL    |                |
| home_address   | varchar(200) | NO   |     | NULL    |                |
| whatsapp_no    | varchar(20)  | NO   |     | NULL    |                |
| call_no        | varchar(20)  | NO   |     | NULL    |                |
| details        | varchar(200) | NO   |     | NULL    |                |
+----------------+--------------+------+-----+---------+----------------+
8 rows in set (0.03 sec)

mysql> desc contactus
    -> ;
+------------+--------------+------+-----+---------+-------+
| Field      | Type         | Null | Key | Default | Extra |
+------------+--------------+------+-----+---------+-------+
| username   | varchar(50)  | NO   |     | NULL    |       |
| contact_no | varchar(20)  | NO   |     | NULL    |       |
| email      | varchar(50)  | NO   |     | NULL    |       |
| msg        | varchar(200) | NO   |     | NULL    |       |
+------------+--------------+------+-----+---------+-------+
4 rows in set (0.03 sec)
```

```
mysql> desc fdbkreply;
+----------+-------------+------+-----+---------+-------+
| Field    | Type        | Null | Key | Default | Extra |
+----------+-------------+------+-----+---------+-------+
| fdid     | varchar(100) | NO   |     | NULL    |       |
| username | varchar(50)  | NO   |     | NULL    |       |
| reply    | varchar(200) | NO   |     | NULL    |       |
+----------+-------------+------+-----+---------+-------+
3 rows in set (0.06 sec)

mysql> desc feedback;
+----------+-------------+------+-----+---------+-------+
| Field    | Type        | Null | Key | Default | Extra |
+----------+-------------+------+-----+---------+-------+
| fbid     | varchar(20)  | NO   |     | NULL    |       |
| subject  | varchar(100) | NO   |     | NULL    |       |
| username | varchar(50)  | NO   |     | NULL    |       |
| cont     | varchar(50)  | NO   |     | NULL    |       |
| details  | varchar(200) | NO   |     | NULL    |       |
+----------+-------------+------+-----+---------+-------+
5 rows in set (0.06 sec)

mysql> desc jokes;
+-------------+-------------+------+-----+---------+----------------+
| Field       | Type        | Null | Key | Default | Extra          |
+-------------+-------------+------+-----+---------+----------------+
| jokeid      | int(100)    | NO   | PRI | NULL    | auto_increment |
| username    | varchar(50)  | NO   |     | NULL    |                |
| jokerefered | varchar(50)  | NO   |     | NULL    |                |
| jokedetails | varchar(100) | NO   |     | NULL    |                |
| jokedate    | varchar(20)  | NO   |     | NULL    |                |
| joketime    | varchar(20)  | NO   |     | NULL    |                |
+-------------+-------------+------+-----+---------+----------------+
6 rows in set (0.05 sec)
```

```
mysql> desc login;
+----------+-------------+------+-----+---------+-------+
| Field    | Type        | Null | Key | Default | Extra |
+----------+-------------+------+-----+---------+-------+
| username | varchar(50) | NO   |     | NULL    |       |
| password | varchar(50) | NO   |     | NULL    |       |
+----------+-------------+------+-----+---------+-------+
2 rows in set (0.03 sec)

mysql> desc news;
+-------------+-------------+------+-----+---------+----------------+
| Field       | Type        | Null | Key | Default | Extra          |
+-------------+-------------+------+-----+---------+----------------+
| newsid      | int(100)    | NO   | PRI | NULL    | auto_increment |
| title       | varchar(100) | NO   |     | NULL    |                |
| description | varchar(200) | NO   |     | NULL    |                |
| date        | varchar(20)  | NO   |     | NULL    |                |
| time        | varchar(20)  | NO   |     | NULL    |                |
+-------------+-------------+------+-----+---------+----------------+
5 rows in set (0.03 sec)

mysql> desc notes;
+-------------+-------------+------+-----+---------+-------+
| Field       | Type        | Null | Key | Default | Extra |
+-------------+-------------+------+-----+---------+-------+
| noteid      | varchar(100) | NO   |     | NULL    |       |
| username    | varchar(50)  | NO   |     | NULL    |       |
| title       | varchar(100) | NO   |     | NULL    |       |
| description | varchar(200) | NO   |     | NULL    |       |
| date        | varchar(20)  | NO   |     | NULL    |       |
| time        | varchar(20)  | NO   |     | NULL    |       |
+-------------+-------------+------+-----+---------+-------+
6 rows in set (0.01 sec)
```

```
mysql> desc registration;
+------------------+--------------+------+-----+---------+-------+
| Field            | Type         | Null | Key | Default | Extra |
+------------------+--------------+------+-----+---------+-------+
| username         | varchar(50)  | NO   |     | NULL    |       |
| password         | varchar(50)  | NO   |     | NULL    |       |
| confirm_password | varchar(50)  | NO   |     | NULL    |       |
| gender           | varchar(20)  | NO   |     | NULL    |       |
| email            | varchar(50)  | NO   |     | NULL    |       |
| pincode`         | varchar(20)  | NO   |     | NULL    |       |
| mstatus          | varchar(20)  | NO   |     | NULL    |       |
| lstatus          | varchar(20)  | NO   |     | NULL    |       |
| dob              | varchar(30)  | NO   |     | NULL    |       |
| timeline         | varchar(30)  | NO   |     | NULL    |       |
| address          | varchar(200) | NO   |     | NULL    |       |
| images           | varchar(200) | NO   |     | NULL    |       |
+------------------+--------------+------+-----+---------+-------+
12 rows in set (0.03 sec)
```

Details of tables and corresponding fields:

contactus	username, contact_no, email, msg
registration	username, password, confirm_password, gender, email, pincode, mstatus, lstatus, timeline, address, images
login	username, password
contacts	contact_id, username, person, office_address, home_address, whatsapp_no, call_no, details
notes	noteid, username, title, description, date, time
jokes	jokeid, username, jokerefered, jokedetails, jokedate, joketime
feedback	fbid, subject, username, cont, details
news	newsid, title, description, date, time
fdbkreply	fbid, username, reply

Project Structure

Project Path:

C:\Users\Ashutosh Prasad\PycharmProjects\DigitalDiary

Structure:



Libraries:



Screenshot

Final Home:



Final User-Home:



Final Administrator-Home:



Code

Header:-header.html

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <title>Title</title>
   <link rel="shortcut icon" href="{{url_for('static',filename='fav_icon/icon.ico')}}" />
   <link type="text/css" rel="stylesheet" href="{{url_for('static',filename='css/style.css')}}" />
</head>
<body>
   <nav class="navbar">
      <div class="navbrand">
         <a href="{{url_for('hom')}}">
            <img src="{{url_for('static',filename='img/branding.png')}} " />
         </a>
      </div>
      <div class="nav-items">
         <ul>
            <li>
               <a href="{{url_for('hom')}}">
                  <img src="{{url_for('static',filename='icons/mainhome.png')}}" height="30" width="30" />
                  <p style="font-size:8pt">HOME</p>
               </a>
            </li>
            <li>
               <a href="{{url_for('ab')}}">
                  <img src="{{url_for('static',filename='icons/about.png')}}" height="30" width="30" />
                  <p style="font-size:8pt">ABOUT</p>
               </a>
            </li>
            <li>
               <a href="{{url_for('conts')}}">
                  <img src="{{url_for('static',filename='icons/contact-us.png')}}" height="30" width="30" />
                  <p style="font-size:8pt">CONTACT</p>
               </a>
            </li>
            <li>
               <a href="{{url_for('reg')}}">
                  <img src="{{url_for('static',filename='icons/signup.png')}}" height="30" width="30" />
                  <p style="font-size:8pt">SIGNUP</p>
               </a>
            </li>
            <li>
```

```
            <a href="{{url_for('log')}}">
               <img src="{{url_for('static',filename='icons/login.png')}}" height="30" width="30" />
               <p style="font-size:8pt">LOGIN</p>
            </a>
          </li>
        </ul>
      </div>
    </nav>
</body>
</html>
```

Header:-userheader.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>Title</title>
    <link rel="shortcut icon" href="{{url_for('static',filename='fav_icon/blue_icon.ico')}}"/>
    <link type="text/css" rel="stylesheet" href="{{url_for('static',filename='css/style.css')}}"/>
  </head>
  <body>
    <nav class="user-navbar">
      <div class="user-navbrand">
        <a href="{{url_for('hom')}}">
          <img src="{{url_for('static',filename='img/branding.png')}} " />
        </a>
      </div>
      <div class="user-nav-items">
        <ul>
          <li>
            <a href="{{url_for('homeuser')}}">
              <p>Home</p>
            </a>
          </li>
          <li>
            <a href="{{url_for('prof')}}">
              <p>Profile</p>
            </a>
          </li>
          <li>
            <a href="{{url_for('ucon')}}">
              <p>My contacts</p>
            </a>
          </li>
          <li>
            <a href="{{url_for('nt')}}" >
              <p>Notes</p>
            </a>
          </li>
          <li>
            <a href="{{url_for('jks')}}" >
              <p>Jokes</p>
            </a>
          </li>
          <li>
            <a href="{{url_for('feed')}}">
              <p>feedback</p>
```

```
                </a>
              </li>
              <li>
                <a href="{{url_for('log')}}" >
                  <p >Logout</p>
                </a>
              </li>
            </ul>
          </div>
        </nav>
      </body>
    </html>
```

Header:-adminheader.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>Title</title>
    <link rel="shortcut icon" href="{{url_for('static',filename='fav_icon/blue_icon.ico')}}"/>
    <style>
      html,body{height:100%;margin:0px;width:100%;}
      .admin-head-link{
         text-decoration:none;
         color:white;
         }
      .admin-header-link{
        background-color:#1c1c1c;
        height:35px;
        text-align:center;
        font-size:13pt;
        padding:50px;
         }
      .admin-header-link:hover{
         background:#03b6a5;
         transition:0.6s;
         color:black;
         }
      .admin-head-main{
         position:fixed;
         box-shadow:10px 10px 34px 3px rgba(0,0,0,1);
        -webkit-box-shadow: 10px 10px 34px 3px rgba(0,0,0,1);
        -moz-box-shadow: 10px 10px 34px 3px rgba(0,0,0,1);
         font-family:segoe ui;
         width:100%;
         }
    </style>
  </head>
  <body>
    <form>
      <table  class="admin-head-main" cellspacing="0" cellpadding="0">
        <tr>
          <td>
            <table width="100%" cellspacing="0" cellpadding="0">
              <tr>
                <td class="admin-header-link"><a href="{{url_for('ad')}}" class="admin-head-
link">Home</a></td>
                <td class="admin-header-link"><a href="{{url_for('adus')}}" class="admin-head-
link">Users</a></td>
```

```
                    <td class="admin-header-link"><a href="{{url_for('cnus')}}" class="admin-head-
link">Contact Us</a></td>
                    <td class="admin-header-link"><a href="{{url_for('adcons')}}" class="admin-head-
link">Usercontacts</a></td>
                    <td class="admin-header-link"><a href="{{url_for('adnt')}}" class="admin-head-
link">Notes</a></td>
                    <td class="admin-header-link"><a href="{{url_for('adns')}}" class="admin-head-
link">News</a></td>
                    <td class="admin-header-link" ><a href="{{url_for('adjk')}}" class="admin-head-
link">Jokes</a></td>
                    <td class="admin-header-link"><a href="{{url_for('afd')}}" class="admin-head-
link">Feedback</a></td>
                  </tr>
                </table>
              </td>
            </tr>
          </table>
      </form>
   </body>
</html>
```

FOOTER:-footer.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>footer</title>
    <link type="text/css" rel="stylesheet" href="{{url_for('static',filename='css/style.css')}}" />
  </head>
  <body>
    <footer class="footer">
      <div class="quick-links">
        <div>+91-1140872633(give a missed call)</div>
        <div>+91-1140987645(whatsapp us)</div>
        <div>ashutoshprasad2427@gmail.com</div>
      </div>
      <img src="{{url_for('static',filename='img/branding.png')}} " height="80" width="160"
class="footer-img"/>
      <h2>follow us</h2>
      <div class="follow">
        <a href="https://www.linkedin.com/in/ashutosh-prasad-02a7b4169">
          <img src="{{url_for('static',filename='icons/linkedin.png')}}" height="30px" />
        </a>
        <a href="https://www.instagram.com/ashutosh_as_2412/">
          <img src="{{url_for('static',filename='icons/instagram.png')}}" height="30px"/>
        </a>
        <a
href="https://www.youtube.com/channel/UCDSOOSUOOnT0S3vfXB1IHtA?view_as=subscriber">
          <img src="{{url_for('static',filename='icons/youtube.png')}}"  height="30px"/>
        </a>
      </div>
      <div class="copyright">
        <p>Copyright 2021 &copy; Digital Diary Inc. All rights are reserverd.</p>
      </div>
    </footer>

  </body>
</html>
```

FOOTER:-userfooter.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>footer</title>
    <link type="text/css" rel="stylesheet" href="{{url_for('static',filename='css/style.css')}}" />
  </head>
  <body>
    <footer class="footer userfooter">
      <div class="quick-links">
        <div>+91-1140872633(give a missed call)</div>
        <div>+91-1140987645(whatsapp us)</div>
        <div>ashutoshprasad2427@gmail.com</div>
      </div>
      <img src="{{url_for('static',filename='img/branding.png')}} " height="80" width="160"
class="footer-img"/>
      <h2>follow us</h2>
      <div class="follow">
        <a href="https://www.linkedin.com/in/ashutosh-prasad-02a7b4169">
          <img src="{{url_for('static',filename='icons/linkedin.png')}}" height="30px" />
        </a>
        <a href="https://www.instagram.com/ashutosh_as_2412/">
          <img src="{{url_for('static',filename='icons/instagram.png')}}" height="30px"/>
        </a>
        <a
href="https://www.youtube.com/channel/UCDSOOSUOOnT0S3vfXB1IHtA?view_as=subscriber">
          <img src="{{url_for('static',filename='icons/youtube.png')}}"  height="30px"/>
        </a>
      </div>
      <div class="copyright">
        <p>Copyright 2021 &copy; Digital Diary Inc. All rights are reserverd.</p>
      </div>
    </footer>

  </body>
</html>
```

FOOTER:-adminfooter.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>Title</title>
    <style>
      #tod
      {
        text-align:center;
        color:silver;
        font-size:14pt;
        background:firebrick;
      }
    </style>
  </head>
  <body>
    <form>
      <table width="100%" cellspacing="0">
        <tr>
          <td id="tod">This site is developed by Ashutosh Prasad &copy;</td>
        </tr>
      </table>
    </form>
  </body>
</html>
```

home.html

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <title>Home</title>
   <link rel="shortcut icon" href="{{url_for('static',filename='fav_icon/icon.ico')}}" />
   <link type="text/css" rel="stylesheet" href="{{url_for('static',filename='css/style.css')}}" />
</head>
<body>
   {% block body %}
   <form method="post" action="/home">
      <div>{% include('header.html') %}</div>
      <section>
         <!--hero section-->
         <div class="hero-section">
            <img src="{{url_for('static',filename='img/hero-image.jpg')}}">
            <div class="hero-tags">
               <h1>
                  Looking For A Digital Diary.
               </h1>
               <p>
                  Digital technology is taking over the world as more and more businesses are
                  undergoing digital transformation to build the strong brand presence. Digitize
                  Future is a trusted partner for our customers to take them through the Digital
                  Transformation.
               </p>
               <a href="{{url_for('log')}}">know more</a>
            </div>
         </div>
      </section>
      <!-- news section and purchaes section -->
      <section class="news-purchase">
         <div class="news">
            <h1>News</h1>
            <div class="marquee">
               <marquee direction="right" behavior="alternate" onmouseover="this.stop();"
onmouseout="this.start(); "
               scrollamount="10" height="40" width="100%">
               <div>
                  {% for y in yt %}
                  <span>
                     <a href="{{url_for('log')}}">
                        <span><b>   {{y[0]}}-</b> </span><span>{{y[1]}}</span>
                        <small>{{y[2]}}</small>
                     </a>
```

```
            </span>
            {% endfor %}
          </div>
        </marquee>
        </div>
    </div>
</section>
<section>
    <div class="purchase">
        <h1>NO PURCHASES REQUIRED !</h1>
        <img src="{{url_for('static',filename='img/no-money.jpg')}}" />
    </div>
</section>
<!-- services -->
<section class="service">
    <h1 class="service-head">Our services</h1>
    <div class="service-items">
        <div class="jokes">
            <h1>jokes</h1>
            <img src="{{url_for('static',filename='img/jokes.jpg')}}" />
            <a href="{{url_for('log')}}">know more</a>
        </div>
        <div class="notes">
            <h1>notes</h1>
            <img src="{{url_for('static',filename='img/notes.jpg')}}" />
            <a href="{{url_for('log')}}">know more</a>
        </div>
        <div class="contact">
            <h1>contact</h1>
            <img src="{{url_for('static',filename='img/contacts.jpg')}}" />
            <a href="{{url_for('log')}}">know more</a>
        </div>
    </div>
</section>
<section class="team">
    <h1>Our Team</h1>
    <div class="members">
        <div>
            <img src="{{url_for('static',filename='img/team.jpg')}}" />
            <h1>Pranay Shukla</h1>
            <small>Backend Developer</small>
        </div>
        <div>
            <img src="{{url_for('static',filename='img/team.jpg')}}" />
            <h1>Vikas Mishra</h1>
            <small>Front-end designer
            <br>, resource handler.
            </small>
```

```
            </div>
            <div>
               <img src="{{url_for('static',filename='img/team.jpg')}}" />
               <h1>Ashutosh Prasad</h1>
               <small>Interactive Front-end Developer</small>
            </div>
         </div>
      </section>

      <footer>
         {% include('footer.html') %}
      </footer>
   </form>
   {% endblock %}
</body>
</html>
```

about.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>About</title>
    <link rel="shortcut icon" href="{{url_for('static',filename='fav_icon/icon.ico')}}"/>
    <link type="text/css" rel="stylesheet" href="{{url_for('static',filename='css/style.css')}}"/>
    <style>


    </style>
  </head>
  <body>
  {% block body %}
    <form method="post" action="/about">
      <table  cellspacing="0" width="100%" cellpadding="0">
        <tr>
          <td style="background-image:url('static/img/about.jpg');background-repeat:no-repeat;
                background-attachment:fixed;">
            {% include('header.html') %}
          </td>
        </tr>
        <tr>
          <td>
            <table width="100%" cellspacing="0" class="about-page-bg" cellpadding="0" >
              <tr>
                <td>
                  <table width="100%" cellpadding="0" cellspacing="0">
                    <tr>
                      <td class="about-page-head">INTRO TO DIGITAL DIARY</td>
                    </tr>
                    <tr class="about-page-para">
                      <td>
                        <p>"Digital Diary is a digital organizer that can store all your contacts, memo,
address and schedule records. This app is based on the concept of diary with digitalization.
                        It helps user to store important information on mobile which in turn helps
user to check for information on a go. It has nice interface which provide user an interactive
                        experience. User can even mail all stored information to itself or to a friend
which can act as online storage. It is developed to store account information, detailed
                        friends information, set reminder or alert for any event, store other
information in description form. This app will help in our day to day life."
                        <br><br><br><br><hr/>
                        </p>
                      </td>
                    </tr>
```

```
                        <tr>
                          <td class="about-page-head">PERFORMANCE</td>
                        </tr>
                        <tr>
                          <td class="about-page-para">
                            <ul>
                              <li>User can store important information related to friends, accounts.
</li><br>
                              <li>Reminder and other important information.</li><br>
                              <li>User can send stored information through mail..</li><br>
                              <li>User  also send information to its friend (Skype, email, Hook
Up).</li><br>
                              <li>User can search for the stored information through search bar
that.</li><br>
                              <li>User will receive an alert for corresponding reminder.</li><br>
                            </ul>
                            <br><br><br><br><hr/>
                          </td>
                        </tr>
                        <tr>
                          <td class="about-page-head" >BENEFIT</td>
                        </tr>
                        <tr>
                          <td class="about-page-para">
                            <ul>
                              <li>It provide feature to store important information digitally.</li><br>
                              <li>It is very helpful for every kind of user from a student to other.</li><br>
                              <li>User can mail stored information to itself or to a friend</li><br>
                              <li>This website is developed for both Android and iPhone both</li><br>
                            </ul>
                          </td>
                        </tr>
                      </table>
                    </td>
                    <td>
                      <table  width="100%" cellspacing="0" cellpadding="20">
                        <tr>
                          <td>
                            <center>
                              <a href="{{url_for('log')}}">
                                <img
src="{{url_for('static',filename='img/j11.jpg')}}"/><br><br><br><br><br><br><br><br><br>
                              </a>
                            </center>
                          </td>
                        </tr>
                        <tr>
                          <td>
```

```
                                <label class="about-page-subhead">
                                    CONTACT US
                                </label>
                                <a href="{{url_for('cnt')}}">
                                   <img src="{{url_for('static',filename='img/j9.webp')}}" height="200px"
width="300px"/>
                                </a>
                              </td>
                            </tr>
                          </table>
                        </td>
                      </tr>
                    </table>
                  </td>
                </tr>
                <tr>
                   <td>{% include('footer.html') %}</td>
                </tr>
              </table>
            </form>
          {% endblock %}
          </body>
        </html>
```

contact.html(contact us)

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>Contact Us</title>
    <link type="text/css" rel="stylesheet" href="{{url_for('static',filename='css/style.css')}}"/>
    <link rel="shortcut icon" href="{{url_for('static',filename='fav_icon/icon.ico')}}"/>
    <style>
      ::placeholder {color: lightslategray;font-size:12pt;}

    </style>
  </head>
  <body>
  {% block body %}
    <form method="post" action="/cont">
      <div>{% include('header.html') %}</div>
      <h1 style="color:green;text-align:center">{{m}}</h1>
      <div class="contactus">
        <div><img src="{{url_for('static',filename='img/contactUsImg.jpg')}}"></div>
        <div class="contact-form">
          <h1>Contact Us</h1>
          <div>
            <label>Name</label>
            <input type="text" placeholder="your name" name="t1">
            <label>Mobile</label>
            <input type="text" placeholder="phone number" name="t2">
            <label>Email</label>
            <input type="email" required placeholder="your email" name="t3">
            <label>Give us a message !</label>
            <textArea type="text" placeholder="your message" name="t4"></textArea>
            <input type="submit" value="SEND" name="send-message">
          </div>
        </div>
      </div>
      <div>{% include('footer.html') %}</div>
    </form>
  {% endblock %}
  </body>
</html>
```

register.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>Registeration</title>
    <link type="text/css" rel="stylesheet" href="{{url_for('static',filename='css/style.css')}}"/>
    <link rel="shortcut icon" href="{{url_for('static',filename='fav_icon/icon.ico')}}"/>
    <style>
      body{
        background:#edeef0;
      }
    </style>
  </head>
  <body>
  {% block body %}
    <form method="post" action="/register" enctype="multipart/form-data">
      <div>{% include('header.html') %}</div>
      <div class="tag"><h1>Registration</h1></div>
      <div class="form">
        <div class="flex">
          <div>
            <label>username</label>
            <input type="text" name="t1">
          </div>
          <div>
            <label>email</label>
            <input type="email" name="t5">
          </div>
        </div>
        <div class="flex">
          <div>
            <label for="">password</label>
            <input type="text" name="t2" maxlength="12">
          </div>
          <div>
            <label for="">confirm password</label>
            <input type="text" name="t3" maxlength="12">
          </div>
        </div>
        <div class="flex">
          <div>
            <label for="">gender</label>
            <select name="t4">select
              <option>male</option>
              <option>female</option>
```

```
            <option>transgender</option>
        </select>
    </div>
    <div>
        <label for="">pincode</label>
        <input type="text" name="t6" maxlength="6">
    </div>
</div>
<div class="flex">
    <div>
        <label for="">marriage status</label>
        <select name="t7" >
            select
            <option value="">married</option>
            <option value="">unmaried</option>
            <option value="">divorced</option>
            <option value="">widower</option>
        </select>
    </div>
    <div>
        <label for="">living status</label>
        <select name="t8">
            select
            <option value="">high class</option>
            <option value="">middle class</option>
            <option value="">low class</option>
            <option value="">upper middle class</option>
            <option value="">upper lower class</option>
        </select>
    </div>
</div>
<div class="flex">
    <div>
        <label for="">date of birth</label>
        <input type="date" name="t9">
    </div>
    <div>
        <label for="">timeline</label>
        <input type="time" name="t10">
    </div>
    <div>
        <label for="">address</label>
        <textarea name="t11" id="" cols="30" rows="10"></textarea>
    </div>
</div>
<div class="flex">
    <div>
        <label for="">profile picture</label>
```

```
                <input type="file" name="file_data">
            </div>
        </div>
            <div class="flex">
                <input type="submit" value="register" name="reg">
                <button class="button" >
                    <a href="{{url_for('log')}}" >
                        Already have an Account
                    </a>
                </button>
            </div>
        </div>
    </div>
    <div>{% include('footer.html') %}</div>
  </form>
{% endblock %}
</body>
</html>
```

login.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>Login</title>
    <link rel="shortcut icon" href="{{url_for('static',filename='fav_icon/icon.ico')}}"/>
    <link type="text/css" rel="stylesheet" href="{{url_for('static',filename='css/style.css')}}"/>
    <style>
      ::placeholder {color: lightslategray;font-size:12pt;}
      body{
        background:#edeef0;
      }
    </style>
  </head>
  <body>
  {% block body %}
    <form method="post" action="/login">
      <div>{% include('header.html') %}</div>
      <div class="loginContainer">
        <div class="loginForm">
          <h1>Login</h1>
          <div>
            <label>username</label>
            <input type="text" name="t1">
          </div>
          <div>
            <label>password</label>
            <input type="text" name="t2">
          </div>
          <input type="submit" value="login" name="lo">
        </div>
        <div class="loginImg">
          <img src="{{url_for('static',filename='img/loginimg.jpg')}}">
        </div>
      </div>

      <div>{% include('footer.html') %}</div>

    </form>
  {% endblock %}
  </body>
</html>
```

userhome.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>Welcome</title>
    <link type="text/css" rel="stylesheet" href="{{url_for('static',filename='css/style.css')}}"/>
    <link rel="shortcut icon" href="{{url_for('static',filename='fav_icon/icon.ico')}}"/>
  </head>
  <body class="background-img">
    {% block body %}
      <form method='post' action='/users'>
        <div>{% include('userheader.html') %}</div>
        <div class="welcome">
          <div>
            <h1>{{session['un'].upper()}}</h1>
            <p>navigate to navigation links...</p>
          </div>
          <div>
            <img src="{{url_for('static',filename='img/welcome.jpg')}}">
          </div>
        </div>
        <div>{% include('userfooter.html') %}</div>
      </form>
    {% endblock %}
  </body>
</html>
```

userprofile.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>Profile</title>
    <link type="text/css" rel="stylesheet" href="{{url_for('static',filename='css/style.css')}}"/>
    <link rel="shortcut icon" href="{{url_for('static',filename='fav_icon/icon.ico')}}"/>
  </head>
  <body>
    {% block body %}
      <form method="post" action="/profile">
        <div>{% include('userheader.html') %}</div>
        <div class="profile">
          <div class="pro-img">
            {% for h in d %}
              <img src="static/upload_images/{{h[11]}}" class="userprofile-round">
            {% endfor %}
          </div>
          <div class="pro-details">
            <div>
              <h1>{{session['un'].upper()}}</h1>
              {% for i in d %}
              <label>{{i[0]}}</label>
              <label>{{i[8]}}</label>
              <label>{{i[3]}}</label>
              <label>{{i[5]}}</label>
              <label>{{i[7]}}</label>
              <label>{{i[4]}}</label>
              <label>{{i[9]}}}</label>
              <label>{{i[10]}}</label>
              {% endfor %}
            </div>
          </div>
        </div>
        <div>{% include('userfooter.html') %}</div>

      </form>
    {% endblock %}
  </body>
</html>
```

usercontact.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>Contacts</title>
    <link type="text/css" rel="stylesheet" href="{{url_for('static',filename='css/style.css')}}"/>
    <link rel="shortcut icon" href="{{url_for('static',filename='fav_icon/icon.ico')}}"/>

  </head>
  <body>
  {% block body %}
    <form method="post" action="/usercontact">
      <div>{% include('userheader.html') %}</div>
      <h1>{{m}}</h1>
      <div class="usercontact">
        <div class="left">
          <div>
            <h1>Show your contacts</h1>
            <label>username</label>
            <input type="text" name='r1'>
            <input type="submit" value="show" name="fi">
          </div>
        </div>
        <div class="right">
          <h1>save new contact</h1>
          <input type="text" placeholder="username" name="t1">
          <input type="text" placeholder="person name" name="t2">
          <input type="text" placeholder="address1" name="t3">
          <input type="text" placeholder="address2" name="t4">
          <input type="text" placeholder="whatsapp number" name="t5">
          <input type="text" placeholder="calling number" name="t6">
          <input type="text" placeholder="details" name="t7">
          <input type="submit" value="save" name="s">
        </div>
      </div>
      <div>
        <table border="1"  width="100%" cellpadding="10"   cellspacing="0">
          <tr>
            <th>Contact Id</th>
            <th>Username</th>
            <th> Contact Person</th>
            <th>Office Address</th>
            <th>Home Address:-</th>
            <th>Calling no:-</th>
            <th>Whatsapp no:-</th>
```

```
                <th>Details:-</th>
              </tr>
              {% for j in ro %}
              <tr class="tr_1">
                <td>{{j[0]}}</td>
                <td>{{j[1]}}</td>
                <td>{{j[2]}}</td>
                <td>{{j[3]}}</td>
                <td>{{j[4]}}</td>
                <td>{{j[5]}}</td>
                <td>{{j[6]}}</td>
                <td>{{j[7]}}</td>
              </tr>
              {% endfor %}
            </table>
          </div>
          <div>{% include('userfooter.html') %}</div>
        </form>
    {% endblock %}
    </body>
</html>
```

notes.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>Notes</title>
    <link type="text/css" rel="stylesheet" href="{{url_for('static',filename='css/style.css')}}"/>
    <link rel="shortcut icon" href="{{url_for('static',filename='fav_icon/icon.ico')}}"/>

  </head>
  <body>
    {% block body %}
      <form method="post" action="/notes">
        <div>{% include('userheader.html') %}</div>
        <div class="usernotes">
          <div>
            <input type="text" placeholder="create id">
            <input type="text" placeholder="username">
            <input type="text" placeholder="title">
            <input type="text" placeholder="description">
            <input type="date">
            <input type="time">
            <input type="submit" value="save">
          </div>
          <div>
            <h1>Add notes</h1>
            <p>save your important notes...</p>
          </div>
        </div>
        <div>
          <table width="100%" cellpadding="20" cellspacing="10" class="notes-show">
            <tr>
              <td style="border-right:1px solid brown;">SEE YOUR NOTES</td>
              <td class="usershow">
                <input type="text" name="e1" placeholder="ENTER YOUR USERNAME"/>
                <input type="submit" name="s" value="SHOW"/>
              </td>
            </tr>
          </table>
        </div>
        <div>
          <table width="100%" cellpadding="0" cellspacing="0">
            <tr>
              <td>
                <table border="1"  width="100%"  cellspacing="0" cellpadding="10">
                  <tr>
```

```
                        <th><b>Note Id</b></th>
                        <th><b>Username</b></th>
                        <th><b>Title</b></th>
                        <th><b>Description</b></th>
                        <th><b>Date</b></th>
                        <th><b>Time</b></th>
                    </tr>
                    {% for q in awm %}
                    <tr class="tr_1">
                        <td>{{q[0]}}</td>
                        <td>{{q[1]}}</td>
                        <td>{{q[2]}}</td>
                        <td>{{q[3]}}</td>
                        <td>{{q[4]}}</td>
                        <td>{{q[5]}}</td>
                    </tr>
                    {% endfor %}
                </table>
            </td>
        </tr>
    </table>
</div>
<div>{% include('userfooter.html') %}</div>
</form>
{% endblock %}
</body>
</html>
```

jokes.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>Jokes</title>
    <link type="text/css" rel="stylesheet" href="{{url_for('static',filename='css/style.css')}}"/>
    <link rel="shortcut icon" href="{{url_for('static',filename='fav_icon/icon.ico')}}"/>
  <body>
    {% block body %}
      <form method="post" action="/jokes" >
        <div>{% include('userheader.html') %}</div>
        <div class="usernotes">
          <div>
            <input type="text" placeholder="username" name="t1">
            <input type="text" placeholder="joke shared by" name="t2">
            <input type="text" placeholder="details" name="t3">
            <input type="date" name="t4">
            <input type="time" name="t5">
            <div class="userjokes">
              <input type="submit"  name="save"  value="save">
              <input type="submit"  name="up"  value="update">
              <input type="submit"  name="del" value="delete">
            </div>
          </div>
          <div>
            <h1>Add jokes</h1>
            <p>wanna save your jokes just fill entries and save your funny joke...</p>
          </div>
        </div>
        <div>
          <table width="100%" cellpadding="20" cellspacing="10" class="notes-show">
            <tr>
              <td style="border-right:1px solid brown;">Retrieve your jokes using your
username..</td>
                <td class="usershow">
                  <input type="text" name="u1" placeholder="USERNAME"/>
                  <input type="submit" name="show" value="show"/>
                </td>
            </tr>
          </table>
        </div>
        <div>
          <table width="100%" cellpadding="0" cellspacing="0">
            <tr>
              <td>
```

```
                    <table width="100%" cellspacing="0" cellpadding="20" border="1"
style="background:white" >
                        <tr>
                            <th>Joke Id</th>
                            <th>Username</th>
                            <th>Refered By</th>
                            <th>Joke</th>
                            <th>Date</th>
                            <th>Time</th>
                        </tr>
                        {% for l in po %}
                        <tr class="tr_1">
                            <td>{{l[0]}}</td>
                            <td>{{l[1]}}</td>
                            <td>{{l[2]}}</td>
                            <td>{{l[3]}}</td>
                            <td>{{l[4]}}</td>
                            <td>{{l[5]}}</td>
                        </tr>
                      {% endfor %}
                    </table>
                    </td>
                  </tr>
                </table>
            </div>
            <div>{% include('userfooter.html') %}</div>
          </form>
      {% endblock %}
    </body>
</html>
```

feedback.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>Feedback</title>
    <link type="text/css" rel="stylesheet" href="{{url_for('static',filename='css/style.css')}}"/>
    <link rel="shortcut icon" href="{{url_for('static',filename='fav_icon/icon.ico')}}"/>
  </head>
  <body>
  {% block body %}
    <form method="post" action="/feedback">
      <div>{% include('userheader.html') %}</div>
      <div class="usernotes">
        <div>
          <input type="text" placeholder="create id" name="t1">
          <select name="t2" class="feedback-selected" >
            <option>SUBJCET</option>
            <option>issue</option>
            <option>suggestion</option>
            <option>complaint</option>
            <option>report</option>
          </select>
          <input type="text" placeholder="username" name="t3">
          <input type="text" placeholder="contact number" name="t4">
          <input type="text" placeholder="details" name="t5">
          <input type="submit"  name="save"  value="save">
        </div>
        <div>
          <h1>Give us a feedback</h1>
          <p>we would love to here you...</p>
        </div>
      </div>
      <div>
        <table width="100%" cellpadding="20" cellspacing="10" class="notes-show">
          <tr>
            <td style="border-right:1px solid brown;">show admin replies</td>
            <td class="usershow">
              <input type="text" name="y1" placeholder="username"/>
              <input type="submit" name="show" value="show"/>
            </td>
          </tr>
        </table>
      </div>
      <div>
        <table width="100%" cellpadding="0" cellspacing="0">
```

```
            <tr>
              <td>
                <table  cellspacing="0" width="100%"  cellpadding="10"  style="background:white">
                  <tr>
                    <th width="10%" style="border-right:1px solid black">Feedback Id</th>
                    <th>Reply from Admin.</th>
                  </tr>
                  {% for s in er %}
                  <tr>
                    <td  style="border-right:1px solid black">{{s[0]}}</td>
                    <td>{{s[2]}}</td>
                  </tr>
                  {% endfor %}
                </table>
              </td>
            </tr>
          </table>
        </div>
        <div>{% include('userfooter.html') %}</div>
      </form>
    {% endblock %}
    </body>
</html>
```

adminhome.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>Admin Home</title>
    <link rel="shortcut icon" href="{{url_for('static',filename='fav_icon/icon.ico')}}"/>
    <link type="text/css" rel="stylesheet" href="{{url_for('static',filename='css/adminCSS.css')}}"/>
  </head>
  <body>
    {% block body %}
      <form method="post" action="/ashutoshprasad24720002000">
        <table  cellspacing="0"  cellpadding="0" width="100%">
          <tr>
            <td style="background:#00c7c1;padding:0px">
              <img src="{{url_for('static',filename='img/adminimg.png')}}" height="50"/>
              <label style="font-weight:100;font-size:20pt;">ADMIN DASHBOARD</label>
            </td>
          </tr>
          <tr>
            <td>
              <table cellpadding="30" width="100%"   cellspacing="40" style="padding:40px;">
                <tr>
                  <td class="background-pad shadow ">
                    <p class="count">
                      {{countUser}}
                    </p>
                    <a class="success-btn" href="{{url_for('adus')}}">
                       SEE ALL USERS
                    </a>
                  </td>
                  <td class="background-pad shadow">
                    <p class="count">
                      {{msgCount}}
                    </p>
                    <a class="danger-btn" href="{{url_for('cnus')}}">
                      SEE ALL MESSAGE
                    </a>
                  </td>
                  <td class="background-pad shadow">
                    <p class="count">
                      {{contactCount}}
                    </p>
                    <a class="waiting-btn" href="{{url_for('adcons')}}">
                      SEE ALL CONTACTS
                    </a>
```

```
                    </td>
                    <td class="background-pad shadow">
                      <p class="count">
                        {{notesCount}}
                      </p>
                      <a class="primary-btn" href="{{url_for('adnt')}}">
                        SEE ALL NOTES
                      </a>
                    </td>
                    <td class="background-pad shadow">
                      <p class="tagline">
                        {{newsCount}} NEWS UPDATES DELIVERED...
                      </p>
                      <a class="primary-btn " href="{{url_for('adns')}}">
                        SEE ALL NEWS
                      </a>
                    </td>
                  </tr>
                  <tr>
                    <td colspan="3" class="background-pad shadow">
                      <p class="tagline">
                        SAVED JOKES....<br>SAVE, EDIT, DELETE..CLICK HERE
                      <a  class="waiting-btn"  href="{{url_for('adjk')}}">
                        SEE ALL JOKES
                      </a>
                      </p>
                    </td>
                    <td class="background-pad shadow">
                      <a class="danger-btn " href="{{url_for('afd')}}">
                        <img  src="{{url_for('static',filename='icons/feed.png')}}" height="30"
width="30"/>FEEDBACK
                      </a>
                    </td>
                    <td class="background-pad shadow">
                      <a class="success-btn" href="http://127.0.0.1:5000/">
                        <img  src="{{url_for('static',filename='icons/site.png')}}" height="30"
width="30"/>Go To Site
                      </a>
                    </td>
                  </tr>
                </table>
              </td>
            </tr>
          </table>
        </form>
      {% endblock %}
    </body>
</html>
```

adminuser.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>Users</title>
    <link type="text/css" rel="stylesheet" href="{{url_for('static',filename='css/adminCSS.css')}}"/>
    <link rel="shortcut icon" href="{{url_for('static',filename='fav_icon/icon.ico')}}"/>
  </head>
  <body>
  {% block body %}
    <form method="post" action="/adminusers">
      <table width="100%" cellspacing="0" cellpadding="0">
        <tr>
          <td>{% include('adminheader.html') %}</td>
        </tr>
        <tr>
          <td>
            <center>
              <table cellspacing="0" cellpadding="0" width="100%" class="admin-user-tab-1">
                <tr>
                  <td>
                    <table cellpadding="0" cellspacing="0" width="100%" border="1"
                        class="admin-user-borders">
                      <tr>
                        <th class="admin-user-brand">Users</th>
                      </tr>
                      <tr>
                        <td>
                          <p class="tagline">all registered users is here!</p>
                        </td>
                      </tr>
                      {% for n in rk %}
                      <tr class="admin-reg-users">
                        <td>
                          <label>
                          {{n[0].upper()}}
                        </label></td>
                      </tr>
                      {% endfor %}
                    </table>
                  </td>
                  <td>
                    <center>
                      <table  cellpadding="5" cellspacing="0" class="shadow danger-btn"
style="padding:40px" >
```

```
                        <tr >
                          <td class="admin-user-brand">
                            See Details
                          </td>
                        </tr>
                        <tr>
                          <td  style="color:white;text-align:center;">
                            <select name="t1" class="admin-user-reg-box">
                              <option>SELECT USERNAME</option>
                              {% for n in rk %}
                              <option>
                                {{n[0]}}
                              </option>
                              {% endfor %}
                            </select>
                          </td>
                        </tr>
                        <tr>
                          <td>
                            <input type="submit" name="so" value="SHOW" class="primary-btn
admin-btn" />
                          </td>
                        </tr>
                      </table>
                    </center>
                  </td>
                </tr>
              </table>
            </center>
          </td>
        </tr>
        <tr>
          <td><center>
            <table  cellspacing="0" cellpadding="15" class="shadow danger-btn" style="border-
radius:20px;padding:20px;">
              {% for b in fm %}
              <tr>
                <td style="border-right:2px solid #817f7f">Username</td>
                <td style="border-right:2px solid #817f7f">Password</td>
                <td style="border-right:2px solid #817f7f">Confirm Password</td>
                <td style="border-right:2px solid #817f7f">Gender</td>
                <td style="border-right:2px solid #817f7f">E-mail</td>
                <td style="border-right:2px solid #817f7f">Pincode</td>
                <td style="border-right:2px solid #817f7f">Marriage status</td>
                <td style="border-right:2px solid #817f7f">Living status</td>
                <td style="border-right:2px solid #817f7f">Date of birth</td>
                <td style="border-right:2px solid #817f7f">Timeline</td>
                <td style="border-right:2px solid #817f7f">Address</td>
```

```
                    </tr>
                    <tr>
                      <td style="border-right:2px solid #817f7f">{{b[0]}}</td>
                      <td style="border-right:2px solid #817f7f">{{b[1]}}</td>
                      <td style="border-right:2px solid #817f7f">{{b[2]}}</td>
                      <td style="border-right:2px solid #817f7f">{{b[3]}}</td>
                      <td style="border-right:2px solid #817f7f">{{b[4]}}</td>
                      <td style="border-right:2px solid #817f7f">{{b[5]}}</td>
                      <td style="border-right:2px solid #817f7f">{{b[6]}}</td>
                      <td style="border-right:2px solid #817f7f">{{b[7]}}</td>
                      <td style="border-right:2px solid #817f7f">{{b[8]}}</td>
                      <td style="border-right:2px solid #817f7f">{{b[9]}}</td>
                      <td style="border-right:2px solid #817f7f">{{b[10]}}</td>
                    </tr>
                    {% endfor %}
                  </table></center>
                </td>
              </tr>
              <tr>
                <td>{% include('adminfooter.html') %}</td>
              </tr>
            </table>
          </form>
        {% endblock %}
        </body>
      </html>
```

admincontactus.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>Admin Contact us</title>
    <link type="text/css" rel="stylesheet" href="{{url_for('static',filename='css/adminCSS.css')}}"/>
    <link rel="shortcut icon" href="{{url_for('static',filename='fav_icon/icon.ico')}}"/>
    <style>
      .tr_1:nth-child(even){
        background:Moccasin;
        }
      th{
        background:#3ec658;
        font-size:15pt;
        position:sticky;top:130px;
        }
    </style>
  </head>
  <body>
  {% block body %}
    <form method="post" action="/admincontus">
      <table width="100%" cellspacing="0" cellpadding="0">
        <tr>
          <td>{% include('adminheader.html') %}</td>
        </tr>
        <tr >
          <td style="height:500px;font-size:72pt" class="admin-user-brand">All Messages...</td>
        </tr>
        <tr>
          <td>
            <table width="100%" border="1" cellspacing="0"  cellpadding="25" >
              <tr class=" success-btn" >
                <th >Username</th>
                <th >Contact no</th>
                <th >Email</th>
                <th >Message</th>
              </tr>
              {% for t in tor %}
              <tr>
                <td>{{t[0]}}</td>
                <td>{{t[1]}}</td>
                <td>{{t[2]}}</td>
                <td>{{t[3]}}</td>
              </tr>
               {% endfor %}
```

```
                </table>
            </td>
        </tr>
        <tr>
            <td>{% include('adminfooter.html') %}</td>
        </tr>
    </table>
</form>
{% endblock %}
</body>
</html>
```

admincontact.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>Admin Contact</title>
    <link type="text/css" rel="stylesheet" href="{{url_for('static',filename='css/adminCSS.css')}}"/>
    <link rel="shortcut icon" href="{{url_for('static',filename='fav_icon/icon.ico')}}"/>
    <style>
      .tr_1:nth-child(even){
        background:#36595b;
        color:white;
        }
      th{
        background:#e22d3f;
        font-size:12pt;
        position:sticky;top:135px;
        }
    </style>
  </head>
  <body>
  {% block body %}
    <form method="post" action="/admincontacts">
      <table width="100%" cellspacing="0" cellpadding="0">
        <tr>
          <td>{% include('adminheader.html') %}</td>
        </tr>
        <tr>
          <td>
            <table width="100%" cellspacing="0" cellpadding="0"  style="margin-
top:150px;padding:30px">
              <tr>
                <td class="admin-user-brand" style="font-size:70pt;">User Contacts</td>
              </tr>
            </table>
          </td>
        </tr>
        <tr>
          <td>
            <table width="100%" cellspacing="0" cellpadding="0" style="padding:20px">
              <tr>
                <td>
```

```
                    <table  width="100%" cellpadding="0" cellspacing="0" class="shadow primary-btn"
style="padding:20px">
                      <tr>
                        <td><center>
                          <table width="100%" cellpadding="10" cellspacing="0">
                            <tr>
                              <td class="admin-user-brand">Show contacts </td>
                            </tr>
                            <tr>
                              <td><input class="admin-user-reg-box" placeholder="USERNAME"
type="text" name="t1" /></td>
                            </tr>
                            <tr>
                              <td><input type="submit" value="SHOW" name="sss" class="success-
btn" style="width:310px"/></td>
                            </tr>
                          </table></center>
                        </td>
                      </tr>
                    </table>
                  </td>
                  <td>
                    <table width="50%" cellspacing="0" border="1" style="border:1px solid
silver;margin-left:100px;" cellpadding="10" class="primary-btn shadow" >
                      <tr class="danger-btn">
                        <th>Contact Id</th>
                        <th>Username</th>
                        <th>Person name</th>
                        <th>Office address</th>
                        <th>Home address</th>
                        <th>Whatsapp no.</th>
                        <th>Calling no.</th>
                        <th>Details</th>
                      </tr>
                      {% for d in wr %}
                      <tr>
                        <td>{{d[0]}}</td>
                        <td>{{d[1]}}</td>
                        <td>{{d[2]}}</td>
                        <td>{{d[3]}}</td>
                        <td>{{d[4]}}</td>
                        <td>{{d[5]}}</td>
                        <td>{{d[6]}}</td>
                        <td>{{d[7]}}</td>
                      </tr>
                      {% endfor %}
                    </table><br><br>
                  </td>
```

```
                </tr>
              </table>
            </td>
          </tr>
          <tr>
            <td>
              <table width="100%" cellspacing="0"  cellpadding="0">
                <tr>
                  <td class="primary-btn ">All Contacts</td>
                </tr>
                <tr>
                  <td>
                    <table width="100%" border="1" cellpadding="10" cellspacing="0">
                      <tr class="tr_1" style="height:80px">
                        <th>Contact Id</th>
                        <th>Username</th>
                        <th>Contact person</th>
                        <th>Office address</th>
                        <th>Home address</th>
                        <th>Whatsapp no.</th>
                        <th>Calling no.</th>
                        <th>Details</th>
                      </tr>
                      {% for h in rg %}
                      <tr class="tr_1">
                        <td>{{h[0]}}</td>
                        <td>{{h[1]}}</td>
                        <td>{{h[2]}}</td>
                        <td>{{h[3]}}</td>
                        <td>{{h[4]}}</td>
                        <td>{{h[5]}}</td>
                        <td>{{h[6]}}</td>
                        <td>{{h[7]}}</td>
                      </tr>
                      {% endfor %}
                    </table>
                  </td>
                </tr>
              </table><hr>
            </td>
          </tr>
          <tr>
            <td>{% include('adminfooter.html') %}</td>
          </tr>
        </table>
      </form>
{% endblock %}
</body>
```

```
</html>
```

adminnotes.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>Admin Notes</title>
    <link type="text/css" rel="stylesheet" href="{{url_for('static',filename='css/adminCSS.css')}}"/>
    <link rel="shortcut icon" href="{{url_for('static',filename='fav_icon/icon.ico')}}"/>
    <style>
      .tr_1:nth-child(even){
        background:#36595b;
        }
      th{
        background:#00bd5b;
        font-size:12pt;
        position:sticky;top:135px;
        }

    </style>
  </head>
  <body>
  {% block body %}
  <form method="post" action="/adminnotes">
    <table width="100%" cellspacing="0" cellpadding="0">
      <tr>
        <td>{% include('adminheader.html') %}</td>
      </tr>
      <tr>
        <td>
          <table cellspacing="0"  width="100%" cellpadding="0">
            <tr>
              <td>
                <table width="100%" cellspacing="0" cellpadding="0"  style="margin-
top:150px;padding:30px">
                  <tr>
                    <td class="admin-user-brand">Notes</td>
                  </tr>
                </table>
              </td>
            </tr>
```

```
                <tr>
                  <td>
                    <table width="100%" cellpadding="0" cellspacing="0" style="padding:20px">
                      <tr>
                        <td>
                          <table width="70%" cellpadding="0" cellspacing="10" class="shadow success-
btn" style="padding:20px">
                            <tr>
                              <td class="admin-user-brand">
                                Show Notes
                              </td>
                            </tr>
                            <tr>
                              <td>
                                <input class="admin-user-reg-box" placeholder="USERNAME"
type="text" name="q1" />
                              </td>
                            </tr>
                            <tr>
                              <td>
                                <input type="submit" name="s10" value="SHOW" class="dark-green"
style="width:310px" />
                              </td>
                            </tr>
                          </table>
                        </td>
                        <td>
                          <table width="100%" cellspacing="0" border="1" style="border:1px solid
silver;" cellpadding="10" class="success-btn shadow">
                            <tr>
                              <th>Note Id</th>
                              <th>Username</th>
                              <th>Title</th>
                              <th>Description</th>
                              <th>Date</th>
                              <th>Time</th>
                            </tr>
                            {% for c in rl %}
                            <tr>
                              <td>{{c[0]}}</td>
                              <td>{{c[1]}}</td>
                              <td>{{c[2]}}</td>
                              <td>{{c[3]}}</td>
                              <td>{{c[4]}}</td>
                              <td>{{c[5]}}</td>
                            </tr>
                            {% endfor %}
                          </table>
```

```
                        </td>
                      </tr>
                    </table>
                  </td>
                </tr>
              </table>
            </td>
          </tr>
          <tr>
            <td>
              <table width="100%" cellspacing="0" cellpadding="0">
                <tr>
                  <td class="primary-btn ">All Notes:-</td>
                </tr>
                <tr>
                  <td>
                    <table width="100%" border="1" cellpadding="5" cellspacing="0" style=" border-
color:#0003;">
                      <tr style="height:80px" class="tr_1">
                        <th>Note Id</th>
                        <th>Username</th>
                        <th>Title</th>
                        <th>Description</th>
                        <th>Date</th>
                        <th>Time</th>
                      </tr>
                      {% for h in cr %}
                      <tr class="tr_1">
                        <td>{{h[0]}}</td>
                        <td>{{h[1]}}</td>
                        <td>{{h[2]}}</td>
                        <td>{{h[3]}}</td>
                        <td>{{h[4]}}</td>
                        <td>{{h[5]}}</td>
                      </tr>
                      {% endfor %}
                    </table><hr/>
                  </td>
                </tr>
              </table>
            </td>
          </tr>
          <tr>
            <td>{% include('adminfooter.html') %}</td>
          </tr>
        </table>
      </form>
      {% endblock %}
```

```
    </body>
</html>
```

adminnews.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>Admin news</title>
    <link type="text/css" rel="stylesheet" href="{{url_for('static',filename='css/adminCSS.css')}}"/>
    <link rel="shortcut icon" href="{{url_for('static',filename='fav_icon/icon.ico')}}"/>
    <style>
      .tr_1:nth-child(even){
        background:#36595b;
        color:white;
        }
      th{
        background:#e22d3f;
        font-size:12pt;
        position:sticky;top:135px;
        }
    </style>
  </head>
  <body>
  {% block body %}
    <form method="post" action="/adminnews">
      <table width="100%" cellspacing="0" cellpadding="0">
        <tr>
          <td>{% include('adminheader.html') %}</td>
        </tr>
        <tr>
          <td>
            <table width="100%" cellpadding="0" cellspacing="0" style="margin-top:200px">
              <tr>
                <td>
                  <table width="100%" cellspacing="0" cellpadding="0" style="padding:30px">
                    <tr>
                      <td class="admin-user-brand">NEWS Feed</td>
                    </tr>
                    <tr>
                      <td class="tagline" style="text-align:left">
                        news feed section, admin notify user from here and only accessible by
administrator !
                      </td>
                    </tr>
                  </table>
                </td>
                <td><center>
```

```
                    <table  cellspacing="10" cellpadding="0" class="skyblue"
style="padding:50px;margin:50px">
                        <tr>
                          <td><input type="text" placeholder="TITLE" class="admin-user-reg-box"
style="border:none;" name="t1" /></td>
                        </tr>
                        <tr>
                          <td><input type="text" name="t2" style="border:none;"
placeholder="DESCRIPTION"  class="admin-user-reg-box"/></td>
                        </tr>
                        <tr>
                          <td><input type="date" name="t3"  style="border:none;" class="admin-user-
reg-box"/></td>
                        </tr>
                        <tr>
                          <td><input type="time" name="t4" style="border:none;" class="admin-user-
reg-box"/></td>
                        </tr>
                        <tr>
                          <td>
                            <input type="submit" value="save" name="sv" class="success-btn"/>
                            <input type="submit" value="delete" name="del" class="danger-btn"/>
                          </td>
                        </tr>
                        <tr>
                          <td>{{m}}</td>
                        </tr>
                      </table></center>
                    </td>
                  </tr>
                </table>
              </td>
            </tr>
            <tr>
              <td>
                <table width="100%" cellpadding="10" cellspacing="" border="1">
                  <tr class="tr_1" style="height:80px">
                    <th>Id</th>
                    <th>Title</th>
                    <th>Description</th>
                    <th>Date</th>
                    <th>Time</th>
                  </tr>
                  {% for v in rt %}
                  <tr class="tr_1">
                    <td>{{v[0]}}</td>
                    <td>{{v[1]}}</td>
                    <td>{{v[2]}}</td>
```

```
                    <td>{{v[3]}}</td>
                    <td>{{v[4]}}</td>
                  </tr>
                  {% endfor %}
                </table>
              </td>
            </tr>
            <tr>
              <td>{% include('adminfooter.html') %}</td>
            </tr>
          </table>
        </form>
    {% endblock %}
    </body>
</html>
```

adminjokes.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>Admin Jokes</title>
    <link type="text/css" rel="stylesheet" href="{{url_for('static',filename='css/adminCSS.css')}}"/>
    <link rel="shortcut icon" href="{{url_for('static',filename='fav_icon/icon.ico')}}"/>
    <style>
      .tr_1:nth-child(even){
        background:#36595b;
        color:white;
        }
      th{
        background:#e22d3f;
        font-size:12pt;
        position:sticky;top:135px;
        }
    </style>
  </head>
  <body>
  {% block body %}
    <form method="post" action="/adminjokes">
      <table width="100%" cellpadding="0" cellspacing="0" >
        <tr>
          <td>{% include('adminheader.html') %}</td>
        </tr>
        <tr>
          <td>
              <table width="100%" cellspacing="0" cellpadding="0"   style="margin-
top:150px;padding:30px">
                <tr>
                  <td class="admin-user-brand" style="font-size:70pt;">JOKES </td>
                </tr>
              </table>
          </td>
        </tr>
        <tr>
          <td>
            <table width="100%" cellspacing="10" cellpadding="0" style="padding:20px">
              <tr>
                <td>
                  <table width="100%" cellspacing="0" border="1" style="border:1px solid
silver;margin-left:5px;" cellpadding="10" class="primary-btn shadow" >
                    <tr  class="danger-btn" >
                      <th>Joke Id</th>
```

```
                        <th>Username</th>
                        <th>Joke refered by</th>
                        <th>Joke</th>
                        <th>Date</th>
                        <th>Time</th>
                      </tr>
                      {% for o in yn %}
                      <tr>
                        <td>{{o[0]}}</td>
                        <td>{{o[1]}}</td>
                        <td>{{o[2]}}</td>
                        <td>{{o[3]}}</td>
                        <td>{{o[4]}}</td>
                        <td>{{o[5]}}</td>
                      </tr>
                      {% endfor %}
                    </table>
                  </td>
                  <td>
                    <table  cellpadding="5" cellspacing="10" class="shadow primary-btn"
style="padding:20px">
                      <tr>
                        <td class="admin-user-brand">Show jokes</td>
                      </tr>
                      <tr>
                        <td><input type="text" class="admin-user-reg-box" placeholder="USERNAME"
name="m1" /></td>
                      </tr>
                      <tr>
                        <td>
                          <input type="submit" value="show" name="soo" class="success-btn"
style="width:310px"/>
                        </td>
                      </tr>
                    </table>
                  </td>
                </tr>
              </table>
            </td>
          </tr>
          <tr>
            <td>
              <table width="100%" cellspacing="0"  cellpadding="0">
                <tr>
                  <td class="primary-btn ">All Jokes</td>
                </tr>
                <tr>
                  <td>
```

```
                    <table width="100%" border="1" cellpadding="10" cellspacing="0" >
                      <tr  class="tr_1" style="height:80px">
                        <th>Joke Id</th>
                        <th>Username</th>
                        <th>Joke refered by</th>
                        <th>Joke</th>
                        <th>Date</th>
                        <th>Time</th>
                      </tr>
                      {% for u in ur %}
                      <tr class="tr_1">
                        <td>{{u[0]}}</td>
                        <td>{{u[1]}}</td>
                        <td>{{u[2]}}</td>
                        <td>{{u[3]}}</td>
                        <td>{{u[4]}}</td>
                        <td>{{u[5]}}</td>
                      </tr>
                      {% endfor %}
                    </table>
                  </td>
                </tr>
              </table>
            </td>
          </tr>
          <tr>
            <td>{% include('adminfooter.html') %}</td>
          </tr>
        </table>
      </form>
    {% endblock %}
    </body>
</html>
```

adminfeedback.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>Admin Feedback</title>
    <link type="text/css" rel="stylesheet" href="{{url_for('static',filename='css/adminCSS.css')}}"/>
    <link rel="shortcut icon" href="{{url_for('static',filename='fav_icon/icon.ico')}}"/>
    <style>
      .tr_1:nth-child(even){
        background:#36595b;
        color:white;
        }
      th{
        background:#e22d3f;
        font-size:12pt;
        position:sticky;top:135px;
        }

     </style>
  </head>
  <body>
  {% block body %}
    <form method="post" action="/adminfeedback">
      <table width="100%" cellspacing="0" cellpadding="0">
        <tr>
          <td>{% include('adminheader.html') %}</td>
        </tr>
        <tr>
          <td>
            <table  width="100%" cellpadding="0" cellspacing="0" style="margin-top:200px">
              <tr>
                <td>
                  <table width="100%" cellpadding="0" cellspacing="0" style="padding:30px">
                    <tr>
                      <td class="admin-user-brand">
                        Feedback Panel
                      </td>
                    </tr>
                    <tr class="tagline" style="text-align:left">
                      <td>All the user' feedback are shown here, and replies given to the users also
see here!</td>
                    </tr>
                  </table>
                </td>
                <td>
```

```
                        <table cellspacing="10" cellpadding="0" class="skyblue"
style="padding:50px;margin:50px">
                            <tr>
                               <td  ><select name="l1" class="admin-user-reg-box">
                                  <option>--select--</option>
                                  {% for t in yr %}
                                  <option>{{t[0]}}</option>
                                  {% endfor %}
                               </select></td>
                            </tr>
                            <tr>
                               <td><select name="l3"  class="admin-user-reg-box">
                                  <option>--select--</option>
                                  {% for t in yr %}
                                  <option>{{t[2]}}</option>
                                  {% endfor %}
                               </select></td>

                            </tr>
                            <tr>
                               <td><input name="l2" placeholder="REPLY" class="admin-user-reg-box"
style="width:285px"/></td>
                            </tr>
                            <tr>
                               <td>
                                  <input type="submit" value="save" name="send" class="success-btn" />
                                  <input type="submit" value="delete" name="del" class="danger-btn"/>
                               </td>
                            </tr>
                         </table>
                      </td>
                   </tr>
                </table>
             </td>
          </tr>
          <tr>
             <td>
                <table width="100%" cellpadding="0" cellspacing="0">
                   <tr>
                      <td style="text-align:center;font-size:34pt;padding:50px;">All Feedbacks.</td>
                   </tr>
                    <tr>
                      <td>
                         <table width="100%" cellspacing="0" border="1" cellpadding="10">
                            <tr style="background-color: rgb(2, 27, 19);color:white;border-color:white;"
class="tr_1">
                               <th>Feedback Id</th>
                               <th>Subject</th>
```

```
                        <th>Username</th>
                        <th>Contact</th>
                        <th>Details</th>
                    </tr>
                    {% for y in yr %}
                    <tr class="tr_1">
                        <td>{{y[0]}}</td>
                        <td>{{y[1]}}</td>
                        <td>{{y[2]}}</td>
                        <td>{{y[3]}}</td>
                        <td>{{y[4]}}</td>
                    </tr>
                    {% endfor %}
                </table><br><hr/>
            </td>
        </tr>
    </table>
</td>
</tr>
<tr>
    <td>{% include('adminfooter.html') %}</td>
</tr>
</table>
</form>
{% endblock %}
</body>
</html>
```

CSS-File:-style.css

```
*{
   margin:0;
   padding:0;
   box-sizing:border-box;
   font-family:segoe ui;
   text-decoration:none;
}
/*home header*/
.navbar{
   display:flex;
   background:#068DA9;
   justify-content:space-between;
   align-items:center;
}
.navbrand {
   width:100%;
}
.navbrand img{
   width:120px;
   margin-left:20px
}
.nav-items{
   width:30%
}
.nav-items ul{
   display:flex;
   padding:0 2%;
   width:100%;
   list-style:none;
}
.nav-items ul li{
   padding:0 2%;
}
.nav-items ul a{
   text-decoration:none;
   color:white;
   display:flex;
   flex-direction:column;
   justify-content:center;
   align-items:center;
}
.nav-items ul li a img{
   width:20px;
   height:20px
}
```

```
/*home*/
.hero-section{
   display:flex;
   justify-content;center;
   align-items:center;
   padding:2% 5%;
}
.hero-section img{
   width:60%;
}
.hero-section h1{
   font-size:3em;
   font-weight:300;
}
.hero-tags p{
   margin:2% 0;
}
.hero-tags a{
   background:#068DA9;
   padding:1%;
   color:white;
   border-radius:2px;
   transition:0.3s;
}
.hero-tags a:hover{
   background:#ECF8F9;
   color:black;
   box-shadow:1px 1px 5px 1px #068DA9;
}
/*news*/
.news .marquee{
   width:50%
   background:#ECF8F9;
}
.purchase img{
   width:30%;
   border-radius:0px 20px 20px 0px;
}
.purchase{
   display:flex;
   justify-content:space-between;
   align-items:center;
   background-color:#068DA9;
   width:100%;
   padding:5%;
}
.purchase h1{
   font-size:3em;
```

```
    color:white;
    font-weight:100;
}

/*services*/
.service{
    padding:3%
}
.service h1{
    font-size:2em;
    text-align:center;
}
.service-items{
    display:flex;
    padding:5%
}
.service-items div{
    width:100%;
    border:2px solid red;
    margin:10px
}
.service-items img{
    width:100%;
}
.jokes, .notes, .contact{
    display:flex;
    flex-direction:column;
    justify-content:contact;
    align-items:center;
    padding:1%;
    box-shadow:5px 5px 1px 2px #068DA9;

}
.service-items  a{
    padding:1.5%;
    border-radius:5px;
    background:#068DA9;
    color:white;
    transition:0.4s;
}
.service-items  a:hover{
    background:#ECF8F9;
    box-shadow:1px 1px 5px 1px black;
    color:black;
}
/*team*/
.team{
        background:#f2f2f2;
```

```
}
.members{
   display:flex;
   justify-contact:centers;
   align-items:center;
   height:90vh;

}
.members h1{
font-weight:400;
}
.team h1{
   font-size:2em;
   text-align:center;
  padding-top:3%;
}
.members img{
   width:50%;
   border-radius:100%;
   box-shadow:0px 0px 5px 1px dimgray;

}
.members div{
   width:100%;
   margin:10px;
   display:flex;
   flex-direction:column;
   justify-content:center;
   align-items:center;
}
/*footer*/
.footer{
   background:#068DA9;
   display:flex;
   color:white;
   flex-direction:column;s
   justify-content:center;
   align-items:center;
}
.quick-links{
   display:flex;
   justify-content:space-around;
}
.quick-links *{
   margin:0 40px
}
.footer-img{margin-top:20px}
.follow{
```

```
    margin-top:20px;
}
/*contact us*/
.contactus{
    display:flex;
    justify-content:center;
    align-items:center;
    width:100%;
    padding:3%
}
.contact-form{
    width:40%
}
.contact-form div{
    display:flex;
    flex-direction:column;
}
.contactus img{
    width:70%;
}
.contact-form div input,textarea{
    padding:2%;
    width:100%;
    margin-bottom:10px;
}
.contact-form div label{
    font-size:0.9em;
}
.contact-form div input[type=submit]{
    background:#068DA9;
    color:white;
    width:30%;
    margin-top:10px;
    border:none;
    transition:0.4s;
}
.contact-form div input[type=submit]:hover{
    background:white;
    color:black;
    box-shadow:0px 0px 3px 1px black;
    cursor:pointer;
}
.contact-form h1{
    font-weight:600;
}
/*registration*/
.form{
    width:70%;
```

```
    margin:0 auto;
    background:white;
    padding:2%;
    border-radius:10px;
    box-shadow:0px 0px 10px 0px black;
    margin-bottom:100px;
}
.flex{
    display:flex;
}
.flex div{
    display:flex;
    flex-direction:column;
    width:100%;
    margin:1%
}
.tag h1{
    text-align:center;
    font-size:2em;
    font-weight:600;
    margin:3%;
}
.flex input,select,textarea{
    padding:2%;
    height:35px
}
.flex label{
    font-size:0.9em;
}
.button a{
    color:white;
    padding:1%
}
.flex input[type=submit],input[type=file], .button{
    margin:1%;
    background:#068DA9;
    border:none;
    transition:0.4s;
    border-radius:5px;
    color:white;
    height:auto;
    cursor:pointer;
}
.flex input[type=submit]:hover, .button:hover{
    background:#609c44;
    color:white;
}
/*login*/
```

```
.loginContainer{
    display:flex;
    justify-content:space-between;
    align-items:center;
    width:60%;
    margin:0 auto;
    padding:3%;
    border-radius:10px;
    box-shadow:0px 0px 3px 0px black;
    margin-top:40px;
    margin-bottom:40px;
}
.loginForm{
    display:flex;
    flex-direction:column;
    width:100%;
    padding:3%;
}
.loginForm div{
    width:100%;
    display:flex;
    flex-direction:column;
}
.loginImg img{
    width:100%;
    border-radius: 1px 20px 1px 10px;
    box-shadow:0px 0px 10px 0px black;
}
.loginForm h1{
    font-size:2em;
    font-weight:400;
    margin-bottom:10px;
}
.loginForm input{
    height:30px;
    padding:1%;
    margin-bottom:10px
}
.loginForm label{font-size:0.9em}
.loginForm input[type=submit]{
    background:#068DA9;
    padding:4%;
    border:none;
    transition:0.4s;
    border-radius:5px;
    color:white;
    height:auto;
    cursor:pointer;
```

```
}
/*user home style*/
.user-navbrand{width:50%}
user-nav-items{width:50%}
.user-navbar{
   display:flex;
   justify-content:center;
   align-items:center;
   background:#B04759;
}
.user-navbrand img{
   width:20%;
}
.user-nav-items ul{
   display:flex;
   justify-content:center;
   align-items:center;
   list-style:none;
   width:100%;
}
.user-nav-items ul li a{text-decoration:none;color:white}
.user-nav-items ul li{
   margin:0 5px;
   font-weight:bolder;
}
.userfooter{
      background:#B04759;
      width:100%
}
/*welcome*/
.welcome{
   display:flex;
   justify-content:space-between;
   align-items:center;
   width:60%;
   box-shadow:0px 0px 5px 0px black;
   border-radius:10px;
   background:#F99B7D;
   margin:0 auto;
   padding:2%;
   margin-top:20px;
   margin-bottom:20px;
}
.welcome img{width:100%;border-radius:0px 20px 20px 0px;}
.welcome div{width:50%}
.welcome div:nth-child(1){
   display:flex;
   flex-direction:column;
```

```
    justify-content:space-between;
    color:white;
    font-size:1.5em;
    align-items:center;
}
/*profile*/
.profile{
    display:flex;
    justify-content:center;
     background:#F99B7D;
    align-items:center;
    width:60%;
    margin:0 auto;
    margin-top:30px;
    box-shadow:0px 0px 5px 0px black;
    margin-bottom:30px;
    border-radius:10px;

}
.pro-details{
    padding:2%;
}
.pro-details div{
    display:flex;
    flex-direction:column;
    justify-content:center
    align-items:center;
    color:white;
}
.pro-img{
    width:50%;
    padding:1%
}
.pro-img img{
    width:100%;
    border-radius:20px 20px 0px 0px;
    box-shadow:0px 0px 5px 2px #E76161;
}
/*user contacts*/
.usercontact{
    display:flex;
    justify-content:center;
    align-items:center;
    width:60%;
    margin:0 auto;
    margin-top:20px;
    margin-bottom:20px;
    border-radius:20px 20px 0px 0px;
```

```
    box-shadow:0px 0px 5px 0px black;
    padding:2%;
}
.usercontact div{
    display:flex;
    flex-direction:column;
}
.usercontact .left{
    width:50%;
    padding:2%;
}
.usercontact .left input{
    margin-bottom:1%;
    padding:1%;
    height:30px
}
.usercontact .right{
    width:50%;
    padding:2%;
    background:#E76161;
    border-radius:20px 20px 0px 0px;
}
.usercontact .right input{
    margin:1%;
    padding:1%;
    height:30px
}
.usercontact .right h1{
    text-align:center;
    font-size:1.3em;
    font-weight:500;
}
.usercontact input[type=submit]{
    background:#068DA9;
    border:none;
    transition:0.4s;
    border-radius:5px;
    color:white;
    height:auto;
    cursor:pointer;
    padding:2%;
    width:50%;
}
/*notes*/
.usernotes{
    display:flex;
    justify-content:center;align-items:center;
    height:70vh;
```

```
    width:100%;
}
.usernotes div{
    display:flex;
    flex-direction:column;
    width:100%;
    padding:3%;
}
.usernotes div h1{
    font-size:5em;
    font-weight:300;

}
.usernotes div input, .feedback-selected{
    margin:1%;
    height:40px;
    padding:1%;
    width:70%;
}
.usernotes input[type=submit]{
    background:#068DA9;
    border:none;
    transition:0.4s;
    border-radius:5px;
    color:white;
    height:auto;
    cursor:pointer;
    padding:2%;
    width:70%;
}
.notes-show{
    margin-top:90px;
    background:#bcc0c4;
    text-align:center;
    }
/*user jokes*/
.userjokes input{
    display:flex;
    width:10%
}
```

Admin-CSS-File:-adminCSS.css

```
html,body{
   height:100%;
   margin:0px;
   width:100%;
   padding:0px;
   font-family:segoe ui;
   background-color:#252f2e;
   color:white;
   }
a{text-decoration:none;color:white}
.brand-name{font-size:50pt;font-weight:100;}
.shadow{
   box-shadow: 10px 10px 34px 3px rgba(0,0,0,1);
   -webkit-box-shadow: 10px 10px 34px 3px rgba(0,0,0,1);
   -moz-box-shadow: 10px 10px 34px 3px rgba(0,0,0,1);
   }
.success-btn{

   background-color: #4CAF50;
   color: white;
   border-radius:10px;
   padding:15px;
   }
.danger-btn{
    border-radius:10px;
    background-color: #f54d4d;
    color: white;padding:15px;
    }
.waiting-btn{
    border-radius:10px;
    background-color:#f1f45d;
    color:black;padding:15px;
    }
.primary-btn{
    border-radius:10px;
    background-color:#376eff;padding:15px;
    color:white;
    }
.background-pad{
    background:#493e3e;
    text-align:center;
    padding:5px;
    border-radius:10px;
    }
.admin-user-tab-1{
```

```
    margin-top:10%;
    padding:50px;
    }
.admin-user-reg-box{
    width:300px;
    height:50px;
    border-radius:5px;
    padding:5px;
    font-size:12pt;
    font-weight:100;
    color:#4c5050;
    }
.dark-green{
    background:#00bd5b;
    color: white;
   border-radius:10px;
   padding:15px;
    }
.admin-btn{
    width:300px;
    height:50px;
    color:white;
    transition:all 0.5s;
    font-size:12pt;
    font-weight:100;
    border-radius:5px;
    border:none;
    }
.admin-user-brand{
    color:rgb(195, 194, 191);
    font-size:44pt;
    font-weight:100;
    }
.admin-reg-users{
   color:white;
   font-size:24px;
   text-align:center;
   }
.admin-user-borders{
   border-top:#0000;
   border-bottom:#0000;
   border-left:#0000;
   }
.tagline{
   font-size:10;
   color:rgb(182, 179, 179);
   font-style:italic;
   text-align:center;
```

```
    }
.skyblue{
    background:#0abfbd;
    border-radius:10px;
    color:white;
    }
.count{font-size:70pt;font-weight:100;color:white}
```

Javascript:script.js

```
function validLogin(){
   var user = document.getElementById("username").value;
   var pswd = document.getElementById("password").value;
   if((user == "") || (pswd == "")){
      alert('All fields are required !');
      return false;
   }
   else{
      return true;
   }
}
```

Linking js file:-

```
<script type="text/javascript" src="{{url_for('static', filename = 'js/script.js')}}"></script>
```

Python-File:-main.py

```
from flask import Flask, render_template, redirect, request, url_for, session
from flaskext.mysql import MySQL
import os
app = Flask(__name__)
app.secret_key = "abc"
mysql = MySQL()
app.config['MYSQL_DATABASE_USER'] = 'root'
app.config['MYSQL_DATABASE_DB'] = 'digitaldiary'
app.config['MYSQL_DATABASE_PASSWORD'] = ''
app.config['MYSQL_DATABASE_HOST'] = 'localhost'
mysql.init_app(app)
app.config['UPLOAD_PATH'] = "C:\\Users\\Ashutosh
Prasad\\PycharmProjects\\DigitalDiary\\static\\upload_images"

# ---------- # for home page ---------------------------------------------------------------

@app.route('/')
def hom():
   conn=mysql.connect()
   cur=conn.cursor()
   cur.execute("select * from news")
   qw=cur.fetchall()
   return render_template('home.html', yt=qw)


# ---------- for registration page ----------------------------------------------------------


@app.route('/register')
def reg():
   return render_template("register.html")


@app.route('/register',methods=['GET', 'POST'])
def regist():
   if request.method == 'POST':
      if request.form.get('reg'):
         f = request.files['file_data']
         f.save(os.path.join(app.config['UPLOAD_PATH'], f.filename))
         conn = mysql.connect().cursor().execute("insert into registration
values(%s,%s,%s,%s,%s,%s,%s,%s,%s,%s,%s,%s)",(request.form['t1'],request.form['t2'],request.form['t3']
,request.form['t4'],request.form['t5'],request.form['t6'],request.form['t7'],request.form['t8'],request.for
m['t9'],request.form['t10'],request.form['t11'],f.filename))
         name_file = f.filename
         mysql.connect().commit()
```

```
        conn = mysql.connect().cursor().execute("insert into login values(%s,%s)", (request.form['t1'],
request.form['t2']))
        mysql.connect().commit()
        return render_template("login.html", files = name_file)
   return render_template('register.html')


# ------------------ for login page ---------------------------------------------------------------------


@app.route('/login')
def log():
   return render_template("login.html")


@app.route('/login', methods=['GET', 'POST'])
def logoin():
   mydb=mysql.connect()
   mycursor=mydb.cursor()
   if request.method=='POST':
      username = request.form['t1']
      password = request.form['t2']
      session['un'] = request.form['t1']
      if 'un' in session:
         s = session['un']
      mycursor.execute("select * from login where username='"+username+"' and
password='"+password+"'")
      mycursor.fetchall()
      r=request.form['t1'].upper()
      count=mycursor.rowcount
      if count==1:
         return render_template('userhome.html',name = s)
      else:
         return render_template('login.html')
   mydb.commit()
   mycursor.close()

# ---------------- for user home page ------------------------------------------------------------------------


@app.route('/users')
def homeuser():
   return render_template('userhome.html')

# --------------------- for contact us page ------------------------------------------------------------------


@app.route('/cont')
```

```
def conts():
   return  render_template("contact.html")


@app.route('/cont', methods=['GET', 'POST'])
def cnt():
   if request.method == 'POST':
      if request.form.get('send-message'):
         conn = mysql.connect().cursor().execute("insert into contactus
values(%s,%s,%s,%s)",(request.form['t1'], request.form['t2'], request.form['t3'], request.form['t4']))
         mysql.connect().commit()
         mesg="contact you soon!"
         return render_template("contact.html", m=mesg)
      return render_template("contact.html")


# -------------------- for about web page ----------------------------------------------------------------

@app.route('/about')
def ab():
   return render_template("about.html")

# --------------------- for user profile web page ------------------------------------------------------

@app.route('/profile')
def prof():
   con = mysql.connect()
   cur = con.cursor()
   cur.execute("select * from registration where username = %s", (session['un']))
   dr = cur.fetchall()
   return render_template("userprofile.html", d=dr)

# ---------------- for user contact web page ------------------------------------------------------------


@app.route('/usercontact')
def ucon():
   return render_template("usercontact.html")


@app.route('/usercontact',methods=['GET','POST'])
def uco():
   if request.method=='POST':
      if request.form.get('s'):
         conn=mysql.connect().cursor().execute("insert into
contacts(username,person,office_address,home_address,whatsapp_no,call_no,details)
```

```
values(%s,%s,%s,%s,%s,%s,%s)",(request.form['t1'],request.form['t2'],request.form['t3'],request.form['t
4'],request.form['t5'],request.form['t6'],request.form['t7']))
        mysql.connect().commit()
        msg="successfully saved"
        return render_template("usercontact.html",m=msg)
    elif request.form.get('fi'):
        conn=mysql.connect()
        cur=conn.cursor()
        cur.execute("select * from contacts where username=%s",(request.form['r1']))
        sr=cur.fetchall()
        return render_template("usercontact.html",ro=sr)
    return render_template("usercontact.html")


# ---------------------- for note web page ---------------------------------------------------------------------

@app.route('/notes')
def nt():
  return render_template("notes.html")


@app.route('/notes',methods=['GET','POST'])
def nitt():
  if request.method=='POST':
    if request.form.get('save'):
      conn=mysql.connect().cursor().execute("insert into notes
values(%s,%s,%s,%s,%s,%s)",(request.form['t1'],
request.form['t2'],request.form['t3'],request.form['t4'],request.form['t5'],request.form['t6']))
        mysql.connect().commit()
        msg="Note Saved..."
        return render_template("notes.html",m=msg)
    elif request.form.get('s'):
        conn=mysql.connect()
        cur=conn.cursor()
        cur.execute("select * from notes where username=%s", (request.form['e1']))
        sk=cur.fetchall()
        return render_template("notes.html",awm=sk)
    return render_template("notes.html")


# ---------------- for jokes web page ---------------------------------------------------------------------------

@app.route('/jokes')
def jks():
  return render_template("jokes.html")


@app.route('/jokes',methods=['GET','POST'])
```

```
def jkjs():
   if request.method == 'POST':
      if request.form.get('save'):
         conn = mysql.connect().cursor().execute("insert into
jokes(username,jokerefered,jokedetails,jokedate,joketime)
values(%s,%s,%s,%s,%s)",(request.form['t1'],request.form['t2'],request.form['t3'],request.form['t4'],req
uest.form['t5']))
         mysql.connect().commit()
         return render_template("jokes.html")
      elif request.form.get('up'):
         conn=mysql.connect().cursor().execute("update jokes set
jokerefered=%s,jokedetails=%s,jokedate=%s,joketime=%s where
username=%s",(request.form['t2'],request.form['t3'],request.form['t4'],request.form['t5'],request.form['
t1']))
         mysql.connect().commit()
         return render_template("jokes.html")
      elif request.form.get('del'):
         conn=mysql.connect().cursor().execute("delete from jokes where
jokerefered=%s",request.form['t2'])
         mysql.connect().commit()
         return render_template("jokes.html")
      elif request.form.get('show'):
         conn=mysql.connect()
         cur=conn.cursor()
         cur.execute("select * from jokes where username=%s",(request.form['u1']))
         fr=cur.fetchall()
         return render_template("jokes.html",po=fr)
      return render_template("jokes.html")

# ----------------------------- for feedback web page ------------------------------------------------------------------


@app.route('/feedback')
def feed():
   return render_template("feedback.html")


@app.route('/feedback',methods=['GET', 'POST'])
def feds():
   if request.method=='POST':
      if request.form.get('sd'):
         con = mysql.connect().cursor().execute("insert into feedback values(%s,%s,%s,%s,%s)",
(request.form['t1'],request.form['t2'],request.form['t3'],request.form['t4'],request.form['t5']))
         mysql.connect().commit()
         return render_template("feedback.html")
      elif request.form.get('show'):
         con=mysql.connect()
         cur=con.cursor()
```

```
        cur.execute("select * from fdbkreply where username=%s",(request.form['y1']))
        nh=cur.fetchall()
        return render_template("feedback.html",er=nh)
    return render_template("feedback.html")


# ---------- for admin home web page ----------------------------------------------------------------------


@app.route('/ashutoshprasad242720002000')
def ad():
    con = mysql.connect()
    currs = con.cursor()
    currs.execute("select username from registration")
    count_1 = currs.rowcount

    conn = mysql.connect()
    cur = conn.cursor()
    cur.execute("select username from contactus")
    count_2 = cur.rowcount

    conn = mysql.connect()
    cur = conn.cursor()
    cur.execute("select person from contacts")
    count_3 = cur.rowcount

    conn = mysql.connect()
    cur = conn.cursor()
    cur.execute("select noteid from notes")
    count_4 = cur.rowcount

    conn = mysql.connect()
    cur = conn.cursor()
    cur.execute("select newsid from news")
    count_5 = cur.rowcount

    return render_template("adminhome.html", countUser = count_1, msgCount = count_2,
contactCount = count_3,
                    notesCount = count_4, newsCount = count_5)

# ---------- for admin users web page ----------------------------------------------------------------------


@app.route('/adminusers')
def adus():
    conn = mysql.connect()
    cur = conn.cursor()
    cur.execute("select * from registration")
```

```
    kr = cur.fetchall()
    con = mysql.connect()
    return render_template("adminuser.html", rk=kr)


@app.route('/adminusers',methods=['GET','POST'])
def ads():
    if request.method=='POST':
        if request.form.get('so'):
            conn=mysql.connect()
            cur=conn.cursor()
            cur.execute("select * from registration where username=%s", (request.form['t1']))
            wf=cur.fetchall()
            return render_template("adminuser.html",fm=wf)
        return render_template("adminuser.html")

# ---------------- for admin contact us form ---------------------------------------------------------------------


@app.route('/admincontus')
def cnus():
    conn = mysql.connect()
    cur = conn.cursor()
    cur.execute("select * from contactus")
    wf = cur.fetchall()
    return render_template("admincontactus.html", tor=wf)


@app.route('/admincontacts')
def adcons():
    conn = mysql.connect()
    cur = conn.cursor()
    cur.execute("select * from contacts")
    kr = cur.fetchall()
    return render_template("admincontact.html", rg=kr)


@app.route('/admincontacts',methods=['GET','POST'])
def adcn():
    if request.method=='POST':
        if request.form.get('sss'):
            conn=mysql.connect()
            cur=conn.cursor()
            cur.execute("select * from contacts where username=%s", (request.form['t1']))
            wf=cur.fetchall()
            return render_template("admincontact.html",wr=wf)

        return render_template("admincontact.html")
```

```
# ---------- for admin notes web page ----------------------------------------------------------------------


@app.route('/adminnotes')
def adnt():
   conn = mysql.connect()
   cur = conn.cursor()
   cur.execute("select * from notes")
   rc = cur.fetchall()
   return render_template("adminnotes.html", cr=rc)


@app.route('/adminnotes',methods=['GET','POST'])
def adddc():
   if request.method=='POST':
      if request.form.get('s10'):
         conn = mysql.connect()
         cur = conn.cursor()
         cur.execute("select * from notes where username=%s",(request.form['q1']))
         lr = cur.fetchall()
         return render_template("adminnotes.html", rl=lr)
      return render_template("adminnotes.html")


# -------------------------- for admin jokes ------------------------------------------------------------------

@app.route('/adminjokes')
def adjk():
   conn = mysql.connect()
   cur = conn.cursor()
   cur.execute("select * from jokes")
   rf = cur.fetchall()
   return render_template("adminjokes.html", ur=rf)


@app.route('/adminjokes',methods=['GET','POST'])
def adkjs():
   if request.method=='POST':
      if request.form.get('soo'):
         conn = mysql.connect()
         cur = conn.cursor()
         cur.execute("select * from jokes where username=%s",(request.form['m1']))
         po=cur.fetchall()
         return render_template("adminjokes.html",yn=po)
      return render_template("adminjokes.html")
```

```
# ------------ for admin feedback ---------------------------------------------------------------------------

@app.route('/adminfeedback')
def afd():
   conn = mysql.connect()
   cur = conn.cursor()
   cur.execute("select * from feedback")
   re = cur.fetchall()
   return render_template("adminfeedback.html", yr=re)


@app.route('/adminfeedback',methods=['GET','POST'])
def rtur():
   if request.method=='POST':
      if request.form.get('send'):
         conn=mysql.connect().cursor().execute("insert into fdbkreply
values(%s,%s,%s)",(request.form['l1'],request.form['l3'],request.form['l2']))
         mysql.connect().commit()
         return render_template("adminfeedback.html")
      if request.form.get('del'):
         con=mysql.connect().cursor().execute("delete from fdbkreply where
fdid=%s",(request.form['l1']))
         mysql.connect().commit()
         return render_template("adminfeedback.html")
      elif request.form.get('so'):
         conn = mysql.connect()
         cur = conn.cursor()
         cur.execute("select * from fdbkreply")
         df = cur.fetchall()
         return render_template("adminfeedback.html", fd=df)
      return render_template("adminfeedback.html")

# ----------------- for admin news ---------------------------------------------------------------------------


@app.route('/adminnews')
def adns():
   conn=mysql.connect()
   cur=conn.cursor()
   cur.execute("select * from news")
   we=cur.fetchall()
   return render_template("adminnews.html",rt=we)


@app.route('/adminnews' , methods=['GET','POST'])
def adsn():
   if request.method == 'POST':
      if request.form.get('sv'):
```

```
        conn = mysql.connect().cursor().execute("insert into news(title,description,date,time)
values(%s,%s,%s,%s)",(request.form['t1'],request.form['t2'],request.form['t3'],request.form['t4']))
        mysql.connect().commit()
        msg="inserted"
        return render_template("adminnews.html",m=msg)
    elif request.form.get('del'):
        conn=mysql.connect().cursor().execute("delete from news where title=%s", request.form['t1'])
        mysql.connect().commit()
        return render_template("adminnews.html")
    return render_template("adminnews.html")

# ---------- end statement ----------------------------------------------------------------------------------------


if __name__ == "__main__":
   app.run(debug=True)
```

Conclusion

By doing this project we were able to bring a new system for online Digital Diary, With the advent of technology and Internet in our day to day life, we were able to offer advanced thoughts and information sharing system to people and outside through our Country.

Top 4 Reasons to Move to the Online Diary Platform: -

- Efficient and Cost Effective
- Digital Diary system reduce the use of paper and the amount of work for both the organization, as well as peoples.
- Intelligent
- By using this system, we are eligible to control the personal Diary all over the world using login access function.
- Save Time and Resources
- Digital Diary system is very less time consuming and very fast system for all people and also feel free to use no matter what is your age.
- Easy and convenient
- The Digital Diary offers the easiest and most convenient method for administrators and peoples alike. For administrators, the process of setting up an admin account and Diary are manageable.
- The other advantages that the system offers are:
- Efficient data storage.
- Accuracy, real-time response and user friendliness.
- Intelligent Management

Bibliography

- www.mysql.com
- www.w3schools.com
- www.google.com
- www.wikipaedia.com
- www.eci.nic.in
- www.python.org