

Third-Party Plugin Control

FabFilter, iZotope, Waves and the Complete Plugin Ecosystem

- **FabFilter, iZotope, Waves and the Complete Plugin Ecosystem**

◆ PLUGIN CONTROL FLOW



- **1. The Digital Silo Problem**

Audio plugins are isolated islands. FabFilter Pro-Q3 does not know what iZotope Ozone is doing. Waves SSL does not know the track level. WhyCremisi is the first system that **breaks these silos** — creating a unified control plane on which AI can operate the entire ecosystem.

- **2. Control Mechanisms**

— 2.1 VST3 PARAMETER AUTOMATION (PRIMARY)

VST3 exposes every plugin parameter as a normalised float [0.0–1.0] accessible from the host.

```
// ParameterMapper – conceptual example
void ParameterMapper::setPluginParameter(
    int trackId, const std::string& pluginName,
    const std::string& paramName, float value)
{
    auto* proc = getProcessorOnTrack(trackId, pluginName);
    int idx = lookupParamIndex(pluginName, paramName);
    proc->setParameterNotifyingHost(idx, value);
}
```

— 2.2 MIDI CC — UNIVERSAL FALLBACK FOR ANY MIDI-LEARN CAPABLE PLUGIN

— 2.3 OSC — DIRECT COMMUNICATION WITH REAPER AND OSC-NATIVE DAWs

— 2.4 DAW SDK — REASCRIPt (REAPER), MAX FOR LIVE (ABLETON), CONTROL SURFACE PROTOCOL

• 3. Supported Plugins — Priority Roadmap

— FABFILTER — HIGH PRIORITY

PLUGIN	KEY PARAMETERS MAPPED
Pro-Q 3	24 bands: freq, gain, Q, type, phase mode
Pro-C 2	Threshold, ratio, attack, release, knee, style
Pro-L 2	Threshold, gain, lookahead, true peak, oversampling
Pro-MB	6 bands: range, threshold, ratio, attack, release
Pro-R	Decay, room size, character, brightness
Saturn 2	6 saturation bands: drive, tone, level, mix

— IZOTOPE — HIGH PRIORITY

PLUGIN	CAPABILITIES
Ozone 11	Maximizer threshold, IRC mode, EQ, imager width, LUFS target
Neutron 4	Per-track EQ, compressor, transient shaper, exciter
RX 10	Noise reduction, de-click, dialogue isolation

— WAVES — MEDIUM PRIORITY

SSL G-Master Buss · API 2500 · CLA-76 · H-Reverb · Renaissance EQ · L3-16 · Kramer HLS

— UNIVERSAL AUDIO — MEDIUM PRIORITY

1176 · LA-2A · Neve 1073 · API Vision · Ocean Way Studios

• 4. ParameterMapper — Core Integration Engine

◆ OVERVIEW

Responsibilities:

- DISCOVERY — Scans all exposed parameters at plugin load
- NAMING — Maps numeric IDs to semantic names (47 → "Band3_Gain")
- SCALING — Converts physical values to normalised (-3dB → 0.42)
- VALIDATION — Checks range and type before applying
- UNDO — Saves prior state for instant rollback

• 5. Plugin Database Format

```
{
  "plugin_id": "fabfilter_proq3",
  "display_name": "FabFilter Pro-Q 3",
  "vst3_guid": "E8E38A93-21B0-4B8D-B7EC-B54B8B9CF48C",
  "parameters": [
    {
      "id": 0, "name": "Band1_Frequency",
      "alias": ["freq1", "eq band 1 freq"],
      "min": 20.0, "max": 20000.0,
      "scale": "logarithmic", "unit": "Hz"
    }
  ],
  "ai_presets": {
    "remove_mud": { "Band2_Freq": 220, "Band2_Gain": -3.5, "Band2_Q": 2.1 },
    "add_presence": { "Band4_Freq": 3500, "Band4_Gain": 2.0 }
  }
}
```

• 6. Safety Constraints

- ▶ No action applied without explicit user confirmation (unless auto-apply enabled)
- ▶ Full undo stack maintained for every action
- ▶ No gain changes > 12dB in a single command
- ▶ No modifications during recording (unless override set)
- ▶ No audio routing changes (feedback risk)

