

# User Guide

Quick Start, Interface and Workflows

- Quick Start, Interface and Workflows

**Version:** 1.0

**Category:** User Manual

**Platforms:** macOS 12+ · Windows 10+ · Linux (Wine/Ubuntu Studio)

- 1. Introduction

## 1.1 WHAT WHYCREMISI IS

WhyCremisi is an **AI-powered VST3/AU plugin bridge** that connects your DAW to an AI agent capable of listening, analyzing, and controlling every parameter of every plugin in your session in real time.

| WHAT IT DOES                             | WHAT IT DOES NOT                   |
|------------------------------------------|------------------------------------|
| Listens to audio signals in real time    | Does not replace the producer      |
| Controls any VST3/AU plugin parameter    | Does not generate standalone music |
| Analyzes spectrum, phase, dynamics, LUFS | Does not load non-existent plugins |
| Proposes and applies effect chains       | Does not alter audio routing       |
| Remembers preferences and past sessions  | Does not record session audio      |
| Communicates via text and voice commands | Does not bypass DAW security       |

## — 1.2 SYSTEM REQUIREMENTS

### ◆ BUNDLE STRUCTURE

#### Component Requirement

Operating System macOS 12+ / Windows 10+ / Linux

(Wine 8+ or Ubuntu Studio 22.04+)

DAW Ableton Live 11+ / Reaper 6+ /

Logic Pro / FL Studio 21+ /

Pro Tools 2023+

Plugin Formats VST3 / AU (macOS)

Internet Required for AI features

RAM 8 GB recommended (16 GB for  
large sessions)

Disk Space 500 MB for installation

**[NOTE]** WhyCremisi works offline for plugin control and audio analysis, but requires an internet connection for AI features. When offline, the interface switches to "analysis-only" mode.

## • 2. Installation

## — 2.1 INSTALLATION PROCEDURE

### ◆ BUNDLE STRUCTURE

Step 1: Download the latest release from [whycremisi.com/download](https://whycremisi.com/download)

File: WhyCremisi\_x.x.x.dmg (macOS) / .exe (Windows)

Step 2: Mount the DMG (macOS) or run the installer (Windows)

Drag WhyCremisi.app into the Applications folder

Step 3: Launch WhyCremisi (it will appear in the system tray)

Verify the WebSocket service is listening

(default port 9800)

Step 4: Configure your DAW to detect the plugin

See §2.2 for each specific DAW

## — 2.2 DAW ACTIVATION

### Ableton Live 11+

## ◆ OVERVIEW

1. Open Ableton → Preferences → Plug-Ins
2. Under "Plugin Sources" add: /Library/Audio/Plug-Ins/VST3
3. Click "Rescan" (or "Rescan All" to clear cache)
4. Drag "WhyCremisi" from the Plugin Browser onto a track

## Reaper 6+

## ◆ OVERVIEW

1. Open Reaper → Preferences → VST
2. Under "VST plugin paths" add: /Library/Audio/Plug-Ins/VST3
3. Click "Clear cache / rescan"
4. FX → "WhyCremisi" → Add

## Logic Pro

## ◆ OVERVIEW

1. Open Logic → Preferences → Audio → Plug-In Manager
2. Verify WhyCremisi is listed under "AU Instruments"
3. Click "Reset & Rescan Selection" if missing
4. Insert on an instrument track: Audio FX → WhyCremisi

## — 2.3 WEBSOCKET AND OSC CONFIGURATION

## ◆ OVERVIEW

### Connection Settings (Settings → Network)

WebSocket Server ws://localhost:9800 [●] Active

WebSocket Password \*\*\*\*\* [Change]

OSC Server osc.udp://localhost:9000 [●] Active

OSC Input Port 9000

OSC Output Port 9001

**[NOTE]** The default WebSocket (9800) and OSC (9000-9001) ports are predefined. If they conflict with other services, change them in Settings → Network.

• 3. First Connection

— 3.1 LAUNCHING THE PLUGIN

- 
1. Insert WhyCremisi on a track in your DAW
  2. The main interface opens automatically
  3. Observe the status indicators in the top bar

— 3.2 CONNECTION STATUS

The status bar displays three color-coded indicators:

◆ OVERVIEW

Connection Status

DAW WS AI

• All systems operational • • •

| INDICATOR      | COLOR    | MEANING                                    |
|----------------|----------|--------------------------------------------|
| DAW            | • Green  | Plugin detected and synced with host       |
| DAW            | • Yellow | Plugin loaded but not synced               |
| DAW            | • Red    | Plugin not detected — check installation   |
| WS (WebSocket) | • Green  | WebSocket connection active                |
| WS (WebSocket) | • Red    | WebSocket disconnected — restart service   |
| AI             | • Green  | AI agent connected and operational         |
| AI             | • Yellow | AI processing                              |
| AI             | • Red    | AI unavailable — check internet connection |

— 3.3 FIRST COMMAND

—In the AI chat, type or speak a simple command—

User > "Hello, analyze the current track"

WhyCremisi > Analysis complete. Here is a summary:

- Integrated LUFS: -18.3 (ideal for mixing)
- True Peak: -2.1 dBTP
- Dynamic Range: 12.4 dB
- LRA (Loudness Range): 8.7 dB

The track has good dynamics.  
Would you like me to suggest improvements?

• 4. Main Interface

◆ PLUGIN CONTROL FLOW




— 4.1 TRANSPORT BAR

| COMMAND      | ICON | DESCRIPTION      |
|--------------|------|------------------|
| Play         | ▶    | Starts playback  |
| Stop         | ■    | Stops playback   |
| Record       | ●    | Starts recording |
| Pause        | ⏸    | Pauses playback  |
| Rewind       | ⏮    | Goes to start    |
| Fast Forward | ⏭    | Goes to end      |

The transport bar also displays the current BPM and session timecode.

— 4.2 LEVEL METERS

Stereo indicators with dual readout:



- ▶ **Green bar:** safe level (below -6 dBTP)
- ▶ **Yellow bar:** warm level (-6 to -1 dBTP)
- ▶ **Red bar:** clipping (above -1 dBTP)

— 4.3 CORRELATION METER

Measures phase correlation between L and R channels:

◆ OVERVIEW

+1 ● Perfect phase (mono compatible)

0 No correlation

-1 Out of phase (problematic)

Ideal values: +0.5 to +1.0 for balanced mixes.

— 4.4 OSCILLOSCOPE

Real-time waveform display. Useful for:

- Identifying transients (drums, percussion)
- Visualizing saturation and clipping
- Comparing pre/post processing dynamics

— 4.5 SPECTROGRAM (FFT)

Frequency analysis with selectable resolution (512-8192 bins):

| FREQUENCY BAND | RANGE         | PRIMARY USE              |
|----------------|---------------|--------------------------|
| Sub-bass       | 20-60 Hz      | Kick, subwoofer          |
| Bass           | 60-250 Hz     | Bass, fundamentals       |
| Low-mid        | 250-500 Hz    | Instrument body, mud     |
| Mid            | 500-2000 Hz   | Vocals, guitar, presence |
| Upper-mid      | 2000-4000 Hz  | Presence, sibilance      |
| High           | 4000-20000 Hz | Air, brilliance, hi-hat  |

— 4.6 AI CHAT WINDOW

◆ OVERVIEW

AI CHAT WINDOW [Send] [🔍] [🗑️]

[History]

>>> "Analyze the master bus"

<<< Master: LUFS -14.2, TP -1.3dB. True Peak is high.

I suggest lowering the limiter threshold.

[Quick Suggestion]

- Add sidechain compression to the kick and bass
- Apply a gentle high-pass on the reverb send
- Compare mix with reference track

Type a command or ask a question...

## — 4.7 PLUGIN BROWSER

Lists all VST3/AU plugins detected in the current session. Each plugin shows:

- Name and manufacturer
- Installed version
- Status (loaded/inactive)
- Exposed parameters (click to expand)

## — 4.8 PRESET MANAGER


Save and load complete configurations:

```
Preset: "Vocal_Mix_v2"
Includes:
  ✓ EQ settings (FabFilter Pro-Q3)
  ✓ Compression (Pro-C2)
  ✓ Reverb (Pro-R)
  ✓ AI chat context
  ✓ LUFS target: -14
```


**[NOTE]** Presets save the state of plugins controlled through WhyCremisi, not the entire DAW session.

# • 5. Workflows

## — 5.1 ASSISTED MIXING: "COMPRESS THE VOCALS"



— 5.2 MASTERING: "APPLY A MASTER CHAIN"



— 5.3 CREATIVE SOUND: "70S ANALOG SYNTH"

◆ OVERVIEW

User: "Make this sound like a 70s analog synth"


1. WhyCremisi analyzes current timbre
2. Applies effect chain:

CHAIN: "70s Analog Synth"

- Saturn 2 — Tape saturation, warm drive
- Pro-Q 3 — Low-pass filter (-3dB @ 8kHz)
- RC-20 Retro Color — Wow & Flutter + Noise
- Pro-R — Spring reverb (decay: 2.5s)

[PREVIEW] [APPLY] [SAVE AS PRESET]

— 5.4 PROBLEM SOLVING: "FIX THE BASS MUDDINESS"



— 6.1 COMMAND CATEGORIES

| CATEGORY    | EXAMPLE                                            | ACTION           |
|-------------|----------------------------------------------------|------------------|
| Volume/Gain | "Set reverb send to -12 dB"                        | Adjust parameter |
| Effects     | "Add sidechain compression to the kick and bass"   | Create chain     |
| Routing     | "Create a parallel compression chain on the drums" | Routing + FX     |
| Analysis    | "Analyze the master bus for clipping"              | Detailed report  |
| Comparison  | "Compare this mix with the reference track"        | A/B analysis     |
| Preset      | "Load the 'Warm Vocal' preset"                     | Load preset      |
| Transport   | "Play from bar 24"                                 | DAW control      |
| EQ          | "High-pass the guitars at 120Hz"                   | Specific filter  |

— 6.2 DETAILED EXAMPLES

◆ DEPLOY FLOW

Command: "Set reverb to 25%"

Result: Reverb Wet/Dry brought from 40% to 25% on the current track.

Command: "Add sidechain compression to the kick and bass"

Result: WhyCremisi:

1. Creates a compressor on the bass track

2. Sets sidechain input from kick track

3. Configures: ratio 4:1, attack 1ms, release 50ms

4. Auto-threshold based on kick level

Command: "Create a parallel compression chain on the drums"

Result: WhyCremisi:

1. Creates "Drums Parallel" return track

2. Sends from drum track at -10dB

3. Adds compressor with 30ms attack, high ratio 8:1

4. Mix at 50%

Command: "Analyze the master bus for clipping"

Result:

• True Peak: -0.3 dBTP — Clipping detected!

• Clipping samples: 1,247 samples (0.03% of total)

WhyCremis Research Papers

• WHYCREMISI •

Paper 14 · EN

— 7.1 INTERFACE

◆ OVERVIEW

PREFERENCES — Interface

- Theme ◦ Dark ◦ Light ◦ System
- Language ◦ Italiano • English
- Window Size ◦ 100% ◦ 125% ◦ 150% • 200%
- Chat Size • Normal ◦ Compact

— 7.2 KEYBOARD SHORTCUTS

| SHORTCUT  | ACTION              |
|-----------|---------------------|
| ⌘+Enter   | Send chat command   |
| ⌘+K       | Focus chat          |
| ⌘+L       | Clear chat history  |
| ⌘+M       | Mute/Unmute output  |
| ⌘+,       | Open preferences    |
| Space     | Play/Pause DAW      |
| ⌘+Z       | Undo last AI action |
| ⌘+Shift+Z | Redo last action    |
| Esc       | Close modal         |

— 7.3 AI BEHAVIOR

◆ OVERVIEW

PREFERENCES — AI Behavior

- Creativity ◦ Low • Medium ◦ High

(low = strictly follows mixing rules)

(high = experiments with creative chains)

- Verbosity ◦ Concise • Detailed ◦ Extended
- Auto-apply ◦ Never ◦ After confirm • Always
- Volume Alert • Active ◦ Disabled

(threshold: -1 dBTP)

## • 8. Troubleshooting

### — 8.1 QUICK FAQ

#### ◆ BUNDLE STRUCTURE

##### PROBLEM: Plugin does not appear in the DAW

Possible causes:

- Plugin not properly installed  
→ Verify: /Library/Audio/Plug-Ins/VST3/WhyCremisi.vst3
- DAW cache not updated  
→ Ableton: Rescan All; Reaper: Clear cache/rescan
- Format not supported by DAW  
→ Logic requires AU (not VST3)  
→ FL Studio requires VST3 (not AU)

PROBLEM: No sound after inserting the plugin

Possible causes:

- WhyCremisi in bypass  
→ Disable bypass from plugin header
- Incorrect audio routing  
→ Verify signal passes through the plugin
- Plugin in "analysis-only" mode  
→ Check operating mode in settings

PROBLEM: AI is not responding

### — 8.2 LOG VIEWER

#### ◆ OVERVIEW

Menu → Help → Log Viewer

LOG VIEWER [Clear] [Export]

```
[12:34:01] INF Plugin loaded: WhyCremisi v1.0.0
[12:34:02] INF WebSocket connected on port 9800
[12:34:03] INF AI agent connected (model: gpt-4o)
[12:34:05] DBG Track analysis: LUFS=-21.3, DR=14.2
[12:34:10] INF AI suggestion: "Compress the vocals"
[12:34:12] ACT Applied: Pro-C2 threshold=-18.5, ratio=3
[12:34:15] WRN True Peak approaching limit: -1.3 dBTP
[12:34:20] ERR WebSocket connection lost — reconnecting
[12:34:22] INF WebSocket reconnected successfully

Log levels: INF (info), DBG (debug), WRN (warning), ERR (error), ACT (action)
```

## — 9.1 GETTING STARTED

### ◆ OVERVIEW

#### 5 Tips for New Users

1. START WITH A SIMPLE SONG
  - 4-8 tracks, few plugins, familiar genre
2. ALWAYS USE PREVIEW
  - Listen before applying any changes
  - The [PREVIEW] button changes nothing
3. VERIFY PARAMETERS BEFORE CONFIRMING
  - Read the values proposed by the AI
  - Manual tweak if necessary
4. USE PRESETS AS A STARTING POINT
  - Presets give a solid foundation
  - Always customize for your specific track
5. PROVIDE CONSTANT FEEDBACK TO THE AI
  - "Too much compression" → AI adjusts
  - "More presence" → AI adds EQ
  - More feedback = better results

## — 9.2 IDEAL WORKFLOW

### ◆ OVERVIEW

#### PHASE 1 — ANALYSIS

Load the song → "Analyze the session"

WhyCremisi analyzes every track and proposes optimizations

#### PHASE 2 — ROUGH MIX

Apply EQ corrections → "Remove mud from bass"

Set base levels → "Set all track levels to -18 LUFS"

Stereo balance → "Widen the pad stereo image"

#### PHASE 3 — FINAL MIX

Track compression → "Compress the drum bus 4:1"

Effects and reverb → "Add room reverb to the vocals"

Automations → "Automate the filter cutoff in the bridge"

#### PHASE 4 — MASTERING

"Apply a master chain for Spotify"

Final verification → "Analyze the master bus"

Export → "Export to WAV 48kHz 24-bit"

— 9.3 EFFECTIVE FEEDBACK

◆ OVERVIEW

✗ "I don't like it" → Too vague

✓ "Compression is too much, → Specific, action-oriented  
reduce ratio to 2:1"

✗ "Add effects" → Too generic

✓ "Add a long-tail reverb → Specific: type, position  
to the vocals"

✗ "Fix the bass" → Doesn't say what's wrong

✓ "The bass has too much → Identifies cause + range  
mud at 200-300Hz"

— 9.4 COMMON MISTAKES TO AVOID

| MISTAKE                    | CONSEQUENCE              | SOLUTION                       |
|----------------------------|--------------------------|--------------------------------|
| Applying without listening | Unexpected results       | Always use PREVIEW             |
| Commands too vague         | Imprecise response       | Be specific                    |
| Ignoring AI warnings       | Clipping or phase errors | Read AI messages               |
| Not saving presets         | Configuration loss       | Save preset after each session |
| Too many commands in a row | Processing confusion     | Wait for AI response           |

◆ OVERVIEW

"WhyCremisi is not a plugin: it's a producer in a box."