

User Guide

Quick Start, Interface and Workflows

- Quick Start, Interface and Workflows

Version: 1.0

Category: User Manual

Platforms: macOS 12+ · Windows 10+ · Linux (Wine/Ubuntu Studio)

- 1. Introduction

1.1 WHAT WHYCREMISI IS

WhyCremisi is an **AI-powered VST3/AU plugin bridge** that connects your DAW to an AI agent capable of listening, analyzing, and controlling every parameter of every plugin in your session in real time.

WHAT IT DOES	WHAT IT DOES NOT
Listens to audio signals in real time	Does not replace the producer
Controls any VST3/AU plugin parameter	Does not generate standalone music
Analyzes spectrum, phase, dynamics, LUFS	Does not load non-existent plugins
Proposes and applies effect chains	Does not alter audio routing
Remembers preferences and past sessions	Does not record session audio
Communicates via text and voice commands	Does not bypass DAW security

— 1.2 SYSTEM REQUIREMENTS

Component	Requirement
Operating System	macOS 12+ / Windows 10+ / Linux (Wine 8+ or Ubuntu Studio 22.04+)
DAW	Ableton Live 11+ / Reaper 6+ / Logic Pro / FL Studio 21+ / Pro Tools 2023+
Plugin Formats	VST3 / AU (macOS)
Internet	Required for AI features
RAM	8 GB recommended (16 GB for large sessions)
Disk Space	500 MB for installation

[NOTE] WhyCremisi works offline for plugin control and audio analysis, but requires an internet connection for AI features. When offline, the interface switches to "analysis-only" mode.

• 2. Installation

— 2.1 INSTALLATION PROCEDURE

Step 1: Download the latest release from whycremisi.com/download
└─ File: WhyCremisi_x.x.x.dmg (macOS) / .exe (Windows)

Step 2: Mount the DMG (macOS) or run the installer (Windows)
└─ Drag WhyCremisi.app into the Applications folder

Step 3: Launch WhyCremisi (it will appear in the system tray)
└─ Verify the WebSocket service is listening (default port 9800)

Step 4: Configure your DAW to detect the plugin
└─ See §2.2 for each specific DAW

— 2.2 DAW ACTIVATION

Ableton Live 11+

1. Open Ableton → Preferences → Plug-Ins
2. Under "Plugin Sources" add: /Library/Audio/Plug-Ins/VST3
3. Click "Rescan" (or "Rescan All" to clear cache)
4. Drag "WhyCremisi" from the Plugin Browser onto a track

Reaper 6+

1. Open Reaper → Preferences → VST
2. Under "VST plugin paths" add: /Library/Audio/Plug-Ins/VST3
3. Click "Clear cache / rescan"
4. FX → "WhyCremisi" → Add

Logic Pro

1. Open Logic → Preferences → Audio → Plug-In Manager
2. Verify WhyCremisi is listed under "AU Instruments"
3. Click "Reset & Rescan Selection" if missing
4. Insert on an instrument track: Audio FX → WhyCremisi

— 2.3 WEBSOCKET AND OSC CONFIGURATION

Connection Settings (Settings → Network)

WebSocket Server	ws://localhost:9800	[●] Active
WebSocket Password	*****	[Change]
OSC Server	osc.udp://localhost:9000	[●] Active
OSC Input Port	9000	
OSC Output Port	9001	

[NOTE] The default WebSocket (9800) and OSC (9000-9001) ports are predefined. If they conflict with other services, change them in Settings → Network.

• 3. First Connection

— 3.1 LAUNCHING THE PLUGIN

1. Insert WhyCremisi on a track in your DAW
2. The main interface opens automatically
3. Observe the status indicators in the top bar

— 3.2 CONNECTION STATUS

The status bar displays three color-coded indicators:

Connection Status

● All systems operational



INDICATOR	COLOR	MEANING
DAW	● Green	Plugin detected and synced with host
DAW	● Yellow	Plugin loaded but not synced
DAW	● Red	Plugin not detected — check installation
WS (WebSocket)	● Green	WebSocket connection active
WS (WebSocket)	● Red	WebSocket disconnected — restart service
AI	● Green	AI agent connected and operational
AI	● Yellow	AI processing
AI	● Red	AI unavailable — check internet connection

— 3.3 FIRST COMMAND

—In the AI chat, type or speak a simple command—

User > "Hello, analyze the current track"

WhyCremisi > Analysis complete. Here is a summary:

- Integrated LUFS: -18.3 (ideal for mixing)
- True Peak: -2.1 dBTP
- Dynamic Range: 12.4 dB
- LRA (Loudness Range): 8.7 dB

The track has good dynamics.

Would you like me to suggest improvements?

[NOTE] If the AI does not respond within 5 seconds, check your internet connection in Settings → Network → Test Connection.

• 4. Main Interface




— 4.1 TRANSPORT BAR

COMMAND	ICON	DESCRIPTION
Play	▶	Starts playback
Stop	■	Stops playback
Record	●	Starts recording
Pause	⏸	Pauses playback
Rewind	⏮	Goes to start

The transport bar also displays the current BPM and session timecode.

— 4.2 LEVEL METERS


Stereo indicators with dual readout:



- ▶ **Green bar:** safe level (below -6 dBTP)
- ▶ **Yellow bar:** warm level (-6 to -1 dBTP)
- ▶ **Red bar:** clipping (above -1 dBTP)

— 4.3 CORRELATION METER

Measures phase correlation between L and R channels:



Ideal values: +0.5 to +1.0 for balanced mixes.

— 4.4 OSCILLOSCOPE

Real-time waveform display. Useful for:


- ▶ Identifying transients (drums, percussion)
- ▶ Visualizing saturation and clipping
- ▶ Comparing pre/post processing dynamics

— 4.5 SPECTROGRAM (FFT)

Frequency analysis with selectable resolution (512-8192 bins):

FREQUENCY BAND	RANGE	PRIMARY USE
Sub-bass	20-60 Hz	Kick, subwoofer
Bass	60-250 Hz	Bass, fundamentals
Low-mid	250-500 Hz	Instrument body, mud
Mid	500-2000 Hz	Vocals, guitar, presence
Upper-mid	2000-4000 Hz	Presence, sibilance
High	4000-20000 Hz	Air, brilliance, hi-hat

— 4.6 AI CHAT WINDOW




— 4.7 PLUGIN BROWSER

Lists all VST3/AU plugins detected in the current session. Each plugin shows:

- Name and manufacturer
- Installed version
- Status (loaded/inactive)
- Exposed parameters (click to expand)

— 4.8 PRESET MANAGER

Save and load complete configurations:



[NOTE] Presets save the state of plugins controlled through WhyCremisi, not the entire DAW session.

— 5.1 ASSISTED MIXING: "COMPRESS THE VOCALS"

User: "Compress the vocals"

1. WhyCremisi analyzes the vocal track
→ LUFS: -21.3, Dynamic Range: 14.2 dB
→ Vocal transients: 8.2 dB average peak

2. WhyCremisi proposes:

Proposal: Compressor on Vocal Track

Plugin: FabFilter Pro-C 2 (Clean mode)

- Threshold: -18.5 dB
- Ratio: 3.0 : 1
- Attack: 8 ms
- Release: 45 ms
- Makeup: +2.5 dB
- Output: -1.5 dB (headroom)

[PREVIEW] [APPLY] [MODIFY]

3. User clicks [PREVIEW] → A/B listening
4. User clicks [APPLY]
5. WhyCremisi logs to history: "Vocals compressed – 3:1 ratio"

— 5.2 MASTERING: "APPLY A MASTER CHAIN"

User: "Apply a master chain for Spotify"

1. WhyCremisi analyzes the master bus
→ LUFS: -18.3, TP: -2.1 dBTP
→ Spotify target: Integrated LUFS -14

2. Proposed chain:

MASTER CHAIN – Spotify Target

- Slot 1: FabFilter Pro-Q 3 – Corrective EQ
- Slot 2: iZotope Ozone 11 – Exciter + Imager
- Slot 3: FabFilter Pro-C 2 – Stereo compression
- Slot 4: FabFilter Pro-L 2 – Limiter

Target: Integrated LUFS -14, TP -1.0 dBTP

[PREVIEW] [APPLY] [MODIFY]

— 5.3 CREATIVE SOUND: "70S ANALOG SYNTH"

User: "Make this sound like a 70s analog synth"

1. WhyCremisi analyzes current timbre
2. Applies effect chain:

CHAIN: "70s Analog Synth"

- Saturn 2 — Tape saturation, warm drive
- Pro-Q 3 — Low-pass filter (-3dB @ 8kHz)
- RC-20 Retro Color — Wow & Flutter + Noise
- Pro-R — Spring reverb (decay: 2.5s)

[PREVIEW] [APPLY] [SAVE AS PRESET]

— 5.4 PROBLEM SOLVING: "FIX THE BASS MUDDINESS"

User: "Fix the bass muddiness"

1. WhyCremisi analyzes bass track FFT
 - Identifies buildup at 180-350Hz
 - Degraded signal-to-noise ratio in low-mid range
2. WhyCremisi proposes:

Analysis: Muddiness in the bass

Cause: Buildup of frequencies 180-350Hz

Suggested Solution:

- FabFilter Pro-Q 3 — Peak band centered at 240Hz
- Gain: -4.2 dB
- Q: 2.5 (narrow)

[A/B PREVIEW] [APPLY] [FINE-TUNE]

— 6.1 COMMAND CATEGORIES

CATEGORY	EXAMPLE	ACTION
Volume/Gain	"Set reverb send to -12 dB"	Adjust parameter
Effects	"Add sidechain compression to the kick and bass"	Create chain
Routing	"Create a parallel compression chain on the drums"	Routing + FX
Analysis	"Analyze the master bus for clipping"	Detailed report
Comparison	"Compare this mix with the reference track"	A/B analysis
Preset	"Load the 'Warm Vocal' preset"	Load preset
Transport	"Play from bar 24"	DAW control
EQ	"High-pass the guitars at 120Hz"	Specific filter

Command: "Set reverb to 25%"

Result: Reverb Wet/Dry brought from 40% to 25% on the current track.

Command: "Add sidechain compression to the kick and bass"

Result: WhyCremisi:

- 1. Creates a compressor on the bass track
- 2. Sets sidechain input from kick track
- 3. Configures: ratio 4:1, attack 1ms, release 50ms
- 4. Auto-threshold based on kick level

Command: "Create a parallel compression chain on the drums"

Result: WhyCremisi:

- 1. Creates "Drums Parallel" return track
- 2. Sends from drum track at -10dB
- 3. Adds compressor with 30ms attack, high ratio 8:1
- 4. Mix at 50%

Command: "Analyze the master bus for clipping"

Result:


- True Peak: -0.3 dBTP – Clipping detected!
- Clipping samples: 1,247 samples (0.03% of total)
- Suggestion: Reduce limiter gain by 1.5dB
or apply a soft clipper before the limiter.

Command: "Compare this mix with the reference track"

Result:

COMPARISON: Current Mix vs Reference			
Metric	Mix	Reference	Δ
Integrated LUFS	-14.2	-14.0	-0.2 0K
True Peak	-1.3 dB	-0.8 dB	-0.5 dB
LRA	6.2 dB	7.1 dB	-0.9 dB
EQ Shape	250Hz +3dB	250Hz flat	→ EQ
Stereo Width	68%	72%	-4%

— 7.1 INTERFACE



— 7.2 KEYBOARD SHORTCUTS

SHORTCUT	ACTION
⌘+Enter	Send chat command
⌘+K	Focus chat
⌘+L	Clear chat history
⌘+M	Mute/Unmute output
⌘+,	Open preferences
Space	Play/Pause DAW
⌘+Z	Undo last AI action
⌘+Shift+Z	Redo last action
Esc	Close modal

— 7.3 AI BEHAVIOR



• 8. Troubleshooting

— 8.1 QUICK FAQ

PROBLEM: Plugin does not appear in the DAW

Possible causes:

- Plugin not properly installed
 - Verify: /Library/Audio/Plug-Ins/VST3/WhyCremisi.vst3
- DAW cache not updated
 - Ableton: Rescan All; Reaper: Clear cache/rescan
- Format not supported by DAW
 - Logic requires AU (not VST3)
 - FL Studio requires VST3 (not AU)

PROBLEM: No sound after inserting the plugin

Possible causes:

- WhyCremisi in bypass
 - Disable bypass from plugin header
- Incorrect audio routing
 - Verify signal passes through the plugin
- Plugin in "analysis-only" mode
 - Check operating mode in settings

PROBLEM: AI is not responding


1. Check internet connection
2. Check AI status (● Red?)
3. Restart the WhyCremisi service
4. Check firewall (port 443 for AI API)
5. Restart the DAW

PROBLEM: OSC not working

1. Verify OSC port (9000) is not occupied
2. Check that the target IP is correct
3. Reaper: Enable "Control surface OSC" in Preferences
4. Test: `nc -u localhost 9000` from terminal

PROBLEM: WebSocket disconnected

1. Restart the WhyCremisi WebSocket service
2. Verify port 9800 is free
3. Check if VPN/proxy interferes with WebSocket
4. Log: ~/Library/Logs/WhyCremisi/websocket.log



• 9. Tips and Best Practices

— 9.1 GETTING STARTED



— 9.2 IDEAL WORKFLOW

PHASE 1 – ANALYSIS

Load the song → "Analyze the session"

WhyCremisi analyzes every track and proposes optimizations

PHASE 2 – ROUGH MIX

Apply EQ corrections → "Remove mud from bass"

Set base levels → "Set all track levels to -18 LUFS"

Stereo balance → "Widen the pad stereo image"

PHASE 3 – FINAL MIX

Track compression → "Compress the drum bus 4:1"

Effects and reverb → "Add room reverb to the vocals"

Automations → "Automate the filter cutoff in the bridge"

PHASE 4 – MASTERING

"Apply a master chain for Spotify"

Final verification → "Analyze the master bus"

Export → "Export to WAV 48kHz 24-bit"

— 9.3 EFFECTIVE FEEDBACK

❌ "I don't like it"

→ Too vague

✅ "Compression is too much, reduce ratio to 2:1"

→ Specific, action-oriented

❌ "Add effects"

→ Too generic

✅ "Add a long-tail reverb to the vocals"

→ Specific: type, position

❌ "Fix the bass"

→ Doesn't say what's wrong

✅ "The bass has too much mud at 200-300Hz"

→ Identifies cause + range

— 9.4 COMMON MISTAKES TO AVOID

MISTAKE	CONSEQUENCE	SOLUTION
Applying without listening	Unexpected results	Always use PREVIEW
Commands too vague	Imprecise response	Be specific
Ignoring AI warnings	Clipping or phase errors	Read AI messages
Not saving presets	Configuration loss	Save preset after each session
Too many commands in a row	Processing confusion	Wait for AI response