

BIGMARKT LIVE READINESS CHECKLIST

Updated: June 27, 2026

BigMarkt is ready for a controlled beta / live pilot only after the checks below are confirmed against the production Vercel, Railway, and Supabase projects.

1. Production environment audit

Required Vercel journal variables:

- * NEXT_PUBLIC_SUPABASE_URL
- * NEXT_PUBLIC_SUPABASE_ANON_KEY
- * NEXT_PUBLIC_SITE_URL
- * SUPABASE_SERVICE_ROLE_KEY
- * CRON_SECRET
- * EA_SIGNING_SECRET_ENCRYPTION_KEY
- * EXCHANGE_CREDENTIAL_ENCRYPTION_KEY
- * WS_STATUS_URL
- * WS_STATUS_SECRET

Optional Vercel variables:

- * EA_INGEST_V1_CUTOFF_AT
- * BYBIT_MAINNET_BASE_URL
- * BYBIT_TESTNET_BASE_URL
- * BYBIT_PROXY_TOKEN

Required Railway WebSocket variables:

- * SUPABASE_URL
- * SUPABASE_SERVICE_ROLE_KEY
- * WS_STATUS_SECRET

Acceptance criteria:

- * Service-role and encryption secrets exist only in server-side environments.
- * EA_SIGNING_SECRET_ENCRYPTION_KEY and EXCHANGE_CREDENTIAL_ENCRYPTION_KEY decode to at least 32 bytes.
- * WS_STATUS_SECRET is present on both Vercel and Railway and values match.
- * WS_STATUS_URL points to the deployed Railway /status endpoint.
- * NEXT_PUBLIC_SITE_URL is the canonical journal origin used for reset links.
- * No .env, .env.local, Vercel metadata, service-role keys, exchange keys, EA tokens, signing secrets, or user credentials are tracked in GitHub.

2. Supabase privacy / RLS tests

Run the privacy test suite against a staging or production-like Supabase

project.

```
cd web
SUPABASE_SERVICE_ROLE_KEY=... npm test -- tests/privacy.spec.ts --run
```

Acceptance criteria:

- * Privacy tests run instead of skipping.
- * Users cannot read or mutate another user's private trades, profile-only fields, broker accounts, EA tokens, notifications, support messages, exchange credentials, or leaderboard score rows.
- * `account_scores` remains read-only to authenticated users; score writes only happen through trusted service-role/server-side flows.
- * Public follow graph RPCs return only public profile fields and never email.

3. Live EA smoke test

Connect one MT5 terminal using a fresh token from `/ea-setup`.

Steps:

- * Confirm `/ea-setup` offers `BigMarkt_EA_v2.7.1.mq5`.
- * Generate a fresh EA token, token UUID, and signing secret.
- * Link the token to an active broker account.
- * Configure MT5 with the endpoint `https://journal.bigmarkt.co/api/ea/ingest` and allow-list `https://journal.bigmarkt.co` for `WebRequest`.
- * Confirm Railway WebSocket service is healthy at `/healthz`.
- * Confirm `/ea-setup` shows the EA as connected through the scoped `/status` poll.
- * Send one small demo fill and one SL/TP modification.
- * Restart the EA with an open position and confirm an `open_snapshot` event reconciles live open-state without creating duplicates.

Acceptance criteria:

- * Valid v2 requests are accepted and rejected replays return safely.
- * Invalid, revoked, or legacy-without-signing-secret tokens are rejected.
- * Token `last_used_at` updates.
- * `trade_events` records deal/order/position-modify/snapshot events idempotently.
- * Journal rows have `capture_source = ea` and an account-appropriate `trust_badge`.
- * Account score recalculation runs when the token is linked to a broker account.
- * `/status` only returns connections matching the current user's token IDs.

4. Community and Pro smoke test

Steps:

- * Follow a trader from /leaderboard; confirm the button changes to Following.
- * Confirm the trader appears in /following.
- * Enable auto-share of verified EA trades from the followed leader's profile settings or profile form.
- * Confirm /feed shows only closed, verified, non-demo EA trades from leaders the caller follows.
- * Pause and unfollow; confirm /following and /feed update accordingly.
- * Visit /upgrade as a free user; join and leave the waitlist.
- * Visit /upgrade as a pro + active and pro + comp profile; confirm the entitled states render and no payment flow is presented.

Acceptance criteria:

- * Follow/unfollow is journal-only; execution/copy-trade mode is not exposed.
- * Feed visibility is limited to public and followers_only verified EA trades.
- * pro_interest_at is stamped idempotently and can be cleared.

5. Exchange sync smoke test

Steps:

- * Add a read-only Bybit key in /exchanges/new.
- * Confirm credentials are encrypted before storage.
- * Run a sync for a small date window.
- * If direct Bybit access is blocked, route through the optional proxy variables and confirm the proxy token is required.

Acceptance criteria:

- * Keys with withdrawal or transfer permissions are rejected.
- * The encryption key is required for decrypt/sync paths.
- * No plaintext API secret is logged or returned to the browser.

6. Cron smoke tests

Routes configured in web/vercel.json:

- * /api/cron/news-feed at 0 0 * * *
- * /api/cron/recalculate-scores at 0 2 * * *
- * /api/cron/cleanup at 0 3 * * *

Acceptance criteria:

- * Missing or wrong Authorization: Bearer <CRON_SECRET> returns 401.
- * News cron upserts news_events rows including URL where available.
- * Score cron recalculates account/leaderboard scores without client-side write

access.

- * Cleanup cron completes without deleting active user data.

7. Final launch decision

Controlled beta / live pilot: approved after environment variables, privacy tests, EA smoke, community/feed smoke, exchange smoke, and cron smoke pass.

Final sign-off fields:

- * Environment audit completed by:
- * Privacy/RLS tests completed by:
- * Live EA smoke test completed by:
- * Community/feed/Pro smoke test completed by:
- * Exchange sync smoke test completed by:
- * Cron smoke tests completed by:
- * Launch approved by: