

Problems in Combinatorics

Vladimir Podolskii

Computer Science Department, Higher School of Economics

Outline

Distributing Assignments Among People

Distributing Candies Among Kids

Numbers with Fixed Sum of Digits

Numbers with Non-increasing Digits

Splitting into Working Groups

Distributing Assignments Among People

Problem

Suppose there are 4 people and 9 different assignments. Each person should receive one assignment. Assignments for different people should be different. How many ways are there to do it?

- We have count selections of assignments for 4 people

Distributing Assignments Among People

Problem

Suppose there are 4 people and 9 different assignments. Each person should receive one assignment. Assignments for different people should be different. How many ways are there to do it?

- We have count selections of assignments for 4 people
- In this problem people are different, so the selection is ordered

Distributing Assignments Among People

Problem

Suppose there are 4 people and 9 different assignments. Each person should receive one assignment. Assignments for different people should be different. How many ways are there to do it?

- We have count selections of assignments for 4 people
- In this problem people are different, so the selection is ordered
- No assignment can be given to two persons simultaneously, so no repetitions

Distributing Assignments Among People

Problem

Suppose there are 4 people and 9 different assignments. Each person should receive one assignment. Assignments for different people should be different. How many ways are there to do it?

- We have count selections of assignments for 4 people
- In this problem people are different, so the selection is ordered
- No assignment can be given to two persons simultaneously, so no repetitions
- So we are dealing with k -permutations

Distributing Assignments Among People

Problem

Suppose there are 4 people and 9 different assignments. Each person should receive one assignment. Assignments for different people should be different. How many ways are there to do it?

Persons	1	2	3	4
Number of options				

Distributing Assignments Among People

Problem

Suppose there are 4 people and 9 different assignments. Each person should receive one assignment. Assignments for different people should be different. How many ways are there to do it?

Persons	1	2	3	4
Number of options	9			

Distributing Assignments Among People

Problem

Suppose there are 4 people and 9 different assignments. Each person should receive one assignment. Assignments for different people should be different. How many ways are there to do it?

Persons	1	2	3	4
Number of options	9	8		

Distributing Assignments Among People

Problem

Suppose there are 4 people and 9 different assignments. Each person should receive one assignment. Assignments for different people should be different. How many ways are there to do it?

Persons	1	2	3	4
Number of options	9	8	7	

Distributing Assignments Among People

Problem

Suppose there are 4 people and 9 different assignments. Each person should receive one assignment. Assignments for different people should be different. How many ways are there to do it?

Persons	1	2	3	4
Number of options	9	8	7	6

Distributing Assignments Among People

Problem

Suppose there are 4 people and 9 different assignments. Each person should receive one assignment. Assignments for different people should be different. How many ways are there to do it?

- The answer is $9 \times 8 \times 7 \times 6 = 3024$

Distributing Assignments Among People

Problem

Suppose there are 4 people and 9 different assignments. Each person should receive one assignment. Assignments for different people should be different. How many ways are there to do it?

- The answer is $9 \times 8 \times 7 \times 6 = 3024$
- Needed to count permutations

Distributing Assignments Among People

Problem

There are 4 people and 9 different assignments. We need to distribute all assignments among people. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

Distributing Assignments Among People

Problem

There are 4 people and 9 different assignments. We need to distribute all assignments among people. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

- Each person receives several assignments

Distributing Assignments Among People

Problem

There are 4 people and 9 different assignments. We need to distribute all assignments among people. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

- Each person receives several assignments
- Can try to look at persons one by one

Distributing Assignments Among People

Problem

There are 4 people and 9 different assignments. We need to distribute all assignments among people. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

- Each person receives several assignments
- Can try to look at persons one by one
- The first person is assigned arbitrary subset; we know how to count the number of subsets

Distributing Assignments Among People

Problem

There are 4 people and 9 different assignments. We need to distribute all assignments among people. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

- Each person receives several assignments
- Can try to look at persons one by one
- The first person is assigned arbitrary subset; we know how to count the number of subsets
- The second person: the number of options left depends on what we choose for the first person

Distributing Assignments Among People

Problem

There are 4 people and 9 different assignments. We need to distribute all assignments among people. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

- Seems tricky

Distributing Assignments Among People

Problem

There are 4 people and 9 different assignments. We need to distribute all assignments among people. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

- Seems tricky
- **Idea:** look from the other point of view!

Distributing Assignments Among People

Problem

There are 4 people and 9 different assignments. We need to distribute all assignments among people. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

- Seems tricky
- **Idea:** look from the other point of view!
- Don't give assignments to people, assign people to assignments instead

Distributing Assignments Among People

Problem

There are 4 people and 9 different assignments. We need to distribute all assignments among people. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

Assignment	1	2	3	4	5	6	7	8	9
Number of options									

Distributing Assignments Among People

Problem

There are 4 people and 9 different assignments. We need to distribute all assignments among people. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

- So the answer is $4^9 = 262\,144$

Distributing Assignments Among People

Problem

There are 4 people and 9 different assignments. We need to distribute all assignments among people. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

- So the answer is $4^9 = 262\,144$
- Just needed to count tuples

Distributing Assignments Among People

Problem

There are 4 people and 9 different assignments. We need to distribute all assignments among people. No assignment should be assigned to two people. Every person can be given arbitrary number of assignments from 0 to 9. How many ways are there to do it?

- So the answer is $4^9 = 262\,144$
- Just needed to count tuples
- But needed also to look from the other side

Outline

Distributing Assignments Among People

Distributing Candies Among Kids

Numbers with Fixed Sum of Digits

Numbers with Non-increasing Digits

Splitting into Working Groups

Distributing Candies Among Kids

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids?

- Giving each candy we choose one of 7 kids

Distributing Candies Among Kids

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids?

- Giving each candy we choose one of 7 kids
- Repetitions are allowed, the same kid can receive a candy several times

Distributing Candies Among Kids

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids?

- Giving each candy we choose one of 7 kids
- Repetitions are allowed, the same kid can receive a candy several times
- Candies are identical, so the order does not matter

Distributing Candies Among Kids

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids?

- Giving each candy we choose one of 7 kids
- Repetitions are allowed, the same kid can receive a candy several times
- Candies are identical, so the order does not matter
- We are dealing with combinations with repetitions!

Distributing Candies Among Kids

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids?

- Number of candies is the size of a combination

Distributing Candies Among Kids

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids?

- Number of candies is the size of a combination
- Number of kids is the number of options

Distributing Candies Among Kids

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids?

- Number of candies is the size of a combination
- Number of kids is the number of options
- So, the answer is $\binom{15+(7-1)}{(7-1)} = \binom{21}{6} = 54\,264$

More Fair Distribution

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids in such a way that each kid receives at least 1 candy?

- The previous solution does not work, we have additional restriction

More Fair Distribution

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids in such a way that each kid receives at least 1 candy?

- The previous solution does not work, we have additional restriction
- But we can reduce the problem to the previous one

More Fair Distribution

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids in such a way that each kid receives at least 1 candy?

- The previous solution does not work, we have additional restriction
- But we can reduce the problem to the previous one
- We have to give each kid at least one candy

More Fair Distribution

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids in such a way that each kid receives at least 1 candy?

- The previous solution does not work, we have additional restriction
- But we can reduce the problem to the previous one
- We have to give each kid at least one candy
- So let's just do it!

More Fair Distribution

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids in such a way that each kid receives at least 1 candy?

- Now we are left with $15 - 7 = 8$ candies

More Fair Distribution

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids in such a way that each kid receives at least 1 candy?

- Now we are left with $15 - 7 = 8$ candies
- And we can distribute them as in the previous problem!

More Fair Distribution

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids in such a way that each kid receives at least 1 candy?

- Now we are left with $15 - 7 = 8$ candies
- And we can distribute them as in the previous problem!
- Combinations with repetitions, the size of the combination is 8, the number of options is 7

More Fair Distribution

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids in such a way that each kid receives at least 1 candy?

- Now we are left with $15 - 7 = 8$ candies
- And we can distribute them as in the previous problem!
- Combinations with repetitions, the size of the combination is 8, the number of options is 7
- So, the answer is $\binom{8+(7-1)}{(7-1)} = \binom{14}{6} = 3\,003$

More Fair Distribution

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids in such a way that each kid receives at least 1 candy?

- So, the answer is $\binom{8+(7-1)}{(7-1)} = \binom{14}{6} = 3\,003$

More Fair Distribution

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids in such a way that each kid receives at least 1 candy?

- So, the answer is $\binom{8+(7-1)}{(7-1)} = \binom{14}{6} = 3\,003$
- Compare to the answer to the previous problem: 54 264

More Fair Distribution

Problem

There are 15 identical candies. How many ways are there to distribute them among 7 kids in such a way that each kid receives at least 1 candy?

- So, the answer is $\binom{8+(7-1)}{(7-1)} = \binom{14}{6} = 3\,003$
- Compare to the answer to the previous problem: 54 264
- Vast majority of ways to share candies will leave some kids without any

Outline

Distributing Assignments Among People

Distributing Candies Among Kids

Numbers with Fixed Sum of Digits

Numbers with Non-increasing Digits

Splitting into Working Groups

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below 10 000 such that their sum of digits is equal to 9?

- Consider numbers as sequences of 4 digits

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below 10 000 such that their sum of digits is equal to 9?

- Consider numbers as sequences of 4 digits
- We can look at the problem from the side of numbers

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below 10 000 such that their sum of digits is equal to 9?

- Consider numbers as sequences of 4 digits
- We can look at the problem from the side of numbers
- Nine options for the first one; but already unclear for the second one

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below 10 000 such that their sum of digits is equal to 9?

- Consider numbers as sequences of 4 digits
- We can look at the problem from the side of numbers
- Nine options for the first one; but already unclear for the second one
- Idea: look from the other side

Numbers with Fixed Sum of Digits

* * * *

- There are four positions

Numbers with Fixed Sum of Digits

* * * *

- There are four positions
- We split the weight 9 among them

Numbers with Fixed Sum of Digits

0 0 0 0

- There are four positions
- We split the weight 9 among them
- Assume they are 0 in the beginning and add 1 nine times

Numbers with Fixed Sum of Digits

0 0 0 0

- There are four positions
- We split the weight 9 among them
- Assume they are 0 in the beginning and add 1 nine times
- Each time we pick one of the digits to increase

Numbers with Fixed Sum of Digits

* * * *

- There are four positions
- We split the weight 9 among them
- Assume they are 0 in the beginning and add 1 nine times
- Each time we pick one of the digits to increase
- Order does not matter; there are repetitions

Numbers with Fixed Sum of Digits

* * * *

- There are four positions
- We split the weight 9 among them
- Assume they are 0 in the beginning and add 1 nine times
- Each time we pick one of the digits to increase
- Order does not matter; there are repetitions
- We have combinations of size 9 among 4 options

Numbers with Fixed Sum of Digits

* * * *

- There are four positions
- We split the weight 9 among them
- Assume they are 0 in the beginning and add 1 nine times
- Each time we pick one of the digits to increase
- Order does not matter; there are repetitions
- We have combinations of size 9 among 4 options
- The answer is $\binom{9+(4-1)}{(4-1)} = \binom{12}{3} = 220$

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below 10 000 such that their sum of digits is equal to 10?

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below 10 000 such that their sum of digits is equal to 10?

- Looks very similar to the previous one

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below 10 000 such that their sum of digits is equal to 10?

- Looks very similar to the previous one
- Distribute ten ones between four positions

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below 10 000 such that their sum of digits is equal to 10?

- Looks very similar to the previous one
- Distribute ten ones between four positions
- Combinations of size 10 among 4 options

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below 10 000 such that their sum of digits is equal to 10?

- Looks very similar to the previous one
- Distribute ten ones between four positions
- Combinations of size 10 among 4 options
- The answer is $\binom{10+(4-1)}{(4-1)} = \binom{13}{3} = 286$

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below 10 000 such that their sum of digits is equal to 10?

- Looks very similar to the previous one
- Distribute ten ones between four positions
- Combinations of size 10 among 4 options
- The answer is $\binom{10+(4-1)}{(4-1)} = \binom{13}{3} = 286$
- Is everything right?

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below 10 000 such that their sum of digits is equal to 10?

- Looks very similar to the previous one
- Distribute ten ones between four positions
- Combinations of size 10 among 4 options
- The answer is $\binom{10+(4-1)}{(4-1)} = \binom{13}{3} = 286$
- Is everything right? **Let's check!**

Numbers with Fixed Sum of Digits

The following code searches through all combinations:

```
import itertools as it
count = 0
for d in it.product(range(10), repeat = 4):
    if sum(d) == 10:
        count += 1
print(count)
```

Numbers with Fixed Sum of Digits

The following code searches through all combinations:

```
import itertools as it
count = 0
for d in it.product(range(10), repeat = 4):
    if sum(d) == 10:
        count += 1
print(count)
```

Here is the output

```
282
```

Numbers with Fixed Sum of Digits

The following code searches through all combinations:

```
import itertools as it
count = 0
for d in it.product(range(10), repeat = 4):
    if sum(d) == 10:
        count += 1
print(count)
```

Here is the output

282

The answer is off by 4!

Numbers with Fixed Sum of Digits

The following code searches through all combinations:

```
import itertools as it
count = 0
for d in it.product(range(10), repeat = 4):
    if sum(d) == 10:
        count += 1
print(count)
```

Here is the output

282

The answer is off by 4!

What went wrong?

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below 10 000 such that their sum of digits is equal to 10?

- With our approach we can assign all ten ones to the same position

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below 10 000 such that their sum of digits is equal to 10?

- With our approach we can assign all ten ones to the same position
- But digits should be at most 9

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below 10 000 such that their sum of digits is equal to 10?

- With our approach we can assign all ten ones to the same position
- But digits should be at most 9
- What should we do now?

Numbers with Fixed Sum of Digits

Problem

How many non-negative integer numbers are there below 10 000 such that their sum of digits is equal to 10?

- With our approach we can assign all ten ones to the same position
- But digits should be at most 9
- What should we do now?
- Just subtract the number of things that we should not have counted!

Numbers with Fixed Sum of Digits

* * * *

- What we should not have counted

Numbers with Fixed Sum of Digits

* * * *

- What we should not have counted
- Assignments of all ten ones to the same digit

Numbers with Fixed Sum of Digits

* * * *

- What we should not have counted
- Assignments of all ten ones to the same digit
- But there are just 4 of them!

Numbers with Fixed Sum of Digits

10 0 0 0

- What we should not have counted
- Assignments of all ten ones to the same digit
- But there are just 4 of them!

Numbers with Fixed Sum of Digits

0 10 0 0

- What we should not have counted
- Assignments of all ten ones to the same digit
- But there are just 4 of them!

Numbers with Fixed Sum of Digits

0 0 10 0

- What we should not have counted
- Assignments of all ten ones to the same digit
- But there are just 4 of them!

Numbers with Fixed Sum of Digits

0 0 0 10

- What we should not have counted
- Assignments of all ten ones to the same digit
- But there are just 4 of them!
- So our previous answer was off by just 4

Numbers with Fixed Sum of Digits

* * * *

- What we should not have counted
- Assignments of all ten ones to the same digit
- But there are just 4 of them!
- So our previous answer was off by just 4
- The correct answer is $286 - 4 = 282$

Outline

Distributing Assignments Among People

Distributing Candies Among Kids

Numbers with Fixed Sum of Digits

Numbers with Non-increasing Digits

Splitting into Working Groups

Numbers with Non-increasing Digits

Problem

How many four-digit numbers are there such that their digits are not increasing? Three-digit numbers are also four-digit, they just start with 0

Numbers with Non-increasing Digits

Problem

How many four-digit numbers are there such that their digits are not increasing? Three-digit numbers are also four-digit, they just start with 0

- If we try to count options for each position and apply the product rule, there are problems

Numbers with Non-increasing Digits

Problem

How many four-digit numbers are there such that their digits are not increasing? Three-digit numbers are also four-digit, they just start with 0

- If we try to count options for each position and apply the product rule, there are problems
- 10 options for the first position, but for the second the number of options depends on the first number

Numbers with Non-increasing Digits

Problem

How many four-digit numbers are there such that their digits are not increasing? Three-digit numbers are also four-digit, they just start with 0

- If we try to count options for each position and apply the product rule, there are problems
- 10 options for the first position, but for the second the number of options depends on the first number
- Idea: look from the other side

Numbers with Non-increasing Digits

* * * *

- We pick digits from 0 to 9 to be in our number

Numbers with Non-increasing Digits

* * * *

- We pick digits from 0 to 9 to be in our number
- Once we picked four digits, our number is uniquely determined

Numbers with Non-increasing Digits

* * * *

Picked 3, 4, 3, 7

- We pick digits from 0 to 9 to be in our number
- Once we picked four digits, our number is uniquely determined

Numbers with Non-increasing Digits

7 4 3 3

Picked 3, 4, 3, 7

- We pick digits from 0 to 9 to be in our number
- Once we picked four digits, our number is uniquely determined

Numbers with Non-increasing Digits

* * * *

- We pick digits from 0 to 9 to be in our number
- Once we picked four digits, our number is uniquely determined
- Order of picks does not matter; repetitions are allowed

Numbers with Non-increasing Digits

* * * *

- We pick digits from 0 to 9 to be in our number
- Once we picked four digits, our number is uniquely determined
- Order of picks does not matter; repetitions are allowed
- We have combinations of size 4 from 10 options

Numbers with Non-increasing Digits

* * * *

- We pick digits from 0 to 9 to be in our number
- Once we picked four digits, our number is uniquely determined
- Order of picks does not matter; repetitions are allowed
- We have combinations of size 4 from 10 options
- The answer is $\binom{4+(10-1)}{(10-1)} = \binom{13}{9} = 715$

Outline

Distributing Assignments Among People

Distributing Candies Among Kids

Numbers with Fixed Sum of Digits

Numbers with Non-increasing Digits

Splitting into Working Groups

Splitting into Working Groups

Problem

There are 12 students in the class. How many ways are there to split them into working groups of size 2 to work on the same assignment?

Splitting into Working Groups

Problem

There are 12 students in the class. How many ways are there to split them into working groups of size 2 to work on the same assignment?

- This problem is more tricky

Splitting into Working Groups

Problem

There are 12 students in the class. How many ways are there to split them into working groups of size 2 to work on the same assignment?

- This problem is more tricky
- There are several ways to solve it

Splitting into Working Groups

Problem

There are 12 students in the class. How many ways are there to split them into working groups of size 2 to work on the same assignment?

- This problem is more tricky
- There are several ways to solve it
- But we need to combine several ideas

Splitting into Working Groups

- One solution goes by looking from the position of working groups

Splitting into Working Groups

- One solution goes by looking from the position of working groups
- We have to pick 2 people out of 12 in a working group

Splitting into Working Groups

- One solution goes by looking from the position of working groups
- We have to pick 2 people out of 12 in a working group
- Order in the group does not matter, so combinations, $\binom{12}{2}$ ways to do it

Splitting into Working Groups

- One solution goes by looking from the position of working groups
- We have to pick 2 people out of 12 in a working group
- Order in the group does not matter, so combinations, $\binom{12}{2}$ ways to do it
- For the second group we have 10 people left, there are $\binom{10}{2}$ options

Splitting into Working Groups

- One solution goes by looking from the position of working groups
- We have to pick 2 people out of 12 in a working group
- Order in the group does not matter, so combinations, $\binom{12}{2}$ ways to do it
- For the second group we have 10 people left, there are $\binom{10}{2}$ options
- And so on

Splitting into Working Groups

- One solution goes by looking from the position of working groups
- We have to pick 2 people out of 12 in a working group
- Order in the group does not matter, so combinations, $\binom{12}{2}$ ways to do it
- For the second group we have 10 people left, there are $\binom{10}{2}$ options
- And so on
- Overall we have $\binom{12}{2} \times \binom{10}{2} \times \binom{8}{2} \times \binom{6}{2} \times \binom{4}{2} \times \binom{2}{2}$ options

Splitting into Working Groups

- One solution goes by looking from the position of working groups
- We have to pick 2 people out of 12 in a working group
- Order in the group does not matter, so combinations, $\binom{12}{2}$ ways to do it
- For the second group we have 10 people left, there are $\binom{10}{2}$ options
- And so on
- Overall we have $\binom{12}{2} \times \binom{10}{2} \times \binom{8}{2} \times \binom{6}{2} \times \binom{4}{2} \times \binom{2}{2}$ options
- Are we done?

Splitting into Working Groups

- One solution goes by looking from the position of working groups
- We have to pick 2 people out of 12 in a working group
- Order in the group does not matter, so combinations, $\binom{12}{2}$ ways to do it
- For the second group we have 10 people left, there are $\binom{10}{2}$ options
- And so on
- Overall we have $\binom{12}{2} \times \binom{10}{2} \times \binom{8}{2} \times \binom{6}{2} \times \binom{4}{2} \times \binom{2}{2}$ options
- Are we done? **No!**

Splitting into Working Groups

- Enumerate people by numbers from 1 to 12

Splitting into Working Groups

$\{3, 7\}, \{1, 5\}, \{6, 9\}, \{11, 2\}, \{8, 12\}, \{4, 10\}$

- Enumerate people by numbers from 1 to 12
- For example, we have counted this splitting in the groups

Splitting into Working Groups

$\{3, 7\}, \{1, 5\}, \{6, 9\}, \{11, 2\}, \{8, 12\}, \{4, 10\}$

$\{1, 5\}, \{3, 7\}, \{6, 9\}, \{11, 2\}, \{8, 12\}, \{4, 10\}$

- Enumerate people by numbers from 1 to 12
- For example, we have counted this splitting in the groups

Splitting into Working Groups

$\{3, 7\}, \{1, 5\}, \{6, 9\}, \{11, 2\}, \{8, 12\}, \{4, 10\}$

$\{1, 5\}, \{3, 7\}, \{6, 9\}, \{11, 2\}, \{8, 12\}, \{4, 10\}$

- Enumerate people by numbers from 1 to 12
- For example, we have counted this splitting in the groups

Splitting into Working Groups

$\{3, 7\}, \{1, 5\}, \{6, 9\}, \{11, 2\}, \{8, 12\}, \{4, 10\}$

$\{1, 5\}, \{3, 7\}, \{6, 9\}, \{11, 2\}, \{8, 12\}, \{4, 10\}$

- Enumerate people by numbers from 1 to 12
- For example, we have counted this splitting in the groups
- Order between groups also does not matter!

Splitting into Working Groups

$\{3, 7\}, \{1, 5\}, \{6, 9\}, \{11, 2\}, \{8, 12\}, \{4, 10\}$

$\{1, 5\}, \{3, 7\}, \{6, 9\}, \{11, 2\}, \{8, 12\}, \{4, 10\}$

- Enumerate people by numbers from 1 to 12
- For example, we have counted this splitting in the groups
- Order between groups also does not matter!
- So, what to do now?

Splitting into Working Groups

$\{3, 7\}, \{1, 5\}, \{6, 9\}, \{11, 2\}, \{8, 12\}, \{4, 10\}$

$\{1, 5\}, \{3, 7\}, \{6, 9\}, \{11, 2\}, \{8, 12\}, \{4, 10\}$

- Enumerate people by numbers from 1 to 12
- For example, we have counted this splitting in the groups
- Order between groups also does not matter!
- So, what to do now?
- Apply the old idea! We have counted each splitting $6!$ times, for each permutation of 6 groups

Splitting into Working Groups

- In our first attempt the answer was
$$\binom{12}{2} \times \binom{10}{2} \times \binom{8}{2} \times \binom{6}{2} \times \binom{4}{2} \times \binom{2}{2}$$

Splitting into Working Groups

- In our first attempt the answer was
$$\binom{12}{2} \times \binom{10}{2} \times \binom{8}{2} \times \binom{6}{2} \times \binom{4}{2} \times \binom{2}{2}$$
- We counted each splitting $6!$ times

Splitting into Working Groups

- In our first attempt the answer was
$$\binom{12}{2} \times \binom{10}{2} \times \binom{8}{2} \times \binom{6}{2} \times \binom{4}{2} \times \binom{2}{2}$$
- We counted each splitting $6!$ times
- So the right answer is

$$\begin{aligned} & \binom{12}{2} \times \binom{10}{2} \times \binom{8}{2} \times \binom{6}{2} \times \binom{4}{2} \times \binom{2}{2} \times \frac{1}{6!} = \\ & \frac{12 \times 11}{2} \times \frac{10 \times 9}{2} \times \frac{8 \times 7}{2} \times \frac{6 \times 5}{2} \times \frac{4 \times 3}{2} \times \frac{2 \times 1}{2} \times \frac{1}{6!} = \\ & \frac{12!}{6! \times 2^6} = 10\,395 \end{aligned}$$

Summary

- We have discussed several standard settings in Combinatorics

Summary

- We have discussed several standard settings in Combinatorics
- Vast majority of counting problems we meet in practice fall into one of these settings

Summary

- We have discussed several standard settings in Combinatorics
- Vast majority of counting problems we meet in practice fall into one of these settings
- There are more complicated situations that we have not discussed

Summary

- We have discussed several standard settings in Combinatorics
- Vast majority of counting problems we meet in practice fall into one of these settings
- There are more complicated situations that we have not discussed
- There are situations that are so complicated, they stay unresolved

Summary

- We have discussed several standard settings in Combinatorics
- Vast majority of counting problems we meet in practice fall into one of these settings
- There are more complicated situations that we have not discussed
- There are situations that are so complicated, they stay unresolved
- Next week we will proceed to Probability