

Expectation is Not All

Vladimir Podolskii

Computer Science Department, Higher School of Economics

A Dice Game

- Suppose Alice and Bob are playing a game

A Dice Game

- Suppose Alice and Bob are playing a game
- Each of them has an (unconventional) dice

A Dice Game

- Suppose Alice and Bob are playing a game
- Each of them has an (unconventional) dice
- Numbers on Alice's dice are 2, 2, 2, 2, 3, 3

A Dice Game

- Suppose Alice and Bob are playing a game
- Each of them has an (unconventional) dice
- Numbers on Alice's dice are 2, 2, 2, 2, 3, 3
- Numbers on Bob's dice are 1, 1, 1, 1, 6, 6

A Dice Game

- Suppose Alice and Bob are playing a game
- Each of them has an (unconventional) dice
- Numbers on Alice's dice are 2, 2, 2, 2, 3, 3
- Numbers on Bob's dice are 1, 1, 1, 1, 6, 6
- Alice and Bob throw their dices; the one with the larger number on the dice wins

A Dice Game

- Suppose Alice and Bob are playing a game
- Each of them has an (unconventional) dice
- Numbers on Alice's dice are 2, 2, 2, 2, 3, 3
- Numbers on Bob's dice are 1, 1, 1, 1, 6, 6
- Alice and Bob throw their dices; the one with the larger number on the dice wins
- If they play the game many times, who will win more often?

A Dice Game

- Suppose Alice and Bob are playing a game
- Each of them has an (unconventional) dice
- Numbers on Alice's dice are 2, 2, 2, 2, 3, 3
- Numbers on Bob's dice are 1, 1, 1, 1, 6, 6
- Alice and Bob throw their dices; the one with the larger number on the dice wins
- If they play the game many times, who will win more often?

Alice

Numbers:

2, 2, 2, 2, 3, 3

Bob

Numbers:

1, 1, 1, 1, 6, 6

A Dice Game

- Suppose Alice and Bob are playing a game
- Each of them has an (unconventional) dice
- Numbers on Alice's dice are 2, 2, 2, 2, 3, 3
- Numbers on Bob's dice are 1, 1, 1, 1, 6, 6
- Alice and Bob throw their dices; the one with the larger number on the dice wins
- If they play the game many times, who will win more often?

Alice

Numbers:
2, 2, 2, 2, 3, 3 \rightarrow 2

Bob

Numbers:
1, 1, 1, 1, 6, 6 \leftarrow 6

A Dice Game

- Suppose Alice and Bob are playing a game
- Each of them has an (unconventional) dice
- Numbers on Alice's dice are 2, 2, 2, 2, 3, 3
- Numbers on Bob's dice are 1, 1, 1, 1, 6, 6
- Alice and Bob throw their dices; the one with the larger number on the dice wins
- If they play the game many times, who will win more often?

Alice

Numbers:

2, 2, 2, 2, 3, 3

Bob

Numbers:

1, 1, 1, 1, 6, 6

→ 2 Bob wins 6 ←

A Dice Game

Alice

Numbers:

2, 2, 2, 2, 3, 3

Bob

Numbers:

1, 1, 1, 1, 6, 6

- Let's see, who has a better expected value of a dice throw

A Dice Game

Alice

Numbers:

2, 2, 2, 2, 3, 3

Bob

Numbers:

1, 1, 1, 1, 6, 6

- Let's see, who has a better expected value of a dice throw
- Alice has $2 \times \frac{2}{3} + 3 \times \frac{1}{3} = \frac{7}{3}$

A Dice Game

Alice

Numbers:

2, 2, 2, 2, 3, 3

Bob

Numbers:

1, 1, 1, 1, 6, 6

- Let's see, who has a better expected value of a dice throw
- Alice has $2 \times \frac{2}{3} + 3 \times \frac{1}{3} = \frac{7}{3}$
- Bob has $1 \times \frac{2}{3} + 6 \times \frac{1}{3} = \frac{8}{3}$

A Dice Game

Alice

Numbers:

2, 2, 2, 2, 3, 3

Bob

Numbers:

1, 1, 1, 1, 6, 6

- Let's see, who has a better expected value of a dice throw
- Alice has $2 \times \frac{2}{3} + 3 \times \frac{1}{3} = \frac{7}{3}$
- Bob has $1 \times \frac{2}{3} + 6 \times \frac{1}{3} = \frac{8}{3}$
- Bob has a better expected value

A Dice Game

Alice

Numbers:

2, 2, 2, 2, 3, 3

Bob

Numbers:

1, 1, 1, 1, 6, 6

- But who wins more often?

A Dice Game

Alice

Numbers:

2, 2, 2, 2, 3, 3

Bob

Numbers:

1, 1, 1, 1, 6, 6

- But who wins more often?
- Note that the winner depends only on Bob's throw: if he throws 1 he definitely loses, if he throws 6 he definitely wins

A Dice Game

Alice

Numbers:

2, 2, 2, 2, 3, 3

Bob

Numbers:

1, 1, 1, 1, 6, 6

- But who wins more often?
- Note that the winner depends only on Bob's throw: if he throws 1 he definitely loses, if he throws 6 he definitely wins
- Bob throws 1 with probability $2/3$

A Dice Game

Alice

Numbers:

2, 2, 2, 2, 3, 3

Bob

Numbers:

1, 1, 1, 1, 6, 6

- But who wins more often?
- Note that the winner depends only on Bob's throw: if he throws 1 he definitely loses, if he throws 6 he definitely wins
- Bob throws 1 with probability $2/3$
- So Bob loses (substantially) more often, despite greater expected value

A Dice Game

Alice

Numbers:

2, 2, 2, 2, 3, 3

Bob

Numbers:

1, 1, 1, 1, 6, 6

- Where did the larger expected value go? Why it does not help Bob to win?

A Dice Game

Alice

Numbers:

2, 2, 2, 2, 3, 3

Bob

Numbers:

1, 1, 1, 1, 6, 6

- Where did the larger expected value go? Why it does not help Bob to win?
- When Bob wins, he wins by far: 6 against 2 or 3; and when he loses, he loses slightly: 1 against 2 or 3

A Dice Game

Alice

Numbers:

2, 2, 2, 2, 3, 3

Bob

Numbers:

1, 1, 1, 1, 6, 6

- Where did the larger expected value go? Why it does not help Bob to win?
- When Bob wins, he wins by far: 6 against 2 or 3; and when he loses, he loses slightly: 1 against 2 or 3
- But he does not get credit for difference between numbers

Conclusion

Alice

Numbers:

2, 2, 2, 2, 3, 3

Bob

Numbers:

1, 1, 1, 1, 6, 6

- This example shows that the expected value does not tell us everything about random variable

Conclusion

Alice

Numbers:

2, 2, 2, 2, 3, 3

Bob

Numbers:

1, 1, 1, 1, 6, 6

- This example shows that the expected value does not tell us everything about random variable
- A random variable with “better” expected value can be “worse” because of some other properties