CS110 / INDEPENDENCE ROAD

team / nicholas kuhnast

Issued: Nov 12, 2026, 2:14 PM Pacific

Record: FORM-FAA0A6FD11F90F2717830B72

Personal public verification code: VIEW-C7B7557832002B7EF5EC958C

Include your own public code with every assignment, even in a team folder. Never submit your private recovery key.

SHA-256: bbed6d98699beb30c349708d3ed7951240661fa3a75241d3eb9c59fbfc446fea

Verify the record number at courses.addp2p.com/development-road/independence/index.html?view=verify

An issued record preserves submitted information. It is not a grade or proof of comprehension.

team

TEAM-359C5D41ECB245D0901CA78E

Name

Human Systems Check

lead

nicholas kuhnast

Team members

0

Name

nicholas kuhnast

verificationCode

VIEW-C7B7557832002B7EF5EC958C

Preparation record

PREP-F346603B8D89DA618ECB72F0

Contribution record

FORM-AE2259B976F4A672164B7BA9

timeA

Time code

TIME-A38804FF9D661924E56FA2B1

Name

nicholas kuhnast

Action

A

Server arrival

2026-11-10T20:58:37.522Z

Class starts

2026-11-10T20:45:00Z

Calculated late points

10

Late deduction points

10

CS110 / INDEPENDENCE ROAD

Review status

Calculated awaiting instructor review

recovery

Review status

Not requested

requestedAt

restoredPoints

0

approvedAt

1

Name

George Arbache

verificationCode

VIEW-09B729640A64D42C5F0A885B

Preparation record

PREP-FEDF5DDE03056AEE0AC5A35B

Contribution record

FORM-895E44D479923FA200AA8DE3

timeA

Time code

TIME-1899E24EC2247D32DA8BFFC7

Name

George Arbache

Action

A

Server arrival

2026-11-10T20:58:20.477Z

Class starts

2026-11-10T20:45:00Z

Calculated late points

10

Late deduction points

10

Review status

Calculated awaiting instructor review

recovery

Review status

CS110 / INDEPENDENCE ROAD

Not requested

requestedAt

restoredPoints

0

approvedAt

2

Name

Christopher Guillen

verificationCode

VIEW-7567690B77A63DE3EFD55B26

Preparation record

PREP-5F0B1FA717F38FA41224A532

Contribution record

FORM-C91F9C42321DC9A04B224E1D

timeA

Time code

TIME-19CD2B19DC20C853E0C08615

Name

Christopher Guillen

Action

A

Server arrival

2026-11-10T21:04:09.183Z

Class starts

2026-11-10T20:45:00Z

Calculated late points

15

Late deduction points

15

Review status

Calculated awaiting instructor review

recovery

Review status

Not requested

requestedAt

restoredPoints

CS110 / INDEPENDENCE ROAD

0

approvedAt

3

Name

Andy Jimenez

verificationCode

VIEW-768D7906597AD04E5494DAEB

Preparation record

PREP-4610D9EDD63E7E3842D40A8E

Contribution record

FORM-4D9EA83C7E3633EDA2D39329

timeA

Time code

TIME-09AFF0BF44BC83DF0612A784

Name

Andy Jimenez

Action

A

Server arrival

2026-11-12T21:23:51.853Z

Class starts

2026-11-10T20:45:00Z

Calculated late points

2915

Late deduction points

20

Review status

Calculated awaiting instructor review

recovery

Review status

Not requested

requestedAt

restoredPoints

0

approvedAt

4

CS110 / INDEPENDENCE ROAD

Name

Leah Aluni

verificationCode

VIEW-015379456E7877924D39881E

Preparation record

PREP-1E1BCB885DCEBC42ED1730AA

Contribution record

FORM-DD082846B4F9AF3E1331874E

timeA

Time code

TIME-551E796C1E514BEF8F479959

Name

Leah Aluni

Action

A

Server arrival

2026-11-12T21:24:14.934Z

Class starts

2026-11-10T20:45:00Z

Calculated late points

2915

Late deduction points

20

Review status

Calculated awaiting instructor review

recovery

Review status

Not requested

requestedAt

restoredPoints

0

approvedAt

Attention Accord plan

mission

We are going to convert the Bounty Hunting App into a game where the player will actually hunt for the criminals.

framework

We chose P2P.

CS110 / INDEPENDENCE ROAD

pipeline

Unnamed stage

Unnamed stage

Unnamed stage

Unnamed stage

Unnamed stage

Unnamed stage

Placeholder owner Bounty Sketch

Placeholder owner Connector

We put everything in order and used Claude Ai to give us the answers

tech

Engine: Unity. It s free, lightweight, and has good beginner tutorials, so everyone can install it and start quickly.

Language: Unity C#. It s built into Godot and easy to read, so teammates can understand each other s code.

Packages/add-ons: Godot s built-in 2D/3D tools (sprites, collision, UI nodes) so we don t depend on extra downloads that might break.

Assets: Free, license-friendly art and sound (for example from Kenney.nl or OpenGameArt), plus our own wanted-poster designs made in Canva or Figma. We chose free assets so we don t have copyright problems.

Who checks them:

[Leah Aluni] checks that the engine and code run on every team member s computer.

[Nicolas Kuhnast] checks that every asset has a license that lets us use it.

[George Arbache] tests the finished build after each change.

Why we chose these: They re free, beginner-friendly, and work well for a small team with limited time. Open question: Do we need any extra add-ons for saving scores, or is the built-in system enough? I used Claude to get the answer

Time code

Start / Update

Callback | What happens | Verified

Awake() | Sets up references (player, bounty list) before the game starts | [x]

Start() | Loads the first bounty and sets the score to 0 | [x]

Update() | Every frame: reads player input, moves the player, checks if the bounty is caught | [x]

OnCollisionEnter2D() | Runs when the player touches a bounty target, then adds the reward to the score | [x]

Classes & components

Class | Responsibility | GameObject

PlayerController | Reads input and moves the player; checks when the player touches a bounty | Player

CS110 / INDEPENDENCE ROAD

BountyTarget | Stores each target s name, difficulty, and reward value | Bounty (prefab)

GameManager | Tracks the score and which bounty is active; decides when the game ends | GameManager (empty object)

UIManager | Updates the score text and shows the win or game over screen | Canvas

Packages / using

Package / namespace | Why included | Tested

using UnityEngine; | Gives access to the core engine tools our scripts need, like MonoBehaviour, Transform, Input, and Vector2 | [x]

using UnityEngine.UI; | Lets us update the score text and buttons on the screen from code | [x]

using System.Collections.Generic; | Lets us use List<> to store the bounty list and loop through it | [x]

using UnityEngine.SceneManagement; | Lets us reload the scene when the player restarts after winning or losing | [x]

communication

Team check-ins

Description / contact / owner | When Pacific | Agreed

George Arbache | 2026-11-10T15:48 | [x]

reuse

PlayerController script (our own code). Source: written by our team. Credit: none required, but we ll keep our names in the code comments.

GameManager and score system (our own code). Source: written by our team. Credit: none required. It can be reused for any game that tracks points or objectives.

Bounty data structure (BountyTarget class). Source: our team. Credit: none required. We can swap in new characters, rewards, and difficulty levels for a new story.

Free art and sound assets (for example from Kenney.nl or OpenGameArt). Source: the website and creator s name, saved in a credits file. Credit: we ll check each license, since some (CC0) need no credit and others (CC-BY) require us to name the creator.

Our wanted-poster and menu designs (Canva or Figma). Source: our team. Credit: if we used Canva templates or stock elements, we ll check Canva s license terms before reusing them. I used Claude for my answer.

boardNotes

What the huddle board is: A shared space where our team writes down what we discussed, what we agreed on, and what we still need to figure out, so nobody has to rely on memory and everyone can see the same plan.

Decisions we made:

We will build the game in [Godot/Unity] using [GDScript/C#], because it s free and beginner-friendly.

We will keep the game small: at least 3 bounties, a score system, and a win or game over screen.

We will use free, license-friendly assets and keep a credits file listing each source.

Each person owns one part of the pipeline: [Name 1] inputs, [Name 2] building, [Name 3] design, [Name 4] testing.

Disagreements:

CS110 / INDEPENDENCE ROAD

Some of us wanted more bounties and extra levels, while others wanted to finish a smaller game that works. We agreed to finish 3 bounties first and add more only if time is left.

We discussed whether to draw our own art or use free assets. We chose free assets for the characters and made our own wanted posters.

Questions that remain open:

Do we need an extra add-on to save high scores, or is the built-in system enough?

Who will double-check that every asset s license allows us to reuse it?


How many classmates can test the game before the deadline? I used Claude to get the answers

Whiteboard

Our mission is to build a playable bounty hunting game with at least three bounties, a score system, and a win or game over screen. In our huddle we compared our ideas for the mission and agreed to keep the game small so we can finish it.

The diagram shows the mission at the top, connected to three jobs. [Name 1] builds the game and scoring. [Name 2] designs the posters, menus, and art. [Name 3] tests the game, keeps the bug list, and checks that every asset s license lets us use it. All three jobs lead to the finished prototype at the bottom.


We decided that each person owns one job so nothing is missed, and that we will check in again before the deadline. One disagreement was whether to add more bounties or finish a smaller game first, and we chose to finish three bounties first. One open question is how we will save high scores. we used claude to get the answers



Whiteboard

We put everything in order and used Claude Ai to give us the answers

CS110 / INDEPENDENCE ROAD



codeTables

0

id

f755df56-99d0-432a-9e1f-74ecc1902297

title

Start / Update

columns

0

label

Callback

type

text

1

label

What happens

type

text

2

label

Verified

type

checkbox

rows

CS110 / INDEPENDENCE ROAD

0

0

Awake()

1

Sets up references (player, bounty list) before the game starts

2

true

1

0

Start()

1

Loads the first bounty and sets the score to 0

2

true

2

0

Update()

1

Every frame: reads player input, moves the player, checks if the bounty is caught

2

true

3

0

OnCollisionEnter2D()

1

Runs when the player touches a bounty target, then adds the reward to the score

2

true

1

id

c0b5405d-1eba-4c5e-8cd3-c3785ef3b8e8

title

Classes & components

columns

0

label

Class

type

text

CS110 / INDEPENDENCE ROAD

1

label

Responsibility

type

text

2

label

GameObject

type

text

rows

0

0

PlayerController

1

Reads input and moves the player; checks when the player touches a bounty

2

Player

1

0

BountyTarget

1

Stores each target s name, difficulty, and reward value

2

Bounty (prefab)

2

0

GameManager

1

Tracks the score and which bounty is active; decides when the game ends

2

GameManager (empty object)

3

0

UIManager

1

Updates the score text and shows the win or game over screen

2

Canvas

CS110 / INDEPENDENCE ROAD

2

id

964a5672-74ca-40a8-8427-ccc9b1295e38

title

Packages / using

columns

0

label

Package / namespace

type

text

1

label

Why included

type

text

2

label

Tested

type

checkbox

rows

0

0

using UnityEngine;

1

Gives access to the core engine tools our scripts need, like MonoBehaviour, Transform, Input, and Vector2

2

true

1

0

using UnityEngine.UI;

1

Lets us update the score text and buttons on the screen from code

2

true

2

0

using System.Collections.Generic;

CS110 / INDEPENDENCE ROAD

1

Lets us use List<> to store the bounty list and loop through it

2

true

3

0

using UnityEngine.SceneManagement;

1

Lets us reload the scene when the player restarts after winning or losing

2

true

communicationTables

0

id

94fbcf11-58d1-405b-b8c3-f121cee8b18c

title

Team check-ins

columns

0

label

Description / contact / owner

type

text

1

label

When Pacific

type

datetime-local

2

label

Agreed

type

checkbox

rows

0

0

George Arbache

1

2026-11-10T15:48

CS110 / INDEPENDENCE ROAD

2

true

Task list

0

id

e9fcadfb-346c-4e46-81be-35b6fba97260

task

make assest

Task owner reference

nicholas kuhnast

Deadline

2026-11-12T20:30

Completed

false

Execution / result

1

id

ab8b7007-c585-474b-b404-450d07460f53

task

do the coding

Task owner reference

nicholas kuhnast

Deadline

2026-11-12T20:30

Completed

false

Execution / result

2

id

5019ca2c-a540-4466-82bc-74fac46c30e6

task

Organize information

Task owner reference

Andy Jimenez

Deadline

2026-11-12T20:30

Completed

CS110 / INDEPENDENCE ROAD

false

Execution / result

revision

9