


CodeAnt AI Report

Repository: OhioDD/botmart

Branch: master

Lines Analyzed: 8408

REPOSITORY REPORT



Analysis Type	Count
SAST (Security)	0
Secrets Detected	1
Infrastructure Security	0
SCA Vulnerabilities (Healthy Packages: 259)	28
SBOM Components (Non-Permissive)	4
Antipatterns/Bugs	105
Complex Functions	0
Docstrings Absent	91
Duplicate Code	73
Dead Code Detection	9

Security Issues (SAST)

No issues found. You're good to go.

Security Category	Checks Performed	Status
Injection Attacks	~150	PASSED
- SQL Injection	~45	PASSED
- Command Injection	~25	PASSED
- NoSQL Injection	~15	PASSED
- LDAP Injection	~10	PASSED
Cross-Site Scripting (XSS)	~80	PASSED
Authentication & Authorization	~60	PASSED
Cryptography Issues	~95	PASSED
- Weak Encryption	~35	PASSED
- Weak Hashing	~25	PASSED
- Insecure Random	~15	PASSED
- Certificate Validation	~20	PASSED
Server-Side Request Forgery (SSRF)	~40	PASSED
Path Traversal	~35	PASSED
Deserialization Vulnerabilities	~30	PASSED
Sensitive Data Exposure	~85	PASSED
XML External Entity (XXE)	~25	PASSED
Security Misconfiguration	~120	PASSED

OWASP Top 10 2021 Compliance - All Checks Passed

OWASP Category	Status
A01:2021 – Broken Access Control	PASSED
A02:2021 – Cryptographic Failures	PASSED
A03:2021 – Injection	PASSED
A04:2021 – Insecure Design	PASSED
A05:2021 – Security Misconfiguration	PASSED
A06:2021 – Vulnerable and Outdated Components	PASSED
A07:2021 – Identification and Authentication Failures	PASSED
A08:2021 – Software and Data Integrity Failures	PASSED
A09:2021 – Security Logging and Monitoring Failures	PASSED
A10:2021 – Server-Side Request Forgery (SSRF)	PASSED

Infrastructure Security

INFRASTRUCTURE SECURITY SCAN COMPLETED - NO ISSUES FOUND

Security Category	Checks Performed	Status
Terraform Security Checks	~350	PASSED
- IAM Policy Issues	~80	PASSED
- Encryption Settings	~75	PASSED
- Network Security	~65	PASSED
- Access Control	~60	PASSED
- Logging & Monitoring	~70	PASSED
Kubernetes Security	~200	PASSED
- Pod Security	~50	PASSED
- Network Policies	~40	PASSED
- RBAC Configuration	~45	PASSED
- Secret Management	~35	PASSED
- Container Security	~30	PASSED
Docker Security	~120	PASSED
- Base Image Security	~30	PASSED
- Container Privileges	~25	PASSED
- Network Exposure	~35	PASSED
- Secret in Layers	~30	PASSED
CloudFormation Security	~180	PASSED
ARM Templates Security	~150	PASSED

Secrets Detection

Total Secrets: 1 High: 1

Type	File	Line	Confidence
JSON Web Token	src/config/supabase.js	4	HIGH

Software Bill of Materials (SBOM)

Metric	Count
Total Languages	2
Total Packages	264
Permissive Packages	260
Non-Permissive Packages	4
JavaScript (Total/Perm/Non-Perm)	257 / 255 / 2
Python (Total/Perm/Non-Perm)	7 / 5 / 2

JavaScript Packages (257)

Package Name	Version	License	Copyleft	Policy Note
@solana/web3.js	1.98.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@supabase/supabase-js	2.105.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
framer-motion	11.18.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
lucide-react	0.344.0	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
qrcode.react	4.2.0	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
react	18.3.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
react-dom	18.3.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
react-router-dom	6.30.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
resend	6.12.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/react	18.3.28	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/react-dom	18.3.7	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@vitejs/plugin-react	4.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
autoprefixer	10.5.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
postcss	8.5.14	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered

Package Name	Version	License	Copyleft	Policy Note
				files/libraries must be published on distribution.
tailwindcss	3.4.19	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
vite	5.4.21	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@alloc/quick-lru	5.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/code-frame	7.29.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/compat-data	7.29.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/core	7.29.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/generator	7.29.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/helper-compilation-targets	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/helper-globals	7.28.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/helper-module-imports	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/helper-module-transforms	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/helper-plugin-utils	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/helper-string-parser	7.27.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/helper-validator-identifier	7.28.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/helper-validator-option	7.27.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/helpers	7.29.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/parser	7.29.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-react-jsx-self	7.27.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/plugin-transform-react-jsx-source	7.27.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyleft	Policy Note
@babel/runtime	7.29.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/template	7.28.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/traverse	7.29.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@babel/types	7.29.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/aix-ppc64	0.21.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/android-arm	0.21.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/android-arm64	0.21.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/android-x64	0.21.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/darwin-arm64	0.21.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/darwin-x64	0.21.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/freebsd-arm64	0.21.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/freebsd-x64	0.21.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/linux-arm	0.21.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/linux-arm64	0.21.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/linux-ia32	0.21.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/linux-loong64	0.21.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/linux-mips64el	0.21.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/linux-ppc64	0.21.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/linux-riscv64	0.21.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/linux-s390x	0.21.5	MIT	permissive	Permissive license: keep license and notices (Apache

Package Name	Version	License	Copyleft	Policy Note
				also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/linux-x64	0.21.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/netbsd-x64	0.21.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/openbsd-x64	0.21.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/sunos-x64	0.21.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/win32-arm64	0.21.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/win32-ia32	0.21.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@esbuild/win32-x64	0.21.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@jridgewell/gen-mapping	0.3.13	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@jridgewell/remapping	2.3.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@jridgewell/resolve-uri	3.1.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@jridgewell/sourcemap-codec	1.5.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@jridgewell/trace-mapping	0.3.31	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@noble/curves	1.9.7	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@noble/hashes	1.8.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@nodelib/fs.scandir	2.1.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@nodelib/fs.stat	2.0.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@nodelib/fs.walk	1.2.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@remix-run/router	1.23.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@rolldown/pluginutils	1.0.0-beta.27	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered

Package Name	Version	License	Copyleft	Policy Note
@rollup/rollup-openbsd-x64	4.60.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@rollup/rollup-openharmony-arm64	4.60.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@rollup/rollup-win32-arm64-msvc	4.60.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@rollup/rollup-win32-ia32-msvc	4.60.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@rollup/rollup-win32-x64-gnu	4.60.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@rollup/rollup-win32-x64-msvc	4.60.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@solana/buffer-layout	4.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@solana/codecs-core	2.3.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@solana/codecs-numbers	2.3.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@solana/errors	2.3.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@stablelib/base64	1.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@supabase/auth-js	2.105.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@supabase/functions-js	2.105.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@supabase/phoenix	0.4.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@supabase/postgrest-js	2.105.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@supabase/realtime-js	2.105.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@supabase/storage-js	2.105.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@swc/helpers	0.5.21	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
@types/babel__core	7.20.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyleft	Policy Note
@types/babel__generator	7.27.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/babel__template	7.4.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/babel__traverse	7.28.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/connect	3.4.38	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/estree	1.0.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/node	25.8.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/prop-types	15.7.15	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/uuid	10.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/ws	7.4.7	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
agentkeepalive	4.6.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
any-promise	1.3.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
anymatch	3.1.3	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
arg	5.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
base-x	3.0.11	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
base64-js	1.5.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
baseline-browser-mapping	2.10.29	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
binary-extensions	2.3.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
bn.js	5.2.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
borsh	0.7.0	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.

Package Name	Version	License	Copyleft	Policy Note
braces	3.0.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
browserslist	4.28.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
bs58	4.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
buffer	6.0.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
bufferutil	4.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
camelcase-css	2.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
caniuse-lite	1.0.30001792	CC-BY-4.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
chalk	5.6.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
chokidar	3.6.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
glob-parent	5.1.2	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
commander	14.0.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
convert-source-map	2.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
cssesc	3.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
csstype	3.2.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
debug	4.4.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
delay	5.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
didyoumean	1.2.2	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
dlv	1.1.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
electron-to-chromium	1.5.356	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
es-errors	1.3.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyleft	Policy Note
es6-promise	4.2.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
es6-promisify	5.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
esbuild	0.21.5	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
escalade	3.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
eventemitter3	5.0.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
eyes	0.1.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
fast-glob	3.3.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
fast-sha256	1.3.0	Unlicense	permissive	Public domain dedication: no conditions, no copyleft, no attribution required. Software is released into the public domain with no restrictions on use, modification, or distribution.
fast-stable-stringify	1.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
fastq	1.20.1	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
fill-range	7.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
fraction.js	5.3.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
fsevents	2.3.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
function-bind	1.1.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
gensync	1.0.0-beta.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
glob-parent	6.0.2	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
hasown	2.0.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
humanize-ms	1.2.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
iceberg-js	0.8.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
ieee754	1.2.1	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).

Package Name	Version	License	Copyleft	Policy Note
is-binary-path	2.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-core-module	2.16.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-extglob	2.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-glob	4.0.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
is-number	7.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
isomorphic-ws	4.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jayson	4.3.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
@types/node	12.20.55	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
commander	2.20.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jiti	1.21.7	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
js-tokens	4.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
jsesc	3.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
json-stringify-safe	5.0.1	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
json5	2.2.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
lilconfig	3.1.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
lines-and-columns	1.2.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
loose-envify	1.4.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
lru-cache	5.1.1	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
merge2	1.4.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
micromatch	4.0.8	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyleft	Policy Note
motion-dom	11.18.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
motion-utils	11.18.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
ms	2.1.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
mz	2.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
nanoid	3.3.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
node-fetch	2.7.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
node-gyp-build	4.8.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
node-releases	2.0.44	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
normalize-path	3.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
object-assign	4.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
object-hash	3.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
path-parse	1.0.7	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
picocolors	1.1.1	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
picomatch	2.3.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
pify	2.3.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
pirates	4.0.7	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
postal-mime	2.7.4	MIT-0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
postcss-import	15.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
postcss-js	4.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
postcss-load-config	6.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyleft	Policy Note
postcss-nested	6.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
postcss-selector-parser	6.1.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
postcss-value-parser	4.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
queue-microtask	1.2.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
react-refresh	0.17.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
react-router	6.30.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
read-cache	1.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
readdirp	3.6.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
resolve	1.22.12	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
reusify	1.1.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
rollup	4.60.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
rpc-websockets	9.3.9	LGPL-3.0-only	weak_copyleft	LGPL (weak copyleft): obligations mainly apply to the library itself — static linking or vendoring can require relinking or publishing changes; dynamic linking is typically OK.
@types/ws	8.18.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
utf-8-validate	6.0.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
uuid	14.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
ws	8.20.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
run-parallel	1.2.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
safe-buffer	5.2.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
scheduler	0.23.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.

Package Name	Version	License	Copyleft	Policy Note
semver	6.3.1	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
source-map-js	1.2.1	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
standardwebhooks	1.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
stream-chain	2.2.5	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
stream-json	1.9.1	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
sucrase	3.35.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
commander	4.1.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
superstruct	2.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
supports-preserve-symlinks-flag	1.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
svix	1.92.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
text-encoding-utf-8	1.0.2	UNKNOWN	unknown	Custom/unknown terms — needs manual review before shipping.
thenify	3.3.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
thenify-all	1.6.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
tinyglobby	0.2.16	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
fdir	6.5.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
picomatch	4.0.4	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
to-regexp-range	5.0.1	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
tr46	0.0.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
ts-interface-checker	0.1.13	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
tslib	2.8.1	0BSD	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
typescript	6.0.3	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you

Package Name	Version	License	Copyleft	Policy Note
				statically link or vendor this library; dynamic linking typically avoids reciprocity.
undici-types	7.24.6	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
update-browserslist-db	1.2.3	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
util-deprecate	1.0.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
uuid	8.3.2	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
webidl-conversions	3.0.1	BSD-2-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
whatwg-url	5.0.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
ws	7.5.10	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
yallist	3.1.1	ISC	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).

Python Packages (7)

Package Name	Version	License	Copyleft	Policy Note
discord.py	2.3.0	MIT	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
aiohttp	3.9.0	Apache 2	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
python-dotenv	1.0.0	BSD-3-Clause	permissive	Permissive license: keep license and notices (Apache also keep NOTICE).
google-generativeai	1.0.0	Apache-2.0	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Obligations may trigger if you statically link or vendor this library; dynamic linking typically avoids reciprocity.
openai	1.0.0	UNKNOWN	unknown	Custom/unknown terms — needs manual review before shipping.
anthropic	0.18.0	MIT License	permissive	Permissive license: keep license and notices (Apache also keep NOTICE). Changes to the covered files/libraries must be published on distribution.
cohere	4.0.0	UNKNOWN	unknown	Custom/unknown terms — needs manual review before shipping.

Software Composition Analysis (SCA)

Total Vulnerabilities: 28 High: 3 Medium: 14 Low: 11

Package	CVE/ID	Severity	CVSS	Fix Version
vite@5.4.21	CVE-2026-39365	Medium	0.0	6.4.2
esbuild@0.21.5	GHSA-67mh-4wv8-2f99	Medium	5.3	0.25.0
uuid@8.3.2	CVE-2026-41907	Medium	7.5	11.1.1
aiohttp@3.9.0	CVE-2026-34525	Medium	0.0	3.13.4
aiohttp@3.9.0	CVE-2026-34520	Low	9.1	3.13.4
aiohttp@3.9.0	CVE-2026-34519	Low	0.0	3.13.4
aiohttp@3.9.0	CVE-2026-34518	Low	5.3	3.13.4
aiohttp@3.9.0	CVE-2026-34517	Low	0.0	3.13.4
aiohttp@3.9.0	CVE-2026-34516	Medium	7.5	3.13.4
aiohttp@3.9.0	CVE-2026-34515	Medium	0.0	3.13.4
aiohttp@3.9.0	CVE-2026-34514	Low	0.0	3.13.4
aiohttp@3.9.0	CVE-2026-34513	Low	0.0	3.13.4
aiohttp@3.9.0	CVE-2026-22815	Medium	0.0	3.13.4
aiohttp@3.9.0	CVE-2025-69230	Low	0.0	3.13.3
aiohttp@3.9.0	CVE-2025-69229	Medium	0.0	3.13.3
aiohttp@3.9.0	CVE-2025-69228	Medium	0.0	3.13.3
aiohttp@3.9.0	CVE-2025-69227	Medium	0.0	3.13.3
aiohttp@3.9.0	CVE-2025-69226	Low	0.0	3.13.3
aiohttp@3.9.0	CVE-2025-69225	Low	0.0	3.13.3
aiohttp@3.9.0	CVE-2025-69224	Low	0.0	3.13.3
aiohttp@3.9.0	CVE-2025-69223	High	7.5	3.13.3
aiohttp@3.9.0	CVE-2025-53643	Low	0.0	3.12.14
aiohttp@3.9.0	CVE-2024-52304	Medium	0.0	3.10.11
aiohttp@3.9.0	CVE-2024-30251	High	7.5	3.9.4
aiohttp@3.9.0	CVE-2024-27306	Medium	6.1	3.9.4
aiohttp@3.9.0	CVE-2024-23334	High	5.9	3.9.2
aiohttp@3.9.0	CVE-2024-23829	Medium	6.5	3.9.2
python-dotenv@1.0.0	CVE-2026-28684	Medium	6.6	1.2.2

Healthy Packages (259)

Package Name	Version	Ecosystem
@solana/web3.js	1.98.4	NPM
@supabase/supabase-js	2.105.4	NPM
framer-motion	11.18.2	NPM
lucide-react	0.344.0	NPM
qrcode.react	4.2.0	NPM
react	18.3.1	NPM
react-dom	18.3.1	NPM
react-router-dom	6.30.3	NPM
resend	6.12.3	NPM
@types/react	18.3.28	NPM
@types/react-dom	18.3.7	NPM
@vitejs/plugin-react	4.7.0	NPM
autoprefixer	10.5.0	NPM
postcss	8.5.14	NPM
tailwindcss	3.4.19	NPM
@alloc/quick-lru	5.2.0	NPM
@babel/code-frame	7.29.0	NPM
@babel/compat-data	7.29.3	NPM
@babel/core	7.29.0	NPM
@babel/generator	7.29.1	NPM
@babel/helper-compilation-targets	7.28.6	NPM
@babel/helper-globals	7.28.0	NPM
@babel/helper-module-imports	7.28.6	NPM
@babel/helper-module-transforms	7.28.6	NPM
@babel/helper-plugin-utils	7.28.6	NPM
@babel/helper-string-parser	7.27.1	NPM
@babel/helper-validator-identifier	7.28.5	NPM
@babel/helper-validator-option	7.27.1	NPM
@babel/helpers	7.29.2	NPM
@babel/parser	7.29.3	NPM
@babel/plugin-transform-react-jsx-self	7.27.1	NPM

Package Name	Version	Ecosystem
@babel/plugin-transform-react-jsx-source	7.27.1	NPM
@babel/runtime	7.29.2	NPM
@babel/template	7.28.6	NPM
@babel/traverse	7.29.0	NPM
@babel/types	7.29.0	NPM
@esbuild/aix-ppc64	0.21.5	NPM
@esbuild/android-arm	0.21.5	NPM
@esbuild/android-arm64	0.21.5	NPM
@esbuild/android-x64	0.21.5	NPM
@esbuild/darwin-arm64	0.21.5	NPM
@esbuild/darwin-x64	0.21.5	NPM
@esbuild/freebsd-arm64	0.21.5	NPM
@esbuild/freebsd-x64	0.21.5	NPM
@esbuild/linux-arm	0.21.5	NPM
@esbuild/linux-arm64	0.21.5	NPM
@esbuild/linux-ia32	0.21.5	NPM
@esbuild/linux-loong64	0.21.5	NPM
@esbuild/linux-mips64el	0.21.5	NPM
@esbuild/linux-ppc64	0.21.5	NPM
@esbuild/linux-riscv64	0.21.5	NPM
@esbuild/linux-s390x	0.21.5	NPM
@esbuild/linux-x64	0.21.5	NPM
@esbuild/netbsd-x64	0.21.5	NPM
@esbuild/openbsd-x64	0.21.5	NPM
@esbuild/sunos-x64	0.21.5	NPM
@esbuild/win32-arm64	0.21.5	NPM
@esbuild/win32-ia32	0.21.5	NPM
@esbuild/win32-x64	0.21.5	NPM
@jridgewell/gen-mapping	0.3.13	NPM
@jridgewell/remapping	2.3.5	NPM
@jridgewell/resolve-uri	3.1.2	NPM

Package Name	Version	Ecosystem
@jridgewell/sourcemap-codec	1.5.5	NPM
@jridgewell/trace-mapping	0.3.31	NPM
@noble/curves	1.9.7	NPM
@noble/hashes	1.8.0	NPM
@nodelib/fs.scandir	2.1.5	NPM
@nodelib/fs.stat	2.0.5	NPM
@nodelib/fs.walk	1.2.8	NPM
@remix-run/router	1.23.2	NPM
@rolldown/pluginutils	1.0.0-beta.27	NPM
@rollup/rollup-android-arm-eabi	4.60.4	NPM
@rollup/rollup-android-arm64	4.60.4	NPM
@rollup/rollup-darwin-arm64	4.60.4	NPM
@rollup/rollup-darwin-x64	4.60.4	NPM
@rollup/rollup-freebsd-arm64	4.60.4	NPM
@rollup/rollup-freebsd-x64	4.60.4	NPM
@rollup/rollup-linux-arm-gnueabihf	4.60.4	NPM
@rollup/rollup-linux-arm-musleabihf	4.60.4	NPM
@rollup/rollup-linux-arm64-gnu	4.60.4	NPM
@rollup/rollup-linux-arm64-musl	4.60.4	NPM
@rollup/rollup-linux-loong64-gnu	4.60.4	NPM
@rollup/rollup-linux-loong64-musl	4.60.4	NPM
@rollup/rollup-linux-ppc64-gnu	4.60.4	NPM
@rollup/rollup-linux-ppc64-musl	4.60.4	NPM
@rollup/rollup-linux-riscv64-gnu	4.60.4	NPM
@rollup/rollup-linux-riscv64-musl	4.60.4	NPM
@rollup/rollup-linux-s390x-gnu	4.60.4	NPM
@rollup/rollup-linux-x64-gnu	4.60.4	NPM
@rollup/rollup-linux-x64-musl	4.60.4	NPM
@rollup/rollup-openbsd-x64	4.60.4	NPM
@rollup/rollup-openharmony-arm64	4.60.4	NPM
@rollup/rollup-win32-arm64-msvc	4.60.4	NPM

Package Name	Version	Ecosystem
@rollup/rollup-win32-ia32-msvc	4.60.4	NPM
@rollup/rollup-win32-x64-gnu	4.60.4	NPM
@rollup/rollup-win32-x64-msvc	4.60.4	NPM
@solana/buffer-layout	4.0.1	NPM
@solana/codecs-core	2.3.0	NPM
@solana/codecs-numbers	2.3.0	NPM
@solana/errors	2.3.0	NPM
@stablelib/base64	1.0.1	NPM
@supabase/auth-js	2.105.4	NPM
@supabase/functions-js	2.105.4	NPM
@supabase/phoenix	0.4.2	NPM
@supabase/postgrest-js	2.105.4	NPM
@supabase/realtime-js	2.105.4	NPM
@supabase/storage-js	2.105.4	NPM
@swc/helpers	0.5.21	NPM
@types/babel__core	7.20.5	NPM
@types/babel__generator	7.27.0	NPM
@types/babel__template	7.4.4	NPM
@types/babel__traverse	7.28.0	NPM
@types/connect	3.4.38	NPM
@types/estree	1.0.8	NPM
@types/node	25.8.0	NPM
@types/prop-types	15.7.15	NPM
@types/uuid	10.0.0	NPM
@types/ws	7.4.7	NPM
agentkeepalive	4.6.0	NPM
any-promise	1.3.0	NPM
anymatch	3.1.3	NPM
arg	5.0.2	NPM
base-x	3.0.11	NPM
base64-js	1.5.1	NPM

Package Name	Version	Ecosystem
baseline-browser-mapping	2.10.29	NPM
binary-extensions	2.3.0	NPM
bn.js	5.2.3	NPM
borsh	0.7.0	NPM
braces	3.0.3	NPM
browserslist	4.28.2	NPM
bs58	4.0.1	NPM
buffer	6.0.3	NPM
bufferutil	4.1.0	NPM
camelcase-css	2.0.1	NPM
caniuse-lite	1.0.30001792	NPM
chalk	5.6.2	NPM
chokidar	3.6.0	NPM
glob-parent	5.1.2	NPM
commander	14.0.3	NPM
convert-source-map	2.0.0	NPM
cssesc	3.0.0	NPM
csstype	3.2.3	NPM
debug	4.4.3	NPM
delay	5.0.0	NPM
didyoumean	1.2.2	NPM
dlv	1.1.3	NPM
electron-to-chromium	1.5.356	NPM
es-errors	1.3.0	NPM
es6-promise	4.2.8	NPM
es6-promiseify	5.0.0	NPM
escalade	3.2.0	NPM
eventemitter3	5.0.4	NPM
eyes	0.1.8	NPM
fast-glob	3.3.3	NPM
fast-sha256	1.3.0	NPM

Package Name	Version	Ecosystem
fast-stable-stringify	1.0.0	NPM
fastq	1.20.1	NPM
fill-range	7.1.1	NPM
fraction.js	5.3.4	NPM
fsevents	2.3.3	NPM
function-bind	1.1.2	NPM
gensync	1.0.0-beta.2	NPM
glob-parent	6.0.2	NPM
hasown	2.0.3	NPM
humanize-ms	1.2.1	NPM
iceberg-js	0.8.1	NPM
ieee754	1.2.1	NPM
is-binary-path	2.1.0	NPM
is-core-module	2.16.2	NPM
is-extglob	2.1.1	NPM
is-glob	4.0.3	NPM
is-number	7.0.0	NPM
isomorphic-ws	4.0.1	NPM
jayson	4.3.0	NPM
@types/node	12.20.55	NPM
commander	2.20.3	NPM
jiti	1.21.7	NPM
js-tokens	4.0.0	NPM
jsesc	3.1.0	NPM
json-stringify-safe	5.0.1	NPM
json5	2.2.3	NPM
lilconfig	3.1.3	NPM
lines-and-columns	1.2.4	NPM
loose-envify	1.4.0	NPM
lru-cache	5.1.1	NPM
merge2	1.4.1	NPM

Package Name	Version	Ecosystem
micromatch	4.0.8	NPM
motion-dom	11.18.1	NPM
motion-utils	11.18.1	NPM
ms	2.1.3	NPM
mz	2.7.0	NPM
nanoid	3.3.12	NPM
node-fetch	2.7.0	NPM
node-gyp-build	4.8.4	NPM
node-releases	2.0.44	NPM
normalize-path	3.0.0	NPM
object-assign	4.1.1	NPM
object-hash	3.0.0	NPM
path-parse	1.0.7	NPM
picocolors	1.1.1	NPM
picomatch	2.3.2	NPM
pify	2.3.0	NPM
pirates	4.0.7	NPM
postal-mime	2.7.4	NPM
postcss-import	15.1.0	NPM
postcss-js	4.1.0	NPM
postcss-load-config	6.0.1	NPM
postcss-nested	6.2.0	NPM
postcss-selector-parser	6.1.2	NPM
postcss-value-parser	4.2.0	NPM
queue-microtask	1.2.3	NPM
react-refresh	0.17.0	NPM
react-router	6.30.3	NPM
read-cache	1.0.0	NPM
readdirp	3.6.0	NPM
resolve	1.22.12	NPM
reusify	1.1.0	NPM

Package Name	Version	Ecosystem
rollup	4.60.4	NPM
rpc-websockets	9.3.9	NPM
@types/ws	8.18.1	NPM
utf-8-validate	6.0.6	NPM
uuid	14.0.0	NPM
ws	8.20.1	NPM
run-parallel	1.2.0	NPM
safe-buffer	5.2.1	NPM
scheduler	0.23.2	NPM
semver	6.3.1	NPM
source-map-js	1.2.1	NPM
standardwebhooks	1.0.0	NPM
stream-chain	2.2.5	NPM
stream-json	1.9.1	NPM
sucrase	3.35.1	NPM
commander	4.1.1	NPM
superstruct	2.0.2	NPM
supports-preserve-symlinks-flag	1.0.0	NPM
svix	1.92.2	NPM
text-encoding-utf-8	1.0.2	NPM
thenify	3.3.1	NPM
thenify-all	1.6.0	NPM
tinyglobby	0.2.16	NPM
fdir	6.5.0	NPM
picomatch	4.0.4	NPM
to-regexp-range	5.0.1	NPM
tr46	0.0.3	NPM
ts-interface-checker	0.1.13	NPM
tslib	2.8.1	NPM
typescript	6.0.3	NPM
undici-types	7.24.6	NPM

Package Name	Version	Ecosystem
update-browserslist-db	1.2.3	NPM
util-deprecate	1.0.2	NPM
webidl-conversions	3.0.1	NPM
whatwg-url	5.0.0	NPM
ws	7.5.10	NPM
yallist	3.1.1	NPM
discord.py	2.3.0	PIP
google-genai	1.0.0	PIP
openai	1.0.0	PIP
anthropic	0.18.0	PIP
cohere	4.0.0	PIP

Antipatterns/Bugs

Total Issues: 105 Bugs: 8 Code Smells: 97

src/pages/NotFoundPage.jsx (3 issues)

Issue	Line	Type	Severity
Classnames 'h-20, w-20' could be replaced by the 'size-20' shorthand!	16	Code Smell	Minor
Classnames 'h-10, w-10' could be replaced by the 'size-10' shorthand!	17	Code Smell	Minor
Classnames 'h-4, w-4' could be replaced by the 'size-4' shorthand!	28	Code Smell	Minor

src/pages/BotsPage.jsx (1 issues)

Issue	Line	Type	Severity
Classnames 'h-5, w-5' could be replaced by the 'size-5' shorthand!	103	Code Smell	Minor

src/pages/SuccessPage.jsx (7 issues)

Issue	Line	Type	Severity
Classnames 'h-20, w-20' could be replaced by the 'size-20' shorthand!	73	Code Smell	Minor
Classnames 'h-10, w-10' could be replaced by the 'size-10' shorthand!	74	Code Smell	Minor
Classnames 'h-4, w-4' could be replaced by the 'size-4' shorthand!	84	Code Smell	Minor
Classnames 'h-28, w-28' could be replaced by the 'size-28' shorthand!	100	Code Smell	Minor
Classnames 'h-14, w-14' could be replaced by the 'size-14' shorthand!	106	Code Smell	Minor
Classnames 'h-4, w-4' could be replaced by the 'size-4' shorthand!	132	Code Smell	Minor
Classnames 'h-4, w-4' could be replaced by the 'size-4' shorthand!	139	Code Smell	Minor

src/data/bots.jsx (4 issues)

Issue	Line	Type	Severity
Classnames 'h-8, w-8' could be replaced by the 'size-8' shorthand!	9	Code Smell	Minor
Classnames 'h-8, w-8' could be replaced by the 'size-8' shorthand!	31	Code Smell	Minor
Classnames 'h-8, w-8' could be replaced by the 'size-8' shorthand!	51	Code Smell	Minor
Classnames 'h-8, w-8' could be replaced by the 'size-8' shorthand!	71	Code Smell	Minor

src/pages/HomePage.jsx (19 issues)

Issue	Line	Type	Severity
Classnames 'h-5, w-5' could be replaced by the 'size-5' shorthand!	55	Code Smell	Minor
Unexpected string concatenation.	79	Code Smell	Minor
Classnames 'h-16, w-16' could be replaced by the 'size-16' shorthand!	110	Code Smell	Minor
Classnames 'h-8, w-8' could be replaced by the 'size-8' shorthand!	111	Code Smell	Minor
Unexpected string concatenation.	126	Code Smell	Minor
Classnames 'h-4, w-4' could be replaced by the 'size-4' shorthand!	143	Code Smell	Minor
Classnames 'h-8, w-8' could be replaced by the 'size-8' shorthand!	165	Code Smell	Minor
Classnames 'h-8, w-8' could be replaced by the 'size-8' shorthand!	172	Code Smell	Minor
Classnames 'h-8, w-8' could be replaced by the 'size-8' shorthand!	179	Code Smell	Minor
Classnames 'h-6, w-6' could be replaced by the 'size-6' shorthand!	207	Code Smell	Minor
Classnames 'h-6, w-6' could be replaced by the 'size-6' shorthand!	213	Code Smell	Minor
Classnames 'h-6, w-6' could be replaced by the 'size-6' shorthand!	219	Code Smell	Minor
Classnames 'h-6, w-6' could be replaced by the 'size-6' shorthand!	225	Code Smell	Minor
Unexpected string concatenation.	299	Code Smell	Minor
Unexpected string concatenation.	314	Code Smell	Minor
Unexpected string concatenation.	316	Code Smell	Minor
Classnames 'h-12, w-12' could be replaced by the 'size-12' shorthand!	339	Code Smell	Minor
Unexpected string concatenation.	353	Code Smell	Minor
Classnames 'h-11, w-11' could be replaced by the 'size-11' shorthand!	355	Code Smell	Minor

src/components/BotCard.jsx (15 issues)

Issue	Line	Type	Severity
Classnames 'h-16, w-16' could be replaced by the 'size-16' shorthand!	128	Code Smell	Minor
Classnames 'h-5, w-5' could be replaced by the 'size-5' shorthand!	149	Code Smell	Minor
Classnames 'h-10, w-10' could be replaced by the 'size-10' shorthand!	177	Code Smell	Minor
Classnames 'h-5, w-5' could be replaced by the 'size-5' shorthand!	180	Code Smell	Minor
Classnames 'h-4, w-4' could be replaced by the 'size-4' shorthand!	222	Code Smell	Minor
Classnames 'h-20, w-20' could be replaced by the 'size-20' shorthand!	237	Code Smell	Minor
Classnames 'h-4, w-4' could be replaced by the 'size-4' shorthand!	257	Code Smell	Minor
Classname 'flex-shrink-0' should be updated to 'shrink-0' in Tailwind CSS v3!	257	Code Smell	Major
Classnames 'h-5, w-5' could be replaced by the 'size-5' shorthand!	266	Code Smell	Minor
Classnames 'h-10, w-10' could be replaced by the 'size-10' shorthand!	286	Code Smell	Minor
Classname 'flex-shrink-0' should be updated to 'shrink-0' in Tailwind CSS v3!	286	Code Smell	Major
Classnames 'h-5, w-5' could be replaced by the 'size-5' shorthand!	289	Code Smell	Minor
Classnames 'h-5, w-5' could be replaced by the 'size-5' shorthand!	289	Code Smell	Minor
Classnames 'h-4, w-4' could be replaced by the 'size-4' shorthand!	311	Code Smell	Minor
Classnames 'h-5, w-5' could be replaced by the 'size-5' shorthand!	355	Code Smell	Minor

src/components/WaveBackground.jsx (1 issues)

Issue	Line	Type	Severity
Classnames 'h-full, w-full' could be replaced by the 'size-full' shorthand!	124	Code Smell	Minor

src/components/BotSearch.jsx (5 issues)

Issue	Line	Type	Severity
Arbitrary value classname '-rotate-[0.45deg]' should not start with a dash (-)	114	Code Smell	Minor
Classnames 'h-5, w-5' could be replaced by the 'size-5' shorthand!	118	Code Smell	Minor
Classnames 'pl-14, pr-14' could be replaced by the 'px-14' shorthand!	127	Code Smell	Minor
Classnames 'h-9, w-9' could be replaced by the 'size-9' shorthand!	137	Code Smell	Minor
Classnames 'h-5, w-5' could be replaced by the 'size-5' shorthand!	140	Code Smell	Minor

src/components/ErrorBoundary.jsx (3 issues)

Issue	Line	Type	Severity
Classnames 'h-20, w-20' could be replaced by the 'size-20' shorthand!	23	Code Smell	Minor
Classnames 'h-10, w-10' could be replaced by the 'size-10' shorthand!	24	Code Smell	Minor
Classnames 'h-4, w-4' could be replaced by the 'size-4' shorthand!	37	Code Smell	Minor

src/components/Navbar.jsx (10 issues)

Issue	Line	Type	Severity
Unexpected alert.	39	Code Smell	Minor
Unexpected alert.	39	Code Smell	Major
Classnames 'left-0, right-0' could be replaced by the 'inset-x-0' shorthand!	62	Code Smell	Minor
Classnames " could be replaced by the 'px-3' shorthand!	62	Code Smell	Minor
Arbitrary value classname '-rotate-[0.4deg]' should not start with a dash (-)	65	Code Smell	Minor
Classnames 'h-10, w-10' could be replaced by the 'size-10' shorthand!	75	Code Smell	Minor
Classnames 'h-6, w-6' could be replaced by the 'size-6' shorthand!	76	Code Smell	Minor
Classnames 'h-4, w-4' could be replaced by the 'size-4' shorthand!	97	Code Smell	Minor
Classnames 'h-4, w-4' could be replaced by the 'size-4' shorthand!	106	Code Smell	Minor
Classnames 'h-4, w-4' could be replaced by the 'size-4' shorthand!	106	Code Smell	Minor

src/utls/orders.js (1 issues)

Issue	Line	Type	Severity
Unary operator '++' used.	6	Code Smell	Minor

src/utls/solana.js (6 issues)

Issue	Line	Type	Severity
Unexpected alert.	13	Code Smell	Minor
Unexpected alert.	13	Code Smell	Major
Unexpected alert.	18	Code Smell	Minor
Unexpected alert.	18	Code Smell	Major
Empty block statement.	35	Code Smell	Major
Unexpected `await` inside a loop.	60	Code Smell	Critical

supabase/migrations/20260515040348_add_success_token.sql (2 issues)

Issue	Line	Type	Severity
Quote Identifiers	1	Code Smell	Major
Quote Identifiers	6	Code Smell	Major

Projects/Moderation Bot/cogs/filters.py (2 issues)

Issue	Line	Type	Severity
Method 'has_mod_perms' has no argument	10	Bug	Blocker
Add a "self" or class parameter	10	Bug	Blocker

Projects/Moderation Bot/setup.py (1 issues)

Issue	Line	Type	Severity
Instead of string concatenation use f-strings	60	Code Smell	Minor

Projects/Moderation Bot/cogs/admin.py (2 issues)

Issue	Line	Type	Severity
Method 'has_admin_perms' has no argument	10	Bug	Blocker
Add a "self" or class parameter	10	Bug	Blocker

Projects/Moderation Bot/cogs/automod.py (8 issues)

Issue	Line	Type	Severity
Using an f-string that does not have any interpolated variables	55	Code Smell	Minor
Using an f-string that does not have any interpolated variables	156	Code Smell	Minor
Using an f-string that does not have any interpolated variables	159	Code Smell	Minor
Using an f-string that does not have any interpolated variables	168	Code Smell	Minor
Add replacement fields or use a normal string instead of an f-string.	55	Code Smell	Major
Add replacement fields or use a normal string instead of an f-string.	156	Code Smell	Major
Add replacement fields or use a normal string instead of an f-string.	159	Code Smell	Major
Add replacement fields or use a normal string instead of an f-string.	168	Code Smell	Major

Projects/Moderation Bot/cogs/warnings.py (5 issues)

Issue	Line	Type	Severity
Method 'has_mod_perms' has no argument	10	Bug	Blocker
No exception type(s) specified	52	Code Smell	Critical
No exception type(s) specified	70	Code Smell	Critical
Specify exception type	45	Code Smell	Critical
Add a "self" or class parameter	10	Bug	Blocker

Projects/Moderation Bot/cogs/moderation.py (3 issues)

Issue	Line	Type	Severity
Method 'has_mod_perms' has no argument	11	Bug	Blocker
Define a constant instead of duplicating this literal "No reason provided" 4 times.	27	Code Smell	Critical
Add a "self" or class parameter	11	Bug	Blocker

Projects/Moderation Bot/cogs/logging.py (1 issues)

Issue	Line	Type	Severity
Define a constant instead of duplicating this literal <code>"*No content*" 3 times.</code>	30	Code Smell	Critical

Projects/Moderation Bot/utils/database.py (3 issues)

Issue	Line	Type	Severity
No exception type(s) specified	28	Code Smell	Critical
No exception type(s) specified	99	Code Smell	Critical
Specify exception type	25	Code Smell	Critical

Projects/Moderation Bot/utils/ai_filter.py (3 issues)

Issue	Line	Type	Severity
Unnecessary <code>"elif"</code> after <code>"return"</code> , remove the leading <code>"el"</code> from <code>"elif"</code>	46	Code Smell	Major
Remove unnecessary else statements	48	Code Smell	Minor
Define a constant instead of duplicating this literal <code>"application/json" 3 times.</code>	73	Code Smell	Critical

Files with Most Antipatterns

File Path	Issues
src/pages/HomePage.jsx	19
src/components/BotCard.jsx	15
src/components/Navbar.jsx	10
Projects/Moderation Bot/cogs/automod.py	8
src/pages/SuccessPage.jsx	7
src/utis/solana.js	6
src/components/BotSearch.jsx	5
Projects/Moderation Bot/cogs/warnings.py	5
src/data/bots.jsx	4
src/pages/NotFoundPage.jsx	3

Complex Functions

COMPLEXITY ANALYSIS COMPLETED - ALL FUNCTIONS MAINTAINABLE

All functions meet maintainability standards:

- Maintainability Index > 65 (Good maintainability)
- Cyclomatic Complexity within acceptable range
- Cognitive Complexity within acceptable range

Metric	Status
Maintainability Index	ALL FUNCTIONS > 65
Cyclomatic Complexity	OPTIMAL LEVELS
Cognitive Complexity	OPTIMAL LEVELS
Code Readability	EXCELLENT

Docstrings Absent

Total Functions Missing Docstrings: 91

src/pages/BotsPage.jsx (1 functions)

Function Name	Line
BotsPage	9

src/pages/SuccessPage.jsx (2 functions)

Function Name	Line
SuccessPage	7
fetchOrder	32

src/pages/HomePage.jsx (5 functions)

Function Name	Line
HomePage	18
FeatureCard	307
ProcessStep	325
SpecShard	346
NoteCard	364

src/pages/NotFoundPage.jsx (1 functions)

Function Name	Line
NotFoundPage	5

src/App.jsx (1 functions)

Function Name	Line
App	12

src/components/WaveBackground.jsx (4 functions)

Function Name	Line
WaveBackground	3
makeSpecks	16
drawScraps	59
drawWave	88

src/components/BotCard.jsx (2 functions)

Function Name	Line
BotCard	9
startManualPayment	67

src/components/ErrorBoundary.jsx (1 functions)

Function Name	Line
render	18

src/components/BotSearch.jsx (2 functions)

Function Name	Line
BotSearch	5
searchBots	10

src/components/Navbar.jsx (2 functions)

Function Name	Line
Navbar	7
handleConnectWallet	31

src/utls/orders.js (5 functions)

Function Name	Line
createOrder	12
updateOrderStatus	42
getOrder	72
getUserOrders	89
getPendingOrders	106

src/utls/email.js (2 functions)

Function Name	Line
sendOrderConfirmationEmail	5
sendAdminNotificationEmail	157

src/utls/solana.js (4 functions)

Function Name	Line
connectWallet	8
checkPayment	49
monitorPayment	93
sendPayment	118

Projects/Moderation Bot/setup.py (1 functions)

Function Name	Line
setup_bot	4

Projects/Moderation Bot/cogs/warnings.py (6 functions)

Function Name	Line
has_mod_perms	10
warn	26
warnings	75
clearwarnings	107
predicate	11
Warnings	6

Projects/Moderation Bot/main.py (4 functions)

Function Name	Line
__init__	12
setup_hook	41
on_ready	59
ModerationBot	11

Projects/Moderation Bot/cogs/admin.py (3 functions)

Function Name	Line
testai	18
botstats	50
Admin	6

Projects/Moderation Bot/cogs/logging.py (7 functions)

Function Name	Line
on_message_delete	16
on_message_edit	38
on_member_join	59
on_member_remove	76
on_member_ban	93
on_member_unban	109
Logging	5

Projects/Moderation Bot/cogs/automod.py (6 functions)

Function Name	Line
__init__	9
check_word_filter	40
check_spam	80
check_ai_filter	153
on_member_join	194
AutoMod	8

Projects/Moderation Bot/cogs/filters.py (6 functions)

Function Name	Line
has_mod_perms	10
addfilter	26
removefilter	43
listfilters	59
predicate	11
Filters	6

Projects/Moderation Bot/cogs/moderation.py (9 functions)

Function Name	Line
has_mod_perms	11
kick	27
ban	60
unban	98
timeout	125
untimeout	163
purge	184
predicate	12
Moderation	7

Projects/Moderation Bot/utils/embeds.py (2 functions)

Function Name	Line
create_embed	4
log_embed	25

Projects/Moderation Bot/utils/database.py (7 functions)

Function Name	Line
_ensure_files	14
add_warning	35
get_warnings	57
clear_warnings	66
add_filter	77
remove_filter	90
Database	5

Projects/Moderation Bot/utils/ai_filter.py (7 functions)

Function Name	Line
__init__	6
get_moderation_prompt	24
_check_gemini	60
_check_openai	69
_check_anthropic	87
_check_cohere	106
AIContentFilter	5

Function Name	Line
setup_logger	5

Duplicate Code Blocks

Total Duplicate Groups: 2 **Major: 1** **Minor: 1**

Duplicate Group 1 | Severity: Minor | Files: 2 | Lines: 22

File Path	Line Range
tailwind.config.js	[10:20]
tailwind.config.js	[22:32]

Duplicate Group 2 | Severity: Major | Files: 3 | Lines: 51

File Path	Line Range
Projects/Moderation Bot/cogs/moderation.py	[7:23]
Projects/Moderation Bot/cogs/warnings.py	[6:22]
Projects/Moderation Bot/cogs/filters.py	[6:22]

Dead Code Detection

Total Dead Code Issues: 9

Files Affected: 7

Major: 9

Unused function (6 issues)

File	Name	Line	Confidence
Projects/Moderation Bot/cogs/admin.py	setup	72	60%
Projects/Moderation Bot/cogs/automod.py	setup	224	60%
Projects/Moderation Bot/cogs/filters.py	setup	76	60%
Projects/Moderation Bot/cogs/logging.py	setup	124	60%
Projects/Moderation Bot/cogs/moderation.py	setup	217	60%
Projects/Moderation Bot/cogs/warnings.py	setup	124	60%

Unused method (3 issues)

File	Name	Line	Confidence
Projects/Moderation Bot/main.py	setup_hook	41	60%
Projects/Moderation Bot/main.py	on_ready	59	60%
Projects/Moderation Bot/main.py	on_message	78	60%

Files with Most Dead Code

File Path	Issues
Projects/Moderation Bot/main.py	3
Projects/Moderation Bot/cogs/admin.py	1
Projects/Moderation Bot/cogs/automod.py	1
Projects/Moderation Bot/cogs/filters.py	1
Projects/Moderation Bot/cogs/logging.py	1
Projects/Moderation Bot/cogs/moderation.py	1
Projects/Moderation Bot/cogs/warnings.py	1