

```
-- Create Database

CREATE DATABASE COMPANY;

USE COMPANY;

-- DEPARTMENT TABLE

CREATE TABLE DEPARTMENT
(
    Dname VARCHAR(15) NOT NULL,
    Dnumber INT PRIMARY KEY,
    Mgr_ssn CHAR(9),
    Mgr_start_date DATE,
    UNIQUE(Dname)
);

-- EMPLOYEE TABLE

CREATE TABLE EMPLOYEE
(
    Fname VARCHAR(15),
    Minit CHAR(1),
    Lname VARCHAR(15),
    Ssn CHAR(9) PRIMARY KEY,
    Bdate DATE,
    Address VARCHAR(50),
    Sex CHAR(1),
    Salary DECIMAL(10,2),
    Super_ssn CHAR(9),
    Dno INT,

    FOREIGN KEY(Super_ssn) REFERENCES EMPLOYEE(Ssn),
```

```

        FOREIGN KEY(Dno) REFERENCES DEPARTMENT(Dnumber)
    );
-- DEPT_LOCATIONS TABLE
CREATE TABLE DEPT_LOCATIONS
(
    Dnumber INT,
    Dlocation VARCHAR(15),

    PRIMARY KEY(Dnumber,Dlocation),

    FOREIGN KEY(Dnumber) REFERENCES DEPARTMENT(Dnumber)
);
-- PROJECT TABLE
CREATE TABLE PROJECT
(
    Pname VARCHAR(15),
    Pnumber INT PRIMARY KEY,
    Plocation VARCHAR(15),
    Dnum INT,

    UNIQUE(Pname),

    FOREIGN KEY(Dnum) REFERENCES DEPARTMENT(Dnumber)
);
-- WORKS_ON TABLE
CREATE TABLE WORKS_ON
(
    Essn CHAR(9),

```

```
Pno INT,  
Hours DECIMAL(3,1),  
  
PRIMARY KEY(Essn,Pno),  
  
FOREIGN KEY(Essn) REFERENCES EMPLOYEE(Ssn),  
  
FOREIGN KEY(Pno) REFERENCES PROJECT(Pnumber)  
);  
-- DEPENDENT TABLE  
CREATE TABLE DEPENDENT  
(  
    Essn CHAR(9),  
    Dependent_name VARCHAR(15),  
    Sex CHAR(1),  
    Bdate DATE,  
    Relationship VARCHAR(20),  
  
    PRIMARY KEY(Essn,Dependent_name),  
  
    FOREIGN KEY(Essn) REFERENCES EMPLOYEE(Ssn)  
);  
-- INSERT DEPARTMENT DATA  
INSERT INTO DEPARTMENT VALUES  
(('Research',5,'333445555','1988-05-22'),  
(('Administration',4,'987654321','1995-01-01'),  
(('Headquarters',1,'888665555','1981-06-19');
```

-- INSERT EMPLOYEE DATA

INSERT INTO EMPLOYEE VALUES

('John','B','Smith','123456789', '1965-01-09', '731 Fondren, Houston, TX', 'M', 30000, '333445555', 5);

INSERT INTO EMPLOYEE VALUES

('Franklin','T','Wong','333445555', '1955-12-08', '638 Voss, Houston, TX', 'M', 40000, '888665555', 5);

INSERT INTO EMPLOYEE VALUES

('Alicia','J','Zelaya','999887777', '1968-07-19', '3321 Castle, Spring, TX', 'F', 25000, '987654321', 4);

INSERT INTO EMPLOYEE VALUES

('Jennifer','S','Wallace','987654321', '1941-06-20', '291 Berry, Bellaire, TX', 'F', 43000, '888665555', 4);

INSERT INTO EMPLOYEE VALUES

('Ramesh','K','Narayan','666884444', '1962-09-15', '975 Fire Oak, Humble, TX', 'M', 38000, '333445555', 5);

INSERT INTO EMPLOYEE VALUES

('Joyce','A','English','453453453', '1972-07-31', '5631 Rice, Houston, TX', 'F', 25000, '333445555', 5);

INSERT INTO EMPLOYEE VALUES

('Ahmad','V','Jabbar','987987987', '1969-03-29', '980 Dallas, Houston, TX', 'M', 25000, '987654321', 4);

INSERT INTO EMPLOYEE VALUES

('James','E','Borg','888665555', '1937-11-10', '450 Stone, Houston, TX', 'M', 55000, NULL, 1);

-- DEPT LOCATIONS

INSERT INTO DEPT_LOCATIONS VALUES

(1,'Houston'),

(4,'Stafford'),

(5,'Bellaire'),

(5,'Sugarland'),

(5,'Houston');

-- PROJECT

INSERT INTO PROJECT VALUES

('ProductX',1,'Bellaire',5),

('ProductY',2,'Sugarland',5),

('ProductZ',3,'Houston',5),

('Computerization',10,'Stafford',4),

('Reorganization',20,'Houston',1),

('Newbenefits',30,'Stafford',4);

-- WORKS_ON

INSERT INTO WORKS_ON VALUES

('123456789',1,32.5),

('123456789',2,7.5),

('666884444',3,40.0),

('453453453',1,20.0),

('453453453',2,20.0),

('333445555',2,10.0),

('333445555',3,10.0),

('333445555',10,10.0),

('333445555',20,10.0),

('999887777',30,30.0),

('999887777',10,10.0),

('987987987',10,35.0),

('987987987',30,5.0),

('987654321',30,20.0),

('987654321',20,15.0),

```
('888665555',20,NULL);
```

```
-- DEPENDENT
```

```
INSERT INTO DEPENDENT VALUES
```

```
('333445555','Alice','F','1986-04-05','Daughter'),  
('333445555','Theodore','M','1983-10-25','Son'),  
('333445555','Joy','F','1958-05-03','Spouse'),  
('987654321','Abner','M','1942-02-28','Spouse'),  
('123456789','Michael','M','1988-01-04','Son'),  
('123456789','Alice','F','1988-12-30','Daughter'),  
('123456789','Elizabeth','F','1967-05-05','Spouse');
```