# $1_{\rm NT}$ – dealing with interference

## Krystyna Gasińska, Bartek Słupik

### April 22, 2024

1NT - (2 - ?) - ?

 $2 \clubsuit = \clubsuit$ 

•  $\times$  = Stayman

SYSTEM ON

 $1NT - (2^{A}) - ?$ 

2 - 5/4

- $\times = 8+$
- 2•, 2•, 2•, 3• = to play
- 2NT = minors

 $1NT - (2^{\bullet}) - ?$ 

 $2 \blacklozenge = \blacklozenge$ 

- $\times$  = negative
- $2 \checkmark$ ,  $2 \spadesuit$  = to play
- 2NT = Lebensohl
- $3 = 5 + \forall$ ,  $INV^+$
- $3 \stackrel{\bullet}{\bullet} = 1 \stackrel{\bullet}{\bullet}$ ,  $INV^+$
- 3 = 5 + 4,  $INV^+$
- 3 = 5 + 4,  $INV^+$
- 3NT = no stopper

•  $4 \blacklozenge$ ,  $4 \blacktriangledown = \text{Texas}$ 

$$1$$
NT  $-(2^{\spadesuit A})$   $-?$ 

$$2 > 6 +$$

- $\times = 8+$
- $2 \checkmark$ ,  $2 \spadesuit$  = to play
- 2NT = Lebensohl
- $3 = 5 + , INV^+$
- $3 \stackrel{\bullet}{\bullet} = 5 + \stackrel{\blacktriangledown}{\blacktriangledown}$ ,  $INV^+$
- 3 = 5 + 4,  $INV^+$
- $3 \triangleq 5/5 \implies$
- 3NT = to play
- $4 \bullet$ ,  $4 \heartsuit = \text{Texas}$

#### $1NT - (2 \checkmark) - ?$

- $\times$  = negative
- 2 = to play
- 2NT = Lebensohl
- $3 = 5 + •, INV^+$
- $3 \stackrel{\bullet}{\bullet} = 5 + \stackrel{\bullet}{\bullet}$ ,  $INV^+$
- $3 = 1 V, INV^+$
- 3 = 55 , GF
- 3NT = no stopper
- 4 = Texas

#### 1NT - (2 - ?)

- $\times$  = negative
- 2nt = Lebensohl
- 3 = 5 + •,  $INV^+$

- $3 = 5 + \forall$ ,  $INV^+$
- 3♥ = 55♣, **GF**
- $3 = 1 1 \cdot 100$
- 3NT = no ♠ stopper
- $4 \rightarrow = \text{Texas}$

 $1NT - (2NT^{A}) - ?$ 

2NT =  $\clubsuit$ 

- $\times = 10+$
- 3♣ = Stayman
- $3 \stackrel{\bullet}{\bullet} = 5 + \stackrel{\blacktriangledown}{\blacktriangledown}$ ,  $INV^+$
- 3 = 5 + 4,  $INV^+$

1NT - (3.) - ?

- $\times$  = negative
- $3 \blacklozenge = 5 + \blacktriangledown$ ,  $\mathbf{INV}^+$
- 3 = 5 + 4,  $INV^+$
- $3 \spadesuit = 5 + \blacklozenge$ ,  $INV^+$
- 3NT = to play

1NT - (3) - ?

- $\times$  = negative
- 3 = 5 + 4,  $INV^+$
- 3♠ = 5+♥, **GF**
- 3NT = to play

 $1NT - (\times^{A}) - ?$ 

 $\times$  artificial

SYSTEM ON

## $1NT - (\times) - ?$

- $\times$  = penalty
  - PASS = forces  $\times \times$
  - $\times \times = \text{forces } 2 \clubsuit$
  - $2\mathbf{x} = \text{forces } \mathbf{x+1}$

$$\begin{aligned} &1NT-(\textcolor{red}{\times})-P^{\textcolor{red}{A}}-(P)\\ &\times\times-(P)-? \end{aligned}$$

- PASS = penalty
- 2 = 4 + 4x or 4333 or any other edge case
- $2 \blacklozenge = 4 \blacklozenge + 4 \clubsuit$
- $2 \checkmark = 4 \checkmark + 4 \spadesuit$