



Search any case



SEARCH



KNO



## Analysis Results

51 Clinically relevant variants



## Case Summary

15 drugs | 45 clinical trials

### ✓ Treatments

15 use as directed treatments

☐ All

Name

Type

Evidence level

Indication

**Atezolizumab**  
(Tecentriq®)

Anti-PD-L1 monoclonal antibody

**Vemurafenib**  
(Zelboraf®)

BRAF (V600E) kinase inhibitor

**cobimetinib**  
(Cotellic®)

MEK Inhibitor

**A FDA approved** ✓ Responsive

**Atezolizumab and hyaluronidase-tqjs**  
(Tecentriq Hybreza®)

PD-L1 immune checkpoint inhibitor (co-formulated with hyaluronidase)

**Vemurafenib**  
(Zelboraf®)

BRAF (V600E) kinase inhibitor

**cobimetinib**  
(Cotellic®)

MEK Inhibitor

**A FDA approved** ✓ Responsive

**Binimetinib**  
(Mektovi®)

MEK1/2 kinase inhibitor

**Encorafenib**  
(Braftovi®)

RAF kinase inhibitor

**A FDA approved** ✓ Responsive

**Dabrafenib**  
(Tafinlar®)

BRAF Inhibitor

**Trametinib**  
(Mekinist®)

MEK Inhibitor

**A FDA approved** ✓ Responsive

**Dabrafenib**  
(Tafinlar®)

BRAF Inhibitor

**A FDA approved** ✓ Responsive

**Trametinib**  
(Mekinist®)

MEK Inhibitor

**A FDA approved** ✓ Responsive

|                          |                                                          |                                          |                       |                       |              |
|--------------------------|----------------------------------------------------------|------------------------------------------|-----------------------|-----------------------|--------------|
| <input type="checkbox"/> | <b>Vemurafenib</b><br>(Zelboraf®)                        | BRAF (V600E) kinase inhibitor            | <b>A</b> FDA approved | ✓ Responsive          |              |
| <input type="checkbox"/> | <div><div><b>Vemurafenib</b><br/>(Zelboraf®)</div></div> | BRAF (V600E) kinase inhibitor            | MEK Inhibitor         | <b>A</b> FDA approved | ✓ Responsive |
| <input type="checkbox"/> | <b>Lapatinib</b><br>(Tykerb   Lapatinib®)                | EGFR/HER2 dual tyrosine kinase inhibitor | <b>D</b>              | ✓ Responsive          |              |

**cobimetinib**  
(Cotellic®) MEK Inhibitor |

Clinical Trials

45 Clinical Trials detected

|                               |                                                                            |                               |                |                                                             |
|-------------------------------|----------------------------------------------------------------------------|-------------------------------|----------------|-------------------------------------------------------------|
| Filters: PhaseLocationsStatus |                                                                            |                               |                |                                                             |
| <input type="checkbox"/> All  |                                                                            |                               |                |                                                             |
|                               | Trial title                                                                | Status                        | Type           | Location                                                    |
| <input type="checkbox"/>      | A Study to Evaluate KIN-2787 in Participants With BRAF and/or NRAS...      | Recruiting<br>Phase: ONE      | Interventional | Melanoma Institut...<br>Cleveland Clinic, C...<br>+3 more   |
| <input type="checkbox"/>      | Study to Investigate Lifileucel Regimen Plus Pembrolizumab Compared...     | Recruiting<br>Phase: THREE    | Interventional | Hospital Universita...<br>Hospital Universita...<br>+3 more |
| <input type="checkbox"/>      | A Study Comparing 3 Study Medicines (Encorafenib, Binimetinib,...          | Recruiting<br>Phase: TWO      | Interventional | Hospital Universita...<br>Royal Marsden Ho...<br>+3 more    |
| <input type="checkbox"/>      | A Phasel Study of HL-085 Plus Vemurafenib in Solid Tumor With BRAF V600... | Recruiting<br>Phase: ONE      | Interventional | Beijing Oncology ...<br>Cancer Hospital C...<br>+2 more     |
| <input type="checkbox"/>      | A Phase 1-2 Study of ST101 in Patients With Advanced Solid Tumors          | Recruiting<br>Phase: ONE, TWO | Interventional | START Midwest, G...<br>Sarah Cannon Res...<br>+3 more       |
| <input type="checkbox"/>      | Encorafenib, Binimetinib and Palbociclib in BRAF-mutant Metastatic...      | Recruiting<br>Phase: ONE, TWO | Interventional | Box Hill Hospital, ...<br>Peter MacCallum C...<br>+2 more   |

|                          |                                                                                                 |                                        |                |                                                              |
|--------------------------|-------------------------------------------------------------------------------------------------|----------------------------------------|----------------|--------------------------------------------------------------|
| <input type="checkbox"/> | <b>Tovorafenib (DAY101)<br/>Monotherapy or in<br/>Combination With Other...</b>                 | <b>Recruiting</b><br>Phase: ONE, TWO   | Interventional | Dong-A University...<br>Hospital Universita...<br>+3 more    |
| <input type="checkbox"/> | <b>Testing the Addition of the<br/>Anti-cancer Drug,<br/>Tazemetostat, to the Usual...</b>      | <b>Recruiting</b><br>Phase: ONE, TWO   | Interventional | Northwestern Univ...<br>Siteman Cancer Ce...<br>+3 more      |
| <input type="checkbox"/> | <b>A Study to Learn About the<br/>Study Medicine Called<br/>PF-07799933 in People...</b>        | <b>Recruiting</b><br>Phase: ONE        | Interventional | Cleveland Clinic, C...<br>Sourasky Medical ...<br>+3 more    |
| <input type="checkbox"/> | <b>Study of IK-595 in RAS- or<br/>RAF-altered Advanced<br/>Tumors</b>                           | <b>Recruiting</b><br>Phase: ONE        | Interventional | Next Oncology- Vi...<br>START Midwest, G...<br>+3 more       |
| <input type="checkbox"/> | <b>A Study to Characterize the<br/>Safety, Tolerability, and<br/>Preliminary Efficacy of...</b> | <b>Recruiting</b><br>Phase: ONE, TWO   | Interventional | Virginia Cancer Sp...<br>David H. Koch Cen...<br>+3 more     |
| <input type="checkbox"/> | <b>A Study of LGK974 in<br/>Patients With Malignancies<br/>Dependent on Wnt Ligands</b>         | <b>Recruiting</b><br>Phase: ONE        | Interventional | Novartis Investigat...<br>Novartis Investigat...<br>+3 more  |
| <input type="checkbox"/> | <b>Lymphodepletion Plus<br/>Adoptive Cell Transfer With<br/>or Without Dendritic Cell...</b>    | <b>Recruiting</b><br>Phase: TWO        | Interventional | The University of T...                                       |
| <input type="checkbox"/> | <b>Defactinib and<br/>Avutometinib, With or<br/>Without Encorafenib, for...</b>                 | <b>Recruiting</b><br>Phase: ONE, TWO   | Interventional | Huntsman Cancer I...                                         |
| <input type="checkbox"/> | <b>A Study of BDTX-4933 in<br/>Patients With KRAS, BRAF<br/>and Select RAS/MAPK...</b>          | <b>Recruiting</b><br>Phase: ONE        | Interventional | Memorial Sloan Ke...<br>Dana-Farber Canc...<br>+3 more       |
| <input type="checkbox"/> | <b>DETERMINE (Determining<br/>Extended Therapeutic<br/>Indications for Existing...</b>          | <b>Recruiting</b><br>Phase: THREE, TWO | Interventional | University Hospital...<br>Leicester Royal Infi...<br>+3 more |
| <input type="checkbox"/> | <b>E6201 and Dabrafenib for<br/>the Treatment of Central</b>                                    | <b>Recruiting</b>                      | Interventional | Mayo Clinic in Flori...<br>Mavo Clinic. Roche...             |

|                          |                                                                                |                                 |                |                                                              |
|--------------------------|--------------------------------------------------------------------------------|---------------------------------|----------------|--------------------------------------------------------------|
| <input type="checkbox"/> | Nervous System Metastas...                                                     | Phase: ONE                      |                | +1 more                                                      |
| <input type="checkbox"/> | Stereotactic Radiosurgery in Treating Patients With Greater Than 3 Melanoma... | Recruiting<br>Phase: TWO        | Interventional | M D Anderson Can...                                          |
| <input type="checkbox"/> | Molecular Profiling and Matched Targeted Therapy for Patients With...          | Recruiting<br>Phase: TWO        | Interventional | Melanoma Institut...<br>Westmead Hospit...                   |
| <input type="checkbox"/> | Study of Safety, Pharmacokinetics, and Antitumor Activity of...                | Recruiting<br>Phase: ONE        | Interventional | Memorial Sloan Ke...<br>Massachusetts Ge...<br>+3 more       |
| <input type="checkbox"/> | Study of DCC-3084 in Participants With Advanced Malignancies Driven by th...   | Recruiting<br>Phase: ONE, TWO   | Interventional | University of South...<br>NEXT Oncology Vi...<br>+1 more     |
| <input type="checkbox"/> | DETERMINE Trial Treatment Arm 05: Vemurafenib in Combination With...           | Recruiting<br>Phase: THREE, TWO | Interventional | University Hospital...<br>Leicester Royal Infi...<br>+3 more |
| <input type="checkbox"/> | HL-085+Vemurafenib to Treat Advanced Melanoma Patients With BRAF V600...       | Recruiting<br>Phase: TWO        | Interventional | Beijing Cancer Hos...                                        |
| <input type="checkbox"/> | Nilotinib Plus Dabrafenib/ Trametinib in Metastatic Melanoma                   | Recruiting<br>Phase: ONE        | Interventional | St. Luke's Universit...<br>Markey Cancer Ce...<br>+1 more    |
| <input type="checkbox"/> | Melanoma Metastasized to the Brain and Steroids                                | Recruiting<br>Phase: TWO        | Interventional | Herlev Universityh...<br>Aarhus Universityh...<br>+1 more    |
| <input type="checkbox"/> | Phase I/II Study of SHR2554 in Combination With SHR1701 in Patients...         | Recruiting<br>Phase: ONE, TWO   | Interventional | Department of Bio...                                         |
| <input type="checkbox"/> | Phase II Study of Tazemetostat in Solid Tumors Harboring an...                 | Recruiting<br>Phase: TWO        | Interventional | Prisma Health Can...                                         |
| <input type="checkbox"/> | Study of IDE196 in Patients With Solid Tumors Harboring GNAQ/11...             | Recruiting<br>Phase: ONE, TWO   | Interventional | Westmead Hospit...<br>Florida Cancer Spe...<br>+3 more       |

|                          |                                                                            |                                      |                |                                                            |
|--------------------------|----------------------------------------------------------------------------|--------------------------------------|----------------|------------------------------------------------------------|
| <input type="checkbox"/> | Imatinib Mesylate in Combination With Pembrolizumab in Patients...         | <b>Recruiting</b><br>Phase: ONE, TWO | Interventional | Keio University Ho...                                      |
| <input type="checkbox"/> | Ipilimumab and Imatinib Mesylate in Advanced Cancer                        | <b>Recruiting</b><br>Phase: ONE      | Interventional | M D Anderson Can...                                        |
| <input type="checkbox"/> | A Dose Escalation Study of SHP2 Inhibitor in Patients With Solid Tumors... | <b>Recruiting</b><br>Phase: ONE      | Interventional | Providence Medica...<br>Orlando Health, In...<br>+3 more   |
| <input type="checkbox"/> | A Study to Find a Suitable Dose of ASP4396 in Adults With Solid Tumors     | <b>Recruiting</b><br>Phase: ONE      | Interventional | NEXT Oncology D...<br>NEXT Oncology Vi...<br>+2 more       |
| <input type="checkbox"/> | SHP2 Inhibitor BBP-398 in Combination With Nivolumab in Patients Wit...    | <b>Recruiting</b><br>Phase: ONE      | Interventional | Cleveland Clinic, C...<br>Johns Hopkins Sid...<br>+3 more  |
| <input type="checkbox"/> | Leflunomide or Combination of MEK Inhibitor and Hydroxychloroquine for...  | <b>Recruiting</b><br>Phase: TWO      | Interventional | Department of Tu...                                        |
| <input type="checkbox"/> | A Phase 1/2 Study of MRTX0902 in Solid Tumors With Mutations in the...     | <b>Recruiting</b><br>Phase: ONE, TWO | Interventional | Seattle Cancer Car...<br>Sidney Kimmel Co...<br>+3 more    |
| <input type="checkbox"/> | a Study to Evaluate the Safety and Efficacy of D-1553 Combined With...     | <b>Recruiting</b><br>Phase: ONE, TWO | Interventional | First Affiliated Hos...<br>Renmin Hospital o...<br>+3 more |
| <input type="checkbox"/> | Phase I Study of Autologous CD8+ and CD4+ Engineered T Cell...             | <b>Recruiting</b><br>Phase: ONE, TWO | Interventional | Providence Cancer ...<br>Memorial Sloan Ke...<br>+3 more   |
| <input type="checkbox"/> | A Study of ZG2001 in Participants With KRAS Mutated Advanced Solid...      | <b>Recruiting</b><br>Phase: ONE, TWO | Interventional | Chinese PLA Gene...                                        |
| <input type="checkbox"/> | A Study of ASP3082 in Adults With Previously Treated Solid Tumors          | <b>Recruiting</b><br>Phase: ONE      | Interventional | Memorial Sloan Ke...<br>Florida Cancer Spe...<br>+3 more   |

|                          |                                                                                       |                                      |                |                                                            |
|--------------------------|---------------------------------------------------------------------------------------|--------------------------------------|----------------|------------------------------------------------------------|
| <input type="checkbox"/> | <b>Study of MRTX1133 in Patients With Advanced Solid Tumors Harboring a...</b>        | <b>Recruiting</b><br>Phase: ONE, TWO | Interventional | Memorial Sloan Ke...<br>START Midwest, G...<br>+3 more     |
| <input type="checkbox"/> | <b>JAB-3312 Based Combination Therapy in Adult Patients With...</b>                   | <b>Recruiting</b><br>Phase: ONE, TWO | Interventional | Research Site, Los ...<br>Research Site, Hou...<br>+3 more |
| <input type="checkbox"/> | <b>NEROFE and Doxorubicin in KRAS-mutated ST2-positive Solid Tumors</b>               | <b>Recruiting</b><br>Phase: ONE      | Interventional | Georgetown Lomb...                                         |
| <input type="checkbox"/> | <b>A Dose Escalation Study of HBI-2438 in Patients With Solid Tumors Harboring...</b> | <b>Recruiting</b><br>Phase: ONE      | Interventional | The Oncology Insti...<br>Alliance for Multis...<br>+3 more |
| <input type="checkbox"/> | <b>A Phase I Clinical Study of QLC1101 in Patients With Advanced Solid Tumors</b>     | <b>Recruiting</b><br>Phase: ONE      | Interventional | Harbin Medical uni...<br>Yunnan Cancer Ho...<br>+3 more    |
| <input type="checkbox"/> | <b>A Study of APG-115 in Combination With Pembrolizumab in Patients...</b>            | <b>Recruiting</b><br>Phase: ONE, TWO | Interventional | Cleveland Clinic, C...<br>Thomas Jefferson ...<br>+3 more  |