



# Internet & World Wide Web

HOW TO PROGRAM

Fifth Edition

Paul Deitel • Harvey Deitel • Abbey Deitel


ALWAYS LEARNING

PEARSON

# Internet & World Wide Web

## HOW TO PROGRAM

**FIFTH EDITION**



# Deitel Series Page

---

## How To Program Series

C++ How to Program, 8/E  
C How to Program, 6/E  
Java™ How to Program, 9/E  
Java™ How to Program, Late Objects Version, 8/E  
Internet & World Wide Web How to Program, 5/E  
Visual C++® 2008 How to Program, 2/E  
Visual Basic® 2010 How to Program  
Visual C#® 2010 How to Program, 3/E  
Small Java™ How to Program, 6/E  
Small C++ How to Program, 5/E

---

## Simply Series

Simply C++: An App-Driven Tutorial Approach  
Simply Java™ Programming: An App-Driven Tutorial Approach  
Simply C#: An App-Driven Tutorial Approach  
Simply Visual Basic® 2008, 3/E: An App-Driven Tutorial Approach

---

## CourseSmart Web Books

[www.deitel.com/books/CourseSmart/](http://www.deitel.com/books/CourseSmart/)  
C++ How to Program, 5/E, 6/E, 7/E & 8/E  
Simply C++: An App-Driven Tutorial Approach  
Java™ How to Program, 6/E, 7/E, 8/E & 9/E  
Simply Visual Basic 2008: An App-Driven Tutorial Approach, 3/E

(continued next column)

---

To receive updates on Deitel publications, Resource Centers, training courses, partner offers and more, please register for the free *Deitel Buzz Online* e-mail newsletter at:

[www.deitel.com/newsletter/subscribe.html](http://www.deitel.com/newsletter/subscribe.html)

and join the Deitel communities on Twitter®

@deitel

and Facebook®

[facebook.com/DeitelFan/](http://facebook.com/DeitelFan/)

To communicate with the authors, send e-mail to:

[deitel@deitel.com](mailto:deitel@deitel.com)

For information on government and corporate *Dive-Into Series* on-site seminars offered by Deitel & Associates, Inc. worldwide, visit:

[www.deitel.com/training/](http://www.deitel.com/training/)

or write to

[deitel@deitel.com](mailto:deitel@deitel.com)

For continuing updates on Prentice Hall/Deitel publications visit:

[www.deitel.com](http://www.deitel.com)

[www.pearsoninternationaleditions.com/deitel/](http://www.pearsoninternationaleditions.com/deitel/)

Visit the Deitel Resource Centers that will help you master programming languages, software development, Android and iPhone/iPad app development, and Internet- and web-related topics:

[www.deitel.com/ResourceCenters.html](http://www.deitel.com/ResourceCenters.html)

(continued)

Visual Basic® 2010 How to Program  
Visual Basic® 2008 How to Program  
Visual C#® 2010 How to Program, 4/E  
Visual C#® 2008 How to Program, 3/E

---

## Deitel® Developer Series

AJAX, Rich Internet Applications and Web Development for Programmers  
Android for Programmers: An App-Driven Approach  
C++ for Programmers  
C# 2010 for Programmers, 3/E  
iPhone® for Programmers: An App-Driven Approach  
Java™ for Programmers, 2/e  
JavaScript for Programmers

---

## LiveLessons Video Learning Products

[www.deitel.com/books/LiveLessons/](http://www.deitel.com/books/LiveLessons/)  
Android App Development Fundamentals  
C++ Fundamentals  
Java™ Fundamentals  
C# Fundamentals  
iPhone® App Development Fundamentals  
JavaScript Fundamentals  
Visual Basic Fundamentals

# Internet & World Wide Web

## HOW TO PROGRAM

FIFTH EDITION

**Paul Deitel**

*Deitel & Associates, Inc.*

**Harvey Deitel**

*Deitel & Associates, Inc.*

**Abbey Deitel**

*Deitel & Associates, Inc.*

*International Edition contributions by*

**Soumen Mukherjee ♦ Arup Kumar Bhattacharjee**



**PEARSON**

Boston Columbus Indianapolis New York San Francisco Upper Saddle River  
Amsterdam Cape Town Dubai London Madrid Milan Munich Paris Montreal Toronto  
Delhi Mexico City Sao Paulo Sydney Hong Kong Seoul Singapore Taipei Tokyo

Editorial Director: *Marcia J. Horton*  
Editor-in-Chief: *Michael Hirsch*  
Associate Editor: *Carole Snyder*  
Vice President, Marketing: *Patrice Jones*  
Marketing Manager: *Yezan Alayan*  
Marketing Coordinator: *Kathryn Ferranti*  
Vice President, Production: *Vince O'Brien*  
Managing Editor: *Jeff Holcomb*  
Associate Managing Editor: *Robert Engelhardt*  
Publisher, International Edition: *Angshuman Chakraborty*  
Acquisitions Editor, International Edition: *Somnath Basu*  
Publishing Assistant, International Edition: *Shokhi Shah*  
Print and Media Editor, International Edition: *Ashwita Jayakumar*  
Project Editor, International Edition: *Jayashree Arunachalam*  
Operations Specialist: *Lisa McDowell*  
Art Director: *Anthony Gemmellaro*  
Media Editor: *Daniel Sandin*

---

Pearson Education Limited  
Edinburgh Gate  
Harlow  
Essex CM20 2JE  
England

and Associated Companies throughout the world

Visit us on the World Wide Web at:  
[www.pearsoninternationaleditions.com](http://www.pearsoninternationaleditions.com)

© Pearson Education Limited 2012

The rights of Paul Deitel, Harvey Deitel and Abbey Deitel to be identified as authors of this work have been asserted by them in accordance with the Copyright, Designs and Patents Act 1988.

*Authorized adaptation from the United States edition, entitled Internet & World Wide Web, How to Program, 5<sup>th</sup> edition, ISBN 978-0-13-215100-9 by Paul Deitel, Harvey Deitel and Abbey Deitel published by Pearson Education © 2012.*

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without either the prior written permission of the publisher or a licence permitting restricted copying in the United Kingdom issued by the Copyright Licensing Agency Ltd, Saffron House, 6–10 Kirby Street, London EC1N 8TS.

All trademarks used herein are the property of their respective owners. The use of any trademark in this text does not vest in the author or publisher any trademark ownership rights in such trademarks, nor does the use of such trademarks imply any affiliation with or endorsement of this book by such owners.

Microsoft® and Windows® are registered trademarks of the Microsoft Corporation in the U.S.A. and other countries. Screen shots and icons reprinted with permission from the Microsoft Corporation. This book is not sponsored or endorsed by or affiliated with the Microsoft Corporation.

ISBN 10: 0-273-76402-0  
ISBN 13: 978-0-273-76402-1

British Library Cataloguing-in-Publication Data  
A catalogue record for this book is available from the British Library

10 9 8 7 6 5 4 3 2 1  
14 13 12 11 10

Typeset in AGaramond-Regular by GEX Publishing Services  
Printed and bound by Courier, Westford in The United States of America

The publisher's policy is to use paper manufactured from sustainable forests.

*In memory of Paul Baran,  
designer of a survivable distributed communications  
network and packet switching, which are the basis  
for the protocols used on the Internet today.*

*Paul, Harvey and Abbey Deitel*

## Trademarks

Apache is a trademark of The Apache Software Foundation.

Apple, iPhone, iPad, iOS and Safari are registered trademarks of Apple, Inc.

CSS, DOM, XHTML and XML are trademarks of the World Wide Web Consortium.

Firefox is a registered trademark of the Mozilla Foundation.

Google is a trademark of Google, Inc.

JavaScript, Java and all Java-based marks are trademarks or registered trademarks of Oracle in the United States and other countries.

Microsoft, Internet Explorer, Silverlight and the Windows logo are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

Opera is a trademark of Opera Software.

# Contents

|                |           |
|----------------|-----------|
| <b>Preface</b> | <b>19</b> |
|----------------|-----------|

|                         |           |
|-------------------------|-----------|
| <b>Before You Begin</b> | <b>31</b> |
|-------------------------|-----------|

|   |           |
|---|-----------|
| <b>1 Introduction to Computers and the Internet</b> | <b>33</b> |
|---|-----------|

|  |    |
|--|----|
| 1.1 Introduction                                       | 34 |
| 1.2 The Internet in Industry and Research              | 35 |
| 1.3 HTML5, CSS3, JavaScript, Canvas and jQuery         | 38 |
| 1.4 Demos  | 41 |
| 1.5 Evolution of the Internet and World Wide Web       | 42 |
| 1.6 Web Basics   | 44 |
| 1.7 Multitier Application Architecture                 | 48 |
| 1.8 Client-Side Scripting versus Server-Side Scripting | 49 |
| 1.9 World Wide Web Consortium (W3C)                    | 50 |
| 1.10 Web 2.0: Going Social                             | 50 |
| 1.11 Data Hierarchy                                    | 55 |
| 1.12 Operating Systems                                 | 57 |
| 1.12.1 Desktop and Notebook Operating Systems          | 57 |
| 1.12.2 Mobile Operating Systems                        | 58 |
| 1.13 Types of Programming Languages                    | 59 |
| 1.14 Object Technology                                 | 61 |
| 1.15 Keeping Up-to-Date with Information Technologies  | 63 |

|  |           |
|--|-----------|
| <b>2 Introduction to HTML5: Part I</b> | <b>69</b> |
|--|-----------|

|   |    |
|---|----|
| 2.1 Introduction                            | 70 |
| 2.2 Editing HTML5                           | 70 |
| 2.3 First HTML5 Example                     | 70 |
| 2.4 W3C HTML5 Validation Service            | 73 |
| 2.5 Headings                                | 73 |
| 2.6 Linking                                 | 74 |
| 2.7 Images                                  | 77 |
| 2.7.1 alt Attribute                         | 79 |
| 2.7.2 Void Elements                         | 79 |
| 2.7.3 Using Images as Hyperlinks            | 79 |
| 2.8 Special Characters and Horizontal Rules | 81 |
| 2.9 Lists                                   | 83 |

## **8**    Contents

|      |                  |     |
|------|------------------|-----|
| 2.10 | Tables           | 86  |
| 2.11 | Forms            | 90  |
| 2.12 | Internal Linking | 97  |
| 2.13 | meta Elements    | 99  |
| 2.14 | Web Resources    | 101 |

## **3**    **Introduction to HTML5: Part 2**    **108**

|        |   |     |
|--------|---|-----|
| 3.1    | Introduction  | 109 |
| 3.2    | New HTML5 Form <code>input</code> Types   | 109 |
| 3.2.1  | <code>input</code> Type <code>color</code>  | 112 |
| 3.2.2  | <code>input</code> Type <code>date</code>   | 114 |
| 3.2.3  | <code>input</code> Type <code>datetime</code>   | 114 |
| 3.2.4  | <code>input</code> Type <code>datetime-local</code>   | 114 |
| 3.2.5  | <code>input</code> Type <code>email</code>  | 115 |
| 3.2.6  | <code>input</code> Type <code>month</code>  | 116 |
| 3.2.7  | <code>input</code> Type <code>number</code>   | 116 |
| 3.2.8  | <code>input</code> Type <code>range</code>  | 117 |
| 3.2.9  | <code>input</code> Type <code>search</code>   | 117 |
| 3.2.10 | <code>input</code> Type <code>tel</code>  | 118 |
| 3.2.11 | <code>input</code> Type <code>time</code>   | 118 |
| 3.2.12 | <code>input</code> Type <code>url</code>  | 119 |
| 3.2.13 | <code>input</code> Type <code>week</code>   | 119 |
| 3.3    | <code>input</code> and <code>datalist</code> Elements and <code>autocomplete</code> Attribute | 119 |
| 3.3.1  | <code>input</code> Element <code>autocomplete</code> Attribute                                | 119 |
| 3.3.2  | <code>datalist</code> Element   | 122 |
| 3.4    | Page-Structure Elements   | 122 |
| 3.4.1  | <code>header</code> Element   | 128 |
| 3.4.2  | <code>nav</code> Element  | 128 |
| 3.4.3  | <code>figure</code> Element and <code>figcaption</code> Element                               | 128 |
| 3.4.4  | <code>article</code> Element  | 128 |
| 3.4.5  | <code>summary</code> Element and <code>details</code> Element                                 | 128 |
| 3.4.6  | <code>section</code> Element  | 128 |
| 3.4.7  | <code>aside</code> Element  | 128 |
| 3.4.8  | <code>meter</code> Element  | 129 |
| 3.4.9  | <code>footer</code> Element   | 130 |
| 3.4.10 | Text-Level Semantics: <code>mark</code> Element and <code>wbr</code> Element                  | 130 |

## **4**    **Introduction to Cascading Style Sheets™ (CSS): Part I**

|     |                               |     |
|-----|-------------------------------|-----|
| 4.1 | Introduction                  | 138 |
| 4.2 | Inline Styles                 | 138 |
| 4.3 | Embedded Style Sheets         | 140 |
| 4.4 | Conflicting Styles            | 143 |
| 4.5 | Linking External Style Sheets | 146 |

**137**

|      |   |     |
|------|---|-----|
| 4.6  | Positioning Elements: Absolute Positioning, z-index | 148 |
| 4.7  | Positioning Elements: Relative Positioning, span    | 150 |
| 4.8  | Backgrounds   | 152 |
| 4.9  | Element Dimensions                                  | 154 |
| 4.10 | Box Model and Text Flow                             | 155 |
| 4.11 | Media Types and Media Queries                       | 159 |
| 4.12 | Drop-Down Menus                                     | 162 |
| 4.13 | (Optional) User Style Sheets                        | 164 |
| 4.14 | Web Resources                                       | 168 |

## **5 Introduction to Cascading Style Sheets™ (CSS): Part 2**

**174**

|        |   |     |
|--------|---|-----|
| 5.1    | Introduction  | 175 |
| 5.2    | Text Shadows  | 175 |
| 5.3    | Rounded Corners                                     | 176 |
| 5.4    | Color   | 177 |
| 5.5    | Box Shadows   | 178 |
| 5.6    | Linear Gradients; Introducing Vendor Prefixes       | 180 |
| 5.7    | Radial Gradients                                    | 183 |
| 5.8    | (Optional: WebKit Only) Text Stroke                 | 185 |
| 5.9    | Multiple Background Images                          | 185 |
| 5.10   | (Optional: WebKit Only) Reflections                 | 187 |
| 5.11   | Image Borders                                       | 188 |
| 5.12   | Animation; Selectors                                | 191 |
| 5.13   | Transitions and Transformations                     | 194 |
| 5.13.1 | transition and transform Properties                 | 194 |
| 5.13.2 | Skew  | 196 |
| 5.13.3 | Transitioning Between Images                        | 197 |
| 5.14   | Downloading Web Fonts and the @font-face Rule       | 198 |
| 5.15   | Flexible Box Layout Module and :nth-child Selectors | 200 |
| 5.16   | Multicolumn Layout                                  | 203 |
| 5.17   | Media Queries                                       | 205 |
| 5.18   | Web Resources                                       | 209 |

## **6 JavaScript: Introduction to Scripting**

**217**

|       |  |     |
|-------|--|-----|
| 6.1   | Introduction   | 218 |
| 6.2   | Your First Script: Displaying a Line of Text with JavaScript in a Web Page | 218 |
| 6.3   | Modifying Your First Script  | 221 |
| 6.4   | Obtaining User Input with prompt Dialogs                                   | 224 |
| 6.4.1 | Dynamic Welcome Page   | 224 |
| 6.4.2 | Adding Integers  | 228 |
| 6.5   | Memory Concepts  | 231 |
| 6.6   | Arithmetic   | 232 |
| 6.7   | Decision Making: Equality and Relational Operators                         | 234 |
| 6.8   | Web Resources  | 239 |

|          |  |            |
|----------|--|------------|
| <b>7</b> | <b>JavaScript: Control Statements I</b>  | <b>246</b> |
| 7.1      | Introduction   | 247        |
| 7.2      | Algorithms   | 247        |
| 7.3      | Pseudocode   | 247        |
| 7.4      | Control Statements   | 247        |
| 7.5      | <code>if</code> Selection Statement  | 250        |
| 7.6      | <code>if...else</code> Selection Statement   | 251        |
| 7.7      | <code>while</code> Repetition Statement  | 255        |
| 7.8      | Formulating Algorithms: Counter-Controlled Repetition  | 257        |
| 7.9      | Formulating Algorithms: Sentinel-Controlled Repetition   | 260        |
| 7.10     | Formulating Algorithms: Nested Control Statements  | 266        |
| 7.11     | Assignment Operators   | 270        |
| 7.12     | Increment and Decrement Operators  | 271        |
| 7.13     | Web Resources  | 274        |
| <b>8</b> | <b>JavaScript: Control Statements II</b>   | <b>283</b> |
| 8.1      | Introduction   | 284        |
| 8.2      | Essentials of Counter-Controlled Repetition  | 284        |
| 8.3      | <code>for</code> Repetition Statement  | 285        |
| 8.4      | Examples Using the <code>for</code> Statement  | 288        |
| 8.5      | <code>switch</code> Multiple-Selection Statement   | 293        |
| 8.6      | <code>do...while</code> Repetition Statement   | 296        |
| 8.7      | <code>break</code> and <code>continue</code> Statements  | 298        |
| 8.8      | Logical Operators  | 300        |
| 8.9      | Web Resources  | 303        |
| <b>9</b> | <b>JavaScript: Functions</b>   | <b>310</b> |
| 9.1      | Introduction   | 311        |
| 9.2      | Program Modules in JavaScript  | 311        |
| 9.3      | Function Definitions   | 312        |
| 9.3.1    | Programmer-Defined Function <code>square</code>  | 313        |
| 9.3.2    | Programmer-Defined Function <code>maximum</code>   | 315        |
| 9.4      | Notes on Programmer-Defined Functions  | 317        |
| 9.5      | Random Number Generation   | 318        |
| 9.5.1    | Scaling and Shifting Random Numbers  | 318        |
| 9.5.2    | Displaying Random Images   | 319        |
| 9.5.3    | Rolling Dice Repeatedly and Displaying Statistics  | 323        |
| 9.6      | Example: Game of Chance; Introducing the HTML5<br><code>audio</code> and <code>video</code> Elements | 328        |
| 9.7      | Scope Rules  | 338        |
| 9.8      | JavaScript Global Functions  | 340        |
| 9.9      | Recursion  | 341        |
| 9.10     | Recursion vs. Iteration  | 345        |

|   |            |
|---|------------|
| <b>10 JavaScript: Arrays</b>  | <b>356</b> |
| 10.1 Introduction   | 357        |
| 10.2 Arrays   | 357        |
| 10.3 Declaring and Allocating Arrays  | 359        |
| 10.4 Examples Using Arrays  | 359        |
| 10.4.1 Creating, Initializing and Growing Arrays  | 359        |
| 10.4.2 Initializing Arrays with Initializer Lists                                       | 363        |
| 10.4.3 Summing the Elements of an Array with <code>for</code> and <code>for...in</code> | 364        |
| 10.4.4 Using the Elements of an Array as Counters                                       | 366        |
| 10.5 Random Image Generator Using Arrays  | 369        |
| 10.6 References and Reference Parameters  | 371        |
| 10.7 Passing Arrays to Functions  | 372        |
| 10.8 Sorting Arrays with Array Method <code>sort</code>                                 | 375        |
| 10.9 Searching Arrays with Array Method <code>indexof</code>                            | 376        |
| 10.10 Multidimensional Arrays   | 379        |
| <b>11 JavaScript: Objects</b>   | <b>392</b> |
| 11.1 Introduction   | 393        |
| 11.2 Math Object  | 393        |
| 11.3 String Object  | 395        |
| 11.3.1 Fundamentals of Characters and Strings   | 395        |
| 11.3.2 Methods of the String Object   | 395        |
| 11.3.3 Character-Processing Methods   | 397        |
| 11.3.4 Searching Methods  | 398        |
| 11.3.5 Splitting Strings and Obtaining Substrings                                       | 401        |
| 11.4 Date Object  | 403        |
| 11.5 Boolean and Number Objects   | 408        |
| 11.6 <code>document</code> Object   | 409        |
| 11.7 Favorite Twitter Searches: HTML5 Web Storage                                       | 410        |
| 11.8 Using JSON to Represent Objects  | 417        |
| <b>12 Document Object Model (DOM): Objects and Collections</b>                          | <b>427</b> |
| 12.1 Introduction   | 428        |
| 12.2 Modeling a Document: DOM Nodes and Trees   | 428        |
| 12.3 Traversing and Modifying a DOM Tree  | 431        |
| 12.4 DOM Collections  | 441        |
| 12.5 Dynamic Styles   | 443        |
| 12.6 Using a Timer and Dynamic Styles to Create Animated Effects                        | 445        |
| <b>13 JavaScript Event Handling: A Deeper Look</b>                                      | <b>454</b> |
| 13.1 Introduction   | 455        |

## **12** Contents

|      |  |     |
|------|--|-----|
| 13.2 | Reviewing the <code>load</code> Event                                | 455 |
| 13.3 | Event <code>mousemove</code> and the <code>event</code> Object       | 457 |
| 13.4 | Rollovers with <code>mouseover</code> and <code>mouseout</code>      | 461 |
| 13.5 | Form Processing with <code>focus</code> and <code>blur</code>        | 465 |
| 13.6 | More Form Processing with <code>submit</code> and <code>reset</code> | 468 |
| 13.7 | Event Bubbling   | 470 |
| 13.8 | More Events  | 472 |
| 13.9 | Web Resource   | 472 |

## **14** HTML5: Introduction to canvas

|                 |   |     |
|-----------------|---|-----|
| <b>14.1</b>     | Introduction  | 477 |
| <b>14.2</b>     | canvas Coordinate System  | 477 |
| <b>14.3</b>     | Rectangles  | 478 |
| <b>14.4</b>     | Using Paths to Draw Lines   | 480 |
| <b>14.5</b>     | Drawing Arcs and Circles  | 482 |
| <b>14.6</b>     | Shadows   | 484 |
| <b>14.7</b>     | Quadratic Curves  | 486 |
| <b>14.8</b>     | Bezier Curves   | 488 |
| <b>14.9</b>     | Linear Gradients  | 489 |
| <b>14.10</b>    | Radial Gradients  | 491 |
| <b>14.11</b>    | Images  | 493 |
| <b>14.12</b>    | Image Manipulation: Processing the Individual Pixels of a <code>canvas</code>                             | 495 |
| <b>14.13</b>    | Patterns  | 499 |
| <b>14.14</b>    | Transformations   | 500 |
| <b>14.14.1</b>  | <code>scale</code> and <code>translate</code> Methods: Drawing Ellipses                                   | 500 |
| <b>14.14.2</b>  | <code>rotate</code> Method: Creating an Animation   | 502 |
| <b>14.14.3</b>  | <code>transform</code> Method: Drawing Skewed Rectangles  | 504 |
| <b>14.15</b>    | Text  | 506 |
| <b>14.16</b>    | Resizing the <code>canvas</code> to Fill the Browser Window   | 508 |
| <b>14.17</b>    | Alpha Transparency  | 509 |
| <b>14.18</b>    | Compositing   | 511 |
| <b>14.19</b>    | <b>Cannon Game</b>  | 514 |
| <b>14.19.1</b>  | HTML5 Document  | 516 |
| <b>14.19.2</b>  | Instance Variables and Constants  | 516 |
| <b>14.19.3</b>  | Function <code>setupGame</code>   | 518 |
| <b>14.19.4</b>  | Functions <code>startTimer</code> and <code>stopTimer</code>  | 519 |
| <b>14.19.5</b>  | Function <code>resetElements</code>   | 519 |
| <b>14.19.6</b>  | Function <code>newGame</code>   | 520 |
| <b>14.19.7</b>  | Function <code>updatePositions</code> : Manual Frame-by-Frame<br>Animation and Simple Collision Detection | 521 |
| <b>14.19.8</b>  | Function <code>fireCannonball</code>  | 524 |
| <b>14.19.9</b>  | Function <code>alignCannon</code>   | 525 |
| <b>14.19.10</b> | Function <code>draw</code>  | 526 |
| <b>14.19.11</b> | Function <code>showGameOverDialog</code>  | 528 |
| <b>14.20</b>    | <code>save</code> and <code>restore</code> Methods  | 528 |

|                          |     |
|--------------------------|-----|
| 14.21 A Note on SVG      | 530 |
| 14.22 A Note on canvas3D | 531 |

## **15 XML** **543**

|   |     |
|---|-----|
| 15.1 Introduction   | 544 |
| 15.2 XML Basics   | 544 |
| 15.3 Structuring Data                                       | 547 |
| 15.4 XML Namespaces   | 553 |
| 15.5 Document Type Definitions (DTDs)                       | 555 |
| 15.6 W3C XML Schema Documents                               | 558 |
| 15.7 XML Vocabularies                                       | 566 |
| 15.7.1 MathML™  | 566 |
| 15.7.2 Other Markup Languages                               | 569 |
| 15.8 Extensible Stylesheet Language and XSL Transformations | 570 |
| 15.9 Document Object Model (DOM)                            | 579 |
| 15.10 Web Resources   | 597 |

## **16 Ajax-Enabled Rich Internet Applications with XML and JSON** **603**

|  |     |
|--|-----|
| 16.1 Introduction  | 604 |
| 16.1.1 Traditional Web Applications vs. Ajax Applications            | 605 |
| 16.1.2 Traditional Web Applications                                  | 605 |
| 16.1.3 Ajax Web Applications   | 606 |
| 16.2 Rich Internet Applications (RIAs) with Ajax                     | 606 |
| 16.3 History of Ajax   | 609 |
| 16.4 “Raw” Ajax Example Using the XMLHttpRequest Object              | 609 |
| 16.4.1 Asynchronous Requests   | 610 |
| 16.4.2 Exception Handling  | 613 |
| 16.4.3 Callback Functions  | 614 |
| 16.4.4 XMLHttpRequest Object Event, Properties and Methods           | 614 |
| 16.5 Using XML and the DOM   | 615 |
| 16.6 Creating a Full-Scale Ajax-Enabled Application                  | 619 |
| 16.6.1 Using JSON  | 619 |
| 16.6.2 Rich Functionality  | 620 |
| 16.6.3 Interacting with a Web Service on the Server                  | 629 |
| 16.6.4 Parsing JSON Data   | 629 |
| 16.6.5 Creating HTML5 Elements and Setting Event Handlers on the Fly | 630 |
| 16.6.6 Implementing Type-Ahead                                       | 630 |
| 16.6.7 Implementing a Form with Asynchronous Validation              | 631 |

## **17 Web Servers (Apache and IIS)** **637**

|                        |     |
|------------------------|-----|
| 17.1 Introduction      | 638 |
| 17.2 HTTP Transactions | 638 |

## 14 Contents

|        |  |     |
|--------|--|-----|
| 17.3   | Multitier Application Architecture                 | 642 |
| 17.4   | Client-Side Scripting versus Server-Side Scripting | 643 |
| 17.5   | Accessing Web Servers                              | 643 |
| 17.6   | Apache, MySQL and PHP Installation                 | 643 |
| 17.6.1 | XAMPP Installation                                 | 644 |
| 17.6.2 | Running XAMPP                                      | 644 |
| 17.6.3 | Testing Your Setup                                 | 645 |
| 17.6.4 | Running the Examples Using Apache HTTP Server      | 645 |
| 17.7   | Microsoft IIS Express and WebMatrix                | 646 |
| 17.7.1 | Installing and Running IIS Express                 | 646 |
| 17.7.2 | Installing and Running WebMatrix                   | 646 |
| 17.7.3 | Running the Client-Side Examples Using IIS Express | 646 |
| 17.7.4 | Running the PHP Examples Using IIS Express         | 647 |

## 18 Database: SQL, MySQL, LINQ and Java DB

**649**

|        |  |     |
|--------|--|-----|
| 18.1   | Introduction   | 650 |
| 18.2   | Relational Databases                                       | 650 |
| 18.3   | Relational Database Overview: A books Database             | 652 |
| 18.4   | SQL  | 655 |
| 18.4.1 | Basic SELECT Query   | 656 |
| 18.4.2 | WHERE Clause   | 656 |
| 18.4.3 | ORDER BY Clause  | 658 |
| 18.4.4 | Merging Data from Multiple Tables: INNER JOIN              | 660 |
| 18.4.5 | INSERT Statement   | 661 |
| 18.4.6 | UPDATE Statement   | 663 |
| 18.4.7 | DELETE Statement   | 663 |
| 18.5   | MySQL  | 664 |
| 18.5.1 | Instructions for Setting Up a MySQL User Account           | 665 |
| 18.5.2 | Creating Databases in MySQL                                | 666 |
| 18.6   | (Optional) Microsoft Language Integrate Query (LINQ)       | 666 |
| 18.6.1 | Querying an Array of int Values Using LINQ                 | 667 |
| 18.6.2 | Querying an Array of Employee Objects Using LINQ           | 669 |
| 18.6.3 | Querying a Generic Collection Using LINQ                   | 674 |
| 18.7   | (Optional) LINQ to SQL                                     | 676 |
| 18.8   | (Optional) Querying a Database with LINQ                   | 677 |
| 18.8.1 | Creating LINQ to SQL Classes                               | 677 |
| 18.8.2 | Data Bindings Between Controls and the LINQ to SQL Classes | 680 |
| 18.9   | (Optional) Dynamically Binding LINQ to SQL Query Results   | 684 |
| 18.9.1 | Creating the <b>Display Query Results</b> GUI              | 684 |
| 18.9.2 | Coding the <b>Display Query Results</b> Application        | 686 |
| 18.10  | Java DB/Apache Derby                                       | 688 |

## 19 PHP

**696**

|      |                    |     |
|------|--------------------|-----|
| 19.1 | Introduction       | 697 |
| 19.2 | Simple PHP Program | 698 |

|        |  |     |
|--------|--|-----|
| 19.3   | Converting Between Data Types              | 699 |
| 19.4   | Arithmetic Operators                       | 702 |
| 19.5   | Initializing and Manipulating Arrays       | 706 |
| 19.6   | String Comparisons                         | 709 |
| 19.7   | String Processing with Regular Expressions | 710 |
| 19.7.1 | Searching for Expressions                  | 712 |
| 19.7.2 | Representing Patterns                      | 712 |
| 19.7.3 | Finding Matches                            | 713 |
| 19.7.4 | Character Classes                          | 713 |
| 19.7.5 | Finding Multiple Instances of a Pattern    | 714 |
| 19.8   | Form Processing and Business Logic         | 714 |
| 19.8.1 | Superglobal Arrays                         | 714 |
| 19.8.2 | Using PHP to Process HTML5 Forms           | 715 |
| 19.9   | Reading from a Database                    | 719 |
| 19.10  | Using Cookies                              | 723 |
| 19.11  | Dynamic Content                            | 726 |
| 19.12  | Web Resources                              | 734 |

## **20 Web App Development with ASP.NET in C#** **740**

|        |  |     |
|--------|--|-----|
| 20.1   | Introduction   | 741 |
| 20.2   | Web Basics   | 742 |
| 20.3   | Multitier Application Architecture   | 743 |
| 20.4   | Your First ASP.NET Application   | 745 |
| 20.4.1 | Building the <code>WebTime</code> Application  | 747 |
| 20.4.2 | Examining <code>WebTime.aspx</code> 's Code-Behind File                                | 756 |
| 20.5   | Standard Web Controls: Designing a Form  | 756 |
| 20.6   | Validation Controls  | 761 |
| 20.7   | Session Tracking   | 767 |
| 20.7.1 | Cookies  | 768 |
| 20.7.2 | Session Tracking with <code>HttpSessionState</code>                                    | 769 |
| 20.7.3 | <code>Options.aspx</code> : Selecting a Programming Language                           | 772 |
| 20.7.4 | <code>Recommendations.aspx</code> : Displaying Recommendations Based on Session Values | 775 |
| 20.8   | Case Study: Database-Driven ASP.NET Guestbook  | 777 |
| 20.8.1 | Building a Web Form that Displays Data from a Database                                 | 779 |
| 20.8.2 | Modifying the Code-Behind File for the Guestbook Application                           | 782 |
| 20.9   | Case Study Introduction: ASP.NET AJAX  | 784 |
| 20.10  | Case Study Introduction: Password-Protected Books Database Application                 | 784 |

## **21 Web App Development with ASP.NET in C#: A Deeper Look** **790**

|        |   |     |
|--------|---|-----|
| 21.1   | Introduction  | 791 |
| 21.2   | Case Study: Password-Protected Books Database Application | 791 |
| 21.2.1 | Examining the ASP.NET Web Site Template                   | 792 |
| 21.2.2 | Test-Driving the Completed Application                    | 794 |

## 16 Contents

|        |  |     |
|--------|--|-----|
| 21.2.3 | Configuring the Website  | 796 |
| 21.2.4 | Modifying the Default.aspx and About.aspx Pages                  | 799 |
| 21.2.5 | Creating a Content Page That Only Authenticated Users Can Access | 800 |
| 21.2.6 | Linking from the Default.aspx Page to the Books.aspx Page        | 801 |
| 21.2.7 | Modifying the Master Page ( <code>Site.master</code> )           | 802 |
| 21.2.8 | Customizing the Password-Protected Books.aspx Page               | 804 |
| 21.3   | ASP.NET Ajax   | 809 |
| 21.3.1 | Traditional Web Applications                                     | 809 |
| 21.3.2 | Ajax Web Applications  | 810 |
| 21.3.3 | Testing an ASP.NET Ajax Application                              | 811 |
| 21.3.4 | The ASP.NET Ajax Control Toolkit                                 | 812 |
| 21.3.5 | Using Controls from the Ajax Control Toolkit                     | 813 |

## 22 Web Services in C# 821

|         |  |     |
|---------|--|-----|
| 22.1    | Introduction   | 822 |
| 22.2    | WCF Services Basics  | 823 |
| 22.3    | Simple Object Access Protocol (SOAP)   | 823 |
| 22.4    | Representational State Transfer (REST)   | 824 |
| 22.5    | JavaScript Object Notation (JSON)  | 824 |
| 22.6    | Publishing and Consuming SOAP-Based WCF Web Services                                 | 825 |
| 22.6.1  | Creating a WCF Web Service   | 825 |
| 22.6.2  | Code for the <code>WelcomeSOAPXMLService</code>                                      | 825 |
| 22.6.3  | Building a SOAP WCF Web Service  | 826 |
| 22.6.4  | Deploying the <code>WelcomeSOAPXMLService</code>                                     | 828 |
| 22.6.5  | Creating a Client to Consume the <code>WelcomeSOAPXMLService</code>                  | 829 |
| 22.6.6  | Consuming the <code>WelcomeSOAPXMLService</code>                                     | 831 |
| 22.7    | Publishing and Consuming REST-Based XML Web Services                                 | 833 |
| 22.7.1  | HTTP <code>get</code> and <code>post</code> Requests                                 | 833 |
| 22.7.2  | Creating a REST-Based XML WCF Web Service  | 833 |
| 22.7.3  | Consuming a REST-Based XML WCF Web Service   | 836 |
| 22.8    | Publishing and Consuming REST-Based JSON Web Services                                | 837 |
| 22.8.1  | Creating a REST-Based JSON WCF Web Service   | 837 |
| 22.8.2  | Consuming a REST-Based JSON WCF Web Service  | 839 |
| 22.9    | Blackjack Web Service: Using Session Tracking in a SOAP-Based WCF Web Service        | 841 |
| 22.9.1  | Creating a Blackjack Web Service   | 841 |
| 22.9.2  | Consuming the Blackjack Web Service  | 846 |
| 22.10   | Airline Reservation Web Service: Database Access and Invoking a Service from ASP.NET | 855 |
| 22.11   | Equation Generator: Returning User-Defined Types                                     | 859 |
| 22.11.1 | Creating the REST-Based XML <code>EquationGenerator</code> Web Service               | 862 |
| 22.11.2 | Consuming the REST-Based XML <code>EquationGenerator</code> Web Service              | 863 |
| 22.11.3 | Creating the REST-Based JSON WCF <code>EquationGenerator</code> Web Service          | 867 |

|  |            |
|--|------------|
| 22.11.4 Consuming the REST-Based JSON WCF EquationGenerator<br>Web Service                       | 867        |
| 22.12 Web Resources  | 871        |
| <b>23 Web App Development with ASP.NET in<br/>Visual Basic</b>                                   | <b>879</b> |
| 23.1 Introduction  | 880        |
| 23.2 Web Basics  | 881        |
| 23.3 Multitier Application Architecture  | 882        |
| 23.4 Your First ASP.NET Application  | 884        |
| 23.4.1 Building the <code>WebTime</code> Application   | 886        |
| 23.4.2 Examining <code>WebTime.aspx</code> 's Code-Behind File                                   | 895        |
| 23.5 Standard Web Controls: Designing a Form   | 896        |
| 23.6 Validation Controls   | 901        |
| 23.7 Session Tracking  | 907        |
| 23.7.1 Cookies   | 908        |
| 23.7.2 Session Tracking with <code>HttpSessionState</code>                                       | 909        |
| 23.7.3 <code>Options.aspx</code> : Selecting a Programming Language                              | 911        |
| 23.7.4 <code>Recommendations.aspx</code> : Displaying Recommendations Based<br>on Session Values | 915        |
| 23.8 Case Study: Database-Driven ASP.NET Guestbook   | 917        |
| 23.8.1 Building a Web Form that Displays Data from a Database                                    | 919        |
| 23.8.2 Modifying the Code-Behind File for the Guestbook Application                              | 923        |
| 23.9 Online Case Study: ASP.NET AJAX   | 924        |
| 23.10 Online Case Study: Password-Protected Books Database Application                           | 924        |
| <b>A HTML Special Characters</b>   | <b>930</b> |
| <b>B HTML Colors</b>   | <b>931</b> |
| <b>C JavaScript Operator Precedence Chart</b>  | <b>934</b> |
| <b>D ASCII Character Set</b>   | <b>936</b> |
| <b>Index</b>   | <b>937</b> |

Chapters 24–29 and Appendices E–F are PDF documents posted online at the book's Companion Website (located at [www.pearsoninternationaleditions.com/deitel/](http://www.pearsoninternationaleditions.com/deitel/)).

## **24 Web App Development with ASP.NET in VB: A Deeper Look**

**25 Web Services in Visual Basic**

**26 JavaServer™ Faces Web Apps: Part 1**

**27 JavaServer™ Faces Web Apps: Part 2**

**28 Web Services in Java**

**29 HTML5 WebSockets and Web Workers**

**E Number Systems**

**F Unicode®**

# Preface

*Science and technology and the various forms of art,  
all unite humanity in a single and interconnected system.*

—Zhores Aleksandrovich Medvede

Welcome to Internet and web programming with *Internet & World Wide Web How to Program, Fifth Edition!* This book presents leading-edge computing technologies for students, instructors and software developers.

The world of computing—and Internet and web programming in particular—has changed dramatically since the last edition. This new edition focuses on HTML5 and the related technologies in its ecosystem, diving into the exciting new features of HTML5, CSS3, the latest edition of JavaScript (ECMAScript 5) and HTML5 canvas. We focus on popular key technologies that will help you build Internet- and web-based applications that interact with other applications and with databases. These form the basis of the kinds of enterprise-level, networked applications that are popular in industry today.

*Internet & World Wide Web How to Program, 5/e* is appropriate for both introductory and intermediate-level client-side and server-side programming courses. The book is also suitable for professionals who want to update their skills with the latest Internet and web programming technologies.

At the heart of the book is the Deitel signature “live-code approach”—concepts are presented in the context of complete working HTML5 documents, CSS3 stylesheets, JavaScript scripts, XML documents, programs and database files, rather than in code snippets. Each complete code example is accompanied by live sample executions. The source code is available at [www.deitel.com/books/iw3htp5/](http://www.deitel.com/books/iw3htp5/) and at the book’s Companion Website [www.pearsoninternational editions.com/deitel/](http://www.pearsoninternational editions.com/deitel/).

As you read the book, if you have questions, send an e-mail to [deitel@deitel.com](mailto:deitel@deitel.com); we’ll respond promptly. For updates on this book, visit [www.deitel.com/books/iw3htp5/](http://www.deitel.com/books/iw3htp5/), join our communities on Facebook ([www.facebook.com/deitelfan](http://www.facebook.com/deitelfan)) and Twitter (@deitel), and subscribe to the *Deitel® Buzz Online* newsletter ([www.deitel.com/newsletter/subscribe.html](http://www.deitel.com/newsletter/subscribe.html)).

## New and Updated Features

Here are the updates we’ve made for *Internet & World Wide Web How to Program, 5/e*:

- **New Chapter 1.** The new Chapter 1 engages students with intriguing facts and figures to get them excited about studying Internet and web applications development. The chapter includes a table of some of the research made possible by

computers and the Internet, current technology trends and hardware discussion, the data hierarchy, a new section on social networking, a table of popular web services, a table of business and technology publications and websites that will help you stay up to date with the latest technology news and trends, and updated exercises.

- **New HTML5 features.** Chapter 3 introduces the latest features of HTML5 including the new HTML5 form input types and page structure elements (Fig. 1). *The new HTML5 features are not universally implemented in all of the web browsers.* This is changing as the browser vendors release new versions. We discuss many additional HTML5 features throughout the book.

| New HTML5 features             |               |  |                        |
|--------------------------------|---------------|--|------------------------|
| <i>Form Input Types</i>        |               |  |                        |
| color                          | date          | datetime   | datetime-local         |
| email                          | month         | number   | range                  |
| search                         | tel           | time   | url                    |
| week                           | input element | datalist element                                     | autocomplete attribute |
| <i>Page Structure Elements</i> |               |  |                        |
| header                         | nav           | figure   | figcaption             |
| article                        | summary       | section  | aside                  |
| meter                          | footer        | text-level semantics (marking potential line breaks) |                        |

**Fig. 1** | New HTML5 form input types and page structure elements

- **New CSS3 features.** Chapter 5 introduces the latest features of CSS3 (Fig. 2). *The new CSS3 features are not universally implemented in all of the web browsers.* This is changing as the browser vendors release new versions.

| New CSS3 features            |                      |                     |
|------------------------------|----------------------|---------------------|
| text shadows                 | rounded corners      | color               |
| box shadows                  | linear gradients     | radial gradients    |
| multiple background images   | image borders        | animations          |
| transitions                  | transformations      | @font-face rule     |
| Flexible Box Layout Module   | :nth-child selectors | multicolumn layouts |
| media queries                |                      |                     |
| <i>Non-standard features</i> |                      |                     |
| text stroke                  | reflection           |                     |

**Fig. 2** | New CSS3 features.

- **Updated treatment of JavaScript.** We've strengthened the JavaScript coverage in Chapters 6–16. JavaScript has become the *de facto* standard client-side scripting language for web-based applications due to its highly portable nature. Our treatment, which is appropriate for novices, serves two purposes—it introduces client-side scripting (Chapters 6–16), which makes web pages more dynamic and interactive, and it provides the programming foundation for the server-side scripting in PHP presented in Chapter 19. JavaScript looks similar to basic core language features in C, C++, C# and Java. Once you learn JavaScript, you've got a foothold on learning these other popular programming languages.
- **New HTML5 canvas.** Chapter 14 replaces the Flash and Silverlight chapters from the previous edition with the new HTML5 canvas element for 2D graphics (Fig. 3). canvas is built into the browser, eliminating the need for plug-ins like Flash and Silverlight, and helping you improve performance and convenience, and reduce costs. At the end of the chapter, you'll use canvas to build a fun, animated Cannon Game with audio effects, which we built in Flash in previous editions of this book.

| HTML5 canvas features |                  |                    |
|-----------------------|------------------|--------------------|
| rectangles            | lines            | arcs and circles   |
| shadows               | quadratic curves | Bezier curves      |
| linear gradients      | radial gradients | image manipulation |
| images                | patterns         | transformations    |
| alpha transparency    | compositing      |                    |

**Fig. 3** | HTML5 canvas features.

- **New and updated multimedia exercises.** Chapter 14 includes several new and updated multimedia exercises (Fig. 4).

| New and updated multimedia exercises     |   |                           |
|--|---|---------------------------|
| Cannon Game Enhancements                 | Random Interimage Transition                    | Digital Clock             |
| Animation                                | Scrolling Image Marquee                         | Background Audio          |
| Scrolling Marquee Sign                   | Automatic Jigsaw Puzzle                         | Analog Clock              |
| Dynamic Audio and Graphical Kaleidoscope | Generator                                       | Maze Generator and Walker |
| One-Armed Bandit                         | Horse Race                                      | Shuffleboard              |
| Game of Pool                             | Fireworks Designer                              | Floor Planner             |
| Crossword Puzzle                         | 15 Puzzle                                       | Reaction Time Tester      |
| Rotating Images                          | Coloring Black-and-White Photographs and Images | Vacuuming Robot           |
|  |   | Eyesight Tester           |

**Fig. 4** | New and updated multimedia exercises.

- **Tested on seven browsers.** For the last edition of this book, we tested all the code on two desktop browsers—Internet Explorer and Firefox. For this new edition, we tested all of the code in the most current versions of *seven* popular browsers—five for the **desktop** (Chrome, Internet Explorer, Firefox, Opera and Safari) and two for **mobile** devices (iPhone/iPad and Android). *HTML5 and CSS3 are evolving and the final standards have not been approved yet.* The browser vendors are selectively implementing features that are likely to be standardized. Some vendors have higher levels of feature compliance than others. With each new version of the browsers, the trend has been to significantly increase the amount of functionality that's been implemented. The HTML5 test site ([html5test.com](http://html5test.com)) measures how well each browser supports the pending standards and specifications. You can view test scores and see which features are supported by each browser. You can also check sites such as <http://caniuse.com/> for a list of features covered by each browser. *Not every document in this book will render properly in each browser.* Instead of choosing only capabilities that exist universally, we demonstrate exciting new features in whatever browser handles the new functionality best. As you read this book, run each example in multiple web browsers so you can view and interact with it as it was originally intended. And remember, things are changing quickly, so a browser that did not support a feature when we wrote the book could support it when you read the book.
- **Validated HTML5, CSS3 and JavaScript code.** All of the HTML5, CSS3 and JavaScript code in the book was validated using [validator.w3.org/](http://validator.w3.org/) for HTML5, [jigsaw.w3.org/css-validator](http://jigsaw.w3.org/css-validator) for CSS3 and [javascriptlint.com](http://javascriptlint.com) for JavaScript. *Not every script fully validates but most do.* Although all of the code works properly, you may receive warnings (or possibly errors) when validating code with some of the new features.
- **Smartphone and tablet apps.** You're probably familiar with the explosion of apps available for the iPhone/iPad and Android platforms. There's almost a million apps between the two. Previously, writing apps for these platforms required detailed knowledge of each, and in the case of iPhone/iPad, was strictly controlled by Apple; Android is more open. With the techniques you'll learn in this book, you'll be able to write apps that are portable between a great variety of desktop and mobile platforms, including iPhone/iPad and Android. You'll even be able to sell those apps on your own terms (or through certain app stores as well). This is an exciting possibility! It's one of the true virtues of developing with HTML5, CSS3 and JavaScript in general, and HTML5 canvas in particular. Running an HTML5 app on your smartphone or tablet is as simple as opening it in your compliant web browser. *You may still encounter some portability issues.*
- **New HTML5 web storage capabilities.** In Chapter 11, we use HTML5's new web storage capabilities to create a web application that stores a user's favorite Twitter searches on the computer for easy access at a later time. Web storage replaces the controversial cookie technology, offering lots more storage space. Chapter 11 also briefly introduces JSON, a means for creating JavaScript objects—typically for transferring data over the Internet between client-side and server-side programs.

- ***Enhanced Craps game featuring HTML5 audio and video elements.*** The Craps game in Chapter 9 now includes an HTML5 audio element that plays a dice-rolling sound each time the user rolls the dice. Also, we link to a page with an embedded HTML5 video element that plays a video explaining the rules of the game.
- ***jQuery Ajax case study.*** The previous edition of this book included a calendar application that used the Dojo libraries—which were popular at the time—to create the user interface, communicate with the server asynchronously, handle events and manipulate the DOM. Since then, jQuery has become the most popular JavaScript library. For this edition, we've updated the calendar application (Chapter 16) using jQuery and placed it online as a jQuery Ajax case study.
- ***New HTML5 WebSockets and Web Workers capabilities.*** We've added an online treatment of two new technologies—WebSockets, which provides a simple model for networking, and Web Workers which provides multithreading on a web page.
- ***Ajax-enabled web applications.*** We've updated the chapter on building Ajax-enabled web applications, with applications that demonstrate *partial-page updates* and type-ahead capabilities—each of these are key capabilities of Rich Internet Applications.
- ***HTML DOM and XML DOM.*** We've enhanced the treatments of HTML DOM manipulation, JavaScript events and XML DOM manipulation with JavaScript.
- ***LINQ.*** Since the last edition of the book, Microsoft introduced LINQ (Language-Integrated Query) to replace SQL for database access. Chapter 18 provides an introduction to LINQ basics and an introduction to LINQ to SQL (the technology that replaces SQL).
- ***Updated PHP coverage.*** Chapter 19 has been updated to the latest version of PHP. If you start this book as a novice and study the JavaScript in Chapters 6–13, you'll have the programming experience needed to understand server-side programming in PHP. [Our treatment of server-side programming in ASP.NET requires knowledge of C# or Visual Basic, and in JSF requires knowledge of Java.]
- ***ASP.NET, ASP.NET Ajax and web services.*** This updated three-chapter sequence is now provided for each of Microsoft's two key applications development languages—C# and Visual Basic. The C# chapters and the first VB chapter are in the print book and the remaining Visual Basic chapters are available online at the book's Companion Website (see the inside front cover).
- ***JavaServer Faces (JSF), JSF Ajax and web services.*** This updated three-chapter sequence, available online, emphasizes building Ajax-enabled JSF applications.
- ***Web services.*** We now provide chapters on building both SOAP-based web services and REST-based web services with ASP.NET in Visual Basic, ASP.NET in C# and JSF in Java.
- ***Client/Server applications.*** Several client-side case studies now enable students to interact with preimplemented web services that we host at [test.deitel.com](http://test.deitel.com).

- **New and updated case studies.** The book includes rich case studies using various technologies—Deitel Cover Viewer (JavaScript/DOM), Address Book (Ajax), Cannon Game (HTML5 Canvas), Mailing List (PHP/MySQL), Guest Book and Password-Protected Books Database (ASP.NET), Address Book (JavaServer Faces) and Blackjack (JAX-WS web services).

### *New Pedagogic Features*

- **Making a Difference exercises in Chapter 1.** We encourage you to use computers and the Internet to research and solve significant social problems. These exercises are meant to increase awareness and discussion of important issues the world is facing. We hope you'll approach them with your own values, politics and beliefs. Check out the many Making a Difference resources we provide, including our new Making a Difference Resource Center at [www.deitel.com/MakingADifference](http://www.deitel.com/MakingADifference) for additional ideas you may want to investigate further.
- **Page numbers for key terms in chapter summaries.** For key terms that appear in the Chapters 1–19 summaries, we include the page number of the key term's defining occurrence in the text.

### **Dependency Chart**

The chart in Fig. 5 shows the book's modular organization and the dependencies among the chapters to help instructors plan their syllabi. *Internet & World Wide Web How to Program, 5/e*, is appropriate for a variety of introductory and intermediate -level programming courses, most notably client-side programming and server-side programming. Chapters 1–23 are in the printed book; Chapters 24–29 and some appendices are online.


We recommend that you study all of a given chapter's dependencies before studying that chapter, though other orders are certainly possible. Some of the dependencies apply only to sections of chapters, so we advise instructors to browse the material before designing a course of study. This book is intended for courses that teach pure client-side web programming, courses that teach pure server-side web programming, and courses that mix and match some of each. Readers interested in studying server-side technologies should understand how to build web pages using HTML5 and CSS3, and object-based programming in JavaScript. Chapters 15 and 16 can be taught as part of a client-side unit, at the beginning of a server-side unit or split between the two.

### **HTML5 Accessibility Online Appendix**

According to the W3C Web Accessibility Initiative, your web pages and applications should be accessible so that “people with disabilities can perceive, understand, navigate, and interact with the web, and that they can contribute to the web.”<sup>1</sup> In an online appendix, we enumerate accessibility issues you should consider when designing web pages and web-based applications. We also provide resources that show you how to use HTML5, CSS3, JavaScript and various design techniques to create accessible web pages and applications. As appropriate, we tie the information in this appendix back to the appropriate chapters and sections so that you can see how the applications may be enhanced to improve web accessibility.

---

1. <http://www.w3.org/WAI/intro/accessibility.php>.



1. Chapter 19 assumes only that you're familiar with the programming fundamentals presented in Chapters 6–13.
2. The C# chapters require knowledge of C# and the Microsoft .NET class libraries.
3. The Visual Basic chapters require knowledge of Visual Basic and the Microsoft .NET class libraries.
4. The Java chapters require knowledge of Java and the Java class libraries.

**Fig. 5** | *Internet & World Wide Web How to Program, 5/e* chapter dependency chart.

## HTML5 Geolocation Online Appendix

The HTML5 Geolocation API allows you to build web applications that gather location information (i.e., latitude and longitude coordinates) using technologies like GPS, IP addresses, WiFi connections or cellular tower connections. It's supported by the seven desktop and mobile browsers we used to test the code throughout the book.

The Geolocation API specification lists several use cases,<sup>2</sup> including:

- finding points of interest in the user's area
- annotating content with location information
- showing the user's position on a map
- providing route navigation
- alerting the user when points of interest are nearby
- providing up-to-date local information
- tagging locations in status updates on social networking sites

For example, you could create a location-based mobile web app that uses GPS location information from a smartphone to track a runner's route on a map, calculate the distance traveled and the average speed. Similarly, you could create an app that returns a list of nearby businesses. In this online appendix, we build a mobile location-based app.

## Teaching Approach

*Internet & World Wide Web How to Program, 5/e*, contains hundreds of complete working examples across a wide variety of markup, styling, scripting and programming languages. We stress clarity and concentrate on building well-engineered software.

**Syntax Shading.** For readability, we syntax shade the code, similar to the way most integrated-development environments and code editors syntax color the code. Our syntax-shading conventions are:

```
comments appear like this
keywords appear like this
constants and literal values appear like this
all other code appears in black
```

**Code Highlighting.** We place gray rectangles around key code segments.

**Using Fonts for Emphasis.** We place the key terms and the index's page reference for each defining occurrence in **bold** text for easy reference. We emphasize on-screen components in the **bold Helvetica** font (for example, the **File** menu) and program text in the **Lucida** font (for example, **int count = 5**).

**Web Access.** All of the source-code examples can be downloaded from:

```
www.deitel.com/books/iw3htp5
www.pearsoninternationaleditions.com/deitel
```

**Objectives.** The opening quotes are followed by a list of chapter objectives.

---

2. [http://www.w3.org/TR/geolocation-API/#usecases\\_section](http://www.w3.org/TR/geolocation-API/#usecases_section).

**Illustrations/Figures.** Abundant tables, line drawings, documents, scripts, programs and program outputs are included.

**Programming Tips.** We include programming tips to help you focus on important aspects of software development. These tips and practices represent the best we've gleaned from a combined seven decades of programming and teaching experience.



### Good Programming Practices

*The Good Programming Practices call attention to techniques that will help you produce programs that are clearer, more understandable and more maintainable.*



### Common Programming Errors

*Pointing out these Common Programming Errors reduces the likelihood that you'll make them.*



### Error-Prevention Tips

*These tips contain suggestions for exposing and removing bugs from your programs; many of the tips describe aspects of programming that prevent bugs from getting into programs.*



### Performance Tips

*These tips highlight opportunities for making your scripts and programs run faster or minimizing the amount of memory that they occupy.*



### Portability Tips

*The Portability Tips help you write code that will run on a variety of platforms.*



### Software Engineering Observations

*The Software Engineering Observations highlight architectural and design issues that affect the construction of software systems, especially large-scale systems.*

**Summary Bullets.** We present a section-by-section bullet-list summary of the chapter for rapid review of key points. For ease of reference, we include the page number of each key term's defining occurrence in the text.

**Self-Review Exercises and Answers.** Extensive self-review exercises and answers are included for self study.

**Exercises.** The chapter exercises include:

- simple recall of important terminology and concepts
- What's wrong with this code?
- writing individual statements
- writing complete functions and scripts
- major projects

**Index.** We've included an extensive index. Defining occurrences of key terms are highlighted with a **bold** page number.

## Instructor Resources

The following supplements are available to *qualified instructors only* through Pearson Education's Instructor Resource Center ([www.pearsoninternationaleditions.com/deitel](http://www.pearsoninternationaleditions.com/deitel)):

- *PowerPoint® slides* containing all the code and figures in the text, plus bulleted items that summarize key points.
- *Solutions Manual* with solutions to many of the end-of-chapter exercises. Please check the Instructor Resource Center to determine which exercises have solutions.

Please do not write to us requesting access to the Pearson Instructor's Resource Center. Access is restricted to college instructors teaching from the book. Instructors may obtain access only through their Pearson representatives. If you're not a registered faculty member, contact your Pearson representative.

Solutions are *not provided* for “project” exercises. Check out our Programming Projects Resource Center for lots of additional exercise and project possibilities ([www.deitel.com/ProgrammingProjects/](http://www.deitel.com/ProgrammingProjects/)).

## Acknowledgments

We'd like to thank Barbara Deitel for long hours devoted to this project. We're fortunate to have worked with the dedicated team of publishing professionals at Pearson. We appreciate the guidance, savvy and energy of Michael Hirsch, Editor-in-Chief of Computer Science. Carole Snyder recruited the book's reviewers and managed the review process. Bob Engelhardt managed the book's production.

### Reviewers

We wish to acknowledge the efforts of our fourth and fifth edition reviewers. They scrutinized the text and the programs and provided countless suggestions for improving the presentation: Timothy Boronczyk (Consultant), Roland Bouman (MySQL AB), Chris Bowen (Microsoft), Peter Brandano (KoolConnect Technologies, Inc.), Matt Chotin (Adobe), Chris Cornutt (PHPDeveloper.org), Phil Costa (Adobe), Umachitra Damodaran (Sun Microsystems), Vadiraj Deshpande (Sun Microsystems), Justin Erenkrantz (The Apache Software Foundation), Christopher Finke (Netscape), Jesse James Garrett (Adaptive Path), Mike Harsh (Microsoft), Chris Heilmann (Mozilla), Kevin Henrikson (Zimbra.com), Tim Heuer (Microsoft), Molly E. Holtzschlag (W3C), Ralph Hooper (University of Alabama, Tuscaloosa), Chris Horton (University of Alabama), John Hrvatin (Microsoft), Johnvey Hwang (Splunk, Inc.), Joe Kromer (New Perspective and the Pittsburgh Adobe Flash Users Group), Jennifer Kyrnin (Web Design Guide at About.com), Eric Lawrence (Microsoft), Pete LePage (Microsoft), Dr. Roy Levow (Florida Atlantic University), Billy B. L. Lim (Illinois State University), Shobana Mahadevan (Sun Microsystems), Patrick Mineault (Freelance Flash Programmer), Anand Narayanaswamy (Microsoft), John Peterson (Insync and V.I.O., Inc.), Jennifer Powers (University of Albany), Ignacio Ricci (Ignacioricci.com), Jake Rutter (onerutter.com), Robin Schumacher (MySQL AB), José Antonio González Seco (Parlamento de Andalucía), Dr. George Semczko (Royal & SunAlliance Insurance Canada), Steven Shaffer (Penn State University), Michael Smith (W3C), Karen Tegtmeyer (Model Technologies, Inc.), Paul Vencill (MITRE), Raymond Wen (Microsoft), Eric M. Wendelin (Auto-trol Technology)

Corporation), Raymond F. Wisman (Indiana University), Keith Wood (Hyro, Ltd.) and Daniel Zappala (Brigham Young University).

As you read the book, we'd appreciate your comments, criticisms, corrections and suggestions for improvement. Please address all correspondence to:

**deitel@deitel.com**

We'll respond promptly. We hope you enjoy working with *Internet & World Wide Web How to Program, 5/e.*

*Paul, Harvey and Abbey Deitel*

## About the Authors

**Paul J. Deitel**, CEO and Chief Technical Officer of Deitel & Associates, Inc., is a graduate of MIT, where he studied Information Technology. Through Deitel & Associates, Inc., he has delivered hundreds of Java, C++, C, C#, Visual Basic and Internet programming courses to industry clients, including Cisco, IBM, Siemens, Sun Microsystems, Dell, Lucent Technologies, Fidelity, NASA at the Kennedy Space Center, the National Severe Storm Laboratory, White Sands Missile Range, Rogue Wave Software, Boeing, SunGard Higher Education, Stratus, Cambridge Technology Partners, One Wave, Hyperion Software, Adra Systems, Entergy, CableData Systems, Nortel Networks, Puma, iRobot, Invensys and many more. He and his co-author, Dr. Harvey M. Deitel, are the world's best-selling programming-language textbook authors.

**Dr. Harvey M. Deitel**, Chairman and Chief Strategy Officer of Deitel & Associates, Inc., has 50 years of experience in the computer field. Dr. Deitel earned B.S. and M.S. degrees from MIT and a Ph.D. from Boston University. He has extensive college teaching experience, including earning tenure and serving as the Chairman of the Computer Science Department at Boston College before founding Deitel & Associates, Inc., with his son, Paul J. Deitel. He and Paul are the co-authors of dozens of books and LiveLessons video packages and they are writing many more. The Deitels' texts have earned international recognition, with translations published in Japanese, German, Russian, Chinese, Spanish, Korean, French, Polish, Italian, Portuguese, Greek, Urdu and Turkish. Dr. Deitel has delivered hundreds of professional programming seminars to major corporations, academic institutions, government organizations and the military.

**Abbey Deitel**, President of Deitel & Associates, Inc., is a graduate of Carnegie Mellon University's Tepper School of Management where she received a B.S. in Industrial Management. Abbey has been managing the business operations of Deitel & Associates, Inc. for 14 years. She has contributed to numerous Deitel & Associates publications and is the co-author of *iPhone for Programmers: An App-Driven Approach* and *Android for Programmers: An App-Driven Approach*.

## Corporate Training from Deitel & Associates, Inc.

Deitel & Associates, Inc., is an internationally recognized corporate training and authoring organization. The company provides instructor-led courses delivered at client sites worldwide on major programming languages and platforms, such as Java<sup>TM</sup>, C++, Visual C++<sup>®</sup>, C, Visual C#<sup>®</sup>, Visual Basic<sup>®</sup>, XML<sup>®</sup>, Python<sup>®</sup>, object technology, Internet and web programming,

Android™ and iPhone® app development, and a growing list of additional programming and software-development courses. The founders of Deitel & Associates, Inc., are Paul J. Deitel and Dr. Harvey M. Deitel. The company's clients include many of the world's largest companies, government agencies, branches of the military, and academic institutions. Through its 36-year publishing partnership with Prentice Hall/Pearson, Deitel & Associates publishes leading-edge programming textbooks, professional books and *LiveLessons* video courses. Deitel & Associates, Inc., and the authors can be reached via e-mail at:

[deitel@deitel.com](mailto:deitel@deitel.com)

To learn more about the company, its publications and its *Dive Into® Series* Corporate Training curriculum delivered at client locations worldwide, visit:

[www.deitel.com/training/](http://www.deitel.com/training/)

subscribe to the *Deitel® Buzz Online* e-mail newsletter at:

[www.deitel.com/newsletter/subscribe.html](http://www.deitel.com/newsletter/subscribe.html)

and join the authors' communities on Facebook ([www.facebook.com/DeitelFan](http://www.facebook.com/DeitelFan)) and Twitter (@deitel).

Individuals wishing to purchase Deitel books, and *LiveLessons* video training courses can do so through [www.deitel.com](http://www.deitel.com). Bulk orders by corporations, the government, the military and academic institutions should be placed directly with Pearson. For more information, visit

[www.pearsoninternationaleditions.com/deitel](http://www.pearsoninternationaleditions.com/deitel)

# Before You Begin

Please follow these instructions to download the book's examples and ensure you have a current web browser before you begin using this book.

## Obtaining the Source Code

The examples for *Internet & World Wide Web How To Program, 5/e* are available for download at

[www.deitel.com/books/iw3htp5/](http://www.deitel.com/books/iw3htp5/)

If you're not already registered at our website, go to [www.deitel.com](http://www.deitel.com) and click the **Register** link below our logo in the upper-left corner of the page. Fill in your information. There's no charge to register, and we do not share your information with anyone. We send you only account-management e-mails unless you register separately for our free *Deitel® Buzz Online* e-mail newsletter at [www.deitel.com/newsletter/subscribe.html](http://www.deitel.com/newsletter/subscribe.html). After registering for the site, you'll receive a confirmation e-mail with your verification code. *Click the link in the confirmation e-mail to complete your registration.* Configure your e-mail client to allow e-mails from [deitel.com](http://www.deitel.com) to ensure that the confirmation email is not filtered as junk mail.

Next, go to [www.deitel.com](http://www.deitel.com) and sign in using the **Login** link below our logo in the upper-left corner of the page. Go to [www.deitel.com/books/iw3htp5/](http://www.deitel.com/books/iw3htp5/). You'll find the link to download the examples under the heading **Download Code Examples and Other Premium Content for Registered Users**. Write down the location where you choose to save the ZIP file on your computer. Extract the example files to your hard disk using a ZIP file extractor program. If you are working in a computer lab, ask your instructor where you can save the example code.

## Web Browsers Used in This Book

We tested all of the code in the most current versions of *seven* popular browsers—five for the desktop (**Chrome**, **Internet Explorer**, **Firefox**, **Opera** and **Safari**) and two for mobile devices (**iPhone** and **Android**). HTML5 and CSS3 are evolving and the final standards have not been approved yet. The browser vendors are selectively implementing features that are likely to become a part of the standards. Some vendors have higher levels of feature compliance than others. With each new version of the browsers, the trend has been to significantly increase the amount of functionality that's been implemented. The **HTML5** test site ([html5test.com](http://html5test.com)) measures how well each browser supports the pending standards and specifications. You can view test scores and see which features are supported by each browser. You can also check sites such as <http://caniuse.com> for a list of features covered by each browser. Not every document in this book will render properly in each browser. Instead of choosing only capabilities that exist universally, we demonstrate exciting new

features in whatever browser handles the new functionality best. As you read this book, run each example in multiple web browsers so you can view and interact with it as it was originally intended. And remember, things are changing quickly, so a browser that did not support a feature when we wrote the book could support it when you read the book.

## Web Browser Download Links

You can download the desktop browsers from the following locations:

- Google Chrome: <http://www.google.com/chrome>
- Mozilla Firefox: <http://www.mozilla.org/firefox/new/>
- Microsoft Internet Explorer (Windows only): <http://www.microsoft.com/ie>
- Apple Safari: <http://www.apple.com/safari/>
- Opera: <http://www.opera.com/>

We recommend that you install all the browsers that are available for your platform.

## Software for the C# and Visual Basic ASP.NET Chapters

The C# (Chapters 20–22) and Visual Basic (Chapters 23–25) ASP.NET and web services chapters require Visual Web Developer 2010 Express and SQL Server 2008 Express. These tools are downloadable from [www.microsoft.com/express](http://www.microsoft.com/express). You should follow the default installation instructions for each.

## Software for the JavaServer Faces and Java Web Services Chapters

The software required for the JavaServer Faces and Java Web Services chapters (Chapters 26–28) is discussed at the beginning of Chapter 26.

You're now ready to begin your web programming studies with *Internet & World Wide Web How to Program, 5/e*. We hope you enjoy the book! If you have any questions, please feel free to email us at [deitel@deitel.com](mailto:deitel@deitel.com). We'll respond promptly.

# Introduction to Computers and the Internet



*People are using the web to build things they have not built or written or drawn or communicated anywhere else.*

—Tim Berners-Lee

*How wonderful it is that nobody need wait a single moment before starting to improve the world.*

—Anne Frank

*Man is still the most extraordinary computer of all.*

—John F. Kennedy

## Objectives

In this chapter you'll learn:

- Computer hardware, software and Internet basics.
- The evolution of the Internet and the World Wide Web.
- How HTML5, CSS3 and JavaScript are improving web-application development.
- The data hierarchy.
- The different types of programming languages.
- Object-technology concepts.
- And you'll see demos of interesting and fun Internet applications you can build with the technologies you'll learn in this book.



- 1.1 Introduction
- 1.2 The Internet in Industry and Research
- 1.3 HTML5, CSS3, JavaScript, Canvas and jQuery
- 1.4 Demos
- 1.5 Evolution of the Internet and World Wide Web
- 1.6 Web Basics
- 1.7 Multitier Application Architecture
- 1.8 Client-Side Scripting versus Server-Side Scripting
- 1.9 World Wide Web Consortium (W3C)
- 1.10 Web 2.0: Going Social
- 1.11 Data Hierarchy
- 1.12 Operating Systems
  - 1.12.1 Desktop and Notebook Operating Systems
  - 1.12.2 Mobile Operating Systems
- 1.13 Types of Programming Languages
- 1.14 Object Technology
- 1.15 Keeping Up-to-Date with Information Technologies

*Self-Review Exercises | Answers to Self-Review Exercises | Exercises*

## 1.1 Introduction

Welcome to the exciting and rapidly evolving world of Internet and web programming! There are more than two billion Internet users worldwide—that’s approximately 30% of the Earth’s population.<sup>1</sup> In use today are more than a billion general-purpose computers, and billions more *embedded* computers are used in cell phones, smartphones, tablet computers, home appliances, automobiles and more—and many of these devices are connected to the Internet. According to a study by Cisco Internet Business Solutions Group, there were 12.5 billion Internet-enabled devices in 2010, and the number is predicted to reach 25 billion by 2015 and 50 billion by 2020.<sup>2</sup> The Internet and web programming technologies you’ll learn in this book are designed to be *portable*, allowing you to design web pages and applications that run across an enormous range of Internet-enabled devices.

You’ll begin by learning the *client-side programming* technologies used to build web pages and applications that are run on the *client* (i.e., in the browser on the user’s device). You’ll use HyperText Markup Language 5 (HTML5) and Cascading Style Sheets 3 (CSS3)—the recent releases of HTML and CSS technologies—to add powerful, dynamic and fun features and effects to web pages and web applications, such as audio, video, animation, drawing, image manipulation, designing pages for multiple screen sizes, access to web storage and more.

You’ll learn *JavaScript*—the language of choice for implementing the client side of Internet-based applications (we discuss JavaScript in more detail in Section 1.3). Chapters 6–13 present rich coverage of JavaScript and its capabilities. You’ll also learn about *jQuery*—the JavaScript library that’s dramatically reshaping the world of web development. Throughout the book there’s also an emphasis on *Ajax* development, which helps you create better-performing, more usable applications.

Later in the book, you’ll learn *server-side programming*—the applications that respond to requests from client-side web browsers, such as searching the Internet, checking your

1. [www.internetworldstats.com/stats.htm](http://www.internetworldstats.com/stats.htm).

2. [www.cisco.com/web/about/ac79/docs/innov/IoT\\_IBSG\\_0411FINAL.pdf](http://www.cisco.com/web/about/ac79/docs/innov/IoT_IBSG_0411FINAL.pdf).

bank-account balance, ordering a book from Amazon, bidding on an eBay auction and ordering concert tickets. We present condensed treatments of four popular Internet/web programming languages for building the server side of Internet- and web-based client/server applications. Chapters 19–22 and 23–28 present three popular server-side technologies, including PHP, ASP.NET (in both C# and Visual Basic) and JavaServer Faces.

Be sure to read both the Preface and the Before You Begin section to learn about the book's coverage and how to set up your computer to run the hundreds of code examples. The code is available at [www.deitel.com/books/iw3htp5](http://www.deitel.com/books/iw3htp5) and [www.pearsonhighered.com/deitel](http://www.pearsonhighered.com/deitel). Use the source code we provide to *run every program and script* as you study it. Try each example in *multiple browsers*. If you're interested in smartphones and tablet computers, be sure to run the examples in your browsers on iPhones, iPads, Android smartphones and tablets, and others. The technologies covered in this book and browser support for them are evolving rapidly. *Not every feature of every page we build will render properly in every browser*. All seven of the browsers we use are free.

### *Moore's Law*

Every year, you probably expect to pay at least a little more for most products and services. The opposite has been the case in the computer and communications fields, especially with regard to the costs of hardware supporting these technologies. For many decades, hardware costs have fallen rapidly. Every year or two, the capacities of computers have approximately *doubled* inexpensively. This remarkable trend often is called **Moore's Law**, named for the person who identified it, Gordon Moore, co-founder of Intel—the leading manufacturer of the processors in today's computers and embedded systems. Moore's Law and related observations apply especially to the amount of memory that computers have for programs, the amount of secondary storage (such as disk storage) they have to hold programs and data over longer periods of time, and their processor speeds—the speeds at which computers execute their programs (i.e., do their work). Similar growth has occurred in the communications field, in which costs have plummeted as enormous demand for communications bandwidth (i.e., information-carrying capacity) has attracted intense competition. We know of no other fields in which technology improves so quickly and costs fall so rapidly. Such phenomenal improvement is truly fostering the *Information Revolution*.

## **1.2 The Internet in Industry and Research**

These are exciting times in the computer field. Many of the most influential and successful businesses of the last two decades are technology companies, including Apple, IBM, Hewlett Packard, Dell, Intel, Motorola, Cisco, Microsoft, Google, Amazon, Facebook, Twitter, Groupon, Foursquare, Yahoo!, eBay and many more. These companies are major employers of people who study computer science, information systems or related disciplines. At the time of this writing, Apple was the most valuable company in the world.

In the past, most computer applications ran on computers that were not connected to one another, whereas today's Internet applications can be written to communicate among computers throughout the world.

Figures 1.1–1.4 provide a few examples of how computers and the Internet are being used in industry and research. Figure 1.1 lists two examples of how computers and the Internet are being used to improve health care.

| Name                      | Description   |
|---------------------------|---|
| Electronic health records | These might include a patient's medical history, prescriptions, immunizations, lab results, allergies, insurance information and more. Making this information available to health care providers across a secure network improves patient care, reduces the probability of error and increases overall efficiency of the health care system.                                 |
| Human Genome Project      | The Human Genome Project was founded to identify and analyze the 20,000+ genes in human DNA. The project used computer programs to analyze complex genetic data, determine the sequences of the billions of chemical base pairs that make up human DNA and store the information in databases which have been made available over the Internet to researchers in many fields. |

**Fig. 1.1** | Computers and the Internet in health care.

Figure 1.2 provides a sample of some of the exciting ways in which computers and the Internet are being used for social good. In the exercises at the end of this chapter, you'll be asked to propose other projects that would use computers and the Internet to "make a difference."

| Name                        | Description  |
|-----------------------------|--|
| AMBER™ Alert                | The AMBER (America's Missing: Broadcast Emergency Response) Alert System is used to find abducted children. Law enforcement notifies TV and radio broadcasters and state transportation officials, who then broadcast alerts on TV, radio, computerized highway signs, the Internet and wireless devices. AMBER Alert recently partnered with Facebook, whose users can "Like" AMBER Alert pages by location to receive alerts in their news feeds.  |
| World Community Grid        | People worldwide can donate their unused computer processing power by installing a free secure software program that allows the World Community Grid ( <a href="http://www.worldcommunitygrid.org">www.worldcommunitygrid.org</a> ) to harness unused capacity. This computing power, accessed over the Internet, is used in place of expensive supercomputers to conduct scientific research projects that are making a difference, providing clean water to third-world countries, fighting cancer, growing more nutritious rice for regions fighting hunger and more. |
| One Laptop Per Child (OLPC) | One Laptop Per Child ( <a href="http://one.laptop.org">one.laptop.org</a> ) is providing low-power, inexpensive, Internet-enabled laptops to poor children worldwide—enabling learning and reducing the digital divide.  |

**Fig. 1.2** | Projects that use computers and the Internet for social good.

We rely on computers and the Internet to communicate, navigate, collaborate and more. Figure 1.3 gives some examples of how computers and the Internet provide the infrastructure for these tasks.

| Name  | Description  |
|---|--|
| Cloud computing                               | <b>Cloud computing</b> allows you to use software, hardware and information stored in the “cloud”—i.e., accessed on remote computers via the Internet and available on demand—rather than having it stored on your personal computer. Amazon is one of the leading providers of public cloud computing services. You can rent extra storage capacity using the Amazon Simple Storage Service (Amazon S3), or augment processing capabilities with Amazon’s EC2 (Amazon Elastic Compute Cloud). These services, allowing you to increase or decrease resources to meet your needs at any given time, are generally more cost effective than purchasing expensive hardware to ensure that you have enough storage and processing power to meet your needs at their peak levels. Business applications (such as CRM software) are often expensive, require significant hardware to run them and knowledgeable support staff to ensure that they’re running properly and securely. Using cloud computing services shifts the burden of managing these applications from the business to the service provider, saving businesses money. |
| GPS   | Global Positioning System (GPS) devices use a network of satellites to retrieve location-based information. Multiple satellites send time-stamped signals to the GPS device, which calculates the distance to each satellite based on the time the signal left the satellite and the time the signal arrived. This information is used to determine the exact location of the device. GPS devices can provide step-by-step directions and help you easily find nearby businesses (restaurants, gas stations, etc.) and points of interest. GPS is used in numerous location-based Internet services such as check-in apps to help you find your friends (e.g., Foursquare and Facebook), exercise apps such as RunKeeper that track the time, distance and average speed of your outdoor jog, dating apps that help you find a match nearby and apps that dynamically update changing traffic conditions.  |
| Robots  | Robots can be used for day-to-day tasks (e.g., iRobot’s Roomba vacuum), entertainment (e.g., robotic pets), military combat, deep sea and space exploration (e.g., NASA’s Mars rover) and more. RoboEarth ( <a href="http://www.roboearth.org">www.roboearth.org</a> ) is “a World Wide Web for robots.” It allows robots to learn from each other by sharing information and thus improving their abilities to perform tasks, navigate, recognize objects and more.   |
| E-mail, Instant Messaging, Video Chat and FTP | Internet-based servers support all of your online messaging. E-mail messages go through a mail server that also stores the messages. Instant messaging (IM) and Video Chat apps, such as AIM, Skype, Yahoo! Messenger and others allow you to communicate with others in real time by sending your messages and live video through servers. FTP (file transfer protocol) allows you to exchange files between multiple computers (e.g., a client computer such as your desktop and a file server) over the Internet using the TCP/IP protocols for transferring data.  |

**Fig. 1.3** | Examples of computers and the Internet in infrastructure.

Figure 1.4 lists a few of the exciting ways in which computers and the Internet are used in entertainment.

| Name                     | Description  |
|--------------------------|--|
| iTunes and the App Store | iTunes is Apple's media store where you can buy and download digital music, movies, television shows, e-books, ringtones and apps (for iPhone, iPod and iPad) over the Internet. Apple's iCloud service allows you to store your media purchases "in the cloud" and access them from any iOS (Apple's mobile operating system) device. In June 2011, Apple announced at their World Wide Developer Conference (WWDC) that 15 billion songs had been downloaded through iTunes, making Apple the leading music retailer. As of July 2011, 15 billion apps had been downloaded from the App Store ( <a href="http://www.apple.com/pr/library/2011/07/07Apples-App-Store-Downloads-Top-15-Billion.html">www.apple.com/pr/library/2011/07/07Apples-App-Store-Downloads-Top-15-Billion.html</a> ).  |
| Internet TV              | Internet TV set-top boxes (such as Apple TV and Google TV) allow you to access an enormous amount of content on demand, such as games, news, movies, television shows and more.  |
| Game programming         | Global video game revenues are expected to reach \$65 billion in 2011 ( <a href="http://uk.reuters.com/article/2011/06/06/us-video-games-factbox-idUKTRE75552I20110606">uk.reuters.com/article/2011/06/06/us-video-games-factbox-idUKTRE75552I20110606</a> ). The most sophisticated games can cost as much as \$100 million to develop. Activision's <i>Call of Duty 2: Modern Warfare</i> , released in 2009, earned \$310 million in just one day in North America and the U.K. ( <a href="http://news.cnet.com/8301-13772_3-10396593-52.html?tag=mncol;txt!">news.cnet.com/8301-13772_3-10396593-52.html?tag=mncol;txt!</a> ) Online <i>social gaming</i> , which enables users worldwide to compete with one another over the Internet, is growing rapidly. Zynga—creator of popular online games such as <i>Farmville</i> and <i>Mafia Wars</i> —was founded in 2007 and already has over 265 million monthly users. To accommodate the growth in traffic, Zynga is adding nearly 1,000 servers each week ( <a href="http://techcrunch.com/2010/09/22/zynga-moves-1-petabyte-of-data-daily-adds-1000-servers-a-week/">techcrunch.com/2010/09/22/zynga-moves-1-petabyte-of-data-daily-adds-1000-servers-a-week/</a> !). |

**Fig. 1.4** | Examples of computers and the Internet in entertainment.

### 1.3 HTML5, CSS3, JavaScript, Canvas and jQuery

You'll be learning the latest versions of several key client-side, web-application development technologies in this book. This section provides a brief overview of each.

#### *HTML5*

Chapters 2–3 introduce HTML (HyperText Markup Language)—a special type of computer language called a *markup language* designed to specify the *content* and *structure* of web pages (also called documents) in a portable manner. HTML5, now under development, is the emerging version of HTML. HTML enables you to create content that will render appropriately across the extraordinary range of devices connected to the Internet—including smartphones, tablet computers, notebook computers, desktop computers, special-purpose devices such as large-screen displays at concert arenas and sports stadiums, and more.

You'll learn the basics of HTML5, then cover more sophisticated techniques such as creating tables, creating forms for collecting user input and using new features in HTML5, including page-structure elements that enable you to give meaning to the parts of a page (e.g., headers, navigation areas, footers, sections, figures, figure captions and more).

A “stricter” version of HTML called *XHTML* (*Extensible HyperText Markup Language*), which is based on XML (eXtensible Markup Language, introduced in Chapter 15), is still used frequently today. Many of the server-side technologies we cover later in the book produce web pages as XHTML documents, by default, but the trend is clearly to HTML5.

### *Cascading Style Sheets (CSS)*

Although HTML5 provides some capabilities for controlling a document’s presentation, *it’s better not to mix presentation with content*. HTML5 should be used only to specify a document’s structure and content.

Chapters 4–5 use **Cascading Style Sheets (CSS)** to specify the *presentation*, or styling, of elements on a web page (e.g., fonts, spacing, sizes, colors, positioning). CSS was designed to style portable web pages *independently* of their content and structure. By separating page styling from page content and structure, you can easily change the look and feel of the pages on an *entire* website, or a portion of a website, simply by swapping out one style sheet for another. CSS3 is the current version of CSS under development. Chapter 5 introduces many new features in CSS3.

### *JavaScript*

JavaScript is a language that helps you build *dynamic* web pages (i.e., pages that can be modified “on the fly” in response to *events*, such as user input, time changes and more) and computer applications. It enables you to do the client-side programming of web applications. In addition, there are now several projects dedicated to *server-side* JavaScript, including CommonJS ([www.commonjs.org](http://www.commonjs.org)), Node.js ([nodejs.org](http://nodejs.org)) and Jaxer ([jaxer.org](http://jaxer.org)).

JavaScript was created by Netscape, the company that built the first wildly successful web browser. Both Netscape and Microsoft have been instrumental in the standardization of JavaScript by ECMA International (formerly the European Computer Manufacturers Association) as ECMAScript. ECMAScript 5, the latest version of the standard, corresponds to the version of JavaScript we use in this book.

The JavaScript chapters of the book are more than just an introduction to the language. They also present computer-programming fundamentals, including control structures, functions, arrays, recursion, strings and objects. You’ll see that JavaScript is a portable scripting language and that programs written in JavaScript can run in web browsers across a wide range of devices.

### *Web Browsers and Web-Browser Portability*

Ensuring a consistent look and feel on client-side browsers is one of the great challenges of developing web-based applications. Currently, a standard does not exist to which software vendors must adhere when creating web browsers. Although browsers share a common set of features, each browser might render pages differently. Browsers are available in many versions and on many different platforms (Microsoft Windows, Apple Macintosh, Linux, UNIX, etc.). Vendors add features to each new version that sometimes result in cross-platform incompatibility issues. It’s difficult to develop web pages that render correctly on all versions of each browser.

All of the code examples in the book were tested in the five most popular desktop browsers and the two most popular mobile browsers (Fig. 1.5). Support for HTML5, CSS3 and JavaScript features varies by browser. The *HTML5 Test* website (<http://html5test.com/>) scores each browser based on its support for the latest features of these

evolving standards. Figure 1.5 lists the five desktop browsers we use in reverse order of their HTML5 Test scores from most compliant to least compliant at the time of this writing. Internet Explorer 10 (IE10) is expected to have a much higher compliance rating than IE9. You can also check sites such as <http://caniuse.com/> for a list of features covered by each browser.



### Portability Tip 1.1

*The web is populated with many different browsers, including many older, less-capable versions, which makes it difficult for authors and web-application developers to create universal solutions. The W3C is working toward the goal of a universal client-side platform (<http://www.w3.org/2006/webapi/admin/charter>).*

| Browser                 | Approximate market share<br>as of August 2011<br>( <a href="http://gs.statcounter.com">http://gs.statcounter.com</a> ) | Score out of 450 from<br><a href="http://html5test.com">html5test.com</a> |
|-------------------------|--|---|
| <b>Desktop browsers</b> |  |   |
| Google Chrome 13        | 17%  | 330   |
| Mozilla Firefox 6       | 27%  | 298   |
| Apple Safari 5.1        | 7%   | 293   |
| Opera 11.5              | 2%   | 286   |
| Internet Explorer 9     | 40%  | 141   |
| <b>Mobile browsers</b>  |  |   |
| iPhone                  | 15% (of mobile browsers)   | 217   |
| Android                 | 18% (of mobile browsers)   | 184   |

**Fig. 1.5** | HTML5 Test scores for the browsers used to test the examples.

### *jQuery*

jQuery ([jquery.org](http://jquery.org)) is currently the most popular of hundreds of *JavaScript libraries*.<sup>3</sup> jQuery simplifies JavaScript programming by making it easier to manipulate a web page's elements and interact with servers in a portable manner across various web browsers. It provides a library of custom graphical user interface (GUI) controls (beyond the basic GUI controls provided by HTML5) that can be used to enhance the look and feel of your web pages.

### *Validating Your HTML5, CSS3 and JavaScript Code*

As you'll see, JavaScript programs typically have HTML5 and CSS3 portions as well. You must use proper HTML5, CSS3 and JavaScript syntax to ensure that browsers process your documents properly. Figure 1.6 lists the validators we used to validate the code in this book. Where possible, we eliminated validation errors.

3. [www.activoinc.com/blog/2008/11/03/jquery-emerges-as-most-popular-javascript-library-for-web-development/](http://www.activoinc.com/blog/2008/11/03/jquery-emerges-as-most-popular-javascript-library-for-web-development/).

| Technology | Validator URL  |
|------------|--|
| HTML5      | <a href="http://validator.w3.org/">http://validator.w3.org/</a><br><a href="http://html5.validator.nu/">http://html5.validator.nu/</a>     |
| CSS3       | <a href="http://jigsaw.w3.org/css-validator/">http://jigsaw.w3.org/css-validator/</a>  |
| JavaScript | <a href="http://www.javascriptlint.com/">http://www.javascriptlint.com/</a><br><a href="http://www.jslint.com/">http://www.jslint.com/</a> |

**Fig. 1.6** | HTML5, CSS3 and JavaScript validators.

## 1.4 Demos

Browse the web pages in Fig. 1.7 to get a sense of some of the things you'll be able to create using the technologies you'll learn in this book, including HTML5, CSS3, JavaScript, canvas and jQuery. Many of these sites provide links to the corresponding source code, or you can view the page's source code in your browser.

| URL   | Description  |
|---|--|
| <a href="https://developer.mozilla.org/en-US/demos/">https://developer.mozilla.org/en-US/demos/</a>   | Mozilla's DemoStudio contains numerous HTML5, canvas, CSS3 and JavaScript demos that use audio, video, animation and more.   |
| <a href="http://js-fireworks.appspot.com/">http://js-fireworks.appspot.com/</a>   | Enter your name or message, and this JavaScript animation then writes it using a fireworks effect over the London skyline.   |
| <a href="http://9elements.com/io/projects/html5/canvas/">http://9elements.com/io/projects/html5/canvas/</a>   | Uses HTML5 canvas and audio elements to create interesting effects, and ties in tweets that include the words "HTML5" and "love" (click anywhere on the screen to see the next tweet). |
| <a href="http://www.zachstronaut.com/lab/text-shadow-box/text-shadow-box.html">http://www.zachstronaut.com/lab/text-shadow-box/text-shadow-box.html</a> | Animated demo of the CSS3 text-shadow effect. Use the mouse to shine a light on the text and dynamically change the direction and size of the shadow.                                  |
| <a href="http://clublime.com/lab/html5/sphere/">http://clublime.com/lab/html5/sphere/</a>   | Uses an HTML5 canvas to create a sphere that rotates and changes direction as you move the mouse cursor.   |
| <a href="http://spielzeugz.de/html5/liquid-particles.html">http://spielzeugz.de/html5/liquid-particles.html</a>   | The Liquid Particles demo uses an HTML5 canvas. Move the mouse around the screen and the "particles" (dots or letters) follow.   |
| <a href="http://www.paulbrunt.co.uk/bert/">http://www.paulbrunt.co.uk/bert/</a>   | Bert's Breakdown is a fun video game built using an HTML5 canvas.  |
| <a href="http://www.openrise.com/lab/FlowerPower/">http://www.openrise.com/lab/FlowerPower/</a>   | Canvas app that allows you to draw flowers on the page, adjust their colors, change the shapes of the petals and more.   |

**Fig. 1.7** | HTML5, CSS3, JavaScript, canvas and jQuery demos. (Part 1 of 2.)

| URL   | Description   |
|---|---|
| <a href="http://alteredqualia.com/canvasmol/">http://alteredqualia.com/canvasmol/</a>   | Uses canvas to display a 3D molecule that can be viewed from any desired angle (0–360 degrees).   |
| <a href="http://pasjans-online.pl/">http://pasjans-online.pl/</a>   | The game of Solitaire built using HTML5.  |
| <a href="http://andrew-hoyer.com/experiments/cloth/">http://andrew-hoyer.com/experiments/cloth/</a>   | Uses canvas to simulate the movement of a piece of cloth. Click and drag the mouse to move the fabric.  |
| <a href="http://www.paulrhayes.com/experiments/cube-3d/">http://www.paulrhayes.com/experiments/cube-3d/</a>   | CSS3 demo allows you to use the mouse to tilt and rotate the 3D cube. Includes a tutorial.  |
| <a href="http://www.effectgames.com/demos/canvascycle/">http://www.effectgames.com/demos/canvascycle/</a>   | Animated waterfall provides a nice demo of using color in HTML5 canvas.   |
| <a href="http://macek.github.com/google_pacman/">http://macek.github.com/google_pacman/</a>   | The Google PAC-MAN® game (a Google Doodle) built in HTML5.  |
| <a href="http://www.benjoffe.com/code/games/torus/">http://www.benjoffe.com/code/games/torus/</a>   | A 3D game similar to Tetris® built with JavaScript and canvas.  |
| <a href="http://code.almeros.com/code-examples/water-effect-canvas/">http://code.almeros.com/code-examples/water-effect-canvas/</a>                       | Uses canvas and JavaScript to create a water rippling effect. Hover the cursor over the canvas to see the effect. The site includes a tutorial. |
| <a href="http://jqueryui.com/demos/">http://jqueryui.com/demos/</a>   | Numerous jQuery demos, including animations, transitions, color, interactions and more.   |
| <a href="http://lab.smashup.it/flip/">http://lab.smashup.it/flip/</a>   | Demonstrates a flip box using jQuery.   |
| <a href="http://tutorialzine.com/2010/09/html5-canvas-slideshow-jquery/">http://tutorialzine.com/2010/09/html5-canvas-slideshow-jquery/</a>               | Slideshow built with HTML5 canvas and jQuery (includes a tutorial).   |
| <a href="http://css-tricks.com/examples/Circulate/">http://css-tricks.com/examples/Circulate/</a>   | Learn how to create an animated circulation effect using jQuery.  |
| <a href="http://demo.tutorialzine.com/2010/02/photo-shoot-css-jquery/demo.html">http://demo.tutorialzine.com/2010/02/photo-shoot-css-jquery/demo.html</a> | Uses jQuery and CSS to create a photoshoot effect, allowing you to focus on an area of the page and snap a picture (includes a tutorial).       |

**Fig. I.7** | HTML5, CSS3, JavaScript, canvas and jQuery demos. (Part 2 of 2.)

## I.5 Evolution of the Internet and World Wide Web

The Internet—a global network of computers—was made possible by the *convergence of computing and communications technologies*. In the late 1960s, ARPA (the Advanced Research Projects Agency) rolled out blueprints for networking the main computer systems of about a dozen ARPA-funded universities and research institutions. They were to be connected with communications lines operating at a then-stunning 56 Kbps (i.e., 56,000 bits per second)—this at a time when most people (of the few who could) were connecting over telephone lines to computers at a rate of 110 bits per second. A **bit** (short for “binary digit”) is the smallest data item in a computer; it can assume the value 0 or 1.

There was great excitement. Researchers at Harvard talked about communicating with the powerful Univac computer at the University of Utah to handle the intensive cal-

culations related to their computer graphics research. Many other intriguing possibilities were raised. Academic research was about to take a giant leap forward. ARPA proceeded to implement the ARPANET, which eventually evolved into today's **Internet**.

Things worked out differently from what was originally planned. Rather than enabling researchers to share each other's computers, it rapidly became clear that communicating quickly and easily via electronic mail was the key early benefit of the ARPANET. This is true even today on the Internet, which facilitates communications of all kinds among the world's Internet users.

### ***Packet Switching***

One of the primary goals for ARPANET was to allow *multiple* users to send and receive information simultaneously over the *same* communications paths (e.g., phone lines). The network operated with a technique called **packet switching**, in which digital data was sent in small bundles called **packets**. The packets contained *address*, *error-control* and *sequencing* information. The address information allowed packets to be *routed* to their destinations. The sequencing information helped in reassembling the packets—which, because of complex routing mechanisms, could actually arrive out of order—into their original order for presentation to the recipient. Packets from different senders were intermixed on the same lines to efficiently use the available bandwidth. This packet-switching technique greatly reduced transmission costs, as compared with the cost of dedicated communications lines.

The network was designed to operate without centralized control. If a portion of the network failed, the remaining working portions would still route packets from senders to receivers over alternative paths for reliability.

### ***TCP/IP***

The protocol (i.e., set of rules) for communicating over the ARPANET became known as **TCP**—the **Transmission Control Protocol**. TCP ensured that messages were properly routed from sender to receiver and that they arrived intact.

As the Internet evolved, organizations worldwide were implementing their own networks for both intraorganization (i.e., within the organization) and interorganization (i.e., between organizations) communications. A wide variety of networking hardware and software appeared. One challenge was to get these different networks to communicate. ARPA accomplished this with the development of **IP**—the **Internet Protocol**, truly creating a **network of networks**, the current architecture of the Internet. The combined set of protocols is now commonly called **TCP/IP**. Each computer on the Internet has a unique **IP address**. The current IP standard, Internet Protocol version 4 (IPv4), has been in use since 1984 and will soon run out of possible addresses. The next-generation Internet Protocol, **IPv6**, is just starting to be deployed. It features enhanced security and a new addressing scheme, hugely expanding the number of IP addresses available so that we will not run out of IP addresses in the foreseeable future.

### ***Explosive Growth***

Initially, Internet use was limited to universities and research institutions; then the military began using it intensively. Eventually, the government decided to allow access to the Internet for commercial purposes. The research and military communities were concerned that response times would become poor as the Internet became saturated with users.

In fact, the opposite has occurred. Businesses realized that they could tune their operations and offer new and better services to their clients, so they started spending vast amounts of money to develop and enhance the Internet. This generated fierce competition among communications carriers and hardware and software suppliers to meet this demand. The result is that **bandwidth** (i.e., the information-carrying capacity) on the Internet's is increasing rapidly as costs dramatically decline.

### *World Wide Web, HTML, HTTP*

The **World Wide Web** allows computer users to execute web-based applications and to locate and view multimedia-based documents on almost any subject over the Internet. The web is a relatively recent creation. In 1989, Tim Berners-Lee of CERN (the European Organization for Nuclear Research) began to develop a technology for sharing information via hyperlinked text documents. Berners-Lee called his invention the **HyperText Markup Language (HTML)**. He also wrote communication protocols to form the backbone of his new information system, which he called the World Wide Web. In particular, he wrote the **Hypertext Transfer Protocol (HTTP)**—a communications protocol used to send information over the web. The **URL (Uniform Resource Locator)** specifies the address (i.e., location) of the web page displayed in the browser window. Each web page on the Internet is associated with a unique URL. URLs usually begin with `http://`.

### **HTTPS**

URLs of websites that handle private information, such as credit card numbers, often begin with `https://`, the abbreviation for **Hypertext Transfer Protocol Secure (HTTPS)**. HTTPS is the standard for transferring encrypted data on the web. It combines HTTP with the Secure Sockets Layer (SSL) and the more recent Transport Layer Security (TLS) cryptographic schemes for securing communications and identification information over the web. Although there are many benefits to using HTTPS, there are a few drawbacks, most notably some performance issues because encryption and decryption consume significant computer processing resources.

### *Mosaic, Netscape, Emergence of Web 2.0*

Web use exploded with the availability in 1993 of the Mosaic browser, which featured a user-friendly graphical interface. Marc Andreessen, whose team at the National Center for Supercomputing Applications (NCSA) developed Mosaic, went on to found Netscape, the company that many people credit with igniting the explosive Internet economy of the late 1990s. But the “dot com” economic bust brought hard times in the early 2000s. The resurgence that began in 2004 or so has been named **Web 2.0**. Google is widely regarded as the signature company of Web 2.0. Some other companies with Web 2.0 characteristics are YouTube (video sharing), Facebook (social networking), Twitter (microblogging), Groupon (social commerce), Foursquare (mobile check-in), Salesforce (business software offered as online services “in the cloud”), Craigslist (mostly free classified listings), Flickr (photo sharing), Skype (Internet telephony and video calling and conferencing, now owned by Microsoft) and Wikipedia (a free online encyclopedia).

## **1.6 Web Basics**

In this section, we discuss the fundamentals of web-based interactions between a client web browser and a web server. In its simplest form, a *web page* is nothing more than an

HTML (HyperText Markup Language) document (with the extension `.html` or `.htm`) that describes to a web browser the document's content and structure.

### ***Hyperlinks***

HTML documents normally contain **hyperlinks**, which, when clicked, load a specified web document. Both images and text may be hyperlinked. When the mouse pointer hovers over a hyperlink, the default arrow pointer changes into a hand with the index finger pointing upward. Often hyperlinked text appears underlined and in a different color from regular text in a web page.

Originally employed as a publishing tool for scientific research, hyperlinks are widely used to reference sources, or sites that have more information on a particular topic. The paths created by hyperlinking create the effect of the “web.”

When the user clicks a hyperlink, a **web server** locates the requested web page and sends it to the user’s web browser. Similarly, the user can type the *address of a web page* into the browser’s *address field* and press *Enter* to view the specified page.

Hyperlinks can reference other web pages, e-mail addresses, files and more. If a hyperlink’s URL is in the form `mailto:emailAddress`, clicking the link loads your default e-mail program and opens a **message window** addressed to the specified e-mail address. If a hyperlink references a file that the browser is incapable of displaying, the browser prepares to **download** the file, and generally prompts the user for information about how the file should be stored. When a file is downloaded, it’s copied onto the user’s computer. Programs, documents, images, sound and video files are all examples of downloadable files.

### ***URIs and URLs***

**URIs (Uniform Resource Identifiers)** identify resources on the Internet. URIs that start with `http://` are called **URLs (Uniform Resource Locators)**. Common URLs refer to files, directories or server-side code that performs tasks such as database lookups, Internet searches and business-application processing. If you know the URL of a publicly available resource anywhere on the web, you can enter that URL into a web browser’s address field and the browser can access that resource.

### ***Parts of a URL***

A URL contains information that directs a browser to the resource that the user wishes to access. Web servers make such resources available to web clients. Popular web servers include Apache’s HTTP Server and Microsoft’s Internet Information Services (IIS).

Let’s examine the components of the URL


```
http://www.deitel.com/books/downloads.html
```

The text `http://` indicates that the HyperText Transfer Protocol (HTTP) should be used to obtain the resource. Next in the URL is the server’s fully qualified **hostname** (for example, `www.deitel.com`)—the name of the web-server computer on which the resource resides. This computer is referred to as the **host**, because it houses and maintains resources. The hostname `www.deitel.com` is translated into an **IP (Internet Protocol) address**—a numerical value that uniquely identifies the server on the Internet. An Internet **Domain Name System (DNS) server** maintains a database of hostnames and their corresponding IP addresses and performs the translations automatically.

The remainder of the URL (/books/downloads.html) specifies the resource's location (/books) and name (downloads.html) on the web server. The location could represent an actual directory on the web server's file system. For *security* reasons, however, the location is typically a *virtual directory*. The web server translates the virtual directory into a real location on the server, thus hiding the resource's true location.

### ***Making a Request and Receiving a Response***

When given a web page URL, a web browser uses HTTP to request the web page found at that address. Figure 1.8 shows a web browser sending a request to a web server.




**Fig. 1.8** | Client requesting a resource from a web server.

In Fig. 1.8, the web browser sends an HTTP request to the server. The request (in its simplest form) is

```
GET /books/downloads.html HTTP/1.1
```

The word **GET** is an **HTTP method** indicating that the client wishes to obtain a resource from the server. The remainder of the request provides the path name of the resource (e.g., an HTML5 document) and the protocol's name and version number (HTTP/1.1). The client's request also contains some required and optional headers.

Any server that understands HTTP (version 1.1) can translate this request and respond appropriately. Figure 1.9 shows the web server responding to a request.



**Fig. 1.9** | Client receiving a response from the web server.

The server first sends a line of text that indicates the HTTP version, followed by a numeric code and a phrase describing the status of the transaction. For example,

```
HTTP/1.1 200 OK
```

indicates success, whereas

```
HTTP/1.1 404 Not found
```

informs the client that the web server could not locate the requested resource. A complete list of numeric codes indicating the status of an HTTP transaction can be found at [www.w3.org/Protocols/rfc2616/rfc2616-sec10.html](http://www.w3.org/Protocols/rfc2616/rfc2616-sec10.html).

### ***HTTP Headers***

Next, the server sends one or more **HTTP headers**, which provide additional information about the data that will be sent. In this case, the server is sending an HTML5 text document, so one HTTP header for this example would read:

```
Content-type: text/html
```

The information provided in this header specifies the **Multipurpose Internet Mail Extensions (MIME) type** of the content that the server is transmitting to the browser. The MIME standard specifies data formats, which programs can use to interpret data correctly. For example, the MIME type `text/plain` indicates that the sent information is text that can be displayed directly. Similarly, the MIME type `image/jpeg` indicates that the content is a JPEG image. When the browser receives this MIME type, it attempts to display the image.

The header or set of headers is followed by a blank line, which indicates to the client browser that the server is finished sending HTTP headers. Finally, the server sends the contents of the requested document (`downloads.html`). The client-side browser then renders (or displays) the document, which may involve additional HTTP requests to obtain associated CSS and images.

### ***HTTP get and post Requests***

The two most common **HTTP request types** (also known as **request methods**) are `get` and `post`. A `get` request typically gets (or retrieves) information from a server, such as an HTML document, an image or search results based on a user-submitted search term. A `post` request typically posts (or sends) data to a server. Common uses of `post` requests are to send form data or documents to a server.

An HTTP request often posts data to a **server-side form handler** that processes the data. For example, when a user performs a search or participates in a web-based survey, the web server receives the information specified in the HTML form as part of the request. `Get` requests and `post` requests can both be used to send data to a web server, but each request type sends the information differently.

A `get` request appends data to the URL, e.g., `www.google.com/search?q=deitel`. In this case `search` is the name of Google's server-side form handler, `q` is the name of a variable in Google's search form and `deitel` is the search term. The `?` in the preceding URL separates the **query string** from the rest of the URL in a request. A *name/value* pair is passed to the server with the *name* and the *value* separated by an equals sign (`=`). If more than one *name/value* pair is submitted, each pair is separated by an ampersand (`&`). The server uses data passed in a query string to retrieve an appropriate resource from the server. The server then

sends a response to the client. A get request may be initiated by submitting an HTML form whose `method` attribute is set to "get", or by typing the URL (possibly containing a query string) directly into the browser's address bar. We discuss HTML forms in Chapters 2–3.

A post request sends form data as part of the HTTP message, not as part of the URL. A get request typically limits the query string (i.e., everything to the right of the ?) to a specific number of characters, so it's often necessary to send large amounts of information using the post method. The post method is also sometimes preferred because it hides the submitted data from the user by embedding it in an HTTP message. If a form submits several hidden input values along with user-submitted data, the post method might generate a URL like `www.searchengine.com/search`. The form data still reaches the server and is processed in a similar fashion to a get request, but the user does not see the exact information sent.



### Software Engineering Observation 1.1

*The data sent in a post request is not part of the URL, and the user can't see the data by default. However, tools are available that expose this data, so you should not assume that the data is secure just because a post request is used.*

### *Client-Side Caching*


Browsers often **cache** (save on disk) recently viewed web pages for quick reloading. If there are no changes between the version stored in the cache and the current version on the web, this speeds up your browsing experience. An HTTP response can indicate the length of time for which the content remains "fresh." If this amount of time has not been reached, the browser can avoid another request to the server. If not, the browser loads the document from the cache. Similarly, there's also the "not modified" HTTP response, indicating that the file content has not changed since it was last requested (which is information that's send in the request). Browsers typically do not cache the server's response to a post request, because the next post might not return the same result. For example, in a survey, many users could visit the same web page and answer a question. The survey results could then be displayed for the user. Each new answer would change the survey results.

## 1.7 Multitier Application Architecture

Web-based applications are often **multitier applications** (sometimes referred to as *n-tier applications*) that divide functionality into separate **tiers** (i.e., logical groupings of functionality). Although tiers can be located on the same computer, the tiers of web-based applications often reside on separate computers. Figure 1.10 presents the basic structure of a **three-tier web-based application**.

The **bottom tier** (also called the data tier or the information tier) maintains the application's data. This tier typically stores data in a relational database management system (RDBMS). We discuss RDBMSs in Chapter 18. For example, Amazon might have an inventory information database containing product descriptions, prices and quantities in stock. Another database might contain customer information, such as user names, billing addresses and credit card numbers. These may reside on one or more computers, which together comprise the application's data.

The **middle tier** implements business logic, controller logic and presentation logic to control interactions between the application's clients and its data. The middle tier acts as



**Fig. 1.10** | Three-tier architecture.

an intermediary between data in the information tier and the application’s clients. The middle-tier **controller logic** processes client requests (such as requests to view a product catalog) and retrieves data from the database. The middle-tier **presentation logic** then processes data from the information tier and presents the content to the client. Web applications typically present data to clients as HTML documents.

**Business logic** in the middle tier enforces **business rules** and ensures that data is reliable before the application updates a database or presents data to users. Business rules dictate how clients access data and how applications process data. For example, a business rule in the middle tier of a retail store’s web-based application might ensure that all product quantities remain positive. A client request to set a negative quantity in the bottom tier’s product information database would be rejected by the middle tier’s business logic.

The **top tier**, or client tier, is the application’s user interface, which gathers input and displays output. Users interact directly with the application through the user interface, which is typically a web browser or a mobile device. In response to user actions (e.g., clicking a hyperlink), the client tier interacts with the middle tier to make requests and to retrieve data from the information tier. The client tier then displays the data retrieved for the user.

## 1.8 Client-Side Scripting versus Server-Side Scripting

Client-side scripting with JavaScript can be used to validate user input, to interact with the browser, to enhance web pages, and to add client/server communication between a browser and a web server.

Client-side scripting does have limitations, such as browser dependency; the browser or **scripting host** must support the scripting language and capabilities. Scripts are restricted from arbitrarily accessing the local hardware and file system for security reasons. Another issue is that client-side scripts can be viewed by the client by using the browser’s source-viewing capability. Sensitive information, such as passwords or other personally identifiable data, should not be on the client. All client-side data validation should be mirrored on the server. Also, placing certain operations in JavaScript on the client can open web applications to security issues.

Programmers have more flexibility with **server-side scripts**, which often generate custom responses for clients. For example, a client might connect to an airline’s web server and request a list of flights from Boston to San Francisco between April 19 and May 5. The server queries the database, dynamically generates an HTML document containing

the flight list and sends the document to the client. This technology allows clients to obtain the most current flight information from the database by connecting to an airline's web server.

Server-side scripting languages have a wider range of programmatic capabilities than their client-side equivalents. Server-side scripts also have access to server-side software that extends server functionality—Microsoft web servers use **ISAPI (Internet Server Application Program Interface) extensions** and Apache HTTP Servers use **modules**. Components and modules range from programming-language support to counting the number of web-page hits. We discuss some of these components and modules in subsequent chapters.

## 1.9 World Wide Web Consortium (W3C)

In October 1994, Tim Berners-Lee founded an organization—the **World Wide Web Consortium (W3C)**—devoted to developing nonproprietary, interoperable technologies for the World Wide Web. One of the W3C's primary goals is to make the web universally *accessible*—regardless of disability, language or culture. The W3C home page ([www.w3.org](http://www.w3.org)) provides extensive resources on Internet and web technologies.

The W3C is also a standards organization. Web technologies standardized by the W3C are called **Recommendations**. Current and forthcoming W3C Recommendations include the HyperText Markup Language 5 (HTML5), Cascading Style Sheets 3 (CSS3) and the Extensible Markup Language (XML). A recommendation is not an actual software product but a document that specifies a technology's role, syntax rules and so forth.

## 1.10 Web 2.0: Going Social

In 2003 there was a noticeable shift in how people and businesses were using the web and developing web-based applications. The term **Web 2.0** was coined by Dale Dougherty of O'Reilly Media<sup>4</sup> in 2003 to describe this trend. Generally, Web 2.0 companies use the web as a platform to create collaborative, community-based sites (e.g., social networking sites, blogs, wikis).

### *Web 1.0 versus Web 2.0*

Web 1.0 (the state of the web through the 1990s and early 2000s) was focused on a relatively small number of companies and advertisers producing content for users to access (some people called it the “brochure web”). Web 2.0 *involves* the users—not only do they often create content, but they help organize it, share it, remix it, critique it, update it, etc. One way to look at Web 1.0 is as a *lecture*, a small number of professors informing a large audience of students. In comparison, Web 2.0 is a *conversation*, with everyone having the opportunity to speak and share views. Companies that understand Web 2.0 realize that their products and services are conversations as well.

### *Architecture of Participation*

Web 2.0 is providing new opportunities and connecting people and content in unique ways. Web 2.0 embraces an **architecture of participation**—a design that encourages user

---

4. T. O'Reilly, “What is Web 2.0: Design Patterns and Business Models for the Next Generation of Software.” September 2005 <<http://www.oreillynet.com/pub/a/oreilly/tim/news/2005/09/30/what-is-web-20.html?page=1>>.

interaction and community contributions. You, the user, are the most important aspect of Web 2.0—so important, in fact, that in 2006, *TIME* magazine’s “Person of the Year” was “you.”<sup>5</sup> The article recognized the social phenomenon of Web 2.0—the shift away from a *powerful few* to an *empowered many*. Several popular blogs now compete with traditional media powerhouses, and many Web 2.0 companies are built almost entirely on user-generated content. For websites like Facebook®, Twitter™, YouTube, eBay® and Wikipedia®, users create the content, while the companies provide the platforms on which to enter, manipulate and share the information. These companies *trust their users*—without such trust, users cannot make significant contributions to the sites.

The architecture of participation has influenced software development as well. Open-source software is available for anyone to use and modify with few or no restrictions (we’ll say more about open source in Section 1.12). Using **collective intelligence**—the concept that a large diverse group of people will create smart ideas—communities collaborate to develop software that many people believe is better and more robust than proprietary software. Rich Internet Applications (RIAs) are being developed using technologies (such as Ajax, which we discuss throughout the book) that have the look and feel of desktop software, enhancing a user’s overall experience.

### ***Search Engines and Social Media***

Search engines, including Google™, Microsoft Bing™, and many more, have become essential to sifting through the massive amount of content on the web. Social bookmarking sites such as del.icio.us allow users to share their favorite sites with others. Social media sites such as Digg™ enable the community to decide which news articles are the most significant. The way we find the information on these sites is also changing—people are **tagging** (i.e., labeling) web content by subject or keyword in a way that helps anyone locate information more effectively.

### ***Semantic Web***

In the future, computers will learn to understand the meaning of the data on the web—the beginnings of the **Semantic Web** are already appearing. Continual improvements in hardware, software and communications technologies will enable exciting new types of applications.

These topics and more are covered in our online e-book, *Dive Into® Web 2.0* (available at <http://www.deitel.com/diveintoweb20/>). The e-book highlights the major characteristics and technologies of Web 2.0, providing examples of popular Web 2.0 companies and Web 2.0 Internet business and monetization models. We discuss user-generated content, blogging, content networks, social networking, location-based services and more. In the subsequent chapters of this book, you’ll learn key software technologies for building web-based applications.

### ***Google***

In 1996, Stanford computer science Ph.D. candidates Larry Page and Sergey Brin began collaborating on a new search engine. In 1997, they chose the name Google—a play on the mathematical term *googol*, a quantity represented by the number “one” followed by

---

5. L. Grossman, “TIME’s Person of the Year: You.” *TIME*, December 2006 <<http://www.time.com/time/magazine/article/0,9171,1569514,00.html>>.

100 “zeros” (or  $10^{100}$ )—a staggeringly large number. Google’s ability to return extremely accurate search results quickly helped it become the most widely used search engine and one of the most popular websites in the world.

Google continues to be an innovator in search technologies. For example, Google Goggles is a fascinating mobile app (available on Android and iPhone) that allows you to perform a Google search using a photo rather than entering text. You simply take a picture of a landmark, book (covers or barcodes), logo, art or wine bottle label, and Google Goggles scans the photo and returns search results. You can also take a picture of text (for example, a restaurant menu or a sign) and Google Goggles will translate it for you.

### *Web Services and Mashups*

We include in this book a substantial treatment of web services (Chapters 22, 25 and 28) and introduce the applications-development methodology of *mashups*, in which you can rapidly develop powerful and intriguing applications by combining (often free) complementary web services and other forms of information feeds (Fig. 1.11). One of the first mashups was [www.housingmaps.com](http://www.housingmaps.com), which combines the real estate listings provided by [www.craigslist.org](http://www.craigslist.org) with the mapping capabilities of Google Maps to offer maps that show the locations of apartments for rent in a given area.

| Web services source | How it's used                          |
|---------------------|--|
| Google Maps         | Mapping services                       |
| Facebook            | Social networking                      |
| Foursquare          | Mobile check-in                        |
| LinkedIn            | Social networking for business         |
| YouTube             | Video search                           |
| Twitter             | Microblogging                          |
| Groupon             | Social commerce                        |
| Netflix             | Movie rentals                          |
| eBay                | Internet auctions                      |
| Wikipedia           | Collaborative encyclopedia             |
| PayPal              | Payments                               |
| Last.fm             | Internet radio                         |
| Amazon eCommerce    | Shopping for books and more            |
| Salesforce.com      | Customer Relationship Management (CRM) |
| Skype               | Internet telephony                     |
| Microsoft Bing      | Search                                 |
| Flickr              | Photo sharing                          |
| Zillow              | Real estate pricing                    |
| Yahoo Search        | Search                                 |
| WeatherBug          | Weather                                |

**Fig. 1.11** | Some popular web services that you can use to build web applications ([www.programmableweb.com/apis/directory/1?sort=mashups](http://www.programmableweb.com/apis/directory/1?sort=mashups)).

Web services, inexpensive computers, abundant high-speed Internet access, open source software and many other elements have inspired new, exciting, *lightweight business models* that people can launch with only a small investment. Some types of websites with rich and robust functionality that might have required hundreds of thousands or even millions of dollars to build in the 1990s can now be built for nominal sums.

### Ajax

Ajax is one of the premier Web 2.0 software technologies (Fig. 1.12). Ajax helps Internet-based applications perform like desktop applications—a difficult task, given that such applications suffer transmission delays as data is shuttled back and forth between your computer and servers on the Internet.

| Chapter                | Ajax coverage   |
|------------------------|---|
| Chapter 1              | This chapter introduces Ajax.   |
| Chapters 2–14          | These chapters cover several key technologies used in Ajax web applications, including HTML5, CSS3, JavaScript, JavaScript event handling, the Document Object Model (DOM) and dynamic manipulation of an HTML5 document—known as dynamic HTML.   |
| Chapter 15             | Web applications use XML extensively to represent structured data. This chapter introduces XML, XML-related technologies and key JavaScript capabilities for loading and manipulating XML documents programmatically.   |
| Chapter 16             | This chapter uses the technologies presented in Chapters 2–15 to build Ajax-enabled web applications. We use both XML and JSON (JavaScript Object Notation) to send/receive data between the client and the server. The chapter begins by building basic Ajax applications using JavaScript and the browser's XMLHttpRequest object. We then build an Ajax application using the jQuery JavaScript libraries. |
| Chapters 21, 24 and 27 | These chapters use Ajax in Microsoft's ASP.NET with C# and in ASP.NET with Visual Basic, and in JavaServer Faces (JSF), respectively, to implement Ajax applications that use Ajax for form validation and partial-page updates.  |

**Fig. 1.12** | Ajax coverage in *Internet & World Wide Web How to Program, 5/e*.

### Social Applications

Over the last several years, there's been a tremendous increase in the number of social applications on the web. Even though the computer industry is mature, these sites were still able to become phenomenally successful in a relatively short period. Figure 1.13 discusses a few of the social applications that are making an impact.

| Company    | Description   |
|------------|---|
| Facebook   | Facebook was launched in 2004 and is already worth an estimated \$100 billion. By January 2011, Facebook was the most active site on the Internet with more than 750 million users who were spending 700 billion minutes on Facebook per month ( <a href="http://www.facebook.com/press/info.php?statistics">www.facebook.com/press/info.php?statistics</a> ). At its current growth rate (about 5% per month), Facebook will reach one billion users in 2012, out of two billion Internet users! The activity on the site makes it extremely attractive for application developers. Each day, over 20 million applications are installed by Facebook users ( <a href="http://www.facebook.com/press/info.php?statistics">www.facebook.com/press/info.php?statistics</a> ).   |
| Twitter    | Twitter (founded in 2006) has revolutionized <i>microblogging</i> . Users post tweets—messages up to 140 characters long. Approximately 140 million tweets are posted per day. You can follow the tweets of friends, celebrities, businesses, government representatives (including Barack Obama, who has 10 million followers), and so on, or you can follow tweets by subject to track news, trends and more. At the time of this writing, Lady Gaga had the most followers (over 13 million). Twitter has become the point of origin for many breaking news stories worldwide.   |
| Groupon    | Groupon, a <i>social commerce</i> site, was launched in 2008. By August 2011 the company was valued as high as \$25 billion, making it the fastest growing company ever! Groupon offers daily deals in each market for restaurants, retailers, services, attractions and more. Deals are activated only after a minimum number of people sign up to buy the product or service. If you sign up for a deal and it has yet to meet the minimum, you might be inclined to tell others about the deal via e-mail, Facebook, Twitter, etc. One of the most successful national Groupon deals to date was a certificate for \$50 worth of merchandise from a major retailer for \$25. More than 620,000 vouchers were sold in one day ( <a href="http://www.huffingtonpost.com/2011/06/30/the-most-successful-group_n_887711.html">www.huffingtonpost.com/2011/06/30/the-most-successful-group_n_887711.html</a> ). |
| Foursquare | Foursquare, launched in 2009, is a mobile <i>check-in</i> application that allows you to notify your friends of your whereabouts. You can download the app to your smartphone and link it to your Facebook and Twitter accounts so your friends can follow you from multiple platforms. If you do not have a smartphone, you can check in by text message. Foursquare uses GPS to determine your location. Businesses use Foursquare to send offers to users in the area. Launched in March 2009, Foursquare already has over 10 million users worldwide ( <a href="http://foursquare.com/about">foursquare.com/about</a> ).  |
| Skype      | Skype (founded in 2003) allows you to make mostly free voice and video calls over the Internet using a technology called <i>VoIP</i> ( <i>Voice over IP</i> ; IP stands for “Internet Protocol”). The company was recently sold to Microsoft for \$8.5 billion.   |


**Fig. 1.13** | Social applications. (Part 1 of 2.)

| Company | Description   |
|---------|---|
| YouTube | YouTube is a video-sharing site that was founded in 2005. Within one year, the company was purchased by Google for \$1.65 billion. YouTube now accounts for 8.2% of all Internet traffic ( <a href="http://www.engadget.com/2011/05/17/study-finds-netflix-is-the-largest-source-of-internet-traffic-in/">www.engadget.com/2011/05/17/study-finds-netflix-is-the-largest-source-of-internet-traffic-in/</a> ). Within one week of the release of Apple's iPhone 3GS—the first iPhone model to offer video—mobile uploads to YouTube grew 400% ( <a href="http://www.hypebot.com/hypebot/2009/06/youtube-reports-1700-jump-in-mobile-video.html">www.hypebot.com/hypebot/2009/06/youtube-reports-1700-jump-in-mobile-video.html</a> ). |

**Fig. 1.13** | Social applications. (Part 2 of 2.)

## 1.11 Data Hierarchy

Data items processed by computers form a **data hierarchy** that becomes larger and more complex in structure as we progress from bits to characters to fields, and so on. Figure 1.14 illustrates a portion of the data hierarchy. Figure 1.15 summarizes the data hierarchy's levels.



**Fig. 1.14** | Data hierarchy.

| Level      | Description   |
|------------|---|
| Bits       | The smallest data item in a computer can assume the value 0 or the value 1. Such a data item is called a <b>bit</b> (short for “binary digit”—a digit that can assume one of two values). It’s remarkable that the impressive functions performed by computers involve only the simplest manipulations of 0s and 1s— <i>examining a bit’s value, setting a bit’s value and reversing a bit’s value</i> (from 1 to 0 or from 0 to 1).  |
| Characters | It’s tedious for people to work with data in the low-level form of bits. Instead, they prefer to work with <i>decimal digits</i> (0–9), <i>letters</i> (A–Z and a–z), and <i>special symbols</i> (e.g., \$, @, %, &, *, (, ), –, +, ", :, ? and / ). Digits, letters and special symbols are known as <b>characters</b> . The computer’s <b>character set</b> is the set of all the characters used to write programs and represent data items. Computers process only 1s and 0s, so a computer’s character set represents every character as a pattern of 1s and 0s. Java uses <b>Unicode®</b> characters that are composed of two <b>bytes</b> , each composed of eight bits. Unicode contains characters for many of the world’s languages. See Appendix F for more information on Unicode. See Appendix D for more information on the <b>ASCII (American Standard Code for Information Interchange)</b> character set—the popular subset of Unicode that represents uppercase and lowercase letters, digits and some common special characters. |
| Fields     | Just as characters are composed of bits, <b>fields</b> are composed of characters or bytes. A field is a group of characters or bytes that conveys meaning. For example, a field consisting of uppercase and lowercase letters could be used to represent a person’s name, and a field consisting of decimal digits could represent a person’s age.   |
| Records    | Several related fields can be used to compose a <b>record</b> (implemented as a <b>class</b> in Java). In a payroll system, for example, the record for an employee might consist of the following fields (possible types for these fields are shown in parentheses): <ul style="list-style-type: none"> <li>• Employee identification number (a whole number)</li> <li>• Name (a string of characters)</li> <li>• Address (a string of characters)</li> <li>• Hourly pay rate (a number with a decimal point)</li> <li>• Year-to-date earnings (a number with a decimal point)</li> <li>• Amount of taxes withheld (a number with a decimal point)</li> </ul> Thus, a record is a group of related fields. In the preceding example, all the fields belong to the same employee. A company might have many employees and a payroll record for each one.  |
| Files      | A <b>file</b> is a group of related records. [Note: More generally, a file contains arbitrary data in arbitrary formats. In some operating systems, a file is viewed simply as a <i>sequence of bytes</i> —any organization of the bytes in a file, such as organizing the data into records, is a view created by the application programmer.] It’s not unusual for an organization to have many files, some containing billions, or even trillions, of characters of information.   |

**Fig. 1.15** | Levels of the data hierarchy. (Part 1 of 2.)

| Level    | Description  |
|----------|--|
| Database | A <b>database</b> is an electronic collection of data that's organized for easy access and manipulation. There are various database models. In this book, we introduce relational databases in which data is stored in simple <i>tables</i> . A table includes <i>records</i> and <i>fields</i> . For example, a table of students might include first name, last name, major, year, student ID number and grade point average. The data for each student is a record, and the individual pieces of information in each record are the fields. You can search, sort and manipulate the data based on its relationship to multiple tables or databases. For example, a university might use data from the student database in combination with databases of courses, on-campus housing, meal plans, etc. We discuss databases in Chapter 18 and use them in the server-side programming chapters. |

**Fig. 1.15** | Levels of the data hierarchy. (Part 2 of 2.)

## 1.12 Operating Systems

Operating systems are software systems that make using computers more convenient for users, application developers and system administrators. Operating systems provide services that allow each application to execute safely, efficiently and *concurrently* (i.e., in parallel) with other applications. The software that contains the core components of the operating system is called the **kernel**. Popular desktop operating systems include Linux, Windows 7 and Mac OS X. Popular mobile operating systems used in smartphones and tablets include Google's Android, Apple's iOS (for iPhone, iPad and iPod Touch devices), BlackBerry OS and Windows Phone 7.

### 1.12.1 Desktop and Notebook Operating Systems

In this section we discuss two of the popular desktop operating systems—the proprietary Windows operating system and the open source Linux operating system.

#### *Windows—A Proprietary Operating System*

In the mid-1980s, Microsoft developed the **Windows operating system**, consisting of a graphical user interface built on top of DOS—an enormously popular personal-computer operating system of the time that users interacted with by *typing* commands. Windows borrowed from many concepts (such as icons, menus and windows) developed by Xerox PARC and popularized by early Apple Macintosh operating systems. Windows 7 is Microsoft's latest operating system—its features include enhancements to the user interface, faster startup times, further refinement of security features, touch-screen and multitouch support, and more. Windows is a *proprietary* operating system—it's controlled by Microsoft exclusively. Windows is by far the world's most widely used operating system.

#### *Linux—An Open-Source Operating System*

The Linux operating system is perhaps the greatest success of the *open-source* movement. **Open-source software** departs from the *proprietary* software development style that dominated software's early years. With open-source development, individuals and companies *contribute* their efforts in developing, maintaining and evolving software in exchange for

the right to use that software for their own purposes, typically at no charge. Open-source code is often scrutinized by a much larger audience than proprietary software, so errors often get removed faster. Open source also encourages more innovation. Enterprise systems companies, such as IBM, Oracle and many others, have made significant investments in Linux open-source development.

Some key organizations in the open-source community are the Eclipse Foundation (the Eclipse Integrated Development Environment helps programmers conveniently develop software), the Mozilla Foundation (creators of the Firefox web browser), the Apache Software Foundation (creators of the Apache web server used to develop web-based applications) and SourceForge (which provides the tools for managing open-source projects—it has over 306,000 of them under development). Rapid improvements to computing and communications, decreasing costs and open-source software have made it much easier and more economical to create a software-based business now than just a decade ago. A great example is Facebook, which was launched from a college dorm room and built with open-source software.<sup>6</sup>

The Linux kernel is the core of the most popular open-source, freely distributed, full-featured operating system. It's developed by a loosely organized team of volunteers and is popular in servers, personal computers and embedded systems. Unlike that of proprietary operating systems like Microsoft's Windows and Apple's Mac OS X, Linux source code (the program code) is available to the public for examination and modification and is free to download and install. As a result, Linux users benefit from a community of developers actively debugging and improving the kernel, an absence of licensing fees and restrictions, and the ability to completely customize the operating system to meet specific needs.

A variety of issues—such as Microsoft's market power, the small number of user-friendly Linux applications and the diversity of Linux distributions, such as Red Hat Linux, Ubuntu Linux and many others—have prevented widespread Linux use on desktop computers. But Linux has become extremely popular on servers and in embedded systems, such as Google's Android-based smartphones.

### 1.12.2 Mobile Operating Systems

Two of the most popular mobile operating systems are Apple's iOS and Google's Android.

#### *iOS for iPhone®, iPad® and iPod Touch®*

Apple, founded in 1976 by Steve Jobs and Steve Wozniak, quickly became a leader in personal computing. In 1979, Jobs and several Apple employees visited Xerox PARC (Palo Alto Research Center) to learn about Xerox's desktop computer that featured a graphical user interface (GUI). That GUI served as the inspiration for the Apple Lisa personal computer (designed for business customers) and, more notably, the Apple Macintosh, launched with much fanfare in a memorable Super Bowl ad in 1984. Steve Jobs left Apple in 1985 and founded NeXT Inc.

The Objective-C programming language, created by Brad Cox and Tom Love at Stepstone in the early 1980s, added capabilities for object-oriented programming (OOP) to the C programming language. In 1988, NeXT licensed Objective-C from StepStone and developed an Objective-C compiler and libraries which were used as the platform for the NeXTSTEP operating system's user interface and Interface Builder—used to con-

---

6. [developers.facebook.comopensource/](http://developers.facebook.comopensource/).

struct graphical user interfaces. Apple's Mac OS X operating system is a descendant of NeXTSTEP. Apple's proprietary iPhone operating system, iOS, is derived from Apple's Mac OS X and is used in the iPhone, iPad and iPod Touch devices.

You can download apps directly onto your iPhone, iPad or iPod device through the App Store. There are over 425,000 apps in the App Store.

#### *Google's Android*

Android—the fastest growing mobile and smartphone operating system—is based on the Linux kernel and Java. Experienced Java programmers can quickly dive into Android development. One benefit of developing Android apps is the openness of the platform. The operating system is open source and free.

The Android operating system was developed by Android, Inc., which was acquired by Google in 2005. In 2007, the Open Handset Alliance™—a consortium of 34 companies initially and 84 by 2011—was formed to continue developing Android. As of June 2011, more than 500,000 Android smartphones were being activated each day!<sup>7</sup> Android smartphones are now outselling iPhones in the United States.<sup>8</sup> The Android operating system is used in numerous smartphones (such as the Motorola Droid, HTC EVO™ 4G, Samsung Vibrant™ and many more), e-reader devices (such as the Barnes and Noble Nook™), tablet computers (such as the Dell Streak and the Samsung Galaxy Tab), in-store touch-screen kiosks, cars, robots, multimedia players and more.

You can download apps directly onto your Android device through Android Market and other app marketplaces. As of August 2011, there were over 250,000 apps in Google's Android Market.

## **1.13 Types of Programming Languages**

Programmers write instructions in various programming languages, some directly understandable by computers and others requiring intermediate *translation* steps. Any computer can directly understand only its own **machine language**, defined by its hardware design. Machine languages generally consist of numbers (ultimately reduced to 1s and 0s). Such languages are cumbersome for humans.

Programming in machine language—the numbers that computers could directly understand—was simply too slow and tedious for most programmers. Instead, they began using Englishlike abbreviations to represent elementary operations. These abbreviations formed the basis of **assembly languages**. *Translator programs* called **assemblers** were developed to convert assembly-language programs to machine language. Although assembly-language code is clearer to humans, it's incomprehensible to computers until translated to machine language.

To speed the programming process even further, **high-level languages** were developed in which single statements could be written to accomplish substantial tasks. High-level languages allow you to write instructions that look almost like everyday English and contain commonly used mathematical expressions. Translator programs called **compilers** convert high-level language programs into machine language.

---

7. [news.cnet.com/8301-13506\\_3-20074956-17/google-500000-android-devices-activated-each-day/](http://news.cnet.com/8301-13506_3-20074956-17/google-500000-android-devices-activated-each-day/).

8. [www.pcworld.com/article/196035/android\\_outsells\\_the\\_iphone\\_no\\_big\\_surprise.html](http://www.pcworld.com/article/196035/android_outsells_the_iphone_no_big_surprise.html).

The process of compiling a large high-level language program into machine language can take a considerable amount of computer time. **Interpreter** programs were developed to execute high-level language programs directly, although more slowly than compiled programs. In this book we study several key programming languages, including JavaScript and PHP—each of these **scripting languages** is processed by interpreters. Figure 1.16 introduces a number of popular programming languages.



### Performance Tip 1.1

*Interpreters have an advantage over compilers in Internet scripting. An interpreted program can begin executing as soon as it's downloaded to the client's machine, without needing to be compiled before it can execute. On the downside, interpreted scripts generally run slower than compiled code.*

| Programming language | Description  |
|----------------------|--|
| C                    | C was implemented in 1972 by Dennis Ritchie at Bell Laboratories. It initially became widely known as the UNIX operating system's development language. Today, most of the code for general-purpose operating systems is written in C or C++.  |
| C++                  | C++, an extension of C, was developed by Bjarne Stroustrup in the early 1980s at Bell Laboratories. C++ provides a number of features that "spruce up" the C language, but more important, it provides capabilities for object-oriented programming.   |
| Objective-C          | Objective-C is an object-oriented language based on C. It was developed in the early 1980s and later acquired by NeXT, which in turn was acquired by Apple. It has become the key programming language for the Mac OS X operating system and all iOS-based devices (such as iPods, iPhones and iPads).   |
| Visual Basic         | Microsoft's Visual Basic language (based on the Basic language developed at Dartmouth College in the 1960s) was introduced in the early 1990s to simplify Microsoft Windows applications development. Its latest versions support object-oriented programming.   |
| Visual C#            | Microsoft's three primary object-oriented programming languages are Visual Basic, Visual C++ (based on C++) and C# (based on C++ and Java, and developed for integrating the Internet and the web into computer applications).   |
| Java                 | Sun Microsystems in 1991 funded an internal corporate research project led by James Gosling, which resulted in the C++-based object-oriented programming language called Java. A key goal of Java is to enable the writing of programs that will run on a great variety of computer systems and computer-controlled devices. This is sometimes called "write once, run anywhere." Java is used to develop large-scale enterprise applications, to enhance the functionality of web servers (the computers that provide the content we see in our web browsers), to provide applications for consumer devices (smartphones, television set-top boxes and more) and for many other purposes. |

**Fig. 1.16** | Popular programming languages. (Part 1 of 2.)

| Programming language | Description  |
|----------------------|--|
| PHP                  | PHP—an object-oriented, “open-source” (see Section 1.12) “scripting” language supported by a community of users and developers—is used by numerous websites including Wikipedia and Facebook. PHP is <i>platform independent</i> —implementations exist for all major UNIX, Linux, Mac and Windows operating systems. PHP also supports many databases, including MySQL. Two other popular languages similar in concept to PHP are Perl and Python. The term “LAMP” describes four key technologies for building open-source software—Linux (operating system), Apache (web server), MySQL (database) and PHP or Perl or Python (server-side scripting languages). |
| Python               | Python, another object-oriented scripting language, was released publicly in 1991. Developed by Guido van Rossum of the National Research Institute for Mathematics and Computer Science in Amsterdam (CWI), Python draws heavily from Modula-3—a systems-programming language. Python is “extensible”—it can be extended through classes and programming interfaces.  |
| JavaScript           | JavaScript—developed by Brendan Eich at Netscape—is the most widely used scripting language. It’s primarily used to add programmability to web pages—for example, animations and interactivity with the user. It’s provided with all major web browsers.   |
| Ruby on Rails        | Ruby—created in the mid-1990s by Yukihiro Matsumoto—is an open-source, object-oriented programming language with a simple syntax that’s similar to Python. Ruby on Rails combines the scripting language Ruby with the Rails web-application framework developed by 37Signals. Their book, <i>Getting Real</i> ( <a href="http://gettingreal.37signals.com/toc.php">gettingreal.37signals.com/toc.php</a> ), is a must read for web developers. Many Ruby on Rails developers have reported productivity gains over other languages when developing database-intensive web applications. Ruby on Rails was used to build Twitter’s user interface.                 |
| Scala                | Scala ( <a href="http://www.scala-lang.org/node/273">www.scala-lang.org/node/273</a> )—short for “scalable language”—was designed by Martin Odersky, a professor at École Polytechnique Fédérale de Lausanne (EPFL) in Switzerland. Released in 2003, Scala uses both the <i>object-oriented</i> and <i>functional programming</i> paradigms and is designed to integrate with Java. Programming in Scala can significantly reduce the amount of code in your applications. Twitter and Foursquare use Scala.  |

**Fig. 1.16** | Popular programming languages. (Part 2 of 2.)

## 1.14 Object Technology

Building software quickly, correctly and economically remains an elusive goal at a time when demands for new and more powerful software are soaring. *Objects*, or more precisely the *classes* objects come from, are essentially *reusable* software components. There are date objects, time objects, audio objects, video objects, automobile objects, people objects, etc. Almost any *noun* can be reasonably represented as a software object in terms of *attributes* (e.g., name, color and size) and *behaviors* (e.g., calculating, moving and communicating).

Software developers are discovering that using a modular, object-oriented design and implementation approach can make software-development groups much more productive than was possible with earlier techniques—object-oriented programs are often easier to understand, correct and modify.

### *The Automobile as an Object*

Let's begin with a simple analogy. Suppose you want to *drive a car and make it go faster by pressing its accelerator pedal*. What must happen before you can do this? Well, before you can drive a car, someone has to *design* it. A car typically begins as engineering drawings, similar to the *blueprints* that describe the design of a house. These drawings include the design for an accelerator pedal. The pedal *hides* from the driver the complex mechanisms that actually make the car go faster, just as the brake pedal hides the mechanisms that slow the car, and the steering wheel *hides* the mechanisms that turn the car. This enables people with little or no knowledge of how engines, braking and steering mechanisms work to drive a car easily.

Before you can drive a car, it must be *built* from the engineering drawings that describe it. A completed car has an *actual* accelerator pedal to make the car go faster, but even that's not enough—the car won't accelerate on its own (hopefully!), so the driver must *press* the pedal to accelerate the car.

### *Methods and Classes*

Let's use our car example to introduce some key object-oriented programming concepts. Performing a task in a program requires a **method**. The method houses the program statements that actually perform its tasks. It hides these statements from its user, just as a car's accelerator pedal hides from the driver the mechanisms of making the car go faster. In object-oriented programming languages, we create a program unit called a **class** to house the set of methods that perform the class's tasks. For example, a class that represents a bank account might contain one method to *deposit* money to an account, another to *withdraw* money from an account and a third to *inquire* what the account's current balance is. A class is similar in concept to a car's engineering drawings, which house the design of an accelerator pedal, steering wheel, and so on.

### *Instantiation*

Just as someone has to *build a car* from its engineering drawings before you can actually drive a car, you must *build an object* from a class before a program can perform the tasks that the class's methods define. The process of doing this is called *instantiation*. An object is then referred to as an *instance* of its class.

### *Reuse*

Just as a car's engineering drawings can be *reused* many times to build many cars, you can *reuse* a class many times to build many objects. Reuse of existing classes when building new classes and programs saves time and effort. Reuse also helps you build more reliable and effective systems, because existing classes and components often have gone through extensive *testing, debugging* and *performance tuning*. Just as the notion of *interchangeable parts* was crucial to the Industrial Revolution, reusable classes are crucial to the software revolution that has been spurred by object technology.



### Software Engineering Observation 1.2

*Use a building-block approach to creating your programs. Avoid reinventing the wheel—use existing pieces wherever possible. This software reuse is a key benefit of object-oriented programming.*

#### Messages and Method Calls

When you drive a car, pressing its gas pedal sends a *message* to the car to perform a task—that is, to go faster. Similarly, you *send messages to an object*. Each message is implemented as a **method call** that tells a method of the object to perform its task. For example, a program might call a particular bank-account object's *deposit* method to increase the account's balance.

#### Attributes and Instance Variables

A car, besides having capabilities to accomplish tasks, also has *attributes*, such as its color, its number of doors, the amount of gas in its tank, its current speed and its record of total miles driven (i.e., its odometer reading). Like its capabilities, the car's attributes are represented as part of its design in its engineering diagrams (which, for example, include an odometer and a fuel gauge). As you drive an actual car, these attributes are carried along with the car. Every car maintains its *own* attributes. For example, each car knows how much gas is in its own gas tank, but *not* how much is in the tanks of *other* cars.

An object, similarly, has attributes that it carries along as it's used in a program. These attributes are specified as part of the object's class. For example, a bank-account object has a *balance attribute* that represents the amount of money in the account. Each bank-account object knows the balance in the account it represents, but *not* the balances of the *other* accounts in the bank. Attributes are specified by the class's **instance variables**.

#### Encapsulation

Classes **encapsulate** (i.e., wrap) attributes and methods into objects—an object's attributes and methods are intimately related. Objects may communicate with one another, but normally they're not allowed to know how other objects are implemented—implementation details are *hidden* within the objects themselves. This **information hiding** is crucial to good software engineering.

#### Inheritance

A new class of objects can be created quickly and conveniently by **inheritance**—the new class absorbs the characteristics of an existing class, possibly customizing them and adding unique characteristics of its own. In our car analogy, an object of class “convertible” certainly *is an* object of the more *general* class “automobile,” but more *specifically*, the roof can be raised or lowered.

## 1.15 Keeping Up-to-Date with Information Technologies

This completes our introduction to the Internet and the web. As you work through the book, if you have a question, send an e-mail to [deitel@deitel.com](mailto:deitel@deitel.com) and we'll get back to you promptly. We hope you enjoy using *Internet and World Wide Web How to Program, 5/e*. Figure 1.17 lists key technical and business publications that will help you stay up-to-date with the latest news and trends in computer, Internet and web technology. Enjoy!

| Publication                              | URL  |
|--|--|
| ACM TechNews                             | <a href="http://technews.acm.org/">technews.acm.org/</a>   |
| ACM Transactions on Accessible Computing | <a href="http://www.is.umbc.edu/taccess/index.html">www.is.umbc.edu/taccess/index.html</a>               |
| ACM Transactions on Internet Technology  | <a href="http://toit.acm.org/">toit.acm.org/</a>   |
| Bloomberg BusinessWeek                   | <a href="http://www.businessweek.com">www.businessweek.com</a>   |
| CNET                                     | <a href="http://news.cnet.com">news.cnet.com</a>   |
| Communications of the ACM                | <a href="http://cacm.acm.org/">cacm.acm.org/</a>   |
| Computer World                           | <a href="http://www.computerworld.com">www.computerworld.com</a>   |
| Engadget                                 | <a href="http://www.engadget.com">www.engadget.com</a>   |
| eWeek                                    | <a href="http://www.ewEEK.com">www.ewEEK.com</a>   |
| Fast Company                             | <a href="http://www.fastcompany.com/">www.fastcompany.com/</a>   |
| Fortune                                  | <a href="http://money.cnn.com/magazines/fortune/">money.cnn.com/magazines/fortune/</a>                   |
| IEEE Computer                            | <a href="http://www.computer.org/portal/web/computer">www.computer.org/portal/web/computer</a>           |
| IEEE Internet Computing                  | <a href="http://www.computer.org/portal/web/internet/home">www.computer.org/portal/web/internet/home</a> |
| InfoWorld                                | <a href="http://www.infoworld.com">www.infoworld.com</a>   |
| Mashable                                 | <a href="http://mashable.com">mashable.com</a>   |
| PCWorld                                  | <a href="http://www.pcworld.com">www.pcworld.com</a>   |
| SD Times                                 | <a href="http://www.sdtimes.com">www.sdtimes.com</a>   |
| Slashdot                                 | <a href="http://slashdot.org/">slashdot.org/</a>   |
| Smarter Technology                       | <a href="http://www.smartertechnology.com">www.smartertechnology.com</a>                                 |
| Technology Review                        | <a href="http://technologyreview.com">technologyreview.com</a>   |
| Techcrunch                               | <a href="http://techcrunch.com">techcrunch.com</a>   |
| Wired                                    | <a href="http://www.wired.com">www.wired.com</a>   |

**Fig. 1.17** | Technical and business publications.

## Self-Review Exercises

- 1.1** Fill in the blanks in each of the following:
- The company that popularized personal computing was \_\_\_\_\_.
  - Computers process data under the control of sets of instructions called computer \_\_\_\_\_.
  - \_\_\_\_\_ is a type of computer language that uses Englishlike abbreviations for machine-language instructions.
  - \_\_\_\_\_ languages are most convenient to the programmer for writing programs quickly and easily.
  - The only language a computer can directly understand is that computer's \_\_\_\_\_.
  - The programs that translate high-level language programs into machine language are called \_\_\_\_\_.
  - \_\_\_\_\_, or labeling content, is another key part of the collaborative theme of Web 2.0.

- h) With \_\_\_\_\_ development, individuals and companies contribute their efforts in developing, maintaining and evolving software in exchange for the right to use that software for their own purposes, typically at no charge.
- i) The \_\_\_\_\_ was the predecessor to the Internet.
- j) The information-carrying capacity of a communications medium like the Internet is called \_\_\_\_\_.
- k) The acronym TCP/IP stands for \_\_\_\_\_.
- 1.2** Fill in the blanks in each of the following statements.
- The protocol for communicating over the ARPANET is known as \_\_\_\_\_ .
  - When the user clicks a hyperlink, a \_\_\_\_\_ locates the requested web page and sends it to the user's web browser.
  - The Linux operating system is perhaps the greatest success of the \_\_\_\_\_ movement.
  - Several related fields can be used to compose a \_\_\_\_\_ .
- 1.3** Fill in the blanks in each of the following statements (based on Section 1.14):
- Objects, or more precisely the classes objects come from, are essentially \_\_\_\_\_ software components, which have both attributes and behaviors.
  - The \_\_\_\_\_ houses the program statements that actually perform its tasks.
  - After instantiation, an object is then referred to as a(n) \_\_\_\_\_ of its class.
  - Each message is implemented as a(n) \_\_\_\_\_ that tells a method of the object to perform its task.
  - \_\_\_\_\_ of existing classes when building new classes and programs saves time and effort.
- 1.4** State whether each of the following is *true* or *false*. If the statement is *false*, explain why.
- HTML5 (HyperText Markup Language 5) is a high-level language designed to specify the content and structure of web pages in a portable manner.
  - Keeping page styling together with the page content and structure enables you to easily change the look and feel of the pages on an entire website, or a portion of a website.
  - A web server maintains a database of hostnames and their corresponding IP addresses, and performs the translations automatically.
- 1.5** Fill in the blanks in each of the following statements
- ARPANET operated with a technique called \_\_\_\_\_, in which digital data was sent in small bundles called packets.
  - Each computer on the Internet has a unique \_\_\_\_\_.
  - Bit is the short form for \_\_\_\_\_.
  - Foursquare is a mobile \_\_\_\_\_ application that allows you to notify your friends of your whereabouts.
  - \_\_\_\_\_ language is called "write once, run anywhere."
  - One of the W3C's primary goals is to make the web universally \_\_\_\_\_.

## Answers to Self-Review Exercises

- 1.1** a) Apple. b) programs. c) Assembly language. d) High-level. e) machine language. f) compilers. g) Tagging. h) open-source. i) ARPANET. j) bandwidth. k) Transmission Control Protocol/Internet Protocol.

- 1.2** a) Transmission Control Protocol. b) web server. c) open-source. d) record.
- 1.3** a) reusable. b) method. c) instance. d) method call. e) Reuse.
- 1.4** a) False. HTML is a markup language. b) False. By separating page styling from page content and structure, you can change the look and feel of the pages on an entire website, or a portion of a website, simply by swapping out one style sheet for another. c) False. A Domain Name System (DNS) server maintains a database of hostnames and their corresponding IP addresses, and performs the translations automatically.
- 1.5** a) packet switching. b) IP address. c) binary digit. d) check-in. e) Java. f) accessible.

## Exercises

- 1.6** Fill in the blanks in each of the following statements:
- The process of instructing the computer to solve a problem is called \_\_\_\_\_.
  - What type of computer language uses Englishlike abbreviations for machine-language instructions? \_\_\_\_\_.
  - The level of computer language at which it's most convenient for you to write programs quickly and easily is \_\_\_\_\_.
  - The only language that a computer directly understands is called that computer's \_\_\_\_\_.
  - Web 2.0 embraces an \_\_\_\_\_—a design that encourages user interaction and community contributions.
  - \_\_\_\_\_ is the concept that a large, diverse group of people will create smart ideas.
- 1.7** Fill in the blanks in each of the following statements:
- The \_\_\_\_\_ standard specifies data formats, which programs can use to interpret data correctly.
  - A(n) \_\_\_\_\_ request often posts data to a server-side form handler that processes the data.
  - Twitter (founded in 2006) has revolutionized \_\_\_\_\_.
  - \_\_\_\_\_ in the middle tier enforces business rules and ensures that data is reliable before the application updates a database or presents data to users.
- 1.8** State whether each of the following is *true* or *false*. If the statement is *false*, explain why.
- PHP is an object-oriented, “open-source” “scripting” language supported by a community of users and developers and is used by numerous websites including Wikipedia and Facebook.
  - Classes encapsulate (i.e., wrap) attributes and methods into objects.
  - Apple’s Mac OS X operating system is a descendant of Android.
  - Ajax is one of the premier Web 1.0 software technologies.
- 1.9** Fill in the blanks in each of the following statements:
- \_\_\_\_\_ is the next-generation Internet Protocol that features built-in security and a new addressing scheme, significantly expanding the number of addresses available.
  - HTML documents normally contain \_\_\_\_\_, which, when clicked, load a specified web document.
  - A \_\_\_\_\_ contains information that directs a browser to the resource that the user wishes to access; \_\_\_\_\_ make such resources available to web clients.
  - The two most common HTTP request types are \_\_\_\_\_ and \_\_\_\_\_.

- e) Web-based applications are multitier applications. The \_\_\_\_\_ (also called the data tier or the information tier) maintains the application's data and typically stores data in a relational database management system. The \_\_\_\_\_ implements business logic, controller logic and presentation logic to control interactions between the application's clients and its data. The \_\_\_\_\_, or client tier, is the application's user interface, which gathers input and displays output.
- f) \_\_\_\_\_, the fastest growing mobile and smartphone operating system, is based on the Linux kernel and Java.

**I.10** What is the relationship between WWW and HTTP?

**I.11** Describe the difference between HTTP *get* and *post* requests.

**I.12** (*Internet in Industry and Research*) Fig. 1.5 provides some examples of desktop browsers and mobile browsers which are being used in industry and research. Find three additional examples of both browsers, and describe how each is used in the Internet and the web.

**I.13** (*Programming Languages*) Describe three major types of programming languages.

**I.14** (*Social Applications*) In Fig. 1.13 we listed several social applications that can be used in social interaction. Using two different social applications—either from the table or that you find online—describe a type of social application that you would like to create.

**I.15** (*Internet Negatives*) There are numerous benefits of surfing the Internet and the web using mobile phones; however there are several downsides as well, such as security issues and speed. Research some of these negative aspects. List five problems and describe what could possibly be done to help solve each.

**I.16** (*Web Services and Mashups*) In this chapter, we mentioned a few popular web services and mashups including Google Maps, Foursquare, LinkedIn, and YouTube. Identify another web service and mashup, and describe its application.

**I.17** (*Watch as an Object*) You're probably wearing on your wrist one of the world's most common types of objects—a watch. Discuss how each of the following terms and concepts applies to the notion of a watch: object, attributes, behaviors, class, inheritance (consider, for example, an alarm clock), abstraction, modeling, messages, encapsulation, interface and information hiding.

**I.18** (*Authentication*) You are receiving a lot of spam in your email account. The sources of the emails are not known. How you can minimize the spam email in your account? Discuss the issues.

**I.19** (*Programmer Responsibility and Liability*) As a programmer in industry, you may develop software that could affect people's social sentiments. Suppose the help section of a software application in one of your programs contains a particular statement that could hurt the sentiments of a particular religious community. Discuss the issues.

**I.20** (*Internet Addiction Disorder*) Internet addiction disorder (IAD) is a psychological disorder caused by excessive use of the Internet. Researchers have found that excessive Internet use can produce morphological changes in the structure of the human brain. Use the Internet to investigate the prevention and correction of the above problem and discuss the issues it raises.

**I.21** (*Making a Difference Projects*) The following is a list of just a few worldwide organizations that are working to make a difference. Visit these sites and our Making a Difference Resource Center at [www.deitel.com/makingadifference](http://www.deitel.com/makingadifference). Prepare a top 10 list of programming projects that you think could indeed "make a difference."

- [www.imaginecup.com/](http://www.imaginecup.com/)

The *Microsoft Image Cup* is a global competition in which students use technology to try to solve some of the world's most difficult problems, such as environmental sustainability, ending hun-

ger, emergency response, literacy and combating HIV/AIDS. Visit [www.imaginecup.com/about](http://www.imaginecup.com/about) for more information about the competition and to learn about the projects developed by previous winners. You can also find several project ideas submitted by worldwide charitable organizations at [www.imaginecup.com/students/imagine-cup-solve-this](http://www.imaginecup.com/students/imagine-cup-solve-this). For additional ideas for programming projects that can make a difference, search the web for “making a difference” and visit the following websites:

- [www.un.org/millenniumgoals](http://www.un.org/millenniumgoals)

The United Nations Millennium Project seeks solutions to major worldwide issues such as environmental sustainability, gender equality, child and maternal health, universal education and more.

- [www.ibm.com/smarterplanet/](http://www.ibm.com/smarterplanet/)

The IBM® Smarter Planet website discusses how IBM is using technology to solve issues related to business, cloud computing, education, sustainability and more.

- [www.gatesfoundation.org/Pages/home.aspx](http://www.gatesfoundation.org/Pages/home.aspx)

The Bill and Melinda Gates Foundation provides grants to organizations that work to alleviate hunger, poverty and disease in developing countries. In the United States, the foundation focuses on improving public education, particularly for people with few resources.

- [www.nethope.org/](http://www.nethope.org/)

NetHope is a collaboration of humanitarian organizations worldwide working to solve technology problems such as connectivity, emergency response and more.

- [www.rainforestfoundation.org/home](http://www.rainforestfoundation.org/home)

The Rainforest Foundation works to preserve rainforests and to protect the rights of the indigenous people who call the rainforests home. The site includes a list of things you can do to help.

- [www.undp.org/](http://www.undp.org/)

The United Nations Development Programme (UNDP) seeks solutions to global challenges such as crisis prevention and recovery, energy and the environment and democratic governance.

- [www.unido.org](http://www.unido.org)

The United Nations Industrial Development Organization (UNIDO) seeks to reduce poverty, give developing countries the opportunity to participate in global trade, and promote energy efficiency and sustainability.

- [www.usaid.gov/](http://www.usaid.gov)

USAID promotes global democracy, health, economic growth, conflict prevention, humanitarian aid and more.

- [www.toyota.com/ideas-for-good/](http://www.toyota.com/ideas-for-good/)

Toyota’s Ideas for Good website describes several Toyota technologies that are making a difference—including their Advanced Parking Guidance System, Hybrid Synergy Drive®, Solar Powered Ventilation System, T.H.U.M.S. (Total Human Model for Safety) and Touch Tracer Display. You can participate in the Ideas for Good challenge by submitting a short essay or video describing how these technologies can be used for other good purposes.

# Introduction to HTML5: Part I

2

*He had a wonderful talent for packing thought close, and rendering it portable.*

—Thomas Babington Macaulay

*High thoughts must have high language.*

—Aristophanes

## Objectives

In this chapter you'll:

- Understand important components of HTML5 documents.
- Use HTML5 to create web pages.
- Add images to web pages.
- Create and use hyperlinks to help users navigate web pages.
- Mark up lists of information.
- Create tables with rows and columns of data.
- Create and use forms to get user input.



# Outline

|            |                              |             |   |
|------------|------------------------------|-------------|---|
| <b>2.1</b> | Introduction                 | <b>2.8</b>  | Special Characters and Horizontal Rules |
| <b>2.2</b> | Editing HTML5                | <b>2.9</b>  | Lists                                   |
| <b>2.3</b> | First HTML5 Example          | <b>2.10</b> | Tables                                  |
| <b>2.4</b> | W3C HTML5 Validation Service | <b>2.11</b> | Forms                                   |
| <b>2.5</b> | Headings                     | <b>2.12</b> | Internal Linking                        |
| <b>2.6</b> | Linking                      | <b>2.13</b> | meta Elements                           |
| <b>2.7</b> | Images                       | <b>2.14</b> | Web Resources                           |
| 2.7.1      | alt Attribute                |             |   |
| 2.7.2      | Void Elements                |             |   |
| 2.7.3      | Using Images as Hyperlinks   |             |   |

[Summary](#) | [Self-Review Exercises](#) | [Answers to Self-Review Exercises](#) | [Exercises](#)

## 2.1 Introduction

This chapter begins unlocking the power of web-based application development with HTML5. Unlike *programming languages*, such as C, C++, C#, Java and Visual Basic, HTML5 is a **markup language** that specifies the *structure* and *content* of documents that are displayed in web browsers.

We introduce some basics, then cover more sophisticated HTML5 techniques such as:

- **tables**, which are particularly useful for structuring information from **databases** (i.e., software that stores structured sets of data)
- **forms** for collecting information from web-page visitors
- **internal linking** for easier page navigation
- **meta** elements for specifying information about a document

In Chapter 3, we introduce many new features in HTML5. In Chapter 4, we discuss CSS3, a technology for specifying how web pages look.

## 2.2 Editing HTML5

We'll create **HTML5 documents** by typing HTML5 markup text in a *text editor* (such as Notepad,TextEdit, vi, emacs) and saving it with the **.html** or **.htm** filename extension.

Computers called *web servers* store HTML5 documents. *Clients* (such as web browsers running on your local computer or smartphone) request specific **resources** such as HTML5 documents from web servers. For example, typing `www.deitel.com/books/downloads.html` into a web browser's address field requests the file `downloads.html` from the `books` directory on the web server running at `www.deitel.com`. We discuss web servers in Chapter 17. For now, you'll simply place the HTML5 documents on your computer and *render* (i.e., display) them by opening them locally with a web browser.

## 2.3 First HTML5 Example

This chapter presents HTML5 markup capabilities and provides screen captures that show how a browser **renders** (that is, displays) the HTML5. You can download the examples


from [www.pearsonhighered.com/deitel](http://www.pearsonhighered.com/deitel). The HTML5 documents we show have *line numbers* for your convenience—these are *not* part of the documents. Open each HTML5 document in various web browsers so you can view and interact with it.

Figure 2.1 is an HTML5 document named `main.html`, which is stored in the `examples/ch02` folder. This first example displays the message `Welcome to HTML5!` in the browser. Now let's consider each line of the document.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 2.1: main.html -->
4  <!-- First HTML5 example. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Welcome</title>
9      </head>
10
11     <body>
12         <p>Welcome to HTML5!</p>
13     </body>
14 </html>
```




---

**Fig. 2.1** | First HTML5 example.

### Document Type Declaration

The **document type declaration** (`DOCTYPE`) in line 1 is *required* in HTML5 documents so that browsers render the page in **standards mode**, according to the HTML and CSS specifications. Some browsers operate in **quirks mode** to maintain backward compatibility with web pages that are not up-to-date with the latest standards. You'll include the `DOCTYPE` in each HTML5 document you create.

### Blank Lines

We include *blank lines* (lines 2 and 10) to make our documents easier to read—the browser ignores them.

### Comments

Lines 3–4 are **HTML5 comments**. You'll insert comments in your HTML5 markup to improve readability and describe the content of a document. The browser ignores comments when your document is rendered. HTML5 comments start with `<!--` and end with `-->`. We include in our examples comments that specify the figure number and file name and state the example's purpose. We'll often include additional comments, especially to explain new features.

### **html, head and body Elements**

HTML5 markup contains text (and images, graphics, animations, audios and videos) that represents the *content* of a document and **elements** that specify a document's *structure* and *meaning*. Some important elements are the **html** element (which starts in line 5 and ends in line 14), the **head** element (lines 6–9) and the **body** element (lines 11–13). The **html** element *encloses* the **head section** (represented by the **head** element) and the **body section** (represented by the **body** element). The head section contains information about the HTML5 document, such as the character set (UTF-8, the most popular character-encoding scheme for the web) that the page uses (line 7)—which helps the browser determine how to render the content—and the **title** (line 8). The head section also can contain special document-formatting instructions called **CSS3 style sheets** and client-side programs called **scripts** for creating dynamic web pages. (We introduce *CSS3 style sheets* in Chapter 4 and explain *scripting* with the JavaScript language in Chapters 6–13.) The body section contains the page's *content*, which the browser displays when the user visits the web page.

### **Start Tags and End Tags**

HTML5 documents *delimit* most elements with a start tag and an end tag. A **start tag** consists of the element name in *angle brackets* (for example, `<html>` in line 5). An **end tag** consists of the element name preceded by a *forward slash* (/) in angle brackets (for example, `</html>` in line 14). There are several so-called “void elements” that do not have end tags.

As you'll soon see, many start tags have **attributes** that provide additional information about an element, which browsers use to determine how to process the element. Each attribute has a **name** and a **value** separated by an equals sign (=).



#### **Good Programming Practice 2.1**

*Although HTML5 element and attribute names are case insensitive (you can use uppercase and lowercase letters), it's a good practice to use only lowercase letters.*

### **title Element**

Line 8 specifies a **title** element. This is called a **nested element**, because it's *enclosed* in the **head** element's start and end tags. The **head** element is also a nested element, because it's enclosed in the **html** element's start and end tags. The **title** element describes the web page. Titles usually appear in the **title bar** at the top of the browser window, in the browser tab on which the page is displayed, and also as the text identifying a page when users add the page to their list of **Favorites** or **Bookmarks**, enabling them to return to their favorite sites. Search engines use the **title** for indexing purposes and when displaying results.



#### **Good Programming Practice 2.2**

*Indenting nested elements emphasizes a document's structure and promotes readability. We use three spaces for each level of indentation.*

Line 11 begins the document's **body** element, which specifies the document's *content*, which may include text, images, audios and videos.

### **Paragraph Element (`<p>...</p>`)**

Some elements, such as the **paragraph** element denoted with `<p>` and `</p>` in line 12, help define the structure of a document. All the text placed between the `<p>` and `</p>` tags

forms one paragraph. *When a browser renders a paragraph, it places extra space above and below the paragraph text.* The key line in the program is line 12, which tells the browser to display `Welcome to HTML5!`.

### ***End Tags***

This document ends with two end tags (lines 13–14), which close the body and `html` elements, respectively. The `</html>` tag informs the browser that the HTML5 markup is complete.

### ***Opening an HTML5 File in Your Default Web Browser***

To open an HTML5 example from this chapter, open the folder where you saved the book's examples, browse to the Chapter 2 folder and double click the file to open it in your default web browser. At this point your browser window should appear similar to the sample screen capture shown in Fig. 2.1. We resized the browser window to save space.

## **2.4 W3C HTML5 Validation Service**

You must use proper HTML5 syntax to ensure that browsers process your documents properly. The World Wide Web Consortium (W3C) provides a **validation service** (at `validator.w3.org`) for checking a document's syntax. Documents can be validated by

- providing the URL of an online web page
- uploading a file to the validator
- pasting code directly into a **text area** provided on the validator site

All of the HTML5 examples in this book have been validated by uploading a file to:

`validator.w3.org/#validate-by-upload`

To use `validator.w3.org/#validate-by-upload`, click the **Choose File** button to select a file from your computer to validate. Next, click **More Options**. In the **Document Type** drop-down list, select **HTML5 (experimental)**. Select the **Verbose Output** checkbox, then click the **Check** button to validate your document. If it contains syntax errors, the validation service displays error messages describing the errors. Since the HTML5 validator is still considered experimental, you'll receive a warning each time you validate an HTML5 document.



### **Error-Prevention Tip 2.1**

*Most browsers attempt to render HTML5 documents even if they're invalid. This can lead to unexpected and undesirable results. Use a validation service, such as the W3C Markup Validation Service, to confirm that an HTML5 document is syntactically correct.*

## **2.5 Headings**

Some text in an HTML5 document may be more important than other text. HTML5 provides six **heading elements** (`h1` through `h6`) for specifying the *relative importance* of information (Fig. 2.2). Heading element `h1` (line 12) is considered the *most significant* one and is typically rendered in a larger font than the other five (lines 13–17). Each successive heading element (`h2`, `h3`, etc.) is typically rendered in a progressively *smaller* font.



## Portability Tip 2.1

The text size used to display each heading element can vary between browsers. In Chapter 4, we use CSS to control the text size and other text properties.




## Look-and-Feel Observation 2.1

Placing a heading at the top of each page helps viewers understand the purpose of the page. Headers also help create an outline for a document and are indexed by search engines.

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 2.2: heading.html -->
4  <!-- Heading elements h1 through h6. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Headings</title>
9      </head>
10
11     <body>
12         <h1>Level 1 Heading</h1>
13         <h2>Level 2 heading</h2>
14         <h3>Level 3 heading</h3>
15         <h4>Level 4 heading</h4>
16         <h5>Level 5 heading</h5>
17         <h6>Level 6 heading</h6>
18     </body>
19 </html>
```



**Fig. 2.2** | Heading elements h1 through h6.

## 2.6 Linking


One of the most important HTML5 features is the **hyperlink**, which references (or **links to**) other resources, such as HTML5 documents and images. When a user clicks a hyperlink, the browser tries to execute an action associated with it (for example, navigate to a

URL or open an e-mail client). Any displayed element can act as a hyperlink. Web browsers typically *underline* text hyperlinks and color their text *blue* by default so that users can distinguish hyperlinks from plain text. In Fig. 2.3, we create text hyperlinks to four websites.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 2.3: links.html -->
4  <!-- Linking to other web pages. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Links</title>
9      </head>
10
11     <body>
12         <h1>Here are my favorite sites:</h1>
13         <p><strong>Click a name to visit that site.</strong></p>
14
15         <!-- create four text hyperlinks -->
16         <p><a href = "http://www.facebook.com">Facebook</a></p>
17         <p><a href = "http://www.twitter.com">Twitter</a></p>
18         <p><a href = "http://www.foursquare.com">Foursquare</a></p>
19         <p><a href = "http://www.google.com">Google</a></p>
20     </body>
21 </html>
```



**Fig. 2.3** | Linking to other web pages.

Line 13 introduces the **strong** element, which indicates that its content has high importance. Browsers typically render such text in a bold font.

Links are created using the **a (anchor)** element. Line 16 defines a *hyperlink* to the URL assigned to attribute **href** (hypertext reference), which specifies a resource's location, such as

- a web page or location within a web page
- a file
- an e-mail address

The anchor element in line 16 links the text Facebook to a web page located at `http://www.facebook.com`. The browser changes the color of any text link once you've clicked the link (in this case, the links are purple rather than blue). When a URL does not indicate a specific document on the website, the web server returns a default web page. This page is often called `index.html`, but most web servers can be configured to use *any* file as the default web page for the site. If the web server cannot locate a requested document, it returns an error indication to the web browser (known as a 404 error), and the browser displays a web page containing an error message.



### Software Engineering Observation 2.1

*Although not required in HTML5, enclosing attribute values in either single or double quotes is recommended.*

#### *Hyperlinking to an E-Mail Address*

Anchors can *link to e-mail addresses* using a `mailto:` URL. When the user clicks this type of anchored link, most browsers launch the user's default e-mail program (for example, Mozilla Thunderbird, Microsoft Outlook or Apple Mail) to enable the user to write an e-mail message to the linked address. Figure 2.4 demonstrates this type of anchor. Lines 13–14 contain an e-mail link. The form of an e-mail anchor is `<a href = "mailto:emailAddress">...</a>`. In this case, we link to the e-mail address `deitel@deitel.com`. Line 13 includes the e-mail address as it will appear in the message displayed on the browser.

---


```

1  <!DOCTYPE html>
2
3  <!-- Fig. 2.4: contact.html -->
4  <!-- Linking to an e-mail address. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Contact Page</title>
9      </head>
10
11     <body>
12         <p>
13             To write to <a href = "mailto:deitel@deitel.com">
14                 Deitel & Associates, Inc.</a>, click the link and your default
15                 email client will open an email message and address it to us.
16         </p>
17     </body>
18 </html>

```



**Fig. 2.4** | Linking to an e-mail address. (Part I of 2.)



**Fig. 2.4** | Linking to an e-mail address. (Part 2 of 2.)

## 2.7 Images

We've shown how to mark up documents that contain only text, but web pages may also contain images, animations, graphics, audios and even videos. The most popular *image formats* used by web developers today are *PNG (Portable Network Graphics)* and *JPEG (Joint Photographic Experts Group)*. Users can create images using specialized software, such as Adobe Photoshop Express ([www.photoshop.com](http://www.photoshop.com)), G.I.M.P. ([www.gimp.org](http://www.gimp.org)), Inkscape ([www.inkscape.org](http://www.inkscape.org)) and many more. Images may also be acquired from various websites, many of which offer royalty-free images (Fig. 2.5)—read each site's Terms of Service to determine if you'll need permission to use their images, especially in commercial, for-profit applications. Figure 2.6 demonstrates how to include images in web pages.

| Image-sharing site     | URL  |
|------------------------|--|
| Flickr®                | <a href="http://www.flickr.com">www.flickr.com</a>                             |
| Photobucket            | <a href="http://photobucket.com">photobucket.com</a>                           |
| Fotki™                 | <a href="http://www.fotki.com">www.fotki.com</a>                               |
| deviantART             | <a href="http://www.deviantart.com">www.deviantart.com</a>                     |
| Picasa™                | <a href="http://picasa.google.com">picasa.google.com</a>                       |
| TinyPic®               | <a href="http://tinypic.com">tinypic.com</a>                                   |
| ImageShack             | <a href="http://www.imageshack.us">www.imageshack.us</a>                       |
| FreeDigitalPhotos.net  | <a href="http://www.freedigitalphotos.net">www.freedigitalphotos.net</a>       |
| Open Stock Photography | <a href="http://www.openstockphotography.org">www.openstockphotography.org</a> |
| Open Clip Art Library  | <a href="http://www.openclipart.org">www.openclipart.org</a>                   |

**Fig. 2.5** | Popular image-sharing sites.


---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 2.6: picture.html -->
4  <!-- Including images in HTML5 files. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Images</title>
9      </head>
10
11     <body>
12         <p>
13             <img src = "cpphttp.png" width = "92" height = "120"
14                 alt = "C++ How to Program book cover">
15             <img src = "jhttp.png" width = "92" height = "120"
16                 alt = "Java How to Program book cover">
17         </p>
18     </body>
19 </html>

```

Internet Explorer 9 showing an image and the `alt` text for a missing image




---

**Fig. 2.6** | Including images in HTML5 files.

Lines 13–14 use an `img` element to include an image in the document. The image file's location is specified with the `src` (source) attribute. This image is located in the *same* directory as the HTML5 document, so only the image's file name is required. This is known as a **relative path**—the image is stored relative to the location of the document. *Optional* attributes `width` and `height` specify the image's dimensions. You can *scale* an image by increasing or decreasing the values of the image `width` and `height` attributes. If these attributes are omitted, the browser uses the image's *actual* width and height. Images are measured in **pixels** (“picture elements”), which represent dots of color on the screen. Image-editing programs display the dimensions, in pixels, of an image. The image in Fig. 2.6 is 92 pixels wide and 120 pixels high.



### Performance Tip 2.1

*Always include the width and the height of an image in the `<img>` tag so that when the browser loads the HTML5 file, it will know how much screen space to provide and can lay out the page properly, even before it downloads the image. Including the width and height attributes in an `<img>` tag can help the browser load and render pages faster.*



### Look-and-Feel Observation 2.2

Entering new dimensions for an image that change its width-to-height ratio distorts the appearance of the image. To avoid distortion, if your image is 200 pixels wide and 100 pixels high, for example, any new dimensions should maintain the 2:1 width-to-height ratio.

## 2.7.1 alt Attribute

A browser may not be able to render an image for several reasons. It may not support images—as is the case with text-only browsers—or the client may have disabled image viewing to reduce download time. Every `img` element in an HTML5 document *must* have an **alt attribute**. If a browser cannot render an image, the browser displays the `alt` attribute's value. Figure 2.6 shows the Internet Explorer browser rendering a red X symbol and displaying the `alt` attribute's value, signifying that the image (`jhttp.png`) cannot be found.

The `alt` attribute is also important for accessibility—speech synthesizer software can speak the `alt` attribute's value so that a visually impaired user can understand what the browser is displaying. For this reason, the `alt` attribute should describe the image's contents.

## 2.7.2 Void Elements

Some HTML5 elements (called **void elements**) contain only attributes and do not mark up text (i.e., text is not placed between a start and an end tag). Although this is not required in HTML5, you can terminate void elements (such as the `img` element) by using the **forward slash character** (/) inside the closing right angle bracket (>) of the start tag. For example, lines 15–16 could be written as follows:

```
<img src = "jhttp.png" width = "92" height = "120"
      alt = "Java How to Program book cover" />
```

## 2.7.3 Using Images as Hyperlinks

By using images as hyperlinks, you can create graphical web pages that link to other resources. In Fig. 2.7, we create five different image hyperlinks. Clicking an image in this example takes the user to a corresponding web page—one of the other examples in this chapter.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 2.7: nav.html -->
4  <!-- Images as link anchors. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Navigation Bar</title>
9      </head>
10

```

---

**Fig. 2.7** | Images as link anchors. (Part 1 of 2.)

```

11   <body>
12     <p>
13       <a href = "links.html">
14         <img src = "buttons/buttons.jpg" width = "65"
15           height = "50" alt = "Links">
16       </a>
17
18       <a href = "list.html">
19         <img src = "buttons/list.jpg" width = "65"
20           height = "50" alt = "List of Features">
21       </a>
22
23       <a href = "contact.html">
24         <img src = "buttons/contact.jpg" width = "65"
25           height = "50" alt = "Contact Me">
26       </a>
27
28       <a href = "table1.html">
29         <img src = "buttons/table.jpg" width = "65"
30           height = "50" alt = "Tables Page">
31       </a>
32
33       <a href = "form.html">
34         <img src = "buttons/form.jpg" width = "65"
35           height = "50" alt = "Feedback Form">
36       </a>
37     </p>
38   </body>
39 </html>
```



**Fig. 2.7** | Images as link anchors. (Part 2 of 2.)

Lines 13–16 create an **image hyperlink** by nesting an `img` element in an anchor element. The `img` element's `src` attribute value specifies that this image (`links.jpg`) resides in a directory named `buttons`. The `buttons` directory and the HTML5 document are in the *same* directory. Images from other web documents also can be referenced by setting the `src` attribute to the name and location of the image. If you refer to an image on another website, the browser has to request the image resource from that site's server. [Note: If you're hosting a publicly available web page that uses an image from another site, you should get permission to use the image and host a copy of the image on your own website. The image's owner may require you to acknowledge their work.] Clicking an image hyperlink takes a user to the web page specified by the surrounding anchor element's `href` attribute. When the mouse *hovers* over a link of any kind, the URL that the link points to is displayed in the status bar at the bottom of the browser window.

## 2.8 Special Characters and Horizontal Rules

When marking up text, certain characters or symbols may be difficult to embed directly into an HTML5 document. Some keyboards do not provide these symbols (such as ©), or their presence in the markup may cause syntax errors (as with <). For example, the markup

```
<p>if x < 10 then increment x by 1</p>
```

results in a syntax error because it uses the less-than character (<), which is reserved for start tags and end tags such as <p> and </p>. HTML5 provides **character entity references** (in the form &code;) for representing special characters (Fig. 2.8). We could correct the previous line by writing

```
<p>if x &lt; 10 then increment x by 1</p>
```

which uses the character entity reference &lt; for the less-than symbol (<). [Note: Before HTML5, the character entity reference &amp; was required to display an & in a web page. This is no longer the case.]

| Symbol                                 | Description          | Character entity reference |
|--|----------------------|----------------------------|
| <i>HTML5 character entities</i>        |                      |                            |
| &                                      | ampersand            | &amp;                      |
| ,                                      | apostrophe           | &apos;                     |
| >                                      | greater-than         | &gt;                       |
| <                                      | less-than            | &lt;                       |
| "                                      | quote                | &quot;                     |
| <i>Other common character entities</i> |                      |                            |
| non-breaking space                     |                      | &nbsp;                     |
| ©                                      | copyright            | &copy;                     |
| —                                      | em dash              | &mdash;                    |
| —                                      | en dash              | &ndash;                    |
| ¼                                      | fraction 1/4         | &frac14;                   |
| ½                                      | fraction 1/2         | &frac12;                   |
| ¾                                      | fraction 3/4         | &frac34;                   |
| ...                                    | horizontal ellipsis  | &hellip;                   |
| ®                                      | registered trademark | &reg;                      |
| §                                      | section              | &sect;                     |
| ™                                      | trademark            | &trade;                    |

**Fig. 2.8** | Some common HTML character entity references.

Figure 2.9 demonstrates how to use special characters in an HTML5 document. For an extensive list of character entities, see

```
www.w3.org/TR/REC-htm140/sgml/entities.html
```

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 2.9: contact2.html -->
4  <!-- Inserting special characters. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Contact Page</title>
9      </head>
10
11     <body>
12         <p>
13             <a href = "mailto:deitel@deitel.com">Send an email to
14                 Deitel & Associates, Inc.</a>.
15         </p>
16
17         <hr> <!-- inserts a horizontal rule -->
18
19         <!-- special characters are entered -->
20         <!-- using the form &code; -->
21         <p>All information on this site is <strong>&copy;
22             Deitel & Associates, Inc. 2012.</strong> </p>
23
24         <!-- to strike through text use <del> element -->
25         <!-- to subscript text use <sub> element -->
26         <!-- to superscript text use <sup> element -->
27         <!-- these elements are nested inside other elements -->
28         <p><del>You may download  $3.14 \times 10^2$ </sup>2</sup>
29             characters worth of information from this site.</del>
30             The first item in the series is  $x_{\substack{1}}$ .</p>
31             <p>Note:  $\frac{1}{4}$  of the information
32                 presented here is updated daily.</p>
33         </body>
34     </html>

```



**Fig. 2.9** | Inserting special characters.

The paragraph in lines 12–15 allows the user to click the link to send an e-mail to Deitel & Associates, Inc. In this case, we represented the & with the character entity reference &amp; to show that it still works even though it's not required in HTML5.

In addition to special characters, this document introduces a **horizontal rule**, indicated by the `<hr>` tag in line 17. Most browsers render a horizontal rule as a horizontal line with extra space above and below it. As a professional, you'll see lots of older code—known as *legacy code*. The horizontal rule element should be considered a legacy element and you should avoid using it. As you'll learn, CSS can be used to add horizontal rules and other formatting to documents.

Lines 21–22 contain other special characters, which can be expressed as either character entity references (coded using word abbreviations such as `&copy;` for copyright) or **numeric character references**—decimal or **hexadecimal (hex)** values representing special characters. For example, the & character is represented in decimal and hexadecimal notation as `&#38;` and `&#x26;;`, respectively. Hexadecimal numbers are base 16 numbers—digits in a hexadecimal number have values from 0 to 15 (a total of 16 different values). The letters A–F represent the hexadecimal digits corresponding to decimal values 10–15. Thus in hexadecimal notation we can have numbers like 876 consisting solely of decimal-like digits, numbers like DA19F consisting of digits and letters, and numbers like DCB consisting solely of letters. We discuss hexadecimal numbers in detail in Appendix E, Number Systems, which is available online at [www.deitel.com/books/iw3htp5/](http://www.deitel.com/books/iw3htp5/).

In lines 28–30, we introduce four new elements. Most browsers render the **`del`** element as *strike-through text*. With this format users can indicate document revisions. To **superscript** text (i.e., raise text above the baseline and in a decreased font size) or **subscript** text (i.e., lower text below the baseline and in a decreased font size), use the **`sup`** or **`sub`** element, respectively. We also use character entity reference `&lt;` for a less-than sign and `&frac14;` for the fraction 1/4 (line 31).

## 2.9 Lists

Now we show how to use *lists* in a web page to organize content that similar in nature. Figure 2.10 displays text in an **unordered list** (i.e., a simple bullet-style list that does not order its items by letter or number). The unordered-list element **`ul`** (lines 16–22) creates a list in which each item begins with a bullet symbol (typically a *disc*). Each entry in an unordered list is an **`li`** (**list item**) element (lines 18–21). Most web browsers render each **`li`** element on a new line with a bullet symbol indented from the beginning of the line.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 2.10: links2.html -->
4  <!-- Unordered list containing hyperlinks. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Links</title>
9      </head>
10
11     <body>
12         <h1>Here are my favorite sites</h1>
13         <p><strong>Click on a name to go to that page</strong></p>

```

---

**Fig. 2.10** | Unordered list containing hyperlinks. (Part 1 of 2.)

---

```

14      <!-- create an unordered list -->
15      <ul>
16          <!-- the list contains four list items -->
17          <li><a href = "http://www.youtube.com">YouTube</a></li>
18          <li><a href = "http://www.wikipedia.org">Wikipedia</a></li>
19          <li><a href = "http://www.amazon.com">Amazon</a></li>
20          <li><a href = "http://www.linkedin.com">LinkedIn</a></li>
21      </ul>
22  </body>
23</html>

```



**Fig. 2.10** | Unordered list containing hyperlinks. (Part 2 of 2.)

### Nested Lists

Lists may be *nested* to represent *hierarchical* relationships, as in a multilevel outline. Figure 2.11 demonstrates **nested lists** and **ordered lists**. The ordered-list element **ol** creates a list in which each item begins with a number.

In many browsers, the items in the outermost unordered list (lines 15–55) are preceded by *discs*. List items nested inside the unordered list of line 15 are preceded in many browsers by *hollow circular bullets*. A web browser indents each nested list to indicate a hierarchical relationship. The first ordered list (lines 29–33) includes two items. Items in an ordered list are enumerated 1., 2., 3. and so on. Nested ordered lists are enumerated in the same manner. Although not demonstrated in this example, subsequent nested unordered list items are often preceded by *square bullets*. The bullet styles used may vary by browser.

---

```


1  <!DOCTYPE html>
2
3  <!-- Fig. 2.11: list.html -->
4  <!-- Nested lists and ordered lists. -->
5  <html>
6      <head>

```

**Fig. 2.11** | Nested lists and ordered lists. (Part 1 of 3.)

```
7      <meta charset = "utf-8">
8      <title>Lists</title>
9  </head>
10
11 <body>
12   <h1>The Best Features of the Internet</h1>
13
14   <!-- create an unordered list -->
15   <ul>
16     <li>You can meet new people from countries around
17       the world.</li>
18     <li>
19       You have access to new media as it becomes public:
20
21       <!-- this starts a nested unordered list, which uses a -->
22       <!-- different bullet. The list ends when you -->
23       <!-- close the <ul> tag. -->
24       <ul>
25         <li>New games</li>
26         <li>New applications
27
28         <!-- nested ordered list -->
29         <ol>
30           <li>For business</li>
31           <li>For pleasure</li>
32         </ol>
33       </li> <!-- ends line 27 new applications li-->
34
35     <li>Around the clock news</li>
36     <li>Search engines</li>
37     <li>Shopping</li>
38     <li>Programming
39
40       <!-- another nested ordered list -->
41       <ol>
42         <li>XML</li>
43         <li>Java</li>
44         <li>HTML5</li>
45         <li>JavaScript</li>
46         <li>New languages</li>
47       </ol>
48     </li> <!-- ends programming li of line 38 -->
49   </ul> <!-- ends the nested list of line 24 -->
50 </li>
51
52   <li>Links</li>
53   <li>Keeping in touch with old friends</li>
54     <li>It's the technology of the future!</li>
55   </ul> <!-- ends the unordered list of line 15 -->
56 </body>
57 </html>
```

Fig. 2.11 | Nested lists and ordered lists. (Part 2 of 3.)



**Fig. 2.11** | Nested lists and ordered lists. (Part 3 of 3.)

## 2.10 Tables

Tables are frequently used to organize data into *rows* and *columns*. Our first example (Fig. 2.12) creates a table with six rows and two columns to display price information for various fruits. Tables are defined with the **table** element (lines 13–58). Line 13 specifies the **table** element’s start tag. The **border** attribute with the value "1" specifies that the browser should place borders around the table and the table’s cells. The border attribute is a legacy attribute that you should avoid. When we introduce CSS3 (Chapter 4), we’ll use CSS’s **border** property, which is the preferred way to format a **table**’s borders.

The **caption** element (lines 17–18) specifies a table’s title. Text in this element is typically rendered above the table. In addition, it’s good practice to include a general description of a table’s information in the **table** element’s **summary** attribute—one of the many HTML5 features that make web pages more accessible to users with disabilities. Speech devices use this attribute to make the table more *accessible* to users with visual impairments.

---

```


1  <!DOCTYPE html>
2
3  <!-- Fig. 2.12: table1.html -->
4  <!-- Creating a basic table. -->
5  <html>
6    <head>
7      <meta charset = "utf-8">
```

---

**Fig. 2.12** | Creating a basic table. (Part 1 of 3.)

```
8      <title>A simple HTML5 table</title>
9  </head>
10
11  <body>
12    <!-- the <table> tag opens a table -->
13    <table border = "1">
14
15    <!-- the <caption> tag summarizes the table's -->
16    <!-- contents (this helps visually impaired people) -->
17    <caption><strong>Table of Fruits (1st column) and
18      Their Prices (2nd column)</strong></caption>
19
20    <!-- the <thead> section appears first in the table -->
21    <!-- it formats the table header area -->
22    <thead>
23      <tr> <!-- <tr> inserts a table row -->
24        <th>Fruit</th> <!-- insert a heading cell -->
25        <th>Price</th>
26      </tr>
27    </thead>
28
29    <!-- the <tfoot> section appears last in the table -->
30    <!-- it formats the table footer -->
31    <tfoot>
32      <tr>
33        <th>Total</th>
34        <th>$3.75</th>
35      </tr>
36    </tfoot>
37
38    <!-- all table content is enclosed -->
39    <!-- within the <tbody> -->
40    <tbody>
41      <tr>
42        <td>Apple</td> <!-- insert a data cell -->
43        <td>$0.25</td>
44      </tr>
45      <tr>
46        <td>Orange</td>
47        <td>$0.50</td>
48      </tr>
49      <tr>
50        <td>Banana</td>
51        <td>$1.00</td>
52      </tr>
53      <tr>
54        <td>Pineapple</td>
55        <td>$2.00</td>
56      </tr>
57    </tbody>
58  </table>
59  </body>
60 </html>
```

Fig. 2.12 | Creating a basic table. (Part 2 of 3.)



**Fig. 2.12** | Creating a basic table. (Part 3 of 3.)

A table has three distinct sections—**head**, **body** and **foot**. The head section (or header cell) is defined with a **thead** element (lines 22–27), which contains header information such as column names. Each **tr** element (lines 23–26) defines an individual **table row**. The *columns* in the **thead** section are defined with **th** elements. Most browsers *center* text formatted by **th** (table header column) elements and display them in ***bold***. Table header elements (lines 24–25) are *nested* inside table row elements.

The body section, or **table body**, contains the table's *primary data*. The table body (lines 40–57) is defined in a **tbody** element. In the table body, each **tr** element specifies one row. **Data cells** contain individual pieces of data and are defined with **td** (**table data**) elements in each row.

The **tfoot** section (lines 31–36) is defined with a **tfoot** (table foot) element. The text placed in the footer commonly includes *calculation results* and *footnotes*. Here, we manually entered the calculation total. In later chapters, we'll show how to perform such calculations dynamically. Like other sections, the **tfoot** section can contain table rows, and each row can contain cells. As in the **thead** section, cells in the foot section are created using **th** elements, instead of the **td** elements used in the table body. Before HTML5, the **tfoot** section was required to appear above the **tbody** section of the table. As of HTML5, the **tfoot** section can be *above* or *below* the **tbody** section in the code.

In this example, we specified only the table's data, *not* its formatting. As you can see, in the browser's default formatting each column is only as wide as its largest element, and the table itself is not visually appealing. In Chapter 4, we'll use CSS to specify HTML5 elements' formats.

### Using **rowspan** and **colspan** with Tables

Figure 2.12 explored a basic table's structure. Figure 2.13 presents another table example and introduces new attributes that allow you to build more complex tables.

The table begins in line 14. *Table cells are sized to fit the data they contain*, but you can control a table's formatting using CSS3. You can create cells that apply to more than one

row or column using the attributes **rowspan** and **colspan**. The values assigned to these attributes specify the number of rows or columns occupied by a cell. The **th** element at lines 22–25 uses the attribute **rowspan = "2"** to allow the cell containing the picture of the camel to use two vertically adjacent cells (thus the cell *spans* two rows). The **th** element in lines 28–31 uses the attribute **colspan = "4"** to widen the header cell (containing *Camelid comparison* and *Approximate as of 10/2011*) to span four cells.

Line 29 introduces the **br** element, which most browsers render as a **line break**. Any markup or text following a **br** element is rendered on the next line, which in this case appears within the same four-column span. Like the **img** element, **br** is an example of a *void element*. Like the **hr** element, **br** is considered a legacy formatting element that you should avoid using—in general, formatting should be specified using CSS.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 2.13: table2.html -->
4  <!-- Complex HTML5 table. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Tables</title>
9      </head>
10
11     <body>
12         <h1>Table Example: Spanning Rows and Columns</h1>
13
14         <table border = "1">
15             <caption>A more complex sample table</caption>
16
17             <thead>
18                 <!-- rowspans and colspans merge the specified -->
19                 <!-- number of cells vertically or horizontally -->
20                 <tr>
21                     <!-- merge two rows -->
22                     <th rowspan = "2">
23                         <img src = "camel.png" width = "205"
24                             height = "167" alt = "Picture of a camel">
25                 </th>
26
27                     <!-- merge four columns -->
28                     <th colspan = "4">
29                         <strong>Camelid comparison</strong><br>
30                         Approximate as of 10/2011
31                     </th>
32                 </tr>
33                 <tr>
34                     <th># of humps</th>
35                     <th>Indigenous region</th>
36                     <th>Spits?</th>
37                     <th>Produces wool?</th>
38                 </tr>
39             </thead>
```

---

**Fig. 2.13** | Complex HTML5 table. (Part 1 of 2.)

```

40      <tbody>
41          <tr>
42              <th>Camels (bactrian)</th>
43              <td>2</td>
44              <td>Africa/Asia</td>
45              <td>Yes</td>
46              <td>Yes</td>
47          </tr>
48          <tr>
49              <th>Llamas</th>
50              <td>1</td>
51              <td>Andes Mountains</td>
52              <td>Yes</td>
53              <td>Yes</td>
54          </tr>
55      </tbody>
56  </table>
57 </body>
58 </html>

```

**Table Example: Spanning Rows and Columns**

A more complex sample table

| Camelid comparison<br>Approximate as of 6/2011 |            |                   |        |                |
|--|------------|-------------------|--------|----------------|
|  | # of humps | Indigenous region | Spits? | Produces wool? |
| Camels (bactrian)                              | 2          | Africa/Asia       | Yes    | Yes            |
| Llamas   | 1          | Andes Mountains   | Yes    | Yes            |

**Fig. 2.13** | Complex HTML5 table. (Part 2 of 2.)

## 2.11 Forms

When browsing websites, users often need to provide information such as search queries, e-mail addresses and zip codes. HTML5 provides a mechanism, called a **form**, for collecting data from a user.

Data that users enter on a web page is normally sent to a *web server* that provides access to a site's resources (for example, HTML5 documents, images, animations, videos). These resources are located either on the same machine as the web server or on a machine that

the web server can access through the Internet. When a browser requests a publicly available web page or file that's located on a server, the server processes the request and returns the requested resource. A request contains the *name* and *path* of the desired resource and the *protocol* (method of communication). HTML5 documents are requested and transferred via the Hypertext Transfer Protocol (HTTP).

Figure 2.14 is a simple form that sends data to the web server for processing. The web server typically returns a web page back to the web browser—this page often indicates whether or not the form's data was processed correctly. [Note: This example demonstrates only client-side functionality. If you submit this form (by clicking **Submit**), the browser will simply display [www.deitel.com](http://www.deitel.com) (the site specified in the form's action), because we haven't yet specified how to process the form data on the server. In later chapters, we present the *server-side programming* (for example, in PHP, ASP.NET and JavaServer Faces) necessary to process information entered into a form.]

---

```


1  <!DOCTYPE html>
2
3  <!-- Fig. 2.14: form.html -->
4  <!-- Form with a text field and hidden fields. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Forms</title>
9      </head>
10
11     <body>
12         <h1>Feedback Form</h1>
13
14         <p>Please fill out this form to help
15             us improve our site.</p>
16
17         <!-- this tag starts the the form, gives the -->
18         <!-- method of sending information and the -->
19         <!-- location of the form-processing script -->
20         <form method = "post" action = "http://www.deitel.com">
21             <!-- hidden inputs contain non-visual -->
22             <!-- information that will also be submitted -->
23             <input type = "hidden" name = "recipient"
24                 value = "deitel@deitel.com">
25             <input type = "hidden" name = "subject"
26                 value = "Feedback Form">
27             <input type = "hidden" name = "redirect"
28                 value = "main.html">
29
30             <!-- <input type = "text"> inserts a text field -->
31             <p><label>Name:
32                 <input name = "name" type = "text" size = "25"
33                     maxlength = "30">
34             </label></p>
35

```

---

**Fig. 2.14** | Form with a text field and hidden fields. (Part 1 of 2.)

```
36      <p>
37          <!-- input types "submit" and "reset" insert -->
38          <!-- buttons for submitting and clearing the -->
39          <!-- form's contents, respectively -->
40          <input type = "submit" value = "Submit">
41          <input type = "reset" value = "Clear">
42      </p>
43  </form>
44 </body>
45 </html>
```



**Fig. 2.14** | Form with a text field and hidden fields. (Part 2 of 2.)

#### ***method Attribute of the form Element***

The form is defined in lines 20–43 by a **form** element. Attribute **method** (line 20) specifies how the form’s data is sent to the web server. Using **method = "post"** appends form data to the browser request, which contains the protocol (HTTP) and the requested resource’s URL. This method of passing data to the server is *transparent*—the user doesn’t see the data after the form is submitted. The other possible value, **method = "get"**, appends the form data directly to the end of the URL of the script, where it’s visible in the browser’s **Address** field. The *post* and *get* methods for sending form data are discussed in detail in Chapter 17.

#### ***action Attribute of the form Element***

The **action** attribute in the **form** element in line 20 specifies the URL of a *script on the web server* that will be invoked to process the form’s data. Since we haven’t introduced server-side programming yet, we set this attribute to <http://www.deitel.com> for now.

Lines 24–43 define **input** elements that specify data to provide to the script that processes the form (also called the **form handler**). There are several types of input elements. An input’s type is determined by its **type attribute**. This form uses a text input, a submit input, a reset input and three hidden inputs.

#### ***Hidden Inputs***

Forms can contain visual and nonvisual components. *Visual components* include clickable buttons and other graphical user interface components with which users interact. *Nonvi-*

sual components, called **hidden inputs** (lines 23–28), store any data that you specify, such as e-mail addresses and HTML5 document file names that act as links.

The three hidden **input** elements in lines 23–28 have the **type** attribute **hidden**, which allows you to *send form data that's not input by a user*. The hidden inputs are an e-mail address to which the data will be sent, the e-mail's subject line and a URL for the browser to open after submission of the form. Two other **input** attributes are **name**, which identifies the **input** element, and **value**, which provides the value that will be sent (or posted) to the web server. The server uses the **name** attribute to get the corresponding **value** from the form.

### **text input Element**

The **text** **input** in lines 32–33 inserts a **text field** in the form. Users can type data in text fields. The **label** element (lines 31–34) provides users with information about the **input** element's purpose. The **input** element's **size** attribute specifies the number of characters visible in the text field. Optional attribute **maxlength** limits the number of characters input into the text field—in this case, the user is not permitted to type more than 30 characters.

### **submit and reset input Elements**

Two **input** elements in lines 40–41 create two buttons. The **submit** **input** element is a button. When the submit button is pressed, the form's data is sent to the location specified in the **form**'s **action** attribute. The **value** attribute sets the text displayed on the button. The **reset** **input** element allows a user to reset all **form** elements to their default values. The **value** attribute of the **reset** **input** element sets the text displayed on the button (the default value is **Reset** if you omit the **value** attribute).

### **Additional Form Elements**

In the previous example, you saw basic elements of HTML5 forms. Now we introduce elements and attributes for creating more complex forms. Figure 2.15 contains a form that solicits user feedback about a website.

The **textarea** element (lines 31–32) inserts a *multiline text area* into the form. The number of rows is specified with the **rows** attribute, and the number of columns (i.e., characters per line) with the **cols** attribute. In this example, the **textarea** is four rows high and 36 characters wide. To display *default text* in the **textarea**, place the text between the **<textarea>** and **</textarea>** tags. Default text can be specified in other **input** types, such as text fields, by using the **value** attribute.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 2.15: form2.html -->
4  <!-- Form using a variety of components. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>More Forms</title>
9      </head>
10

```

---

**Fig. 2.15** | Form using a variety of components. (Part 1 of 4.)

```
11 <body>
12     <h1>Feedback Form</h1>
13     <p>Please fill out this form to help
14         us improve our site.</p>
15
16     <form method = "post" action = "http://www.deitel.com">
17
18         <input type = "hidden" name = "recipient"
19             value = "deitel@deitel.com">
20         <input type = "hidden" name = "subject"
21             value = "Feedback Form">
22         <input type = "hidden" name = "redirect"
23             value = "main.html">
24
25         <p><label>Name:
26             <input name = "name" type = "text" size = "25">
27         </label></p>
28
29         <!-- <textarea> creates a multiline textbox -->
30         <p><label>Comments:<br>
31             <textarea name = "comments"
32                 rows = "4" cols = "36">Enter comments here.</textarea>
33         </label></p>
34
35         <!-- <input type = "password"> inserts a -->
36         <!-- textbox whose display is masked with -->
37         <!-- asterisk characters -->
38         <p><label>E-mail Address:
39             <input name = "email" type = "password" size = "25">
40         </label></p>
41
42         <p>
43             <strong>Things you liked:</strong><br>
44
45             <label>Site design
46                 <input name = "thingsliked" type = "checkbox"
47                     value = "Design"></label>
48             <label>Links
49                 <input name = "thingsliked" type = "checkbox"
50                     value = "Links"></label>
51             <label>Ease of use
52                 <input name = "thingsliked" type = "checkbox"
53                     value = "Ease"></label>
54             <label>Images
55                 <input name = "thingsliked" type = "checkbox"
56                     value = "Images"></label>
57             <label>Source code
58                 <input name = "thingsliked" type = "checkbox"
59                     value = "Code"></label>
60
61             </p>
62
63             <!-- <input type = "radio"> creates a radio -->
64             <!-- button. The difference between radio buttons -->
```

**Fig. 2.15** | Form using a variety of components. (Part 2 of 4.)

```
64      <!-- and checkboxes is that only one radio button -->
65      <!-- in a group can be selected. -->
66      <p>
67          <strong>How did you get to our site?</strong><br>
68
69          <label>Search engine
70              <input name = "howtosite" type = "radio"
71                  value = "search engine" checked></label>
72          <label>Links from another site
73              <input name = "howtosite" type = "radio"
74                  value = "link"></label>
75          <label>Deitel.com Web site
76              <input name = "howtosite" type = "radio"
77                  value = "deitel.com"></label>
78          <label>Reference in a book
79              <input name = "howtosite" type = "radio"
80                  value = "book"></label>
81          <label>Other
82              <input name = "howtosite" type = "radio"
83                  value = "other"></label>
84      </p>
85
86      <p>
87          <label>Rate our site:
88
89              <!-- the <select> tag presents a drop-down -->
90              <!-- list with choices indicated by the -->
91              <!-- <option> tags -->
92              <select name = "rating">
93                  <option selected>Amazing</option>
94                  <option>10</option>
95                  <option>9</option>
96                  <option>8</option>
97                  <option>7</option>
98                  <option>6</option>
99                  <option>5</option>
100                 <option>4</option>
101                 <option>3</option>
102                 <option>2</option>
103                 <option>1</option>
104                 <option>Awful</option>
105             </select>
106         </label>
107     </p>
108
109     <p>
110         <input type = "submit" value = "Submit">
111         <input type = "reset" value = "Clear">
112     </p>
113     </form>
114 </body>
115 </html>
```

**Fig. 2.15** | Form using a variety of components. (Part 3 of 4.)

**Feedback Form**

Please fill out this form to help us improve our site.

Name:

Comments:  
Enter comments here.

E-mail Address:

Things you liked:

Site design  Links  Ease of use  Images  Source code

How did you get to our site?:

Search engine  Links from another site  Deitel.com Web site  Reference in a book  Other

Rate our site:

Submit  10  
9  
8  
7  
6  
5  
4  
3  
2  
1  
Awful

**Fig. 2.15** | Form using a variety of components. (Part 4 of 4.)

The **password** *input* in line 39 inserts a password box with the specified **size** (maximum number of displayed characters). A password box allows users to enter sensitive information, such as credit card numbers and passwords, by “masking” the information input with asterisks (\*). The actual value input is sent to the web server, not the masking characters.

Lines 45–59 introduce the **checkbox** *input* element. checkboxes enable users to select an option. When a user selects a checkbox, a *check mark* appears in the checkbox. Otherwise, the checkbox remains empty. Each **checkbox** *input* creates a new checkbox. checkboxes can be used individually or in groups. checkboxes that belong to a group are assigned the same name (in this case, "thingsliked").



### Common Programming Error 2.1

When your form has several checkboxes with the same name, make sure that they have different values, or the web server scripts will not be able to distinguish them.

After the checkboxes, we present two more ways to allow the user to make choices. In this example, we introduce two new *input* types. The first is the **radio button** (lines 69–83) specified with type **radio**. radio buttons are similar to checkboxes, except that only one radio button in a group of radio buttons may be selected at any time. The radio buttons in a group all have the same name attributes and are distinguished by their different

value attributes. The attribute checked (line 71) indicates which radio button, if any, is selected initially. The checked attribute also applies to checkboxes.



### Common Programming Error 2.2

*Not setting the name attributes of the radio buttons in a group to the same name is a logic error because it lets the user select all of the radio buttons at the same time.*

The **select** element (lines 92–105) provides a *drop-down list* from which the user can select an item. The name attribute identifies the drop-down list. The **option** elements (lines 93–104) add items to the drop-down list. The option element's **selected** attribute specifies which item *initially* is displayed as the selected item in the **select** element. If no option element is marked as **selected**, the browser selects the *first* option by default.

## 2.12 Internal Linking

Earlier in the chapter, we discussed how to hyperlink one web page to another. Figure 2.16 introduces **internal linking**—a mechanism that enables the user to jump between locations in the same document. Internal linking is useful for long documents that contain many sections. Clicking an internal link enables the user to find a section *without scrolling* through the entire document.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 2.16: internal.html -->
4  <!-- Internal Linking -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Internal Links</title>
9      </head>
10
11     <body>
12         <!-- id attribute creates an internal hyperlink destination -->
13         <h1 id = "features">The Best Features of the Internet</h1>
14
15         <!-- an internal link's address is "#id" -->
16         <p><a href = "#bugs">Go to <em>Favorite Bugs</em></a></p>
17
18         <ul>
19             <li>You can meet people from countries
20                 around the world.</li>
21             <li>You have access to new media as it becomes public:
22                 <ul>
23                     <li>New games</li>
24                     <li>New applications
25                         <ul>
26                             <li>For Business</li>
27                             <li>For Pleasure</li>
28                         </ul>
29                     </li>


```

---

**Fig. 2.16** | Internal hyperlinks to make pages more navigable. (Part I of 3.)


```
30
31          <li>Around the clock news</li>
32          <li>Search Engines</li>
33          <li>Shopping</li>
34          <li>Programming
35          <ul>
36              <li>HTML5</li>
37              <li>Java</li>
38              <li>Dynamic HTML</li>
39              <li>Scripts</li>
40              <li>New languages</li>
41          </ul>
42      </li>
43      </ul>
44  </li>
45
46      <li>Links</li>
47      <li>Keeping in touch with old friends</li>
48      <li>It is the technology of the future!</li>
49  </ul>
50
51  <!-- id attribute creates an internal hyperlink destination -->
52  <h1 id = "bugs">My 3 Favorite Bugs</h1>
53  <p>
54      <!-- internal hyperlink to features -->
55      <a href = "#features">Go to <em>Favorite Features</em></a>
56  </p>
57  <ol>
58      <li>Fire Fly</li>
59      <li>Gal Ant</li>
60      <li>Roman Tic</li>
61  </ol>
62  </body>
63 </html>
```

a) Browser before the user clicks the internal link



**Fig. 2.16** | Internal hyperlinks to make pages more navigable. (Part 2 of 3.)

b) Browser after the user clicks the internal link

**Fig. 2.16** | Internal hyperlinks to make pages more navigable. (Part 3 of 3.)

Line 13 contains a tag with the `id` attribute (set to "features") for an **internal hyperlink**. To link to a tag with this attribute inside the same web page, the `href` attribute of an anchor element includes the `id` attribute value, preceded by a pound sign (as in `#features`). Line 55 contains a hyperlink with the `id features` as its target. Clicking this hyperlink in a web browser scrolls the browser window to the `h1` tag in line 13. You may have to resize your browser to a small window and scroll down before clicking the link to see the browser scroll to the `h1` element.

A hyperlink can also reference an internal link in *another* document by specifying the document name followed by a pound sign and the `id` value, as in:

```
href = "filename.html#id"
```

For example, to link to a tag with the `id` attribute `booklist` in `books.html`, `href` is assigned "`books.html#booklist`". You can send the browser to an internal link on another website by appending the pound sign and `id` value of an element to any URL, as in:

```
href = "URL/filename.html#id"
```

## 2.13 meta Elements


Search engines catalog sites by following links from page to page (often known as *spidering* or *crawling* the site) and saving identification and classification information for each page. One way that search engines catalog pages is by reading the content in each page's `meta` elements, which specify information about a document. Using the `meta` element is one of many methods of **search engine optimization (SEO)**—the process of designing and tuning your website to maximize your *findability* and improve your rankings in organic (non-paid) search engine results.

Two important attributes of the `meta` element are `name`, which identifies the type of `meta` element, and `content`, which provides the information search engines use to catalog pages. Figure 2.17 introduces the `meta` element.

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 2.17: meta.html -->
4  <!-- meta elements provide keywords and a description of a page. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Welcome</title>
9
10     <!-- <meta> tags provide search engines with -->
11     <!-- information used to catalog a site -->
12     <meta name = "keywords" content = "web page, design,
13         HTML5, tutorial, personal, help, index, form,
14         contact, feedback, list, links, deitel">
15     <meta name = "description" content = "This website will
16         help you learn the basics of HTML5 and web page design
17         through the use of interactive examples and
18         instruction.">
19     </head>
20     <body>
21         <h1>Welcome to Our Website!</h1>
22
23         <p>We have designed this site to teach about the wonders
24             of <strong><em>HTML5</em></strong>. <em>HTML5</em> is
25             better equipped than <em>HTML</em> to represent complex
26             data on the Internet. <em>HTML5</em> takes advantage of
27             XML's strict syntax to ensure well-formedness. Soon you
28             will know about many of the great features of
29             <em>HTML5.</em></p>
30
31         <p>Have Fun With the Site!</p>
32     </body>
33 </html>

```



**Fig. 2.17** | meta elements provide keywords and a description of a page.

Lines 12–14 demonstrate a "keywords" meta element. The content attribute of such a meta element provides search engines with a list of words that describe the page. These words are compared with words in search requests. Thus, including meta elements and their content information can draw more viewers to your site.

Lines 15–18 demonstrate a "description" meta element. The content attribute of such a meta element provides a three- to four-line description of a site, written in sentence form. Search engines also use this description to catalog your site and sometimes display this information as part of the search results.



### Software Engineering Observation 2.2

*meta elements are not visible to users. They must be placed inside the head section of your HTML5 document; otherwise they will not be read by search engines.*

## 2.14 Web Resources

[www.deitel.com/html5](http://www.deitel.com/html5)

Visit our online HTML5 Resource Center to find categorized links to mostly free HTML5 introductions, tutorials, demos, videos, documentation, books, blogs, forums, sample chapters and more.

---

## Summary

### Section 2.1 Introduction

- HTML5 is a markup language that specifies the structure and content of documents that are displayed in web browsers.

### Section 2.2 Editing HTML5

- Computers called web servers store HTML5 documents.
- Clients (for example, web browsers running on your local computer or smartphone) request specific resources (p. 70) such as HTML5 documents from web servers.

### Section 2.3 First HTML5 Example

- The document type declaration (DOCTYPE; p. 71) is *required* in HTML5 documents so that browsers render the page in standards mode (p. 71).
- HTML5 comments (p. 71) always start with <!-- (p. 71) and end with --> (p. 71). The browser ignores all text inside a comment.
- The html element (p. 72) encloses the head section (represented by the head element; p. 72) and the body section (represented by the body element; p. 72).
- The head section contains information about the HTML5 document, such as its title (p. 72). It also can contain special document-formatting instructions called style sheets (p. 72) and client-side programs called scripts (p. 72) for creating dynamic web pages.
- The body section contains the page's content, which the browser displays when the user visits the web page.
- HTML5 documents delimit an element with start and end tags. A start tag (p. 72) consists of the element name in angle brackets (for example, <html>). An end tag (p. 72) consists of the element name preceded by a forward slash (/) in angle brackets (for example, </html>).
- The title element names a web page. The title usually appears in the colored bar (called the title bar; p. 72) at the top of the browser window and also appears as the text identifying a page when users add your page to their list of **Favorites** or **Bookmarks**.
- The paragraph element (p. 72), denoted with <p> and </p>, helps define the structure of a document. All the text placed between the <p> and </p> tags forms one paragraph.

### **Section 2.4 W3C HTML5 Validation Service**

- You must use proper HTML5 syntax to ensure that browsers process your documents properly.
- The World Wide Web Consortium (W3C) provides a validation service ([validator.w3.org](http://validator.w3.org); p. 73) for checking a document's syntax.

### **Section 2.5 Headings**

- HTML5 provides six heading elements (`h1` through `h6`; p. 73) for specifying the relative importance of information. Heading element `h1` is considered the most significant and is rendered in a larger font than the other five. Each successive heading element (`h2`, `h3`, etc.) is rendered in a progressively smaller font.

### **Section 2.6 Linking**

- Hyperlinks (p. 74) reference (or link to) other resources, such as HTML5 documents and images.
- The `strong` element (p. 75) typically causes the browser to render text in a bold font.
- Links are created using the `a` (anchor) element (p. 75). The `href` (“hypertext reference”) attribute (p. 75) specifies the location of a linked resource, such as a web page, a file or an e-mail address.
- Anchors can link to an e-mail address using a `mailto:` URL (p. 76). When someone clicks this type of anchored link, most browsers launch the default e-mail program to initiate an e-mail message addressed to the linked address.

### **Section 2.7 Images**

- The `img` element’s (p. 78) `src` attribute (p. 78) specifies an image’s location.
- Every `img` element in an HTML5 document must have an `alt` attribute (p. 79). If a browser cannot render an image, the browser displays the `alt` attribute’s value.
- The `alt` attribute helps you create accessible web pages (p. 79) for users with disabilities, especially those with vision impairments who use text-only browsers.
- Void HTML5 elements (such as `img`; p. 79) contain only attributes, do not mark up text and do not have a closing tag.

### **Section 2.8 Special Characters and Horizontal Rules**

- HTML5 provides character entity references in the form `&code;` (p. 81) for representing characters.
- Most browsers render a horizontal rule (p. 83), indicated by the `<hr>` tag (a void element), as a horizontal line with a blank line above and below it.
- Special characters can also be expressed as numeric character references (p. 83)—decimal or hexadecimal (hex; p. 83) values.
- Most browsers render the `del` element (p. 83) as strike-through text. With this format users can indicate document revisions.

### **Section 2.9 Lists**

- The unordered-list element `ul` (p. 83) creates a list in which each item begins with a bullet symbol (called a disc). Each entry in an unordered list is an `li` (list item) element (p. 83). Most web browsers render these elements on a new line with a bullet symbol indented from the beginning of the line.
- Lists may be nested to represent hierarchical data relationships.
- The ordered-list element `ol` (p. 84) creates a list in which each item begins with a number.

### **Section 2.10 Tables**

- Tables are frequently used to organize data into rows and columns. Tables are defined with the `table` element (p. 86).
- The `caption` element (p. 86) specifies a table’s title. The text inside the `<caption>` tag is rendered above the table by most browsers. It’s good practice to include a general description of a table’s information in the `table` element’s `summary` attribute—one of the many HTML5 features that make web pages more accessible to users with disabilities. Speech devices use this attribute to make the table more accessible to users with visual impairments.
- A table has three distinct sections: head, body and foot (p. 88). The head section (or header cell) is defined with a `thead` element (p. 88), which contains header information such as column names.
- Each `tr` element (p. 88) defines an individual table row (p. 88). The columns in the head section are defined with `th` elements (p. 88).
- The table body, defined in a `tbody` element (p. 88), contains the table’s primary data.
- The foot section is defined with a `tfoot` element (p. 88). The text placed in the footer commonly includes calculation results and footnotes.
- You can create larger data cells using the attributes `rowspan` (p. 89) and `colspan` (p. 89). The values assigned to these attributes specify the number of rows or columns occupied by a cell.
- The `br` element (p. 89) causes most browsers to render a line break (p. 89). Any markup or text following a `br` element is rendered on the next line.

### **Section 2.11 Forms**

- HTML5 provides forms (p. 90) for collecting information from a user.
- Forms can contain visual and nonvisual components. Visual components include clickable buttons and other graphical user-interface components with which users interact. Nonvisual components, called hidden inputs (p. 93), store any data that you specify, such as e-mail addresses and HTML5 document file names that act as links.
- A form is defined by a `form` element (p. 92).
- Nonvisual components, called hidden inputs (p. 93), store any data that you specify.
- Attribute `method` (p. 92) specifies how the form’s data is sent to the web server.
- The `action` attribute (p. 92) in the `form` element specifies the URL of the script on the web server that will be invoked to process the form’s data.
- The `text` input (p. 93) inserts a text field into the form. Users can type data into text fields.
- The `input` element’s `size` attribute (p. 93) specifies the number of characters visible in the text field. Optional attribute `maxlength` (p. 93) limits the number of characters input into the text field.
- The `submit` input (p. 93) is a button that, when pressed, sends the user to the location specified in the `form`’s attribute. The `reset` `input` element sets the text displayed on the button (the default value is `Reset` if you omit the `value` attribute).
- The `textarea` element (p. 93) inserts a multiline text area into a form. The number of rows is specified with the `rows` attribute (p. 93) and the number of columns (i.e., characters per line) with the `cols` attribute (p. 93).
- The `password` input (p. 96) inserts a password box with the specified `size` (maximum number of characters allowed).
- A password box allows users to enter sensitive information, such as credit card numbers and passwords, by “masking” the information input with asterisks (\*). Asterisks are usually the masking character used for password boxes. The actual value input is sent to the web server, not the characters that mask the input.

- checkboxes (p. 96) enable users to select from a set of options. When a user selects a checkbox, a check mark appears in the checkbox. Otherwise, the checkbox remains empty. checkboxes can be used individually or in groups. checkboxes that are part of the same group have the same name.
- radio buttons (p. 96) are similar to checkboxes, except that only one radio button in a group can be selected at any time. The radio buttons in a group all have the same name attribute and are distinguished by their different value attributes.
- The `select` element (p. 97) provides a drop-down list from which the user can select an item. The name attribute identifies the drop-down list. The `option` element adds items to the drop-down list.

### **Section 2.12 Internal Linking**

- Internal linking (p. 99) is a mechanism that enables the user to jump between locations in the same document.
- To link to a tag with its attribute inside the same web page, the `href` attribute of an anchor element includes the `id` attribute value preceded by a pound sign (as in `#features`).

### **Section 2.13 meta Elements**

- Search engines catalog sites by following links from page to page (often known as spidering or crawling) and saving identification and classification information for each page.
- One way that search engines catalog pages is by reading the content in each page's `meta` elements (p. 99), which specify information about a document.
- Two important attributes of the `meta` element are `name` (p. 99), which identifies the type of `meta` element, and `content` (p. 99), which provides information search engines use to catalog pages.
- The `content` attribute of a `keywords` `meta` element provides search engines with a list of words that describe the page. These words are compared with words in search requests.
- The `content` attribute of a `description` `meta` element provides a three- to four-line description of a site, written in sentence form. Search engines also use this description to catalog your site and sometimes display this information as part of the search results.

## **Self-Review Exercises**

- 2.1** State whether each of the following is *true* or *false*. If *false*, explain why.
- All the text placed between the `<a>` and `</a>` tags forms one paragraph.
  - A form is defined by a `form` element.
  - Anchors can link to an e-mail address using a `href` attribute.
  - HTML5 provides five heading elements.
  - Each `th` element defines an individual table row.
- 2.2** Fill in the blanks in each of the following:
- A form is defined by a(n) \_\_\_\_\_ element.
  - In HTML5, one can specify the width of any column, either in \_\_\_\_\_ or as a(n) \_\_\_\_\_ of the table width.
  - The heading element \_\_\_\_\_ has the largest font and the heading element \_\_\_\_\_ has the progressively smallest font.
  - HTML5 \_\_\_\_\_ always start with `<!--` and end with `-->`.
  - Tables are defined with the \_\_\_\_\_ element.
  - The \_\_\_\_\_ attribute in the `form` element specifies the URL of the script on the web server that will be invoked to process the form's data.
  - The table body, defined in a \_\_\_\_\_ element, contains the table's primary data.
  - The `img` element's \_\_\_\_\_ attribute specifies an image's location.

## Answers to Self-Review Exercises

**2.1** a) False. All the text placed between the `<p>` and `</p>` tags forms one paragraph. b) True. c) False. Anchors can link to an e-mail address using a `mailto:` URL. d) False. HTML5 provides six heading elements (`h1` through `h6`). e) False. Each `tr` element defines an individual table row.

**2.2** a) `form`. b) pixels, percentage. c) `h1`, `h6`. d) comments. e) `table`. f) `action`. g) `tbody`. h) `src`.

## Exercises

**2.3** Use HTML5 to create a document that contains the following text:

Internet and World Wide Web How to Program: Fifth Edition  
Welcome to the world of Internet programming. We have provided coverage for  
many Internet-related topics.

Write the first line in `title`. Use `h2` and `h4` for text (the second and third lines of text). Insert a horizontal rule between the `h2` element and the `h4` element. Open your new document in a web browser to view the marked-up document.

**2.4** An image named `deitel.png` is 400 pixels wide and 300 pixels high. Write an HTML5 statement using the `width` and `height` attributes of the `img` element to perform each of the following transformations:

- Increase the size of the image by 10 percent.
- Increase the size of the image by 20 percent.
- Change the width-to-height ratio to 3:1, keeping the `width` attained in part (a). [This will distort the image.]

**2.5** Create a link to each of the following:

- The file `home.html`, located in the `students` directory.
- The file `home.html`, located in the `web` subdirectory of the `students` directory.
- The file `home.html`, located in the `internet` directory in your parent directory.  
[Hint: .. signifies parent directory.]
- The Vice President's e-mail address (`vicepresident@whitehouse.gov`).
- The file named `Demo` in the `install` directory of `ftp.dvdrom.com`. [Hint: Use `ftp://..`]

**2.6** Create an HTML5 document containing an ordered list of two items—soft drinks and fast food. Each ordered list should contain a nested, unordered list of your favorite variety. Provide three varieties in each unordered list.

**2.7** Create an HTML5 document that uses an *image* as an *e-mail link*. Use attribute `alt` to provide a description of the image and link.

**2.8** Create an HTML5 document that contains links to your four favorite news web sites. Your page should contain the heading "My Favorite News Web Sites." Click on each of these links to test your page.

**2.9** Create an HTML5 document that contains an ordered list with links to any five examples presented in this chapter. [Hint: Place any five examples from this chapter in an `examples` directory then link to the files in that directory.]


**2.10** Identify each of the following HTML5 items as either an *element* or an *attribute*:

- `head`
- `height`
- `rowspan`
- `body`
- `title`

- f) ol  
g) id

- 2.11** State which of the following statements are *true* and which are *false*. If *false*, explain why.
- The input element's `maxlength` attribute specifies the number of characters visible in the text field.
  - Forms can contain visual and nonvisual components.
  - A table has three distinct sections: head, body and foot.
  - Most browsers render the `<br>` element as strike-through text.
- 2.12** Fill in the blanks in each of the following:
- The browser \_\_\_\_\_ all text inside a comment.
  - The \_\_\_\_\_ section contains information about the HTML5 document.
  - All the text placed between the \_\_\_\_\_ and \_\_\_\_\_ tags forms one paragraph.
  - The table body, defined in a(n) \_\_\_\_\_ element, contains the table's primary data.
- 2.13** Categorize each of the following as an element or an attribute:
- method
  - meta
  - form
  - rows
  - thead
  - cols


- 2.14** Create the HTML5 markup that produces the table shown in Fig. 2.18. Use `<em>` and `<strong>` tags as necessary. The image (`camel.png`) is included in the Chapter 2 examples directory.



**Fig. 2.18** | HTML5 table for Exercise 2.14.

- 2.15** Write an HTML5 document that produces the table shown in Fig. 2.19.

- 2.16** A local university has asked you to create an HTML5 document that allows prospective college students to provide feedback about their campus visit. Your HTML5 document should contain a form with text fields for a name and e-mail. Provide checkboxes that allow prospective students to



**Fig. 2.19** | HTML5 table for Exercise 2.15.

indicate what they liked most about the campus. The checkboxes should include: campus, students, location, atmosphere, dorm rooms and sports. Also, provide radio buttons that ask the prospective students how they became interested in the college. Options should include: friends, television, Internet and other. In addition, provide a text area for additional comments, a submit button and a reset button. Use post to sent the information in the form to <http://www.deitel.com>.

**2.17** Create an HTML5 document titled “Internet and World Wide Web: How to Program.” Use `<meta>` tags to include a series of keywords that describe your document.

**2.18** Why is the following markup *invalid*?

```
<h1> Internet and World Wide Web  
<hr />  
<h2>And some more text...</h2>
```

# 3

## Introduction to HTML5: Part 2

*Form ever follows function.*

—Louis Sullivan

*I listen and give input only if  
somebody asks.*

—Barbara Bush

### Objectives

In this chapter you'll:

- Build a form using the new HTML5 `input` types.
- Specify an `input` element in a form as the one that should receive the focus by default.
- Use self-validating `input` elements.
- Specify temporary `placeholder` text in various `input` elements
- Use `autocomplete` `input` elements that help users re-enter text that they've previously entered in a form.
- Use a `datalist` to specify a list of values that can be entered in an `input` element and to autocomplete entries as the user types.
- Use HTML5's new page-structure elements to delineate parts of a page, including headers, sections, figures, articles, footers and more.

**3.1** Introduction**3.2** New HTML5 Form **input** Types

- 3.2.1 **input** Type `color`
- 3.2.2 **input** Type `date`
- 3.2.3 **input** Type `datetime`
- 3.2.4 **input** Type `datetime-local`
- 3.2.5 **input** Type `email`
- 3.2.6 **input** Type `month`
- 3.2.7 **input** Type `number`
- 3.2.8 **input** Type `range`
- 3.2.9 **input** Type `search`
- 3.2.10 **input** Type `tel`
- 3.2.11 **input** Type `time`
- 3.2.12 **input** Type `url`
- 3.2.13 **input** Type `week`

**3.3** **input** and **datalist** Elements and **autocomplete** Attribute

- 3.3.1 **input** Element `autocomplete` Attribute
- 3.3.2 **datalist** Element

**3.4** Page-Structure Elements

- 3.4.1 **header** Element
- 3.4.2 **nav** Element
- 3.4.3 **figure** Element and **figcaption** Element
- 3.4.4 **article** Element
- 3.4.5 **summary** Element and **details** Element
- 3.4.6 **section** Element
- 3.4.7 **aside** Element
- 3.4.8 **meter** Element
- 3.4.9 **footer** Element
- 3.4.10 Text-Level Semantics: **mark** Element and **wbr** Element

[Summary](#) | [Self-Review Exercises](#) | [Answers to Self-Review Exercises](#) | [Exercises](#)

## 3.1 Introduction

We now continue our presentation of HTML5 by discussing various new features, including:

- new **input** element types for colors, dates, times, e-mail addresses, numbers, ranges of integer values, telephone numbers, URLs, search queries, months and weeks—browsers that don’t support these **input** types simply render them as standard text **input** elements
- autocompletion capabilities that help users quickly re-enter text that they’ve previously entered in a form
- **datalists** for providing lists of allowed values that a user can enter in an **input** element and for autocompleting those values as the user types
- page-structure elements that enable you to delineate and give meaning to the parts of a page, such as headers, navigation areas, footers, sections, articles, asides, summaries/details, figures, figure captions and more

Support for the features presented in this chapter varies among browsers, so for our sample outputs we’ve used several browsers. We’ll discuss many more new HTML5 features throughout the remaining chapters.

## 3.2 New HTML5 Form **input** Types

Figure 3.1 demonstrates HTML5’s new form **input** types. These are not yet universally supported by all browsers. In this example, we provide sample outputs from a variety of browsers so that you can see how the **input** types behave in each.

```
1  <!DOCTYPE html>
2
3  <!-- Fig. 3.1: newforminputtypes.html -->
4  <!-- New HTML5 form input types and attributes. -->
5  <html>
6      <head>
7          <meta charset="utf-8">
8          <title>New HTML5 Input Types</title>
9      </head>
10
11     <body>
12         <h1>New HTML5 Input Types Demo</h1>
13         <p>This form demonstrates the new HTML5 input types
14             and the placeholder, required and autofocus attributes.
15         </p>
16
17         <form method = "post" action = "http://www.deitel.com">
18             <p>
19                 <label>Color:
20                     <input type = "color" autofocus />
21                         (Hexadecimal code such as #ADD8E6)
22                 </label>
23             </p>
24             <p>
25                 <label>Date:
26                     <input type = "date" />
27                         (yyyy-mm-dd)
28                 </label>
29             </p>
30             <p>
31                 <label>Datetime:
32                     <input type = "datetime" />
33                         (yyyy-mm-ddThh:mm:ss, such as 2012-01-27T03:15)
34                 </label>
35             </p>
36             <p>
37                 <label>Datetime-local:
38                     <input type = "datetime-local" />
39                         (yyyy-mm-ddThh:mm, such as 2012-01-27T03:15)
40                 </label>
41             </p>
42             <p>
43                 <label>Email:
44                     <input type = "email" placeholder = "name@domain.com"
45                         required /> (name@domain.com)
46                 </label>
47             </p>
48             <p>
49                 <label>Month:
50                     <input type = "month" /> (yyyy-mm)
51                 </label>
52             </p>
53             <p>
```

---

**Fig. 3.1** | New HTML5 form input types and attributes. (Part 1 of 2.)

```


54      <label>Number:
55          <input type = "number"
56              min = "0"
57              max = "7"
58              step = "1"
59              value = "4" />
60      </label> (Enter a number between 0 and 7)
61  </p>
62  <p>
63      <label>Range:
64          0 <input type = "range"
65              min = "0"
66              max = "20"
67              value = "10" /> 20
68      </label>
69  </p>
70  <p>
71      <label>Search:
72          <input type = "search" placeholder = "search query" />
73      </label> (Enter your search query here.)
74  </p>
75  <p>
76      <label>Tel:
77          <input type = "tel" placeholder = "(###) ###-####"
78              pattern = "\(\d{3}\) +\d{3}-\d{4}" required />
79              (###) #####
80      </label>
81  </p>
82  <p>
83      <label>Time:
84          <input type = "time" /> (hh:mm:ss.ff)
85      </label>
86  </p>
87  <p>
88      <label>URL:
89          <input type = "url"
90              placeholder = "http://www.domainname.com" />
91              (http://www.domainname.com)
92      </label>
93  </p>
94  <p>
95      <label>Week:
96          <input type = "week" />
97          (yyyy-Wnn, such as 2012-W01)
98      </label>
99  </p>
100 <p>
101     <input type = "submit" value = "Submit" />
102     <input type = "reset" value = "Clear" />
103     </p>
104  </form>
105 </body>
106 </html>

```

**Fig. 3.1** | New HTML5 form input types and attributes. (Part 2 of 2.)

### 3.2.1 `input Type color`


The `color` `input` type (Fig. 3.1, lines 20–21) enables the user to enter a color. At the time of this writing, most browsers render the `color` `input` type as a text field in which the user can enter a hexadecamal code or a color name. In the future, when you click a `color` `input`, browsers will likely display a *color picker* similar to the Microsoft Windows color dialog shown in Fig. 3.2.



**Fig. 3.2** | A dialog for choosing colors.

#### `autofocus` Attribute

The `autofocus` attribute (Fig. 3.1, line 20)—an optional attribute that can be used in only one `input` element on a form—automatically gives the focus to the `input` element, allowing the user to begin typing in that element immediately. Figure 3.3 shows `autofocus` on the `color` element—the first `input` element in our form—as rendered in Chrome. You do not need to include `autofocus` in your forms.




**Fig. 3.3** | Autofocus in the `color` `input` element using Chrome.

### Validation

Traditionally it's been difficult to validate user input, such as ensuring that an e-mail address, URL, date or time is entered in the proper format. The new HTML 5 `input` types are *self validating* on the client side, eliminating the need to add complicated JavaScript code to your web pages to validate user input, reducing the amount of invalid data submitted and consequently reducing Internet traffic between the server and the client to correct invalid input. *The server should still validate all user input.*

When a user enters data into a form then submits the form (in this example, by clicking the **Submit** button), the browser immediately checks the self-validating elements to ensure that the data is correct. For example, if a user enters an incorrect hexadecimal color value when using a browser that renders the `color` elements as a text field (e.g., Chrome), a callout pointing to the element will appear, indicating that an invalid value was entered (Fig. 3.4). Figure 3.5 lists each of the new HTML5 `input` types and provides examples of the proper formats required for each type of data to be valid.



**Fig. 3.4** | Validating a `color` `input` in Chrome.

| <code>input</code> type     | Format                                 |
|-----------------------------|--|
| <code>color</code>          | Hexadecimal code                       |
| <code>date</code>           | <code>yyyy-mm-dd</code>                |
| <code>datetime</code>       | <code>yyyy-mm-dd</code>                |
| <code>datetime-local</code> | <code>yyyy-mm-ddThh:mm</code>          |
| <code>month</code>          | <code>yyyy-mm</code>                   |
| <code>number</code>         | Any numerical value                    |
| <code>email</code>          | <code>name@domain.com</code>           |
| <code>url</code>            | <code>http://www.domainname.com</code> |
| <code>time</code>           | <code>hh:mm</code>                     |
| <code>week</code>           | <code>yyyy-Wnn</code>                  |

**Fig. 3.5** | Self-validating `input` types.

If you want to bypass validation, you can add the **formnovalidate** attribute to **input** type **submit** in line 101:

```
<input type = "submit" value = "Submit" formnovalidate />
```

### 3.2.2 input Type date

The **date** **input** type (lines 26–27) enables the user to enter a date in the form yyyy-mm-dd. Firefox and Internet Explorer display a text field in which a user can enter a date such as 2012-01-27. Chrome and Safari display a **spinner control**—a text field with an up-down arrow (▲▼) on the right side—allowing the user to select a date by clicking the up or down arrow. The start date is the *current date*. Opera displays a calendar from which you can choose a date. In the future, when the user clicks a date **input**, browsers are likely to display a date control similar to the Microsoft Windows one shown in Fig. 3.6.



**Fig. 3.6** | A date chooser control.

### 3.2.3 input Type datetime

The **datetime** **input** type (lines 32–33) enables the user to enter a date (year, month, day), time (hour, minute, second, fraction of a second) and the time zone set to UTC (Coordinated Universal Time or Universal Time, Coordinated). Currently, most of the browsers render **datetime** as a text field; Chrome renders an up-down control and Opera renders a date and time control. For more information on the **datetime** **input** type, visit:

```
www.w3.org/TR/html5/states-of-the-type-attribute.html#
date-and-time-state
```

### 3.2.4 input Type datetime-local

The **datetime-local** **input** type (lines 38–39) enables the user to enter the date and time in a *single* control. The data is entered as year, month, day, hour, minute, second and fraction of a second. Internet Explorer, Firefox and Safari all display a text field. Opera displays a date and time control. For more information on the **datetime-local** **input** type, visit:

```
www.w3.org/TR/html5/states-of-the-type-attribute.html#
local-date-and-time-state
```

### 3.2.5 input Type email


The **email** **input type** (lines 44–45) enables the user to enter an e-mail address or a list of e-mail addresses separated by commas (if the **multiple** attribute is specified). Currently, all of the browsers display a text field. If the user enters an *invalid* e-mail address (i.e., the text entered is *not* in the proper format) and clicks the **Submit** button, a callout asking the user to enter an e-mail address is rendered pointing to the **input** element (Fig. 3.7). HTML5 does not check whether an e-mail address entered by the user actually exists—rather it just validates that the e-mail address is in the *proper format*.



**Fig. 3.7** | Validating an e-mail address in Chrome.

### placeholder Attribute

The **placeholder** **attribute** (lines 44, 72 and 77) allows you to place temporary text in a text field. Generally, **placeholder** text is *light gray* and provides an example of the text and/or text format the user should enter (Fig. 3.8). When the **focus** is placed in the text field (i.e., the cursor is in the text field), the **placeholder** text disappears—it's not “submitted” when the user clicks the **Submit** button (unless the user types the same text).




**Fig. 3.8** | **placeholder** text disappears when the **input** element gets the focus.

HTML5 supports **placeholder** text for only six **input** types—**text**, **search**, **url**, **tel**, **email** and **password**. Because the user’s browser might not support **placeholder** text, we’ve added descriptive text to the right of each **input** element.

### ***required Attribute***

The **required** attribute (lines 45 and 78) forces the user to enter a value before submitting the form. You can add required to any of the **input** types. In this example, the user *must* enter an e-mail address and a telephone number before being able to submit the form. For example, if the user fails to enter an e-mail address and clicks the **Submit** button, a callout pointing to the empty element appears, asking the user to enter the information (Fig. 3.9).



**Fig. 3.9** | Demonstrating the required attribute in Chrome.

#### **3.2.6 input Type month**

The **month** **input type** (line 50) enables the user to enter a year and month in the format `yyyy-mm`, such as `2012-01`. If the user enters the data in an improper format (e.g., `January 2012`) and submits the form, a callout stating that an invalid value was entered appears.


#### **3.2.7 input Type number**

The **number** **input type** (lines 55–59) enables the user to enter a numerical value—mobile browsers typically display a numeric keypad for this **input** type. Internet Explorer, Firefox and Safari display a text field in which the user can enter a number. Chrome and Opera render a spinner control for adjusting the number. The **min** attribute sets the minimum valid number, in this case "0". The **max** attribute sets the maximum valid number, which we set to "7". The **step** attribute determines the increment in which the numbers increase. For example, we set the **step** to "1", so the number in the spinner control increases or decreases by one each time the up or down arrow, respectively, in the spinner control is clicked. If you change the **step** attribute to "2", the number in the spinner control will increase or decrease by two each time the up or down arrow, respectively, is clicked. The **value** attribute sets the initial value displayed in the form (Fig. 3.10). The spinner control includes only the valid

numbers. If the user attempts to enter an invalid value by typing in the text field, a callout pointing to the `number` `input` element will instruct the user to enter a valid value.



**Fig. 3.10** | `input` type `number` with a `value` attribute of 4 as rendered in Chrome.



**Fig. 3.11** | Chrome checking for a valid number.

### 3.2.8 `input` Type `range`

The `range` `input` type (lines 64–67) appears as a *slider* control in Chrome, Safari and Opera (Fig. 3.12). You can set the minimum and maximum and specify a value. In our example, the `min` attribute is "0", the `max` attribute is "20" and the `value` attribute is "10", so the slider appears near the center of the range when the document is rendered. The `range` `input` type is *inherently self-validating* when it is rendered by the browser as a slider control, because *the user is unable to move the slider outside the bounds of the minimum or maximum value*. A range `input` is more useful if the user can see the current value changing while dragging the thumb—this can be accomplished with JavaScript, as you’ll learn later in the book.




**Fig. 3.12** | `range` slider with a `value` attribute of 10 as rendered in Chrome.

### 3.2.9 `input` Type `search`

The `search` `input` type (line 72) provides a search field for entering a query. This `input` element is functionally equivalent to an `input` of type `text`. When the user begins to type in

the search field, Chrome and Safari display an X that can be clicked to clear the field (Fig. 3.13).



**Fig. 3.13** | Entering a search query in Chrome.

### 3.2.10 input Type tel

The **tel** **input** type (lines 77–79) enables the user to enter a telephone number—mobile browsers typically display a keypad specific to entering phone numbers for this **input** type. At the time of this writing, the **tel** **input** type is rendered as a text field in all of the browsers. The length and format of telephone numbers varies greatly based on location, making validation quite complex. HTML5 does *not* self validate the **tel** **input** type. To ensure that the user enters a phone number in a proper format, we've added a **pattern** attribute (line 79) that uses a *regular expression* to determine whether the number is in the format:

```
(555) 555-5555
```

When the user enters a phone number in the wrong format, a callout appears requesting the proper format, pointing to the **tel** **input** element (Fig. 3.14). Visit [www.regexlib.com](http://www.regexlib.com) for a search engine that helps you find already implemented regular expressions that you can use to validate inputs.



**Fig. 3.14** | Validating a phone number using the **pattern** attribute in the **tel** **input** type.

### 3.2.11 input Type time

The **time** **input** type (line 84) enables the user to enter an hour, minute, seconds and fraction of second (Fig. 3.15). The HTML5 specification indicates that a time must have two digits representing the hour, followed by a colon (:) and two digits representing the minute. Optionally, you can also include a colon followed by two digits representing the seconds and a period followed by one or more digits representing a fraction of a second (shown as ff in our sample text to the right of the time input element in Fig. 3.15).



**Fig. 3.15** | time input as rendered in Chrome.

### 3.2.12 **input** Type **url**

The **url** **input** type (lines 89–91) enables the user to enter a URL. The element is rendered as a text field, and the proper format is `http://www.deitel.com`. If the user enters an improperly formatted URL (e.g., `www.deitel.com` or `www.deitelcom`), the URL will *not* validate (Fig. 3.16). HTML5 does not check whether the URL entered is valid; rather it validates that the URL entered is in the proper format.



**Fig. 3.16** | Validating a URL in Chrome.

### 3.2.13 **input** Type **week**

The **week** **input** type enables the user to select a year and week number in the format `yyyy-Wnn`, where `nn` is 01–53—for example, `2012-W01` represents the first week of 2012. Internet Explorer, Firefox and Safari render a text field. Chrome renders an up-down control. Opera renders *week control* with a down arrow that, when clicked, brings up a calendar for the current month with the corresponding week numbers listed down the left side.

## 3.3 **input** and **datalist** Elements and **autocomplete** Attribute

Figure 3.17 shows how to use the new **autocomplete** attribute and **datalist** element.

### 3.3.1 **input** Element **autocomplete** Attribute

The **autocomplete** attribute (line 18) can be used on **input** types to automatically fill in the user's information based on previous input—such as name, address or e-mail. You can enable **autocomplete** for an entire form or just for specific elements. For example, an on-

line order form might set `autocomplete = "on"` for the name and address inputs and set `autocomplete = "off"` for the credit card and password inputs for security purposes.



### Error-Prevention Tip 3.1

*The `autocomplete` attribute works only if you specify a name or id attribute for the `input` element.*

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 3.17: autocomplete.html -->
4  <!-- New HTML5 form autocomplete attribute and datalist element. -->
5  <html>
6      <head>
7          <meta charset="utf-8">
8          <title>New HTML5 autocomplete Attribute and datalist Element</title>
9      </head>
10
11     <body>
12         <h1>Autocomplete and Datalist Demo</h1>
13         <p>This form demonstrates the new HTML5 autocomplete attribute
14             and the datalist element.
15         </p>
16
17         <!-- turn autocomplete on -->
18         <form method = "post" autocomplete = "on">
19             <p><label>First Name:
20                 <input type = "text" id = "firstName"
21                     placeholder = "First name" /> (First name)
22             </label></p>
23             <p><label>Last Name:
24                 <input type = "text" id = "lastName"
25                     placeholder = "Last name" /> (Last name)
26             </label></p>
27             <p><label>Email:
28                 <input type = "email" id = "email"
29                     placeholder = "name@domain.com" /> (name@domain.com)
30             </label></p>
31             <p><label for = "txtList">Birth Month:
32                 <input type = "text" id = "txtList"
33                     placeholder = "Select a month" list = "months" />
34             <datalist id = "months">
35                 <option value = "January">
36                 <option value = "February">
37                 <option value = "March">
38                 <option value = "April">
39                 <option value = "May">
40                 <option value = "June">
41                 <option value = "July">
42                 <option value = "August">
43                 <option value = "September">
44                 <option value = "October">
```

**Fig. 3.17** | New HTML5 form autocomplete attribute and datalist element. (Part I of 3.)

```
45          <option value = "November">
46          <option value = "December">
47      </datalist>
48  </label></p>
49  <p><input type = "submit" value = "Submit" />
50      <input type = "reset" value = "Clear" /></p>
51  </form>
52  </body>
53 </html>
```

- a) Form rendered in Firefox before the user interacts with it

Firefox

New HTML5 autocomplete Attribute an...

file:///C:/books/2011/IW3HTP5/examples/

## Autocomplete and Datalist Demo

This form demonstrates the new HTML5 autocomplete attribute and the datalist element.

First Name:  (First name)

Last Name:  (Last name)

Email:  (name@domain.com)

Birth Month:

Submit Clear

- b) autocomplete automatically fills in the data when the user returns to a form submitted previously and begins typing in the First Name input element; clicking Jane inserts that value in the input

Firefox

New HTML5 autocomplete Attribute an...

file:///C:/books/2011/IW3HTP5/examples/

## Autocomplete and Datalist Demo

This form demonstrates the new HTML5 autocomplete attribute and the datalist element.

First Name:  (First name)  
Jane


Last Name:  (Last name)

Email:  (name@domain.com)

Birth Month:

Submit Clear

**Fig. 3.17** | New HTML5 form autocomplete attribute and datalist element. (Part 2 of 3.)



**Fig. 3.17** | New HTML5 form autocomplete attribute and `datalist` element. (Part 3 of 3.)

### 3.3.2 `datalist` Element

The `datalist` element (lines 32–47) provides input options for a `text` `input` element. At the time of this writing, `datalist` support varies by browser. In this example, we use a `datalist` element to obtain the user's birth month. Using Opera, when the user clicks in the text field, a drop-down list of the months of the year appears. If the user types "M" in the text field, the list of months is narrowed to March and May. When using Firefox, the drop-down list of months appears only after the user begins typing in the text field. If the user types "M", all months containing the letter "M" or "m" appear in the drop-down list—March, May, September, November and December.

## 3.4 Page-Structure Elements

HTML5 introduces several new page-structure elements (Fig. 3.18) that meaningfully identify areas of the page as headers, footers, articles, navigation areas, asides, figures and more.

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 3.18: sectionelements.html -->
4  <!-- New HTML5 section elements. -->
5  <html>
6      <head>
7          <meta charset="utf-8">
8          <title>New HTML5 Section Elements</title>
9      </head>
```

**Fig. 3.18** | New HTML5 section elements. (Part 1 of 6.)

```
10      <body>
11          <header> <!-- header element creates a header for the page -->
12              <img src = "deitellogo.png" alt = "Deitel logo" />
13              <h1>Welcome to the Deitel Buzz Online<h1>
14
15              <!-- time element inserts a date and/or time -->
16              <time>2012-01-17</time>
17
18      </header>
19
20      <section id = "1"> <!-- Begin section 1 -->
21          <nav> <!-- nav element groups navigation links -->
22              <h2> Recent Publications</h2>
23              <ul>
24                  <li><a href = "http://www.deitel.com/books/iw3htp5">
25                      Internet & World Wide Web How to Program, 5/e</a></li>
26                  <li><a href = "http://www.deitel.com/books/androidfp/">
27                      Android for Programmers: An App-Driven Approach</a>
28                  </li>
29                  <li><a href = "http://www.deitel.com/books/iphonefp">
30                      iPhone for Programmers: An App-Driven Approach</a></li>
31                  <li><a href = "http://www.deitel.com/books/jhttp9/">
32                      Java How to Program, 9/e</a></li>
33                  <li><a href = "http://www.deitel.com/books/cpphtp8/">
34                      C++ How to Program, 8/e</a></li>
35                  <li>
36                      <a href = "http://www.deitel.com/books/vcsharp2010htp">
37                          Visual C# 2010 How to Program, 4/e</a></li>
38                  <li><a href = "http://www.deitel.com/books/vb2010htp">
39                      Visual Basic 2010 How to Program</a></li>
40                  </ul>
41          </nav>
42      </section>
43
44      <section id = "2"> <!-- Begin section 2 -->
45          <h2>How to Program Series Books</h2>
46          <h3><em>Java How to Program, 9/e</em></h3>
47
48          <figure> <!-- figure element describes the image -->
49              <img src = "jhttp.jpg" alt = "Java How to Program, 9/e" />
50
51              <!-- figurecaption element inserts a figure caption -->
52              <figcaption><em>Java How to Program, 9/e</em>
53                  cover.</figcaption>
54          </figure>
55
56          <!--article element represents content from another source -->
57          <article>
58              <header>
59                  <h5>From
60                  <em>
61                      <a href = "http://www.deitel.com/books/jhttp9/">
```

**Fig. 3.18** | New HTML5 section elements. (Part 2 of 6.)

---

```
63                     Java How to program, 9/e: <a>
64                 </em>
65             </h5>
66         </header>
67
68     <p>Features include:
69     <ul>
70         <li>Rich coverage of fundamentals, including
71             <!-- mark element highlights text -->
72             <mark>two chapters on control statements.</mark></li>
73         <li>Focus on <mark>real-world examples.</mark></li>
74         <li><mark>Making a Difference exercises set.</mark></li>
75         <li>Early introduction to classes, objects,
76             methods and strings.</li>
77         <li>Integrated exception handling.</li>
78         <li>Files, streams and object serialization.</li>
79         <li>Optional modular sections on language and
80             library features of the new Java SE 7.</li>
81         <li>Other topics include: Recursion, searching,
82             sorting, generic collections, generics, data
83             structures, applets, multimedia,
84             multithreading, databases/JDBC&trade;, web-app
85             development, web services and an optional
86             ATM Object-Oriented Design case study.</li>
87     </ul>
88
89     <!-- summary element represents a summary for the -->
90     <!-- content of the details element -->
91     <details>
92         <summary>Recent Edition Testimonials</summary>
93         <ul>
94             <li>"Updated to reflect the state of the
95                 art in Java technologies; its deep and
96                 crystal clear explanations make it
97                 indispensable. The social-consciousness
98                 [Making a Difference] exercises are
99                 something really new and refreshing."
100            <strong>&mdash;José Antonio
101                González Seco, Parliament of
102                Andalusia</strong></li>
103            <li>"Gives new programmers the benefit of the
104                wisdom derived from many years of software
105                development experience."
106                    &mdash;Edward F. Gehringer, North Carolina
107                    State University</strong></li>
108            <li>"Introduces good design practices and
109                methodologies right from the beginning.
110                An excellent starting point for developing
111                high-quality robust Java applications."
112            <strong>&mdash;Simon Ritter,
113                Oracle Corporation</strong></li>
114            <li>"An easy-to-read conversational style.
115                Clear code examples propel readers to
```

---

Fig. 3.18 | New HTML5 section elements. (Part 3 of 6.)

```
116      become proficient in Java."
117      <strong>&mdash;Patty Kraft, San Diego State
118      University</strong></li>
119      <li>"A great textbook with a myriad of examples
120      from various application domains&mdash;
121      excellent for a typical CS1 or CS2 course."
122      <strong>&mdash;William E. Duncan, Louisiana
123      State University</strong></li>
124      </ul>
125      </details>
126      </p>
127      </article>
128
129      <!-- aside element represents content in a sidebar that's -->
130      <!-- related to the content around the element -->
131      <aside>
132          The aside element is not formatted by the browsers.
133      </aside>
134
135      <h2>Deitel Developer Series Books</h2>
136      <h3><em>Android for Programmers: An App-Driven Approach
137          </em></h3>
138          Click <a href = "http://www.deitel.com/books/androidfp/">
139          here</a> for more information or to order this book.
140
141      <h2>LiveLessons Videos</h2>
142      <h3><em>C# 2010 Fundamentals LiveLessons</em></h3>
143          Click <a href = "http://www.deitel.com/Books/LiveLessons/">
144          here</a> for more information about our LiveLessons videos.
145      </section>
146
147      <section id = "3"> <!-- Begin section 3 -->
148          <h2>Results from our Facebook Survey</h2>
149          <p>If you were a nonprogrammer about to learn Java for the first
150              time, would you prefer a course that taught Java in the
151              context of Android app development? Here are the results from
152              our survey:</p>
153
154          <!-- meter element represents a scale within a range -->
155          0 <meter min = "0"
156              max = "54"
157              value = "14"></meter> 54
158          <p>Of the 54 responders, 14 (green) would prefer to
159              learn Java in the context of Android app development.</p>
160      </section>
161
162      <!-- footer element represents a footer to a section or page, -->
163      <!-- usually containing information such as author name, -->
164      <!-- copyright, etc. -->
165      <footer>
166          <!-- wbr element indicates the appropriate place to break a -->
167          <!-- word when the text wraps -->
168          <h6>&copy; 1992-2012 by Deitel & Associates, Inc.
```

**Fig. 3.18** | New HTML5 section elements. (Part 4 of 6.)

```


169      All Rights Reserved.<h6>
170      <!-- address element represents contact information for a -->
171      <!-- document or the nearest body element or article -->
172      <address>
173          Contact us at <a href = "mailto:deitel@deitel.com">
174              deitel@deitel.com</a>
175      </address>
176      </footer>
177  </body>
178 </html>

```

- a) Chrome browser showing the header element and a nav element that contains an unordered list of links



- b) Chrome browser showing the beginning of a section containing a figure and a figurecaption



**Fig. 3.18** | New HTML5 section elements. (Part 5 of 6.)

c) Chrome browser showing an article containing a header, some content and a collapsed details element, followed by an aside element

The screenshot shows a Chrome browser window with the title "New HTML5 Section Element". The address bar shows the URL: file:///C:/books/2011/IW3HTP5/examples/ch03/fig03\_19/Section. The page content is as follows:

**From Java How to program, 9/e:**

Features include:

- Rich coverage of fundamentals, including two chapters on control statements.
- Focus on real-world examples.
- Making a Difference exercises set.
- Early introduction to classes, objects, methods and strings.
- Integrated exception handling.
- Files, streams and object serialization.
- Optional modular sections on language and library features of the new Java SE 7.
- Other topics include: Recursion, searching, sorting, generic collections, generics, data structures, applets, multimedia, multithreading, databases/JDBC™, web-app development, web services and an optional ATM Object-Oriented Design case study.

► Recent Edition Testimonials

The aside element is not formatted by the browsers.

d) Chrome browser showing the end of the section that started in part (b)

The screenshot shows a Chrome browser window with the title "New HTML5 Section Element". The address bar shows the URL: file:///C:/books/2011/IW3HTP5/examples/ch03/fig03\_19/Section. The page content is as follows:

## Deitel Developer Series Books

*Android for Programmers: An App-Driven Approach*

Click [here](#) for more information or to order this book.

## LiveLessons Videos

*C# 2010 Fundamentals LiveLessons*

Click [here](#) for more information about our LiveLessons videos.

e) Chrome browser showing the last section containing a meter element, followed by a footer element

The screenshot shows a Chrome browser window with the title "New HTML5 Section Element". The address bar shows the URL: file:///C:/books/2011/IW3HTP5/examples/ch03/fig03\_19/Section. The page content is as follows:

## Results from our Facebook Survey

If you were a nonprogrammer about to learn Java for the first time, would you prefer a course that taught Java in the context of Android app development? Here are the results from our survey:

0 54

Of the 54 responders, 14 (green) would prefer to learn Java in the context of Android app development.

© 1992-2012 by Deitel & Associates, Inc. All Rights Reserved.

Contact us at [deitel@deitel.com](mailto:deitel@deitel.com)

**Fig. 3.18 |** New HTML5 section elements. (Part 6 of 6.)

### 3.4.1 header Element

The **header** element (lines 12–19) creates a header for this page that contains both text and graphics. The **header** element can be used multiple times on a page and can include HTML headings (`<h1>` through `<h6>`), navigation, images and logos and more. For an example, see the top of the front page of your favorite newspaper.

#### *time Element*

The **time** element (line 17), which does not need to be enclosed in a **header**, enables you to identify a date (as we do here), a time or both.

### 3.4.2 nav Element

The **nav** element (lines 22–42) groups navigation links. In this example, we used the heading **Recent Publications** and created a **ul** element with seven **li** elements that link to the corresponding web pages for each book.

### 3.4.3 figure Element and figcaption Element

The **figure** element (lines 49–55) describes a figure (such as an image, chart or table) in the document so that it could be moved to the side of the page or to another page. The **figure** element does not include any styling, but you can style the element using CSS. The **figcaption** element (lines 53–54) provides a caption for the image in the **figure** element.

### 3.4.4 article Element

The **article** element (lines 58–127) describes standalone content that could potentially be used or distributed elsewhere, such as a news article, forum post or blog entry. You can nest **article** elements. For example, you might have reader comments about a magazine nested as an **article** within the magazine **article**.

### 3.4.5 summary Element and details Element


The **summary** element (line 92) displays a right-pointing arrow next to a summary or caption when the document is rendered in a browser (Fig. 3.19). When clicked, the arrow points downward and reveals the content in the **details** element (lines 91–125).

### 3.4.6 section Element

The **section** element describes a section of a document, usually with a heading for each section—these elements can be nested. For example, you could have a **section** element for a book, then nested **sections** for each chapter name in the book. In this example, we broke the document into three **sections**—the first is **Recent Publications** (lines 21–43). The **section** element may also be nested in an **article**.

### 3.4.7 aside Element

The **aside** element (lines 131–133) describes content that's related to the surrounding content (such as an **article**) but is somewhat separate from the flow of the text. For example, an **aside** in a news story might include some background history. A print advertisement might include an **aside** with product testimonials from users.



**Fig. 3.19** | Demonstrating the summary and detail elements.

### 3.4.8 meter Element

The **meter** element (lines 155–157) renders a visual representation of a measure within a range (Fig. 3.20). In this example, we show the results of a recent web survey we did. The `min` attribute is "0" and a `max` attribute is "54" —indicating the total number of responses to our survey. The `value` attribute is "14", representing the total number of people who responded "yes" to our survey question.



**Fig. 3.20** | Chrome rendering the **meter** element.

### 3.4.9 footer Element

The **footer** element (lines 165–176) describes a *footer*—content that usually appears at the bottom of the content or **section** element. In this example, we use the footer to describe the copyright notice and contact information. You can use CSS3 to style the footer and position it on the page.

### 3.4.10 Text-Level Semantics: mark Element and wbr Element

The **mark** element (lines 72–74) highlights the text that's enclosed in the element. The **wbr** element (line 168) indicates the appropriate place to break a word when the text wraps to multiple lines. You might use **wbr** to prevent a word from breaking in an awkward place.

---

## Summary

### Section 3.2 New HTML5 Form input Types

- HTML5 introduces several new form **input** types and attributes. These are not yet universally supported by all browsers.
- The Opera browser offers robust support of the new **input** types.
- We provide sample outputs from a variety of browsers so that you can see how the **input** types behave differently in each.

### Section 3.2.1 **input** Type **color**

- The **color** **input** type (p. 112) enables the user to enter a color.
- Most browsers render the **color** **input** type as a text field in which the user can enter a hexadecimal code.
- In the future, when the user clicks a color input, browsers will likely display a dialog from which the user can select a color.
- The **autofocus** attribute (p. 112)—which can be used in only one **input** element on a form—places the cursor in the text field after the browser loads and renders the page. You do not need to include **autofocus** in your forms.
- The new HTML 5 **input** types self validate on the client side, eliminating the need to add JavaScript code to validate user input and reducing the amount of invalid data submitted.
- When a user enters data into a form then submits the form, the browser immediately checks that the data is correct.
- If you want to bypass validation, you can add the **formnovalidate** attribute (p. 114) to **input** type **submit**.
- Using JavaScript, we can customize the validation process.

### Section 3.2.2 **input** Type **date**

- The **date** **input** type (p. 114) enables the user to enter a date in the format **yyyy-mm-dd**.
- Firefox and Internet Explorer all display a text field in which a user can enter a date such as **2012-01-27**.
- Chrome and Safari display a spinner control (p. 114)—a text field with an up-down arrow ( ) on the right side—allowing the user to select a date by clicking the up or down arrows.
- Opera displays a calendar.

### **Section 3.2.3 *input Type datetime***

- The `datetime` `input` type (p. 114) enables the user to enter a date (year, month, day), time (hour, minute, second, fraction of a second) and the time zone set to UTC (Coordinated Universal Time or Universal Time, Coordinated).

### **Section 3.2.4 *input Type datetime-local***

- The `datetime-local` `input` type (p. 114) enables the user to enter the date and time in a *single* control.
- The date is entered as year, month, day, hour, minute, second and fraction of a second.

### **Section 3.2.5 *input Type email***

- The `email` `input` type (p. 115) enables the user to enter an e-mail address or list of e-mail addresses separated by commas.
- If the user enters an invalid e-mail address (i.e., the text entered is not in the proper format) and clicks the `Submit` button, a callout asking the user to enter an e-mail address is rendered pointing to the `input` element.
- HTML5 does not validate whether an e-mail address entered by the user actually exists—rather it just validates that the information is in the *proper format*.
- The `placeholder` attribute (p. 115) allows you to place temporary text in a text field. Generally, `placeholder` text is light gray and provides an example of the text and text format the user should enter. When the focus is placed in the text field (i.e., the cursor is in the text field), the `placeholder` text disappears—it's not “submitted” when the user clicks the `Submit` button (unless the user types the same text).
- Add descriptive text to the right of each `input` element in case the user’s browser does not support `placeholder` text.
- The `required` attribute (p. 116) forces the user to enter a value before submitting the form.
- You can add `required` to any of the `input` types. If the user fails to fill enter a required item, a callout pointing to the empty element appears, asking the user to enter the information.

### **Section 3.2.6 *input Type month***

- The `month` `input` type (p. 116) enables the user to enter a year and month in the format `yyyy-mm`, such as `2012-01`.
- If the user enters a month in an improper format and clicks the `Submit` button, a callout stating that an invalid value was entered appears.

### **Section 3.2.7 *input Type number***

- The `number` `input` type (p. 116) enables the user to enter a numerical value.
- The `min` attribute sets the minimum valid number, in this case "0".
- The `max` attribute sets the maximum valid number, which we set to "7".
- The `step` attribute determines the increment in which the numbers increase. For example, if we set the `step` to "2", the number in the spinner control will increase or decrease by two each time the up or down arrow, respectively, in the spinner control is clicked.
- The `value` attribute sets the initial value displayed in the form.
- The spinner control includes only the valid numbers. If the user attempts to enter an invalid value by typing in the text field, a callout pointing to the `number` `input` element will instruct the user to enter a valid value.

**Section 3.2.8 *input Type range***

- The range `input type` (p. 117) appears as a *slider* control in Chrome, Safari and Opera.
- You can set the minimum and maximum and specify a value.
- The slider appears at the value in the range when the HTML5 document is rendered.
- The range `input type` is inherently self-validating when it's rendered by the browser as a slider control, because the user is unable to move the slider outside the bounds of the minimum or maximum value.

**Section 3.2.9 *input Type search***

- The search `input type` (p. 117) provides a search field for entering a query and is functionally equivalent to an `input` of type `text`.
- When the user begins to type in the search field, Chrome and Safari display an X that can be clicked to clear the field.

**Section 3.2.10 *input Type tel***

- The `tel` `input type` (p. 118) enables the user to enter a telephone number.
- At the time of this writing, the `tel` `input type` is rendered as a text field in all of the browsers.
- The length and format of telephone numbers varies greatly based on location, making validation quite complex. HTML5 does not self validate the `tel` `input type`. To ensure that the user enters a phone number in a proper format, you can use the `pattern` attribute.
- When the user enters a phone number in the wrong format, a callout requesting the proper format appears, pointing to the `tel` `input element`.

**Section 3.2.11 *input Type time***

- The `time` `input type` (p. 118) enables the user to enter an hour, minute, second and fraction of a second.

**Section 3.2.12 *input Type url***

- The `url` `input type` (p. 119) enables the user to enter a URL. The element is rendered as a text field. If the user enters an improperly formatted URL, it will not validate. HTML5 does not ensure that the URL entered actually exists.

**Section 3.2.13 *input Type week***

- The `week` `input type` (p. 119) enables the user to select a year and week number in the format `yyyy-Wnn`.
- Opera renders week control with a down arrow that, when clicked, brings up a calendar control.

**Section 3.3.1 *input Element autocomplete Attribute***

- The `autocomplete` attribute (p. 119) can be used on `input` types to automatically fill in the user's information based on previous input.
- You can enable `autocomplete` for an entire form or just for specific elements.

**Section 3.3.2 *datalist Element***

- The `datalist` element (p. 122) provides input options for a `text` `input element`. The browser can use these options to display `autocomplete` options to the user.

**Section 3.4 *Page-Structure Elements***

- HTML5 introduces several new page structure elements.

### **Section 3.4.1 header Element**

- The `header` element (p. 128) creates a header for the page that contains text, graphics or both.
- The `header` element may be used multiple times on a page and often includes HTML headings.
- The `time` element (p. 128) enables you to identify a date, a time or both.

### **Section 3.4.2 nav Element**

- The `nav` element (p. 128) groups navigation links.

### **Section 3.4.3 figure Element and figcaption Element**

- The `figure` element (p. 128) describes an image in the document so that it could be moved to the side of the page or to another page.
- The `figcaption` element (p. 128) provides a caption for the image in the `figure` element.

### **Section 3.4.4 article Element**

- The `article` element (p. 128) describes content that's separate from the main content of the page and might be used or distributed elsewhere, such as a news article, forum post or blog entry.
- `article` elements can be nested.

### **Section 3.4.5 summary Element and details Element**

- The `summary` element (p. 128) displays a right-pointing arrow next to a summary or caption when the document is rendered in a browser. When clicked, the arrow points downward and reveals the content in the `details` element (p. 128).

### **Section 3.4.6 section Element**

- The `section` element (p. 128) describes a section of a document, usually with a heading for each section.
- `section` elements can be nested.

### **Section 3.4.7 aside Element**

- The `aside` element (p. 128) describes content that's related to the surrounding content (such as an `article`) but that's somewhat separate from the flow of the text.
- `nav` elements can be nested in an `aside` element.

### **Section 3.4.8 meter Element**

- The `meter` element (p. 129) renders a visual representation of a measure within a range.
- Useful `meter` attributes are `min`, `max` and `value`.

### **Section 3.4.9 footer Element**

- The `footer` element (p. 130) describes a *footer*—content that usually appears at the bottom of the content or `section` element.
- You can use CSS3 to style the footer and position it on the page.

### **Section 3.4.10 Text-Level Semantics: mark Element and wbr Element**

- The `mark` element (p. 130) enables you to highlight text.
- The `wbr` element (p. 130) indicates the appropriate place to break a word when the text wraps to multiple lines. You might use `wbr` to prevent a word from breaking in an awkward place.

## Self-Review Exercises

- 3.1** Fill in the blanks in each of the following:
- HTML5 has \_\_\_\_\_ for providing lists of allowed values that a user can enter in an `input` element, and for autocompleting those values as the user types.
  - The \_\_\_\_\_ attribute determines the increment in which the numbers increase.
  - You can use \_\_\_\_\_ to style the footer and position it on the page.
  - The \_\_\_\_\_ element enables you to highlight text.
  - The \_\_\_\_\_ attribute forces the user to enter a value before submitting the form.
  - For `input` type `search`, Chrome and Safari display a(n) \_\_\_\_\_ that can be clicked to clear the field.
  - The \_\_\_\_\_ attribute allows you to place temporary text in a text field.
  - Opera renders \_\_\_\_\_ with a down arrow that, when clicked, brings up a calendar for the current month with the corresponding week numbers listed.
  - The \_\_\_\_\_ element provides a caption for the image in the `figure` element.
  - A print advertisement might include a(n) \_\_\_\_\_ with product testimonials from users.
- 3.2** State whether each of the following is *true* or *false*. If *false*, explain why.
- Any particular HTML5 form `input` types must render identically in every HTML5-compliant browser.
  - When the focus is placed in the text field (i.e., the cursor is in the text field), the `placeholder` text is submitted to the server.
  - You do not need to include `autofocus` in your forms.
  - The new HTML 5 `input` types are self validating on the client side, eliminating the need to add complicated scripts to your forms to validate user input and reducing the amount of invalid data submitted.
  - The `range` `input` type is inherently self-validating when it's rendered by the browser as a slider control, because the user is unable to move the slider outside the bounds of the minimum or maximum value.
  - HTML5 self validates the `tel` `input` type.
  - If the user enters an improperly formatted URL in a `url` `input` type, it will not validate. HTML5 does not validate that the URL entered actually exists.
  - The `nav` element displays a drop-down menu of hyperlinks.
  - The `header` element may be used only one time on a page.
  - `nav` elements can be nested in an `aside` element.
  - You might use the `brk` to prevent awkward word breaks.

## Answers to Self-Review Exercises

- 3.1** a) `datalists`. b) `step`. c) CSS3. d) `mark`. e) `required`. f) X. g) `placeholder`. h) week control. i) `figcaption`. j) `aside`.
- 3.2** a) False. The rendering of `input` types can vary among browsers. b) False. When the focus is placed in the text field, the `placeholder` text disappears. It's not "submitted" when the user clicks the `Submit` button (unless the user types the same text). c) True. d) True. e) True. f) False. The length and format of telephone numbers varies greatly based on location, making validation quite

complex, so HTML5 does not self validate the `tel` input type. To ensure that the user enters a phone number in a proper format, we use the `pattern` attribute. g) True. h) False. The `nav` element groups navigation links. i) False. The `header` element may be used multiple times on a page and often includes HTML headings (`<h1>` through `<h6>`) j) True. k) False. You might use the `wbr` to prevent awkward word breaks.

## Exercises

**3.3** Fill in the blanks in each of the following:

- a) Opera displays a color \_\_\_\_\_ control that shows the default color (black) with a down arrow that, when clicked, shows a drop-down with 20 basic colors.
- b) If you want to bypass validation, you can add the \_\_\_\_\_ attribute to `input` type.
- c) Chrome displays a(n) \_\_\_\_\_, a text field with an updown arrow on the right side—allowing the user to select a date by clicking the up or down arrows.
- d) The \_\_\_\_\_ enables the user to enter an e-mail address or a list of e-mail addresses separated by commas.
- e) The `week` `input` type enables the user to select a year and week number in the format \_\_\_\_\_.
- f) The \_\_\_\_\_ attribute is used to place a string in a text field.
- g) The \_\_\_\_\_ element describes a section of a document, usually with a heading for each section.
- h) The \_\_\_\_\_ `input` type enables the user to enter a telephone number.

**3.4** State whether each of the following is *true* or *false*. If *false*, explain why.

- a) Using HTML, we can customize the validation process.
- b) The `autofocus` attribute—which can be used in only one `input` element on a form—places the cursor in the text field after the browser loads and renders the page.
- c) The `autocomplete` attribute allows you to place temporary text in a text field.
- d) The `nav` element groups navigation links.
- e) The `imgcaption` element provides a caption for the image in the `figure` element.
- f) The `time` element enables you to identify a date, a time, or both.
- g) The `choice` `input` type appears as a *slider* control in Chrome, Safari and Opera.
- h) The `editorial` element describes content that's separate from the main content of the page and might be used or distributed elsewhere, such as a news article, forum post or blog entry.
- i) The `header` element may be used multiple times on a page and often includes HTML headings.
- j) `section` elements cannot be nested.

**3.5** Write an HTML5 element (or elements) to accomplish each of the following tasks:

- a) Teachers were asked to evaluate students in an examination on a scale of 1 to 100. Use a `meter` element with text to its left and right to indicate that the average rating was 65 out of 100.
- b) Create a `details` element that displays the summary text "Student Results" for Part (a). When the user clicks the arrow next to the summary text, an explanatory paragraph about the survey should be displayed.
- c) Create a `text` `input` element for a telephone number. The element should automatically receive the focus when the form is rendered in a browser.
- d) How to bypass validation procedure.

- e) Use a `datalist` to provide an `autocomplete` list for five fruits.
- f) Create a range input element that allows the user to select a number from 5 to 50.
- g) Specify how `autocomplete` should always be allowed for a form. Show only the form's opening tag.
- h) Use a `mark` element to highlight the first sentence in the following paragraph.

```
<p> Teachers were asked to evaluate students in an examination  
on a scale of 1 to 100. The average result was 65. </p>
```

**3.6** (*College Registration Form with Optional Survey*) Create a college registration form to obtain a user's first name, last name, telephone number, and e-mail address. In addition, include an optional survey question that asks the user's qualification. Place the optional survey question in a `details` element so that the user can expand the `details` element to see the question.

**3.7** (*Creating an Autocomplete Form*) Create a simple number entry form using an `number` input element in which the user can enter a number. Using the Firefox web browser, test the form by entering 345 and submitting the form. Then enter a 3 in the `input` element to see previous entries that started with 3–345 should be displayed below the `input` element. Enter 367 and submit the form again. Now enter a 3 in the `input` element to see previous entries that started with 3–345 and 367 should be displayed below the `input` element. Try this with your own search queries as well.

**3.8** (*Creating an Autocomplete Form with a datalist*) Create an `autocomplete` `input` element with an associated `datalist` that contains the months of the year.

**3.9** (*Laying Out Book Pages in HTML5: Creating the Sections*) Mark up the paragraph text from Section 3.2.1 of this chapter as a web page using page-structure elements. The text is provided in the `exerciseTextAndImages` folder with this chapter's examples. Do not include the figures in this exercise.

**3.10** (*Laying Out Book Pages in HTML5: Adding Figures*) Modify your solution to Exercise 3.9 to add the section's graphics as figures. The images are provided in the `exerciseTextAndImages` folder with this chapter's examples.

**3.11** (*Laying Out Book Pages in HTML5: Adding a details Element*) Modify your solution to Exercise 3.10 to add the table in Fig. 3.5. Use the figure caption as the `summary` and format the table as an HTML table element inside the `details` element.

# Introduction to Cascading Style Sheets™ (CSS): Part I

# 4

*Fashions fade, style is eternal.*

—Yves Saint Laurent

*How liberating to work in the margins, outside a central perception.*

—Don DeLillo

## Objectives

In this chapter you'll:

- Control a website's appearance with style sheets.
- Use a style sheet to give all the pages of a website the same look and feel.
- Use the `class` attribute to apply styles.
- Specify the precise font, size, color and other properties of displayed text.
- Specify element backgrounds and colors.
- Understand the box model and how to control margins, borders and padding.
- Use style sheets to separate presentation from content.



- |   |   |
|---|---|
| <b>4.1</b> Introduction<br><b>4.2</b> Inline Styles<br><b>4.3</b> Embedded Style Sheets<br><b>4.4</b> Conflicting Styles<br><b>4.5</b> Linking External Style Sheets<br><b>4.6</b> Positioning Elements: Absolute Positioning, <code>z-index</code><br><b>4.7</b> Positioning Elements: Relative Positioning, <code>span</code><br><b>4.8</b> Backgrounds | <b>4.9</b> Element Dimensions<br><b>4.10</b> Box Model and Text Flow<br><b>4.11</b> Media Types and Media Queries<br><b>4.12</b> Drop-Down Menus<br><b>4.13</b> (Optional) User Style Sheets<br><b>4.14</b> Web Resources |
|---|---|

[Summary](#) | [Self-Review Exercise](#) | [Answers to Self-Review Exercises](#) | [Exercises](#)

## 4.1 Introduction

In Chapters 2–3, we introduced HTML5 for marking up information to be rendered in a browser. In this chapter and Chapter 5, we shift our focus to formatting and presenting information. To do this, we use a W3C technology called **Cascading Style Sheets 3 (CSS3)** that allows you to specify the *presentation* of elements on a web page (e.g., fonts, spacing, sizes, colors, positioning) *separately* from the document’s *structure and content* (section headers, body text, links, etc.). This **separation of structure from presentation** simplifies maintaining and modifying web pages, especially on large-scale websites. In Chapter 5, we introduce many new features in CSS3.

HTML5 was designed to specify the content and structure of a document. Though HTML5 has some attributes that control presentation, *it’s better not to mix presentation with content*. If a website’s presentation is determined entirely by a style sheet, you can simply swap in a new style sheet to completely change the site’s appearance.

The W3C provides a CSS3 code validator at [jigsaw.w3.org/css-validator/](http://jigsaw.w3.org/css-validator/). This tool can help you make sure that your code is correct and will work on CSS3-compliant browsers. We’ve run this validator on every CSS3/HTML5 document in this book. For more CSS3 information, check out our CSS3 Resource Center at [www.deitel.com/css3](http://www.deitel.com/css3).

## 4.2 Inline Styles

You can declare document styles inline in the HTML5 markup, in embedded style sheets or in separate CSS files. This section presents **inline styles** that declare an individual element’s format using the HTML5 attribute **style**. Inline styles *override* any other styles applied using the techniques we discuss later in the chapter. Figure 4.1 applies inline styles to `p` elements to *alter* their font size and color.



### Software Engineering Observation 4.1

*Inline styles do not truly separate presentation from content. To apply similar styles to multiple elements, use embedded style sheets or external style sheets, introduced later in this chapter.*

```

1 <!DOCTYPE html>
2
3 <!-- Fig. 4.1: inline.html -->
4 <!-- Using inline styles -->
5 <html>
6   <head>
7     <meta charset = "utf-8">
8     <title>Inline Styles</title>
9   </head>
10  <body>
11    <p>This text does not have any style applied to it.</p>
12
13    <!-- The style attribute allows you to declare -->
14    <!-- inline styles. Separate multiple -->
15    <!-- style properties with a semicolon. -->
16    <p style = "font-size: 20pt;">This text has the
17      <em>font-size</em> style applied to it, making it 20pt.
18    </p>
19
20    <p style = "font-size: 20pt; color: deepskyblue;">
21      This text has the <em>font-size</em> and
22      <em>color</em> styles applied to it, making it
23      20pt and deep sky blue.</p>
24
25  </body>
</html>

```



**Fig. 4.1** | Using inline styles.

The first inline style declaration appears in line 16. Attribute **style** specifies an element's style. Each **CSS property** (**font-size** in this case) is followed by a colon and a value. In line 16, we declare this particular **p** element to use a 20-point font size.

Line 20 specifies the two properties, **font-size** and **color**, separated by a semicolon. In this line, we set the given paragraph's **color** to **deepskyblue**. Hexadecimal codes may be used in place of color names. Figure 4.2 contains the HTML standard color set. We provide a list of extended hexadecimal color codes and color names in Appendix B. You can also find a complete list of HTML standard and extended colors at [www.w3.org/TR/css3-color/](http://www.w3.org/TR/css3-color/).

| Color name | Value   | Color name | Value   |
|------------|---------|------------|---------|
| aqua       | #00FFFF | navy       | #000080 |
| black      | #000000 | olive      | #808000 |
| blue       | #0000FF | purple     | #800080 |
| fuchsia    | #FF00FF | red        | #FF0000 |
| gray       | #808080 | silver     | #C0C0C0 |
| green      | #008000 | teal       | #008080 |
| lime       | #00FF00 | yellow     | #FFFF00 |
| maroon     | #800000 | white      | #FFFFFF |

**Fig. 4.2** | HTML standard colors and hexadecimal RGB values.

## 4.3 Embedded Style Sheets

A second technique for using style sheets is **embedded style sheets**, which enable you to *embed* a CSS3 document in an HTML5 document's head section. Figure 4.3 creates an embedded style sheet containing four styles.

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 4.3: embedded.html -->
4  <!-- Embedded style sheet. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Embedded Style Sheet</title>
9
10     <!-- this begins the style sheet section -->
11     <style type = "text/css">
12         em        { font-weight: bold;
13                         color: black; }
14         h1        { font-family: tahoma, helvetica, sans-serif; }
15         p         { font-size: 12pt;
16                         font-family: arial, sans-serif; }
17         .special { color: purple; }
18     </style>
19     </head>
20     <body>
21         <!-- this attribute applies the .special style class -->
22         <h1 class = "special">Deitel & Associates, Inc.</h1>
23
24         <p>Deitel & Associates, Inc. is an authoring and
25             corporate training organization specializing in
26             programming languages, Internet and web technology,
27             iPhone and Android app development, and object
28             technology education.</p>
29

```


**Fig. 4.3** | Embedded style sheet. (Part I of 2.)

---

```

30      <h1>Clients</h1>
31      <p class = "special"> The company's clients include many
32          <em>Fortune 1000 companies</em>, government agencies,
33          branches of the military and business organizations.</p>
34      </body>
35  </html>

```



**Fig. 4.3** | Embedded style sheet. (Part 2 of 2.)

### *The style Element and MIME Types*

The `style` element (lines 11–18) defines the *embedded style sheet*. Styles placed in the head apply to matching elements wherever they appear in the body. The `style` element's `type` attribute specifies the **MIME (Multipurpose Internet Mail Extensions)** type that describes the `style` element's content. CSS documents use the MIME type `text/css`. As of HTML5, the default type for a `style` element is "`text/css`", so this attribute is no longer needed—we kept it here because you'll see this used in legacy HTML code. Figure 4.4 lists common MIME types used in this book. For a complete list of MIME types, visit:

[www.w3schools.com/media/media\\_mimeref.asp](http://www.w3schools.com/media/media_mimeref.asp)

| MIME type                    | Description       |
|------------------------------|-------------------|
| <code>text/css</code>        | CSS documents     |
| <code>image/png</code>       | PNG images        |
| <code>text/javascript</code> | JavaScript markup |
| <code>text/plain</code>      | Plain text        |
| <code>image/jpeg</code>      | JPEG image        |
| <code>text/html</code>       | HTML markup       |

**Fig. 4.4** | A few common MIME types.

The style sheet's body (lines 12–17) declares the **CSS rules** for the style sheet. To achieve the separation between the CSS3 code and the HTML5 that it styles, we'll use a **CSS selector** to specify the elements that will be styled according to a rule. Our first rule

(line 12) begins with the selector `em`, which selects all `em` elements in the document. An `em` element indicates that its contents should be *emphasized*. Browsers usually render `em` elements in an *italic* font. Each rule's body is enclosed in *curly braces* (`{` and `}`). CSS rules in embedded style sheets use the same syntax as inline styles; the property name is followed by a colon (`:`) and the property value. Multiple properties are separated by semicolons (`;`). The `font-weight` property in line 12 specifies the “boldness” of text. Possible values are `bold`, `normal` (the default), `bolder` (bolder than `bold` text) and `lighter` (lighter than `normal` text). Boldness also can be specified with multiples of 100, from 100 to 900. Text specified as `normal` is equivalent to 400, and `bold` text is equivalent to 700. However, many systems do not have fonts that can scale with this level of precision, so using these numeric values might not display the desired effect.

In this example, all `em` elements will be displayed in a bold black font. We also apply styles to all `h1` and `p` elements (lines 14–16).

### *Style Classes*

Line 17 declares a selector for a `style` class named `special`. Style-class declarations are preceded by a period (`.`). They define styles that can be applied to *any* element. In this example, class `special` sets `color` to `purple`. We'll show how to apply a style class momentarily. You can also declare `id` selectors. If an element in your page has an `id`, you can declare a selector of the form `#elementId` to specify that element's style.

### *Font-family Property*

The `font-family` property (line 14) specifies the name of the font to use. Not all users have the same fonts installed on their computers, so CSS allows you to specify a comma-separated list of fonts to use for a particular style. The browser attempts to use the fonts in the order in which they appear in the list. It's advisable to end a font list with a `generic font family` name in case the other fonts are not installed on the user's computer (Fig. 4.5). In this example, if the `tahoma` font is not found on the system, the browser will look for the `helvetica` font. If neither is found, the browser will display its default `sans-serif` font.

| Generic font families   | Examples                              |
|-------------------------|---------------------------------------|
| <code>serif</code>      | <code>times new roman, georgia</code> |
| <code>sans-serif</code> | <code>arial, verdana, futura</code>   |
| <code>cursive</code>    | <code>script</code>                   |
| <code>fantasy</code>    | <code>critter</code>                  |
| <code>monospace</code>  | <code>courier, fixedsys</code>        |

**Fig. 4.5** | Generic font families.

### *Font-size Property*

Property `font-size` (line 15) specifies a 12-point font. Other possible measurements in addition to `pt` (point) are introduced in Section 4.4. Relative values—`xx-small`, `x-small`, `small`, `smaller`, `medium`, `large`, `larger`, `x-large` and `xx-large`—also can be used. Generally, relative `font-size` values are preferred over points, because an author does not know the specific measurements of each client's display. Relative values permit more flexible viewing of web pages. For example, users can change font sizes the browser displays for readability.

A user may view a web page on a handheld device with a small screen. Specifying a fixed font size (such as 18pt) prevents the browser from scaling fonts. A relative font size, such as `large` or `larger`, allows the browser to determine the *actual size* of the text displayed. Using relative sizes also makes pages more accessible to users with disabilities. Users with impaired vision, for example, may configure their browser to use a larger default font, upon which all relative sizes are based. Text that the author specifies to be `smaller` than the main text still displays in a smaller size font. Accessibility is an important consideration—in 1998, Congress passed the Section 508 Amendment to the Rehabilitation Act of 1973, mandating that websites of federal government agencies be accessible to disabled users. For more information, visit [www.access-board.gov/508.htm](http://www.access-board.gov/508.htm).

### *Applying a Style Class*

Line 22 uses the HTML5 attribute `class` in an `h1` element to apply a style class—in this case, the class named `special` (declared with the `.special` selector in the style sheet on line 17). When the browser renders the `h1` element, the text appears on screen with the properties of both an `h1` element (`tahoma, helvetica or sans-serif` font defined in line 14) and the `.special` style class applied (the color `purple` defined in line 17). The browser also still applies its own default style to the `h1` element—the header is displayed in a large font size. Similarly, all `em` elements will still be italicized by the browser, but they will also be bold as a result of lines 12–13.

The formatting rules for both the `p` element and the `.special` class are applied to the text in lines 31–33. In many cases, the styles applied to an element (the **parent or ancestor element**) also apply to the element's *nested elements* (**child or descendant elements**). The `em` element nested in the `p` element in line 32 **inherits** the style from the `p` element (namely, the 12-point font size in line 15) but retains its italic style. So styles defined for the paragraph and *not* defined for the `em` element are still applied to this `em` element that's nested in the `p` element. Multiple values of one property can be set or inherited on the same element, so the browser must reduce them to one value for that property per element before they're rendered. We discuss the rules for resolving these conflicts in the next section.

## 4.4 Conflicting Styles

Styles may be defined by a **user**, an **author** or a **user agent**. A user is a person viewing your web page, you're the author—the person who writes the document—and the user agent is the program used to render and display the document (e.g., a web browser).

- Styles **cascade** (and hence the term “Cascading Style Sheets”), or flow together, such that the ultimate appearance of elements on a page results from combining styles defined in several ways.
- Styles defined by the user take precedence over styles defined by the user agent.
- Styles defined by authors take precedence over styles defined by the user.

Most styles defined for parent elements are also **inherited** by child (nested) elements. This makes sense for most styles, such as font properties, but there are certain properties that you don't want to be inherited. For example, the `background-image` property allows you to set an image as the background of an element. If the `body` element is assigned a background image, we don't want the same image to be in the background of every element in the body of our page. Instead, the `background-image` property of all child elements retains

its default value of `none`. In this section, we discuss the rules for *resolving conflicts* between *styles defined for elements* and styles inherited from parent and ancestor elements.

Figure 4.3 contains an example of inheritance in which a child `em` element inherits the `font-size` property from its parent `p` element. However, in Fig. 4.3, the child `em` element has a `color` property that *conflicts with* (i.e., has a different value than) the `color` property of its parent `p` element. Properties defined for child and descendant elements have a higher **specificity** than properties defined for parent and ancestor elements. Conflicts are resolved in favor of properties with a *higher* specificity, so the child's styles take precedence. Figure 4.6 illustrates examples of inheritance and specificity.


---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 4.6: advanced.html -->
4  <!-- Inheritance in style sheets. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>More Styles</title>
9          <style type = "text/css">
10             body      { font-family: arial, helvetica, sans-serif; }
11             a.nodec  { text-decoration: none; }
12             a:hover  { text-decoration: underline; }
13             li em    { font-weight: bold; }
14             h1, em   { text-decoration: underline; }
15             ul       { margin-left: 20px; }
16             ul ul   { font-size: .8em; }
17         </style>
18     </head>
19     <body>
20         <h1>Shopping list for Monday:</h1>
21
22         <ul>
23             <li>Milk</li>
24             <li>Bread
25                 <ul>
26                     <li>white bread</li>
27                     <li>Rye bread</li>
28                     <li>Whole wheat bread</li>
29                 </ul>
30             </li>
31             <li>Carrots</li>
32             <li>Yogurt</li>
33             <li>Pizza <em>with mushrooms</em></li>
34         </ul>
35
36         <p><em>Go to the</em>
37             <a class = "nodec" href = "http://www.deitel.com">
38                 Grocery store</a>
39             </p>
40         </body>
41     </html>
```

---

**Fig. 4.6** | Inheritance in style sheets. (Part I of 2.)



**Fig. 4.6** | Inheritance in style sheets. (Part 2 of 2.)

Line 11 applies property `text-decoration` to all `a` elements whose `class` attribute is set to `nodec` (line 37). The `text-decoration` property applies **decorations** to text in an element. By default, browsers underline the text of an `a` (anchor) element. Here, we set the `text-decoration` property to `none` to indicate that the browser should *not* underline hyperlinks. Other possible values for `text-decoration` include `overline`, `line-through` and `underline`. The `.nodec` appended to `a` is a *more specific* class selector; this style in line 11 applies only to `a` (anchor) elements that specify the `nodec` in their `class` attribute.



#### Portability Tip 4.1

To ensure that your style sheets work in various web browsers, test them on many client web browsers, and use the W3C CSS Validator.

Line 12 specifies a style for `hover`, which is a **pseudo-class**. Pseudo-classes give you access to information that's not declared in the document, such as whether the mouse is hovering over an element or whether the user has previously clicked (visited) a particular

hyperlink. The **hover** pseudo-class is activated dynamically when the user moves the mouse cursor over (that is, hovers over) an element. Pseudo-classes are separated by a *colon* (with no surrounding spaces) from the name of the element to which they're applied.



### Common Programming Error 4.1

*Including a space before or after the colon separating a pseudo-class from the name of the element to which it's applied prevents the pseudo-class from being applied properly.*

Line 13 causes all `em` elements that are children of `li` elements to be bold. In the screen output of Fig. 4.6, **Go to the** (contained in an `em` element in line 36) does not appear bold, because the `em` element is *not* nested in an `li` element. However, the `em` element containing **with mushrooms** (line 33) *is* nested in an `li` element, so it's formatted in bold. The syntax for applying rules to multiple elements is similar. In line 14, we separate the selectors with a *comma* to apply an *underline* style rule to all `h1` *and* all `em` elements.

Line 15 assigns a 20-pixel left margin to all `ul` elements. We'll discuss the `margin` properties in detail in Section 4.10. A pixel is a **relative-length measurement**—it varies in size, based on screen resolution. Other relative lengths include `em` (which, as a measurement, means the font's uppercase *M* height—the most frequently used font measurement), `ex` (the font's *x*-height—usually set to a lowercase *x*'s height) and percentages (e.g., `font-size: 50%`). To set an element to display text at 150 percent of its default text size, you could use

```
font-size: 1.5em
```

or

```
font-size: 150%
```

Other units of measurement available in CSS are **absolute-length measurements**—i.e., units that do *not* vary in size based on the system. These units are `in` (inches), `cm` (centimeters), `mm` (millimeters), `pt` (points; 1 `pt` = 1/72 `in`) and `pc` (picas; 1 `pc` = 12 `pt`). Line 16 specifies that all nested unordered lists (`ul` elements that are descendants of `ul` elements) are to have font size `.8em`. [Note: When setting a style property that takes a measurement (e.g. `font-size`, `margin-left`), no units are necessary if the value is zero.]



### Good Programming Practice 4.1

*Whenever possible, use relative-length measurements. If you use absolute-length measurements, your document may not scale well on some client browsers (e.g., smartphones).*

## 4.5 Linking External Style Sheets

Style sheets are a convenient way to create a document with a uniform theme. With **external style sheets** (i.e., *separate* documents that contain only CSS rules), you can provide a *uniform look and feel* to an entire website (or to a portion of one). You can also *reuse* the same external style sheet across multiple websites. Different pages on a site can all use the same style sheet. When changes to the styles are required, you need to modify only a single CSS file to make style changes across *all* the pages that use those styles. This concept is sometimes known as **skinning**. While embedded style sheets separate content from presentation, both are still contained in a *single* file, preventing a web designer and a content author from conveniently working in parallel. External style sheets solve this problem by separating the content and style into separate files.

Figure 4.7 presents an external style sheet. Lines 1–2 are **CSS comments**. These may be placed in any type of CSS code (i.e., inline styles, embedded style sheets and external style sheets) and always start with /\* and end with \*/. Text between these delimiters is ignored by the browser. The rules in this external style sheet are the same as those in the embedded style sheet in Fig. 4.6, lines 10–16.

---

```

1  /* Fig. 4.7: styles.css */
2  /* External style sheet */
3  body      { font-family: arial, helvetica, sans-serif; }
4  a.nodec   { text-decoration: none; }
5  a:hover   { text-decoration: underline; }
6  li em    { font-weight: bold; }
7  h1, em   { text-decoration: underline; }
8  ul        { margin-left: 20px; }
9  ul ul    { font-size: .8em; }
```

---

**Fig. 4.7** | External style sheet.

Figure 4.8 contains an HTML5 document that references the external style sheet. Lines 9–10 show a **link** element that uses the **rel** attribute to specify a relationship between the current document and another document. Here, we declare the linked document to be a **stylesheet** for this document. The **type** attribute specifies the related document's MIME type as **text/css**. The **href** attribute provides the style sheet document's URL. Using just the file name **styles.css**, as we do here, indicates that **styles.css** is in the same directory as **external.html**. The rendering results are the same as in Fig. 4.6.

---


```

1  <!DOCTYPE html>
2
3  <!-- Fig. 4.8: external.html -->
4  <!-- Linking an external style sheet. -->
5  <html>
6    <head>
7      <meta charset = "utf-8">
8      <title>Linking External Style Sheets</title>
9      <link rel = "stylesheet" type = "text/css"
10        href = "styles.css">
11    </head>
12    <body>
13      <h1>Shopping list for <em>Monday</em></h1>
14
15      <ul>
16        <li>Milk</li>
17        <li>Bread
18          <ul>
19            <li>white bread</li>
20            <li>Rye bread</li>
21            <li>Whole wheat bread</li>
22          </ul>
23      </li>
```

---

**Fig. 4.8** | Linking an external style sheet. (Part I of 2.)

```
24      <li>Carrots</li>
25      <li>Yogurt</li>
26      <li>Pizza <em>with mushrooms</em></li>
27    </ul>
28
29    <p><em>Go to the</em>
30      <a class = "nodec" href = "http://www.deitel.com">
31        Grocery store</a>
32    </p>
33  </body>
34 </html>
```



**Fig. 4.8** | Linking an external style sheet. (Part 2 of 2.)

## 4.6 Positioning Elements: Absolute Positioning, z-index


Before CSS, controlling element positioning in HTML documents was difficult—the browser determined positioning. CSS introduced the **position** property and a capability

called **absolute positioning**, which gives you greater control over how document elements are displayed. Figure 4.9 demonstrates absolute positioning.

```
1  <!DOCTYPE html>
2
3  <!-- Fig. 4.9: positioning.html -->
4  <!-- Absolute positioning of elements. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Absolute Positioning</title>
9          <style type = "text/css">
10             .background_image { position: absolute;
11                             top: 0px;
12                             left: 0px;
13                             z-index: 1; }
14             .foreground_image { position: absolute;
15                             top: 25px;
16                             left: 100px;
17                             z-index: 2; }
18             .text           { position: absolute;
19                             top: 25px;
20                             left: 100px;
21                             z-index: 3;
22                             font-size: 20pt;
23                             font-family: tahoma, geneva, sans-serif; }
24         </style>
25     </head>
26     <body>
27         <p><img src = "background_image.png" class = "background_image"
28             alt = "First positioned image" /></p>
29
30         <p><img src = "foreground_image.png" class = "foreground_image"
31             alt = "Second positioned image" /></p>
32
33         <p class = "text">Positioned Text</p>
34     </body>
35 </html>
```



**Fig. 4.9** | Absolute positioning of elements. (Part 1 of 2.)



**Fig. 4.9** | Absolute positioning of elements. (Part 2 of 2.)

Normally, elements are positioned on the page in the order in which they appear in the HTML5 document. Lines 10–13 define a style called `background_image` for the first `img` element (`background_image.png`) on the page. Specifying an element's position as `absolute` removes the element from the normal flow of elements on the page, instead positioning it according to the distance from the `top`, `left`, `right` or `bottom` margins of its `containing block-level element`. This means that it's displayed on its own line and has a `virtual box` around it. Some examples of block-level elements include `section`, `div`, `p` and heading elements (`h1` through `h6`). Here, we position the element to be 0 pixels away from both the `top` and `left` margins of its containing element. In line 27, this style is applied to the image, which is contained in a `p` element.

The `z-index` property allows you to *layer overlapping elements*. Elements that have *higher z-index* values are displayed in *front* of elements with *lower z-index* values. In this example, `.background_image` has the lowest `z-index` (1), so it displays in the background. The `.foreground_image` CSS rule (lines 14–17) gives the circle image (`foreground_image.png`, in lines 30–31) a `z-index` of 2, so it displays in front of `background_image.png`. The `p` element in line 33 is given a `z-index` of 3 in line 21, so its content (`Positioned Text`) displays in front of the other two. If you do not specify a `z-index` or if elements have the same `z-index` value, the elements are placed from background to foreground in the order in which they're encountered in the document. The default `z-index` value is 0.

## 4.7 Positioning Elements: Relative Positioning, span

Absolute positioning is not the only way to specify page layout. Figure 4.10 demonstrates relative positioning, in which elements are positioned *relative to other elements*.

Setting the `position` property to `relative`, as in class `super` (lines 15–16), lays out the element on the page and *offsets* it by the specified `top`, `bottom`, `left` or `right` value. Unlike absolute positioning, relative positioning keeps elements in the general flow of elements on the page, so positioning is relative to other elements in the flow. Recall that `ex` (line 16) is the *x*-height of a font, a relative-length measurement typically equal to the height of a lowercase *x*. Class `super` (lines 15–16) lays out the text at the end of the sentence as superscript, and class `sub` (lines 17–18) lays out the text as subscript relative to the other text. Class `shiftleft` (lines 19–20) shifts the text at the end of the sentence left and class `shiftright` (lines 21–22) shifts the text right.

```
1 <!DOCTYPE html>
2
3 <!-- Fig. 4.10: positioning2.html -->
4 <!-- Relative positioning of elements. -->
5 <html>
6   <head>
7     <meta charset = "utf-8">
8     <title>Relative Positioning</title>
9     <style type = "text/css">
10    p          { font-size: 1.3em;
11                  font-family: verdana, arial, sans-serif; }
12    span        { color: red;
13                  font-size: .6em;
14                  height: 1em; }
15    .super      { position: relative;
16                  top: -1ex; }
17    .sub        { position: relative;
18                  bottom: -1ex; }
19    .shiftleft  { position: relative;
20                  left: -1ex; }
21    .shiftright { position: relative;
22                  right: -1ex; }
23  </style>
24 </head>
25 <body>
26   <p>The text at the end of this sentence
27     <span class = "super">is in superscript</span>. </p>
28
29   <p>The text at the end of this sentence
30     <span class = "sub">is in subscript</span>. </p>
31
32   <p>The text at the end of this sentence
33     <span class = "shiftleft">is shifted left</span>. </p>
34
35   <p>The text at the end of this sentence
36     <span class = "shiftright">is shifted right</span>. </p>
37 </body>
38 </html>
```




Fig. 4.10 | Relative positioning of elements.

### *Inline and Block-Level Elements*

We introduce the **span** element in line 27. Lines 12–14 define the CSS rule for all **span** elements in this example. The **span**'s height determines how much vertical space it will occupy. The **font-size** determines the size of the text inside the **span**.

Element **span** is a **grouping element**—by default, it does not apply any formatting to its contents. Its primary purpose is to apply CSS rules or **id** attributes to a section of text. Element **span** is an **inline-level element**—it does not change the flow of elements in the document. Examples of inline elements include **span**, **img**, **a**, **em** and **strong**. The **div** element is also a grouping element, but it's a block-level element. We'll discuss inline and block-level elements in more detail in Section 4.10.

## 4.8 Backgrounds

CSS provides control over the backgrounds of block-level elements. CSS can set a background color or add background images to HTML5 elements. Figure 4.11 adds a corporate logo to the bottom-right corner of the document. This logo stays *fixed* in the corner even when the user scrolls up or down the screen.

### ***background-image*** Property

The **background-image** property (line 10) specifies the image URL for the image **logo.png** in the format **url(fileLocation)**. You can also set the **background-color** property (line 14) in case the image is not found (and to fill in areas the image does not cover).

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 4.11: background.html -->
4  <!-- Adding background images and indentation -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Background Images</title>
9          <style type = "text/css">
10             body { background-image: url(logo.png);
11                 background-position: bottom right;
12                 background-repeat: no-repeat;
13                 background-attachment: fixed;
14                 background-color: lightgrey; }
15             p { font-size: 18pt;
16                 color: Darkblue;
17                 text-indent: 1em;
18                 font-family: arial, sans-serif; }
19                 .dark { font-weight: bold; }
20         </style>
21     </head>
22     <body>
23         <p>
24             This example uses the background-image,
25             background-position and background-attachment
26             styles to place the <span class = "dark">Deitel


```

---

**Fig. 4.11** | Adding background images and indentation. (Part I of 2.)

---

```
27      & Associates, Inc.</span> logo in the
28      bottom-right corner of the page. Notice how the logo
29      stays in the proper position when you resize the
30      browser window. The background-color fills in where
31      there is no image.
32      </p>
33  </body>
34 </html>
```



---

**Fig. 4.11** | Adding background images and indentation. (Part 2 of 2.)

#### ***background-position* Property**

The **background-position** property (line 11) places the image on the page. The keywords **top**, **bottom**, **center**, **left** and **right** are used individually or in combination for vertical and horizontal positioning. You can position an image using lengths by specifying the horizontal length followed by the vertical length. For example, to position the image as *horizontally centered* (positioned at 50 percent of the distance across the screen) and 30 pixels from the top, use

```
background-position: 50% 30px;
```

#### ***background-repeat* Property**

The **background-repeat** property (line 12) controls background image **tiling**, which places *multiple copies* of the image next to each other to fill the background. Here, we set the tiling to **no-repeat** to display only one copy of the background image. Other values include **repeat** (the default) to tile the image *vertically and horizontally*, **repeat-x** to tile the image only *horizontally* or **repeat-y** to tile the image only *vertically*.

#### ***background-attachment: fixed* Property**

The next property setting, **background-attachment: fixed** (line 13), fixes the image in the position specified by **background-position**. Scrolling the browser window will *not*

move the image from its position. The default value, `scroll`, moves the image as the user scrolls through the document.

#### ***text-indent property***

Line 17 uses the `text-indent` property to indent the first line of text in the element by a specified amount, in this case `1em`. You might use this property to create a web page that reads more like a novel, in which the first line of every paragraph is indented.

#### ***font-style property***

Another CSS property that formats text is the `font-style` property, which allows you to set text to `none`, `italic` or `oblique` (`oblique` is simply more slanted than `italic`—the browser will default to `italic` if the system or font does not support `oblique` text).

## 4.9 Element Dimensions

In addition to positioning elements, CSS rules can specify the actual *dimensions* of each page element. Figure 4.12 demonstrates how to set the dimensions of elements.


---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 4.12: width.html -->
4  <!-- Element dimensions and text alignment. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Box Dimensions</title>
9          <style type = "text/css">
10             p { background-color: lightskyblue;
11                 margin-bottom: .5em;
12                 font-family: arial, helvetica, sans-serif; }
13         </style>
14     </head>
15     <body>
16         <p style = "width: 20%">Here is some
17             text that goes in a box which is
18             set to stretch across twenty percent
19             of the width of the screen.</p>
20
21         <p style = "width: 80%; text-align: center">
22             Here is some CENTERED text that goes in a box
23             which is set to stretch across eighty percent of
24             the width of the screen.</p>
25
26         <p style = "width: 20%; height: 150px; overflow: scroll">
27             This box is only twenty percent of
28             the width and has a fixed height.
29             What do we do if it overflows? Set the
30             overflow property to scroll!</p>
31     </body>
32 </html>
```

---

**Fig. 4.12** | Element dimensions and text alignment. (Part I of 2.)



**Fig. 4.12** | Element dimensions and text alignment. (Part 2 of 2.)

### *Specifying the width and height of an Element*

The inline style in line 16 illustrates how to set the **width** of an element on screen; here, we indicate that the p element should occupy 20 percent of the screen width. If not specified, the width will fit the size of the browser window. The height of an element can be set similarly, using the **height** property. The **width** and **height** values also can be specified as relative or absolute lengths. For example,

```
width: 10em
```

sets the element's width to 10 times the font size. This works only for block-level elements.

### *text-align Property*


Most elements are left-aligned by default, but this alignment can be altered. Line 21 sets text in the element to be center aligned; other values for the **text-align** property include **left** and **right**.

### *overflow Property and Scroll Bars*

In the third p element, we specify a percentage width and a pixel height. One problem with setting *both* dimensions of an element is that the content inside the element can exceed the set boundaries, in which case the element is simply made large enough for all the content to fit. However, in line 26, we set the **overflow** property to **scroll**, a setting that adds scroll bars if the text overflows the boundaries.

## 4.10 Box Model and Text Flow

All *block-level* HTML5 elements have a *virtual box* drawn around them, based on what is known as the **box model**. When the browser renders an element using the box model, the content is surrounded by **padding**, a **border** and a **margin** (Fig. 4.13).



**Fig. 4.13** | Box model for block-level elements.

CSS controls the border using three properties: **border-width**, **border-color** and **border-style**. We illustrate these properties in Fig. 4.14.

---

```
1  <!DOCTYPE html>
2
3  <!-- Fig. 4.14: borders.html -->
4  <!-- Borders of block-level elements. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Borders</title>
9          <style type = "text/css">
10             div      { text-align: center;
11                         width: 50%;
12                         position: relative;
13                         left: 25%;
14                         border-width: 6px; }
15             .thick   { border-width: thick; }
16             .medium  { border-width: medium; }
17             .thin    { border-width: thin; }
18             .solid   { border-style: solid; }
19             .double  { border-style: double; }
20             .groove  { border-style: groove; }
21             .ridge   { border-style: ridge; }
22             .dotted  { border-style: dotted; }
23             .inset   { border-style: inset; }
24             .outset  { border-style: outset; }
25             .dashed  { border-style: dashed; }
26             .red     { border-color: red; }
27             .blue    { border-color: blue; }
28         </style>
29     </head>
30     <body>
31         <div class = "solid">Solid border</div><hr>
32         <div class = "double">Double border</div><hr>
33         <div class = "groove">Groove border</div><hr>
34         <div class = "ridge">Ridge border</div><hr>
35         <div class = "dotted">Dotted border</div><hr>
36         <div class = "inset">Inset border</div><hr>
37         <div class = "thick dashed">Thick dashed border</div><hr>
38         <div class = "thin red solid">Thin red solid border</div><hr>
```

---


**Fig. 4.14** | Borders of block-level elements. (Part I of 2.)

---

```

39      <div class = "medium blue outset">Medium blue outset border</div>
40      </body>
41  </html>

```




---

**Fig. 4.14** | Borders of block-level elements. (Part 2 of 2.)

The `border-width` property may be set to any valid CSS length (e.g., `em`, `ex`, `px`) or to the predefined value of `thin`, `medium` or `thick`. The `border-color` property sets the color. [Note: This property has different meanings for different border styles—e.g., some display the border color in multiple shades.] The `border-style` options are `none`, `hidden`, `dotted`, `dashed`, `solid`, `double`, `groove`, `ridge`, `inset` and `outset`. Borders `groove` and `ridge` have opposite effects, as do `inset` and `outset`. When `border-style` is set to `none`, no border is rendered. Each border property may be set for an individual side of the box (e.g., `border-top-style` or `border-left-color`).

### Floating Elements

We've seen with absolute positioning that it's possible to remove elements from the normal flow of text. Floating allows you to move an element to one side of the screen; other content in the document then *flows around* the floated element. Figure 4.15 demonstrates how floating elements and the box model can be used to control the layout of an entire page.

Looking at the HTML5 code, we can see that the general structure of this document consists of a header and two main sections. Each section contains an `h1` subheading and a paragraph of text.

Block-level elements (such as `sections`) render with a *line break* before and after their content, so the header and two sections will render vertically one on top of another. In the absence of our styles, the `h1`s that represent our subheadings would also stack vertically on top of the text in the `p` tags. However, in line 24 we set the `float` property to `right` in the class `floated`, which is applied to the `h1` headings. This causes each `h1` to float to the right edge of its containing element, while the paragraph of text will flow around it.

```
1  <!DOCTYPE html>
2
3  <!-- Fig. 4.15: floating.html -->
4  <!-- Floating elements. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Flowing Text Around Floating Elements</title>
9          <style type = "text/css">
10             header { background-color: skyblue;
11                 text-align: center;
12                 font-family: arial, helvetica, sans-serif;
13                 padding: .2em; }
14             p { text-align: justify;
15                 font-family: verdana, geneva, sans-serif;
16                 margin: .5em; }
17             h1 { margin-top: 0px; }
18             .floated { background-color: lightgrey;
19                 font-size: 1.5em;
20                 font-family: arial, helvetica, sans-serif;
21                 padding: .2em;
22                 margin-left: .5em;
23                 margin-bottom: .5em;
24                 float: right;
25                 text-align: right;
26                 width: 50%; }
27             section { border: 1px solid skyblue; }
28         </style>
29     </head>
30     <body>
31         <header><img src = "deitel.png" alt = "Deitel" /></header>
32         <section>
33             <h1 class = "floated">Corporate Training and Authoring</h1>
34             <p>Deitel & Associates, Inc. is an internationally
35                 recognized corporate training and authoring organization
36                 specializing in programming languages, Internet/web
37                 technology, iPhone and Android app development and
38                 object technology education. The company provides courses
39                 on Java, C++, C#, Visual Basic, C, Internet and web
40                 programming, Object Technology and iPhone and Android
41                 app development.</p>
42         </section>
43         <section>
44             <h1 class = "floated">Programming Books and Videos</h1>
45             <p>Through its publishing
46                 partnership with Pearson, Deitel & Associates,
47                 Inc. publishes leading-edge programming textbooks,
48                 professional books and interactive web-based and DVD
49                 LiveLessons video courses.</p>
50         </section>
51     </body>
52 </html>
```

---

**Fig. 4.15** | Floating elements. (Part I of 2.)



**Fig. 4.15** | Floating elements. (Part 2 of 2.)

### ***margin and padding Properties***

Line 16 assigns a margin of `.5em` to all paragraph elements. The **margin** property sets the space between the outside of an element's border and all other content on the page. Line 21 assigns `.2em` of padding to the floated `h1`s. The **padding** property determines the distance between the content inside an element and the inside of the element's border. Margins for individual sides of an element can be specified (lines 17, 22 and 23) by using the properties **margin-top**, **margin-right**, **margin-left** and **margin-bottom**. Padding can be specified in the same way, using **padding-top**, **padding-right**, **padding-left** and **padding-bottom**. To see the effects of margins and padding, try putting the margin and padding properties inside comments and observing the difference.

In line 27, we assign a border to the `section` boxes using a shorthand declaration of the border properties, which allow you to define all three border properties in one line. The syntax for this shorthand is

```
border: width style color
```

Our border is one pixel thick, `solid`, and the same color as the `background-color` property of the header (line 10). This allows the border to blend with the header and makes the page appear as one box with a line dividing its sections.

## **4.11 Media Types and Media Queries**

CSS **media types** allow you to decide what a page should look like, depending on the kind of media being used to display the page. The most common media type for a web page is the **screen** media type, which is a standard computer screen. Other media types in CSS include **handheld**, **braille**, **speech** and **print**. The **handheld** medium is designed for mobile Internet devices such as smartphones, while **braille** is for machines that can read or print web pages in braille. **speech** styles allow you to give a speech-synthesizing web

browser more information about the content of a page. The `print` media type affects a web page's appearance when it's printed. For a complete list of CSS media types, see

<http://www.w3.org/TR/REC-CSS2/media.html#media-types>

Media types allow you to decide how a page should be presented on any one of these media without affecting the others. Figure 4.16 gives a simple classic example that applies one set of styles when the document is *viewed on all media (including screens) other than a printer*, and another when the document is *printed*. To see the difference, look at the screen captures below the paragraph or use the **Print Preview** feature in your browser if it has one.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 4.16: mediatypes.html -->
4  <!-- CSS media types. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Media Types</title>
9          <style type = "text/css">
10             @media all
11             {
12                 body { background-color: steelblue; }
13                 h1 { font-family: verdana, helvetica, sans-serif;
14                     color: palegreen; }
15                 p { font-size: 12pt;
16                     color: white;
17                     font-family: arial, sans-serif; }
18             } /* End @media all declaration. */
19             @media print
20             {
21                 body { background-color: white; }
22                 h1 { color: seagreen; }
23                 p { font-size: 14pt;
24                     color: steelblue;
25                     font-family: "times new roman", times, serif; }
26             } /* End @media print declaration. */
27         </style>
28     </head>
29     <body>
30         <h1>CSS Media Types Example</h1>
31
32         <p>
33             This example uses CSS media types to vary how the page
34             appears in print and how it appears on any other media.
35             This text will appear in one font on the screen and a
36             different font on paper or in a print preview. To see
37             the difference in Internet Explorer, go to the Print
38             menu and select Print Preview. In Firefox, select Print
39             Preview from the File menu.
40         </p>
41     </body>
42 </html>
```


---

**Fig. 4.16** | CSS media types. (Part I of 2.)

a) Background color appears on the screen.



b) Background color is set to white for the `print` media type.



---

**Fig. 4.16** | CSS media types. (Part 2 of 2.)

In line 10, we begin a block of styles that applies to all media types, declared by `@media all` and enclosed in curly braces (`{` and `}`). In lines 10–18, we define some styles for *all* media types. Lines 19–26 set styles to be applied only when the page is printed.

The styles we applied for all media types look nice on a screen but would *not* look good on a printed page. A colored background would use a lot of ink, and a black-and-white printer may print a page that's hard to read because there isn't enough contrast between the colors.



#### Look-and-Feel Observation 4.1

*Pages with dark background colors and light text use a lot of ink and may be difficult to read when printed, especially on a black-and-white-printer. Use the `print` media type to avoid this.*



#### Look-and-Feel Observation 4.2

*In general, sans-serif fonts look better on a screen, while serif fonts look better on paper. The `print` media type allows your web page to display a sans-serif font on a screen and change to a serif font when it's printed.*

To solve these problems, we apply specific styles for the `print` media type. We change the body's `background-color`, the `color` of the `h1` tag, and the `font-size`, `color`, and `font-family` of the `p` tag to be more suited for printing *and* viewing on paper. Notice that most of these styles conflict with the declarations in the section for all media types. Since the `print` media type has *higher specificity* than the `all` media type, the `print` styles override the `all` media type's styles when the page is printed. The `h1`'s `font-family` property is *not* overridden in the `print` section, so it retains its old value when the page is printed.

### *Media Queries*

Media queries (covered in detail in Section 5.17) allow you to format your content to specific output devices. Media queries include a media type and expressions that check the **media features** of the output device. Some of the common media features include:

- **width**—the width of the part of the screen on which the document is rendered, including any scrollbars
- **height**—the height of the part of the screen on which the document is rendered, including any scrollbars
- **device-width**—the width of the screen of the output device
- **device-height**—the height of the screen of the output device
- **orientation**—if the `height` is greater than the `width`, `orientation` is `portrait`, and if the `width` is greater than the `height`, `orientation` is `landscape`
- **aspect-ratio**—the ratio of `width` to `height`
- **device-aspect-ratio**—the ratio of `device-width` to `device-height`

For a complete list of media features and for more information on media queries, see

<http://www.w3.org/TR/css3-mediaqueries/>

## 4.12 Drop-Down Menus

Drop-down menus are a good way to provide navigation links without using a lot of screen space. In this section, we take a second look at the `:hover` pseudo-class and introduce the `display` property to create a simple drop-down menu using CSS3 and HTML5.

We've already seen the `:hover` pseudo-class used to change a link's style when the mouse hovers over it. We'll use this feature in a more advanced way to cause a menu to appear when the mouse hovers over a menu button. Another important property is `display`, which allows you to decide whether an element is rendered on the page or not. Possible values include `block`, `inline` and `none`. The `block` and `inline` values display the element as a block element or an inline element, while `none` stops the element from being rendered. The code for the drop-down menu is shown in Fig. 4.17.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 4.17: dropdown.html -->
4  <!-- CSS drop-down menu. -->
```

---

**Fig. 4.17** | CSS drop-down menu. (Part I of 3.)

```

5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>
9              Drop-Down Menu
10         </title>
11         <style type = "text/css">
12             body                 { font-family: arial, sans-serif }
13             nav                  { font-weight: bold;
14                                         color: white;
15                                         border: 2px solid royalblue;
16                                         text-align: center;
17                                         width: 10em;
18                                         background-color: royalblue; }
19             nav ul               { display: none;
20                                         list-style: none;
21                                         margin: 0;
22                                         padding: 0; }
23             nav:hover ul        { display: block }
24             nav ul li           { border-top: 2px solid royalblue;
25                                         background-color: white;
26                                         width: 10em;
27                                         color: black; }
28             nav ul li:hover    { background-color: powderblue; }
29             nav ul li a        { text-decoration: none; }
30         </style>
31     </head>
32     <body>
33         <nav>Menu
34             <ul>
35                 <li><a href = "#">Home</a></li>
36                 <li><a href = "#">News</a></li>
37                 <li><a href = "#">Articles</a></li>
38                 <li><a href = "#">Blog</a></li>
39                 <li><a href = "#">Contact</a></li>
40             </ul>
41         </nav>
42     </body>
43 </html>

```

a) A collapsed menu






Fig. 4.17 | CSS drop-down menu. (Part 2 of 3.)

- b) A drop-down menu is displayed when the mouse cursor is hovered over **Menu**



- c) Hovering the mouse cursor over a menu link highlights the link



**Fig. 4.17** | CSS drop-down menu. (Part 3 of 3.)

Lines 33–41 create a nav element containing the text **Menu** and an unordered list (ul) of five links that should appear in the drop-down menu—**Home**, **News**, **Articles**, **Blog** and **Contact**. Initially, **Menu** is the only text visible on the page. When the mouse cursor hovers over the nav element, the five links appear below the menu.

The drop-down menu functionality is located in the CSS3 code. Two lines define the drop-down functionality. Line 19 sets `display` to `none` for any unordered list (ul) that's nested in a nav. This instructs the browser not to render the ul's contents. Line 23, which is similar to line 19, selects only ul elements nested in a nav element that currently has the mouse hovering over it. Setting `display` to `block` specifies that when the mouse is over the nav, the ul will be displayed as a block-level element.

The style in line 28 is applied only to a li element that's a child of a ul element in a nav element, and only when that li has the mouse cursor over it. This style changes the `background-color` of the currently highlighted menu option. The rest of the CSS simply adds style to the menu's components.

This drop-down menu is just one example of more advanced CSS formatting. Many additional resources are available online for CSS navigation menus and lists.

## 4.13 (Optional) User Style Sheets

Users can define their own **user style sheets** to format pages based on their preferences. For example, people with *visual impairments* may want to increase the page's text size. You

need to be careful not to inadvertently override user preferences with defined styles. This section discusses possible conflicts between **author styles** and **user styles**. For the purpose of this section, we demonstrate the concepts in Internet Explorer 9.

Figure 4.18 contains an author style. The font-size is set to 9pt for all **<p>** tags that have class **note** applied to them.


---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 4.18: user_absolute.html -->
4  <!-- pt measurement for text size. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>User Styles</title>
9          <style type = "text/css">
10             .note { font-size: 9pt; }
11         </style>
12     </head>
13     <body>
14         <p>Thanks for visiting my website. I hope you enjoy it.
15         <p class = "note">Please Note: This site will be
16             moving soon. Please check periodically for updates.</p>
17     </body>
18 </html>

```

---



**Fig. 4.18** | pt measurement for text size.

User style sheets are *external style sheets*. Figure 4.19 shows a user style sheet that sets the body's font-size to 20pt, color to yellow and background-color to navy. The font-size value specified in the user style sheet conflicts with the one in line 10 of Fig. 4.18.

---

```

1  /* Fig. 4.19: userstyles.css */
2  /* A user style sheet */
3  body { font-size: 20pt;
4         color: yellow;
5         background-color: navy; }

```


---

**Fig. 4.19** | A user style sheet.

### *Adding a User Style Sheet*

User style sheets are *not* linked to a document; rather, they're set in the browser's options. To add a user style sheet in IE9, select **Internet Options...**, located in the **Tools** menu. In

the Internet Options dialog (Fig. 4.20) that appears, click Accessibility..., check the Format documents using my style sheet checkbox, and type the location of the user style sheet. IE9 applies the user style sheet to any document it loads. To add a user style sheet in Firefox, find your Firefox profile using the instructions at [www.mozilla.org/support/firefox/profile#locate](http://www.mozilla.org/support/firefox/profile#locate) and place a style sheet called userContent.css in the chrome subdirectory. For information on adding a user style sheet in Chrome, see [www.google.com/support/forum/p/Chrome/thread?tid=1fa0dd079dbdc2ff&hl=en](http://www.google.com/support/forum/p/Chrome/thread?tid=1fa0dd079dbdc2ff&hl=en).




**Fig. 4.20** | User style sheet in Internet Explorer 9.

The web page from Fig. 4.18 is displayed in Fig. 4.21, with the user style sheet from Fig. 4.19 applied.

#### Defining `font-size` in a User Style Sheet

In the preceding example, if the user defines `font-size` in a user style sheet, the author style has a higher precedence and *overrides* the user style. The 9pt font specified in the author style sheet overrides the 20pt font specified in the user style sheet. This small font may




**Fig. 4.21** | User style sheet applied with pt measurement.

make pages difficult to read, especially for individuals with *visual impairments*. You can avoid this problem by using relative measurements (e.g., em or ex) instead of absolute measurements, such as pt. Figure 4.22 changes the font-size property to use a relative measurement (line 10) that does *not* override the user style set in Fig. 4.19. Instead, the font size displayed is relative to the one specified in the user style sheet. In this case, text enclosed in the <p> tag displays as 20pt, and <p> tags that have the class note applied to them are displayed in 15pt (.75 times 20pt).


---

```
1  <!DOCTYPE html>
2
3  <!-- Fig. 4.22: user_relative.html -->
4  <!-- em measurement for text size. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>User Styles</title>
9          <style type = "text/css">
10             .note { font-size: .75em; }
11         </style>
12     </head>
13     <body>
14         <p>Thanks for visiting my website. I hope you enjoy it.
15         <p class = "note">Please Note: This site will be
16             moving soon. Please check periodically for updates.</p>
17     </body>
18 </html>
```



**Fig. 4.22** | em measurement for text size.

Figure 4.23 displays the web page from Fig. 4.22 in Internet Explorer with the user style sheet from Fig. 4.19 applied. Note that the second line of text displayed is larger than the same line of text in Fig. 4.21.



**Fig. 4.23** | User style sheet applied with `em` measurement.

## 4.14 Web Resources

<http://www.deitel.com/css3>

The Deitel CSS3 Resource Center contains links to some of the best CSS3 information on the web. There you'll find categorized links to tutorials, references, code examples, demos, videos, and more. Check out the demos section for more advanced examples of layouts, menus and other web-page components.

---

## Summary

### Section 4.1 Introduction

- Cascading Style Sheets™ 3 (CSS3; p. 138) allows you to specify the presentation of elements on a web page (e.g., fonts, spacing, sizes, colors, positioning) separately from the structure and content of the document (section headers, body text, links, etc.).
- This separation of structure from presentation (p. 138) simplifies maintaining and modifying web pages, especially on large-scale websites.

### Section 4.2 Inline Styles

- An inline style (p. 138) allows you to declare a style for an individual element by using the `style` attribute (p. 138) in the element's start tag.
- Each CSS property (such as `font-size`, p. 139) is followed by a colon and the value of the attribute. Multiple property declarations are separated by a semicolon.
- The `color` property (p. 139) sets text color. Hexadecimal codes or color names may be used.

### Section 4.3 Embedded Style Sheets

- Embedded style sheets (p. 140) enable you to embed an entire CSS3 document in an HTML5 document's head section.
- Styles that are placed in a `style` element use selectors (p. 141) to apply style elements throughout the entire document body.
- An `em` element indicates that its contents should be emphasized. Browsers usually render `em` elements in an italic font.

- `style` element attribute `type` specifies the MIME type (the specific encoding format, p. 141) of the style sheet. Style sheets use `text/css`.
- Each rule body (p. 141) in a style sheet begins and ends with a curly brace (`{` and `}`).
- The `font-weight` property (p. 142) specifies the “boldness” of text. Possible values are `bold`, `normal` (the default), `bolder` (bolder than bold text) and `lighter` (lighter than `normal` text).
- Boldness also can be specified with multiples of 100, from 100 to 900. Text specified as `normal` is equivalent to 400, and `bold` text is equivalent to 700.
- Style-class declarations are preceded by a period and are applied to elements of the specific class. The `class` attribute (p. 143) applies a style class to an element.
- The CSS rules in a style sheet use the same format as inline styles.
- The `background-color` attribute specifies the background color of the element.
- The `font-family` property (p. 142) names a specific font that should be displayed. Generic font families allow authors to specify a type of font instead of a specific one, in case a browser does not support a specific font.
- The `font-size` property (p. 142) specifies the size used to render the font.
- You should end a font list with a generic font family (p. 142) name in case the other fonts are not installed on the user’s computer.
- In many cases, the styles applied to an element (the parent or ancestor element, p. 143) also apply to the element’s nested elements (child or descendant elements, p. 143).

#### *Section 4.4 Conflicting Styles*

- Styles may be defined by a user, an author or a user agent. A user (p. 143) is a person viewing your web page, you’re the author (p. 143)—the person who writes the document—and the user agent (p. 143) is the program used to render and display the document (e.g., a web browser).
- Styles cascade (hence the term “Cascading Style Sheets,” p. 143), or flow together, such that the ultimate appearance of elements on a page results from combining styles defined in several ways.
- Most styles are inherited from parent elements (p. 143). Styles defined for children (p. 143) have higher specificity (p. 144) and take precedence over the parent’s styles.
- Pseudo-classes (p. 145) give the author access to information that’s not declared in the document, such as whether the mouse is hovering over an element or whether the user has previously clicked (visited) a particular hyperlink. The `hover` pseudo-class (p. 146) is activated when the user moves the mouse cursor over an element.
- The `text-decoration` property (p. 145) applies decorations to text in an element, such as `underline`, `overline` and `line-through`.
- To apply rules to multiple elements, separate the elements with commas in the style sheet.
- To apply rules only to a certain type of element that’s a child of another type, separate the element names with spaces.
- A pixel is a relative-length measurement (p. 146): It varies in size based on screen resolution. Other relative lengths are `em` (p. 146), `ex` (p. 146) and percentages.
- The other units of measurement available in CSS are absolute-length measurements (p. 146)—that is, units that do not vary in size. These units can be `in` (inches), `cm` (centimeters, p. 146), `mm` (millimeters, p. 146), `pt` (points;  $1\text{ pt} = 1/72\text{ in}$ , p. 146) or `pc` (picas;  $1\text{ pc} = 12\text{ pt}$ ).

#### *Section 4.5 Linking External Style Sheets*

- With external style sheets (i.e., separate documents that contain only CSS rules; p. 146), you can provide a uniform look and feel to an entire website (or to a portion of one).

- When you need to change styles, you need to modify only a single CSS file to make style changes across all the pages that use those styles. This is sometimes known as skinning (p. 146).
- CSS comments (p. 147) may be placed in any type of CSS code (i.e., inline styles, embedded style sheets and external style sheets) and always start with /\* and end with \*/.
- `link`'s `rel` attribute (p. 147) specifies a relationship between two documents (p. 147). For style sheets, the `rel` attribute declares the linked document to be a `stylesheet` (p. 147) for the document. The `type` attribute specifies the MIME type of the related document as `text/css`. The `href` attribute provides the URL for the document containing the style sheet.

#### ***Section 4.6 Positioning Elements: Absolute Positioning, z-index***

- The CSS `position` property (p. 148) allows absolute positioning (p. 149), which provides greater control over where on a page elements reside. Specifying an element's `position` as `absolute` removes it from the normal flow of elements on the page and positions it according to distance from the `top`, `left`, `right` or `bottom` margin of its parent element.
- The `z-index` property (p. 150) allows a developer to layer overlapping elements. Elements that have higher `z-index` values are displayed in front of elements with lower `z-index` values.

#### ***Section 4.7 Positioning Elements: Relative Positioning, span***

- Unlike absolute positioning, relative positioning keeps elements in the general flow on the page and offsets them by the specified `top`, `left`, `right` or `bottom` value.
- Element `span` (p. 152) is a grouping element (p. 152)—it does not apply any inherent formatting to its contents. Its primary purpose is to apply CSS rules or `id` attributes to a section of text.
- `span` is an inline-level element (p. 152)—it applies formatting to text without changing the flow of the document. Examples of inline elements include `span`, `img`, `a`, `em` and `strong`.
- The `div` element is also a grouping element, but it's a block-level element. This means it's displayed on its own line and has a virtual box around it. Examples of block-level elements (p. 152) include `div` (p. 152), `p` and heading elements (`h1` through `h6`).

#### ***Section 4.8 Backgrounds***

- Property `background-image` specifies the URL of the image, in the format `url(fileLocation)`. The property `background-position` (p. 153) places the image on the page using the values `top`, `bottom`, `center`, `left` and `right` individually or in combination for vertical and horizontal positioning. You can also position by using lengths.
- The `background-repeat` property (p. 153) controls the tiling of the background image (p. 153). Setting the tiling to `no-repeat` displays one copy of the background image on screen. The `background-repeat` property can be set to `repeat` (the default) to tile the image vertically and horizontally, to `repeat-x` to tile the image only horizontally or to `repeat-y` to tile the image only vertically.
- The `background-attachment` (p. 153) setting `fixed` fixes the image in the position specified by `background-position`. Scrolling the browser window will not move the image from its set position. The default value, `scroll`, moves the image as the user scrolls the window.
- The `text-indent` property (p. 154) indents the first line of text in the element by the specified amount.
- The `font-style` property (p. 154) allows you to set text to `none`, `italic` or `oblique`.

#### ***Section 4.9 Element Dimensions***

- An element's dimensions can be set with CSS by using properties `height` and `width` (p. 155).
- Text in an element can be centered using `text-align` (p. 155); other values for the `text-align` property are `left` and `right`.

- A problem with setting both vertical and horizontal dimensions of an element is that the content inside the element might sometimes exceed the set boundaries, in which case the element grows to fit the content. You can set the `overflow` property (p. 155) to scroll; this setting adds scroll bars if the text overflows the boundaries set for it.

### **Section 4.10 Box Model and Text Flow**

- All block-level HTML5 elements have a virtual box drawn around them, based on what is known as the box model (p. 155).
- When the browser renders elements using the box model, the content of each element is surrounded by padding (p. 155), a border (p. 155) and a margin (p. 155).
- The `border-width` property (p. 156) may be set to any of the CSS lengths or to the predefined value of `thin`, `medium` or `thick`.
- The `border-styles` (p. 156) available are `none`, `hidden`, `dotted`, `dashed`, `solid`, `double`, `groove`, `ridge`, `inset` and `outset`.
- The `border-color` property (p. 156) sets the color used for the border.
- The `class` attribute allows more than one class to be assigned to an element by separating each class name from the next with a space.
- Browsers normally place text and elements on screen in the order in which they appear in the document. Elements can be removed from the normal flow of text. Floating allows you to move an element to one side of the screen; other content in the document will then flow around the floated element.
- CSS uses a box model to render elements on screen. The content of each element is surrounded by padding, a border and margins. The properties of this box are easily adjusted.
- The `margin` property (p. 159) determines the distance between the outside edge of the element's border and any adjacent element.
- Margins for individual sides of an element can be specified by using `margin-top`, `margin-right`, `margin-left` and `margin-bottom`.
- The `padding` property (p. 159) determines the distance between the content inside an element and the inside edge of the border. Padding also can be set for each side of the box by using `padding-top`, `padding-right`, `padding-left` and `padding-bottom`.

### **Section 4.11 Media Types and Media Queries**

- CSS media types (p. 159) allow you to decide what a page should look like depending on the kind of media being used to display the page. The most commonly used for a web page is the `screen` media type (p. 159), which is a standard computer screen.
- A block of styles that applies to all media types is declared by `@media all` and enclosed in curly braces. To create a block of styles that apply to a single media type such as `print`, use `@media print` and enclose the style rules in curly braces.
- Other media types in CSS 2 include `handheld`, `braille`, `aural` and `print`. The `handheld` medium (p. 159) is designed for mobile Internet devices, while `braille` (p. 159) is for machines that can read or print web pages in braille. `aural` styles (p. 159) allow the programmer to give a speech-synthesizing web browser more information about the content of the web page. The `print` media type (p. 159) affects a web page's appearance when it's printed.
- Media queries (p. 162) allow you to format your content to specific output devices. Media queries include a media type and expressions that check the devices' media features (p. 162).

### **Section 4.12 Drop-Down Menus**

- The `:hover` pseudo-class is used to apply styles to an element when the mouse cursor is over it.

- The `display` property (p. 162) allows you to decide whether an element is displayed as a `block` element or `inline` element or not rendered at all (`none`).

### **Section 4.13 (Optional) User Style Sheets**

- Users can define their own user style sheets (p. 164) to format pages based on their preferences.
- Absolute font-size measurements override user style sheets, while relative font sizes will yield to a user-defined style.
- If the user defines font size in a user style sheet, the author style (p. 165) has a higher precedence and overrides the user style.

## **Self-Review Exercises**

**4.1** Assume that the size of the base font on a system is 12 points.

- How big is a 24-point font in `ems`?
- How big is a 6-point font in `ems`?
- How big is a 48-point font in `picas`?
- How big is a 6-point font in `inches`?
- How big is a 2-inch font in `picas`?

**4.2** Fill in the blanks in the following statements:

- The \_\_\_\_\_ property sets text color.
- Each CSS property is followed by a(n) \_\_\_\_\_ and the value of the attribute. Multiple property declarations are separated by a(n) \_\_\_\_\_.
- A(n) \_\_\_\_\_ element indicates that its contents should be emphasized.
- Embedded style sheets enable you to embed an entire CSS3 document in an HTML5 document's \_\_\_\_\_ section.
- The `text-decoration` property applies decorations to text in an element, such as \_\_\_\_\_, \_\_\_\_\_ and \_\_\_\_\_.
- The \_\_\_\_\_ property may be set to any of the CSS lengths or to the predefined value of `thin`, `medium` or `thick`.
- If the user defines font-size in a user style sheet, the author style has a(n) \_\_\_\_\_ precedence and overrides the user style.
- The \_\_\_\_\_ property allows you to decide if an element is displayed as a block element, inline element, or is not rendered at all.
- Each rule body in a style sheet begins and ends with a(n) \_\_\_\_\_ brace.
- 1 `picas` is equal to \_\_\_\_\_ points.

## **Answers to Self-Review Exercises**

**4.1** a) 2 `ems`. b) 0.50 `ems`. c) 4 `picas`. d) 1/2 `inch`. e) 12 `picas`.

**4.2** a) `color`. b) colon, semicolon. c) `em`. d) `head`. e) `underline`, `overline`, `line-through`. f) `border-width`. g) higher. h) `display`. i) curly. j) 12.

## **Exercises**

**4.3** Write a CSS rule that makes all text 3 times larger than the base font of the system and colors the text green.

**4.4** Write a CSS rule that places a background image at the bottom right of the page with no repeat option. The image should remain in place when the user scrolls up or down.

**4.5** Write a CSS rule that gives all `h2` and `h3` elements a padding of 0.7 `ems`, a solid border style and a margin of 0.7 `ems`.

**4.6** Write a CSS rule that changes the color of all elements containing attribute class = "redMove" to red and shifts them down 30 pixels and right 25 pixels.

**4.7** Make a layout template that contains two paragraphs. Use `float` to line up the two paragraphs as columns side by side. Give both paragraphs a border and a background color of light blue so you can see where they are.

**4.8** Add an *embedded style sheet* to the HTML5 document in Fig. 2.3. The style sheet should contain a rule that displays `h1` elements in green. In addition, create a rule that displays all links in red without underlining them. When the mouse hovers over a link, change the link's background color to yellow with an underline.

**4.9** Make a navigation button using a `div` with a link inside it. Give it a border, background, and text color, and make them change when the user hovers the mouse over the button. Use an external style sheet. Make sure your style sheet validates at <http://jigsaw.w3.org/css-validator/>. Note that some warnings may be unavoidable, but your CSS should have no errors.

# 5

# Introduction to Cascading Style Sheets™ (CSS): Part 2

*Art is when things appear rounded.*

—Maurice Denis

*In matters of style, swim with the current; in matters of principle, stand like a rock.*

—Thomas Jefferson

*Everything that we see is a shadow cast by that which we do not see.*

—Martin Luther King, Jr.

## Objectives

In this chapter you'll:

- Add text shadows and text-stroke effects.
- Create rounded corners.
- Add shadows to elements.
- Create linear and radial gradients, and reflections.
- Create animations, transitions and transformations.
- Use multiple background images and image borders.
- Create a multicolumn layout.
- Use flexible box model layout and :nth-child selectors.
- Use the @font-face rule to specify fonts for a web page.
- Use RGBA and HSLA colors.
- Use vendor prefixes.
- Use media queries to customize content to fit various screen sizes.



|  |   |
|--|---|
| <b>5.1</b> Introduction                                  | <b>5.12</b> Animation; Selectors                                |
| <b>5.2</b> Text Shadows                                  | <b>5.13</b> Transitions and Transformations                     |
| <b>5.3</b> Rounded Corners                               | 5.13.1 transition and transform Properties                      |
| <b>5.4</b> Color   | 5.13.2 Skew   |
| <b>5.5</b> Box Shadows                                   | 5.13.3 Transitioning Between Images                             |
| <b>5.6</b> Linear Gradients; Introducing Vendor Prefixes | <b>5.14</b> Downloading Web Fonts and the @font-face Rule       |
| <b>5.7</b> Radial Gradients                              | <b>5.15</b> Flexible Box Layout Module and :nth-child Selectors |
| <b>5.8</b> (Optional: WebKit Only) Text Stroke           | <b>5.16</b> Multicolumn Layout                                  |
| <b>5.9</b> Multiple Background Images                    | <b>5.17</b> Media Queries                                       |
| <b>5.10</b> (Optional: WebKit Only) Reflections          | <b>5.18</b> Web Resources                                       |
| <b>5.11</b> Image Borders                                |   |

*Summary | Self-Review Exercise | Answers to Self-Review Exercises | Exercises*

## 5.1 Introduction

In the preceding chapter we presented “traditional” CSS capabilities. In this chapter, we introduce many features new to CSS3 (see the Objectives).

These capabilities are being built into the browsers, resulting in faster and more economical web development and better client-side performance. This reduces the need for JavaScript libraries and sophisticated graphics software packages such as Adobe Photoshop, Adobe Illustrator, Corel PaintShop Pro and Gimp to create interesting effects.

CSS3 is still under development. We demonstrate many key CSS3 capabilities that are in the draft standard, as well as a few nonstandard capabilities that may eventually be added.

## 5.2 Text Shadows

The CSS3 **text-shadow** property makes it easy to add a **text shadow** effect to *any* text (Fig. 5.1). First we add a **text-shadow** property to our styles (line 12). The property has four values: **-4px, 4px, 6px and DimGrey**, which represent:

- Horizontal offset of the shadow—the number of pixels that the **text-shadow** will appear to the *left* or the *right* of the text. In this example, the horizontal offset of the shadow is **-4px**. A *negative* value moves the **text-shadow** to the *left*; a *positive* value moves it to the *right*.
- Vertical offset of the shadow—the number of pixels that the **text-shadow** will be shifted *up* or *down* from the text. In this example, the vertical offset of the shadow is **4px**. A *negative* value moves the shadow *up*, whereas a *positive* value moves it *down*.
- **blur radius**—the blur (in pixels) of the shadow. A blur-radius of **0px** would result in a shadow with a sharp edge (no blur). The greater the value, the greater the blurring of the edges. We used a blur radius of **6px**.
- **color**—determines the color of the **text-shadow**. We used **dimgrey**.

```
1 <!DOCTYPE html>
2
3 <!-- Fig. 5.1: textshadow.html -->
4 <!-- Text shadow in CSS3. -->
5 <html>
6   <head>
7     <meta charset = "utf-8">
8     <title>Text Shadow</title>
9     <style type = "text/css">
10    h1
11    {
12      text-shadow: -4px 4px 6px dimgrey; /* add shadow */
13      font-size: 400%; /* increasing the font size */
14    }
15  </style>
16 </head>
17 <body>
18   <h1>Text Shadow</h1>
19 </body>
20 </html>
```



**Fig. 5.1** | Text shadow in CSS3.

### 5.3 Rounded Corners

The **border-radius** property allows you to add **rounded corners** to an element (Fig. 5.2). In this example, we create two rectangles with solid Navy borders. For the first rectangle, we set the border-radius to 15px (line 17). This adds slightly rounded corners to the rectangle. For the second rectangle, we increase the border-radius to 50px (line 27), making the left and right sides completely round. Any border-radius value greater than half of the shortest side length produces a completely round end. You can also specify the radius for each corner with **border-top-left-radius**, **border-top-right-radius**, **border-bottom-left-radius** and **border-bottom-right-radius**.

---


```
1 <!DOCTYPE html>
2
3 <!-- Fig. 5.2: roundedcorners.html -->
4 <!-- Using border-radius to add rounded corners to two elements. -->
5 <html>
6   <head>
7     <meta charset = "utf-8">
```

**Fig. 5.2** | Using border-radius to add rounded corners to two elements. (Part 1 of 2.)

```

8      <title>Rounded Corners</title>
9      <style type = "text/css">
10     div
11     {
12         border: 3px solid navy;
13         padding: 5px 20px;
14         background: lightcyan;
15         width: 200px;
16         text-align: center;
17         border-radius: 15px; /* adding rounded corners */
18         margin-bottom: 20px;
19     }
20 #round2
21 {
22     border: 3px solid navy;
23     padding: 5px 20px;
24     background: lightcyan;
25     width: 200px;
26     text-align: center;
27     border-radius: 50px; /* increasing border-radius */
28 }
29 </style>
30 </head>
31 <body>
32     <div>The border-radius property adds rounded corners
33         to an element.</div>
34     <div id = "round2">Increasing the border-radius rounds the corners
35         of the element more.</div>
36 </body>
37 </html>

```



**Fig. 5.2** | Using `border-radius` to add rounded corners to two elements. (Part 2 of 2.)

## 5.4 Color

CSS3 allows you to express color in several ways in addition to standard color names (such as **Aqua**) or hexadecimal RGB values (such as `#00FFFF` for **Aqua**). **RGB** (Red, Green, Blue) or **RGBA** (Red, Green, Blue, Alpha) gives you greater control over the exact colors in your web pages. The value for each color—red, green and blue—can range from 0 to 255. The *alpha* value—which represents *opacity*—can be any value in the range 0.0 (fully transparent) through 1.0 (fully opaque). For example, if you were to set the background color as follows:

```
background: rgba(255, 0, 0, 0.5);
```

the resulting color would be a half-opaque red. Using RGBA colors gives you far more options than using only the existing HTML color names—there are over 140 HTML color names, whereas there are 16,777,216 different RGB colors (256 x 256 x 256) and varying opacities of each.

CSS3 also allows you to express color using **HSL (hue, saturation, lightness)** or **HSLA (hue, saturation, lightness, alpha)** values. The *hue* is a color or shade expressed as a value from 0 to 359 representing the degrees on a color wheel (a wheel is 360 degrees). The colors on the wheel progress in the order of the colors of the rainbow—red, orange, yellow, green, blue, indigo and violet. The value for red, which is at the beginning of the wheel, is 0. Green hues have values around 120 and blue hues have values around 240. A hue value of 359, which is just left of 0 on the wheel, would result in a red hue. The *saturation*—the intensity of the hue—is expressed as a percentage, where 100% is fully saturated (the full color) and 0% is gray. *Lightness*—the intensity of light or luminance of the hue—is also expressed as a percentage. A lightness of 50% is the actual hue. If you *decrease* the amount of light to 0%, the color appears completely dark (black). If you *increase* the amount of light to 100%, the color appears completely light (white). For example, if you wanted to use an `hsla` value to get the same color red as in our example of an `rgba` value, you would set the `background` property as follows:

```
background: hsla(0, 100%, 50%, 0.5);
```

The resulting color would be a half-opaque red. An excellent tool that allows you to pick colors from a color wheel to find the corresponding RGB and HSL values is available at:

```
http://www.workwithcolor.com/hsl-color-schemer-01.htm
```


## 5.5 Box Shadows

You can shadow *any* block-level element in CSS3. Figure 5.3 shows you how to create a **box shadow**. The `div` style in lines 10–19 indicates that `divs` are 200px-by-200px boxes with a `Plum`-colored background (lines 12–14). Next, we add the **box-shadow** property with four values (line 15):

- Horizontal offset of the shadow (25px)—the number of pixels that the `box-shadow` will appear to the left or the right of the box. A *positive* value moves the `box-shadow` to the *right*.
- Vertical offset of the shadow (25px)—the number of pixels the `box-shadow` will be shifted up or down from the box. A *positive* value moves the `box-shadow` *down*.
- Blur radius—A blur-radius of `0px` would result in a shadow with a sharp edge (no blur). The greater the value, the more the edges of the shadow are blurred. We used a blur radius of `10px`.
- Color—the `box-shadow`'s color (in this case, `dimgrey`).

In lines 20–26, we create a style that's applied only to the second `div`, which changes the `box-shadow`'s horizontal offset to `-25px` and vertical offset to `-25px` (line 25) to show the effects of using negative values. A *negative* horizontal offset value moves the `box-shadow` to the *left*. A *negative* vertical offset value moves the shadow *up*.

```
1 <!DOCTYPE html>
2
3 <!-- Fig. 5.3: boxshadow.html -->
4 <!-- Creating box-shadow effects. -->
5 <html>
6   <head>
7     <meta charset = "utf-8">
8     <title>Box Shadow</title>
9     <style type = "text/css">
10    div
11    {
12      width: 200px;
13      height: 200px;
14      background-color: plum;
15      box-shadow: 25px 25px 50px dimgrey;
16      float: left;
17      margin-right: 120px;
18      margin-top: 40px;
19    }
20    #box2
21    {
22      width: 200px;
23      height: 200px;
24      background-color: plum;
25      box-shadow: -25px -25px 50px dimgrey;
26    }
27    h2
28    {
29      text-align: center;
30    }
31  </style>
32 </head>
33 <body>
34   <div><h2>Box Shadow Bottom and Right</h2></div>
35   <div id = "box2"><h2>Box Shadow Top and Left</h2></div>
36 </body>
37 </html>
```



**Fig. 5.3** | Creating box-shadow effects.

## 5.6 Linear Gradients; Introducing Vendor Prefixes

Linear gradients are a type of image that gradually transitions from one color to the next horizontally, vertically or diagonally. You can transition between as many colors as you like and specify the points at which to change colors, called **color-stops**, represented in pixels or percentages along the *gradient line*—the angle at which the gradient extends. *You can use gradients in any property that accepts an image.*

### *Creating Linear Gradients*

In Fig. 5.4, we create three linear gradients—*vertical*, *horizontal* and *diagonal*—in separate rectangles. As you study this example, you'll notice that the **background** property for each of the three linear gradient styles (vertical, horizontal and diagonal) is defined multiple times in each style—once for WebKit-based browsers, once for Mozilla Firefox and once using the standard CSS3 syntax for linear gradients. This occurs frequently when working with CSS3, because many of its features are not yet finalized. In the meantime, many of the browsers have gone ahead and begun implementing these features so you can use them now. Later in this section, we'll discuss the *vendor prefixes* that allow us to use many of CSS3's evolving features.

---

```


1  <!DOCTYPE html>
2
3  <!-- Fig. 5.4: lineargradient.html -->
4  <!-- Linear gradients in CSS3. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Linear Gradient</title>
9          <style type = "text/css">
10         div
11         {
12             width: 200px;
13             height: 200px;
14             border: 3px solid navy;
15             padding: 5px 20px;
16             text-align: center;
17             background: -webkit-gradient(
18                 linear, center top, center bottom,
19                 color-stop(15%, white), color-stop(50%, lightsteelblue),
20                 color-stop(75%, navy) );
21             background: -moz-linear-gradient(
22                 top center, white 15%, lightsteelblue 50%, navy 75% );
23             background: linear-gradient(
24                 to bottom, white 15%, lightsteelblue 50%, navy 75% );
25             float: left;
26             margin-right: 15px;
27         }
28         #horizontal
29         {
30             width: 200px;
31             height: 200px;

```

---

**Fig. 5.4** | Linear gradients in CSS3. (Part 1 of 2.)

```
32      border: 3px solid orange;
33      padding: 5px 20px;
34      text-align: center;
35      background: -webkit-gradient(
36          linear, left top, right top,
37          color-stop(15%, white), color-stop(50%, yellow),
38          color-stop(75%, orange) );
39      background: -moz-linear-gradient(
40          left, white 15%, yellow 50%, orange 75% );
41      background: linear-gradient(
42          90deg, white 15%, yellow 50%, orange 75% );
43          margin-right: 15px;
44      }
45 #angle
46 {
47     width: 200px;
48     height: 200px;
49     border: 3px solid Purple;
50     padding: 5px 20px;
51     text-align: center;
52     background: -webkit-gradient(
53         linear, left top, right bottom,
54         color-stop(15%, white), color-stop(50%, plum),
55         color-stop(75%, purple) );
56     background: -moz-linear-gradient(
57         top left, white 15%, plum 50%, purple 75% );
58     background: linear-gradient(
59         45deg, white 15%, plum 50%, purple 75% );
60     }
61 </style>
62 </head>
63 <body>
64     <div><h2>Vertical Linear Gradient</h2></div>
65     <div id = "horizontal"><h2>Horizontal Linear Gradient</h2></div>
66     <div id = "angle"><h2>Diagonal Linear Gradient</h2></div>
67 </body>
68 </html>
```



**Fig. 5.4** | Linear gradients in CSS3. (Part 2 of 2.)

### *WebKit Vertical Linear Gradient*

The example's body contains three div elements. The first has a vertical linear gradient from top to bottom. We're creating a background gradient, so we begin with the `background` property. The linear gradient syntax for WebKit (lines 17–20) differs slightly from that for Firefox (lines 21–22). For WebKit browsers, we use `-webkit-gradient`. We then specify the type of gradient (`linear`) and the *direction* of the linear gradient, from `center top` to `center bottom` (line 18). This creates a gradient that gradually changes colors from the top to the bottom. Next, we specify the `color-stops` for the linear gradient (lines 19–20). Within each `color-stop` are two values—the first is the *location* of the stop (e.g., 15%, which is 15% down from the top of the box) and the second is the `color` (e.g., `white`). We transition from `white` at the top to `lightsteelblue` in the center to `navy` at the bottom. You can use as many `color-stops` as you like.

### *Mozilla Vertical Linear Gradient*

For Mozilla browsers, we use `-moz-linear-gradient` (line 21). In line 22, we specify the `gradient-line` (`top center`), which is the direction of the gradient. After the `gradient-line` we specify each `color` and `color-stop` (line 22).

### *Standard Vertical Linear Gradient*

The standard CSS3 syntax for linear gradients is also slightly different. First, we specify the `linear-gradient` (line 23). In line 24, we include the values for the gradient. We begin with the direction of the gradient (`top`), followed by each `color` and `color-stop` (line 22).

### *Horizontal Linear Gradient*

In lines 28–44 we create a rectangle with a *horizontal* (left-to-right) gradient that gradually changes from `white` to `yellow` to `orange`. For WebKit, the direction of the gradient is `left top` to `right top` (line 36), followed by the `colors` and `color-stops` (lines 37–38). For Mozilla, we specify the `gradient-line` (`left`), followed by the `colors` and `color-stops` (line 40). The standard CSS3 syntax begins with the direction (`left`), indicating that the gradient changes from left to right, followed by the `colors` and `color-stops` (lines 42–43). The direction can also be specified in degrees, with 0 degrees straight up and positive degrees progressing clockwise. For a left-to-right gradient, you'd specify `90deg`. For top-to-bottom, you'd specify `0deg`.

### *Diagonal Linear Gradient*

In the third rectangle we create a *diagonal* linear gradient that gradually changes from `white` to `plum` to `purple` (lines 45–60). For WebKit, the direction of the gradient is `left top` to `right bottom` (line 53), followed by the `colors` and `color-stops` (lines 54–55). For Mozilla, we specify the `gradient-line` (`top left`), followed by the `colors` and `color-stops` (line 57). The standard CSS3 syntax begins with the direction (`135deg`), indicating that the gradient changes at a 45-degree angle, followed by the `colors` and `color-stops` (line 59).

### *Vendor Prefixes*

In this example (Fig. 5.4), lines 17–24, 35–42 and 52–59 each define three versions of the background style for defining the linear gradients. The versions in lines 17, 35, and 52 and

lines 21, 39 and 56 contain the prefixes `-webkit-` and `-moz-`, respectively. These are **vendor prefixes** (Fig. 5.5) and are used for properties that are still being finalized in the CSS specification but have already been implemented in various browsers.

| Vendor prefix         | Browsers  |
|-----------------------|---|
| <code>-ms-</code>     | Internet Explorer   |
| <code>-moz-</code>    | Mozilla-based browsers, including Firefox   |
| <code>-o-</code>      | Opera and Opera Mobile  |
| <code>-webkit-</code> | WebKit-based browsers, including Google Chrome, Safari (and Safari on the iPhone) and Android |

**Fig. 5.5** | Vendor prefixes.

Prefixes are *not* available for every browser or for every property. For example, at the time of this writing, linear gradients were implemented only in WebKit-based browsers and Mozilla Firefox. If we remove the prefixed versions of the linear gradient styles in this example, the gradients will *not* appear when the page is rendered in a WebKit-based browser or Firefox. If you run this program in browsers that don't support gradients yet, the gradients will *not* appear. It's good practice to include the multiple prefixes when they're available so that your pages render properly in the various browsers. As the CSS3 features are finalized and incorporated fully into the browsers, the prefixes will become unnecessary. For example, we did not use any prefixes for the `box-shadow` example (Fig. 5.3) because it's fully implemented in WebKit-based, Firefox, Opera and Internet Explorer browsers. Many of the new CSS3 features have not yet been implemented in Internet Explorer—we expect this to change with IE 10.

When using vendor prefixes in styles, always place them *before* the nonprefixed version (as in lines 17–22 of Fig. 5.4). The last version of the style that a given browser supports takes precedence and the browser will use it. So, by listing the standard non-prefixed version last, the browser will use the standard version over the prefixed version when the standard version is supported. To save space in the remainder of this chapter, we *do not* include all vendor prefixes for every example. Some online tools that can help you add the appropriate vendor prefixes to your code are:

<http://prefixmycss.com/>  
<http://cssprefixer.appspot.com/>

There are also several sites that list the CSS3 and HTML5 features supported in each of the major browsers, including:

<http://caniuse.com/>  
<http://findmebyip.com/litmus/>

## 5.7 Radial Gradients

Radial gradients are similar to linear gradients, but the color changes gradually from an inner point (the *start*) to an outer circle (the *end*) (Fig. 5.6). In this example, the `radial-`


**gradient** property (lines 16–18) has three values. The first is the position of the start of the radial gradient—in this case, the center of the rectangle. Other possible values for the position include `top`, `bottom`, `left` and `right`. The second value is the *start color* (`yellow`), and the third is the *end color* (`red`). The resulting effect is a box with a yellow center that gradually changes to red in a circle around the starting position. In this case, notice that other than the vendor prefixes, the syntax of the gradient is identical for WebKit browsers, Mozilla and the standard CSS3 `radial-gradient`.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 5.6: radialgradient.html -->
4  <!-- Radial gradients in CSS3. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Radial Gradient</title>
9          <style type = "text/css">
10         div
11             {
12                 width: 200px;
13                 height: 200px;
14                 padding: 5px;
15                 text-align: center;
16                 background: -webkit-radial-gradient(center, yellow, red);
17                 background: -moz-radial-gradient(center, yellow, red);
18                 background: radial-gradient(center, yellow, red);
19             }
20         </style>
21     </head>
22     <body>
23         <div><h2>Radial Gradient</h2></div>
24     </body>
25 </html>
```

---



**Fig. 5.6** | Radial gradients in CSS3.

## 5.8 (Optional: WebKit Only) Text Stroke

The `-webkit-text-stroke` property is a nonstandard property for WebKit-based browsers that allows you to add an outline (text stroke) around text. Four of the seven browsers we use in this book are WebKit based—Safari and Chrome on the desktop and the mobile browsers in iOS and Android. Currently, the CSS3 specification is evolving and this property is not likely to appear as part of the standard in the short term. However, WebKit tends to be leading edge, so it's possible that this feature could be added later.

Line 12 in Fig. 5.7 sets the color of the h1 text to LightCyan. We add a `-webkit-text-stroke` with two values (line 13)—the outline *thickness* (2px) and the *color* of the text stroke (black). We used the `font-size` 500% here so you could see the outline better. This non-standard effect can be implemented for a one pixel stroke—with a bit more effort—using pure CSS3 as shown at <http://css-tricks.com/7405-adding-stroke-to-web-text/>.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 5.7: textstroke.html -->
4  <!-- Text stroke in CSS3. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Text Stroke</title>
9          <style type = "text/css">
10         h1
11         {
12             color: lightcyan;
13             -webkit-text-stroke: 2px black; /* vendor prefix */
14             font-size: 500%; /* increasing the font size */
15         }
16     </style>
17     </head>
18     <body>
19         <h1>Text Stroke</h1>
20     </body>
21 </html>
```

---



**Fig. 5.7** | A text-stroke rendered in Chrome.

## 5.9 Multiple Background Images

CSS3 allows you to add multiple background images to an element (Fig. 5.8). The style at lines 10–16 begins by adding two background-images—`logo.png` and `ocean.png` (line


12). Next, we specify each image's placement using property `background-position` (line 13). The comma-separated list of values matches the order of the comma-separated list of images in the `background-image` property. The first value—`bottom right`—places the first image, `logo.png`, in the bottom-right corner of the background in the border-box. The last value—`100% center`—centers the entire second image, `ocean.png`, in the content-box so that it appears behind the content and stretches to fill the content-box. The `background-origin` (line 14) determines where each image is placed using the box model we discussed in Fig. 4.13. The first image (`logo.png`) is in the outermost border-box, and the second image (`ocean.png`) is in the innermost content-box.

---

```
1 <!DOCTYPE html>
2
3 <!-- Fig. 5.8: multiplebackgrounds.html -->
4 <!-- Multiple background images in CSS3. -->
5 <html>
6   <head>
7     <meta charset = "utf-8">
8     <title>Multiple Backgrounds</title>
9     <style type = "text/css">
10    div.background
11    {
12      background-image: url(logo.png), url(ocean.png);
13      background-position: bottom right, 100% center;
14      background-origin: border-box, content-box;
15      background-repeat: no-repeat, repeat;
16    }
17    div.content
18    {
19      padding: 10px 15px;
20      color: white;
21      font-size: 150%;
22    }
23  </style>
24 </head>
25 <body>
26   <div class = "background">
27     <div class = "content">
28       <p>Deitel & Associates, Inc., is an internationally recognized
29         authoring and corporate training organization. The company
30         offers instructor-led courses delivered at client sites
31         worldwide on programming languages and other software topics
32         such as C++, Visual C++&reg;, C, Java&trade;,
33         C#&reg;, Visual Basic&reg;, XML&reg;,
34         Objective-C&reg;, JavaScript, object technology,
35         Python&reg;, Java programming, and Android and iPhone app
36         development.</p>
37     </div></div>
38   </body>
39 </html>
```

---

**Fig. 5.8** | Multiple background images in CSS3. (Part 1 of 2.)



**Fig. 5.8** | Multiple background images in CSS3. (Part 2 of 2.)

## 5.10 (Optional: WebKit Only) Reflections

Figure 5.9 shows how to add a simple **reflection** of an image using the **-webkit-box-reflect** property (lines 13–17 and 20–23). Like **-webkit-text-stroke**, this is a nonstandard property that's available only in WebKit-based browsers for now, but it's an elegant effect that we wanted to show.

The **-webkit-box-reflect** property's first value is the *direction* of the reflection—in this case, **below** (line 13) or **right** (line 20). The direction value may be **above**, **below**, **left**, or **right**. The second value is the *offset*, which determines the space between the image and its reflection. In this example, the offset is **5px**, so there's a small space between the image and its reflection. Optionally, you can specify a gradient to apply to the reflection. The gradient in lines 14–16 causes the bottom reflection to fade away from top to bottom. The gradient in lines 21–23 causes the right reflection to fade away from left to right. The reflection effects shown here can be accomplished using pure CSS3—with a lot more code. For one example of this, see <http://www.xhtml-lab.com/css/create-reflection-effect-using-css3>.

---

```
1  <!DOCTYPE html>
2
3  <!-- Fig. 5.9: reflection.html -->
4  <!-- Reflections in CSS3. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Reflection</title>
9          <style type = "text/css">
```

**Fig. 5.9** | Reflections in CSS3. (Part 1 of 2.)

```

10      img { margin: 10px; }
11      img.below
12      {
13          -webkit-box-reflect: below 5px
14              -webkit-gradient(
15                  linear, left top, left bottom,
16                  from(transparent), to(white));
17      }
18      img.right
19      {
20          -webkit-box-reflect: right 5px
21              -webkit-gradient(
22                  linear, right top, left top,
23                  from(transparent), to(white));
24      }
25  
```

</style>

</head>

<body>

<img class = "below" src = "jhtp.png" width = "138" height = "180"  
 alt = "Java How to Program book cover">

<img class = "right" src = "jhtp.png" width = "138" height = "180"  
 alt = "Java How to Program book cover">

</body>

</html>



**Fig. 5.9** | Reflections in CSS3. (Part 2 of 2.)

## 5.11 Image Borders

The CSS3 **border-image** property uses images to place a border around *any* block-level element (Fig. 5.10). In line 12, we set a div's border-width to 30px, which is the thickness

of the border we're placing around the element. Next, we specify a width of 234px, which is the width of the entire rectangular border (line 13).

### *Stretching an Image Border*

In this example, we create two image border styles. In the first (lines 16–22), we stretch (and thus distort) the sides of the image to fit around the element while leaving the corners of the border image unchanged (not stretched). The `border-image` property has six values (lines 18–21):

- **border-image-source**—the URL of the image to use in the border (in this case, `url(border.png)`).


---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 5.10: imageborder.html -->
4  <!-- Stretching and repeating an image to create a border. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Image Borders</title>
9          <style type = "text/css">
10         div
11             {
12                 border-width: 30px;
13                 width: 234px;
14                 padding: 20px 20px;
15             }
16             #stretch
17             {
18                 -webkit-border-image: url(border.png) 80 80 80 80 stretch;
19                 -moz-border-image: url(border.png) 80 80 80 80 stretch;
20                 -o-border-image: url(border.png) 80 80 80 80 stretch;
21                 border-image: url(border.png) 80 80 80 80 stretch;
22             }
23             #repeat
24             {
25                 -webkit-border-image: url(border.png) 34% 34% repeat;
26                 -moz-border-image: url(border.png) 34% 34% repeat;
27                 -o-border-image: url(border.png) 34% 34% repeat;
28                 border-image: url(border.png) 34% 34% repeat;
29             }
30         </style>
31     </head>
32     <body>
33         <h2>Image Borders</h2>
34         <img src = "border.png" alt = "image used to demonstrate borders">
35         <p><div id="stretch">Stretching the image border</div></p>
36         <p><div id="repeat">Repeating the image border</div></p>
37     </body>
38 </html>
```

---

**Fig. 5.10** | Stretching and repeating an image to create a border. (Part 1 of 2.)



**Fig. 5.10** | Stretching and repeating an image to create a border. (Part 2 of 2.)

- **border-image-slice**—expressed with four space-separated values in pixels (in this case, 80 80 80 80). These values are the *inward offsets* from the top, right, bottom and left sides of the image. Since our original image is square, we used the same value for each. The `border-image-slice` divides the image into nine *regions*: four corners, four sides and a middle, which is transparent unless otherwise specified. These regions may overlap. If you use values that are larger than the actual image size, the `border-image-slice` values will be interpreted as 100%. You *may not use negative values*. We could express the `border-image-slice` in *two* values—80 80—in which case the first value would represent the top and bottom, and the second value the left and right. The `border-image-slice` may also be expressed in percentages, which we demonstrate in the second part of this example.
- **border-image-repeat**—specifies how the regions of the border image are scaled and *tiled* (repeated). By indicating *stretch* just *once*, we create a border that will stretch the top, right, bottom and left regions to fit the area. You may specify *two* values for the `border-image-repeat` property. For example, if we specified

`stretch repeat`, the top and bottom regions of the image border would be *stretched*, and the right and left regions of the border would be repeated (i.e., *tiled*) to fit the area. Other possible values for the `border-image-repeat` property include `round` and `space`. If you specify `round`, the regions are repeated using only whole tiles, and the border image is scaled to fit the area. If you specify `space`, the regions are repeated to fill the area using only whole tiles, and any excess space is distributed evenly around the tiles.

### Repeating an Image Border

In lines 23–29 we create an image border by repeating the regions to fit the space. The `border-image` property includes four values:

- `border-image-source`—the URL of the image to use in the border (once again, `url(border.png)`).
- `border-image-slice`—in this case, we provided *two* values expressed in percentages (34% 34%) for the top/bottom and left/right, respectively.
- `border-image-repeat`—the value `repeat` specifies that the tiles are repeated to fit the area, using partial tiles to fill the excess space.

For additional information about the `border-image` property, see

[http://www.w3.org/TR/2002/WD-css3-border-20021107/  
#the-border-image-uri](http://www.w3.org/TR/2002/WD-css3-border-20021107/#the-border-image-uri)

## 5.12 Animation; Selectors

In Fig. 5.11, we create a simple *animation* of an image that moves in a diamond pattern as it changes opacity.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 5.11: animation.html -->
4  <!-- Animation in CSS3. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Animation</title>
9          <style type = "text/css">
10             img
11             {
12                 position: relative;
13                 -webkit-animation: movingImage linear 10s 1s 2 alternate;
14                 -moz-animation: movingImage linear 10s 1s 2 alternate;
15                 animation: movingImage linear 10s 2 1s alternate;
16             }
17             @-webkit-keyframes movingImage
18             {
19                 0%   {opacity: 0; left: 50px; top: 0px;}
```

---

**Fig. 5.11** | Animation in CSS3. The dotted lines show the diamond path that the image takes, (Part 1 of 2.)

```

20      25% {opacity: 1; left: 0px; top: 50px; }
21      50% {opacity: 0; left: 50px; top: 100px; }
22      75% {opacity: 1; left: 100px; top: 50px; }
23      100% {opacity: 0; left: 50px; top: 0px; }
24  }
25 @-moz-keyframes movingImage
26 {
27     0% {opacity: 0; left: 50px; top: 0px; }
28     25% {opacity: 1; left: 0px; top: 50px; }
29     50% {opacity: 0; left: 50px; top: 100px; }
30     75% {opacity: 1; left: 100px; top: 50px; }
31     100% {opacity: 0; left: 50px; top: 0px; }
32  }
33 @keyframes movingImage
34 {
35     0% {opacity: 0; left: 50px; top: 0px; }
36     25% {opacity: 1; left: 0px; top: 50px; }
37     50% {opacity: 0; left: 50px; top: 100px; }
38     75% {opacity: 1; left: 100px; top: 50px; }
39     100% {opacity: 0; left: 50px; top: 0px; }
40  }
41  
```

</style>

42 </head>

43 <body>

44 <img src = "jhtp.png" width = "138" height = "180"

45 alt = "Java How to Program book cover">

46 <div></div>

47 </body>

48 </html>

The animation starts and ends at the top of the diamond, moving the image in the counterclockwise direction initially. When the animation reaches the top of the diamond, the animation reverses, continuing in the clockwise direction. The animation terminates when the image reaches the top of the diamond for a second time.



**Fig. 5.11** | Animation in CSS3. The dotted lines show the diamond path that the image takes, (Part 2 of 2.)

***animation Property***

The **animation** property (lines 13–15) allows you to represent several animation properties in a *shorthand* notation, rather than specifying each separately, as in:

```
animation-name: movingImage;
animation-timing-function: linear;
animation-duration: 10s;
animation-delay: 1s;
animation-iteration-count: 2;
animation-direction: alternate;
```

In the shorthand notation, the values are listed in the following order:

- **animation-name**—represents the name of the animation (`movingImage`). This name associates the animation with the keyframes that define various properties of the element being animated at different stages of the animation. We'll discuss keyframes shortly.
- **animation-timing-function** (lines 13–15)—determines how the animation progresses in one cycle of its duration. Possible values include `linear`, `ease`, `ease-in`, `ease-out`, `ease-in-out`, `cubic-bezier`. The value `linear`, which we use in this example, specifies that the animation will move at the same speed from start to finish. The default value, `ease`, starts slowly, increases speed, then ends slowly. The `ease-in` value starts slowly, then speeds up, whereas the `ease-out` value starts faster, then slows down. The `ease-in-out` starts and ends slowly. Finally, the `cubic-bezier` value allows you to customize the timing function with four values between 0 and 1, such as `cubic-bezier(1,0,0,1)`.
- **animation-duration**—specifies the time in seconds (s) or milliseconds (ms) that the animation takes to complete one iteration (10s in this case). The default duration is 0.
- **animation-delay**—specifies the number of seconds (1s in this case) or milliseconds after the page loads before the animation begins. The default value is 0. If the `animation-delay` is negative, such as `-3s`, the animation will begin three seconds into its cycle.
- **animation-iteration-count**—specifies the number of times the animation will run. The default is 1. You may use the value `infinite` to repeat the animation continuously.
- **animation-direction**—specifies the direction in which the animation will run. The value `alternate` used here specifies that the animation will run in alternating directions—in this case, counterclockwise (as we define with our keyframes), then clockwise. The default value, `normal`, would run the animation in the same direction for each cycle.

The shorthand `animation` property cannot be used with the **animation-play-state** property—it must be specified separately. If you do not include the `animation-play-state`, which specifies whether the animation is paused or running, it defaults to running.

***@keyframes Rule and Selectors***

For the element being animated, the **@keyframes rule** (lines 17, 25 and 33) defines the element's properties that will change during the animation, the values to which those

properties will change, and when they'll change. The **@keyframes** rule is followed by the name of the animation (`movingImage`) to which the keyframes are applied. CSS **rules** consist of one or more **selectors** followed by a **declaration block** in curly braces (`{}`). Selectors enable you to apply styles to elements of a particular type or attribute. A declaration block consists of one or more declarations, each of which includes the property name followed by a colon (:), a value and a semicolon (;). You may include multiple declarations in a declaration block. For example, consider line 19:

```
0% {opacity: 0; left: 50px; top 0px;}
```

The selector, 0%, is followed by a declaration block with three declarations—`opacity`, `left` and `right`.

In this example, the **@keyframes** rule includes five selectors to represent the points-in-time for our animation. Recall that our animation will take 10 seconds (10s in lines 13–15) to complete. In that context, 0% indicates the beginning of a single animation cycle, 25% represents 2.5 seconds into the animation, 50% represents 5 seconds into the animation, 75% represents 7.5 seconds into the animation and 100% represents the end of a single animation cycle. You can break down the animation into as many points as you like. At each point, we specify the `opacity` of the image and the image position in pixels from the `left` and from the `top`. We begin and end the animation at the same point—`left: 50px; top: 0px;`—creating a diamond pattern along which the image moves.

## 5.13 Transitions and Transformations

With CSS3 **transitions**, you can change an element's style over a specified duration—for example, you can vary an element's opacity from opaque to transparent over a duration of one second. CSS3 **transformations** allow you to *move*, *rotate*, *scale* and *skew* elements. And you can make transitions and transformations occur simultaneously, doing things like having objects grow and change their color at once. Note that transitions are similar in concept to the animations (Section 5.12), but transitions allow you to specify only the starting and ending values of the CSS properties being changed. An animation's keyframes enable you to control intermediate states throughout the animation's duration.

### 5.13.1 transition and transform Properties

Figure 5.12 uses the **transition** and **transform** properties to scale and rotate an image 360 degrees when the cursor *hovers* over it. We begin by defining the **transition** (line 16). For each property that will change, the **transition** property specifies the duration of that change. In this case, we indicate that a **transform** (discussed shortly) will take four seconds, but we could specify a comma-separated list of property names that will change and the individual durations over which each property will change. For example:

```
transition: transform 4s, opacity 2s;
```

indicates that a **transform** takes four seconds to apply and the **opacity** changes over two seconds—thus, the **transform** will continue for another two seconds after the **opacity** change completes. In this example, we define the **transform** only when the user *hovers* the mouse over the image.

```
1 <!DOCTYPE html>
2
3 <!-- Fig. 5.12: transitions.html -->
4 <!-- Transitions in CSS3. -->
5 <html>
6   <head>
7     <meta charset = "utf-8">
8     <title>Transitions</title>
9     <style type = "text/css">
10    img
11    {
12      margin: 80px;
13      -webkit-transition: -webkit-transform 4s;
14      -moz-transition: -moz-transform 4s;
15      -o-transition: -o-transform 4s;
16      transition: transform 4s;
17    }
18    img:hover
19    {
20      -webkit-transform: rotate(360deg) scale(2, 2);
21      -moz-transform: rotate(360deg) scale(2, 2);
22      -o-transform: rotate(360deg) scale(2, 2);
23      transform: rotate(360deg) scale(2, 2);
24    }
25  </style>
26 </head>
27 <body>
28   <img src = "cpphttp.png" width = "76" height = "100"
29     alt = "C++ How to Program book cover">
30 </body>
31 </html>
```



**Fig. 5.12** | Transitioning an image over a four-second duration and applying `rotate` and `scale` transforms.

The `:hover` pseudo-class (lines 18–24) formerly worked only for anchor elements but now works with *any* element. In this example, we use `:hover` to begin the rotation and scaling of the image. The `transform` property (line 23) specifies that the image will rotate 360deg and will scale to twice its original width and height when the mouse hovers over the image. The `transform` property uses **transformation functions**, such as `rotate` and

**scale**, to perform the transformations. The **rotate** transformation function receives the number of degrees. Negative values cause the element to rotate left. A value of **720deg** would cause the element to rotate clockwise twice. The **scale** transformation function specifies how to scale the width and height. The value **1** represents the original width or original height, so values greater than **1** increase the size and values less than **1** decrease the size. A complete list of CSS3 transformation functions can be found at:

[www.w3.org/TR/css3-2d-transforms/#transform-functions](http://www.w3.org/TR/css3-2d-transforms/#transform-functions)

### 5.13.2 Skew

CSS3 transformations also allow you to **skew** block-level elements, slanting them at an angle either horizontally (**skewX**) or vertically (**skewY**). In the following example, we use the **animation** and **transform** properties to skew an element (a rectangle and text) horizontally by 45 degrees (Fig. 5.13). First we create a rectangle with a **LightGreen** background, a solid **DarkGreen** border and rounded corners. The **animation** property (lines 21–23) specifies that the element will skew in a three-second (3s) interval for an **infinite** duration. The fourth value, **linear**, is the **animation-timing-function**.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 5.13: skew.html -->
4  <!-- Skewing and transforming elements in CSS3. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Skew</title>
9          <style type = "text/css">
10             .skew .textbox
11             {
12                 margin-left: 75px;
13                 background: lightgreen;
14                 height: 100px;
15                 width: 200px;
16                 padding: 25px 0;
17                 text-align: center;
18                 font-size: 250%;
19                 border: 3px solid DarkGreen;
20                 border-radius: 15px;
21                 -webkit-animation: skew 3s infinite linear;
22                 -moz-animation: skew 3s infinite linear;
23                 animation: skew 3s infinite linear;
24             }
25             @-webkit-keyframes skew
26             {
27                 from { -webkit-transform: skewX(0deg); }
28                 25% { -webkit-transform: skewX(45deg); }
29                 50% { -webkit-transform: skewX(0); }
30                 75% { -webkit-transform: skewX(-45deg); }
31                 to { -webkit-transform: skewX(0); }
32             }

```

---

**Fig. 5.13** | Skewing and transforming elements in CSS3. (Part 1 of 2.)

```


33      @-moz-keyframes skew
34      {
35          from { -webkit-transform: skewX(0deg); }
36          25% { -webkit-transform: skewX(45deg); }
37          50% { -webkit-transform: skewX(0); }
38          75% { -webkit-transform: skewX(-45deg); }
39          to { -webkit-transform: skewX(0); }
40      }
41      @-keyframes skew
42      {
43          from { -webkit-transform: skewX(0deg); }
44          25% { -webkit-transform: skewX(45deg); }
45          50% { -webkit-transform: skewX(0); }
46          75% { -webkit-transform: skewX(-45deg); }
47          to { -webkit-transform: skewX(0); }
48      }
49      </style>
50  </head>
51  <body>
52      <div class = "box skew">
53          <div class = "textbox">Skewing Text</div>
54      </div>
55  </body>
56 </html>

```

a) Bordered div at skewed left position

b) Bordered div at centered position

c) Bordered div at skewed right position

**Fig. 5.13** | Skewing and transforming elements in CSS3. (Part 2 of 2.)

Next, we use the `@keyframes` rule and selectors to specify the angle of the skew transformation at different intervals (lines 25–48). When the page is rendered, the element is not skewed (0deg; lines 27, 35 and 43). The transformation then skews the element 45 degrees (45deg) to the right (lines 28, 36 and 44), back to 0deg (lines 29, 37 and 45) and then left by 45deg (lines 30, 38 and 46) and back to 0deg (lines 31, 39 and 47).

### 5.13.3 Transitioning Between Images

We can also use the `transition` property to create the visually beautiful effect of *melting* one image into another (Fig. 5.14). The `transition` property includes three values. First, we specify that the transition will occur on the `opacity` of the image. The second value, `4s`, is the `transition-duration`. The third value, `ease-in-out`, is the `transition-timing-function`. Next, we define `:hover` with an `opacity` of 0, so when the cursor hovers over the top image, its `opacity` becomes fully transparent, revealing the bottom image

directly behind it (lines 22–23). In lines 28–29 we add the bottom and top images, placing one directly behind the other.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 5.14: meltingimages.html -->
4  <!-- Melting one image into another using CSS3. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Melting Images</title>
9          <style type = "text/css">
10             #cover
11             {
12                 position: relative;
13                 margin: 0 auto;
14             }
15             #cover img
16             {
17                 position: absolute;
18                 left: 0;
19                 -webkit-transition: opacity 4s ease-in-out;
20                 transition: opacity 4s ease-in-out;
21             }
22             #cover img.top:hover
23             { opacity:0; }
24         </style>
25     </head>
26     <body>
27         <div id = "cover">
28             <img class = "bottom" src = "jhtp.png" alt = "Java 9e cover">
29             <img class = "top" src = "jhtp8.png" alt = "Java 8e cover">
30         </div>
31     </body>
32 </html>
```



**Fig. 5.14** | Melting one image into another using CSS3.

## 5.14 Downloading Web Fonts and the @font-face Rule

Using the **@font-face** rule, you can specify fonts for a web page, even if they're not installed on the user's system. You can use *downloadable fonts* to help ensure a uniform look

across client sites. In Fig. 5.15, we use the Google web font named “Calligraffiti.” You can find numerous free, open-source web fonts at <http://www.google.com/webfonts>. Make sure the fonts you get from other sources have no legal encumbrances.

```
1 <!DOCTYPE html>
2
3 <!-- Fig. 5.15: embeddedfonts.html -->
4 <!-- Embedding fonts for use in your web page. -->
5 <html>
6   <head>
7     <meta charset = "utf-8">
8     <title>Embedded Fonts</title>
9     <link href = 'http://fonts.googleapis.com/css?family=Calligraffiti'
10       rel = 'stylesheet' type = 'text/css'>
11   <style type = "text/css">
12     body
13     {
14       font-family: "Calligraffiti";
15       font-size: 48px;
16       text-shadow: 3px 3px 3px DimGrey;
17     }
18   </style>
19 </head>
20 <body>
21   <div>
22     <b>Embedding the Google web font "Calligraffiti"</b>
23   </div>
24 </body>
25 </html>
```



**Fig. 5.15** | Embedding fonts for use in your web page.

To get Google’s Calligraffiti font, go to <http://www.google.com/webfonts> and use the search box on the site to find the font “Calligraffiti.” You can find this by using the search box on the site. Next, click **Quick-use** to get the `link` to the style sheet that contains the `@font-face` rule. Paste that `link` element into the head section of your document (lines 9–10). The referenced CSS style sheet contains the following CSS rules:

```

@media screen {
  @font-face {
    font-family: 'Calligraffiti';
    font-style: normal;
    font-weight: normal;
    src: local('Calligraffiti'),
         url('http://themes.googleusercontent.com/static/fonts/
               calligraffiti/v1/vLVN2Y-z65rVu1R7lWdvyKIZAuDcNtpCwuPSaIROIe8
               .woff') format('woff');
  }
}

```

The `@media screen` rule specifies that the font will be used when the document is rendered on a computer screen (as discussed in Section 4.11). The `@font-face` rule includes the `font-family` (`Calligraffiti`), `font-style` (`normal`) and `font-weight` (`normal`). You may include multiple fonts with varying styles and weights. The `@font-face` rule also includes the *location* of the font.

## 5.15 Flexible Box Layout Module and :nth-child Selectors

**Flexible Box Layout Module (FBLM)** makes it easy to align the contents of boxes, change their size, change their order dynamically, and lay out the contents in any direction. In the example of Fig. 5.16, we create flexible divs for four of our programming tips. When the mouse hovers over one of the divs, the div expands, the text changes from black to white, the background color changes and the layout of the text changes.

Lines 48–66 define a div to which we apply the `flexbox` CSS class. That div contains four other divs. The `flexbox` class's `display` property is set to the new CSS3 value `box` (lines 16–17). The `box-orient` property specifies the orientation of the box layout (lines 18–19). The default value is `horizontal` (which we specified anyway). You can also use `vertical`. For the nested divs, we specify a one-second `ease-out` transition (lines 23–24). This will take effect when these the `:hover` pseudo-class style (lines 38–39) is applied to one of these divs to expand it.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 5.16: fblm.html -->
4  <!-- Flexible Box Layout Module. -->
5  <html>
6    <head>
7      <meta charset = "utf-8">
8      <title>Flexible Box Layout Model</title>
9      <link href = 'http://fonts.googleapis.com/css?family=Rosario'
10        rel = 'stylesheet' type = 'text/css'>
11      <style type = "text/css">
12        .flexbox
13        {
14          width: 600px;
15          height: 420px;

```

---

**Fig. 5.16** | Flexible Box Layout Module. (Part I of 3.)


```

16     display: -webkit-box;
17     display: box;
18     -webkit-box-orient: horizontal;
19     box-orient: horizontal;
20   }
21   .flexbox > div
22   {
23     -webkit-transition: 1s ease-out;
24     transition: 1s ease-out;
25     -webkit-border-radius: 10px;
26     border-radius: 10px;
27     border: 2px solid black;
28     width: 120px;
29     margin: 10px -10px 10px 0px;
30     padding: 20px 20px 20px 20px;
31     box-shadow: 10px 10px 10px dimgrey;
32   }
33   .flexbox > div:nth-child(1){ background-color: lightgrey; }
34   .flexbox > div:nth-child(2){ background-color: lightgrey; }
35   .flexbox > div:nth-child(3){ background-color: lightgrey; }
36   .flexbox > div:nth-child(4){ background-color: lightgrey; }
37
38   .flexbox > div:hover {
39     width: 200px; color: white; font-weight: bold; }
40   .flexbox > div:nth-child(1):hover { background-color: royalblue; }
41   .flexbox > div:nth-child(2):hover { background-color: crimson; }
42   .flexbox > div:nth-child(3):hover { background-color: crimson; }
43   .flexbox > div:nth-child(4):hover { background-color: darkgreen; }
44   p { height: 250px; overflow: hidden; font-family: "Rosario" }
45
46 </style>
47 </head>
48 <body>
49   <div class = "flexbox">
50     <div><img src = "GPP.png" alt = "Good programming practice icon">
51       <p>Good Programming Practices call attention to techniques that
52         will help you produce programs that are clearer, more
53         understandable and more maintainable.</p></div>
54     <div><img src = "EPT.png" alt = "Error prevention tip icon">
55       <p>Error-Prevention Tips contain suggestions for exposing bugs
56         and removing them from your programs; many describe aspects of
57         programming that prevent bugs from getting into programs in
58         the first place.</p></div>
59     <div><img src = "CPE.png" alt = "Common programming error icon">
60       <p>Common Programming Errors point out the errors that students
61         tend to make frequently. These Common Programming Errors reduce
62         the likelihood that you'll make the same mistakes.</p></div>
63     <div><img src = "SEO.png"><p>Software Engineering Observations
64       highlight architectural and design issues that affect the
65       construction of software systems, especially large-scale
66       systems.</p></div>
67   </div>
68 </body>
69 </html>


```

Fig. 5.16 | Flexible Box Layout Module. (Part 2 of 3.)

- a) Each nested div has a light background color and black text to start. Some of the text is hidden.



- b) When the mouse hovers over :nth-child(2), the flexbox expands, the background-color changes to Crimson, the overflow text is revealed and the text changes to a bold white font



**Fig. 5.16** | Flexible Box Layout Module. (Part 3 of 3.)

### **:nth-child Selectors**

In CSS3, you can use selectors to easily select elements to style based on their *attributes*. For example, you could select every other row in a table and change the background color

to blue, making the table easier to read. You can also use selectors to enable or disable input elements. In lines 33–36 we use **:nth-child** selectors to select each of the four div elements in the flexbox div to style. The style in line 33 uses `div:nth-child(1)` to select the div element that's the *first* child of its parent and applies the `background-color` `LightBlue`. Similarly, `div:nth-child(2)` selects the div element that's the *second* child of its parent, `div:nth-child(3)` selects the *third* child of its parent, and `div:nth-child(4)` selects the *fourth* child of its parent—each applies a specified `background-color`.

Next, lines 38–43 define styles that are applied to the nested div elements when the mouse hovers over them. The style at lines 38–39 sets the `width` (`200px`), `color` (`white`) and `font-weight` (`bold`). Next, we use **:nth-child** selectors to specify a new background color for each nested div (line 40–43).

Finally, we style the p element—the text within each div (line 44). We specify a paragraph height of `250px` and the `overflow` as `hidden`, which hides any text that does not fit in the specified paragraph height. In the output, notice that the text in the *second* child element (the Error-Prevention Tips), the `overflow` text is hidden. When the mouse hovers over the element, all of the text is revealed. We also specify the Google font "Rosario", which we embedded in our style sheet (lines 9–10).

Selectors are a large topic. In later chapters, we'll demonstrate additional CSS3 selector capabilities. To learn more about their powerful capabilities, visit:

<http://www.w3.org/TR/css3-selectors/>

## 5.16 Multicolumn Layout

CSS3 allows you to easily create **multicolumn layouts**. In Figure 5.17, we create a three-column layout by setting the **column-count** property to 3 (lines 15–18) and the **column-gap** property (the spacing between columns) to `30px` (lines 20–23). We then add a thin black line between each column using the **column-rule** property (lines 25–28). When you run this example, try resizing your browser window. You'll notice that the width of the columns changes to fit the three-column layout in the browser. In Section 5.17, we'll show you how to use media queries to modify this example so the number of columns varies dynamically based on the size of the device screen or browser window, allowing you to customize the layout for devices such as smartphones, tablets, notebooks, desktops and more.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 5.17: multicolumns.html -->
4  <!-- Multicolumn text in CSS3. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Multicolumns</title>
9          <style type = "text/css">
10             p
11                 { margin:0.9em 0em; }
12                 .multicolumns
13                 {

```

---

**Fig. 5.17** | Multicolumn text in CSS3. (Part 1 of 3.)

```
14             /* setting the number of columns to 3 */
15             -webkit-column-count: 3;
16             -moz-column-count: 3;
17             -o-column-count: 3;
18             column-count: 3;
19             /* setting the space between columns to 30px */
20             -webkit-column-gap: 30px;
21             -moz-column-gap: 30px;
22             -o-column-gap: 30px;
23             column-gap: 30px;
24             /* adding a 1px black line between each column */
25             -webkit-column-rule: 1px outset black;
26             -moz-column-rule: 1px outset black;
27             -o-column-rule: 1px outset black;
28             column-rule: 1px outset black;
29         }
30     
```

</style>

```
31 </head>
32 <body>
33     <header>
34         <h1>Computers, Hardware and Software</h1>
35     </header>
36     <div class = "multicolumns">
37         <p>A computer is a device that can perform computations and make logical decisions phenomenally faster than human beings can. Many of today's personal computers can perform billions of calculations in one second—more than a human can perform in a lifetime. Supercomputers are already performing thousands of trillions (quadrillions) of instructions per second! To put that in perspective, a quadrillion-instruction-per-second computer can perform in one second more than 100,000 calculations for every person on the planet! And—these "upper limits" are growing quickly!</p>
38         <p>Computers process data under the control of sets of instructions called computer programs. These programs guide the computer through orderly sets of actions specified by people called computer programmers. The programs that run on a computer are referred to as software. In this book, you'll learn today's key programming methodology that's enhancing programmer productivity, thereby reducing software-development costs—object-oriented programming.</p>
39         <p>A computer consists of various devices referred to as hardware (e.g., the keyboard, screen, mouse, hard disks, memory, DVDs and processing units). Computing costs are dropping dramatically, owing to rapid developments in hardware and software technologies. Computers that might have filled large rooms and cost millions of dollars decades ago are now inscribed on silicon chips smaller than a fingernail, costing perhaps a few dollars each. Ironically, silicon is one of the most abundant materials—it's an ingredient in common sand. Silicon-chip technology has made computing so economical that more than a billion general-purpose computers are in use worldwide, and this is expected to double in the next few
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
```

---

**Fig. 5.17** | Multicolumn text in CSS3. (Part 2 of 3.)

```

67      years.</p>
68  <p>Computer chips (microprocessors) control countless devices.
69  These embedded systems include anti-lock brakes in cars,
70  navigation systems, smart home appliances, home security
71  systems, cell phones and smartphones, robots, intelligent
72  traffic intersections, collision avoidance systems, video game
73  controllers and more. The vast majority of the microprocessors
74  produced each year are embedded in devices other than general-
75  purpose computers.</p>
76  <footer>
77      <em>&copy; 2012 by Pearson Education, Inc.
78      All Rights Reserved.</em>
79  </footer>
80  </div>
81  </body>
82 </html>

```



**Fig. 5.17** | Multicolumn text in CSS3. (Part 3 of 3.)

## 5.17 Media Queries

With CSS *media types* (Section 4.11), you can vary your styling based on the type of device on which your page is being presented. The classic examples are varying font styles and sizes, based on whether a page is printed or displayed on a screen. Users generally prefer sans-serif fonts on screens and serif fonts on paper. With CSS3 *media queries* you can determine the finer attributes of the media on which the user is viewing the page, such as the *length* and *width* of the viewing area on the screen, to better customize your presentation.

In Section 5.16 we created a page with a multicolumn layout that included three columns of text and a thin black rule between each column. No matter how you resized your browser window, the text was *still* rendered in three columns, even if the columns had to be extremely narrow. In Fig. 5.18, we modify that multicolumn example to alter the numbers of columns and the rules between columns based on the screen size of the device on which the page is viewed.

### **@media-Rule**

The **@media** rule is used to determine the type *and size* of device on which the page is rendered. When the browser looks at the rule, the result is either *true* or *false*. The rule's styles are applied only if the result is true. First, we use the **@media** rule to determine whether the page is being rendered on a handheld device (e.g., a smartphone) with a **max-width** of 480px, or a device with a screen that has a **max-device-width** of 480px, or on a screen having **max-width** of 480px (lines 13–15). If this is *true*, we set the **column-count** to 1—the page will be rendered in a single column on handheld devices such as an iPhone or in browser windows that have been resized to 480px or less (lines 17–19).

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 5.18: mediaqueries.html -->
4  <!-- Using media queries to reformat a page based on the device width. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Media Queries</title>
9          <style type = "text/css">
10         p
11             { margin: 0.9em 0em; }
12             /* styles for smartphones with screen widths 480px or smaller */
13             @media handheld and (max-width: 480px),
14                 screen and (max-device-width: 480px),
15                 screen and (max-width: 480px)
16             {
17                 div {
18                     -webkit-column-count: 1;
19                     column-count: 1; }
20             }
21             /* styles for devices with screen widths of 481px to 1024px */
22             @media only screen and (min-width: 481px) and
23                 (max-width: 1024px)
24             {
25                 div {
26                     -webkit-column-count: 2;
27                     column-count: 2;
28                     -webkit-column-gap: 30px;
29                     column-gap: 30px;
30                     -webkit-column-rule: 1px outset black;
31                     column-rule: 1px outset black; }
32             }

```

---

**Fig. 5.18** | Using media queries to reformat a page based on the device width. (Part 1 of 4.)

```
33     /* styles for devices with screen widths of 1025px or greater */
34     @media only screen and (min-width: 1025px)
35     {
36         div {
37             -webkit-column-count: 3;
38             column-count: 3;
39             -webkit-column-gap: 30px;
40             column-gap: 30px;
41             -webkit-column-rule: 1px outset black;
42             column-rule: 1px outset black; }
43     }
44     </style>
45 </head>
46 <body>
47     <header>
48         <h1>Computers, Hardware and Software</h1>
49     </header>
50     <div>
51         <p>A computer is a device that can perform computations and make
52             logical decisions phenomenally faster than human beings can.
53             Many of today's personal computers can perform billions of
54             calculations in one second&mdash;more than a human can perform
55             in a lifetime. Supercomputers are already performing thousands
56             of trillions (quadrillions) of instructions per second! To put
57             that in perspective, a quadrillion-instruction-per-second
58             computer can perform in one second more than 100,000
59             calculations for every person on the planet! And&mdash;these
60             "upper limits" are growing quickly!</p>
61         <p>Computers process data under the control of sets of
62             instructions called computer programs. These programs guide
63             the computer through orderly sets of actions specified by
64             people called computer programmers. The programs that run on a
65             computer are referred to as software. In this book, you'll
66             learn today's key programming methodology that's enhancing
67             programmer productivity, thereby reducing software-development
68             costs&mdash;object-oriented programming.</p>
69         <p>A computer consists of various devices referred to as hardware
70             (e.g., the keyboard, screen, mouse, hard disks, memory, DVDs
71             and processing units). Computing costs are dropping
72             dramatically, owing to rapid developments in hardware and
73             software technologies. Computers that might have filled large
74             rooms and cost millions of dollars decades ago are now
75             inscribed on silicon chips smaller than a fingernail, costing
76             perhaps a few dollars each. Ironically, silicon is one of the
77             most abundant materials&mdash;it's an ingredient in common
78             sand. Silicon-chip technology has made computing so economical
79             that more than a billion general-purpose computers are in use
80             worldwide, and this is expected to double in the next few
81             years.</p>
82         <p>Computer chips (microprocessors) control countless devices.
83             These embedded systems include anti-lock brakes in cars,
84             navigation systems, smart home appliances, home security
85             systems, cell phones and smartphones, robots, intelligent
```


**Fig. 5.18** | Using media queries to reformat a page based on the device width. (Part 2 of 4.)

```


86      traffic intersections, collision avoidance systems, video game
87      controllers and more. The vast majority of the microprocessors
88      produced each year are embedded in devices other than general-
89      purpose computers.</p>
90  <footer>
91      <em>&copy; 2012 by Pearson Education, Inc.
92          All Rights Reserved.</em>
93  </footer>
94  </div>
95  </body>
96 </html>

```

- a) Styles for smartphones  
with screen widths  
480px or smaller



- b) Styles for devices with screen widths of 481px to 1024px



**Fig. 5.18** | Using media queries to reformat a page based on the device width. (Part 3 of 4.)

c) Styles for devices with screen widths of 1024px or greater



**Fig. 5.18** | Using media queries to reformat a page based on the device width. (Part 4 of 4.)

If the condition in lines 13–15 is *false*, a second @media rule determines whether the page is being rendered on devices with a min-width of 481px and a max-width of 1024px (lines 22–23). If this condition is *true*, we set the column-count to 2 (lines 26–27), the column-gap (the space between columns) to 30px (lines 28–29) and the column-rule (the vertical line between the columns) to 1px outset black (lines 30–31).

If the conditions in the first two @media rules are *false*, we use a third @media rule to determine whether the page is being rendered on devices with a min-width of 1025px (line 34). If the condition of this rule is *true*, we set the column-count to 3 (lines 37–38), the column-gap to 30px (lines 39–40) and the column-rule to 1px outset black (lines 41–42).

## 5.18 Web Resources

<http://www.w3.org/Style/CSS/>

W3C home page for CSS3.

<http://www.deitel.com/css3/>

The Deitel CSS3 Resource Center includes links to tutorials, examples, the W3C standards documentation and more.

<http://layerstyles.org>

<http://www.colorzilla.com/gradient-editor/>

<http://css3generator.com/>

<http://css3please.com/>

Sites that help you generate cross-browser CSS3 code.

<http://findmebyip.com/litmus/>

Find the CSS3 features that are supported by each of the major browsers.

<http://cssprefixer.appspot.com/>

The CSSPrefixer tool helps you add vendor prefixes to your CSS3 code.

<http://css-tricks.com/examples/HSLaExplorer/>

A CSS demo that allows you to play with HSLA colors.

## Summary

### Section 5.2 Text Shadows

- The CSS3 `text-shadow` property (p. 175) makes it easy to add a text-shadow effect to any text. The shadow's horizontal offset is the number of pixels that the `text-shadow` will appear to the left or the right of the text. A negative value moves the `text-shadow` to the left; a positive value moves it to the right. The vertical offset is the number of pixels that the `text-shadow` will be shifted up or down from the text. A negative value moves the shadow up, whereas a positive value moves it down.
- The blur radius (p. 175) has a value of 0 (no shadow) or greater.

### Section 5.3 Rounded Corners

- The `border-radius` property (p. 176) adds rounded corners (p. 176) to any element.

### Section 5.4 Color

- RGB(A) (Red, Green, Blue, Alpha, p. 177) gives you greater control over the exact colors in your web pages. The value for each color—red, green and blue—can range from 0 to 255. The alpha value—which represents opacity—can be any value in the range 0.0 (fully transparent) through 1.0 (fully opaque).
- CSS3 also allows you to express color using HSLA (hue, saturation, lightness, alpha) values (p. 178).
- The hue is a color or shade expressed as a value from 0 to 359 representing the degrees on a color wheel (a wheel is 360 degrees). The colors on the wheel progress in the order of the colors of the rainbow—red, orange, yellow, green, blue, indigo and violet.
- The saturation (p. 178)—the intensity of the hue—is expressed as a percentage, where 100% is fully saturated (the full color) and 0% is gray.
- Lightness (p. 178)—the intensity of light or luminance of the hue—is also expressed as a percentage. A lightness of 50% is the actual hue. If you decrease the amount of light to 0%, the color appears completely dark (black). If you increase the amount of light to 100%, the color appears completely light (white).

### Section 5.5 Box Shadows

- The `box-shadow` property (p. 178) adds a shadow to an element.
- The horizontal offset of the shadow defines the number of pixels that the `box-shadow` will appear to the left or the right of the box. The vertical offset of the shadow defines the number of pixels the `box-shadow` will be shifted up or down from the box.
- The blur radius of the shadow can have a value of 0 (no shadow) or greater.

### Section 5.6 Linear Gradients; Introducing Vendor Prefixes

- Linear gradients (p. 180) are a type of image that gradually transitions from one color to the next horizontally, vertically or diagonally.
- You can transition between as many colors as you like and specify the points at which to change colors, called `color-stops` (p. 180), represented in pixels or percentages along the so-called gradient line.
- You can use gradients in any property that accepts an image.
- Browsers currently implement gradients differently, so you'll need vendor prefixes and different syntax for each browser.

- Vendor prefixes (e.g., `-webkit-` and `-moz-`, p. 183) are used for properties that are still being finalized in the CSS specification but have already been implemented in various browsers.
- Prefixes are not available for every browser or for every property.
- It's good practice to include the multiple prefixes when they're available so that your pages render properly in the various browsers.
- Always place vendor-prefixed styles before the nonprefixed version. The last version of the style that a given browser supports takes precedence and will be used by the browser.

### ***Section 5.7 Radial Gradients***

- Radial gradients (p. 183) are similar to linear gradients, but the color changes gradually from an inner circle (the start) to an outer circle (the end).
- The `radial-gradient` property (p. 183) has three values. The first is the position of the start of the radial gradient (`center`). Other possible values for the position include `top`, `bottom`, `left` and `right`. The second value is the start color, and the third is the end color.
- Other than the vendor prefixes, the syntax of the gradient is identical for WebKit browsers, Mozilla Firefox and the standard CSS3 `radial-gradient`.

### ***Section 5.8 (Optional: WebKit Only) Text Stroke***

- The `-webkit-text-stroke` property (p. 185) is a nonstandard property for WebKit-based browsers that allows you to add an outline (text stroke) around text. The `-webkit-text-stroke` property has two values—the thickness of the outline and the color of the text stroke.

### ***Section 5.9 Multiple Background Images***

- CSS3 allows you to add multiple background images (p. 185) to an element.
- We specify each image's placement using property `background-position`. The comma-separated list of values matches the order of the comma-separated list of images in the `background-image` property.
- The `background-origin` (p. 154) determines where each image is placed using the box model.

### ***Section 5.10 (Optional: WebKit Only) Reflections***

- The `-webkit-box-reflect` property (p. 187) allows you to add a simple reflection (p. 187) of an image. Like `-webkit-text-stroke`, this is a nonstandard property that's available only in WebKit-based browsers for now.
- The property's first value is the *direction* of the reflection. The direction value may be `above`, `below`, `left`, or `right`.
- The second value is the `offset`, which determines the space between the image and its reflection.
- Optionally, you can specify a gradient to apply to the reflection.

### ***Section 5.11 Image Borders***

- The CSS3 `border-image` property (p. 188) uses images to place a border around any element.
- The `border-width` is the thickness of the border being placed around the element. The `width` is the width of the entire rectangular border.
- The `border-image-source` (p. 189) is the URL of the image to use in the border.
- The `border-image-slice` (p. 190) specifies the inward offsets from the top, right, bottom and left sides of the image.
- The `border-image-slice` divides the image into nine regions: four corners, four sides and a middle, which is transparent unless otherwise specified. You may not use negative values.

- We can express the `border-image-slice` in just two values, in which case the first value represents the top and bottom, and the second value the left and right.
- The `border-image-slice` may be expressed in pixels or percentages.
- `border-image-repeat` (p. 190) specifies how the regions of the border image are scaled and tiled (repeated). By indicating `stretch` just once, we create a border that will stretch the top, right, bottom and left regions to fit the area.
- You may specify two values for the `border-image-repeat` property. For example, if we specified `stretch repeat`, the top and bottom regions of the image border would be stretched, and the right and left regions of the border would be repeated (i.e., tiled) to fit the space, using partial tiles to fill the excess space.
- Other possible values for the `border-image-repeat` property include `round` and `space`. If you specify `round`, the regions are repeated using only whole tiles, and the border image is scaled to fit the area. If you specify `space`, the regions are repeated to fill the area using only whole tiles, and any excess space is distributed evenly around the tiles.

### *Section 5.12 Animation; Selectors*

- The `animation` property (p. 193) allows you to represent several animation properties in a shorthand notation, rather than specifying each animation property separately.
- The `animation-name` (p. 193) represents the name of the animation. This name associates the animation with the keyframes that define various properties of the element being animated at different stages of the animation.
- The `animation-timing-function` (p. 193) determines how the animation progresses in one cycle of its duration. Possible values include `linear`, `ease`, `ease-in`, `ease-out`, `ease-in-out`, `cubic-bezier`. The value `linear` specifies that the animation will move at the same speed from start to finish. The default value, `ease`, starts slowly, increases speed, then ends slowly. The `ease-in` value starts slowly, then speeds up, whereas the `ease-out` value starts faster, then slows down. The `ease-in-out` starts and ends slowly. Finally, the `cubic-bezier` value allows you to customize the timing function with four values between 0 and 1, such as `cubic-bezier(1,0,0,1)`.
- The `animation-duration` (p. 193) specifies the time in seconds (s) or milliseconds (ms) that the animation takes to complete one iteration. The default duration is 0.
- The `animation-delay` (p. 193) specifies the number of seconds or milliseconds after the page loads before the animation begins. The default value is 0. If the `animation-delay` is negative, such as `-3s`, the animation begins three seconds into its cycle.
- The `animation-iteration-count` (p. 193) specifies the number of times the animation will run. The default is 1. You may use the value `infinite` to repeat the animation continuously.
- The `animation-direction` (p. 193) specifies the direction in which the animation will run. The value `alternate` used here specifies that the animation will run in alternating directions. The default value, `normal`, would run the animation in the same direction for each cycle.
- The shorthand `animation` property cannot be used with the `animation-play-state` property (p. 193)—it must be specified separately. If you do not include the `animation-play-state`, which specifies whether the animation is `paused` or `running`, it defaults to `running`.
- For the element being animated, the `@keyframes` rule (p. 193) defines the element's properties that will change during the animation, the values to which those properties will change, and when they'll change.
- The `@keyframes` rule is followed by the name of the animation to which the keyframes are applied. Rules (p. 194) consist of one or more selectors (p. 194) followed by a declaration block (p. 194) in curly braces (`{}`).

- Selectors enable you to apply styles to elements of a particular type or attribute.
- A declaration block consists of one or more declarations, each of which includes the property name followed by a colon (:), a value and a semicolon (;). You may include multiple declarations in a declaration block.

### ***Section 5.13 Transitions and Transformations***

- With CSS3 transitions (p. 194), you can change an element's style over a specified duration.
- CSS3 transformations (p. 194) allow you to move, rotate, scale and skew elements.
- Transitions are similar in concept to animations, but transitions allow you to specify only the starting and ending values of the CSS properties being changed. An animation's keyframes enable you to control intermediate states throughout the animation's duration.
- For each property that will change, the `transition` property (p. 194) specifies the duration of that change.
- As of CSS3, the `:hover` pseudo-class now works with any element.
- The `transform` property (p. 194) uses transformation functions (p. 195), such as `rotate` (p. 195) and `scale` (p. 196), to perform the transformations.
- The `rotate` transformation function receives number of degrees. Negative values cause the element to rotate left. A value of `720deg` would cause the element to rotate clockwise twice.
- The `scale` transformation function specifies how to scale the width and height. The value `1` represents the original width or original height, so values greater than `1` increase the size and values less than `1` decrease the size.
- CSS3 transformations also allow you to skew (p. 196) block-level elements, slanting them at an angle either horizontally (`skewX`) or vertically (`skewY`).
- The `transition-duration` is the amount of time it takes to complete the transition.
- The `transition-timing-function` determines how the transition progresses in one cycle of its duration.

### ***Section 5.14 Downloading Web Fonts and the @font-face Rule***

- Using the `@font-face` rule (p. 198), you can specify fonts for a web page, even if they're not installed on the user's system. Downloadable fonts help ensure a uniform look across client sites.
- You can find numerous free, open-source web fonts at <http://www.google.com/webfonts>. Make sure the fonts you get from other sources have no legal encumbrances.
- The `@media screen` rule specifies that the font will be used when the document is rendered on a computer screen.
- The `@font-face` rule includes the `font-family`, `font-style` and `font-weight`. Multiple fonts can be specified with varying styles and weights. The `@font-face` rule also includes the font's location.

### ***Section 5.15 Flexible Box Layout Module and :nth-child Selectors***

- Flexible Box Layout Module (FBLM, p. 200) makes it easy to align the contents of boxes, change their size, change their order dynamically, and lay out the contents in any direction.
- The `box-orient` property (p. 200) specifies the orientation of the box layout. The default value is `horizontal`. You can also use `vertical`.
- In CSS3, you can use selectors to easily style attributes. For example, you can select every other row in a table and change the background color to blue, making the table easier to read. You can also use selectors to enable or disable input elements.

- We use :nth-child selectors (p. 203) to select each of the four div elements in the flex-box div to style.
- div:nth-child(1) selects the div element that's the first child of its parent and applies the specified style. Similarly, div:nth-child(2) selects the div element that's the second child of its parent, div:nth-child(3) selects the third child of its parent, and div:nth-child(4) selects the fourth child of its parent.
- Setting the overflow to hidden hides any text that does not fit in the specified paragraph height.

### **Section 5.16 Multicolumn Layout**

- CSS3 allows you to easily create multicolumn layouts (p. 203) using the column-count property (p. 203).
- The column-gap property (p. 203) specifies the spacing between columns.
- Add lines between columns using the column-rule property (p. 203).
- Resizing your browser window changes the width of the columns to fit the three-column layout in the browser.

### **Section 5.17 Media Queries**

- With CSS3 media queries you can determine the finer attributes of the media on which the user is viewing the page, such as the length and width of the viewing area on the screen, to customize your presentation.
- The @media rule (p. 206) is used to determine the type and size of device on which the page is rendered. When the browser looks at the rule, the result is either true or false. The rule's styles are applied only if the result is true.

## **Self-Review Exercises**

### **5.1 Fill in the blanks in the following statements:**

- The \_\_\_\_\_ property makes it easy to add a text shadow effect to any text.
- The \_\_\_\_\_ property allows you to add rounded corners to any element.
- CSS3 includes two new ways to express color—\_\_\_\_\_ and\_\_\_\_\_.
- The \_\_\_\_\_ defines the number of pixels that the box-shadow will appear to the left or the right of the box.
- \_\_\_\_\_ are similar to linear gradients, but the color changes gradually from an inner circle (the start) to an outer circle (the end).
- The \_\_\_\_\_ divides the image into nine regions: four corners, four sides and a middle, which is transparent unless otherwise specified.
- The animation-timing-function determines how the animation progresses in one cycle of its duration. Possible values include \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_ and \_\_\_\_\_.
- For the element being animated, the \_\_\_\_\_ defines the element's properties that will change during the animation, the values to which those properties will change, and when they'll change.
- \_\_\_\_\_ are similar in concept to animations, but they allow you to specify only the starting and ending values of the CSS properties being changed. An animation's key-frames enable you to control intermediate states throughout the animation's duration.
- CSS3 \_\_\_\_\_ allow you to move, rotate, scale and skew elements.
- \_\_\_\_\_ consist of one or more selectors followed by a declaration block in curly braces ({}).
- In CSS3, you can use \_\_\_\_\_ to easily style attributes.

- 5.2** State whether each of the following is *true* or *false*. If *false*, explain why.
- The @font-face rule specifies that an embedded font will be used when the document is rendered on a computer screen.
  - You can use gradients in any property that accepts an image.
  - A horizontal gradient gradually changes from top to bottom.
  - You can add lines between columns using the column-gap property.
  - The @media rule determines the type and size of device on which the page is rendered. When the browser looks at the rule, the result is either true or false. The rule's styles are applied only if the result is false.
  - To add multiple background images to an element, use the background-position to specify where each image is placed using the box model.

## Answers to Self-Review Exercises

**5.1** a) text-shadow. b) border-radius. c) RGBA and HSLA. d) horizontal offset. e) Radial gradients. f) border-image-slice. g) linear, ease, ease-in, ease-out, ease-in-out, cubic-bezier. h) @keyframes rule. i) Transitions. j) transformations. k) Rules. l) selectors.

**5.2** a) False. The @media screen rule specifies that an embedded font will be used when the document is rendered on a computer screen. b) True. c) False. A horizontal gradient gradually changes from left to right. d) False. You can add lines between columns using the column-rule property. e) The @media rule's styles are applied only if the result is true. f) False. The background-origin specifies where each image is placed using the box model.

## Exercises

For each of the following, build and render a web page that makes the indicated effect(s) appear. Validate your page with the following validators:

- For CSS3: <http://jigsaw.w3.org/css-validator/> (under **More Options > Profile**, select CSS level 3) [Note: Many CSS3 properties will not validate because they're not yet standardized.]
- For HTML5: [http://validator.w3.org/#validate\\_by\\_upload](http://validator.w3.org/#validate_by_upload)

Also, test your page with as many as possible of the seven browsers we're using in this book.

**5.3** (*Text Shadow*) Create a text shadow on the phrase "New features in CSS3" with an offset-x of 4px, an offset-y of 10px, a blur radius of 12px and a text-shadow color red.

**5.4** (*Text Stroke*) Create a text stroke on the phrase "New WebKit features". Make the color of the text green. Use a 5px Navy text-stroke and set the font-size to 600%.

**5.5** (*Rounded Corners*) Create three div elements, each with a width and height of 200px. On the first element, create slightly rounded corners using a border of 6px black and border-radius of 20px. On the second element, use a border of 6px black and increase the border-radius to 100px. On the third, use a border of 6px black and increase the border-radius to 200px. Make the background-color of each element red. Inside of each element, display the value of the border-radius in normal text.

**5.6** (*Box Shadow*) Create three div elements of varying colors, each with a width and height of 400px. On the first box, add a DimGrey box-shadow with an offset-x of 30px and offset-y of 30px a blur radius of 30px. On the second box, add a DimGrey box-shadow with an offset-x of -30px and offset-y of -30px a blur radius of 60px. On the third box, add a DimGrey box-shadow with an offset-x of 30px and offset-y of 30px a blur radius of 20px.

**5.7** (*Linear Gradient*) Create a `div` element with a `width` and `height` of 400px. Create a diagonal linear gradient using five colors.

**5.8** (*Radial Gradient*) Create a `div` element with a `width` and `height` of 400px. Create a radial gradient with four colors. Start the gradient in the bottom-left corner with the colors changing as they move along the gradient line to the right.

**5.9** (*Animation*) Create an infinite animation of an element moving in a square pattern.

**5.10** (*Skew*) Modify the skew example in Fig. 5.13 to skew the element top to bottom 15 deg, then left to right 15 deg, alternating infinitely.

**5.11** (*Melting Images*) Modify the example in Fig. 5.14 using five pictures. It might be interesting to try pictures of you or a family member at different ages or a landscape at various times. Set the `transition-duration` to 3s and a `transition-timing-function` to `linear`.

**5.12** (*Multicolumn Text*) Change the format of the example in Fig. 5.17 to four columns, add an author name and increase the space between columns to 40px color and thickness of the `column-rule`.

**5.13** (*FBLM*) Modify the example in Fig. 5.16 to use a vertical flexbox.

**5.14** (*Transformation with :hover*) Create a transformation program that includes four images. When the user hovers over an image, the size of the image increases by 30%.

**5.15** (*Reflection*) Create a reflection of an image 5px to the right of the original image.

**5.16** (*Media Queries*) Create your own multicolumn web page and use media queries to adjust the formatting to use one column for mobile devices that have a maximum width of 480px.

# JavaScript: Introduction to Scripting

# 6

*Comment is free, but facts are sacred.*

—C. P. Scott

*The creditor hath a better memory than the debtor.*

—James Howell

*When faced with a decision, I always ask, “What would be the most fun?”*

—Peggy Walker

## Objectives

In this chapter you will:

- Write simple JavaScript programs.
- Use input and output statements.
- Learn basic memory concepts.
- Use arithmetic operators.
- Learn the precedence of arithmetic operators.
- Write decision-making statements to choose among alternative courses of action.
- Use relational and equality operators to compare data items.



- 6.1** Introduction
- 6.2** Your First Script: Displaying a Line of Text with JavaScript in a Web Page
- 6.3** Modifying Your First Script
- 6.4** Obtaining User Input with `prompt` Dialogs
  - 6.4.1 Dynamic Welcome Page
  - 6.4.2 Adding Integers

- 6.5** Memory Concepts
- 6.6** Arithmetic
- 6.7** Decision Making: Equality and Relational Operators
- 6.8** Web Resources

[Summary](#) | [Self-Review Exercises](#) | [Answers to Self-Review Exercises](#) | [Exercises](#)

## 6.1 Introduction

In this chapter, we begin our introduction to the **JavaScript<sup>1</sup>** scripting language, which is used to enhance the functionality and appearance of web pages.<sup>2</sup>

In Chapters 6–11, we present a detailed discussion of JavaScript—the *de facto* standard client-side scripting language for web-based applications due to its highly portable nature. Our treatment of JavaScript serves two purposes—it introduces client-side scripting (used in Chapters 6–18), which makes web pages more dynamic and interactive, and it provides the programming foundation for the server-side scripting presented later in the book.

Before you can run code examples with JavaScript on your computer, you may need to change your browser’s security settings. By default, Internet Explorer 9 *prevents* scripts on your local computer from running, and displays a warning message. To allow scripts to run in files on your computer, select **Internet Options** from the **Tools** menu. Click the **Advanced** tab and scroll down to the **Security** section of the **Settings** list. Check the box labeled **Allow active content to run in files on My Computer**. Click **OK** and restart Internet Explorer. HTML5 documents on your own computer that contain JavaScript code will now run properly. Firefox, Chrome, Opera, Safari (including on the iPhone) and the Android browser have JavaScript enabled by default.

## 6.2 Your First Script: Displaying a Line of Text with JavaScript in a Web Page

We begin with a simple **script** (or **program**) that displays the text "Welcome to JavaScript Programming!" in the HTML5 document. All major web browsers contain **JavaScript interpreters**, which process the commands written in JavaScript. The JavaScript code and its result are shown in Fig. 6.1.

1. Many people confuse the scripting language JavaScript with the programming language Java. Java is a full-fledged object-oriented programming language. Java is popular for developing large-scale distributed enterprise applications and web applications. JavaScript is a browser-based scripting language developed by Netscape and implemented in all major browsers.
2. JavaScript was originally created by Netscape. Both Netscape and Microsoft have been instrumental in the standardization of JavaScript by ECMA International—formerly the European Computer Manufacturers’ Association—as ECMAScript ([www.ecma-international.org/publications/standards/ECMA-262.htm](http://www.ecma-international.org/publications/standards/ECMA-262.htm)). The latest version of JavaScript is based on ECMAScript 5.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 6.1: welcome.html -->
4  <!-- Displaying a line of text. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>A First Program in JavaScript</title>
9          <script type = "text/javascript">
10
11             document.writeln(
12                 "<h1>Welcome to JavaScript Programming!</h1>" );
13
14         </script>
15     </head><body></body>
16 </html>
```



**Fig. 6.1** | Displaying a line of text.

Lines 11–12 do the “real work” of the script, namely, displaying the phrase `Welcome to JavaScript Programming!` as an `h1` heading in the web page.

Line 6 starts the `<head>` section of the document. For the moment, the JavaScript code we write will appear in the `<head>` section. The browser interprets the contents of the `<head>` section first, so the JavaScript programs we write there execute *before* the `<body>` of the HTML5 document displays. In later chapters on JavaScript, we illustrate **inline scripting**, in which JavaScript code is written in the `<body>` of an HTML5 document.

### ***The `<script>` Element and Commenting Your Scripts***

Line 9 uses the `<script>` tag to indicate to the browser that the text which follows is part of a script. The `type` attribute specifies the MIME type of the script as well as the **scripting language** used in the script—in this case, a text file written in `javascript`. In HTML5, the default MIME type for a `<script>` is "`text/html`", so you can omit the `type` attribute from your `<script>` tags. We've introduced this here, because you'll see it in legacy HTML documents with embedded JavaScripts.

### ***Strings***

Lines 11–12 instruct the browser's JavaScript interpreter to perform an **action**, namely, to display in the web page the **string** of characters contained between the **double quotation ("") marks** (also called a **string literal**). Individual white-space characters between words in a string are *not* ignored by the browser. However, if consecutive spaces appear in a string,

browsers condense them to a single space. Also, browsers ignore *leading white-space characters* (i.e., white space at the beginning of a string).



### Software Engineering Observation 6.1

*Strings in JavaScript can be enclosed in either double quotation marks ("") or single quotation marks ('').*

#### *Using the document Object*

Lines 11–12 use the browser’s **document object**, which represents the HTML5 document the browser is currently displaying. This object allows you to specify text to display in the HTML5 document. The browser creates a set of objects that allow you to access and manipulate *every* element of an HTML5 document. In the next several chapters, we overview some of these objects as we discuss the Document Object Model (DOM).

An object resides in the computer’s memory and contains information used by the script. The term **object** normally implies that **attributes (data)** and **behaviors (methods)** are associated with the object. The object’s methods use the attributes to perform useful actions for the **client of the object** (i.e., the script that calls the methods). A method may require additional information (**arguments**) to perform its actions; this information is enclosed in parentheses after the name of the method in the script. In lines 11–12, we call the **document object’s writeln method** to write a line of HTML5 markup in the HTML5 document. The parentheses following the method name `writeln` contain the one argument that method `writeln` requires (in this case, the string of HTML5 that the browser is to display). Method `writeln` instructs the browser to write the argument string into the web page for rendering. If the string contains HTML5 elements, the browser interprets these elements and renders them on the screen. In this example, the browser displays the phrase `Welcome to JavaScript Programming!` as an **h1**-level HTML5 heading, because the phrase is enclosed in an **h1** element.

#### *Statements*

The code elements in lines 11–12, including `document.writeln`, its argument in the parentheses (the string) and the **semicolon** (;), together are called a **statement**. Every statement ends with a semicolon (also known as the **statement terminator**)—although this practice is *not* required by JavaScript, it’s recommended as a way of avoiding subtle problems. Line 14 indicates the end of the script. In line 15, the tags `<body>` and `</body>` specify that this HTML5 document has an empty body.



### Good Programming Practice 6.1

*Terminate every statement with a semicolon. This notation clarifies where one statement ends and the next statement begins.*



### Common Programming Error 6.1

*Forgetting the ending </script> tag for a script may prevent the browser from interpreting the script properly and may prevent the HTML5 document from loading properly.*

Open the HTML5 document in your browser. If the script contains no syntax errors, it should produce the output shown in Fig. 6.1.



### Common Programming Error 6.2

*JavaScript is case sensitive. Not using the proper uppercase and lowercase letters is a syntax error. A syntax error occurs when the script interpreter cannot recognize a statement. The interpreter normally issues an error message to help you locate and fix the incorrect statement. Syntax errors are violations of the rules of the programming language. The interpreter notifies you of a syntax error when it attempts to execute the statement containing the error. Each browser has its own way to display JavaScript Errors. For example, Firefox has the Error Console (in its Web Developer menu) and Chrome has the JavaScript console (in its Tools menu). To view script errors in IE9, select Internet Options... from the Tools menu. In the dialog that appears, select the Advanced tab and click the checkbox labeled Display a notification about every script error under the Browsing category.*



### Error-Prevention Tip 6.1

*When the interpreter reports a syntax error, sometimes the error is not in the line indicated by the error message. First, check the line for which the error was reported. If that line does not contain errors, check the preceding several lines in the script.*

#### *A Note About `document.write`*

In this example, we displayed an `h1` HTML5 element in the web browser by using `document.write` to write the element into the web page. For simplicity in Chapters 6–9, we'll continue to do this as we focus on presenting fundamental JavaScript programming concepts. Typically, you'll display content by modifying an existing element in a web page—a technique we'll begin using in Chapter 10.

#### *A Note About Embedding JavaScript Code into HTML5 Documents*

In Section 4.5, we discussed the benefits of placing CSS3 code in external style sheets and linking them to your HTML5 documents. For similar reasons, JavaScript code is typically placed in a separate file, then included in the HTML5 document that uses the script. This makes the code more reusable, because it can be included into any HTML5 document—as is the case with the many JavaScript libraries used in professional web development today. We'll begin separating both CSS3 and JavaScript into separate files starting in Chapter 10.

## 6.3 Modifying Your First Script

This section continues our introduction to JavaScript programming with two examples that modify the example in Fig. 6.1.

#### *Displaying a Line of Colored Text*

A script can display `Welcome to JavaScript Programming!` in many ways. Figure 6.2 displays the text in magenta, using the CSS `color` property. Most of this example is identical to Fig. 6.1, so we concentrate only on lines 11–13 of Fig. 6.2, which display one line of text in the document. The first statement uses `document` method `write` to display a string. Unlike `writeln`, `write` does not position the output cursor in the HTML5 document at the beginning of the next line after writing its argument. [Note: The output cursor keeps track of where the next character appears in the document's markup, not where the next character appears in the web page as rendered by the browser.] The next character written in the document appears immediately after the last character written with `write`. Thus, when lines 12–13 execute, the first character written, “W,” appears immediately after the last character displayed

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 6.2: welcome2.html -->
4  <!-- Printing one line with multiple statements. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Printing a Line with Multiple Statements</title>
9          <script type = "text/javascript">
10         <!--
11             document.write( "<h1 style = 'color: magenta'>" );
12             document.write( "Welcome to JavaScript " +
13                 "Programming!</h1>" );
14         // -->
15     </script>
16     </head><body></body>
17 </html>

```



**Fig. 6.2** | Printing one line with separate statements.

with `write` (the `>` character inside the right double quote in line 11). Each `write` or `writeln` statement resumes writing characters where the last `write` or `writeln` statement stopped writing characters. So, after a `writeln` statement, the next output appears on the beginning of the next line. Thus, the two statements in lines 11–13 result in one line of HTML5 text. Remember that statements in JavaScript are separated by semicolons (`;`). Therefore, lines 12–13 represent only one complete statement. JavaScript allows large statements to be split over many lines. The `+` operator (called the “concatenation operator” when used in this manner) in line 12 joins two strings together—it’s explained in more detail later in this chapter.



### Common Programming Error 6.3

*Splitting a JavaScript statement in the middle of a string is a syntax error.*

The preceding discussion has nothing to do with the actual *rendering* of the HTML5 text. Remember that the browser does *not* create a new line of text unless the browser window is too narrow for the text being rendered or the browser encounters an HTML5 element that explicitly starts a new line—for example, `<p>` to start a new paragraph.



### Common Programming Error 6.4

*Many people confuse the writing of HTML5 text with the rendering of HTML5 text. Writing HTML5 text creates the HTML5 that will be rendered by the browser for presentation to the user.*

### Nesting Quotation Marks

Recall that a string can be delimited by single (' ) or double (" ) quote characters. Within a string, you can't nest quotes of the same type, but you can nest quotes of the other type. A string that's delimited by double quotes, can contain single quotes. Similarly, a string that's delimited by single quotes, can contain nested double quotes. Line 11 nests single quotes inside a double-quoted string to quote the `style` attribute's value in the `h1` element.

### Displaying Text in an Alert Dialog


The first two scripts in this chapter display text in the HTML5 document. Sometimes it's useful to display information in windows called **dialogs** (or **dialog boxes**) that "pop up" on the screen to grab the user's attention. Dialogs typically display important messages to users browsing the web page. JavaScript allows you easily to display a dialog box containing a message. The script in Fig. 6.3 displays `Welcome to JavaScript Programming!` as three lines in a predefined dialog called an **alert** dialog.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 6.3: welcome3.html -->
4  <!-- Alert dialog displaying multiple lines. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Printing Multiple Lines in a Dialog Box</title>
9          <script type = "text/javascript">
10             <!--
11                 window.alert( "Welcome to\nJavaScript\nProgramming!" );
12             // -->
13         </script>
14     </head>
15     <body>
16         <p>Click Refresh (or Reload) to run this script again.</p>
17     </body>
18 </html>
```

---



**Fig. 6.3** | Alert dialog displaying multiple lines.

### The `window` Object

Line 11 in the script uses the browser's `window` object to display an alert dialog. The argument to the `window` object's `alert` method is the string to display. Executing the preceding statement displays the dialog shown in Fig. 6.3. The **title bar** of this Chrome dialog contains the string **JavaScript Alert** to indicate that the browser is presenting a message to the user. The dialog provides an **OK** button that allows the user to **dismiss** (i.e., **close**) the dialog by clicking the button. To dismiss the dialog, position the **mouse cursor** (also called

the mouse pointer) over the **OK** button and click the mouse, or simply press the *Enter* key. The contents of the dialog vary by browser. You can refresh the page to run the script again.

### *Escape Sequences*

The `alert` dialog in this example contains three lines of plain text. Normally, a dialog displays a string's characters exactly as they appear. However, the dialog does not display the characters `\n` (line 11). The **backslash** (\) in a string is an **escape character**. It indicates that a “special” character is to be used in the string. When a backslash is encountered in a string, the next character is combined with the backslash to form an **escape sequence**. The escape sequence `\n` is the **newline character**, which causes the **cursor** (i.e., the current screen position indicator) to move to the beginning of the *next* line in the dialog. Some other common JavaScript escape sequences are listed in Fig. 6.4. The `\n` and `\t` escape sequences in the table do not affect HTML5 rendering unless they're in a **pre** element (this element displays the text between its tags in a fixed-width font exactly as it's formatted between the tags, including leading white-space characters and consecutive white-space characters).

| Escape sequence  | Description   |
|------------------|---|
| <code>\n</code>  | <i>New line</i> —position the screen cursor at the beginning of the next line.  |
| <code>\t</code>  | <i>Horizontal tab</i> —move the screen cursor to the next tab stop.   |
| <code>\\"</code> | <i>Backslash</i> —used to represent a backslash character in a string.  |
| <code>\\"</code> | <i>Double quote</i> —used to represent a double-quote character in a string contained in double quotes. For example,<br><code>window.alert( \"in double quotes\" );</code><br>displays "in double quotes" in an alert dialog. |
| <code>\'</code>  | <i>Single quote</i> —used to represent a single-quote character in a string. For example,<br><code>window.alert( '\'in single quotes\' );</code><br>displays 'in single quotes' in an alert dialog.                           |

**Fig. 6.4** | Some common escape sequences.

## 6.4 Obtaining User Input with `prompt` Dialogs

Scripting gives you the ability to generate part or all of a web page's content at the time it's shown to the user. A script can adapt the content based on input from the user or other variables, such as the time of day or the type of browser used by the client. Such web pages are said to be *dynamic*, as opposed to *static*, since their content has the ability to change. The next two subsections use scripts to demonstrate dynamic web pages.

### 6.4.1 Dynamic Welcome Page

Our next script creates a dynamic welcome page that obtains the user's name, then displays it on the page. The script uses another *predefined* dialog box from the `window` object—a **prompt** dialog—which allows the user to enter a value that the script can use. The script

asks the user to enter a name, then displays the name in the HTML5 document. Figure 6.5 presents the script and sample output. In later chapters, we'll obtain inputs via GUI components in HTML5 forms, as introduced in Chapters 2–3.]

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 6.5: welcome4.html -->
4  <!-- Prompt box used on a welcome screen -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Using Prompt and Alert Boxes</title>
9          <script type = "text/javascript">
10         <!--
11             var name; // string entered by the user
12
13             // read the name from the prompt box as a string
14             name = window.prompt( "Please enter your name" );
15
16             document.writeln( "<h1>Hello " + name +
17                 ", welcome to JavaScript programming!</h1>" );
18             // --
19         </script>
20     </head><body></body>
21 </html>
```



**Fig. 6.5** | Prompt box used on a welcome screen.

### *Declarations, Keywords and Variables*

Line 11 is a **declaration** that contains the JavaScript keyword `var`. Keywords are words that have special meaning in JavaScript. The keyword `var` at the beginning of the statement indicates that the word `name` is a **variable**. A variable is a location in the computer's memory where a value can be stored for use by a script. All variables have a *name* and *value*, and should be declared with a `var` statement before they're used in a script.

### *Identifiers and Case Sensitivity*

The name of a variable can be any valid **identifier**. An identifier is a series of characters consisting of letters, digits, underscores (`_`) and dollar signs (`$`) that does *not* begin with a digit and is *not* a reserved JavaScript keyword. [Note: A complete list of reserved keywords can be found in Fig. 7.2.] Identifiers may *not* contain spaces. Some valid identifiers are `Welcome`, `$value`, `_value`, `m_inputField1` and `button7`. The name `7button` is not a valid identifier, because it begins with a digit, and the name `input field` is not valid, because it contains a space. Remember that JavaScript is **case sensitive**—uppercase and lowercase letters are considered to be different characters, so `name`, `Name` and `NAME` are different identifiers.



#### **Good Programming Practice 6.2**

*Choosing meaningful variable names helps a script to be “self-documenting” (i.e., easy to understand by simply reading the script).*



#### **Good Programming Practice 6.3**

*By convention, variable-name identifiers begin with a lowercase first letter. Each subsequent word should begin with a capital first letter. For example, identifier `itemPrice` has a capital P in its second word, `Price`.*



#### **Common Programming Error 6.5**

*Splitting a statement in the middle of an identifier is a syntax error.*

Declarations end with a *semicolon* and can be split over several lines with each variable in the declaration separated by a *comma*—known as a **comma-separated list** of variable names. Several variables may be declared either in one or in multiple declarations.

### *JavaScript Comments*

It's helpful to indicate the purpose of each variable in the script by placing a JavaScript comment at the end of each line in the declaration. In line 11, a **single-line comment** that begins with the characters `//` states the purpose of the variable in the script. This form of comment is called a single-line comment because it terminates at the end of the line in which it appears. A `//` comment can begin at any position in a line of JavaScript code and continues until the end of the line. Comments do not cause the browser to perform any action when the script is interpreted; rather, comments are *ignored* by the JavaScript interpreter.



#### **Good Programming Practice 6.4**

*Although it's not required, declare each variable on a separate line. This allows for easy insertion of a comment next to each declaration. This is a widely followed professional coding standard.*

### *Multiline Comments*

You can also write **multiline comments**. For example,


```
/* This is a multiline
comment. It can be
split over many lines. */
```

is a multiline comment spread over several lines. Such comments begin with the delimiter `/*` and end with the delimiter `*/`. All text between the delimiters of the comment is *ignored* by the interpreter.

JavaScript adopted comments delimited with `/*` and `*/` from the C programming language and single-line comments delimited with `//` from the C++ programming language. JavaScript programmers generally prefer C++-style single-line comments over C-style comments. Throughout this book, we use C++-style single-line comments.

### **window Object's `prompt` Method**

Line 13 is a comment indicating the purpose of the statement in the next line. Line 14 calls the `window` object's `prompt` method, which displays the dialog in Fig. 6.6. The dialog allows the user to enter a string representing the user's name.



**Fig. 6.6** | Prompt dialog displayed by the `window` object's `prompt` method.

The argument to `prompt` specifies a message telling the user what to type in the text field. This message is called a *prompt* because it directs the user to take a specific action. An optional second argument, separated from the first by a comma, may specify the default string displayed in the text field; our code does not supply a second argument. In this case, most browsers leave the text field empty, and Internet Explorer displays the default value `undefined`. The user types characters in the text field, then clicks the `OK` button to submit the string to the script. We normally receive input from a user through a GUI component such as the `prompt` dialog, as in this script, or through an HTML5 form GUI component, as we'll see in later chapters.

The user can type anything in the text field of the `prompt` dialog. For this script, whatever the user enters is considered the name. If the user clicks the `Cancel` button, no string value is sent to the script. Instead, the `prompt` dialog submits the value `null`, a JavaScript keyword signifying that a variable has no value. Note that `null` is not a string literal, but rather a predefined term indicating the absence of value. Writing a `null` value to the document, however, displays the word `null` in the web page.

### **Assignment Operator**

The statement in line 14 *assigns* the value returned by the `window` object's `prompt` method (a string containing the characters typed by the user—or the default value or `null` if the `Cancel` button is clicked) to variable `name` by using the **assignment operator**, `=`. The statement is read as, “`name` gets the value returned by `window.prompt("Please enter your name")`.” The `=`

operator is called a **binary operator** because it has *two operands*—name and the result of the expression `window.prompt("Please enter your name")`. This entire statement is called an **assignment** because it assigns a value to a variable. The expression to the right of the assignment operator is always evaluated *first*.



### Good Programming Practice 6.5

*Place a space on each side of a binary operator. This format makes the operator stand out and makes the script more readable.*

#### *String Concatenation*

Lines 16–17 use `document.write` to display the new welcome message. The expression inside the parentheses uses the operator + to “add” a string (the literal "`<h1>Hello,` "), the variable name (the string that the user entered in line 14) and another string (the literal "`, welcome to JavaScript programming!</h1>`"). JavaScript has a version of the + operator for **string concatenation** that enables a string and a value of another data type (including another string) to be combined. The result of this operation is a new (and normally longer) string. If we assume that `name` contains the string literal "Jim", the expression evaluates as follows: JavaScript determines that the two operands of the first + operator (the string "`<h1>Hello,` " and the value of variable `name`) are both strings, then concatenates the two into one string. Next, JavaScript determines that the two operands of the second + operator (the result of the first concatenation operation, the string "`<h1>Hello, Jim`", and the string "`, welcome to JavaScript programming!</h1>`") are both strings and concatenates the two. This results in the string "`<h1>Hello, Jim, welcome to JavaScript programming!</h1>`". The browser renders this string as part of the HTML5 document. Note that the space between `Hello`, and `Jim` is part of the string "`<h1>Hello,` ".

As you’ll see later, the + operator used for string concatenation can convert other variable types to strings if necessary. Because string concatenation occurs between two strings, JavaScript must convert other variable types to strings before it can proceed with the operation. For example, if a variable `age` has an integer value equal to 21, then the expression "`my age is " + age`" evaluates to the string "`my age is 21`". JavaScript converts the value of `age` to a string and concatenates it with the existing string literal "`my age is` ".

After the browser interprets the `<head>` section of the HTML5 document (which contains the JavaScript), it then interprets the `<body>` of the HTML5 document (which is empty; line 20) and renders the HTML5. The HTML5 page is *not* rendered until the prompt is dismissed because the prompt pauses execution in the head, before the body is processed. If you reload the page after entering a name, the browser will execute the script again and so you can change the name.

#### 6.4.2 Adding Integers

Our next script illustrates another use of `prompt` dialogs to obtain input from the user. Figure 6.7 inputs two *integers* (whole numbers, such as 7, -11, 0 and 31914) typed by a user at the keyboard, computes the sum of the values and displays the result.

Lines 11–15 declare the variables `firstNumber`, `secondNumber`, `number1`, `number2` and `sum`. Single-line comments state the purpose of each of these variables. Line 18 employs a `prompt` dialog to allow the user to enter a string representing the first of the two integers that will be added. The script assigns the first value entered by the user to the vari-

able `firstNumber`. Line 21 displays a `prompt` dialog to obtain the second number to add and assigns this value to the variable `secondNumber`.

```
1 <!DOCTYPE html>
2
3 <!-- Fig. 6.7: addition.html -->
4 <!-- Addition script. -->
5 <html>
6   <head>
7     <meta charset = "utf-8">
8     <title>An Addition Program</title>
9     <script type = "text/javascript">
10       <!--
11       var firstNumber; // first string entered by user
12       var secondNumber; // second string entered by user
13       var number1; // first number to add
14       var number2; // second number to add
15       var sum; // sum of number1 and number2
16
17       // read in first number from user as a string
18       firstNumber = window.prompt( "Enter first integer" );
19
20       // read in second number from user as a string
21       secondNumber = window.prompt( "Enter second integer" );
22
23       // convert numbers from strings to integers
24       number1 = parseInt( firstNumber );
25       number2 = parseInt( secondNumber );
26
27       sum = number1 + number2; // add the numbers
28
29       // display the results
30       document.writeln( "<h1>The sum is " + sum + "</h1>" );
31       // --
32     </script>
33   </head><body></body>
34 </html>
```




Fig. 6.7 | Addition script. (Part I of 2.)



**Fig. 6.7** | Addition script. (Part 2 of 2.)

As in the preceding example, the user can type anything in the `prompt` dialog. For this script, if the user either types a non-integer value or clicks the `Cancel` button, a logic error will occur, and the sum of the two values will appear in the HTML5 document as `NaN` (meaning **not a number**). A logic error is caused by syntactically correct code that produces an incorrect result. In Chapter 11, we discuss the `Number` object and its methods that can determine whether a value is a number.

Recall that a `prompt` dialog returns to the script as a string the value typed by the user. Lines 24–25 convert the two strings input by the user to integer values that can be used in a calculation. Function `parseInt` converts its string argument to an integer. Line 24 assigns to the variable `number1` the integer that function `parseInt` returns. Similarly, line 25 assigns an integer value to variable `number2`. Any subsequent references to `number1` and `number2` in the script use these integer values. We refer to `parseInt` as a **function** rather than a method because we do not precede the function call with an object name (such as `document` or `window`) and a dot (`.`). The term **method** means that the function belongs to a particular object. For example, method `writeln` belongs to the `document` object and method `prompt` belongs to the `window` object.

Line 27 calculates the sum of the variables `number1` and `number2` using the **addition operator**, `+`, and assigns the result to variable `sum` by using the assignment operator, `=`. Notice that the `+` operator can perform both addition and string concatenation. In this case, the `+` operator performs addition, because *both* operands contain integers. After line 27 performs this calculation, line 30 uses `document.writeln` to display the result of the addition on the web page.



### Common Programming Error 6.6

Confusing the `+` operator used for string concatenation with the `+` operator used for addition often leads to undesired results. For example, if integer variable `y` has the value 5, the expression `"y + 2 = " + y + 2` results in `"y + 2 = 52"`, not `"y + 2 = 7"`, because first the value of `y` (i.e., 5) is concatenated with the string `"y + 2 = "`, then the value 2 is concatenated with the new, larger string `"y + 2 = 5"`. The expression `"y + 2 = " + (y + 2)` produces the string `"y + 2 = 7"` because the parentheses ensure that `y + 2` is calculated.

### Validating JavaScript

As discussed in the Preface, we validated our code using HTML5, CSS3 and JavaScript validation tools. Browsers are generally forgiving and don't typically display error messages to the user. As a programmer, you should thoroughly test your web pages and validate them. Validation tools report two types of messages—*errors* and *warnings*. Typically, you must resolve errors; otherwise, your web pages probably won't render or execute correctly.

Pages with warnings normally render and execute correctly; however, some organizations have strict protocols indicating that all pages must be free of both warnings and errors before they can be posted on a live website.

When you validate this example at [www.javascriptlint.com](http://www.javascriptlint.com), lines 24–25 produce the warning message:

```
parseInt missing radix parameter
```

Function `parseInt` has an optional second parameter, known as the *radix*, that specifies the base number system that's used to parse the number (e.g., 8 for octal, 10 for decimal and 16 for hexadecimal). The default is base 10, but you can specify any base from 2 to 32. For example, the following statement indicates that `firstNumber` should be treated as a decimal (base 10) integer:

```
number1 = parseInt( firstNumber, 10 );
```

This prevents numbers in other formats like octal (base 8) from being converted to incorrect values.

## 6.5 Memory Concepts

Variable names such as `number1`, `number2` and `sum` actually correspond to **locations** in the computer's memory. Every variable has a **name**, a **type** and a **value**.

In the addition script in Fig. 6.7, when line 24 executes, the string `firstNumber` (previously entered by the user in a `prompt` dialog) is converted to an integer and placed into a memory location to which the name `number1` has been assigned by the interpreter. Suppose the user entered the string 45 as the value for `firstNumber`. The script converts `firstNumber` to an integer, and the computer places the integer value 45 into location `number1`, as shown in Fig. 6.8. Whenever a value is placed in a memory location, the value *replaces* the previous value in that location. The previous value is lost.



**Fig. 6.8** | Memory location showing the name and value of variable `number1`.

Suppose that the user enters 72 as the second integer. When line 25 executes, the script converts `secondNumber` to an integer and places that integer value, 72, into location `number2`; then the memory appears as shown in Fig. 6.9.




**Fig. 6.9** | Memory locations after inputting values for variables `number1` and `number2`.

Once the script has obtained values for `number1` and `number2`, it adds the values and places the sum into variable `sum`. The statement

```
sum = number1 + number2;
```

performs the addition and also replaces `sum`'s previous value. After `sum` is calculated, the memory appears as shown in Fig. 6.10. Note that the values of `number1` and `number2` appear exactly as they did before they were used in the calculation of `sum`. These values were used, but not destroyed, when the computer performed the calculation—when a value is read from a memory location, the process is *nondestructive*.



**Fig. 6.10** | Memory locations after calculating the `sum` of `number1` and `number2`.

### Data Types in JavaScript

Unlike its predecessor languages C, C++ and Java, *JavaScript does not require variables to have a declared type before they can be used in a script*. A variable in JavaScript can contain a value of *any* data type, and in many situations JavaScript automatically converts between values of different types for you. For this reason, JavaScript is referred to as a **loosely typed language**. When a variable is declared in JavaScript, but is not given a value, the variable has an **undefined** value. Attempting to use the value of such a variable is normally a logic error.

When variables are declared, they're not assigned values unless you specify them. Assigning the value `null` to a variable indicates that it does *not* contain a value.

## 6.6 Arithmetic

Many scripts perform arithmetic calculations. Figure 6.11 summarizes the **arithmetic operators**. Note the use of various special symbols not used in algebra. The **asterisk (\*)** indicates multiplication; the **percent sign (%)** is the **remainder operator**, which will be discussed shortly. The arithmetic operators in Fig. 6.11 are *binary* operators, because each operates on *two* operands. For example, the expression `sum + value` contains the binary operator `+` and the two operands `sum` and `value`.

| JavaScript operation | Arithmetic operator | Algebraic expression                               | JavaScript expression |
|----------------------|---------------------|--|-----------------------|
| Addition             | <code>+</code>      | $f + 7$  | <code>f + 7</code>    |
| Subtraction          | <code>-</code>      | $p - c$  | <code>p - c</code>    |
| Multiplication       | <code>*</code>      | $bm$   | <code>b * m</code>    |
| Division             | <code>/</code>      | $x/y \text{ or } \frac{x}{y} \text{ or } x \div y$ | <code>x / y</code>    |
| Remainder            | <code>%</code>      | $r \bmod s$  | <code>r % s</code>    |

**Fig. 6.11** | Arithmetic operators.

### *Remainder Operator, %*

JavaScript provides the remainder operator, `%`, which yields the remainder after division. The expression `x % y` yields the remainder after `x` is divided by `y`. Thus, `17 % 5` yields 2 (i.e., 17 divided by 5 is 3, with a remainder of 2), and `7.4 % 3.1` yields 1.2. In later chapters, we consider applications of the remainder operator, such as determining whether one number is a *multiple* of another. *There's no arithmetic operator for exponentiation in JavaScript.* (Chapter 8 shows how to perform exponentiation in JavaScript using the `Math` object's `pow` method.)

Arithmetic expressions in JavaScript must be written in straight-line form to facilitate entering scripts into the computer. Thus, expressions such as “`a` divided by `b`” must be written as `a / b`, so that all constants, variables and operators appear in a *straight line*. The following algebraic notation is generally *not* acceptable to computers:

$$\frac{a}{b}$$

Parentheses are used to *group* expressions in the same manner as in algebraic expressions. For example, to multiply `a` times the quantity `b + c` we write:

$$a * (b + c)$$

### *Operator Precedence*

JavaScript applies the operators in arithmetic expressions in a precise sequence determined by the following **rules of operator precedence**, which are generally the same as those followed in algebra:

1. Multiplication, division and remainder operations are applied *first*. If an expression contains several multiplication, division and remainder operations, operators are applied from *left to right*. Multiplication, division and remainder operations are said to have the *same level of precedence*.
2. Addition and subtraction operations are applied next. If an expression contains several addition and subtraction operations, operators are applied from *left to right*. Addition and subtraction operations have the *same level of precedence*.

The rules of operator precedence enable JavaScript to apply operators in the correct order. When we say that operators are applied from *left to right*, we're referring to the **associativity** of the operators—the *order* in which operators of equal priority are evaluated. We'll see that some operators associate from *right to left*. Figure 6.12 summarizes the rules of operator precedence. The table in Fig. 6.12 will be expanded as additional JavaScript operators are introduced. A complete precedence chart is included in Appendix C.

| Operator(s)            | Operation(s)                            | Order of evaluation (precedence)   |
|------------------------|---|--|
| <code>*, / or %</code> | Multiplication<br>Division<br>Remainder | Evaluated first. If there are several such operations, they're evaluated from left to right. |
| <code>+ or -</code>    | Addition<br>Subtraction                 | Evaluated last. If there are several such operations, they're evaluated from left to right.  |

**Fig. 6.12** | Precedence of arithmetic operators.

Let's consider several algebraic expressions. Each example lists an algebraic expression and the equivalent JavaScript expression.

The following is an example of an arithmetic mean (average) of five terms:

Algebra:  $m = \frac{a + b + c + d + e}{5}$

JavaScript: `m = ( a + b + c + d + e ) / 5;`

Parentheses are required to group the addition operators, because division has higher precedence than addition. The *entire quantity* ( $a + b + c + d + e$ ) is to be divided by 5. If the parentheses are erroneously omitted, we obtain  $a + b + c + d + e / 5$ , which evaluates as

$$a + b + c + d + \frac{e}{5}$$

and would not lead to the correct answer.

The following is an example of the equation of a straight line:

Algebra:  $y = mx + b$

JavaScript: `y = m * x + b;`

No parentheses are required. The multiplication operator is applied first, because multiplication has a higher precedence than addition. The assignment occurs last, because it has a lower precedence than multiplication and addition.

As in algebra, it's acceptable to use *unnecessary parentheses* in an expression to make the expression clearer. These are also called **redundant parentheses**. For example, the preceding second-degree polynomial might be parenthesized as follows:

$$y = ( a * x * x ) + ( b * x ) + c;$$

## 6.7 Decision Making: Equality and Relational Operators

This section introduces a version of JavaScript's **`if`** statement that allows a script to make a decision based on the truth or falsity of a **condition**. If the condition is met (i.e., the condition is *true*), the statement in the body of the `if` statement is executed. If the condition is *not* met (i.e., the condition is *false*), the statement in the body of the `if` statement is *not* executed. We'll see an example shortly.

Conditions in `if` statements can be formed by using the **equality operators** and **relational operators** summarized in Fig. 6.13. The relational operators all have the *same* level of precedence and associate from left to right. The equality operators both have the same level of precedence, which is lower than the precedence of the relational operators. The equality operators also associate from left to right. Each comparison results in a value of `true` or `false`.



### Common Programming Error 6.7

Confusing the equality operator, `==`, with the assignment operator, `=`, is a logic error. The equality operator should be read as "is equal to," and the assignment operator should be read as "gets" or "gets the value of." Some people prefer to read the equality operator as "double equals" or "equals equals."

| Standard algebraic equality operator or relational operator | JavaScript equality or relational operator | Sample JavaScript condition | Meaning of JavaScript condition |
|---|--|-----------------------------|---------------------------------|
| <i>Equality operators</i>                                   |  |                             |                                 |
| =   | ==   | x == y                      | x is equal to y                 |
| ≠   | !=   | x != y                      | x is not equal to y             |
| <i>Relational operators</i>                                 |  |                             |                                 |
| >   | >  | x > y                       | x is greater than y             |
| <   | <  | x < y                       | x is less than y                |
| ≥   | ≥  | x ≥ y                       | x is greater than or equal to y |
| ≤   | ≤  | x ≤ y                       | x is less than or equal to y    |

**Fig. 6.13** | Equality and relational operators.

The script in Fig. 6.14 uses four **if** statements to display a time-sensitive greeting on a welcome page. The script obtains the local time from the user's computer and converts it from 24-hour clock format (0–23) to a 12-hour clock format (0–11). Using this value, the script displays an appropriate greeting for the current time of day. The script and sample output are shown in Fig. 6.14. Lines 11–13 declare the variables used in the script. Also note that JavaScript allows you to assign a value to a variable when it's declared.

### *Creating and Using a New Date Object*

Line 12 sets the variable **now** to a new **Date** object, which contains information about the current local time. In Section 6.2, we introduced the **document** object, which encapsulates data pertaining to the current web page. Here, we use JavaScript's built-in **Date** object to acquire the current local time. We create a new object by using the **new** operator followed by the type of the object, in this case **Date**, and a pair of parentheses. Some objects require that arguments be placed in the parentheses to specify details about the object to be created. In

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 6.14: welcome5.html -->
4  <!-- Using equality and relational operators. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Using Relational Operators</title>
9          <script type = "text/javascript">
10             <!--
11             var name; // string entered by the user
12             var now = new Date(); // current date and time
13             var hour = now.getHours(); // current hour (0-23)
14
15             // read the name from the prompt box as a string
16             name = window.prompt( "Please enter your name" );

```


---

**Fig. 6.14** | Using equality and relational operators. (Part 1 of 2.)

```

17          // determine whether it's morning
18      if ( hour < 12 )
19          document.write( "<h1>Good Morning, " );
20
21
22      // determine whether the time is PM
23      if ( hour >= 12 )
24      {
25          // convert to a 12-hour clock
26          hour = hour - 12;
27
28          // determine whether it is before 6 PM
29          if ( hour < 6 )
30              document.write( "<h1>Good Afternoon, " );
31
32          // determine whether it is after 6 PM
33          if ( hour >= 6 )
34              document.write( "<h1>Good Evening, " );
35      } // end if
36
37      document.writeln( name +
38          ", welcome to JavaScript programming!</h1>" );
39      // -->
40      </script>
41  </head><body></body>
42 </html>

```



**Fig. 6.14** | Using equality and relational operators. (Part 2 of 2.)

in this case, we leave the parentheses empty to create a *default* Date object containing information about the current date and time. After line 12 executes, the variable now refers to the new Date object. We did not need to use the new operator when we used the document and window objects because these objects always are created by the browser. Line 13 sets the variable hour to an integer equal to the current hour (in a 24-hour clock format) returned by the Date object's getHours method. Chapter 11 presents a more detailed discussion of the Date object's attributes and methods, and of objects in general. The script uses window.prompt to allow the user to enter a name to display as part of the greeting (line 16).

#### *Decision-Making with the if Statement*

To display the correct time-sensitive greeting, the script must determine whether the user is visiting the page during the morning, afternoon or evening. The first if statement (lines

19–20) compares the value of variable `hour` with 12. If `hour` is less than 12, then the user is visiting the page during the morning, and the statement at line 20 outputs the string "Good morning". If this condition is not met, line 20 is not executed. Line 23 determines whether `hour` is greater than or equal to 12. If `hour` is greater than or equal to 12, then the user is visiting the page in either the afternoon or the evening. Lines 24–35 execute to determine the appropriate greeting. If `hour` is less than 12, then the JavaScript interpreter does not execute these lines and continues to line 37.

### ***Blocks and Decision-Making with Nested if Statements***

The brace { in line 24 begins a **block** of statements (lines 24–35) that are executed together if `hour` is greater than or equal to 12. Line 26 subtracts 12 from `hour`, converting the current hour from a 24-hour clock format (0–23) to a 12-hour clock format (0–11). The `if` statement (line 29) determines whether `hour` is now less than 6. If it is, then the time is between noon and 6 PM, and line 30 outputs the beginning of an HTML5 `h1` element ("<h1>Good Afternoon, "). If `hour` is greater than or equal to 6, the time is between 6 PM and midnight, and the script outputs the greeting "Good Evening" (lines 33–34). The brace } in line 35 ends the block of statements associated with the `if` statement in line 23. Note that `if` statements can be **nested**—one `if` statement can be placed *inside* another. The `if` statements that determine whether the user is visiting the page in the afternoon or the evening (lines 29–30 and lines 33–34) execute only if the script has already established that `hour` is greater than or equal to 12 (line 23). If the script has already determined the current time of day to be morning, these additional comparisons are not performed. Chapter 7 discusses blocks and nested `if` statements. Finally, lines 37–38 output the rest of the HTML5 `h1` element (the remaining part of the greeting), which does not depend on the time of day.



#### **Good Programming Practice 6.6**

*Include comments after the closing curly brace of control statements (such as if statements) to indicate where the statements end, as in line 35 of Fig. 6.14.*

Note the *indentation* of the `if` statements throughout the script. Such indentation enhances script readability.



#### **Good Programming Practice 6.7**

*Indent the statement in the body of an if statement to make the body of the statement stand out and to enhance script readability.*

### ***The Empty Statement***

Note that there's *no* semicolon (;) at the end of the first line of each `if` statement. Including such a semicolon would result in a *logic error* at execution time. For example,

```
if ( hour < 12 ) ;
    document.write( "<h1>Good Morning, " );
```

would actually be interpreted by JavaScript erroneously as

```
if ( hour < 12 )
;
document.write( "<h1>Good Morning, " );
```

where the semicolon on the line by itself—called the **empty statement**—is the statement to execute if the condition in the `if` statement is true. When the empty statement executes, no task is performed in the script. The script then continues with the next statement, which executes regardless of whether the condition is true or false. In this example, "`<h1>Good Morning, "` would be printed *regardless* of the time of day.



### Error-Prevention Tip 6.2

*A lengthy statement may be spread over several lines. If a single statement must be split across lines, choose breaking points that make sense, such as after a comma in a comma-separated list or after an operator in a lengthy expression. If a statement is split across two or more lines, indent all subsequent lines.*

### Validating This Example's Script

When you validate this example with [www.javascriptlint.com](http://www.javascriptlint.com), the following warning message is displayed for the `if` statements in lines 19, 29 and 33:

```
block statement without curly braces
```

You saw that an `if` statement's body may contain multiple statements in a block that's delimited by curly braces (lines 23–35). The curly braces are not required for an `if` statement that has a one-statement body, such as the ones in lines 19, 29 and 33. Many programmers consider it a good practice to enclose *every* `if` statement's body in curly braces—in fact, many organizations require this. For this reason, the validator issues the preceding warning message. You can eliminate this example's warning messages by enclosing the `if` statement bodies in curly braces. For example, the `if` at lines 19–20 can be written as:

```
if ( hour < 12 )
{
    document.write( "<h1>Good Morning, " );
```

### The Strict Equals (==) and Strict Does Not Equal (!==) Operators

As we mentioned in Section 6.5, JavaScript can convert between types for you. This includes cases in which you're comparing values. For example, the comparison `"75" == 75` yields the value `true` because JavaScript converts the string `"75"` to the number `75` before performing the equality (`==`) comparison. To prevent implicit conversions in comparisons, which can lead to unexpected results, JavaScript provides the **strict equals** (`==`) and **strict does not equal** (`!=`) operators. The comparison `"75" === 75` yields the value `false` because one operand is a string and the other is a number. Similarly, `75" !== 75` yields `true` because the operand's types are not equal, therefore the values are not equal. If you do not use these operators when comparing values to `null`, `0`, `true`, `false` or the empty string (`""`), [javascriptlint.com](http://javascriptlint.com)'s JavaScript validator displays warnings of potential implicit conversions.

### Operator Precedence Chart

The chart in Fig. 6.15 shows the precedence of the operators introduced in this chapter. The operators are shown from top to bottom in decreasing order of precedence. Note that all of these operators, with the exception of the assignment operator, `=`, associate from left to right. Addition is left associative, so an expression like `x + y + z` is evaluated as if it had

been written as  $(x + y) + z$ . The assignment operator,  $=$ , associates from right to left, so an expression like  $x = y = 0$  is evaluated as if it had been written as  $x = (y = 0)$ , which first assigns the value 0 to variable  $y$ , then assigns the result of that assignment, 0, to  $x$ .



### Good Programming Practice 6.8

*Refer to the operator precedence chart when writing expressions containing many operators. Confirm that the operations are performed in the order in which you expect them to be performed. If you're uncertain about the order of evaluation, use parentheses to force the order, exactly as you would do in algebraic expressions. Be sure to observe that some operators, such as assignment ( $=$ ), associate from right to left rather than from left to right.*

| Operators                | Associativity | Type           |
|--------------------------|---------------|----------------|
| $*$ $/$ $\%$             | left to right | multiplicative |
| $+$ $-$                  | left to right | additive       |
| $<$ $<=$ $>$ $>=$        | left to right | relational     |
| $==$ $!=$ $====$ $!====$ | left to right | equality       |
| $=$                      | right to left | assignment     |

**Fig. 6.15** | Precedence and associativity of the operators discussed so far.

## 6.8 Web Resources

[www.deitel.com/javascript](http://www.deitel.com/javascript)

The Deitel JavaScript Resource Center contains links to some of the best JavaScript resources on the web. There you'll find categorized links to JavaScript tools, code generators, forums, books, libraries, frameworks and more. Also check out the tutorials for all skill levels, from introductory to advanced.

## Summary

### Section 6.1 Introduction

- JavaScript (p. 218) is used to enhance the functionality and appearance of web pages.

### Section 6.2 Your First Script: Displaying a Line of Text with JavaScript in a Web Page

- Often, JavaScripts appear in the `<head>` section of the HTML5 document.
- The browser interprets the contents of the `<head>` section first.
- The `<script>` tag indicates to the browser that the text that follows is part of a script (p. 218). Attribute `type` (p. 219) specifies the MIME type of the scripting language used in the script—such as `text/javascript`.
- A string of characters (p. 219) can be contained between double ("") quotation marks (p. 219).
- A string (p. 219) is sometimes called a character string, a message or a string literal.
- The browser's `document` object (p. 220) represents the HTML5 document the browser is currently displaying. The `document` object allows you to specify HTML5 text to display in the document.
- The browser creates a complete set of objects that allow you to access and manipulate every element of an HTML5 document.

- An object (p. 220) resides in the computer’s memory and contains information used by the script. The term object normally implies that attributes (data) (p. 220) and behaviors (methods) (p. 220) are associated with the object. The object’s methods use the attributes’ data to perform useful actions for the client of the object (i.e., the script that calls the methods).
- The `document` object’s `writeln` method (p. 220) writes a line of HTML5 text in a document.
- Every statement ends with a semicolon (also known as the statement terminator; p. 220), although this practice is not required by JavaScript.
- JavaScript is case sensitive. Not using the proper uppercase and lowercase letters is a syntax error.

### *Section 6.3 Modifying Your First Script*

- Sometimes it’s useful to display information in windows called dialogs (or dialog boxes; p. 223) that “pop up” on the screen to grab the user’s attention. Dialogs typically display important messages to the user browsing the web page.
- The browser’s `window` object (p. 223) uses method `alert` (p. 223) to display an alert dialog.
- The escape sequence `\n` is the newline character (p. 224). It causes the cursor in the HTML5 document to move to the beginning of the next line.

### *Section 7.4 Obtaining User Input with `prompt` Dialogs*

- Keywords (p. 225) are words with special meaning in JavaScript.
- The keyword `var` (p. 225) at the beginning of the statement indicates that the word name is a variable. A variable (p. 225) is a location in the computer’s memory where a value can be stored for use by a script. All variables have a name and value, and should be declared with a `var` statement before they’re used in a script.
- The name of a variable can be any valid identifier consisting of letters, digits, underscores (`_`) and dollar signs (`$`) that does not begin with a digit and is not a reserved JavaScript keyword.
- Declarations end with a semicolon and can be split over several lines with each variable in the declaration separated by a comma—known as a comma-separated list of variable names. Several variables may be declared in one declaration or in multiple declarations.
- It’s helpful to indicate the purpose of a variable in the script by placing a JavaScript comment at the end of the variable’s declaration. A single-line comment (p. 226) begins with the characters `//` and terminates at the end of the line. Comments do not cause the browser to perform any action when the script is interpreted; rather, comments are ignored by the JavaScript interpreter.
- Multiline comments begin with the delimiter `/*` and end with the delimiter `*/`. All text between the delimiters of the comment is ignored by the interpreter.
- The `window` object’s `prompt` method displays a dialog into which the user can type a value. The first argument is a message (called a prompt) that directs the user to take a specific action. An optional second argument, separated from the first by a comma, may specify the default string to be displayed in the text field.
- A variable is assigned a value with an assignment (p. 228), using the assignment operator, `=`. The `=` operator is called a binary operator (p. 228), because it has two operands (p. 228).
- JavaScript has a version of the `+` operator for string concatenation (p. 228) that enables a string and a value of another data type (including another string) to be concatenated.

### *Section 6.5 Memory Concepts*

- Every variable has a name, a type and a value.
- When a value is placed in a memory location, the value replaces the previous value in that location. When a value is read out of a memory location, the process is nondestructive.

- JavaScript does not require variables to have a declared type before they can be used in a script. A variable in JavaScript can contain a value of any data type, and in many situations, JavaScript automatically converts between values of different types for you. For this reason, JavaScript is referred to as a loosely typed language (p. 232).
- When a variable is declared in JavaScript, but is not given a value, it has an undefined value (p. 232). Attempting to use the value of such a variable is normally a logic error.
- When variables are declared, they're not assigned default values, unless you specify them. To indicate that a variable does not contain a value, you can assign the value null to it.

### **Section 6.6 Arithmetic**

- The basic arithmetic operators (+, -, \*, /, and %; p. 232) are binary operators, because each operates on two operands.
- Parentheses can be used to group expressions in the same manner as in algebraic expressions.
- JavaScript applies the operators in arithmetic expressions in a precise sequence determined by the following rules of operator precedence (p. 233).
- When we say that operators are applied from left to right, we're referring to the associativity of the operators (p. 233). Some operators associate from right to left.

### **Section 6.7 Decision Making: Equality and Relational Operators**

- JavaScript's if statement (p. 234) allows a script to make a decision based on the truth or falsity of a condition. If the condition is met (i.e., the condition is true; p. 234), the statement in the body of the if statement is executed. If the condition is not met (i.e., the condition is false), the statement in the body of the if statement is not executed.
- Conditions in if statements can be formed by using the equality operators (p. 234) and relational operators (p. 234).

## **Self-Review Exercises**

- 6.1** Fill in the blanks in each of the following statements:
- \_\_\_\_\_ begins a single-quote character in a string.
  - Every JavaScript comment should start with a(n) \_\_\_\_\_.
  - Multiline comments begin with delimiter \_\_\_\_\_.
  - The \_\_\_\_\_ document uses `writeln` method.
  - The name of a variable can be any valid \_\_\_\_\_.
  - In JavaScript the operator for remainder, not equal to and equal to are \_\_\_\_\_, \_\_\_\_\_ and \_\_\_\_\_ respectively.
- 6.2** State whether each of the following is *true* or *false*. If *false*, explain why.
- Comments cause the computer to print the text after the // on the screen when the script is executed.
  - JavaScript considers the variables `number` and `NuMbEr` to be identical.
  - The remainder operator (%) can be used only with numeric operands.
  - The arithmetic operators \*, /, %, + and - all have the same level of precedence.
  - Method `parseInt` converts an integer to a string.
- 6.3** Write JavaScript statements to accomplish each of the following tasks:
- Declare variables `a`, `itIsAVariable`, `p79356` and `number3`.
  - Display a dialog asking the user to enter a number. Show a default value of 5 in the text field.
  - Convert a string to an integer, and store the converted value in variable `newValue`. Assume that the string is stored in `oldValue`.

- d) If the variable number is greater than 17, display "The variable number is greater than 17" in a message dialog.
- e) Output a line of HTML5 text using a `document.write` statement that will display the message "This is a JavaScript program" in the HTML5 document.

**6.4** Identify and correct the errors in each of the following statements:

- a) `if ( c < 17 );`  
`window.alert( "c is not less than 17" );`
- b) `if ( c <= 17 )`  
`window.alert( "c is equal to or less than 17" );`

**6.5** Write a statement (or comment) to accomplish each of the following tasks:

- a) Give a comment that a script will calculate the sum of three integers. [Hint: Use text that helps to document a script.]
- b) Declare the variables `i`, `j`, `k` and `sum`.
- c) Declare the variables `iVal`, `jVal` and `kVal`.
- d) Prompt the user to enter the first integer value, read the value from the user and store it in the variable `iVal`, with default value 0.
- e) Prompt the user to enter the second value, read the value from the user and store it in the variable `jVal`, with default value 5.
- f) Prompt the user to enter the third value, read the value from the user and store it in the variable `kVal`, with default value 10.
- g) Convert `iVal` to an integer, and store the result in the variable `i`.
- h) Convert `jVal` to an integer, and store the result in the variable `j`.
- i) Convert `kVal` to an integer, and store the result in the variable `k`.
- j) Compute the sum of the three integers contained in variables `i`, `j` and `k`, and assign the sum to the variable `result`.
- k) Write a line of HTML5 text containing the string "The sum is" followed by the value of the variable `sum`.

**6.6** Using the statements you wrote in Exercise 6.5, write a complete script that calculates and prints the sum of three integers.

## Answers to Self-Review Exercises

**6.1** a) `\' . b) <!--. c) /*. d) object. e) identifier. f) %, !=, ==.`

**6.2** a) False. Comments do not cause any action to be performed when the script is executed. They're used to document scripts and improve their readability. b) False. JavaScript is case sensitive, so these variables are distinct. c) True. d) False. The operators `*`, `/` and `%` are on the same level of precedence, and the operators `+` and `-` are on a lower level of precedence. e) False. Function `parseInt` converts a string to an integer value.

**6.3** a) `var a, itIsAVariable, p79356, number3;`  
b) `value = window.prompt( "Enter a number", "5" );`  
c) `var newValue = parseInt( oldValue );`  
d) `if ( number > 17 )`  
e) `document.write( "This is a JavaScript program" );`

**6.4** a) Error: There should not be an exclamation sign in the condition of the `if` statement.  
Correction: Remove the exclamation sign in the condition of the `if` statement.

[Note: This is a syntax error. There is no logical operator of “not less than”. We only have the logical operator of “not equal to”, i.e. !=.]

- b) Error: The relational operator == is incorrect.

Correction: Change == to <=.


- 6.5**
- // Calculate the sum of three integers
  - var i, j, k, sum;
  - var iVal, jVal, kVal;
  - iVal = window.prompt( "Enter first integer:", "0" );
  - jVal = window.prompt( "Enter second integer:", "5" );
  - kVal = window.prompt( "Enter third integer:", "10" );
  - i = parseInt( iVal );
  - j = parseInt( jVal );
  - k = parseInt( kVal );
  - sum = i \* j \* k;
  - document.writeln( "<h1>The sum is " + sum + "</h1>" );

- 6.6** The script is as follows:

```

1  <!DOCTYPE html>
2
3  <!-- Exercise 7.6: sum.html -->
4  <html>
5      <head>
6          <meta charset = "utf-8">
7          <title> Sum of Three Integers</title>
8          <script type = "text/javascript">
9              <!--
10                 // Calculate the sum of three integers
11                 var i, j, k, sum;
12                 var iVal, jVal, kVal;
13
14                 iVal = window.prompt( "Enter first integer:", "0" );
15                 jVal = window.prompt( "Enter second integer:", "5" );
16                 kVal = window.prompt( "Enter third integer:", "10" );
17
18                 i = parseInt( iVal );
19                 j = parseInt( jVal );
20                 k = parseInt( kVal );
21
22                 sum = i + j + k;
23                 document.writeln( "<h1>The sum is " + sum + "</h1>" );
24             // --
25         </script>
26     </head><body></body>
27 </html>

```





## Exercises

- 6.7** Fill in the blanks in each of the following statements:
- \_\_\_\_\_ are words with special meaning in JavaScript.
  - Conditions in if statements can be formed by using the \_\_\_\_\_ operators and \_\_\_\_\_ operators.
  - When a value is read out of a memory location, the process is \_\_\_\_\_.
  - Function \_\_\_\_\_ converts its string argument to an integer.
  - Every variable has a \_\_\_\_\_, a \_\_\_\_\_ and a value.
- 6.8** Write JavaScript statements that accomplish each of the following tasks:
- Display the message "Enter three numbers" using the document object.
  - Assign the sum of variables x and y to variable z.
  - State that a program performs a simple result calculation.
- 6.9** State whether each of the following is *true* or *false*. If *false*, explain why.
- JavaScript is case insensitive.
  - The following are all valid variable names: a\_under\_bal\_, k998034\_m, t85, jk897, his\_sales\$9, her\$\_account\_total\_bal, x, y\$, z, ij, z\_0.
  - The keyword var at the beginning of the statement indicates that the word name is a variable.
  - The following are all invalid variable names: 5u, 96, 75k7, p45, 8c.
- 6.10** Fill in the blanks in each of the following statements:
- If an expression contains several multiplication, division and remainder operations, operators are applied from \_\_\_\_\_.
  - The window object's \_\_\_\_\_ method displays a dialog into which the user can type a value.
  - The browser interprets the contents of the \_\_\_\_\_ section first.
- 6.11** What displays in the message dialog when each of the given JavaScript statements is performed? Assume that  $x = 5$  and  $y = 7$ .
- `window.alert( "x = " + x + "Y = " + y );`
  - `window.alert( "The value of Y + Y is " + ( y + y ) + ", double of Y" );`
  - `window.alert( "x = " + "5" );`
  - `window.alert( ( y - x ) + " = " + ( y - x ) );`
- 6.12** Which of the following JavaScript statements contain variables whose values are changed?
- `a = a + b + c + 17;`
  - `window.alert( "x = " + x );`
  - `document.write( "a = 5" );`
  - `StringText = window.prompt( "Enter a text:" );`
- 6.13** Given  $y = ax^2 + 9x$ , which of the following are correct JavaScript statements for this equation?
- `y = a * x * x + 9 * x;`
  - `y = a * x * x * (x + 9);`
  - `y = (a * x) * x * (x + 9);`
  - `y = (a * x) * x + x * 9;`

- e)  $y = a * (x * x) + 9 * x;$   
 f)  $y = a * x * (x * x + 9 * x);$

**6.14** State the order of evaluation of the operators in each of the following JavaScript statements, and show the value of  $x$  after each statement is performed.

- a)  $x = 8 + 2 * 3 / 2 - 3;$   
 b)  $x = 3 \% 3 + 3 * 3 - 3 / 3;$   
 c)  $x = (2 * 4 * (2 + (4 * 2 / (2))));$

**6.15** Write a script that displays the letters A to D on the same line, with each pair of adjacent letters separated by two spaces. Write the script using the following methods:

- a) Using one `document.write` statement.  
 b) Using two `document.write` statements.

**6.16** Write a script that asks the user to enter two numbers, obtains the two numbers from the user and outputs text that displays the sum, product, difference and quotient of the two numbers. Use the techniques shown in Fig. 6.7.

**6.17** Write a script that asks the user to enter two integers, obtains the numbers from the user and outputs text that displays the smaller number followed by the words “is smaller” in an `alert` dialog. If the numbers are equal, output HTML5 text that displays the message “These numbers are equal.” Use the techniques shown in Fig. 6.14.

**6.18** Write a script that takes four integers from the user and displays the sum, average, product, smallest and largest of the numbers in an `alert` dialog.

**6.19** Write a script that gets from the user the radius of a circle and outputs HTML5 text that displays the circle’s diameter, circumference and area. Use the constant value 3.14159 for  $\pi$ . Use the GUI techniques shown in Fig. 6.7. [Note: You may also use the predefined constant `Math.PI` for the value of  $\pi$ . This constant is more precise than the value 3.14159. The `Math` object is defined by Java-Script and provides many common mathematical capabilities.] Use the following formulas ( $r$  is the radius):  $diameter = 2r$ ,  $circumference = 2\pi r$ ,  $area = \pi r^2$ .

**6.20** Write a script that reads four integers and determines and outputs HTML5 text that displays the multiplication of the largest and smallest integers in the group. Use only the scripting techniques you learned in this chapter.

**6.21** Write a script that reads an integer and determines and outputs HTML5 text that displays whether it can be divided by 5 or 7. [Hint: Use the remainder operator.]

**6.22** Write a script that reads in two integers and determines and outputs HTML5 text that displays whether the first is a square of the second. [Hint: Use the division operator.]

**6.23** Write a script that inputs three numbers and determines and outputs HTML5 text that displays the count of how many numbers are greater than 10, how many numbers are less than 10, and how many numbers are equal to 10.

**6.24** Write a script that calculates the squares and cubes of the numbers from 6 to 11 and outputs HTML5 text that displays the resulting values in an HTML5 table format, as show below in Fig.6.16. [Note: This script does not require any input from the user.]

| Number | square | cube |
|--------|--------|------|
| 6      | 36     | 216  |
| 7      | 49     | 343  |
| 8      | 64     | 512  |
| 9      | 81     | 729  |
| 10     | 100    | 1000 |
| 11     | 121    | 1331 |

# 7

# JavaScript: Control Statements I

*Let's all move one place on.*

—Lewis Carroll

*The wheel is come full circle.*

—William Shakespeare

*How many apples fell on  
Newton's head before he took the  
hint!*

—Robert Frost

## Objectives

In this chapter you will:

- Learn basic problem-solving techniques.
- Develop algorithms through the process of top-down, stepwise refinement.
- Use the `if` and `if...else` selection statements to choose among alternative actions.
- Use the `while` repetition statement to execute statements in a script repeatedly.
- Implement counter-controlled repetition and sentinel-controlled repetition.
- Use the increment, decrement and assignment operators.



|  |   |
|--|---|
| <b>7.1</b> Introduction  | <b>7.9</b> Formulating Algorithms: Sentinel-Controlled Repetition |
| <b>7.2</b> Algorithms  | <b>7.10</b> Formulating Algorithms: Nested Control Statements     |
| <b>7.3</b> Pseudocode  | <b>7.11</b> Assignment Operators                                  |
| <b>7.4</b> Control Statements                                    | <b>7.12</b> Increment and Decrement Operators                     |
| <b>7.5</b> <code>if</code> Selection Statement                   | <b>7.13</b> Web Resources   |
| <b>7.6</b> <code>if...else</code> Selection Statement            |   |
| <b>7.7</b> <code>while</code> Repetition Statement               |   |
| <b>7.8</b> Formulating Algorithms: Counter-Controlled Repetition |   |

*Summary | Self-Review Exercises | Answers to Self-Review Exercises | Exercises*

## 7.1 Introduction

Before writing a script to solve a problem, we must have a thorough understanding of the problem and a carefully planned approach to solving it. When writing a script, it's equally essential to understand the types of building blocks that are available and to employ proven program-construction principles. In this chapter and Chapter 8, we discuss these issues as we present the theory and principles of *structured programming*.

## 7.2 Algorithms

Any computable problem can be solved by executing a series of actions in a specific order. A **procedure** for solving a problem in terms of

1. the **actions** to be executed, and
2. the **order** in which the actions are to be executed

is called an **algorithm**. Correctly specifying the order in which the actions are to execute is important—this is called **program control**. In this chapter and Chapter 8, we investigate the program-control capabilities of JavaScript.

## 7.3 Pseudocode

Pseudocode is an informal language that helps you develop algorithms. The pseudocode we present here is useful for developing algorithms that will be converted to structured portions of JavaScript programs. Pseudocode is similar to everyday English; it's convenient and user friendly, although it's not an actual computer programming language.



### Software Engineering Observation 7.1

*Pseudocode is often used to “think out” a script during the script-design process. Carefully prepared pseudocode can easily be converted to JavaScript.*


## 7.4 Control Statements

Normally, statements in a script execute one after the other in the order in which they're written. This process is called **sequential execution**. Various JavaScript statements we'll

soon discuss enable you to specify that the next statement to execute may not necessarily be the next one in sequence. This is known as **transfer of control**.

During the 1960s, it became clear that the indiscriminate use of transfers of control was the root of much difficulty experienced by software development groups. The finger of blame was pointed at the **goto statement**, which allowed the programmer to specify a transfer of control to one of a wide range of possible destinations in a program. Research demonstrated that programs could be written without goto statements. The notion of so-called **structured programming** became almost synonymous with “**goto elimination**.” JavaScript does not have a goto statement. Structured programs are clearer, easier to debug and modify and more likely to be bug free in the first place.

Research determined that all programs could be written in terms of only three **control structures**, namely the **sequence structure**, the **selection structure** and the **repetition structure**. The sequence structure is built into JavaScript—unless directed otherwise, the computer executes JavaScript statements one after the other in the order in which they’re written (i.e., in sequence). The flowchart segment of Fig. 7.1 illustrates a typical sequence structure in which two calculations are performed in order.



**Fig. 7.1** | Flowcharting JavaScript’s sequence structure.

A **flowchart** is a graphical representation of an algorithm or of a portion of an algorithm. Flowcharts are drawn using certain special-purpose symbols, such as rectangles, diamonds, ovals and small circles; these symbols are connected by arrows called **flowlines**, which indicate the order in which the actions of the algorithm execute.

Like pseudocode, flowcharts often are useful for developing and representing algorithms, although many programmers prefer pseudocode. Flowcharts show clearly how control structures operate; that’s all we use them for in this text.

Consider the flowchart segment for the sequence structure in Fig. 7.1. For simplicity, we use the **rectangle symbol** (or **action symbol**) to indicate *any* type of action, including a *calculation* or an *input/output* operation. The flowlines in the figure indicate the *order* in which the actions are performed—the first action adds *grade* to *total*, then the second action adds 1 to *counter*. JavaScript allows us to have as many actions as we want in a sequence structure. Anywhere a single action may be placed, as we’ll soon see, we may place several actions in sequence.

In a flowchart that represents a *complete* algorithm, **oval symbols** containing the words “Begin” and “End” represent the start and end of the algorithm, respectively. In a flowchart that shows only a portion of an algorithm, as in Fig. 7.1, the oval symbols are omitted in favor of using **small circle symbols**, also called **connector symbols**.

Perhaps the most important flowcharting symbol is the **diamond symbol**, also called the **decision symbol**, which indicates that a decision is to be made. We discuss the diamond symbol in the next section.

JavaScript provides three types of selection structures; we discuss each in this chapter and in Chapter 8. The **if** selection statement performs (selects) an action if a condition is *true* or skips the action if the condition is *false*. The **if...else** selection statement performs an action if a condition is *true* and performs a *different* action if the condition is *false*. The **switch** selection statement (Chapter 8) performs one of many different actions, depending on the value of an expression.

The **if** statement is called a **single-selection statement** because it *selects* or *ignores* a single action (or, as we'll soon see, a single group of actions). The **if...else** statement is a **double-selection statement** because it *selects* between two *different* actions (or *groups* of actions). The **switch** statement is a **multiple-selection statement** because it selects among many different actions (or *groups* of actions).

JavaScript provides four repetition statements—**while**, **do...while**, **for** and **for...in**. (**do...while** and **for** are covered in Chapter 8; **for...in** is covered in Chapter 10.) Each of the words **if**, **else**, **switch**, **while**, **do**, **for** and **in** is a JavaScript **keyword**. These words are reserved by the language to implement various features, such as JavaScript's control structures. In addition to keywords, JavaScript has other words that are reserved for use by the language, such as the values **null**, **true** and **false**, and words that are reserved for possible future use. A complete list of JavaScript reserved words is shown in Fig. 7.2.



### Common Programming Error 7.1

*Using a keyword as an identifier (e.g., for variable names) is a syntax error.*

#### JavaScript reserved keywords

|                     |                       |                     |                       |                         |
|---------------------|-----------------------|---------------------|-----------------------|-------------------------|
| <code>break</code>  | <code>case</code>     | <code>catch</code>  | <code>continue</code> | <code>default</code>    |
| <code>delete</code> | <code>do</code>       | <code>else</code>   | <code>false</code>    | <code>finally</code>    |
| <code>for</code>    | <code>function</code> | <code>if</code>     | <code>in</code>       | <code>instanceof</code> |
| <code>new</code>    | <code>null</code>     | <code>return</code> | <code>switch</code>   | <code>this</code>       |
| <code>throw</code>  | <code>true</code>     | <code>try</code>    | <code>typeof</code>   | <code>var</code>        |
| <code>void</code>   | <code>while</code>    | <code>with</code>   |                       |                         |

*Keywords that are reserved but not used by JavaScript*

|                         |                        |                        |                     |                      |
|-------------------------|------------------------|------------------------|---------------------|----------------------|
| <code>class</code>      | <code>const</code>     | <code>enum</code>      | <code>export</code> | <code>extends</code> |
| <code>implements</code> | <code>import</code>    | <code>interface</code> | <code>let</code>    | <code>package</code> |
| <code>private</code>    | <code>protected</code> | <code>public</code>    | <code>static</code> | <code>super</code>   |
| <code>yield</code>      |                        |                        |                     |                      |

**Fig. 7.2** | JavaScript reserved keywords.

As we've shown, JavaScript has only eight control statements: sequence, three types of selection and four types of repetition. A script is formed by combining control statements as necessary to implement the script's algorithm. Each control statement is flowcharted

with two small circle symbols, one at the *entry point* to the control statement and one at the *exit point*.

**Single-entry/single-exit control statements** make it easy to build scripts; the control statements are attached to one another by connecting the exit point of one to the entry point of the next. This process is similar to the way in which a child stacks building blocks, so we call it **control-statement stacking**. We'll learn that there's only one other way in which control statements may be connected—**control-statement nesting**. Thus, algorithms in JavaScript are constructed from only eight different types of control statements combined in only two ways.

## 7.5 if Selection Statement

A selection statement is used to choose among alternative courses of action in a script. For example, suppose that the passing grade on an examination is 60 (out of 100). Then the pseudocode statement

```
If student's grade is greater than or equal to 60
    Print "Passed"
```

determines whether the condition “student's grade is greater than or equal to 60” is true or false. If the condition is *true*, then “Passed” is printed, and the next pseudocode statement in order is “performed” (remember that pseudocode is *not* a *real* programming language). If the condition is *false*, the print statement is *ignored*, and the next pseudocode statement in order is performed.

Note that the second line of this selection statement is *indented*. Such indentation is optional but is highly recommended, because it emphasizes the inherent structure of structured programs. The JavaScript interpreter ignores *white-space characters*—blanks, tabs and newlines used for indentation and vertical spacing.



### Good Programming Practice 7.1


*Consistently applying reasonable indentation conventions improves script readability. We use three spaces per indent.*

The preceding pseudocode *If* statement can be written in JavaScript as

```
if ( studentGrade >= 60 )
    document.writeln( "<p>Passed</p>" );
```

The JavaScript code corresponds closely to the pseudocode. This similarity is the reason that pseudocode is a useful script-development tool. The statement in the body of the *if* statement outputs the character string “Passed” in the HTML5 document.

The flowchart in Fig. 7.3 illustrates the single-selection *if* statement. This flowchart contains what is perhaps the most important flowcharting symbol—the *diamond symbol* (or *decision symbol*), which indicates that a *decision* is to be made. The decision symbol contains an expression, such as a condition, that can be either **true** or **false**. The decision symbol has two flowlines emerging from it. One indicates the path to follow in the script when the expression in the symbol is *true*; the other indicates the path to follow in the script when the expression is *false*. A decision can be made on any expression that evaluates to a value of JavaScript's boolean type (i.e., any expression that evaluates to **true** or **false**—also known as a **boolean expression**).



**Fig. 7.3** | Flowcharting the single-selection `if` statement.



### Software Engineering Observation 7.2

In JavaScript, any nonzero numeric value in a condition evaluates to `true`, and `0` evaluates to `false`. For strings, any string containing one or more characters evaluates to `true`, and the empty string (the string containing no characters, represented as `""`) evaluates to `false`. Also, a variable that's been declared with `var` but has not been assigned a value evaluates to `false`.

Note that the `if` statement is a single-entry/single-exit control statement. We'll soon learn that the flowcharts for the remaining control statements also contain (besides small circle symbols and flowlines) only rectangle symbols, to indicate the *actions* to be performed, and diamond symbols, to indicate *decisions* to be made. This type of flowchart emphasizes the **action/decision model of programming**. We'll discuss the variety of ways in which actions and decisions may be written.

## 7.6 if...else Selection Statement

The `if` selection statement performs an indicated action only when the condition evaluates to `true`; otherwise, the action is skipped. The `if...else` selection statement allows you to specify that *a different* action is to be performed when the condition is `true` than when the condition is `false`. For example, the pseudocode statement

```

If student's grade is greater than or equal to 60
  Print "Passed"
Else
  Print "Failed"
  
```

prints `Passed` if the student's grade is greater than or equal to 60 and prints `Failed` if the student's grade is less than 60. In either case, after printing occurs, the next pseudocode statement in sequence (i.e., the next statement after the whole `if...else` statement) is performed. Note that the body of the `Else` part of the statement is also indented.




### Good Programming Practice 7.2

Indent both body statements of an `if...else` statement.

The preceding pseudocode *If...Else* statement may be written in JavaScript as

```
if ( studentGrade >= 60 )
    document.writeln( "<p>Passed</p>" );
else
    document.writeln( "<p>Failed</p>" );
```

The flowchart in Fig. 7.4 illustrates the *if...else* selection statement's flow of control. Once again, note that the only symbols in the flowchart besides small circles and arrows are rectangles for actions and a diamond for a decision.



**Fig. 7.4** | Flowcharting the double-selection *if...else* statement.

### Conditional Operator (?:)

JavaScript provides an operator, called the **conditional operator** (`?:`), that's closely related to the *if...else* statement. The operator `?:` is JavaScript's only **ternary operator**—it takes *three* operands. The operands together with the `?:` form a **conditional expression**. The first operand is a boolean expression, the second is the value for the conditional expression if the expression evaluates to `true` and the third is the value for the conditional expression if the expression evaluates to `false`. For example, the following statement

```
document.writeln( studentGrade >= 60 ? "Passed" : "Failed" );
```

contains a conditional expression that evaluates to the string "Passed" if the condition `studentGrade >= 60` is true and evaluates to the string "Failed" if the condition is false. Thus, this statement with the conditional operator performs essentially the same operation as the preceding *if...else* statement.

### Nested *if...else* Statements

**Nested *if...else* statements** test for multiple cases by placing *if...else* statements *inside* *if...else* statements. For example, the following pseudocode statement indicates that the script should print A for exam grades greater than or equal to 90, B for grades in the range 80 to 89, C for grades in the range 70 to 79, D for grades in the range 60 to 69 and F for all other grades:

```

If student's grade is greater than or equal to 90
    Print "A"
Else
    If student's grade is greater than or equal to 80
        Print "B"
    Else
        If student's grade is greater than or equal to 70
            Print "C"
        Else
            If student's grade is greater than or equal to 60
                Print "D"
            Else
                Print "F"

```

This pseudocode may be written in JavaScript as

```

if ( studentGrade >= 90 )
    document.writeln( "A" );
else
    if ( studentGrade >= 80 )
        document.writeln( "B" );
    else
        if ( studentGrade >= 70 )
            document.writeln( "C" );
        else
            if ( studentGrade >= 60 )
                document.writeln( "D" );
            else
                document.writeln( "F" );

```

If `studentGrade` is greater than or equal to 90, all four conditions will be true, but only the `document.writeln` statement after the *first* test will execute. After that particular `document.writeln` executes, the `else` part of the outer `if...else` statement is skipped.



### Good Programming Practice 7.3

*If there are several levels of indentation, each level should be indented the same additional amount of space.*

Most programmers prefer to write the preceding `if` statement in the equivalent form:

```

if ( grade >= 90 )
    document.writeln( "A" );
else if ( grade >= 80 )
    document.writeln( "B" );
else if ( grade >= 70 )
    document.writeln( "C" );
else if ( grade >= 60 )
    document.writeln( "D" );
else
    document.writeln( "F" );

```

The latter form is popular because it avoids the deep indentation of the code to the right. Such deep indentation can force lines to be split and decrease script readability.

### Dangling-else Problem

It's important to note that the JavaScript interpreter always associates an `else` with the previous `if`, unless told to do otherwise by the placement of braces (`{}`). The following code illustrates the **dangling-else** problem. For example,

```
if ( x > 5 )
    if ( y > 5 )
        document.writeln( "<p>x and y are > 5</p>" );
else
    document.writeln( "<p>x is <= 5</p>" );
```

*appears* to indicate with its indentation that if `x` is greater than 5, the `if` structure in its body determines whether `y` is also greater than 5. If so, the body of the nested `if` structure outputs the string "`x and y are > 5`". Otherwise, it *appears* that if `x` is *not* greater than 5, the `else` part of the `if...else` structure outputs the string "`x is <= 5`".

Beware! The preceding nested `if` statement does *not* execute as it appears. The interpreter actually interprets the preceding statement as

```
if ( x > 5 )
    if ( y > 5 )
        document.writeln( "<p>x and y are > 5</p>" );
else
    document.writeln( "<p>x is <= 5</p>" );
```

in which the body of the first `if` statement is a nested `if...else` statement. This statement tests whether `x` is greater than 5. If so, execution continues by testing whether `y` is also greater than 5. If the second condition is true, the proper string—"x and y are > 5"—is displayed. However, if the second condition is false, the string "`x is <= 5`" is displayed, even though we know that `x` is greater than 5.

To force the *first* nested `if` statement to execute as it was intended originally, we must write it as follows:

```
if ( x > 5 )
{
    if ( y > 5 )
        document.writeln( "<p>x and y are > 5</p>" );
}
else
    document.writeln( "<p>x is <= 5</p>" );
```

The braces (`{}`) indicate to the JavaScript interpreter that the second `if` statement is in the *body* of the first `if` statement and that the `else` is matched with the *first* `if` statement.

### Blocks

The `if` selection statement expects only *one* statement in its body. To include *several* statements in an `if` statement's body, enclose the statements in braces (`{` and `}`). This also can be done in the `else` section of an `if...else` statement. A set of statements contained within a pair of braces is called a **block**.



### Software Engineering Observation 7.3

*A block can be placed anywhere in a script that a single statement can be placed.*



### Software Engineering Observation 7.4

*Unlike individual statements, a block does not end with a semicolon. However, each statement within the braces of a block should end with a semicolon.*

The following example includes a block in the `else` part of an `if...else` statement:

```
if ( grade >= 60 )
    document.writeln( "<p>Passed</p>" );
else
{
    document.writeln( "<p>Failed</p>" );
    document.writeln( "<p>You must take this course again.</p>" );
}
```

In this case, if `grade` is less than 60, the script executes *both* statements in the body of the `else` and prints

```
Failed
You must take this course again.
```

Note the braces surrounding the two statements in the `else` clause. These braces are important. Without them, the statement

```
document.writeln( "<p>You must take this course again.</p>" );
```

would be *outside* the body of the `else` part of the `if` and would execute *regardless* of whether the grade is less than 60.

Syntax errors (e.g., when one brace in a block is left out of the script) are caught by the interpreter when it attempts to interpret the code containing the syntax error. They prevent the browser from executing the code. While many browsers notify users of errors, that information is of little use to them. That's why it's important to validate your JavaScripts and thoroughly test them. A **logic error** (e.g., the one caused when both braces around a block are left out of the script) also has its effect at execution time. A **fatal logic error** causes a script to fail and terminate prematurely. A **nonfatal logic error** allows a script to continue executing, but it produces incorrect results.



### Software Engineering Observation 7.5

*Just as a block can be placed anywhere a single statement can be placed, it's also possible to have no statement at all (the empty statement) in such places. We represent the empty statement by placing a semicolon (;) where a statement would normally be.*

## 7.7 while Repetition Statement

A *repetition structure* (also known as a *loop*) allows you to specify that a script is to repeat an action while some condition remains *true*. The pseudocode statement

*While there are more items on my shopping list  
Purchase next item and cross it off my list*

describes the repetition that occurs during a shopping trip. The condition “there are more items on my shopping list” may be true or false. If it’s true, then the action “Purchase next item and cross it off my list” is performed. This action is performed *repeatedly* while the

condition remains true. The statement(s) contained in the *While* repetition structure constitute its body. The body of a loop such as the *While* structure may be a single statement or a block. Eventually, the condition becomes false—when the last item on the shopping list has been purchased and crossed off the list. At this point, the repetition terminates, and the first pseudocode statement after the repetition structure “executes.”




### Common Programming Error 7.2

*If the body of a while statement never causes the while statement’s condition to become true, a logic error occurs. Normally, such a repetition structure will never terminate—an error called an infinite loop. Many browsers show a dialog allowing the user to terminate a script that contains an infinite loop.*

As an example of a `while` statement, consider a script segment designed to find the first power of 2 larger than 1000. Variable `product` begins with the value 2. The statement is as follows:

```
var product = 2;
while ( product <= 1000 )
    product = 2 * product;
```

When the `while` statement finishes executing, `product` contains the result 1024. The flowchart in Fig. 7.5 illustrates the flow of control of the preceding `while` repetition statement. Once again, note that (besides small circles and arrows) the flowchart contains *only* a rectangle symbol and a diamond symbol.



**Fig. 7.5** | Flowcharting the `while` repetition statement.

When the script enters the `while` statement, `product` is 2. The script repeatedly multiplies variable `product` by 2, so `product` takes on the values 4, 8, 16, 32, 64, 128, 256, 512 and 1024 successively. When `product` becomes 1024, the condition `product <= 1000` in the `while` statement becomes `false`. This terminates the repetition, with 1024 as `product`’s final value. Execution continues with the next statement after the `while` statement. [Note: If a `while` statement’s condition is initially `false`, the body statement(s) will *never* execute.]

The flowchart clearly shows the repetition. The flowline emerging from the rectangle wraps back to the decision, which the script tests each time through the loop until the decision eventually becomes `false`. At this point, the `while` statement exits, and control passes to the next statement in the script.

## 7.8 Formulating Algorithms: Counter-Controlled Repetition

To illustrate how to develop algorithms, we solve several variations of a class-average problem. Consider the following problem statement:

*A class of ten students took a quiz. The grades (integers in the range 0 to 100) for this quiz are available to you. Determine the class average on the quiz.*

The class average is equal to the sum of the grades divided by the number of students (10 in this case). The algorithm for solving this problem on a computer must input each of the grades, perform the averaging calculation and display the result.

Let's use pseudocode to list the actions to execute and specify the order in which they should execute. We use **counter-controlled repetition** to input the grades one at a time. This technique uses a variable called a **counter** to control the number of times a set of statements executes. In this example, repetition terminates when the counter exceeds 10. In this section, we present a pseudocode algorithm (Fig. 7.6) and the corresponding script (Fig. 7.7). In the next section, we show how to develop pseudocode algorithms. Counter-controlled repetition often is called **definite repetition**, because the number of repetitions is known before the loop begins executing.

- 
- 1 Set total to zero
  - 2 Set grade counter to one
  - 3
  - 4 While grade counter is less than or equal to ten
    - 5 Input the next grade
    - 6 Add the grade into the total
    - 7 Add one to the grade counter
  - 8
  - 9 Set the class average to the total divided by ten
  - 10 Print the class average
- 

**Fig. 7.6** | Pseudocode algorithm that uses counter-controlled repetition to solve the class-average problem.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 7.7: average.html -->
4  <!-- Counter-controlled repetition to calculate a class average. -->
5  <html>
6    <head>
7      <meta charset = "utf-8">
8      <title>Class Average Program</title>
9      <script>
10
11        var total; // sum of grades
12        var gradeCounter; // number of grades entered
13        var grade; // grade typed by user (as a string)
14        var gradeValue; // grade value (converted to integer)

```

---


**Fig. 7.7** | Counter-controlled repetition to calculate a class average. (Part 1 of 2.)

```


15      var average; // average of all grades
16
17      // initialization phase
18      total = 0; // clear total
19      gradeCounter = 1; // prepare to loop
20
21      // processing phase
22      while ( gradeCounter <= 10 ) // loop 10 times
23      {
24
25          // prompt for input and read grade from user
26          grade = window.prompt( "Enter integer grade:", "0" );
27
28          // convert grade from a string to an integer
29          gradeValue = parseInt( grade );
30
31          // add gradeValue to total
32          total = total + gradeValue;
33
34          // add 1 to gradeCounter
35          gradeCounter = gradeCounter + 1;
36      } // end while
37
38      // termination phase
39      average = total / 10; // calculate the average
40
41      // display average of exam grades
42      document.writeln(
43          "<h1>Class average is " + average + "</h1>" );
44
45      </script>
46  </head><body></body>
47 </html>

```

- a) This dialog is displayed 10 times. User input is 100, 88, 93, 55, 68, 77, 83, 95, 73 and 62. User enters each grade and presses OK.



- b) The class average is displayed in a web page



**Fig. 7.7** | Counter-controlled repetition to calculate a class average. (Part 2 of 2.)

### *Variables Used in the Algorithm*

Note the references in the algorithm to a total and a counter. A **total** is a variable in which a script accumulates the sum of a series of values. A counter is a variable a script uses to count—in this case, to count the number of grades entered. Variables that store totals should normally be initialized to zero before they're used in a script.

Lines 11–15 declare variables `total`, `gradeCounter`, `grade`, `gradeValue`, `average`. The variable `grade` will store the *string* the user types into the *prompt* dialog. The variable `gradeValue` will store the integer value of the `grade` the user enters into the *prompt* dialog.

### *Initializing Variables*

Lines 18–19 are assignments that initialize `total` to 0 and `gradeCounter` to 1. Note that variables `total` and `gradeCounter` are initialized before they're used in a calculation.



#### **Common Programming Error 7.3**

*Not initializing a variable that will be used in a calculation results in a logic error that produces the value NaN ("Not a Number").*

### *The `while` Repetition Statement*

Line 22 indicates that the `while` statement continues iterating while the value of `gradeCounter` is less than or equal to 10. Line 26 corresponds to the pseudocode statement “*Input the next grade.*” The statement displays a *prompt* dialog with the prompt “*Enter integer grade:*” on the screen.

After the user enters the `grade`, line 29 converts it from a string to an integer. We *must* convert the string to an integer in this example; otherwise, the addition operation in line 32 will be a *string-concatenation*.

Next, the script updates the `total` with the new `gradeValue` entered by the user. Line 32 adds `gradeValue` to the previous value of `total` and assigns the result to `total`. This statement seems a bit strange, because it does not follow the rules of algebra. Keep in mind that JavaScript operator precedence evaluates the addition (+) operation before the assignment (=) operation. The value of the expression on the *right* side of the assignment operator always *replaces* the value of the variable on the *left* side.

The script now is ready to increment the variable `gradeCounter` to indicate that a grade has been processed and to read the next grade from the user. Line 35 adds 1 to `gradeCounter`, so the condition in the `while` statement will eventually become `false` and terminate the loop. After this statement executes, the script continues by testing the condition in the `while` statement in line 22. If the condition is still `true`, the statements in lines 26–35 repeat. Otherwise the script continues execution with the first statement in sequence after the body of the loop (i.e., line 39).

### *Calculating and Displaying the Results*

Line 39 assigns the results of the average calculation to variable `average`. Lines 42–43 write a line of HTML5 text in the document that displays the string “*Class average is*” followed by the value of variable `average` as an `<h1>` element.

### *Testing the Program*

Open the HTML5 document in a web browser to execute the script. This script parses any user input as an integer. In the sample execution in Fig. 7.7, the sum of the values entered

(100, 88, 93, 55, 68, 77, 83, 95, 73 and 62) is 794. Although the script treats all input as integers, the averaging calculation in the script does not produce an integer. Rather, the calculation produces a **floating-point number** (i.e., a number containing a decimal point). The average of the 10 integers input by the user in this example is 79.4. If your script requires the user to enter floating-point numbers, you can convert the user input from strings to numbers using the JavaScript function `parseFloat`, which we introduce in Section 9.2.



### Software Engineering Observation 7.6

*If the string passed to `parseInt` contains a floating-point numeric value, `parseInt` simply truncates the floating-point part. For example, the string "27.95" results in the integer 27, and the string "-123.45" results in the integer -123. If the string passed to `parseInt` does begin with a numeric value, `parseInt` returns `Nan` (not a number). If you need to know whether `parseInt` returned `Nan`, JavaScript provides the function `isNaN`, which determines whether its argument has the value `Nan` and, if so, returns `true`; otherwise, it returns `false`.*

### Floating-Point Numbers

JavaScript actually represents all numbers as floating-point numbers in memory. Floating-point numbers often develop through division, as shown in this example. When we divide 10 by 3, the result is 3.3333333..., with the sequence of 3s repeating *infinitely*. The computer allocates only a *fixed* amount of space to hold such a value, so the stored floating-point value can be only an approximation. Although floating-point numbers are not always 100 percent precise, they have numerous applications. For example, when we speak of a “normal” body temperature of 98.6, we do not need to be precise to a large number of digits. When we view the temperature on a thermometer and read it as 98.6, it may actually be 98.5999473210643. The point here is that few applications require such high-precision floating-point values, so calling this number simply 98.6 is fine for many applications.

### A Note About Input Via `prompt` Dialogs

In this example, we used `prompt` dialogs to obtain user input. Typically, such input would be accomplished via form elements in an HTML5 document, but this requires additional scripting techniques that are introduced starting in Chapter 9. For now, we’ll continue to use `prompt` dialogs.

## 7.9 Formulating Algorithms: Sentinel-Controlled Repetition

Let’s generalize the class-average problem. Consider the following problem:

*Develop a class-averaging script that will process an arbitrary number of grades each time the script is run.*

In the first class-average example, the number of grades (10) was known in advance. In this example, no indication is given of how many grades the user will enter. The script must process an *arbitrary* number of grades. How can the script determine when to stop the input of grades? How will it know when to calculate and display the class average?

One way to solve this problem is to use a special value called a **sentinel value** (also called a **signal value**, a **dummy value** or a **flag value**) to indicate the end of data entry. The

user types in grades until all legitimate grades have been entered. Then the user types the sentinel value to indicate that the last grade has been entered. Sentinel-controlled repetition is often called **indefinite repetition**, because the number of repetitions is not known before the loop begins executing.

Clearly, you must choose a sentinel value that *cannot* be confused with an acceptable input value.  $-1$  is an acceptable sentinel value for this problem, because grades on a quiz are normally nonnegative integers from 0 to 100. Thus, an execution of the class-average script might process a stream of inputs such as 95, 96, 75, 74, 89 and  $-1$ . The script would compute and print the class average for the grades 95, 96, 75, 74 and 89 ( $-1$  is the sentinel value, so it should *not* enter into the average calculation).

### *Developing the Pseudocode Algorithm with Top-Down, Stepwise Refinement: The Top and First Refinement*

We approach the class-average script with a technique called **top-down, stepwise refinement**, a technique that's essential to the development of well-structured algorithms. We begin with a pseudocode representation of the **top**:

*Determine the class average for the quiz*

The top is a single statement that conveys the script's overall purpose. As such, the top is, in effect, a *complete* representation of a script. Unfortunately, the top rarely conveys sufficient detail from which to write the JavaScript algorithm. Therefore we must begin a refinement process. First, we divide the top into a series of smaller tasks and list them in the order in which they need to be performed, creating the following **first refinement**:

*Initialize variables*  
*Input, sum up and count the quiz grades*  
*Calculate and print the class average*

Here, only the sequence structure is used; the steps listed are to be executed in order, one after the other.



#### **Software Engineering Observation 7.7**

*Each refinement, as well as the top itself, is a complete specification of the algorithm; only the level of detail varies.*

### *Proceeding to the Second Refinement*

To proceed to the next level of refinement (the **second refinement**), we commit to specific variables. We need a running total of the numbers, a count of how many numbers have been processed, a variable to receive the string representation of each grade as it's input, a variable to store the value of the grade after it's converted to an integer and a variable to hold the calculated average. The pseudocode statement

*Initialize variables*

may be refined as follows:

*Initialize total to zero*  
*Initialize gradeCounter to zero*

Only the variables *total* and *gradeCounter* are initialized before they're used; the variables *average*, *grade* and *gradeValue* (for the calculated average, the user input and the integer representation of the *grade*, respectively) need not be initialized, because their values are determined as they're calculated or input.

The pseudocode statement

*Input, sum up and count the quiz grades*

requires a repetition statement that successively inputs each grade. We do not know in advance how many grades are to be processed, so we'll use *sentinel-controlled repetition*. The user will enter legitimate grades, one at a time. After entering the last legitimate grade, the user will enter the sentinel value. The script will test for the sentinel value after the user enters each grade and will terminate the loop when the sentinel value is encountered. The second refinement of the preceding pseudocode statement is then

*Input the first grade (possibly the sentinel)  
While the user has not as yet entered the sentinel  
    Add this grade into the running total  
    Add one to the grade counter  
    Input the next grade (possibly the sentinel)*

In pseudocode, we do *not* use braces around the pseudocode that forms the body of the *While* structure. We simply indent the pseudocode under the *While* to show that it belongs to the body of the *While*. Remember, pseudocode is only an *informal* development aid.

The pseudocode statement

*Calculate and print the class average*

may be refined as follows:

*If the counter is not equal to zero  
    Set the average to the total divided by the counter  
    Print the average  
Else  
    Print "No grades were entered"*

We test for the possibility of **division by zero**—a logic error that, if undetected, would cause the script to produce invalid output. The complete second refinement of the pseudocode algorithm for the class-average problem is shown in Fig. 7.8.



### Error-Prevention Tip 7.1

*When performing division by an expression whose value could be zero, explicitly test for this case, and handle it appropriately in your script (e.g., by displaying an error message) rather than allowing the division by zero to occur.*



### Software Engineering Observation 7.8

*Many algorithms can be divided logically into three phases: an initialization phase that initializes the script variables, a processing phase that inputs data values and adjusts variables accordingly, and a termination phase that calculates and prints the results.*

### The Complete Second Refinement

The pseudocode algorithm in Fig. 7.8 solves the more general class-average problem. This algorithm was developed after only two refinements. Sometimes more refinements are necessary.

---

```
1 Initialize total to zero
2 Initialize gradeCounter to zero
3
4 Input the first grade (possibly the sentinel)
5
6 While the user has not as yet entered the sentinel
7     Add this grade into the running total
8     Add one to the grade counter
9     Input the next grade (possibly the sentinel)
10
11 If the counter is not equal to zero
12     Set the average to the total divided by the counter
13     Print the average
14 Else
15     Print "No grades were entered"
```

---

**Fig. 7.8** | Sentinel-controlled repetition to solve the class-average problem.



#### Software Engineering Observation 7.9

You terminate the top-down, stepwise refinement process after specifying the pseudocode algorithm in sufficient detail for you to convert the pseudocode to JavaScript. Then, implementing the JavaScript is normally straightforward.



#### Software Engineering Observation 7.10

Experience has shown that the most difficult part of solving a problem on a computer is developing the algorithm for the solution.



#### Software Engineering Observation 7.11

Many experienced programmers write scripts without ever using script-development tools like pseudocode. As they see it, their ultimate goal is to solve the problem on a computer, and writing pseudocode merely delays the production of final outputs. Although this approach may work for simple and familiar problems, it can lead to serious errors in large, complex projects.

### Implementing Sentinel-Controlled Repetition to Calculate a Class Average

Figure 7.9 shows the JavaScript and a sample execution. Although each grade is an integer, the averaging calculation is likely to produce a number with a decimal point (a real number).

In this example, we see that control structures may be *stacked* on top of one another (in sequence) just as a child stacks building blocks. The `while` statement (lines 29–43) is followed immediately by an `if...else` statement (lines 46–55) in sequence. Much of the code in this script is identical to the code in Fig. 7.7, so we concentrate in this example on the new features.


```
1  <!DOCTYPE html>
2
3  <!-- Fig. 7.9: average2.html -->
4  <!-- Sentinel-controlled repetition to calculate a class average. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Class Average Program: Sentinel-controlled Repetition</title>
9          <script>
10
11      var total; // sum of grades
12      var gradeCounter; // number of grades entered
13      var grade; // grade typed by user (as a string)
14      var gradeValue; // grade value (converted to integer)
15      var average; // average of all grades
16
17      // initialization phase
18      total = 0; // clear total
19      gradeCounter = 0; // prepare to loop
20
21      // processing phase
22      // prompt for input and read grade from user
23      grade = window.prompt(
24          "Enter Integer Grade, -1 to Quit:", "0" );
25
26      // convert grade from a string to an integer
27      gradeValue = parseInt( grade );
28
29      while ( gradeValue != -1 )
30      {
31          // add gradeValue to total
32          total = total + gradeValue;
33
34          // add 1 to gradeCounter
35          gradeCounter = gradeCounter + 1;
36
37          // prompt for input and read grade from user
38          grade = window.prompt(
39              "Enter Integer Grade, -1 to Quit:", "0" );
40
41          // convert grade from a string to an integer
42          gradeValue = parseInt( grade );
43      } // end while
44
45      // termination phase
46      if ( gradeCounter != 0 )
47      {
48          average = total / gradeCounter;
49
50          // display average of exam grades
51          document.writeln(
52              "<h1>Class average is " + average + "</h1>" );
53      } // end if
```

---

**Fig. 7.9** | Sentinel-controlled repetition to calculate a class average. (Part 1 of 2.)

---

```
54     else
55         document.writeln( "<p>No grades were entered</p>" );
56
57     </script>
58 </head><body></body>
59 </html>
```



**Fig. 7.9** | Sentinel-controlled repetition to calculate a class average. (Part 2 of 2.)

Line 19 initializes `gradeCounter` to 0, because no grades have been entered yet. Remember that the script uses *sentinel-controlled repetition*. To keep an accurate record of the number of grades entered, the script increments `gradeCounter` only after processing a valid grade value.

#### *Script Logic for Sentinel-Controlled Repetition vs. Counter-Controlled Repetition*

Note the difference in logic for sentinel-controlled repetition as compared with the counter-controlled repetition in Fig. 7.7. In counter-controlled repetition, we read a value from the user during each iteration of the `while` statement's body for the specified number of iterations. In sentinel-controlled repetition, we read one value (lines 23–24) and convert it to an integer (line 27) before the script reaches the `while` statement. The script uses this value to determine whether the script's flow of control should enter the body of the `while` statement. If the `while` statement's condition is `false` (i.e., the user typed the sentinel as the first grade), the script ignores the body of the `while` statement (i.e., no grades were entered). If the condition is `true`, the body begins execution and processes the value entered by the user (i.e., adds the value to the `total` in line 32). After processing the value, the script increments `gradeCounter` by 1 (line 35), inputs the next grade from the user (lines 38–39) and converts the grade to an integer (line 42), before the end of the `while` statement's body. When the script reaches the closing right brace (`}`) of the body in line 43, execution continues with the next test of the condition of the `while` statement (line 29), using the new value just entered by the user to determine whether the `while` statement's body should execute again. Note that the next value always is input from the user immediately before the script evaluates the condition of the `while` statement. This order allows us to determine whether the value just entered by the user is the sentinel value *before*

processing it (i.e., adding it to the `total`). If the value entered *is* the sentinel value, the `while` statement terminates and the script does not add the value to the `total`.

Note the block in the `while` loop in Fig. 7.9 (lines 30–43). Without the braces, the last three statements in the body of the loop would fall *outside* the loop, causing the code to be interpreted incorrectly, as follows:

```

while ( gradeValue != -1 )
    // add gradeValue to total
    total = total + gradeValue;

    // add 1 to gradeCounter
    gradeCounter = gradeCounter + 1;

    // prompt for input and read grade from user
    grade = window.prompt(
        "Enter Integer Grade, -1 to Quit:", "0" );

    // convert grade from a string to an integer
    gradeValue = parseInt( grade );

```

This interpretation would cause an *infinite loop* in the script if the user did not input the sentinel `-1` as the first input value in lines 23–24 (i.e., before the `while` statement).

## 7.10 Formulating Algorithms: Nested Control Statements

Let's work through another complete problem. We once again formulate the algorithm using pseudocode and top-down, stepwise refinement, and write a corresponding script.

Consider the following problem statement:

*A college offers a course that prepares students for the state licensing exam for real estate brokers. Last year, 10 of the students who completed this course took the licensing exam. Naturally, the college wants to know how well its students performed. You've been asked to write a script to summarize the results. You've been given a list of these 10 students. Next to each name is written a 1 if the student passed the exam and a 2 if the student failed.*

*Your script should analyze the results of the exam as follows:*

1. *Input each test result (i.e., a 1 or a 2). Display the message “Enter result” on the screen each time the script requests another test result.*
2. *Count the number of test results of each type.*
3. *Display a summary of the test results indicating the number of students who passed and the number of students who failed.*
4. *If more than eight students passed the exam, print the message “Bonus to instructor!”*

After reading the problem statement carefully, we make the following observations:

1. The script must process test results for 10 students. A counter-controlled loop will be used.
2. Each test result is a number—either a 1 or a 2. Each time the script reads a test result, the script must determine whether the number is a 1 or a 2. We test for a 1 in our algorithm. If the number is not a 1, we assume that it's a 2.

3. Two counters are used to keep track of the exam results—one to count the number of students who passed the exam and one to count the number of students who failed the exam.

After the script processes all the results, it must decide whether more than eight students passed the exam. Let's proceed with top-down, stepwise refinement. We begin with a pseudocode representation of the top:

*Analyze exam results and decide whether a bonus should be paid*

Once again, it's important to emphasize that the top is a complete representation of the script, but that several refinements are necessary before the pseudocode can be evolved naturally into JavaScript. Our first refinement is as follows:

*Initialize variables*

*Input the 10 exam grades and count passes and failures*

*Print a summary of the exam results and decide whether a bonus should be paid*

Here, too, even though we have a complete representation of the entire script, further refinement is necessary. We now commit to specific variables. Counters are needed to record the passes and failures; a counter will be used to control the looping process, and a variable is needed to store the user input. The pseudocode statement

*Initialize variables*

may be refined as follows:

*Initialize passes to zero*

*Initialize failures to zero*

*Initialize student to one*

Note that only the counters for the number of passes, the number of failures and the number of students are initialized. The pseudocode statement

*Input the 10 exam grades and count passes and failures*

requires a loop that successively inputs the result of each exam. Here, it's known in advance that there are precisely 10 exam results, so counter-controlled repetition is appropriate. Inside the loop (i.e., *nested* within the loop), a double-selection structure will determine whether each exam result is a pass or a failure and will increment the appropriate counter accordingly. The refinement of the preceding pseudocode statement is then

*While student counter is less than or equal to ten*

*Input the next exam result*

*If the student passed*

*Add one to passes*

*Else*

*Add one to failures*

*Add one to student counter*

Blank lines can be used to set off the *If...Else* control structure to improve script readability. The pseudocode statement

*Print a summary of the exam results and decide whether a bonus should be paid*

may be refined as follows:

```

Print the number of passes
Print the number of failures
If more than eight students passed
    Print "Bonus to instructor!"
```

### *Complete Second Refinement of Pseudocode and Conversion to JavaScript*

The complete second refinement appears in Fig. 7.10. Note that blank lines are also used to set off the *While* statement for script readability.

---

```

1  Initialize passes to zero
2  Initialize failures to zero
3  Initialize student to one
4
5  While student counter is less than or equal to ten
6      Input the next exam result
7
8      If the student passed
9          Add one to passes
10     Else
11         Add one to failures
12     Add one to student counter
13
14    Print the number of passes
15    Print the number of failures
16
17    If more than eight students passed
18        Print "Bonus to Instructor!"
```

---

**Fig. 7.10** | Examination-results problem pseudocode.

This pseudocode is now refined sufficiently for conversion to JavaScript. The JavaScript and two sample executions are shown in Fig. 7.11.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 7.11: analysis.html -->
4  <!-- Examination-results calculation. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Analysis of Examination Results</title>
9          <script>
10
11          // initializing variables in declarations
12          var passes = 0; // number of passes
13          var failures = 0; // number of failures
14          var student = 1; // student counter
15          var result; // an exam result
```

---


**Fig. 7.11** | Examination-results calculation. (Part I of 3.)

```
16 // process 10 students; counter-controlled loop
17 while ( student <= 10 )
18 {
19     result = window.prompt( "Enter result (1=pass,2=fail)", "0" );
20
21     if ( result == "1" )
22         passes = passes + 1;
23     else
24         failures = failures + 1;
25
26     student = student + 1;
27 } // end while
28
29 // termination phase
30 document.writeln( "<h1>Examination Results</h1>" );
31 document.writeln( "<p>Passed: " + passes +
32                   "; Failed: " + failures + "</p>" );
33
34 if ( passes > 8 )
35     document.writeln( "<p>Bonus to instructor!</p>" );
36
37 </script>
38 </head><body></body>
39 </html>
```


- a) This dialog is displayed 10 times. User input is 1, 2, 1, 1, 1, 1, 1 and 1.



- b) Nine students passed and one failed, therefore "Bonus to instructor!" is printed.




- c) This dialog is displayed 10 times. User input is 1, 2, 1, 2, 2, 1, 2, 2, 1 and 1.



**Fig. 7.11** | Examination-results calculation. (Part 2 of 3.)

d) Five students passed and five failed, so no bonus is paid to the instructor.



**Fig. 7.11** | Examination-results calculation. (Part 3 of 3.)

Lines 12–15 declare the variables used to process the examination results. Note that JavaScript allows *variable initialization* to be incorporated into declarations (`passes` is assigned 0, `failures` is assigned 0 and `student` is assigned 1). Some scripts may require reinitialization at the beginning of each repetition; such reinitialization would normally occur in assignment statements.

The processing of the exam results occurs in the `while` statement in lines 18–28. Note that the `if...else` statement in lines 22–25 in the loop tests only whether the exam result was 1; it assumes that all other exam results are 2. Normally, you should validate the values input by the user (i.e., determine whether the values are correct).



#### Good Programming Practice 7.4

*When inputting values from the user, validate the input to ensure that it's correct. If an input value is incorrect, prompt the user to input the value again. The HTML5 self-validating controls can help you check the formatting of your data, but you may need additional tests to check that properly formatted values make sense in the context of your application.*

## 7.11 Assignment Operators

JavaScript provides several additional assignment operators (called **compound assignment operators**) for abbreviating assignment expressions. For example, the statement

```
c = c + 3;
```

can be abbreviated with the **addition assignment operator**, `+=`, as

```
c += 3;
```

The `+=` operator adds the value of the expression on the *right* of the operator to the value of the variable on the *left* of the operator and stores the result in the variable on the *left* of the operator. Any statement of the form

```
variable = variable operator expression;
```

where *operator* is one of the binary operators `+`, `-`, `*`, `/` or `%` (or others we'll discuss later in the text), can be written in the form

```
variable operator= expression;
```

Thus, the assignment `c += 3` adds 3 to `c`. Figure 7.12 shows the arithmetic assignment operators, sample expressions using these operators and explanations of the meaning of the operators.

| Assignment operator | Initial value of variable | Sample expression   | Explanation            | Assigns              |
|---------------------|---------------------------|---------------------|------------------------|----------------------|
| <code>+=</code>     | <code>c = 3</code>        | <code>c += 7</code> | <code>c = c + 7</code> | 10 to <code>c</code> |
| <code>-=</code>     | <code>d = 5</code>        | <code>d -= 4</code> | <code>d = d - 4</code> | 1 to <code>d</code>  |
| <code>*=</code>     | <code>e = 4</code>        | <code>e *= 5</code> | <code>e = e * 5</code> | 20 to <code>e</code> |
| <code>/=</code>     | <code>f = 6</code>        | <code>f /= 3</code> | <code>f = f / 3</code> | 2 to <code>f</code>  |
| <code>%=</code>     | <code>g = 12</code>       | <code>g %= 9</code> | <code>g = g % 9</code> | 3 to <code>g</code>  |

**Fig. 7.12** | Arithmetic assignment operators.

## 7.12 Increment and Decrement Operators

JavaScript provides the unary **increment operator** (`++`) and **decrement operator** (`--`) (summarized in Fig. 7.13). If a variable `c` is incremented by 1, the increment operator, `++`, can be used rather than the expression `c = c + 1` or `c += 1`. If an increment or decrement operator is placed *before* a variable, it's referred to as the **preincrement** or **predecrement operator**, respectively. If an increment or decrement operator is placed *after* a variable, it's referred to as the **postincrement** or **postdecrement operator**, respectively.

| Operator        | Example          | Called        | Explanation  |
|-----------------|------------------|---------------|--|
| <code>++</code> | <code>++a</code> | preincrement  | Increment <code>a</code> by 1, then use the new value of <code>a</code> in the expression in which <code>a</code> resides.     |
| <code>++</code> | <code>a++</code> | postincrement | Use the current value of <code>a</code> in the expression in which <code>a</code> resides, then increment <code>a</code> by 1. |
| <code>--</code> | <code>--b</code> | predecrement  | Decrement <code>b</code> by 1, then use the new value of <code>b</code> in the expression in which <code>b</code> resides.     |
| <code>--</code> | <code>b--</code> | postdecrement | Use the current value of <code>b</code> in the expression in which <code>b</code> resides, then decrement <code>b</code> by 1. |

**Fig. 7.13** | Increment and decrement operators.

Preincrementing (or predecrementing) a variable causes the script to increment (decrement) the variable by 1, then use the new value of the variable in the expression in which it appears. Postincrementing (postdecrementing) the variable causes the script to use the current value of the variable in the expression in which it appears, then increment (decrement) the variable by 1.


The script in Fig. 7.14 demonstrates the difference between the preincrementing and postincrementing versions of the `++` increment operator. Postincrementing the variable `c`

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 7.14: increment.html -->
4  <!-- Preincrementing and Postincrementing. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Preincrementing and Postincrementing</title>
9          <script>
10
11      var c;
12
13      c = 5;
14      document.writeln( "<h3>Postincrementing</h3>" );
15      document.writeln( "<p>" + c ); // prints 5
16      // prints 5 then increments
17      document.writeln( " " + c++ );
18      document.writeln( " " + c + "</p>" ); // prints 6
19
20      c = 5;
21      document.writeln( "<h3>Preincrementing</h3>" );
22      document.writeln( "<p>" + c ); // prints 5
23      // increments then prints 6
24      document.writeln( " " + ++c );
25      document.writeln( " " + c + "</p>" ); // prints 6
26
27      </script>
28  </head><body></body>
29 </html>

```



**Fig. 7.14** | Preincrementing and postincrementing.

causes it to be incremented *after* it's used in the `document.writeln` method call (line 17). Preincrementing the variable `c` causes it to be incremented *before* it's used in the `document.writeln` method call (line 24). The script displays the value of `c` before and after the `++` operator is used. The decrement operator (`--`) works similarly.



#### Good Programming Practice 7.5

*For readability, unary operators should be placed next to their operands, with no intervening spaces.*

The three assignment statements in Fig. 7.11 (lines 23, 25 and 27, respectively),

```
passes = passes + 1;
failures = failures + 1;
student = student + 1;
```

can be written more concisely with assignment operators as

```
passes += 1;
failures += 1;
student += 1;
```

with preincrement operators as

```
++passes;
++failures;
++student;
```

or with postincrement operators as

```
passes++;
failures++;
student++;
```

When incrementing or decrementing a variable in a statement by itself, the preincrement and postincrement forms have the *same* effect, and the predecrement and postdecrement forms have the same effect. It's only when a variable appears in the context of a larger expression that preincrementing the variable and post-incrementing the variable have different effects. Predecrementing and postdecrementing behave similarly.



#### Common Programming Error 7.4

*Attempting to use the increment or decrement operator on an expression other than a left-hand-side expression—commonly called an lvalue—is a syntax error. A left-hand-side expression is a variable or expression that can appear on the left side of an assignment operation. For example, writing `++(x + 1)` is a syntax error, because `(x + 1)` is not a left-hand-side expression.*

Figure 7.15 lists the precedence and associativity of the operators introduced to this point. The operators are shown top-to-bottom in decreasing order of precedence. The second column describes the associativity of the operators at each level of precedence. The conditional operator (`? :`), the unary operators increment (`++`) and decrement (`--`) and the assignment operators `=`, `+=`, `-=`, `*=`, `/=` and `%=` associate from *right to left*. All other operators shown here associate from *left to right*. The third column names the groups of operators.

| Operator                           | Associativity | Type           |
|------------------------------------|---------------|----------------|
| <code>++ --</code>                 | right to left | unary          |
| <code>* / %</code>                 | left to right | multiplicative |
| <code>+ -</code>                   | left to right | additive       |
| <code>&lt; &lt;= &gt; &gt;=</code> | left to right | relational     |

**Fig. 7.15** | Precedence and associativity of the operators discussed so far. (Part 1 of 2.)

| Operator   | Associativity | Type        |
|--|---------------|-------------|
| <code>==</code> <code>!=</code> <code>====</code> <code>!====</code>                           | left to right | equality    |
| <code>:</code>   | right to left | conditional |
| <code>=</code> <code>+=</code> <code>-=</code> <code>*=</code> <code>/=</code> <code>%=</code> | right to left | assignment  |

**Fig. 7.15** | Precedence and associativity of the operators discussed so far. (Part 2 of 2.)

## 7.13 Web Resources

[www.deitel.com/javascript/](http://www.deitel.com/javascript/)

The Deitel JavaScript Resource Center contains links to some of the best JavaScript resources on the web. There you'll find categorized links to JavaScript tools, code generators, forums, books, libraries, frameworks and more. Also check out the tutorials for all skill levels, from introductory to advanced. Be sure to visit the related Resource Centers on HTML5 ([www.deitel.com/html5/](http://www.deitel.com/html5/)) and CSS3 ([www.deitel.com/css3/](http://www.deitel.com/css3/)).

## Summary

### Section 7.2 Algorithms

- Any computable problem can be solved by executing a series of actions in a specific order.
- A procedure (p. 247) for solving a problem in terms of the actions (p. 247) to execute and the order in which the actions are to execute (p. 247) is called an algorithm (p. 247).
- Specifying the order in which the actions are to be executed in a computer program is called program control (p. 247).

### Section 7.3 Pseudocode

- Pseudocode (p. 247) is an informal language that helps you develop algorithms.
- Carefully prepared pseudocode may be converted easily to a corresponding script.

### Section 7.4 Control Statements

- Normally, statements in a script execute one after the other, in the order in which they're written. This process is called sequential execution (p. 247).
- Various JavaScript statements enable you to specify that the next statement to be executed may not necessarily be the next one in sequence. This is known as transfer of control (p. 248).
- All scripts could be written in terms of only three control structures—namely, the sequence structure, (p. 248) the selection structure (p. 248) and the repetition structure (p. 248).
- A flowchart (p. 248) is a graphical representation of an algorithm or of a portion of an algorithm. Flowcharts are drawn using certain special-purpose symbols, such as rectangles (p. 248), diamonds (p. 249), ovals (p. 248) and small circles (p. 248); these symbols are connected by arrows called flowlines (p. 248), which indicate the order in which the actions of the algorithm execute.
- JavaScript provides three selection structures. The `if` selection statement (p. 249) performs an action only if a condition is true. The `if...else` selection statement performs an action if a condition is true and a different action if the condition is false. The `switch` selection statement performs one of many different actions, depending on the value of an expression.
- JavaScript provides four repetition statements—`while` (p. 249), `do...while`, `for` and `for...in`.

- Keywords (p. 249) cannot be used as identifiers (e.g., for variable names).
- Single-entry/single-exit control structures (p. 250) make it easy to build scripts. Control statements are attached to one another by connecting the exit point of one control statement to the entry point of the next. This procedure is called control-statement stacking (p. 250). There's only one other way control statements may be connected: control-statement nesting (p. 250).

### ***Section 7.5 if Selection Statement***

- The JavaScript interpreter ignores white-space characters: blanks, tabs and newlines used for indentation and vertical spacing. Programmers insert white-space characters to enhance script clarity.
- A decision can be made on any expression that evaluates to `true` or `false` (p. 250).
- The indentation convention you choose should be carefully applied throughout your scripts. It's difficult to read scripts that do not use uniform spacing conventions.

### ***Section 7.6 if...else Selection Statement***

- The conditional operator (`? :`; p. 252) is closely related to the `if...else` statement. Operator `? :` is JavaScript's only ternary operator—it takes three operands. The operands together with the `? :` operator form a conditional expression (p. 252). The first operand is a boolean expression, the second is the value for the conditional expression if the boolean expression evaluates to `true` and the third is the value for the conditional expression if the boolean expression evaluates to `false`.
- Nested `if...else` statements (p. 252) test for multiple cases by placing `if...else` statements inside other `if...else` structures.
- The JavaScript interpreter always associates an `else` with the previous `if`, unless told to do otherwise by the placement of braces (`{}`).
- The `if` selection statement expects only one statement in its body. To include several statements in the body, enclose the statements in a block (p. 254) delimited by braces (`{` and `}`).
- A logic error (p. 255) has its effect at execution time. A fatal logic error (p. 255) causes a script to fail and terminate prematurely. A nonfatal logic error (p. 255) allows a script to continue executing, but the script produces incorrect results.

### ***Section 7.7 while Repetition Statement***

- The `while` repetition statement allows the you to specify that an action is to be repeated while some condition remains true.

### ***Section 7.8 Formulating Algorithms: Counter-Controlled Repetition***

- Counter-controlled repetition (p. 257) is often called definite repetition, because the number of repetitions is known before the loop begins executing.
- Uninitialized variables used in mathematical calculations result in logic errors and produce the value `NaN` (not a number).
- JavaScript represents all numbers as floating-point numbers in memory. Floating-point numbers (p. 260) often develop through division. The computer allocates only a fixed amount of space to hold such a value, so the stored floating-point value can only be an approximation.

### ***Section 7.9 Formulating Algorithms: Sentinel-Controlled Repetition***

- In sentinel-controlled repetition, a special value called a sentinel value (also called a signal value, a dummy value or a flag value, p. 260) indicates the end of data entry. Sentinel-controlled repetition is often called indefinite repetition (p. 261), because the number of repetitions is not known in advance.
- It's necessary to choose a sentinel value that cannot be confused with an acceptable input value.

- Top-down, stepwise refinement (p. 261) is a technique essential to the development of well-structured algorithms. The top (p. 261) is a single statement that conveys the overall purpose of the script. As such, the top is, in effect, a complete representation of a script. The stepwise refinement process divides the top into a series of smaller tasks. Terminate the top-down, stepwise refinement process when the pseudocode algorithm is specified in sufficient detail for you to be able to convert the pseudocode to JavaScript.

### ***Section 7.10 Formulating Algorithms: Nested Control Statements***

- Control statements can be nested to perform more complex tasks.

### ***Section 7.11 Assignment Operators***

- JavaScript provides the arithmetic assignment operators `+=`, `-=`, `*=`, `/=` and `%=` (p. 270), which abbreviate certain common types of expressions.

### ***Section 7.12 Increment and Decrement Operators***

- The increment operator, `++` (p. 271), and the decrement operator, `--` (p. 271), increment or decrement a variable by 1, respectively. If the operator is prefixed to the variable, the variable is incremented or decremented by 1, then used in its expression. If the operator is postfix to the variable, the variable is used in its expression, then incremented or decremented by 1.

## **Self-Review Exercises**

- 7.1** Fill in the blanks in each of the following statements:
- JavaScript provides four repetition statements— \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_ and \_\_\_\_\_.
  - JavaScript represents all numbers as \_\_\_\_\_ numbers in memory.
  - \_\_\_\_\_ is an informal language that helps you to develop algorithms.
  - A(n) \_\_\_\_\_ has its effect at execution time. A(n) \_\_\_\_\_ causes a script to fail and terminate prematurely. A(n) \_\_\_\_\_ allows a script to continue executing, but the script produces incorrect results.
- 7.2** Write four JavaScript statements that each subtract 1 from variable `x`, which contains a number.
- 7.3** Write JavaScript statements to accomplish each of the following tasks:
- Assign the product of `x` and `y` to `z`, and decrement the value of `x` by 1 after the calculation. Use only one statement.
  - Test whether the value of the variable `count` is less than 15. If it is, print "Count is less than 15".
  - Increment the variable `x` by 1, then add it to the variable `total`. Use only one statement.
  - Calculate the product after `p` is multiplied by variable `product`, and assign the result to `p`. Write this statement in two different ways.
- 7.4** Write a JavaScript statement to accomplish each of the following tasks:
- Declare variables `product` and `y`.
  - Assign 5 to variable `y`.
  - Assign 1 to variable `product`.
  - Multiply variable `y` with variable `product`, and assign the result to variable `product`.
  - Print "The product is: ", followed by the value of variable `product`.
- 7.5** Write a script including statements for variable declaration and assignment that will calculate and print the sum of the integers from 1 to 10. Use the `while` statement to loop through the calculation and increment statements. The loop should terminate when the value of `x` becomes 11.

**7.6** Determine the value of each variable after the calculation is performed. Assume that, when each statement begins executing, all variables have the integer value 3.

- a) `product *= x--;`
- b) `quotient /= --x;`

**7.7** Identify and correct the *errors* in each of the following segments of code:

- a) `while ( c <= 5 ) {  
 product *= c;  
 ++c; }`
- b) `if ( gender == 1 )  
 document.writeln( "Woman" );  
else;  
 document.writeln( "Man" );`

**7.8** What is wrong with the following `while` repetition statement?

```
while ( z >= 0 )
    sum += z;
```

## Answers to Self-Review Exercises

**7.1** a) while, do...while, for, for....in. b) floating-point. c) Pseudocode. d) logic error, fatal logic error, nonfatal logic error.

**7.2**

```
x = x -1;
x -= 1;
--x;
x--;
```

**7.3**

- a) `z = x++ + y;`
- b) `if ( count < 15 )
 document.writeln( "Count is lesser than 15" );`
- c) `total += ++x;`
- d) `p *= product;
 p = p * product;`

**7.4**

- a) `var product, y;`
- b) `y = 5;`
- c) `product = 1;`
- d) `product *= y; or product = product * 1;`
- e) `document.writeln( "The product is: " + product );`

**7.5** The solution is as follows:

---

```

1  <!DOCTYPE html>
2
3  <!-- Exercise 7.5: ex08_05.html -->
4  <html>
5      <head>
6          <meta charset = "utf-8">
7          <title>Sum the Integers from 1 to 10</title>
8          <script>
9              var sum; // stores the total
10             var x; //counter control variable
11
12             x = 1;
13             sum = 0;
14

```

---

```

15      while ( x <= 10 )
16      {
17          sum += x;
18          ++x;
19      } // end while
20      document.writeln( "The sum is: " + sum );
21  </script>
22  </head><body></body>
23 </html>

```



- 7.6** a) `product = 9, x = 2;`  
      b) `quotient = 1.5, x = 2;`
- 7.7** a) Error: Missing the closing right brace of the `while` body.  
       Correction: Add closing right brace after the statement `++c;`.  
      b) Error: The ; after `else` causes a logic error. The second output statement always executes.  
       Correction: Remove the semicolon after `else`.
- 7.8** The value of the variable `z` is never changed in the body of the `while` statement. Therefore, if the loop-continuation condition (`z >= 0`) is true, an *infinite loop* is created. To prevent the creation of the infinite loop, `z` must be decremented so that it eventually becomes less than 0.

## Exercises

- 7.9** Identify and correct the *errors* in each of the following segments of code. [Note: There may be more than one error in each piece of code; unless declarations are present, assume all variables are properly declared and initialized.]

```

a) if ( age >= 65 );
    document.writeln( "Age greater than or equal to 65" );
else
    document.writeln( "Age is less than 65" );
b) var x = 1, total;
    while ( x <= 10 )
{
    total += x;
    ++x;
}
c) var x = 1;
var total = 0;
while ( x <= 100 )
    total += x;
    ++x;
d) var y = 5;
    while ( y > 0 )
{
    document.writeln( y );
    ++y;
}

```

- 7.10** Without running it, determine what the following script prints:

```

1  <!DOCTYPE html>
2
3  <!-- Exercise 7.10: ex08_10.html -->
4  <html>
5      <head>
6          <meta charset = "utf-8">
7          <title>Mystery Script</title>
8          <script type = "text/javascript">
9              <!--
10             var y;
11             var x = 1;
12             var total = 0;
13
14             while ( x <= 15 )
15             {
16                 y = x * x * x;
17                 document.writeln( "<p>" + y + "</p>" );
18                 total += y;
19                 ++x;
20             } // end while
21
22             document.writeln( "<p>Total is " + total + "</p>" );
23             //-->
24         </script>
25     </head><body></body>
26 </html>
```

For Exercises 7.11–7.14, perform each of the following steps:

- a) Read the problem statement.
- b) Formulate the algorithm using pseudocode and top-down, stepwise refinement.
- c) Define the algorithm in JavaScript.
- d) Test, debug and execute the JavaScript.
- e) Process three complete sets of data.

- 7.11** Drivers are concerned with the mileage obtained by their automobiles. One driver has kept track of several tankfuls of gasoline by recording the number of miles driven and the number of gallons used for each tankful. Develop a script that will take as input the miles driven and gallons used (both as integers) for each tankful. The script should calculate and output HTML5 text that displays the number of miles per gallon obtained for each tankful and prints the combined number of miles per gallon obtained for all tankfuls up to this point. Use `prompt` dialogs to obtain the data from the user.

- 7.12** Develop a script that will determine whether a department-store customer has exceeded the credit limit on a charge account. For each customer, the following facts are available:

- a) Account number
- b) Balance at the beginning of the month
- c) Total of all items charged by this customer this month
- d) Total of all credits applied to this customer's account this month
- e) Allowed credit limit

The script should input each of these facts from a `prompt` dialog as an integer, calculate the new balance ( $= \text{beginning balance} + \text{charges} - \text{credits}$ ), display the new balance and determine whether the new balance exceeds the customer's credit limit. For customers whose credit limit is exceeded, the script should output HTML5 text that displays the message "Credit limit exceeded."

- 7.13** A large company pays its salespeople on a commission basis. The salespeople receive \$200 per week, plus 9 percent of their gross sales for that week. For example, a salesperson who sells \$5000

worth of merchandise in a week receives \$200 plus 9 percent of \$5000, or a total of \$650. You have been supplied with a list of the items sold by each salesperson. The values of these items are as follows:

| Item | Value  |
|------|--------|
| 1    | 239.99 |
| 2    | 129.75 |
| 3    | 99.95  |
| 4    | 350.89 |

Develop a script that inputs one salesperson's items sold for last week, calculates the salesperson's earnings and outputs HTML5 text that displays the salesperson's earnings.

**7.14** Develop a script that will determine the gross pay for each of three employees. The company pays "straight time" for the first 40 hours worked by each employee and pays "time and a half" for all hours worked in excess of 40 hours. You're given a list of the employees of the company, the number of hours each employee worked last week and the hourly rate of each employee. Your script should input this information for each employee, determine the employee's gross pay and output HTML5 text that displays the employee's gross pay. Use `prompt` dialogs to input the data.

**7.15** The process of finding the *largest* value (i.e., the maximum of a group of values) is used frequently in computer applications. For example, a script that determines the winner of a sales contest would input the number of units sold by each salesperson. The salesperson who sells the most units wins the contest. Write a pseudocode algorithm and then a script that inputs a series of 10 single-digit numbers as characters, determines the largest of the numbers and outputs a message that displays the largest number. Your script should use three variables as follows:

- a) `counter`: A counter to count to 10 (i.e., to keep track of how many numbers have been input and to determine when all 10 numbers have been processed);
- b) `number`: The current digit input to the script;
- c) `largest`: The largest number found so far.

**7.16** Write a script that uses looping to print the following table of values. Output the results in an HTML5 table. Use CSS to center the data in each column.

| N | 10*N | 100*N | 1000*N |
|---|------|-------|--------|
| 1 | 10   | 100   | 1000   |
| 2 | 20   | 200   | 2000   |
| 3 | 30   | 300   | 3000   |
| 4 | 40   | 400   | 4000   |
| 5 | 50   | 500   | 5000   |
| 6 | 60   | 600   | 6000   |

**7.17** Using an approach similar to that in Exercise 7.15, find the *two* largest values among the 10 digits entered. [Note: You may input each number only once.]

**7.18** Without running it, determine what the following script prints:

---

```

1  <!DOCTYPE html>
2
3  <!-- Exercise 7.18: ex08_18.html -->
4  <html>
5      <head>
```

---

---

```

6      <meta charset = "utf-8">
7      <title>Mystery Script</title>
8      <script>
9
10     var row = 10;
11     var column;
12
13     while ( row >= 1 )
14     {
15         column = 1;
16         document.writeln( "<p>" );
17
18         while ( column <= 10 )
19         {
20             document.write( row % 2 == 1 ? "<" : ">" );
21             ++column;
22         } // end while
23
24         --row;
25         document.writeln( "</p>" );
26     } // end while
27
28     </script>
29     </head><body></body>
30 </html>

```

---

**7.19 (Dangling-Else Problem)** Determine the output for each of the given segments of code when  $x$  is 9 and  $y$  is 11, and when  $x$  is 11 and  $y$  is 9. Note that the interpreter ignores the indentation in a script. Also, the JavaScript interpreter always associates an **else** with the previous **if**, unless told to do otherwise by the placement of braces ( $\{\}$ ). You may not be sure at first glance which **if** an **else** matches. This situation is referred to as the “dangling-else” problem. We’ve eliminated the indentation from the given code to make the problem more challenging. [Hint: Apply the indentation conventions you have learned.]

- ```

a) if ( x < 10 )
    if ( y > 10 )
        document.writeln( "<p>*****</p>" );
    else
        document.writeln( "<p>#####</p>" );
        document.writeln( "<p>$$$$$</p>" );

```
- ```

b) if ( x < 10 )
{
    if ( y > 10 )
        document.writeln( "<p>*****</p>" );
    }
    else
    {
        document.writeln( "<p>#####</p>" );
        document.writeln( "<p>$$$$$</p>" );
    }
}

```

**7.20** A palindrome is a number or a text phrase that reads the same backward and forward. For example, each of the following five-digit integers is a palindrome: 12321, 55555, 45554 and 11611. Write a script that reads in a five-digit integer and determines whether it’s a palindrome. If the number is not five digits long, display an **alert** dialog indicating the problem to the user. Allow the user to enter a new value after dismissing the **alert** dialog. [Hint: It’s possible to do this exercise with

the techniques learned in this chapter. You'll need to use both division and remainder operations to "pick off" each digit.]

**7.21** Write a script that outputs HTML5 text that keeps displaying in the browser window the multiples of the integer 2—namely, 2, 4, 8, 16, 32, 64, etc. Your loop should *not terminate* (i.e., you should create an *infinite loop*). What happens when you run this script?

**7.22** A company wants to transmit data over the telephone, but it's concerned that its phones may be tapped. All of its data is transmitted as four-digit integers. It has asked you to write a script that will *encrypt* its data so that the data may be transmitted more securely. Your script should read a four-digit integer entered by the user in a prompt dialog and encrypt it as follows: Replace each digit by *(the sum of that digit plus 7) modulus 10*. Then swap the first digit with the third, and swap the second digit with the fourth. Then output HTML5 text that displays the encrypted integer.

**7.23** Write a script that inputs an encrypted four-digit integer (from Exercise 7.22) and *decrypts* it to form the original number.

# JavaScript: Control Statements II

8

*Who can control his fate?*

—William Shakespeare

*Not everything that can be counted counts, and not every thing that counts can be counted.*

—Albert Einstein

## Objectives

In this chapter you'll:

- Learn the essentials of counter-controlled repetition
- Use the `for` and `do...while` repetition statements to execute statements in a program repeatedly.
- Perform multiple selection using the `switch` selection statement.
- Use the `break` and `continue` program-control statements
- Use the logical operators to make decisions.



- 8.1** Introduction
- 8.2** Essentials of Counter-Controlled Repetition
- 8.3** `for` Repetition Statement
- 8.4** Examples Using the `for` Statement
- 8.5** `switch` Multiple-Selection Statement

- 8.6** `do...while` Repetition Statement
- 8.7** `break` and `continue` Statements
- 8.8** Logical Operators
- 8.9** Web Resources

*Summary | Self-Review Exercises | Answers to Self-Review Exercises | Exercises*

## 8.1 Introduction

In this chapter, we introduce JavaScript’s remaining control statements (with the exception of `for...in`, which is presented in Chapter 10). In later chapters, you’ll see that control statements also are helpful in manipulating objects.

## 8.2 Essentials of Counter-Controlled Repetition

Counter-controlled repetition requires:

1. The *name* of a control variable (or loop counter).
2. The *initial value* of the control variable.
3. The *increment* (or *decrement*) by which the control variable is modified each time through the loop (also known as *each iteration of the loop*).
4. The condition that tests for the *final value* of the control variable to determine whether looping should continue.

To see the four elements of counter-controlled repetition, consider the simple script shown in Fig. 8.1, which displays lines of HTML5 text that illustrate the seven different font sizes supported by HTML5. The declaration in line 11 *names* the control variable (`counter`), *reserves* space for it in memory and sets it to an *initial value* of 1. The declaration and initialization of `counter` could also have been accomplished by these statements:

```
var counter; // declare counter
counter = 1; // initialize counter to 1
```

Lines 15–16 in the `while` statement write a paragraph element consisting of the string “HTML5 font size” concatenated with the control variable `counter`’s value, which represents the font size. An inline CSS `style` attribute sets the `font-size` property to the value of `counter` concatenated with `ex`.

Line 17 in the `while` statement *increments* the control variable by 1 for each iteration of the loop (i.e., each time the body of the loop is performed). The loop-continuation condition (line 13) in the `while` statement tests whether the value of the control variable is less than or equal to 7 (the *final value* for which the condition is *true*). Note that the body of this `while` statement executes even when the control variable is 7. The loop terminates when the control variable exceeds 7 (i.e., `counter` becomes 8).

```
1 <!DOCTYPE html>
2
3 <!-- Fig. 8.1: WhileCounter.html -->
4 <!-- Counter-controlled repetition. -->
5 <html>
6   <head>
7     <meta charset = "utf-8">
8     <title>Counter-Controlled Repetition</title>
9     <script>
10
11       var counter = 1; // initialization
12
13       while ( counter <= 7 ) // repetition condition
14     {
15         document.writeln( "<p style = 'font-size: " +
16                           counter + "ex'>HTML5 font size " + counter + "ex</p>" );
17         ++counter; // increment
18     } //end while
19
20   </script>
21   </head><body></body>
22 </html>
```



**Fig. 8.1** | Counter-controlled repetition.

### 8.3 for Repetition Statement

The **for** repetition statement conveniently handles all the details of counter-controlled repetition. Figure 8.2 illustrates the power of the for statement by reimplementing the script of Fig. 8.1. The outputs of these scripts are identical.

```
1  <!DOCTYPE html>
2
3  <!-- Fig. 8.2: ForCounter.html -->
4  <!-- Counter-controlled repetition with the for statement. -->
5  <html>
6      <head>
7          <meta charset="utf-8">
8          <title>Counter-Controlled Repetition</title>
9          <script>
10
11             // Initialization, repetition condition and
12             // incrementing are all included in the for
13             // statement header.
14         for ( var counter = 1; counter <= 7; ++counter )
15             document.writeln( "<p style = 'font-size: " +
16                 counter + "ex'>HTML5 font size " + counter + "ex</p>" );
17
18     </script>
19     </head><body></body>
20 </html>
```

---

**Fig. 8.2** | Counter-controlled repetition with the for statement.


When the for statement begins executing (line 14), the control variable `counter` is declared *and* initialized to 1. Next, the loop-continuation condition, `counter <= 7`, is checked. The condition contains the *final value* (7) of the control variable. The initial value of `counter` is 1. Therefore, the condition is satisfied (i.e., true), so the body statement (lines 15–16) writes a paragraph element in the body of the HTML5 document. Then, variable `counter` is incremented in the expression `++counter` and the loop continues execution with the loop-continuation test. The control variable is now equal to 2, so the final value is not exceeded and the program performs the body statement again (i.e., performs the next iteration of the loop). This process continues until the control variable `counter` becomes 8, at which point the loop-continuation test fails and the repetition terminates.

The program continues by performing the first statement after the for statement. (In this case, the script terminates, because the interpreter reaches the end of the script.)

Figure 8.3 takes a closer look at the for statement at line 14 of Fig. 8.2. The for statement's first line (including the keyword `for` and everything in parentheses after it) is often called the **for statement header**. Note that the for statement “does it all”—it specifies each of the items needed for counter-controlled repetition with a control variable. Remember that a block is a group of statements enclosed in curly braces that can be placed anywhere that a single statement can be placed, so you can use a block to put multiple statements into the body of a for statement, if necessary.

#### *A Closer Look at the for Statement's Header*

Figure 8.3 uses the loop-continuation condition `counter <= 7`. If you incorrectly write `counter < 7`, the loop will execute only *six* times. This is an example of the common logic error called an **off-by-one error**.



**Fig. 8.3** | for statement header components.

### General Format of a for Statement

The general format of the for statement is

```
for ( initialization; loopContinuationTest; increment )
    statements
```

where the *initialization* expression names the loop's control variable and provides its initial value, *loopContinuationTest* is the expression that tests the loop-continuation condition (containing the final value of the control variable for which the condition is *true*), and *increment* is an expression that increments the control variable.

### Optional Expressions in a for Statement Header

The three expressions in the for statement's header are optional. If *loopContinuationTest* is omitted, the loop-continuation condition is *true*, thus creating an *infinite loop*. One might omit the *initialization* expression if the control variable is initialized before the loop. One might omit the *increment* expression if the increment is calculated by statements in the loop's body or if no increment is needed. The two semicolons in the header are required.

### Arithmetic Expressions in the for Statement's Header

The initialization, loop-continuation condition and increment portions of a for statement can contain arithmetic expressions. For example, assume that  $x = 2$  and  $y = 10$ . If  $x$  and  $y$  are not modified in the body of the loop, then the statement

```
for ( var j = x; j <= 4 * x * y; j += y / x )
```

is equivalent to the statement

```
for ( var j = 2; j <= 80; j += 5 )
```

### Negative Increments

The “increment” of a for statement may be negative, in which case it's really a *decrement* and the loop actually counts *downward*.

### Loop-Continuation Condition Initially false

If the loop-continuation condition initially is *false*, the for statement's body is not performed. Instead, execution proceeds with the statement following the for statement.




#### Error-Prevention Tip 8.1

Although the value of the control variable can be changed in the body of a for statement, avoid changing it, because doing so can lead to subtle errors.

### Flowcharting a **for** Statement

The **for** statement is flowcharted much like the **while** statement. For example, Fig. 8.4 shows the flowchart of the **for** statement in lines 14–17 of Fig. 8.2. This flowchart makes it clear that the initialization occurs only once and that incrementing occurs *after* each execution of the body statement. Note that, besides *small circles* and *arrows*, the flowchart contains only *rectangle symbols* and a *diamond symbol*.



**Fig. 8.4** | **for** repetition statement flowchart.

## 8.4 Examples Using the **for** Statement

The examples in this section show methods of varying the control variable in a **for** statement. In each case, we write the appropriate **for** header. Note the change in the relational operator for loops that *decrement* the control variable.

- Vary the control variable from 1 to 100 in increments of 1.

```
for ( var i = 1; i <= 100; ++i )
```

- Vary the control variable from 100 to 1 in increments of -1 (i.e., *decrements* of 1).

```
for ( var i = 100; i >= 1; --i )
```

- Vary the control variable from 7 to 77 in steps of 7.

```
for ( var i = 7; i <= 77; i += 7 )
```

- Vary the control variable from 20 to 2 in steps of -2.

```
for ( var i = 20; i >= 2; i -= 2 )
```



### Common Programming Error 8.1

*Not using the proper relational operator in the loop-continuation condition of a loop that counts downward (e.g., using  $i \leq 1$  instead of  $i \geq 1$  in a loop that counts down to 1) is a logic error.*

***Summing Integers with a `for` Statement***

Figure 8.5 uses the `for` statement to sum the even integers from 2 to 100. Note that the increment expression (line 13) adds 2 to the control variable `number` *after* the body executes during each iteration of the loop. The loop terminates when `number` has the value 102 (which is *not* added to the sum), and the script continues executing at line 16.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 8.5: Sum.html -->
4  <!-- Summation with the for repetition structure. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Sum the Even Integers from 2 to 100</title>
9          <script>
10
11      var sum = 0;
12
13      for ( var number = 2; number <= 100; number += 2 )
14          sum += number;
15
16      document.writeln( "The sum of the even integers " +
17          "from 2 to 100 is " + sum );
18
19      </script>
20  </head><body></body>
21 </html>
```



**Fig. 8.5** | Summation with the `for` repetition structure.

The body of the `for` statement in Fig. 8.5 actually could be merged into the rightmost (increment) portion of the `for` header by using a comma, as follows:

```

for ( var number = 2; number <= 100; sum += number, number += 2 )
    ;
```

In this case, the comma represents the **comma operator**, which guarantees that the expression to its left is evaluated before the expression to its right. Similarly, the initialization `sum= 0` could be merged into the initialization section of the `for` statement.

**Good Programming Practice 8.1**

*Although statements preceding a `for` statement and in the body of a `for` statement can often be merged into the `for` header, avoid doing so, because it makes the program more difficult to read.*

### *Calculating Compound Interest with the **for** Statement*

The next example computes compound interest (compounded yearly) using the **for** statement. Consider the following problem statement:

*A person invests \$1000.00 in a savings account yielding 5 percent interest. Assuming that all the interest is left on deposit, calculate and print the amount of money in the account at the end of each year for 10 years. Use the following formula to determine the amounts:*

$$a = p (1 + r)^n$$

where

*p* is the original amount invested (i.e., the principal)

*r* is the annual interest rate

*n* is the number of years

*a* is the amount on deposit at the end of the *n*th year.

This problem involves a loop that performs the indicated calculation for each of the 10 years the money remains on deposit. Figure 8.6 presents the solution to this problem, displaying the results in a table. Lines 9–18 define an embedded CSS style sheet that formats various aspects of the table. The CSS property **border-collapse** (line 11) with the value **collapse** indicates that the table's borders should be merged so that there is no extra space between adjacent cells or between cells and the table's border. Lines 13–14 specify the formatting for the **table**, **td** and **th** elements, indicating that they should all have a **1px solid black** border and padding of **4px** around their contents.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 8.6: Interest.html -->
4  <!-- Compound interest calculation with a for loop. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Calculating Compound Interest</title>
9          <style type = "text/css">
10             table { width: 300px;
11                 border-collapse: collapse;
12                 background-color: lightblue; }
13             table, td, th { border: 1px solid black;
14                         padding: 4px; }
15             th { text-align: left;
16                   color: white;
17                   background-color: darkblue; }
18             tr.oddrow { background-color: white; }
19         </style>
20         <script>
21
22             var amount; // current amount of money
23             var principal = 1000.00; // principal amount
24             var rate = 0.05; // interest rate
25

```

---

**Fig. 8.6** | Compound interest calculation with a **for** loop. (Part 1 of 2.)

```

26     document.writeln("<table>"); // begin the table
27     document.writeln(
28         "<caption>Calculating Compound Interest</caption>");
29     document.writeln(
30         "<thead><tr><th>Year</th>" ); // year column heading
31     document.writeln(
32         "<th>Amount on deposit</th>" ); // amount column heading
33     document.writeln( "</tr></thead><tbody>" );
34
35     // output a table row for each year
36     for ( var year = 1; year <= 10; ++year )
37     {
38         amount = principal * Math.pow( 1.0 + rate, year );
39
40         if ( year % 2 !== 0 )
41             document.writeln( "<tr class='oddrow'><td>" + year +
42                             "</td><td>" + amount.toFixed(2) + "</td></tr>" );
43         else
44             document.writeln( "<tr><td>" + year +
45                             "</td><td>" + amount.toFixed(2) + "</td></tr>" );
46     } //end for
47
48     document.writeln( "</tbody></table>" );
49
50     </script>
51     </head><body></body>
52 </html>
```

| Year | Amount on deposit |
|------|-------------------|
| 1    | 1050.00           |
| 2    | 1102.50           |
| 3    | 1157.63           |
| 4    | 1215.51           |
| 5    | 1276.28           |
| 6    | 1340.10           |
| 7    | 1407.10           |
| 8    | 1477.46           |
| 9    | 1551.33           |
| 10   | 1628.89           |

**Fig. 8.6** | Compound interest calculation with a for loop. (Part 2 of 2.)***Outputting the Beginning of an HTML5 table***

Lines 22–24 declare three variables and initialize `principal` to 1000.0 and `rate` to .05. Line 26 writes an HTML5 `<table>` tag, and lines 27–28 write the caption that summarizes the table's content. Lines 29–30 create the table's header section (`<thead>`), a row

(`<tr>`) and a column heading (`<th>`) containing “Year.” Lines 31–32 create a table heading for “Amount on deposit”, write the closing `</tr>` and `</thead>` tags, and write the opening tag for the body of the table (`<body>`).

### *Performing the Interest Calculations*

The `for` statement (lines 36–46) executes its body 10 times, incrementing control variable `year` from 1 to 10 (note that `year` represents  $n$  in the problem statement). JavaScript does *not* include an exponentiation operator—instead, we use the `Math` object’s `pow` method. `Math.pow(x, y)` calculates the value of `x` raised to the `y`th power. Method `Math.pow` takes two numbers as arguments and returns the result. Line 38 performs the calculation using the formula given in the problem statement.

### *Formatting the table Rows*

Lines 40–45 write a line of HTML5 markup that creates the next row in the table. If it’s an odd-numbered row, line 41 indicates that the row should be formatted with the CSS style class `oddrow` (defined on line 18)—this allows us to format the background color differently for odd- and even-numbered rows to make the table more readable. The first column is the current year value. The second column displays the value of `amount`. Line 48 writes the closing `</tbody>` and `</table>` tags after the loop terminates.

### *Number Method `toFixed`*

Lines 42 and 45 introduce the `Number` object and its `toFixed` method. The variable `amount` contains a numerical value, so JavaScript represents it as a `Number` object. The `toFixed` method of a `Number` object formats the value by rounding it to the specified number of decimal places. On line 34, `amount.toFixed(2)` outputs the value of `amount` with *two* decimal places, which is appropriate for dollar amounts.

### *A Warning about Displaying Rounded Values*

Variables `amount`, `principal` and `rate` represent numbers in this script. Remember that JavaScript represents all numbers as floating-point numbers. This feature is convenient in this example, because we’re dealing with fractional parts of dollars and need a type that allows decimal points in its values.

Unfortunately, floating-point numbers can cause trouble. Here’s a simple example of what can go wrong when using floating-point numbers to represent dollar amounts displayed with two digits to the right of the decimal point: Two dollar amounts stored in the machine could be 14.234 (which would normally be rounded to 14.23 for display as a dollar amount) and 18.673 (which would normally be rounded to 18.67). When these amounts are added, they produce the *internal* sum 32.907, which would normally be rounded to 32.91 for display purposes. Thus your printout could appear as:

|         |       |
|---------|-------|
| 14.23   | 32.91 |
| + 18.67 |       |
|         | 32.91 |

but a person adding the individual numbers as printed would expect the sum to be 32.90. You’ve been warned!

## 8.5 switch Multiple-Selection Statement

Previously, we discussed the `if` single-selection statement and the `if...else` double-selection statement. Occasionally, an algorithm will contain a series of decisions in which a variable or expression is tested separately for each of the values it may assume, and different actions are taken for each value. JavaScript provides the `switch` multiple-selection statement to handle such decision making. The script in Fig. 8.7 demonstrates three different CSS list formats determined by the value the user enters.


```
1  <!DOCTYPE html>
2
3  <!-- Fig. 8.7: SwitchTest.html -->
4  <!-- Using the switch multiple-selection statement. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Switching between HTML5 List Formats</title>
9          <script>
10
11      var choice; // user's choice
12      var startTag; // starting list item tag
13      var endTag; // ending list item tag
14      var validInput = true; // true if input valid else false
15      var listType; // type of list as a string
16
17      choice = window.prompt( "Select a list style:\n" +
18          "1 (numbered), 2 (lettered), 3 (roman numbered)", "1" );
19
20      switch ( choice )
21      {
22          case "1":
23              startTag = "<ol>";
24              endTag = "</ol>";
25              listType = "<h1>Numbered List</h1>";
26              break;
27          case "2":
28              startTag = "<ol style = 'list-style-type: upper-alpha'>";
29              endTag = "</ol>";
30              listType = "<h1>Lettered List</h1>";
31              break;
32          case "3":
33              startTag = "<ol style = 'list-style-type: upper-roman'>";
34              endTag = "</ol>";
35              listType = "<h1>Roman Numbered List</h1>";
36              break;
37          default:
38              validInput = false;
39              break;
40      } //end switch
41
42      if ( validInput === true )
43      {
```

**Fig. 8.7** | Using the `switch` multiple-selection statement. (Part I of 3.)

```
44         document.writeln( listType + startTag );
45
46     for ( var i = 1; i <= 3; ++i )
47         document.writeln( "<li>List item " + i + "</li>" );
48
49     document.writeln( endTag );
50 } //end if
51 else
52     document.writeln( "Invalid choice: " + choice );
53
54     </script>
55 </head><body></body>
56 </html>
```



**Fig. 8.7** | Using the `switch` multiple-selection statement. (Part 2 of 3.)



**Fig. 8.7** | Using the `switch` multiple-selection statement. (Part 3 of 3.)

Line 11 declares the variable `choice`. This variable stores the user's choice, which determines what type of HTML5 ordered list to display. Lines 12–13 declare variables `startTag` and `endTag`, which will store the HTML5 tags that will be used to create the list element. Line 14 declares variable `validInput` and initializes it to `true`. The script uses this variable to determine whether the user made a valid choice (indicated by the value of `true`). If a choice is invalid, the script sets `validInput` to `false`. Line 15 declares variable `listType`, which will store an `h1` element indicating the list type. This heading appears before the list in the HTML5 document.

Lines 17–18 prompt the user to enter a 1 to display a numbered list, a 2 to display a lettered list and a 3 to display a list with roman numerals. Lines 20–40 define a **switch statement** that assigns to the variables `startTag`, `endTag` and `listType` values based on the value input by the user in the `prompt` dialog. We create these different lists using the CSS property **list-style-type**, which allows us to set the numbering system for the list. Possible values include `decimal` (numbers—the *default*), `lower-roman` (lowercase Roman numerals), `upper-roman` (uppercase Roman numerals), `lower-alpha` (lowercase letters), `upper-alpha` (uppercase letters), and more.

The `switch` statement consists of a series of **case labels** and an optional **default case** (which is normally placed last). When the flow of control reaches the `switch` statement, the script evaluates the **controlling expression** (`choice` in this example) in the parentheses following keyword `switch`. The value of this expression is compared with the value in each of the `case` labels, starting with the first `case` label. Assume that the user entered 2. Remember that the value typed by the user in a `prompt` dialog is returned as a string. So, the string 2 is compared to the string in each `case` in the `switch` statement. If a match occurs (`case "2":`), the statements for that `case` execute. For the string 2 (lines 28–31), we set `startTag` to an opening `ol` tag with the `style` property `list-style-type` set to `upper-alpha`, set `endTag` to "`</ol>`" to indicate the end of an ordered list and set `listType` to "`<h1>Lettered List</h1>`". If no match occurs between the controlling expression's value and a `case` label, the `default` case executes and sets variable `validInput` to `false`.


The **break** statement in line 31 causes program control to proceed with the first statement after the `switch` statement. The `break` statement is used because the `cases` in a

`switch` statement would otherwise run together. If `break` is not used anywhere in a `switch` statement, then each time a match occurs in the statement, the statements for that case *and* all the remaining cases execute.

Next, the flow of control continues with the `if` statement in line 42, which tests whether the variable `validInput` is `true`. If so, lines 44–49 write the `listType`, the `startTag`, three list items (`<li>`) and the `endTag`. Otherwise, the script writes text in the HTML5 document indicating that an invalid choice was made (line 52).

### Flowcharting the `switch` Statement

Each case can have multiple actions (statements). The `switch` statement is different from others in that braces are *not* required around multiple actions in a case of a `switch`. The general `switch` statement (i.e., using a `break` in each case) is flowcharted in Fig. 8.8.



**Fig. 8.8** | `switch` multiple-selection statement.

The flowchart makes it clear that each `break` statement at the end of a case causes control to exit from the `switch` statement immediately. The `break` statement is *not* required for the last case in the `switch` statement (or the `default` case, when it appears last), because program control simply continues with the next statement after the `switch` statement. Having several `case` labels listed together (e.g., `case 1: case 2:` with no statements between the cases) simply means that the *same* set of actions is to occur for each of these cases.

## 8.6 `do...while` Repetition Statement

The `do...while` repetition statement is similar to the `while` statement. In the `while` statement, the loop-continuation test occurs at the *beginning* of the loop, *before* the body of the loop executes. The `do...while` statement tests the loop-continuation condition *after* the loop body executes—therefore, *the loop body always executes at least once*. When a `do...while` ter-

minutes, execution continues with the statement after the `while` clause. It's not necessary to use braces in a `do...while` statement if there's only one statement in the body.

The script in Fig. 8.9 uses a `do...while` statement to display each of the six different HTML5 heading types (`h1` through `h6`). Line 11 declares control variable `counter` and initializes it to 1. Upon entering the `do...while` statement, lines 14–16 write a line of HTML5 text in the document. The value of control variable `counter` is used to create the starting and ending header tags (e.g., `<h1>` and `</h1>`) and to create the line of text to display (e.g., `This is an h1 level head`). Line 17 increments the counter before the loop-continuation test occurs at the bottom of the loop.


---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 8.9: DoWhileTest.html -->
4  <!-- Using the do...while repetition statement. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Using the do...while Repetition Statement</title>
9          <script>
10
11         var counter = 1;
12
13         do {
14             document.writeln( "<h" + counter + ">This is " +
15                 "an h" + counter + " level head" + "</h" +
16                 counter + ">" );
17             ++counter;
18         } while ( counter <= 6 );
19
20     </script>
21
22     </head><body></body>
23 </html>

```


---



**Fig. 8.9** | Using the `do...while` repetition statement.

### Flowcharting the `do...while` Statement

The `do...while` flowchart in Fig. 8.10 makes it clear that the loop-continuation test does not occur until the action executes at least *once*.



**Fig. 8.10** | `do...while` repetition statement flowchart.



### Common Programming Error 8.2

Infinite loops are caused when the loop-continuation condition never becomes *false* in a `while`, `for` or `do...while` statement. To prevent this, make sure that there's not a semi-colon immediately after the header of a `while` or `for` statement. In a counter-controlled loop, make sure that the control variable is incremented (or decremented) in the body of the loop. In a sentinel-controlled loop, the sentinel value should eventually be input.

## 8.7 break and continue Statements

In addition to the selection and repetition statements, JavaScript provides the statements `break` and `continue` to alter the flow of control. Section 8.5 demonstrated how `break` can be used to terminate a `switch` statement's execution. This section shows how to use `break` in repetition statements.

### `break` Statement

The `break` statement, when executed in a `while`, `for`, `do...while` or `switch` statement, causes *immediate exit* from the statement. Execution continues with the first statement after the structure. Figure 8.11 demonstrates the `break` statement in a `for` repetition statement. During each iteration of the `for` statement in lines 13–19, the script writes the value of `count` in the HTML5 document. When the `if` statement in line 15 detects that `count` is 5, the `break` in line 16 executes. This statement terminates the `for` statement, and the program proceeds to line 21 (the next statement in sequence immediately after the `for` statement), where the script writes the value of `count` when the loop terminated (i.e., 5). The loop executes line 18 only *four* times.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 8.11: BreakTest.html -->
4  <!-- Using the break statement in a for statement. -->

```

---


**Fig. 8.11** | Using the `break` statement in a `for` statement. (Part 1 of 2.)

---

```

5  <html>
6    <head>
7      <meta charset = "utf-8">
8      <title>
9        Using the break Statement in a for Statement
10     </title>
11     <script>
12
13     for ( var count = 1; count <= 10; ++count )
14     {
15       if ( count == 5 )
16         break; // break loop only if count == 5
17
18       document.writeln( count + " " );
19     } //end for
20
21     document.writeln(
22       "<p>Broke out of loop at count = " + count + "</p>" );
23
24   </script>
25   </head><body></body>
26 </html>

```




---

**Fig. 8.11** | Using the `break` statement in a `for` statement. (Part 2 of 2.)

### ***continue Statement***


The `continue` statement, when executed in a `while`, `for` or `do...while` statement, skips the remaining statements in the body of the statement and proceeds with the next iteration of the loop. In `while` and `do...while` statements, the loop-continuation test evaluates immediately after the `continue` statement executes. In `for` statements, the increment expression executes, then the loop-continuation test evaluates. Improper placement of `continue` before the increment in a `while` may result in an *infinite loop*.

Figure 8.12 uses `continue` in a `for` statement to skip line 19 if line 16 determines that the value of `count` is 5. When the `continue` statement executes, the script skips the remainder of the `for` statement's body (line 19). Program control continues with the increment of the `for` statement's control variable (line 14), followed by the loop-continuation test to determine whether the loop should continue executing. Although `break` and `continue` execute quickly, you can accomplish what they do with the other control statements, which many programmers feel results in better engineered software.

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 8.12: ContinueTest.html -->
4  <!-- Using the continue statement in a for statement. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>
9              Using the continue Statement in a for Statement
10         </title>
11
12         <script>
13
14             for ( var count = 1; count <= 10; ++count )
15             {
16                 if ( count == 5 )
17                     continue; // skip remaining loop code only if count == 5
18
19                 document.writeln( count + " " );
20             } //end for
21
22             document.writeln( "<p>Used continue to skip printing 5</p>" );
23
24         </script>
25
26     </head><body></body>
27 </html>

```



**Fig. 8.12** | Using the continue statement in a for statement.

## 8.8 Logical Operators

So far, we've studied only **simple conditions** such as `count <= 10`, `total > 1000` and `number != sentinelValue`. These conditions were expressed in terms of the relational operators `>`, `<`, `>=` and `<=`, and the equality operators `==` and `!=`. Each decision tested *one* condition. To make a decision based on multiple conditions, we performed these tests in separate statements or in nested `if` or `if...else` statements.

JavaScript provides **logical operators** that can be used to form more complex conditions by *combining* simple conditions. The logical operators are `&&` (logical AND), `||` (logical OR) and `!` (logical NOT, also called **logical negation**).

**&& (Logical AND) Operator**

Suppose that, at some point in a program, we wish to ensure that two conditions are *both* true before we choose a certain path of execution. In this case, we can use the logical **&&** operator, as follows:

```
if ( gender == 1 && age >= 65 )
    ++seniorFemales;
```

This **if** statement contains two simple conditions. The condition `gender == 1` might be evaluated to determine, for example, whether a person is a female. The condition `age >= 65` is evaluated to determine whether a person is a senior citizen. The **if** statement then considers the combined condition

```
gender == 1 && age >= 65
```

This condition is `true` if and only if *both* of the simple conditions are `true`. If this combined condition is indeed `true`, the count of `seniorFemales` is incremented by 1. If either or both of the simple conditions are `false`, the program skips the incrementing and proceeds to the statement following the **if** statement. The preceding combined condition can be made more readable by adding redundant parentheses:

```
( gender == 1 ) && ( age >= 65 )
```

The table in Fig. 8.13 summarizes the **&&** operator. The table shows all four possible combinations of `false` and `true` values for *expression1* and *expression2*. Such tables are often called **truth tables**. JavaScript evaluates to `false` or `true` all expressions that include relational operators, equality operators and/or logical operators.

| expression1 | expression2 | expression1 && expression2 |
|-------------|-------------|----------------------------|
| false       | false       | false                      |
| false       | true        | false                      |
| true        | false       | false                      |
| true        | true        | true                       |

**Fig. 8.13** | Truth table for the **&&** (logical AND) operator.

**|| (Logical OR) Operator**

Now let's consider the **||** (logical OR) operator. Suppose we wish to ensure that *either or both* of two conditions are `true` before we choose a certain path of execution. In this case, we use the **||** operator, as in the following program segment:

```
if ( semesterAverage >= 90 || finalExam >= 90 )
    document.writeln( "Student grade is A" );
```

This statement also contains two simple conditions. The condition `semesterAverage >= 90` is evaluated to determine whether the student deserves an "A" in the course because of a solid performance throughout the semester. The condition `finalExam >= 90` is evaluated to determine whether the student deserves an "A" in the course because of an outstanding performance on the final exam. The **if** statement then considers the combined condition

```
semesterAverage >= 90 || finalExam >= 90
```

and awards the student an “A” if either or both of the simple conditions are `true`. Note that the message “Student grade is A” is *not* printed *only* when *both* of the simple conditions are `false`. Figure 8.14 is a truth table for the logical OR operator (`||`).

| expression1 | expression2 | expression1    expression2 |
|-------------|-------------|----------------------------|
| false       | false       | false                      |
| false       | true        | true                       |
| true        | false       | true                       |
| true        | true        | true                       |

**Fig. 8.14** | Truth table for the `||` (logical OR) operator.

The `&&` operator has a higher precedence than the `||` operator. Both operators associate from left to right. An expression containing `&&` or `||` operators is evaluated only until truth or falsity is known. Thus, evaluation of the expression

```
gender == 1 && age >= 65
```

stops immediately if `gender` is not equal to 1 (i.e., the entire expression is `false`) and continues if `gender` is equal to 1 (i.e., the entire expression could still be `true` if the condition `age >= 65` is `true`). Similarly, the `||` operator immediately returns `true` if the first operand is `true`. This performance feature for evaluation of logical AND and logical OR expressions is called **short-circuit evaluation**.

### **!** (Logical Negation) Operator

JavaScript provides the `!` (logical negation) operator to enable you to “reverse” the meaning of a condition (i.e., a `true` value becomes `false`, and a `false` value becomes `true`). Unlike the logical operators `&&` and `||`, which combine two conditions (i.e., they’re *binary* operators), the logical negation operator has only a single condition as an operand (i.e., it’s a *unary* operator). The logical negation operator is placed before a condition to choose a path of execution if the original condition (without the logical negation operator) is `false`, as in the following program segment:

```
if ( ! ( grade == sentinelValue ) )
    document.writeln( "The next grade is " + grade );
```

The parentheses around the condition `grade == sentinelValue` are needed because the logical negation operator has a higher precedence than the equality operator. Figure 8.15 is a truth table for the logical negation operator.

In most cases, you can avoid using logical negation by expressing the condition differently with an appropriate relational or equality operator. For example, the preceding statement may also be written as follows:

```
if ( grade != sentinelValue )
    document.writeln( "The next grade is " + grade );
```

| expression         | <code>!expression</code> |
|--------------------|--------------------------|
| <code>false</code> | <code>true</code>        |
| <code>true</code>  | <code>false</code>       |

**Fig. 8.15** | Truth table for operator `!` (logical negation).

### *Boolean Equivalents of Nonboolean Values*

An interesting feature of JavaScript is that most nonboolean values can be converted to a boolean `true` or `false` value (if they’re being used in a context in which a boolean value is needed). Nonzero numeric values are considered to be `true`. The numeric value zero is considered to be `false`. Any string that contains characters is considered to be `true`. The empty string (i.e., the string containing no characters) is considered to be `false`. The value `null` and variables that have been declared but not initialized are considered to be `false`. All objects (such as the browser’s `document` and `window` objects and JavaScript’s `Math` object) are considered to be `true`.

### *Operator Precedence and Associativity*

Figure 8.16 shows the precedence and associativity of the JavaScript operators introduced up to this point. The operators are shown top to bottom in decreasing order of precedence.

| Operator   | Associativity | Type           |
|--|---------------|----------------|
| <code>++</code> <code>--</code> <code>!</code>   | right to left | unary          |
| <code>*</code> <code>/</code> <code>%</code>   | left to right | multiplicative |
| <code>+</code> <code>-</code>  | left to right | additive       |
| <code>&lt;</code> <code>&lt;=</code> <code>&gt;</code> <code>&gt;=</code>                      | left to right | relational     |
| <code>==</code> <code>!=</code> <code>====</code> <code>!==</code>                             | left to right | equality       |
| <code>&amp;&amp;</code>  | left to right | logical AND    |
| <code>  </code>  | left to right | logical OR     |
| <code>?:</code>  | right to left | conditional    |
| <code>=</code> <code>+=</code> <code>-=</code> <code>*=</code> <code>/=</code> <code>%=</code> | right to left | assignment     |

**Fig. 8.16** | Precedence and associativity of the operators discussed so far.

## 8.9 Web Resources

[www.deitel.com/javascript/](http://www.deitel.com/javascript/)

The Deitel JavaScript Resource Center contains links to some of the best JavaScript resources on the web. There you’ll find categorized links to JavaScript tools, code generators, forums, books, libraries, frameworks and more. Also check out the tutorials for all skill levels, from introductory to advanced. Be sure to visit the related Resource Centers on HTML5 ([www.deitel.com/HTML5/](http://www.deitel.com/HTML5/)) and CSS3 ([www.deitel.com/css3/](http://www.deitel.com/css3/)).

## Summary

### *Section 8.2 Essentials of Counter-Controlled Repetition*

- Counter-controlled repetition requires: the name of a control variable, the initial value of the control variable, the increment (or decrement) by which the control variable is modified each time through the loop, and the condition that tests for the final value of the control variable to determine whether looping should continue.

### *Section 8.3 for Repetition Statement*

- The `for` statement (p. 285) conveniently handles all the details of counter-controlled repetition with a control variable.
- The `for` statement's first line (including the keyword `for` and everything in parentheses after it) is often called the `for` statement header (p. 286).
- You can use a block to put multiple statements into the body of a `for` statement.
- The `for` statement takes three expressions: an initialization, a condition and an expression.
- The three expressions in the `for` statement are optional. The two semicolons in the `for` statement are required.
- The initialization, loop-continuation condition and increment portions of a `for` statement can contain arithmetic expressions.
- The “increment” of a `for` statement may be negative, in which case it’s called a decrement and the loop actually counts downward.
- If the loop-continuation condition initially is `false`, the body of the `for` statement is not performed. Instead, execution proceeds with the statement following the `for` statement.

### *Section 8.4 Examples Using the for Statement*

- JavaScript does not include an exponentiation operator. Instead, we use the `Math` object’s `pow` method for this purpose. `Math.pow(x, y)` calculates the value of `x` raised to the `y`th power.
- Floating-point numbers can cause trouble as a result of rounding errors.
- To prevent implicit conversions in comparisons, which can lead to unexpected results, JavaScript provides the strict equals (`==`) and strict does not equal (`!=`) operators.

### *Section 8.5 switch Multiple-Selection Statement*

- JavaScript provides the `switch` multiple-selection statement (p. 295), in which a variable or expression is tested separately for each of the values it may assume. Different actions are taken for each value.
- The CSS property `list-style-type` (p. 295) allows you to set the numbering system for the list. Possible values include `decimal` (numbers—the default), `lower-roman` (lowercase roman numerals), `upper-roman` (uppercase roman numerals), `lower-alpha` (lowercase letters), `upper-alpha` (uppercase letters), and more.
- The `switch` statement consists of a series of case labels and an optional default case (which is normally placed last, p. 295). When the flow of control reaches the `switch` statement, the script evaluates the controlling expression in the parentheses following keyword `switch`. The value of this expression is compared with the value in each of the case labels, starting with the first case label (p. 295). If the comparison evaluates to `true`, the statements after the case label are executed in order until a `break` statement is reached.
- The `break` statement is used as the last statement in each `case` to exit the `switch` statement immediately.

- Each case can have multiple actions (statements). The `switch` statement is different from other statements in that braces are not required around multiple actions in a `case` of a `switch`.
- The `break` statement is not required for the last case in the `switch` statement, because program control automatically continues with the next statement after the `switch` statement.
- Having several case labels listed together (e.g., `case 1: case 2:` with no statements between the cases) simply means that the same set of actions is to occur for each case.

### ***Section 8.6 do...while Repetition Statement***

- The `do...while` statement (p. 296) tests the loop-continuation condition *after* the loop body executes—therefore, *the loop body always executes at least once*.

### ***Section 8.7 break and continue Statements***

- The `break` statement, when executed in a repetition statement, causes immediate exit from the statement. Execution continues with the first statement after the repetition statement.
- The `continue` statement, when executed in a repetition statement, skips the remaining statements in the loop body and proceeds with the next loop iteration. In `while` and `do...while` statements, the loop-continuation test evaluates immediately after the `continue` statement executes. In `for` statements, the increment expression executes, then the loop-continuation test evaluates.

### ***Section 8.8 Logical Operators***

- JavaScript provides logical operators that can be used to form more complex conditions by combining simple conditions. The logical operators are `&&` (logical AND; p. 300), `||` (logical OR; p. 300) and `!` (logical NOT, also called logical negation; p. 300).
- The `&&` operator is used to ensure that two conditions are both `true` before choosing a certain path of execution.
- JavaScript evaluates to `false` or `true` all expressions that include relational operators, equality operators and/or logical operators.
- The `||` (logical OR) operator is used to ensure that either or both of two conditions are `true` before choosing choose a certain path of execution.
- The `&&` operator has a higher precedence than the `||` operator. Both operators associate from left to right.
- An expression containing `&&` or `||` operators is evaluated only until truth or falsity is known. This is called short-circuit evaluation (p. 302).
- JavaScript provides the `!` (logical negation) operator to enable you to “reverse” the meaning of a condition (i.e., a `true` value becomes `false`, and a `false` value becomes `true`).
- The logical negation operator has only a single condition as an operand (i.e., it’s a unary operator). The logical negation operator is placed before a condition to evaluate to `true` if the original condition (without the logical negation operator) is `false`.
- The logical negation operator has a higher precedence than the equality operator.
- Most nonboolean values can be converted to a boolean `true` or `false` value. Nonzero numeric values are considered to be `true`. The numeric value zero is considered to be `false`. Any string that contains characters is considered to be `true`. The empty string (i.e., the string containing no characters) is considered to be `false`. The value `null` and variables that have been declared but not initialized are considered to be `false`. All objects (e.g., the browser’s `document` and `window` objects and JavaScript’s `Math` object) are considered to be `true`.

## Self-Review Exercises

- 8.1** State whether each of the following is *true* or *false*. If *false*, explain why.
- The `default` case is required in the `switch` selection statement.
  - The `break` statement is required in the last case of a `switch` selection statement.
  - The expression `(x > y && a < b)` is true if either `x > y` is true or `a < b` is true.
  - An expression containing the `||` operator is true if either or both of its operands is true.
- 8.2** Write a JavaScript statement or a set of statements to accomplish each of the following tasks:
- Find the sum of the even integers between 2 and 100. Use a `for` structure. Assume that the variables `sum` and `count` have been declared.
  - Calculate the value of  $4.5^4$ . Use the `pow` method.
  - Print the integers from 5 to 30 by using a `while` loop and the counter variable `i`. Assume that the variable `i` has been declared, but not initialized. Print only five integers per line. [Hint: Use the calculation `i % 5`. When the value of this expression is 0, start a new paragraph in the HTML5 document.]
  - Repeat Exercise 8.2 (c), but using a `for` statement.
- 8.3** Find the error in each of the following code segments, and explain how to correct it:
- ```
x = 5;
while ( x <= 100 );
    ++x;
}
```
  - ```
switch ( i )
{
    case 10:
        document.writeln( "The number is 10" );
    case 20:
        document.writeln( "The number is 20" );
    default:
        document.writeln( "The number is not 10 or 20" );
    break;
}

```
  - The following code should print the values from 10 to 20:

```
n = 10;
while ( n < 20 )
    document.writeln( n++ );
```

## Answers to Self-Review Exercises

- 8.1** a) False. The `default` case is optional. If no `default` action is needed, then there's no need for a `default` case. b) False. The `break` statement is used to exit the `switch` statement. The `break` statement is not required for the last case in a `switch` statement. c) False. Both of the relational expressions must be true for the entire expression to be true when using the `&&` operator. d) True.

- 8.2**
- ```
sum = 0;
for ( count = 2; count <= 100; count += 2 )
    sum += count;
```
  - `Math.pow( 4.5, 4 )`
  - ```
i = 5;
document.writeln( "<p>" );
while ( i <= 30 ) {
```

```

        document.write( i + " " );
        if ( i % 5 == 0 )
            document.write( "</p><p>" );
        i++;
    }
    document.writeln( "<p>" );
d) document.writeln( "<p>" );
for ( i = 5; i <= 30; i++ ) {
    document.write( i + " " );
    if ( i % 5 == 0 )
        document.write( "</p><p>" );
}
document.writeln( "</p>" );

```

- 8.3** a) Error: The semicolon inside the `while` condition, and there's a missing left brace.  
 Correction: Remove the semicolon, and remove the `}{`.
- b) Error: Missing break statement in the statements for the second case. Missing end braces.  
 Correction: Add a `break` statement at the end of the statements for the second case and end braces. Note that this missing statement is not necessarily an error if you want the statement of `default:` to execute every time the case 20: statement executes.
- c) Error: Improper relational operator used in the `while` repetition-continuation condition.  
 Correction: Use `<=` rather than `=`.

## Exercises

- 8.4** Find the error in each of the following segments of code [Note: There may be more than one error]:

- a) `While ( x < 100 )`  
 `document.writeln( x );`
- b) The following code should print whether the integer value is odd or even:  
`switch ( value % 2 ) {`  
 `case 3:`  
 `document.writeln( "Even integer" );`  
 `case 4:`  
 `document.writeln( "Odd integer" );`  
`}`
- c) The following code should output the even integers from 24 to 2:  
`for ( x = 24; x >= 2; x += 2 )`  
 `document.writeln( x );`
- d) The following code should output the odd integers from 1 to 99:  
`counter = 1;`  
`do {`  
 `document.writeln( counter );`  
 `counter += 2;`  
`} While ( counter < 99 );`

- 8.5** What does the following script do?

---

```

1  <!DOCTYPE html>
2
3  <!-- Exercise 8.5: ex08_05.html -->
4  <html>

```

---

---

```

5   <head>
6     <meta charset = "utf-8">
7     <title>Mystery</title>
8     <script>
9
10    document.writeln( "<table>" );
11
12    for ( var i = 1; i <= 7; i++ )
13    {
14      document.writeln( "<tr>" );
15
16      for ( var j = 1; j <= 5; j++ )
17        document.writeln( "<td>" + i + ", " + j + "</td>" );
18
19      document.writeln( "</tr>" );
20    } // end for
21
22    document.writeln( "</table>" );
23
24  </script>
25  </head><body />
26 </html>
```

---

**8.6** Write a script that finds the smallest of several nonnegative integers. Assume that the first value read specifies the number of values to be input from the user.

**8.7** Write a script that calculates the product of the odd integers from 1 to 15, then outputs HTML5 text that displays the results.

**8.8** Modify the compound interest program in Fig. 8.6 to repeat its steps for interest rates of 5, 6, 7, 8, 9 and 10 percent. Use a `for` statement to vary the interest rate. Use a separate table for each rate.

**8.9** One interesting application of computers is drawing graphs and bar charts (sometimes called histograms). Write a script that reads five numbers between 1 and 30. For each number read, output HTML5 text that displays a line containing the same number of adjacent asterisks. For example, if your program reads the number 7, it should output HTML5 text that displays \*\*\*\*\*.

**8.10** (*“The Twelve Days of Christmas” Song*) Write a script that uses repetition and a `switch` structures to print the song “The Twelve Days of Christmas.” You can find the words at the site

[www.santas.net/twelve days of christmas.htm](http://www.santas.net/twelve days of christmas.htm)

**8.11** A mail-order house sells five different products whose retail prices are as follows: product 1, \$2.98; product 2, \$4.50; product 3, \$9.98; product 4, \$4.49; and product 5, \$6.87. Write a script that reads a series of pairs of numbers as follows:

- Product number
- Quantity sold for one day

Your program should use a `switch` statement to determine each product’s retail price and should calculate and output HTML5 that displays the total retail value of all the products sold last week. Use a `prompt` dialog to obtain the product number and quantity from the user. Use a sentinel-controlled loop to determine when the program should stop looping and display the final results.

**8.12** Assume `x=1`, `y=2`, `z=3` and `t=2`. What does each of the following statements print? Are the parentheses necessary in each case?

- `document.writeln( x != 1 );`
- `document.writeln( y >= 3 );`
- `document.writeln( x == 1 && y < 4 );`

- d) `document.writeln( t != 9 & z <= t );`
- e) `document.writeln( y > x || z != t );`
- f) `document.writeln( z - t < y || 2 - y >= z );`
- g) `document.writeln( !( z == t ) );`

**8.13** Given the following switch statement:

```
1  switch ( k )
2  {
3      case 1:
4          --k;
5          break;
6      case 2:
7          break;
8      case 3:
9          k++;
10     break;
11     case 4:
12         --k;
13         break;
14     default:
15         k *= 2;
16 }
17
18 x = k++;
```

What values are assigned to x when k has values of 1, 2, 3, 4 and 10?

# 9

# JavaScript: Functions

*E pluribus unum.  
(One composed of many.)*  
—Virgil

*Call me Ishmael.*  
—Herman Melville

*When you call me that, smile.*  
—Owen Wister

*O! call back yesterday, bid time  
return.*  
—William Shakespeare

## Objectives

In this chapter you will:

- Construct programs modularly from small pieces called functions.
- Define new functions.
- Pass information between functions.
- Use simulation techniques based on random number generation.
- Use the new HTML5 `audio` and `video` elements
- Use additional global methods.
- See how the visibility of identifiers is limited to specific regions of programs.



|   |  |
|---|--|
| <b>9.1</b> Introduction                                   | <b>9.5.2</b> Displaying Random Images  |
| <b>9.2</b> Program Modules in JavaScript                  | <b>9.5.3</b> Rolling Dice Repeatedly and<br>Displaying Statistics  |
| <b>9.3</b> Function Definitions                           | <b>9.6</b> Example: Game of Chance;<br>Introducing the HTML5 <code>audio</code> and<br><code>video</code> Elements |
| 9.3.1 Programmer-Defined Function <code>square</code>     |  |
| 9.3.2 Programmer-Defined Function<br><code>maximum</code> |  |
| <b>9.4</b> Notes on Programmer-Defined<br>Functions       | <b>9.7</b> Scope Rules   |
| <b>9.5</b> Random Number Generation                       | <b>9.8</b> JavaScript Global Functions   |
| 9.5.1 Scaling and Shifting Random<br>Numbers              | <b>9.9</b> Recursion   |
|   | <b>9.10</b> Recursion vs. Iteration  |

*Summary | Self-Review Exercises | Answers to Self-Review Exercises | Exercises*

## 9.1 Introduction

Most computer programs that solve real-world problems are much larger than those presented in the first few chapters of this book. Experience has shown that the best way to develop and maintain a large program is to construct it from small, simple pieces, or **modules**. This technique is called **divide and conquer**. This chapter describes many key features of JavaScript that facilitate the design, implementation, operation and maintenance of large scripts.

You'll start using JavaScript to interact programmatically with elements in a web page so you can obtain values from elements (such as those in HTML5 forms) and place content into web-page elements. We'll also take a brief excursion into simulation techniques with random number generation and develop a version of the casino dice game called craps that uses most of the programming techniques you've used to this point in the book. In the game, we'll also introduce HTML5's new `audio` and `video` elements that enable you to embed audio and video in your web pages. We'll also programmatically interact with the `audio` element to play the audio in response to a user interaction with the game.


## 9.2 Program Modules in JavaScript

Scripts that you write in JavaScript typically contain of one or more pieces called **functions**. You'll combine new functions that you write with prepackaged functions and objects available in JavaScript. The prepackaged functions that belong to JavaScript objects (such as `Math.pow`, introduced previously) are called **methods**.

JavaScript provides several objects that have a rich collection of methods for performing common mathematical calculations, string manipulations, date and time manipulations, and manipulations of collections of data called arrays. These objects (discussed in Chapters 10–11) make your job easier, because they provide many of the capabilities you'll frequently need.

You can write functions to define tasks that may be used at many points in a script. These are referred to as **programmer-defined functions**. The actual statements defining the function are written only once and are hidden from other functions.

A function is **invoked** (that is, made to perform its designated task) by a **function call**. The function call specifies the function name and provides information (as **arguments**) that the called function needs to perform its task. A common analogy for this structure is the hierarchical form of management. A boss (the **calling function**, or **caller**) asks a worker (the **called function**) to perform a task and **return** (i.e., report back) the results when the task is done. *The boss function does not know how the worker function performs its designated tasks.* The worker may call other worker functions—the boss will be unaware of this. We'll soon see how this *hiding of implementation details* promotes good software engineering. Figure 9.1 shows the boss function communicating with several worker functions in a hierarchical manner. Note that **worker1** also acts as a “boss” function to **worker4** and **worker5**, and **worker4** and **worker5** report back to **worker1**.



**Fig. 9.1** | Hierarchical boss-function/worker-function relationship.

Functions are invoked by writing the name of the function, followed by a left parenthesis, followed by a comma-separated list of zero or more arguments, followed by a right parenthesis. For example, a programmer desiring to convert a string stored in variable `inputValue` to a floating-point number and add it to variable `total` might write

```
total += parseFloat( inputValue );
```

When this statement executes, the JavaScript function `parseFloat` converts the string in the `inputValue` variable to a floating-point value and adds that value to `total`. Variable `inputValue` is function `parseFloat`'s argument. Function `parseFloat` takes a string representation of a floating-point number as an argument and returns the corresponding floating-point numeric value. Function arguments may be constants, variables or expressions.

Methods are called in the same way but require the name of the object to which the method belongs and a dot preceding the method name. For example, we've already seen the syntax `document.writeln("Hi there.");`. This statement calls the `document` object's `writeln` method to output the text.

## 9.3 Function Definitions

We now consider how you can write your own customized functions and call them in a script.

### 9.3.1 Programmer-Defined Function square

Consider a script (Fig. 9.2) that uses a function `square` to calculate the squares of the integers from 1 to 10. [Note: We continue to show many examples in which the body element of the HTML5 document is empty and the document is created directly by JavaScript. In this chapter and later ones, we also show examples in which scripts interact with the elements in the body of a document.]

#### *Invoking Function square*

The `for` statement in lines 17–19 outputs HTML5 that displays the results of squaring the integers from 1 to 10. Each iteration of the loop calculates the square of the current value of control variable `x` and outputs the result by writing a line in the HTML5 document. Function `square` is invoked, or called, in line 19 with the expression `square(x)`. When program control reaches this expression, the program calls function `square` (defined in lines 23–26). The parentheses `()` in line 19 represent the **function-call operator**, which has high precedence. At this point, the program makes a copy of the value of `x` (the argument) and program control transfers to the first line of the function `square`'s definition (line 23). Function `square` receives the copy of the value of `x` and stores it in the *parameter* `y`. Then


---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 9.2: SquareInt.html -->
4  <!-- Programmer-defined function square. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>A Programmer-Defined square Function</title>
9          <style type = "text/css">
10             p { margin: 0; }
11         </style>
12         <script>
13
14             document.writeln( "<h1>Square the numbers from 1 to 10</h1>" );
15
16             // square the numbers from 1 to 10
17             for ( var x = 1; x <= 10; ++x )
18                 document.writeln( "<p>The square of " + x + " is " +
19                     square( x ) + "</p>" );
20
21             // The following square function definition's body is executed
22             // only when the function is called explicitly as in line 19
23             function square( y )
24             {
25                 return y * y;
26             } // end function square
27
28         </script>
29         </head><body></body> <!-- empty body element -->
30     </html>
```

---

**Fig. 9.2** | Programmer-defined function `square`. (Part 1 of 2.)



---

**Fig. 9.2** | Programmer-defined function `square`. (Part 2 of 2.)

`square` calculates  $y * y$ . The result is returned (passed back) to the point in line 19 where `square` was invoked. Lines 18–19 concatenate the string "<p>The square of ", the value of `x`, the string " is ", the value returned by function `square` and the string "</p>", and write that line of text into the HTML5 document to create a new paragraph in the page. This process is repeated 10 times.

#### ***square Function Definition***

The definition of function `square` (lines 23–26) shows that `square` expects a single parameter `y`. Function `square` uses this name in its body to manipulate the value passed to `square` from the function call in line 19. The **return statement** in `square` passes the result of the calculation  $y * y$  back to the calling function. JavaScript keyword `var` is *not* used to declare function parameters (line 25).

#### ***Flow of Control in a Script That Contains Functions***

In this example, function `square` follows the rest of the script. When the `for` statement terminates, program control does *not* flow sequentially into function `square`. A function must be called *explicitly* for the code in its body to execute. Thus, when the `for` statement in this example terminates, the script terminates.

#### ***General Format of a Function Definition***

The general format of a function definition is

```
function function-name( parameter-list )
{
    declarations and statements
}
```

The *function-name* is any valid identifier. The *parameter-list* is a comma-separated list containing the names of the parameters received by the function when it's called (remember

that the arguments in the function call are assigned to the corresponding parameters in the function definition). There should be one argument in the function call for each parameter in the function definition. If a function does *not* receive any values, the *parameter-list* is *empty* (i.e., the function name is followed by an empty set of parentheses). The *declarations* and *statements* between the braces form the **function body**.



### Common Programming Error 9.1

*Forgetting to return a value from a function that's supposed to return a value is a logic error.*

#### *Returning Program Control from a Function Definition*

There are three ways to return control to the point at which a function was invoked. If the function does *not* return a result, control returns when the program reaches the function-ending right brace (}) or executes the statement

```
return;
```

If the function *does* return a result, the statement

```
return expression;
```

returns the value of *expression* to the caller. When a **return** statement executes, control returns immediately to the point at which the function was invoked.

### 9.3.2 Programmer-Defined Function **maximum**

The script in our next example (Fig. 9.3) uses a programmer-defined function called **maximum** to determine and return the largest of three floating-point values.]

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 9.3: maximum.html -->
4  <!-- Programmer-Defined maximum function. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Maximum of Three Values</title>
9          <style type = "text/css">
10             p { margin: 0; }
11         </style>
12         <script>
13
14             var input1 = window.prompt( "Enter first number", "0" );
15             var input2 = window.prompt( "Enter second number", "0" );
16             var input3 = window.prompt( "Enter third number", "0" );
17
18             var value1 = parseFloat( input1 );
19             var value2 = parseFloat( input2 );
20             var value3 = parseFloat( input3 );

```

---

**Fig. 9.3** | Programmer-defined **maximum** function. (Part I of 2.)

```
21      var maxValue = maximum( value1, value2, value3 );
22
23
24      document.writeln( "<p>First number: " + value1 + "</p>" +
25          "<p>Second number: " + value2 + "</p>" +
26          "<p>Third number: " + value3 + "</p>" +
27          "<p>Maximum is: " + maxValue + "</p>" );
28
29 // maximum function definition (called from line 22)
30 function maximum( x, y, z )
31 {
32     return Math.max( x, Math.max( y, z ) );
33 } // end function maximum
34
35 </script>
36 </head><body></body>
37 </html>
```




Fig. 9.3 | Programmer-defined `maximum` function. (Part 2 of 2.)

The three floating-point values are input by the user via prompt dialogs (lines 14–16). Lines 18–20 use function `parseFloat` to convert the strings entered by the user to floating-point values. The statement in line 22 passes the three floating-point values to function `maximum` (defined in lines 30–33). The function then determines the largest value and returns that value to line 22 by using the `return` statement (line 32). The returned value is assigned to variable `maxValue`. Lines 24–27 display the three floating-point values entered by the user and the calculated `maxValue`.

The first line of the function definition indicates that the function is named `maximum` and takes parameters `x`, `y` and `z`. Also, the body of the function contains the statement which returns the largest of the three floating-point values, using two calls to the `Math` object's `max` method. First, method `Math.max` is invoked with the values of variables `y` and `z` to determine the larger of the two values. Next, the value of variable `x` and the result of the first call to `Math.max` are passed to method `Math.max`. Finally, the result of the second call to `Math.max` is returned to the point at which `maximum` was invoked (line 22).

## 9.4 Notes on Programmer-Defined Functions

All variables declared with the keyword `var` in function definitions are **local variables**—this means that they can be accessed *only* in the function in which they're defined. A function's parameters are also considered to be local variables.

There are several reasons for modularizing a program with functions. The divide-and-conquer approach makes program development more manageable. Another reason is **software reusability** (i.e., using existing functions as building blocks to create new programs). With good function naming and definition, significant portions of programs can be created from standardized functions rather than built by using customized code. For example, we did not have to define how to convert strings to integers and floating-point numbers—JavaScript already provides function `parseInt` to convert a string to an integer and function `parseFloat` to convert a string to a floating-point number. A third reason is to avoid repeating code in a program.



### Software Engineering Observation 9.1

*If a function's task cannot be expressed concisely, perhaps the function is performing too many different tasks. It's usually best to break such a function into several smaller functions.*



### Common Programming Error 9.2

*Redefining a function parameter as a local variable in the function is a logic error.*



### Good Programming Practice 9.1

*Do not use the same name for an argument passed to a function and the corresponding parameter in the function definition. Using different names avoids ambiguity.*



### Software Engineering Observation 9.2

*To promote software reusability, every function should be limited to performing a single, well-defined task, and the name of the function should describe that task effectively. Such functions make programs easier to write, debug, maintain and modify.*

## 9.5 Random Number Generation

We now take a brief and hopefully entertaining excursion into a popular programming application, namely simulation and game playing. In this section and the next, we develop a carefully structured game-playing program that includes multiple functions. The program uses most of the control statements we've studied.

There's something in the air of a gambling casino that invigorates people, from the high rollers at the plush mahogany-and-felt craps tables to the quarter poppers at the one-armed bandits. It's the **element of chance**, the possibility that luck will convert a pocketful of money into a mountain of wealth. The element of chance can be introduced through the `Math` object's **`random`** method.

Consider the following statement:

```
var randomValue = Math.random();
```

Method `random` generates a floating-point value from 0.0 up to, but *not* including, 1.0. If `random` truly produces values at random, then every value in that range has an equal **chance** (or probability) of being chosen each time `random` is called.

### 9.5.1 Scaling and Shifting Random Numbers

The range of values produced directly by `random` is often different than what is needed in a specific application. For example, a program that simulates coin tossing might require only 0 for heads and 1 for tails. A program that simulates rolling a six-sided die would require random integers in the range 1–6. A program that randomly predicts the next type of spaceship, out of four possibilities, that will fly across the horizon in a video game might require random integers in the range 0–3 or 1–4.

To demonstrate method `random`, let's develop a program that simulates 30 rolls of a six-sided die and displays the value of each roll (Fig. 9.4). We use the multiplication operator (\*) with `random` as follows (line 21):

```
Math.floor( 1 + Math.random() * 6 )
```

The preceding expression multiplies the result of a call to `Math.random()` by 6 to produce a value from 0.0 up to, but *not* including, 6.0. This is called *scaling* the range of the random numbers. Next, we add 1 to the result to *shift* the range of numbers to produce a number in the range 1.0 up to, but not including, 7.0. Finally, we use method `Math.floor` to determine the closest integer *not greater than* the argument's value—for example, `Math.floor(1.75)` is 1 and `Math.floor(6.75)` is 6. Figure 9.4 confirms that the results are in the range 1 to 6. To add space between the values being displayed, we output each value as an `li` element in an ordered list. The CSS style in line 11 places a margin of 10 pixels to the right of each `li` and indicates that they should display inline rather than vertically on the page.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 9.4: RandomInt.html -->
4  <!-- Random integers, shifting and scaling. -->
5  <html>
6      <head>
```


---

**Fig. 9.4** | Random integers, shifting and scaling. (Part 1 of 2.)

```

7      <meta charset = "utf-8">
8      <title>Shifted and Scaled Random Integers</title>
9      <style type = "text/css">
10     p, ol { margin: 0; }
11     li   { display: inline; margin-right: 10px; }
12     </style>
13     <script>
14
15     var value;
16
17     document.writeln( "<p>Random Numbers</p><ol>" );
18
19     for ( var i = 1; i <= 30; ++i )
20     {
21         value = Math.floor( 1 + Math.random() * 6 );
22         document.writeln( "<li>" + value + "</li>" );
23     } // end for
24
25     document.writeln( "</ol>" );
26
27     </script>
28     </head><body></body>
29 </html>

```



**Fig. 9.4** | Random integers, shifting and scaling. (Part 2 of 2.)

### 9.5.2 Displaying Random Images

Web content that varies randomly can add dynamic, interesting effects to a page. In the next example, we build a **random image generator**—a script that displays four randomly selected die images every time the user clicks a **Roll Dice** button on the page. For the script in Fig. 9.5 to function properly, the directory containing the file `RollDice.html` must also contain the six die images with the filenames `die1.png`, `die2.png`, `die3.png`, `die4.png`, `die5.png` and `die6.png`—these are included with this chapter’s examples.

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 9.5: RollDice.html -->
4  <!-- Random dice image generation using Math.random. -->
5  <html>
6    <head>
7      <meta charset = "utf-8">

```

**Fig. 9.5** | Random dice image generation using `Math.random`. (Part 1 of 3.)

```
8      <title>Random Dice Images</title>
9      <style type = "text/css">
10         li { display: inline; margin-right: 10px; }
11         ul { margin: 0; }
12     </style>
13     <script>
14         // variables used to interact with the img elements
15         var die1Image;
16         var die2Image;
17         var die3Image;
18         var die4Image;
19
20         // register button listener and get the img elements
21         function start()
22         {
23             var button = document.getElementById( "rollButton" );
24             button.addEventListener( "click", rollDice, false );
25             die1Image = document.getElementById( "die1" );
26             die2Image = document.getElementById( "die2" );
27             die3Image = document.getElementById( "die3" );
28             die4Image = document.getElementById( "die4" );
29         } // end function rollDice
30
31         // roll the dice
32         function rollDice()
33         {
34             setImage( die1Image );
35             setImage( die2Image );
36             setImage( die3Image );
37             setImage( die4Image );
38         } // end function rollDice
39
40         // set image source for a die
41         function setImage( dieImg )
42         {
43             var dieValue = Math.floor( 1 + Math.random() * 6 );
44             dieImg.setAttribute( "src", "die" + dieValue + ".png" );
45             dieImg.setAttribute( "alt",
46                 "die image with " + dieValue + " spot(s)" );
47         } // end function setImage
48
49         window.addEventListener( "load", start, false );
50     </script>
51 </head>
52 <body>
53     <form action = "#">
54         <input id = "rollButton" type = "button" value = "Roll Dice">
55     </form>
56     <ol>
57         <li><img id = "die1" src = "blank.png" alt = "die 1 image"></li>
58         <li><img id = "die2" src = "blank.png" alt = "die 2 image"></li>
59         <li><img id = "die3" src = "blank.png" alt = "die 3 image"></li>
```

---


**Fig. 9.5** | Random dice image generation using `Math.random()`. (Part 2 of 3.)

---

```

60      <li><img id = "die4" src = "blank.png" alt = "die 4 image"></li>
61    </ol>
62  </body>
63 </html>

```



**Fig. 9.5** | Random dice image generation using `Math.random.` (Part 3 of 3.)

### User Interactions Via Event Handling

Until now, all user interactions with scripts have been through either a `prompt` dialog (in which the user types an input value for the program) or an `alert` dialog (in which a message is displayed to the user, and the user can click `OK` to dismiss the dialog). Although these dialogs are valid ways to receive input from a user and to display messages, they're fairly limited in their capabilities. A `prompt` dialog can obtain only one value at a time from the user, and a message dialog can display only one message.

Inputs are typically received from the user via an HTML5 `form` (such as one in which the user enters name and address information). Outputs are typically displayed to the user in the web page (e.g., the die images in this example). To begin our introduction to more elaborate user interfaces, this program uses an HTML5 `form` (discussed in Chapters 2–3) and a new graphical user interface concept—**GUI event handling**. This is our first example in which the JavaScript executes in response to the user's interaction with an element in a `form`. This interaction causes an *event*. Scripts are often used to respond to user initiated events.

### The `body` Element

Before we discuss the script code, consider the `body` element (lines 52–62) of this document. The elements in the `body` are used extensively in the script.

### The `form` Element

Line 53 begins the definition of an HTML5 `form` element. The HTML5 standard requires that every `form` contain an `action` attribute, but because this `form` does not post its information to a web server, the string "`#`" is used simply to allow this document to validate. The `#` symbol by itself represents the current page.

### The `button` `input` Element and Event-Driven Programming

Line 54 defines a `button` `input` element with the `id` "rollButton" and containing the value `Roll Dice` which is displayed on the `button`. As you'll see, this example's script will handle the `button`'s `click` `event`, which occurs when the user clicks the `button`. In this example, clicking the `button` will call function `rollDice`, which we'll discuss shortly.

This style of programming is known as **event-driven programming**—the user *interacts* with an element in the web page, the script is notified of the *event* and the script processes the event. The user’s interaction with the GUI “drives” the program. The button click is known as the **event**. The function that’s called when an event occurs is known as an **event handler**. When a GUI event occurs in a **form**, the browser calls the specified event-handling function. Before any event can be processed, each element must know which event-handling function will be called when a particular event occurs. Most HTML5 elements have several different event types. The event model is discussed in detail in Chapter 13.

### *The img Elements*

The four **img** elements (lines 57–60) will display the four randomly selected dice. Their **id** attributes (`die1`, `die2`, `die3` and `die4`, respectively) can be used to apply CSS styles and to enable script code to refer to these element in the HTML5 document. Because the **id** attribute, if specified, must have a unique value among all **id** attributes in the page, JavaScript can reliably refer to any single element via its **id** attribute. In a moment we’ll see how this is done. Each **img** element displays the image `blank.png` (an empty white image) when the page first renders.

### *Specifying a Function to Call When the Browser Finishes Loading a Document*

From this point forward, many of our examples will execute a JavaScript function when the document finishes loading in the web browser window. This is accomplished by handling the `window` object’s **load** event. To specify the function to call when an event occurs, you **registering an event handler** for that event. We register the `window`’s **load** event handler at line 49. Method **addEventListener** is available for every DOM node. The method takes three arguments:

- the first is the name of the event for which we’re registering a handler
- the second is the function that will be called to handle the event
- the last argument is typically `false`—the `true` value is beyond this book’s scope

Line 49 indicates that function `start` (lines 21–29) should execute as soon as the page finishes loading.

### **Function start**

When the `window`’s **load** event occurs, function `start` registers the **Roll Dice** button’s **click** event handler (lines 23–24), which instructs the browser to **listen for events** (click events in particular). If no event handler is specified for the **Roll Dice** button, the script will not respond when the user presses the button. Line 23 uses the `document` object’s **getElementById** method, which, given an HTML5 element’s **id** as an argument, finds the element with the matching **id** attribute and returns a JavaScript object representing the element. This object allows the script to programmatically interact with the corresponding element in the web page. For example, line 24 uses the object representing the button to call function `addEventListener`—in this case, to indicate that function `rollDice` should be called when the button’s **click** event occurs. Lines 25–28 get the objects representing the four **img** elements in lines 57–60 and assign them to the script variables in declared in lines 15–18.

***Function rollDice***

The user clicks the **Roll Dice** button to roll the dice. This event invokes function `rollDice` (lines 32–38) in the script. Function `rollDice` takes no arguments, so it has an empty parameter list. Lines 34–37 call function `setImage` (lines 41–47) to randomly select and set the image for a specified `img` element.

***Function setImage***

Function `setImage` (lines 41–47) receives one parameter (`dieImg`) that represents the specific `img` element in which to display a randomly selected image. Line 43 picks a random integer from 1 to 6. Line 44 demonstrates how to access an `img` element's `src` attribute programmatically in JavaScript. Each JavaScript object that represents an element of the HTML5 document has a `setAttribute` method that allows you to change the values of most of the HTML5 element's attributes. In this case, we change the `src` attribute of the `img` element referred to by `dieImg`. The `src` attribute specifies the location of the image to display. We set the `src` to a concatenated string containing the word "die", a randomly generated integer from 1 to 6 and the file extension ".png" to complete the image file name. Thus, the script dynamically sets the `img` element's `src` attribute to the name of one of the image files in the current directory.

***Continuing to Roll the Dice***

The program then waits for the user to click the **Roll Dice** button again. Each time the user does so, the program calls `rollDice`, which repeatedly calls `setImage` to display new die images.

### 9.5.3 Rolling Dice Repeatedly and Displaying Statistics

To show that the random values representing the dice occur with approximately equal likelihood, let's allow the user to roll 12 dice at a time and keep statistics showing the number of times each face occurs and the percentage of the time each face is rolled (Fig. 9.6). This example is similar to the one in Fig. 9.5, so we'll focus only on the new features.

***Script Variables***

Lines 22–28 declare and initialize counter variables to keep track of the number of times each of the six die values appears and the total number of dice rolled. Because these variables are declared outside the script's functions, they're accessible to all the functions in the script.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 9.6: RollDice.html -->
4  <!-- Rolling 12 dice and displaying frequencies. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Die Rolling Frequencies</title>
9          <style type = "text/css">
10             img { margin-right: 10px; }
```

---

**Fig. 9.6** | Rolling 12 dice and displaying frequencies. (Part 1 of 4.)

```
11      table      { width: 200px;
12                  border-collapse: collapse;
13                  background-color: lightblue; }
14      table, td, th { border: 1px solid black;
15                      padding: 4px;
16                      margin-top: 20px; }
17      th          { text-align: left;
18                      color: white;
19                      background-color: darkblue; }
20  </style>
21  <script>
22  var frequency1 = 0;
23  var frequency2 = 0;
24  var frequency3 = 0;
25  var frequency4 = 0;
26  var frequency5 = 0;
27  var frequency6 = 0;
28  var totalDice = 0;
29
30 // register button event handler
31 function start()
32 {
33     var button = document.getElementById( "rollButton" );
34     button.addEventListener( "click", rollDice, false );
35 } // end function start
36
37 // roll the dice
38 function rollDice()
39 {
40     var face; // face rolled
41
42     // loop to roll die 12 times
43     for ( var i = 1; i <= 12; ++i )
44     {
45         face = Math.floor( 1 + Math.random() * 6 );
46         tallyRolls( face ); // increment a frequency counter
47         setImage( i, face ); // display appropriate die image
48         ++totalDice; // increment total
49     } // end die rolling loop
50
51     updateFrequencyTable();
52 } // end function rollDice
53
54 // increment appropriate frequency counter
55 function tallyRolls( face )
56 {
57     switch ( face )
58     {
59         case 1:
60             ++frequency1;
61             break;
```

---

**Fig. 9.6** | Rolling 12 dice and displaying frequencies. (Part 2 of 4.)

---

```
62         case 2:
63             ++frequency2;
64             break;
65         case 3:
66             ++frequency3;
67             break;
68         case 4:
69             ++frequency4;
70             break;
71         case 5:
72             ++frequency5;
73             break;
74         case 6:
75             ++frequency6;
76             break;
77     } // end switch
78 } // end function tallyRolls
79
80 // set image source for a die
81 function setImage( dieNumber, face )
82 {
83     var dieImg = document.getElementById( "die" + dieNumber );
84     dieImg.setAttribute( "src", "die" + face + ".png" );
85     dieImg.setAttribute( "alt", "die with " + face + " spot(s)" );
86 } // end function setImage
87
88 // update frequency table in the page
89 function updateFrequencyTable()
90 {
91     var tableDiv = document.getElementById( "frequencyTableDiv" );
92
93     tableDiv.innerHTML = "<table>" +
94         "<caption>Die Rolling Frequencies</caption>" +
95         "<thead><th>Face</th><th>Frequency</th>" +
96         "<th>Percent</th></thead>" +
97         "<tbody><tr><td>1</td><td>" + frequency1 + "</td><td>" +
98         formatPercent(frequency1 / totalDice) + "</td></tr>" +
99         "<tr><td>2</td><td>" + frequency2 + "</td><td>" +
100        formatPercent(frequency2 / totalDice) + "</td></tr>" +
101        "<tr><td>3</td><td>" + frequency3 + "</td><td>" +
102        formatPercent(frequency3 / totalDice) + "</td></tr>" +
103        "<tr><td>4</td><td>" + frequency4 + "</td><td>" +
104        formatPercent(frequency4 / totalDice) + "</td></tr>" +
105        "<tr><td>5</td><td>" + frequency5 + "</td><td>" +
106        formatPercent(frequency5 / totalDice) + "</td></tr>" +
107        "<tr><td>6</td><td>" + frequency6 + "</td><td>" +
108        formatPercent(frequency6 / totalDice) + "</td></tr>" +
109        "</tbody></table>";
110 } // end function updateFrequencyTable
111
112 // format percentage
113 function formatPercent( value )
114 {
```


---

**Fig. 9.6** | Rolling 12 dice and displaying frequencies. (Part 3 of 4.)

```

115         value *= 100;
116         return value.toFixed(2);
117     } // end function formatPercent
118
119     window.addEventListener( "load", start, false );
120 </script>
121 </head>
122 <body>
123     <p><img id = "die1" src = "blank.png" alt = "die 1 image">
124         <img id = "die2" src = "blank.png" alt = "die 2 image">
125         <img id = "die3" src = "blank.png" alt = "die 3 image">
126         <img id = "die4" src = "blank.png" alt = "die 4 image">
127         <img id = "die5" src = "blank.png" alt = "die 5 image">
128         <img id = "die6" src = "blank.png" alt = "die 6 image"></p>
129     <p><img id = "die7" src = "blank.png" alt = "die 7 image">
130         <img id = "die8" src = "blank.png" alt = "die 8 image">
131         <img id = "die9" src = "blank.png" alt = "die 9 image">
132         <img id = "die10" src = "blank.png" alt = "die 10 image">
133         <img id = "die11" src = "blank.png" alt = "die 11 image">
134         <img id = "die12" src = "blank.png" alt = "die 12 image"></p>
135     <form action = "#">
136         <input id = "rollButton" type = "button" value = "Roll Dice">
137     </form>
138     <div id = "frequencyTableDiv"></div>
139 </body>
140 </html>

```



**Fig. 9.6** | Rolling 12 dice and displaying frequencies. (Part 4 of 4.)

#### Function rollDice

As in Fig. 9.5, when the user presses the **Roll Dice** button, function `rollDice` (lines 38–52) is called. This function calls functions `tallyRolls` and `setImage` for each of the twelve

`img` elements in the document (lines 123–134), then calls function `updateFrequencyTable` to display the number of times each die face appeared and the percentage of total dice rolled.

#### **Function `tallyRolls`**

Function `tallyRolls` (lines 55–78) contains a `switch` statement that uses the randomly chosen face value as its controlling expression. Based on the value of `face`, the program increments one of the six counter variables during each iteration of the loop. No `default` case is provided in this `switch` statement, because the statement in line 45 produces only the values 1, 2, 3, 4, 5 and 6. In this example, the `default` case would never execute. After we study arrays in Chapter 10, we discuss an elegant way to replace the entire `switch` statement in this program with a *single* line of code.

#### **Function `setImage`**

Function `setImage` (lines 81–86) sets the image source and `alt` text for the specified `img` element.

#### **Function `updateFrequencyTable`**

Function `updateFrequencyTable` (lines 89–110) creates a table and places it in the `div` element at line 131 in the document’s body. Line 91 gets the object representing that `div` and assigns it to the local variable `tableDiv`. Lines 93–109 build a string representing the table and assign it to the `tableDiv` object’s `innerHTML` property, which places HTML5 code into the element that `tableDiv` represents and allows the browser to render that HTML5 in the element. Each time we assign HTML markup to an element’s `innerHTML` property, the `tableDiv`’s content is completely replaced with the content of the string.

#### **Function `formatPercent`**

Function `updateFrequencyTable` calls function `formatPercent` (lines 113–117) to format values as percentages with two digits to the right of the decimal point. The function simply multiplies the value it receives by 100, then returns the value after calling its `toFixed` method with the argument 2, so that the number has two digits of precision to the right of the decimal point.

### ***Generalized Scaling and Shifting of Random Values***

The values returned by `random` are always in the range

$$0.0 \leq \text{Math.random}() < 1.0$$

Previously, we demonstrated the statement

```
face = Math.floor( 1 + Math.random() * 6 );
```

which simulates the rolling of a six-sided die. This statement always assigns an integer (at random) to variable `face`, in the range  $1 \leq \text{face} \leq 6$ . Note that the width of this range (i.e., the number of consecutive integers in the range) is 6, and the starting number in the range is 1. Referring to the preceding statement, we see that the width of the range is determined by the number used to scale `random` with the multiplication operator (6 in the preceding statement) and that the starting number of the range is equal to the number (1 in the preceding statement) added to `Math.random() * 6`. We can generalize this result as

```
face = Math.floor( a + Math.random() * b );
```

where **a** is the **shifting value** (which is equal to the first number in the desired range of consecutive integers) and **b** is the **scaling factor** (which is equal to the width of the desired range of consecutive integers).

## 9.6 Example: Game of Chance; Introducing the HTML5 audio and video Elements

One of the most popular games of chance is a dice game known as craps, which is played in casinos and back alleys throughout the world. The rules of the game are straightforward:

*A player rolls two dice. Each die has six faces. These faces contain one, two, three, four, five and six spots, respectively. After the dice have come to rest, the sum of the spots on the two upward faces is calculated. If the sum is 7 or 11 on the first throw, the player wins. If the sum is 2, 3 or 12 on the first throw (called “craps”), the player loses (i.e., the “house” wins). If the sum is 4, 5, 6, 8, 9 or 10 on the first throw, that sum becomes the player’s “point.” To win, you must continue rolling the dice until you “make your point” (i.e., roll your point value). You lose by rolling a 7 before making the point.*

The script in Fig. 9.7 simulates the game of craps. Note that the player must roll *two* dice on the first and all subsequent rolls. When you load this document, you can click the link at the top of the page to browse a separate document (Fig. 9.8) containing a video that explains the basic rules of the game. To start a game, click the **Play** button. A message below the button displays the game’s status after each roll. If you don’t win or lose on the first roll, click the **Roll** button to roll again. [Note: This example uses some features that, at the time of this writing, worked only in Chrome, Safari and Internet Explorer 9.]

### The **body** Element

Before we discuss the script code, we discuss the **body** element (lines 150–177) of this document. The elements in the **body** are used extensively in the script.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 9.7: Craps.html -->
4  <!-- Craps game simulation. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Craps Game Simulation</title>
9          <style type = "text/css">
10             p.red { color: red }
11             img   { width: 54px; height: 54px; }
12             div   { border: 5px ridge royalblue;
13                         padding: 10px; width: 120px;
14                         margin-bottom: 10px; }
15             .point { margin: 0px; }
16         </style>
17         <script>
```

**Fig. 9.7** | Craps game simulation. (Part 1 of 6.)

```
18      // variables used to refer to page elements
19      var pointDie1Img; // refers to first die point img
20      var pointDie2Img; // refers to second die point img
21      var rollDie1Img; // refers to first die roll img
22      var rollDie2Img; // refers to second die roll img
23      var messages; // refers to "messages" paragraph
24      var playButton; // refers to Play button
25      var rollButton; // refers to Roll button
26      var dicerolling; // refers to audio clip for dice
27
28      // other variables used in program
29      var myPoint; // point if no win/loss on first roll
30      var die1Value; // value of first die in current roll
31      var die2Value; // value of second die in current roll
32
33      // starts a new game
34      function startGame()
35      {
36          // get the page elements that we'll interact with
37          dicerolling = document.getElementById( "dicerolling" );
38          pointDie1Img = document.getElementById( "pointDie1" );
39          pointDie2Img = document.getElementById( "pointDie2" );
40          rollDie1Img = document.getElementById( "rollDie1" );
41          rollDie2Img = document.getElementById( "rollDie2" );
42          messages = document.getElementById( "messages" );
43          playButton = document.getElementById( "play" );
44          rollButton = document.getElementById( "roll" );
45
46          // prepare the GUI
47          rollButton.disabled = true; // disable rollButton
48          setImage( pointDie1Img ); // reset image for new game
49          setImage( pointDie2Img ); // reset image for new game
50          setImage( rollDie1Img ); // reset image for new game
51          setImage( rollDie2Img ); // reset image for new game
52
53          myPoint = 0; // there is currently no point
54          firstRoll(); // roll the dice to start the game
55      } // end function startGame
56
57      // perform first roll of the game
58      function firstRoll()
59      {
60          var sumOfDice = rollDice(); // first roll of the dice
61
62          // determine if the user won, lost or must continue rolling
63          switch (sumOfDice)
64          {
65              case 7: case 11: // win on first roll
66                  messages.innerHTML =
67                      "You Win!!! Click Play to play again.";
68                  break;

```

Fig. 9.7 | Craps game simulation. (Part 2 of 6.)

```
69          case 2: case 3: case 12: // lose on first roll
70          messages.innerHTML =
71              "Sorry. You Lose. Click Play to play again.";
72          break;
73      default: // remember point
74          myPoint = sumOfDice;
75          setImage( pointDie1Img, die1Value );
76          setImage( pointDie2Img, die2Value );
77          messages.innerHTML = "Roll Again!";
78          rollButton.disabled = false; // enable rollButton
79          playButton.disabled = true; // disable playButton
80          break;
81      } // end switch
82  } // end function firstRoll
83
84 // called for subsequent rolls of the dice
85 function rollAgain()
86 {
87     var sumOfDice = rollDice(); // subsequent roll of the dice
88
89     if (sumOfDice == myPoint)
90     {
91         messages.innerHTML =
92             "You Win!!! Click Play to play again.";
93         rollButton.disabled = true; // disable rollButton
94         playButton.disabled = false; // enable playButton
95     } // end if
96     else if (sumOfDice == 7) // craps
97     {
98         messages.innerHTML =
99             "Sorry. You Lose. Click Play to play again.";
100        rollButton.disabled = true; // disable rollButton
101        playButton.disabled = false; // enable playButton
102    } // end else if
103 } // end function rollAgain
104
105 // roll the dice
106 function rollDice()
107 {
108     dicerolling.play(); // play dice rolling sound
109
110     // clear old die images while rolling sound plays
111     die1Value = NaN;
112     die2Value = NaN;
113     showDice();
114
115     die1Value = Math.floor(1 + Math.random() * 6);
116     die2Value = Math.floor(1 + Math.random() * 6);
117     return die1Value + die2Value;
118 } // end function rollDice
119
```

---

**Fig. 9.7** | Craps game simulation. (Part 3 of 6.)

```
120      // display rolled dice
121      function showDice()
122      {
123          setImage( rollDie1Img, die1Value );
124          setImage( rollDie2Img, die2Value );
125      } // end function showDice
126
127      // set image source for a die
128      function setImage( dieImg, dieValue )
129      {
130          if ( isFinite( dieValue ) )
131              dieImg.src = "die" + dieValue + ".png";
132          else
133              dieImg.src = "blank.png";
134      } // end function setImage
135
136      // register event listeners
137      function start()
138      {
139          var playButton = document.getElementById( "play" );
140          playButton.addEventListener( "click", startGame, false );
141          var rollButton = document.getElementById( "roll" );
142          rollButton.addEventListener( "click", rollAgain, false );
143          var diceSound = document.getElementById( "dicerolling" );
144          diceSound.addEventListener( "ended", showDice, false );
145      } // end function start
146
147      window.addEventListener( "load", start, false );
148  </script>
149  </head>
150  <body>
151      <audio id = "dicerolling" preload = "auto">
152          <source src = "http://test.deitel.com/dicerolling.mp3"
153              type = "audio/mpeg">
154          <source src = "http://test.deitel.com/dicerolling.ogg"
155              type = "audio/ogg">
156          Browser does not support audio tag</audio>
157      <p><a href = "CrapsRules.html">Click here for a short video
158          explaining the basic Craps rules</a></p>
159      <div id = "pointDiv">
160          <p class = "point">Point is:</p>
161          <img id = "pointDie1" src = "blank.png"
162              alt = "Die 1 of Point Value">
163          <img id = "pointDie2" src = "blank.png"
164              alt = "Die 2 of Point Value">
165      </div>
166      <div class = "rollDiv">
167          <img id = "rollDie1" src = "blank.png"
168              alt = "Die 1 of Roll Value">
169          <img id = "rollDie2" src = "blank.png"
170              alt = "Die 2 of Roll Value">
171      </div>
```

**Fig. 9.7** | Craps game simulation. (Part 4 of 6.)


---

```


172     <form action = "#">
173         <input id = "play" type = "button" value = "Play">
174         <input id = "roll" type = "button" value = "Roll">
175     </form>
176     <p id = "messages" class = "red">Click Play to start the game</p>
177     </body>
178 </html>

```


- a) Win on the first roll. In this case, the **pointDiv** does not show any dice and the **Roll** button remains disabled.




- b) Loss on the first roll. In this case, the **pointDiv** does not show any dice and the **Roll** button remains disabled.



- c) First roll is a 5, so the user's point is 5. The **Play** button is disabled and the **Roll** button is enabled.




- d) User won on a subsequent roll. The **Play** button is enabled and the **Roll** button is disabled.





---

**Fig. 9.7** | Craps game simulation. (Part 5 of 6.)

e) First roll is a 6, so the user's point is 6. The **Play** button is disabled and the **Roll** button is enabled.



f) User lost on a subsequent roll. The **Play** button is enabled and the **Roll** button is disabled.



**Fig. 9.7** | Craps game simulation. (Part 6 of 6.)

### The HTML5 `audio` Element

Line 151–156 define an HTML5 `audio` element, which is used to embed audio into a web page. We specify an `id` for the element, so that we can *programmatically* control when the audio clip plays, based on the user's interactions with the game. Setting the `preload` attribute to "auto" indicates to the browser that it should consider downloading the audio clip so that it's ready to be played when the game needs it. Under certain conditions the browser can ignore this attribute—for example, if the user is on a low-bandwidth Internet connection.

Not all browsers support the same audio file formats, but most support MP3, OGG and/or WAV format. All of the browsers we tested in this book support MP3, OGG or both. For this reason, nested in the `audio` element are *two* `source` elements specifying the locations of the audio clip in MP3 and OGG formats, respectively. Each `source` element specifies a `src` and a `type` attribute. The `src` attribute specifies the location of the audio clip. The `type` attribute specifies the clip's MIME type—`audio/mpeg` for the MP3 clip and `audio/ogg` for the OGG clip (WAV would be `audio/x-wav`; MIME types for these and other formats can be found online). When a web browser that supports the `audio` element encounters the `source` elements, it will choose the first audio source that represents one of the browser's supported formats. If the browser does not support the `audio` element, the text in line 156 will be displayed.

We used the online audio-file converter at

media.io

to convert our audio clip to other formats. Many other online and downloadable file converters are available on the web.

### *The Link to the CrapsRules.html Page*

Lines 157–158 display a link to a separate web page in which we use an HTML5 video element to display a short video that explains the basic rules for the game of Craps. We discuss this web page at the end of this section.

### *pointDiv and rollDiv*

The div elements at lines 159–171 contain the img elements in which we display die images representing the user’s point and the current roll of the dice, respectively. Each img element has an id attribute so that we can interact with it programmatically. Because the id attribute, if specified, must have a unique value, JavaScript can reliably refer to any single element via its id attribute.

### *The form Element*

Lines 172–175 define an HTML5 form element containing two button input elements. Each button’s click event handler indicates the action to take when the user clicks the corresponding button. In this example, clicking the Play button causes a call to function startGame and clicking the Roll button causes a call to function rollAgain. Initially, the Roll button is disabled, which prevents the user from initiating an event with this button.

### *The p Element*

Line 176 defines a p element in which the game displays status messages to the user.

### *The Script Variables*

Lines 19–31 create variables that are used throughout the script. Recall that because these are declared outside the script’s functions, they’re accessible to all the functions in the script. The variables in lines 19–26 are used to interact with various page elements in the script. Variable myPoint (line 29) stores the point if the player does not win or lose on the first roll. Variables die1Value and die2Value keep track of the die values for the current roll.

### *Function startGame*

The user clicks the Play button to start the game and perform the first roll of the dice. This event invokes function startGame (lines 34–55), which takes no arguments. Line 37–44 use the document object’s getElementById method to get the page elements that the script interacts with programmatically.

The Roll button should be enabled *only* if the user does not win or lose on the first roll. For this reason, line 47 disables the Roll button by setting its disabled property to true. Each input element has a disabled property.

Lines 48–51 call function setImage (defined in lines 128–134) to display the image blank.png for the img elements in the pointDiv and rollDiv. We’ll replace blank.png with die images throughout the game as necessary.

Finally, line 53 sets myPoint to 0, because there can be a point value only *after* the first roll of the dice, and line 54 calls method firstRoll (defined in lines 58–82) to perform the first roll of the dice.

### *Function firstRoll*

Function firstRoll (lines 58–82) calls function rollDice (defined in lines 106–118) to roll the dice and get their sum, which is stored in the local variable sumOfDice. Because

this variable is defined *inside* the `firstRoll` function, it's accessible only inside that function. Next, the `switch` statement (lines 63–81) determines whether the game is won or lost, or whether it should continue with another roll. If the user won or lost, lines 66–67 or 70–71 display an appropriate message in the `messages` paragraph (`p`) element with the object's `innerHTML` property. After the first roll, if the game is not over, the value of local variable `sumOfDice` is saved in `myPoint` (line 74), the images for the rolled die values are displayed (lines 75–76) in the `pointDiv` and the message "Roll Again!" is displayed in the `messages` paragraph (`p`) element. Also, lines 78–79 enable the `Roll` button and disable the `Play` button, respectively. Function `firstRoll` takes no arguments, so it has an empty parameter list.



### Software Engineering Observation 9.3

*Variables declared inside the body of a function are known only in that function. If the same variable names are used elsewhere in the program, they'll be entirely separate variables in memory.*



### Error-Prevention Tip 9.1

*Initializing variables when they're declared in functions helps avoid incorrect results and interpreter messages warning of uninitialized data.*

#### *Function `rollAgain`*

The user clicks the `Roll` button to continue rolling if the game was not won or lost on the first roll. Clicking this button calls the `rollAgain` function (lines 85–103), which takes no arguments. Line 87 calls function `rollDice` and stores the sum locally in `sumOfDice`, then lines 89–102 determine whether the user won or lost on the current roll, display an appropriate message in the `messages` paragraph (`p`) element, disable the `Roll` and enable the `Play` button. In either case, the user can now click `Play` to play another game. If the user did not win or lose, the program waits for the user to click the `Roll` button again. Each time the user clicks `Roll`, function `rollAgain` executes and, in turn, calls the `rollDice` function to produce a new value for `sumOfDice`.

#### *Function `rollDice`*

We define a function `rollDice` (lines 106–118), which takes no arguments, to roll the dice and compute their sum. Function `rollDice` is defined once but is called from lines 60 and 87 in the program. The function returns the sum of the two dice (line 117). Line 108 *plays* the audio clip declared at lines 151–165 by calling its `play` method, which plays the clip once. As you'll soon see, we use the `audio` element's `ended` event, which occurs when the clip finishes playing, to indicate when to display the new die images. Lines 111–112 set variables `die1Value` and `die2Value` to `Nan` so that the call to `showDice` (line 113) can display the `blank.png` image while the dice sound is playing. Lines 115–116 pick two random values in the range 1 to 6 and assign them to the script variables `die1Value` and `die2Value`, respectively.

#### *Function `showDice`*

Function `showDice` (lines 121–125) is called when the dice rolling sound finishes playing. At this point, lines 123–124 display the die images representing the die values that were rolled in function `rollDice`.

**Function `setImage`**

Function `setImage` (lines 128–134) takes two arguments—the `img` element that will display an image and the value of a die to specify which die image to display. You might have noticed that we called this function with *one* argument in lines 48–51 and with *two* arguments in lines 75–76 and 123–124. If you call `setImage` with only one argument, the second parameter's value will be *undefined*. In this case, we display the image `blank.png` (line 133). Line 130 uses global JavaScript function `isFinite` to determine whether the parameter `dieValue` contains a number—if it does, we'll display the die image that corresponds to that number (line 131). Function `isFinite` returns `true` only if its argument is a valid number in the range supported by JavaScript. You can learn more about JavaScript's valid numeric range in Section 8.5 of the JavaScript standard:

[www.ecma-international.org/publications/files/ECMA-ST/Ecma-262.pdf](http://www.ecma-international.org/publications/files/ECMA-ST/Ecma-262.pdf)

**Function `start`**

Function `start` (lines 137–145) is called when the window's `load` event occurs to register `click` event handlers for this examples two buttons (lines 139–142) and for the `ended` event of the `audio` element (lines 143–144).

**Program-Control Mechanisms**

Note the use of the various program-control mechanisms. The craps program uses five functions—`startGame`, `firstRoll`, `rollAgain`, `rollDice` and `setImage`—and the `switch` and nested `if...else` statements. Also, note the use of multiple `case` labels in the `switch` statement to execute the same statements (lines 65 and 69). In the exercises at the end of this chapter, we investigate additional characteristics of the game of craps.

***CrapsRules.html* and the HTML5 `video` Element**

When the user clicks the hyperlink in `Craps.html` (Fig. 9.7, lines 157–158), the `CrapsRules.html` is displayed in the browser. This page consists of a link back to `Craps.html` (Fig. 9.8, line 11) and an HTML5 `video` element (lines 12–25) that displays a video explaining the basic rules for the game of Craps.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 9.8: CrapsRules.html -->
4  <!-- Web page with a video of the basic rules for the dice game Craps. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Craps Rules</title>
9      </head>
10     <body>
11         <p><a href = "Craps.html">Back to Craps Game</a></p>
12         <video controls>
13             <source src = "CrapsRules.mp4" type = "video/mp4">
14             <source src = "CrapsRules.webm" type = "video/webm">
15             A player rolls two dice. Each die has six faces that contain
16             one, two, three, four, five and six spots, respectively. The

```


---

**Fig. 9.8** | Web page that displays a video of the basic rules for the dice game Craps. (Part 1 of 2.)

```

17      sum of the spots on the two upward faces is calculated. If the
18      sum is 7 or 11 on the first throw, the player wins. If the sum
19      is 2, 3 or 12 on the first throw (called "craps"), the player
20      loses (i.e., the "house" wins). If the sum is 4, 5, 6, 8, 9 or
21      10 on the first throw, that sum becomes the player's "point."
22      To win, you must continue rolling the dice until you "make your
23      point" (i.e., roll your point value). You lose by rolling a 7
24      before making the point.
25      </video>
26  </body>
27 </html>

```



**Fig. 9.8** | Web page that displays a video of the basic rules for the dice game Craps. (Part 2 of 2.)

The video element's **controls** attribute indicates that we'd like the video player in the browser to display controls that allow the user to control video playback (e.g., play and pause). As with audio, not all browsers support the same video file formats, but most support MP4, OGG and/or WebM formats. For this reason, nested in the **video** element are two **source** elements specifying the locations of this example's video clip in MP4 and WebM formats. The **src** attribute of each specifies the location of the video. The **type** attribute specifies the video's MIME type—**video/mp4** for the MP4 video and **video/webm** for the WebM video (MIME types for these and other formats can be found online). When a

web browser that supports the `video` element encounters the `source` elements, it will choose the first video source that represents one of the browser's supported formats. If the browser does not support the `video` element, the text in lines 15–24 will be displayed.

We used the downloadable video converter at

[www.mirovideoconverter.com](http://www.mirovideoconverter.com)

to convert our video from MP4 to WebM format. For more information on the HTML5 `audio` and `video` elements, visit:

[dev.opera.com/articles/view/everything-you-need-to-know-about-html5-video-and-audio/](http://dev.opera.com/articles/view/everything-you-need-to-know-about-html5-video-and-audio/)

## 9.7 Scope Rules

Chapters 6–8 used identifiers for variable names. The attributes of variables include *name*, *value* and *data type* (e.g., string, number or boolean). We also use identifiers as names for user-defined functions. Each identifier in a program also has a scope.

The **scope** of an identifier for a variable or function is the portion of the program in which the identifier can be referenced. **Global variables** or **script-level variables** that are declared in the `head` element are accessible in *any* part of a script and are said to have **global scope**. Thus every function in the page's script(s) can potentially use the variables.

Identifiers declared inside a function have **function** (or **local**) **scope** and can be used only in that function. Function scope begins with the opening left brace (`{`) of the function in which the identifier is declared and ends at the function's terminating right brace (`}`). Local variables of a function and function parameters have function scope. If a local variable in a function has the same name as a global variable, the global variable is “hidden” from the body of the function.



### Good Programming Practice 9.2

*Avoid local-variable names that hide global-variable names. This can be accomplished by simply avoiding the use of duplicate identifiers in a script.*

The script in Fig. 9.9 demonstrates the **scope rules** that resolve conflicts between global variables and local variables of the same name. Once again, we use the `window`'s `load` event (line 53), which calls the function `start` when the HTML5 document is completely loaded into the browser window. In this example, we build an output string (declared at line 14) that is displayed at the end of function `start`'s execution.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 9.9: scoping.html -->
4  <!-- Scoping example. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
```

---


**Fig. 9.9** | Scoping example. (Part I of 3.)

---

```
8      <title>Scoping Example</title>
9      <style type = "text/css">
10         p          { margin: 0px; }
11         p.space { margin-top: 10px; }
12     </style>
13     <script>
14         var output; // stores the string to display
15         var x = 1; // global variable
16
17     function start()
18     {
19         var x = 5; // variable local to function start
20
21         output = "<p>local x in start is " + x + "</p>";
22
23         functionA(); // functionA has local x
24         functionB(); // functionB uses global variable x
25         functionA(); // functionA reinitializes local x
26         functionB(); // global variable x retains its value
27
28         output += "<p class='space'>local x in start is " + x +
29                     "</p>";
30         document.getElementById( "results" ).innerHTML = output;
31     } // end function start
32
33     function functionA()
34     {
35         var x = 25; // initialized each time functionA is called
36
37         output += "<p class='space'>local x in functionA is " + x +
38                     " after entering functionA</p>";
39         ++x;
40         output += "<p>local x in functionA is " + x +
41                     " before exiting functionA</p>";
42     } // end functionA
43
44     function functionB()
45     {
46         output += "<p class='space'>global variable x is " + x +
47                     " on entering functionB";
48         x *= 10;
49         output += "<p>global variable x is " + x +
50                     " on exiting functionB</p>";
51     } // end functionB
52
53     window.addEventListener( "load", start, false );
54     </script>
55 </head>
56 <body>
57     <div id = "results"></div>
58 </body>
59 </html>
```

---

**Fig. 9.9** | Scoping example. (Part 2 of 3.)



**Fig. 9.9** | Scoping example. (Part 3 of 3.)

Global variable `x` (line 15) is declared and initialized to 1. This global variable is *hidden* in any block (or function) that declares a variable named `x`. Function `start` (lines 17–31) declares a local variable `x` (line 19) and initializes it to 5. Line 21 creates a paragraph element containing `x`'s value as a string and assigns the string to the global variable `output` (which is displayed later). In the sample output, this shows that the global variable `x` is *hidden* in `start`.

The script defines two other functions—`functionA` and `functionB`—each taking no arguments and returning nothing. Each function is called twice from function `start` (lines 23–26). Function `functionA` defines local variable `x` (line 35) and initializes it to 25. When `functionA` is called, the variable's value is placed in a paragraph element and appended to variable `output` to show that the global variable `x` is *hidden* in `functionA`; then the variable is incremented and appended to `output` again before the function exits. Each time this function is called, local variable `x` is re-created and initialized to 25.

Function `functionB` does not declare any variables. Therefore, when it refers to variable `x`, the global variable `x` is used. When `functionB` is called, the global variable's value is placed in a paragraph element and appended to variable `output`, then it's multiplied by 10 and appended to variable `output` again before the function exits. The next time function `functionB` is called, the global variable has its modified value, 10, which again gets multiplied by 10, and 100 is `output`. Finally, lines 28–29 append the value of local variable `x` in `start` to variable `output`, to show that none of the function calls modified the value of `x` in `start`, because the functions all referred to variables in other scopes. Line 30 uses the `document` object's `getElementById` method to get the `results` `div` element (line 57), then assigns variable `output`'s value to the element's `innerHTML` property, which renders the HTML in variable `output` on the page.

## 9.8 JavaScript Global Functions

JavaScript provides nine standard global functions. We've already used `parseInt`, `parseFloat` and `isFinite`. Some of the global functions are summarized in Fig. 9.10.

| Global function         | Description   |
|-------------------------|---|
| <code>isFinite</code>   | Takes a numeric argument and returns <code>true</code> if the value of the argument is not <code>Nan</code> , <code>Number.POSITIVE_INFINITY</code> or <code>Number.NEGATIVE_INFINITY</code> (values that are not numbers or numbers outside the range that JavaScript supports)—otherwise, the function returns <code>false</code> .   |
| <code>isNaN</code>      | Takes a numeric argument and returns <code>true</code> if the value of the argument is not a number; otherwise, it returns <code>false</code> . The function is commonly used with the return value of <code>parseInt</code> or <code>parseFloat</code> to determine whether the result is a proper numeric value.  |
| <code>parseFloat</code> | Takes a string argument and attempts to convert the <i>beginning</i> of the string into a floating-point value. If the conversion is unsuccessful, the function returns <code>Nan</code> ; otherwise, it returns the converted value (e.g., <code>parseFloat( "abc123.45" )</code> returns <code>Nan</code> , and <code>parseFloat( "123.45abc" )</code> returns the value <code>123.45</code> ).   |
| <code>parseInt</code>   | Takes a string argument and attempts to convert the beginning of the string into an integer value. If the conversion is unsuccessful, the function returns <code>Nan</code> ; otherwise, it returns the converted value (for example, <code>parseInt( "abc123" )</code> returns <code>Nan</code> , and <code>parseInt( "123abc" )</code> returns the integer value <code>123</code> ). This function takes an optional second argument, from 2 to 36, specifying the <b>radix</b> (or <b>base</b> ) of the number. Base 2 indicates that the first argument string is in <b>binary</b> format, base 8 that it's in <b>octal</b> format and base 16 that it's in <b>hexadecimal</b> format. See Appendix E, for more information on binary, octal and hexadecimal numbers. |

**Fig. 9.10** | JavaScript global functions.

The global functions in Fig. 9.10 are all part of JavaScript's **Global object**. The Global object contains all the global variables in the script, all the user-defined functions in the script and all the functions listed in Fig. 9.10. Because global functions and user-defined functions are part of the Global object, some JavaScript programmers refer to these functions as methods. You do not need to use the Global object directly—JavaScript references it for you. For information on JavaScript's other global functions, see Section 15.1.2 of the ECMAScript Specification:

[www.ecma-international.org/publications/files/ECMA-ST/Ecma-262.pdf](http://www.ecma-international.org/publications/files/ECMA-ST/Ecma-262.pdf)

## 9.9 Recursion

The programs we've discussed thus far are generally structured as functions that call one another in a disciplined, hierarchical manner. A **recursive function** is a function that calls *itself*, either directly, or indirectly through another function. **Recursion** is an important computer science topic. In this section, we present a simple example of recursion.

We consider recursion conceptually first; then we examine several programs containing recursive functions. Recursive problem-solving approaches have a number of elements in common. A recursive function is called to solve a problem. The function actually

knows how to solve only the simplest case(s), or **base case(s)**. If the function is called with a base case, the function returns a result. If the function is called with a more complex problem, it divides the problem into two conceptual pieces—a piece that the function knows how to process (the base case) and a piece that the function does not know how to process. To make recursion feasible, the latter piece must resemble the original problem but be a simpler or smaller version of it. Because this new problem looks like the original problem, the function invokes (calls) a fresh copy of *itself* to go to work on the smaller problem; this invocation is referred to as a **recursive call**, or the **recursion step**. The recursion step also normally includes the keyword `return`, because its result will be combined with the portion of the problem the function knew how to solve to form a result that will be passed back to the original caller.

The recursion step executes while the original call to the function is still open (i.e., it has not finished executing). The recursion step can result in many more recursive calls as the function divides each new subproblem into two conceptual pieces. For the recursion eventually to terminate, each time the function calls itself with a simpler version of the original problem, *the sequence of smaller and smaller problems must converge on the base case*. At that point, the function recognizes the base case, returns a result to the previous copy of the function, and a sequence of returns ensues up the line until the original function call eventually returns the final result to the caller. This process sounds exotic when compared with the conventional problem solving we've performed to this point.

As an example of these concepts at work, let's write a recursive program to perform a popular mathematical calculation. The *factorial* of a nonnegative integer  $n$ , written  $n!$  (and pronounced “ $n$  factorial”), is the product

$$n \cdot (n - 1) \cdot (n - 2) \cdot \dots \cdot 1$$

where  $1!$  is equal to 1 and  $0!$  is defined as 1. For example,  $5!$  is the product  $5 \cdot 4 \cdot 3 \cdot 2 \cdot 1$ , which is equal to 120.

The factorial of an integer (number in the following example) greater than or equal to zero can be calculated **iteratively** (non-recursively) using a `for` statement, as follows:

```
var factorial = 1;

for ( var counter = number; counter >= 1; --counter )
    factorial *= counter;
```

A *recursive* definition of the factorial function is arrived at by observing the following relationship:

$$n! = n \cdot (n - 1)!$$

For example,  $5!$  is clearly equal to  $5 * 4!$ , as is shown by the following equations:

$$\begin{aligned} 5! &= 5 \cdot 4 \cdot 3 \cdot 2 \cdot 1 \\ 5! &= 5 \cdot (4 \cdot 3 \cdot 2 \cdot 1) \\ 5! &= 5 \cdot (4!) \end{aligned}$$

The evaluation of  $5!$  would proceed as shown in Fig. 9.11. Figure 9.11(a) shows how the succession of recursive calls proceeds until  $1!$  is evaluated to be 1, which terminates the recursion. Figure 9.11(b) shows the values returned from each recursive call to its caller until the final value is calculated and returned.


**Fig. 9.11** | Recursive evaluation of  $5!$ .

Figure 9.12 uses recursion to calculate and print the factorials of the integers 0 to 10. The recursive function `factorial` first tests (line 27) whether a terminating condition is true, i.e., whether `number` is less than or equal to 1. If so, `factorial` returns 1, no further recursion is necessary and the function returns. If `number` is greater than 1, line 30 expresses the problem as the product of `number` and the value returned by a recursive call to `factorial` evaluating the factorial of `number - 1`. Note that `factorial(number - 1)` is a simpler problem than the original calculation, `factorial(number)`.

```


1  <!DOCTYPE html>
2
3  <!-- Fig. 9.12: FactorialTest.html -->
4  <!-- Factorial calculation with a recursive function. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Recursive Factorial Function</title>
9          <style type = "text/css">
10             p { margin: 0px; }
11         </style>
12         <script>
13             var output = ""; // stores the output
14
15             // calculates factorials of 0 - 10
16             function calculateFactorials()
17             {
  
```

**Fig. 9.12** | Factorial calculation with a recursive function. (Part 1 of 2.)

```

18         for ( var i = 0; i <= 10; ++i )
19             output += "<p>" + i + "!" + factorial( i ) + "</p>";
20
21         document.getElementById( "results" ).innerHTML = output;
22     } // end function calculateFactorials
23
24     // Recursive definition of function factorial
25     function factorial( number )
26     {
27         if ( number <= 1 ) // base case
28             return 1;
29         else
30             return number * factorial( number - 1 );
31     } // end function factorial
32
33     window.addEventListener( "load", calculateFactorials, false );
34     </script>
35 </head>
36 <body>
37     <h1>Factorials of 0 to 10</h1>
38     <div id = "results"></div>
39 </body>
40 </html>

```



**Fig. 9.12** | Factorial calculation with a recursive function. (Part 2 of 2.)

Function `factorial` (lines 25–31) receives as its argument the value for which to calculate the factorial. As can be seen in the screen capture in Fig. 9.12, factorial values become large quickly.



### Common Programming Error 9.3

*Omitting the base case and writing the recursion step incorrectly so that it does not converge on the base case are both errors that cause infinite recursion, eventually exhausting memory. This situation is analogous to the problem of an infinite loop in an iterative (non-recursive) solution.*



### Error-Prevention Tip 9.2

*Internet Explorer displays an error message when a script seems to be going into infinite recursion. Firefox simply terminates the script after detecting the problem. This allows the user of the web page to recover from a script that contains an infinite loop or infinite recursion.*

## 9.10 Recursion vs. Iteration

In the preceding section, we studied a function that can easily be implemented either recursively or iteratively. In this section, we compare the two approaches and discuss why you might choose one approach over the other in a particular situation.

Both iteration and recursion are based on a control statement: Iteration uses a *repetition* statement (e.g., `for`, `while` or `do...while`); recursion uses a *selection* statement (e.g., `if`, `if...else` or `switch`).

Both iteration and recursion involve repetition: Iteration explicitly uses a repetition statement; recursion achieves repetition through repeated function calls.

Iteration and recursion each involve a termination test: Iteration terminates when the loop-continuation condition fails; recursion terminates when a base case is recognized.

Iteration both with counter-controlled repetition and with recursion gradually approaches termination: Iteration keeps modifying a counter until the counter assumes a value that makes the loop-continuation condition fail; recursion keeps producing simpler versions of the original problem until the base case is reached.

Both iteration and recursion can occur infinitely: An infinite loop occurs with iteration if the loop-continuation test never becomes false; infinite recursion occurs if the recursion step does not reduce the problem each time via a sequence that converges on the base case or if the base case is incorrect.

One *negative* aspect of recursion is that function calls require a certain amount of time and memory space not directly spent on executing program instructions. This is known as *function-call overhead*. Because recursion uses repeated function calls, this overhead greatly affects the performance of the operation. In many cases, using repetition statements in place of recursion is more efficient. However, some problems can be solved more elegantly (and more easily) with recursion.



### Software Engineering Observation 9.4

*Any problem that can be solved recursively can also be solved iteratively (non-recursively). A recursive approach is normally chosen in preference to an iterative approach when the recursive approach more naturally mirrors the problem and results in a program that's easier to understand and debug. Another reason to choose a recursive solution is that an iterative solution may not be apparent.*



### Performance Tip 9.1

*Avoid using recursion in performance-critical situations. Recursive calls take time and consume additional memory.*

In addition to the factorial function example (Fig. 9.12), we also provide recursion exercises—raising an integer to an integer power (Exercise 9.29) and “What does the following function do?” (Exercise 9.30). Also, Fig. 15.25 uses recursion to traverse an XML document tree.

## Summary

### Section 9.1 Introduction

- The best way to develop and maintain a large program is to construct it from small, simple pieces, or modules (p. 311). This technique is called divide and conquer (p. 311).

### Section 9.2 Program Modules in JavaScript

- JavaScript programs are written by combining new functions (p. 311) that the programmer writes with “prepackaged” functions and objects available in JavaScript.
- The term method (p. 311) implies that the function belongs to a particular object. We refer to functions that belong to a particular JavaScript object as methods; all others are referred to as functions.
- JavaScript provides several objects that have a rich collection of methods for performing common mathematical calculations, string manipulations, date and time manipulations, and manipulations of collections of data called arrays. These objects make your job easier, because they provide many of the capabilities programmers frequently need.
- You can define functions that perform specific tasks and use them at many points in a script. These functions are referred to as programmer-defined functions (p. 311). The actual statements defining the function are written only once and are hidden from other functions.
- Functions are invoked (p. 312) by writing the name of the function, followed by a left parenthesis, followed by a comma-separated list of zero or more arguments, followed by a right parenthesis.
- Methods are called in the same way as functions (p. 312) but require the name of the object to which the method belongs and a dot preceding the method name.
- Function arguments (p. 312) may be constants, variables or expressions.

### Section 9.3 Function Definitions

- The return statement passes information from inside a function back to the point in the program where it was called.
- A function must be called explicitly for the code in its body to execute.
- The format of a function definition is

```
function function-name( parameter-list )
{
    declarations and statements
}
```

- Each function should perform a single, well-defined task, and the name of the function should express that task effectively. This promotes software reusability (p. 317).
- There are three ways to return control to the point at which a function was invoked. If the function does not return a result, control returns when the program reaches the function-ending right brace or when the statement `return;` is executed. If the function does return a result, the statement `return expression;` returns the value of `expression` to the caller.

### Section 9.4 Notes on Programmer-Defined Functions

- All variables declared with the keyword `var` in function definitions are local variables (p. 317)—this means that they can be accessed only in the function in which they’re defined.
- A function’s parameters (p. 317) are considered to be local variables. When a function is called, the arguments in the call are assigned to the corresponding parameters in the function definition.
- Code that’s packaged as a function can be executed from several locations in a program by calling the function.

### ***Section 9.5 Random Number Generation***

- Method `random` generates a floating-point value from 0.0 up to, but not including, 1.0.
- JavaScript can execute actions in response to the user's interaction with an element in an HTML5 form. This is referred to as GUI event handling (p. 322).
- An HTML5 element's `click` event handler (p. 321) indicates the action to take when the user of the HTML5 document clicks on the element.
- In event-driven programming (p. 322), the user interacts with an element, the script is notified of the event (p. 322) and the script processes the event. The user's interaction with the GUI "drives" the program. The function that's called when an event occurs is known as an event-handling function or event handler.
- The `getElementById` method (p. 322), given an `id` as an argument, finds the HTML5 element with a matching `id` attribute and returns a JavaScript object representing the element.
- The scaling factor (p. 328) determines the size of the range. The shifting value (p. 328) is added to the result to determine where the range begins.

### ***Section 9.6 Example: Game of Chance; Introducing the HTML5 `audio` and `video` Elements***

- An HTML5 `audio` element (p. 333) embeds audio into a web page. Setting the `preload` attribute (p. 333) to "auto" indicates to the browser that it should consider downloading the audio clip so that it's ready to be played.
- Not all browsers support the same audio file formats, but most support MP3, OGG and/or WAV format. For this reason, you can use `source` elements (p. 333) nested in the `audio` element to specify the locations of an audio clip in different formats. Each `source` element specifies a `src` and a `type` attribute. The `src` attribute specifies the location of the audio clip. The `type` attribute specifies the clip's MIME type.
- When a web browser that supports the `audio` element encounters the `source` elements, it chooses the first audio source that represents one of the browser's supported formats.
- When interacting with an `audio` element from JavaScript, you can use the `play` method (p. 335) to play the clip once.
- Global JavaScript function `isFinite` (p. 336) returns true only if its argument is a valid number in the range supported by JavaScript.
- The HTML5 `video` element (p. 336) embeds a video in a web page.
- The `video` element's `controls` attribute (p. 337) indicates that the video player in the browser should display controls that allow the user to control video playback.
- As with audio, not all browsers support the same video file formats, but most support MP4, OGG and/or WebM formats. For this reason, you can use `source` elements nested in the `video` element to specify the locations of a video clip's multiple formats.

### ***Section 9.7 Scope Rules***

- Each identifier in a program has a scope (p. 338). The scope of an identifier for a variable or function is the portion of the program in which the identifier can be referenced.
- Global variables or script-level variables (i.e., variables declared in the `head` element of the HTML5 document, p. 338) are accessible in any part of a script and are said to have global scope (p. 338). Thus every function in the script can potentially use the variables.
- Identifiers declared inside a function have function (or local) scope (p. 338) and can be used only in that function. Function scope begins with the opening left brace (`{`) of the function in which

the identifier is declared and ends at the terminating right brace (}) of the function. Local variables of a function and function parameters have function scope.

- If a local variable in a function has the same name as a global variable, the global variable is “hidden” from the body of the function.

### ***Section 9.8 JavaScript Global Functions***

- JavaScript provides several global functions as part of a `Global` object (p. 341). This object contains all the global variables in the script, all the user-defined functions in the script and all the built-in global functions listed in Fig. 9.10.
- You do not need to use the `Global` object directly; JavaScript uses it for you.

### ***Section 9.9 Recursion***

- A recursive function (p. 341) calls itself, either directly, or indirectly through another function.
- A recursive function knows how to solve only the simplest case, or base case. If the function is called with a base case, it returns a result. If the function is called with a more complex problem, it knows how to divide the problem into two conceptual pieces—a piece that the function knows how to process (the base case, p. 342) and a simpler or smaller version of the original problem.
- The function invokes (calls) a fresh copy of itself to go to work on the smaller problem; this invocation is referred to as a recursive call or the recursion step (p. 342).
- The recursion step executes while the original call to the function is still open (i.e., it has not finished executing).
- For recursion eventually to terminate, each time the function calls itself with a simpler version of the original problem, the sequence of smaller and smaller problems must converge on the base case. At that point, the function recognizes the base case, returns a result to the previous copy of the function, and a sequence of returns ensues up the line until the original function call eventually returns the final result to the caller.

### ***Section 9.10 Recursion vs. Iteration***

- Both iteration and recursion involve repetition: Iteration explicitly uses a repetition statement; recursion achieves repetition through repeated function calls.
- Iteration and recursion each involve a termination test: Iteration terminates when the loop-continuation condition fails; recursion terminates when a base case is recognized.
- Iteration both with counter-controlled repetition and with recursion gradually approaches termination: Iteration keeps modifying a counter until the counter assumes a value that makes the loop-continuation condition fail; recursion keeps producing simpler versions of the original problem until the base case is reached.

## **Self-Review Exercises**

- 9.1** Fill in the blanks in each of the following statements:
- The term \_\_\_\_\_ implies that the function belongs to a particular object.
  - Function arguments may be \_\_\_\_\_ or \_\_\_\_\_.
  - All variables declared in function definitions are \_\_\_\_\_ variables.
  - An HTML5 element’s \_\_\_\_\_ attribute indicates the action to take when the user of the HTML5 document clicks on the element.
  - JavaScript provides several global functions as part of a(n) \_\_\_\_\_ object
- 9.2** For the program in Fig. 9.13, state the scope (either global scope or function scope) of each of the following elements:

- a) The variable x.
- b) The variable y.
- c) The function cube.
- d) The function output.

```

1  <!DOCTYPE html>
2
3  <!-- Exercise 9.2: cube.html -->
4  <html>
5      <head>
6          <meta charset = "utf-8">
7          <title>Scoping</title>
8          <script>
9              var x;
10
11         function output()
12         {
13             for ( x = 1; x <= 10; x++ )
14                 document.writeln( "<p>" + cube( x ) + "</p>" );
15         } // end function output
16
17         function cube( y )
18         {
19             return y * y * y;
20         } // end function cube
21
22         window.addEventListener( "load", output, false );
23     </script>
24     </head><body></body>
25 </html>
```

**Fig. 9.13** | Scope exercise.

- 9.3** Fill in the blanks in each of the following statements:
- a) Programmer-defined functions, global variables and JavaScript's global functions are all part of the \_\_\_\_\_ object.
  - b) Function \_\_\_\_\_ determines whether its argument is or is not a number.
  - c) Function \_\_\_\_\_ takes a string argument and returns a string in which all spaces, punctuation, accent characters and any other character that's not in the ASCII character set are encoded in a hexadecimal format.
  - d) Function \_\_\_\_\_ takes a string argument representing JavaScript code to execute.
  - e) Function \_\_\_\_\_ takes a string as its argument and returns a string in which all characters that were previously encoded with escape are decoded.
- 9.4** Fill in the blanks in each of the following statements:
- a) The \_\_\_\_\_ method is given an id as an argument.
  - b) The \_\_\_\_\_ factor determines the size of the range. The \_\_\_\_\_ number is added to the result to determine where the range begins.
  - c) Method random generates a floating-point value from \_\_\_\_\_ up to, but not including, 1.0.
  - d) The HTML5 \_\_\_\_\_ element embeds a video in a web page.
- 9.5** Locate the error in each of the following program segments and explain how to correct it:
- a) fn()
 

```

    {
        document.writeln( "Inside method fn" );
    }
```

- b) // This function should return the difference of its arguments
- ```
function differ( x, y )
{
    var result;
    result = x - y;
}
```
- c) **function** f( a );
- ```
{
```
- document.writeln( a );
- ```
}
```

**9.6** Write a complete JavaScript program to prompt the user for the radius of a sphere, then call function `sphereVolume` to calculate and display the volume of the sphere. Use the statement

```
volume = ( 4.0 / 3.0 ) * Math.PI * Math.pow( radius, 3 );
```

to calculate the volume. The user should enter the radius in an HTML5 `input` element of type "number" in a form. Give the `input` element the id value "inputField". You can use this id with the document object's `getElementById` method to get the element for use in the script. To access the string in the `inputField`, use its `value` property as in `inputField.value`, then convert the string to a number using `parseFloat`. Use an `input` element of type "button" in the form to allow the user to initiate the calculation. [Note: In HTML5, `input` elements of type "number" have a property named `valueAsNumber` that enables a script to get the floating-point number in the `input` element without having to convert it from a string to a number using `parseFloat`. At the time of this writing, `valueAsNumber` was not supported in all browsers.]

## Answers to Self-Review Exercises

- 9.1** a) method. b) constants, variables. c) local. d) `onClick`. e) Global.
- 9.2** a) global scope. b) function scope. c) global scope. d) global scope.
- 9.3** a) Global. b) isNaN. c) escape. d) eval. e) unescape.
- 9.4** a) `getElementById`. b) scaling, shift. c) 0.0. d) video.
- 9.5** a) Error: Every function definition should start with the keyword `function`.  
Correction: Add function before `fn()`.
- b) Error: The function is supposed to return a value, but does not.  
Correction: Either delete variable `result` and place the statement
- ```
return x - y;
```
- in the function or add the following statement at the end of the function body:
- ```
return result;
```
- c) Error: No semicolon after the statement: `document.writeln( a )`.  
Correction: Add a semicolon after the statement: `document.writeln( a )`.
- 9.6** The solution below calculates the volume of a sphere using the radius entered by the user.

---

```



1  <!DOCTYPE html>
2
3  <!-- Exercise 9.6: volume.html -->
4  <html>
5      <head>
6          <meta charset = "utf-8">
7          <title>Calculating Sphere Volume</title>
8          <script>
```

---

```

9     function start()
10    {
11        var button = document.getElementById( "calculateButton" );
12        button.addEventListener( "click", displayVolume, false );
13    } // end function start
14
15    function displayVolume()
16    {
17        var inputField = document.getElementById( "radiusField" );
18        var radius = parseFloat( inputField.value );
19        var result = document.getElementById( "result" );
20        result.innerHTML = "Sphere volume is: " + sphereVolume( radius );
21    } // end function displayVolume
22
23    function sphereVolume( radius )
24    {
25        return ( 4.0 / 3.0 ) * Math.PI * Math.pow( radius, 3 );
26    } // end function sphereVolume
27
28    window.addEventListener( "load", start, false );
29 </script>
30 </head>
31 <body>
32     <form action = "#">
33         <p><label>Radius:</label>
34             <input id = "radiusField" type = "number"></input>
35             <input id = "calculateButton" type = "button" value = "Calculate"></p>
36         </form>
37         <p id = "result"></p>
38     </body>
39 </html>

```



## Exercises

**9.7** Write a script that uses a `form` to get the radius of a circle from the user, then calls the function `circlePerimeter` to calculate the perimeter of the circle and display the result in a paragraph on the page. To get the number from the form, use the techniques shown in Self-Review Exercise 9.6.

**9.8** A parking garage charges a \$4.00 minimum fee to park for up to two hours. The garage charges an additional \$0.50 per hour for each hour *or part thereof* in excess of two hours. The maximum charge for any given 24-hour period is \$12.00. Assume that no car parks for longer than 24 hours at a time. Write a script that calculates and displays the parking charges for each customer who parked a car in this garage yesterday. You should use a form to input from the user the hours parked for each customer. The program should display the charge for the current customer and should calculate and display the running total of yesterday's receipts. The program should use the function `calculateCharges` to determine the charge for each customer. To get the number from the form, use the techniques shown in Self-Review Exercise 9.6.

**9.9** Write a function `distance` that calculates the slope between two points ( $x1, y1$ ) and ( $x2, y2$ ). All numbers and return values should be floating-point values. Incorporate this function into a script that enables the user to enter the coordinates of the points through an HTML5 form. To get the numbers from the form, use the techniques shown in Self-Review Exercise 9.6.

**9.10** Answer each of the following questions:

- What is the scope of an identifier?
- What is function scope?
- What is the scope of a script-level variable?
- What happens if a local variable in a function has the same name as a global variable?

**9.11** Write statements that assign random integers to the variable  $n$  in the following ranges:

- $1 \leq n \leq 5$
- $1 \leq n \leq 1000$
- $0 \leq n \leq 99$
- $1000 \leq n \leq 1100$
- $-2 \leq n \leq 2$
- $-1 \leq n \leq 11$

**9.12** For each of the following sets of integers, write a single statement that will print a number at random from the set:

- 2, 4, 8, 10, 12, 14.
- 5, 7, 9, 11, 13.
- 2, 6, 10, 14, 18, 22.

**9.13** Write a function `SumN( m, n )` that returns the value of

$m + m+ \dots + n$  times.

For example,  $\text{SumN}( 3, 4 ) = 3 + 3 + 3 + 3$ . Assume that  $m$  and  $n$  are integers. Function `SumN` should use a `for` or `while` statement to control the calculation. Do not use any math library functions. Incorporate this function into a script that reads integer values from an HTML5 form for  $m$  and  $n$  and performs the calculation with the `SumN` function. The HTML5 form should consist of two text fields and a button to initiate the calculation. The user should interact with the program by typing numbers in both text fields then clicking the button.

**9.14** Write a function `maximum` that finds, for a pair of integers, the maximum value between the two numbers. The function should take two integer arguments and return the maximum value. Incorporate this function into a script that inputs a series of pairs of integers (one pair at a time). The HTML5 form should consist of two text fields and a button to initiate the calculation. The user should interact with the program by typing numbers in both text fields, then clicking the button.

**9.15** Write a script that inputs integers (one at a time) and passes them one at a time to a function `isPositive`, which finds whether a number is positive or negative. The function should take an integer argument and return `true` if the integer is positive and `false` otherwise. Use sentinel-controlled looping and a `prompt` dialog.

**9.16** Write program segments that accomplish each of the following tasks:

- Calculate the integer part of the quotient when integer  $a$  is divided by integer  $b$ .
- Calculate the integer remainder when integer  $a$  is divided by integer  $b$ .
- Use the program pieces developed in parts (a) and (b) to write a function `displayDigits` that receives an integer between 1 and 99999 and prints it as a series of digits, each pair of which is separated by two spaces. For example, the integer 4562 should be printed as

- d) Incorporate the function developed in part (c) into a script that inputs an integer from a prompt dialog and invokes `displayDigits` by passing to the function the integer entered.

**9.17** Implement the following functions:

- a) Function `celsius` returns the Celsius equivalent of a Fahrenheit temperature, using the calculation

```
C = 5.0 / 9.0 * ( F - 32 );
```

- b) Function `fahrenheit` returns the Fahrenheit equivalent of a Celsius temperature, using the calculation

```
F = 9.0 / 5.0 * C + 32;
```

- c) Use these functions to write a script that enables the user to enter either a Fahrenheit or a Celsius temperature and displays the Celsius or Fahrenheit equivalent.

Your HTML5 document should contain two buttons—one to initiate the conversion from Fahrenheit to Celsius and one to initiate the conversion from Celsius to Fahrenheit.

**9.18** Write a function `maximum3` that returns the largest of three floating-point numbers. Use the `Math.max` function to implement `maximum3`. Incorporate the function into a script that reads three values from the user and determines the largest value.

**9.19** The factorial of a number  $n$  is  $n * (n - 1) * (n - 2) * \dots * 2 * 1$ . For example, the factorial of 4 is 24, of 5 is 120, etc.

- Write a function that determines the factorial of a number.
- Use this function in a script that determines and prints the factorial of all numbers between 1 and 10. Display the results in a `<textarea>`.

**9.20** Write a function `averageGrade` that inputs a student's marks and returns the grade E (Excellent) if the student's average is 90–100, G (Good) if the average is 80–89, A (Average) if the average is 70–79, B (Bad) if the average is 60–69, and F (Fail) if the average is lower than 60. Incorporate the function into a script that reads a value from the user.

**9.21** Write a script that simulates coin tossing. Let the program toss the coin each time the user clicks the **Toss** button. Count the number of times each side of the coin appears. Display the results. The program should call a separate function `flip` that takes no arguments and returns `false` for tails and `true` for heads. [Note: If the program realistically simulates the coin tossing, each side of the coin should appear approximately half the time.]

**9.22** Computers are playing an increasing role in education. Write a program that will help an elementary-school student learn multiplication. Use `Math.random` to produce two positive one-digit integers. It should then display a question such as

How much is 6 times 7?

The student then types the answer into a text field. Your program checks the student's answer. If it's correct, display the string "Very good!" and generate a new question. If the answer is wrong, display the string "No. Please try again." and let the student try the same question again repeatedly until he or she finally gets it right. A separate function should be used to generate each new question. This function should be called once when the script begins execution and each time the user answers the question correctly.

**9.23** The use of computers in education is referred to as **computer-assisted instruction** (CAI). One problem that develops in CAI environments is student fatigue. This problem can be eliminated by varying the computer's dialogue to hold the student's attention. Modify the program in Exercise 9.22 to print one of a variety of comments for each correct answer and each incorrect answer. The set of responses for correct answers is as follows:

Very good!  
Excellent!  
Nice work!  
Keep up the good work!

The set of responses for incorrect answers is as follows:

No. Please try again.  
Wrong. Try once more.  
Don't give up!  
No. Keep trying.

Use random number generation to choose a number from 1 to 4 that will be used to select an appropriate response to each answer. Use a `switch` statement to issue the responses.

**9.24** More sophisticated computer-assisted instruction systems monitor the student's performance over a period of time. The decision to begin a new topic is often based on the student's success with previous topics. Modify the program in Exercise 9.23 to count the number of correct and incorrect responses typed by the student. After the student answers 10 questions, your program should calculate the percentage of correct responses. If the percentage is lower than 75 percent, display `Please ask your instructor for extra help`, and reset the quiz so another student can try it.

**9.25** Write a script that plays a “guess the number” game as follows: Your program chooses the number to be guessed by selecting a random integer in the range 1 to 1000. The script displays the prompt `Guess a number between 1 and 1000` next to a text field. The player types a first guess into the text field and clicks a button to submit the guess to the script. If the player’s guess is incorrect, your program should display `Too high. Try again.` or `Too low. Try again.` to help the player “zero in” on the correct answer and should clear the text field so the user can enter the next guess. When the user enters the correct answer, display `Congratulations. You guessed the number!` and clear the text field so the user can play again. [Note: The guessing technique employed in this problem is similar to a **binary search**, which we discuss in Chapter 10, JavaScript: Arrays.]

**9.26** Modify the program of Exercise 9.25 to count the number of guesses the player makes. If the number is 10 or fewer, display `Either you know the secret or you got lucky!` If the player guesses the number in 10 tries, display `Ahah! You know the secret!` If the player makes more than 10 guesses, display `You should be able to do better!` Why should it take no more than 10 guesses? Well, with each good guess, the player should be able to eliminate half of the numbers. Now show why any number 1 to 1000 can be guessed in 10 or fewer tries.

**9.27** (*Project*) Exercises 9.22 through 9.24 developed a computer-assisted instruction program to teach an elementary-school student multiplication. This exercise suggests enhancements to that program.

- a) Modify the program to allow the user to enter a grade-level capability. A grade level of 1 means to use only single-digit numbers in the problems, a grade level of 2 means to use numbers as large as two digits, and so on.
- b) Modify the program to allow the user to pick the type of arithmetic problems he or she wishes to study. An option of 1 means addition problems only, 2 means subtraction problems only, 3 means multiplication problems only, 4 means division problems only and 5 means to intermix randomly problems of all these types.

**9.28** Modify the craps program in Fig. 9.7 to allow wagering. Initialize variable `bankBalance` to 1000 dollars. Prompt the player to enter a wager. Check whether the wager is less than or equal to `bankBalance` and, if not, have the user reenter wager until a valid wager is entered. After a valid wager is entered, run one game of craps. If the player wins, increase `bankBalance` by `wager`, and print the new `bankBalance`. If the player loses, decrease `bankBalance` by `wager`, print the new `bankBalance`, check whether `bankBalance` has become zero and, if so, print the message `Sorry. You busted!` As the game progresses, print various messages to create some chatter, such as `Oh, you're going for broke, huh?` or `Aw c'mon, take a chance!` or `You're up big. Now's the time to cash in your chips!`. Implement the chatter as a separate function that randomly chooses the string to display.

**9.29** Write a recursive function `power( base, exponent )` that, when invoked, returns  $base^{exponent}$

for example,  $\text{power}( 3, 4 ) = 3 * 3 * 3 * 3$ . Assume that `exponent` is an integer greater than or equal to 1. The recursion step would use the relationship

$$\text{base}^{exponent} = \text{base} \cdot \text{base}^{exponent-1}$$

and the terminating condition occurs when `exponent` is equal to 1, because

$$\text{base}^1 = \text{base}$$

Incorporate this function into a script that enables the user to enter the `base` and `exponent`.

**9.30** What does the following function do?

```
// Parameter n must be a positive
// integer to prevent infinite recursion
function too( n )
{
    if ( n == 1 )
        return 1;
    else
        return n * too( n - 1 );
}
```

# 10

## JavaScript: Arrays

*Yea, from the table of my  
memory I'll wipe away all  
trivial fond records.*

—William Shakespeare

*Praise invariably implies a  
reference to a higher standard.*

—Aristotle

*With sobs and tears  
be sorted out  
Those of the largest size...*

—Lewis Carroll

*Attempt the end, and never  
stand to doubt;  
Nothing's so hard, but search  
will find it out.*

—Robert Herrick

### Objectives

In this chapter you'll:

- Declare arrays, initialize arrays and refer to individual elements of arrays.
- Store lists and tables of values in arrays.
- Pass arrays to functions.
- Search and sort arrays.
- Declare and manipulate multidimensional arrays.



|                                                                             |                                                                      |
|-----------------------------------------------------------------------------|----------------------------------------------------------------------|
| <b>10.1</b> Introduction                                                    | <b>10.6</b> References and Reference Parameters                      |
| <b>10.2</b> Arrays                                                          | <b>10.7</b> Passing Arrays to Functions                              |
| <b>10.3</b> Declaring and Allocating Arrays                                 | <b>10.8</b> Sorting Arrays with <b>Array</b> Method <b>sort</b>      |
| <b>10.4</b> Examples Using Arrays                                           | <b>10.9</b> Searching Arrays with <b>Array</b> Method <b>indexOf</b> |
| 10.4.1 Creating, Initializing and Growing Arrays                            | <b>10.10</b> Multidimensional Arrays                                 |
| 10.4.2 Initializing Arrays with Initializer Lists                           |                                                                      |
| 10.4.3 Summing the Elements of an Array with <b>for</b> and <b>for...in</b> |                                                                      |
| 10.4.4 Using the Elements of an Array as Counters                           |                                                                      |
| <b>10.5</b> Random Image Generator Using Arrays                             |                                                                      |

*Summary | Self-Review Exercises | Answers to Self-Review Exercises | Exercises*

## 10.1 Introduction

Arrays are data structures consisting of related data items. JavaScript arrays are “dynamic” entities in that they can change size after they’re created. Many techniques demonstrated in this chapter are used frequently in Chapters 12–13 when we introduce the collections that allow you to dynamically manipulate all of an HTML5 document’s elements.

## 10.2 Arrays

An array is a group of memory locations that all have the same name and normally are of the same type (although this attribute is *not required* in JavaScript). To refer to a particular location or element in the array, we specify the name of the array and the **position number** of the particular element in the array.

Figure 10.1 shows an array of integer values named `c`. This array contains 12 **elements**. We may refer to any one of these elements by giving the array’s name followed by the **position number** of the element in square brackets (`[]`). The first element in every array is the **zeroth element**. Thus, the first element of array `c` is referred to as `c[0]`, the second element as `c[1]`, the seventh element as `c[6]` and, in general, the *i*th element of array `c` is referred to as `c[i-1]`. Array names follow the same conventions as other identifiers.


The position number in square brackets is called an **index** and must be an integer or an integer expression. If a program uses an expression as an index, then the expression is evaluated to determine the value of the index. For example, if the variable `a` is equal to 5 and `b` is equal to 6, then the statement

```
c[ a + b ] += 2;
```

adds 2 to the value of array element `c[11]`. An indexed array name can be used on the left side of an assignment to place a new value into an array element. It can also be used on the right side of an assignment to assign its value to another variable.

Let’s examine array `c` in Fig. 10.1 more closely. The array’s **name** is `c`. The array’s **length** is 12 and can be found by using the array’s **length** property, as in:

```
c.length
```

**Fig. 10.1** | Array with 12 elements.

The array's 12 elements are referred to as `c[0]`, `c[1]`, `c[2]`, ..., `c[11]`. The **value** of `c[0]` is `-45`, the value of `c[1]` is `6`, the value of `c[2]` is `0`, the value of `c[7]` is `62` and the value of `c[11]` is `78`. The following statement calculates the sum of the values contained in the first three elements of array `c` and stores the result in variable `sum`:

```
sum = c[ 0 ] + c[ 1 ] + c[ 2 ];
```

The brackets that enclose an array index are a JavaScript operator. Brackets have the same level of precedence as parentheses. Figure 10.2 shows the precedence and associativity of the operators introduced so far in the text. They're shown from top to bottom in decreasing order of precedence.

| Operators                          | Associativity | Type           |
|------------------------------------|---------------|----------------|
| <code>() [] .</code>               | left to right | highest        |
| <code>++ -- !</code>               | right to left | unary          |
| <code>* / %</code>                 | left to right | multiplicative |
| <code>+ -</code>                   | left to right | additive       |
| <code>&lt; &lt;= &gt; &gt;=</code> | left to right | relational     |
| <code>== !=</code>                 | left to right | equality       |
| <code>&amp;&amp;</code>            | left to right | logical AND    |
| <code>  </code>                    | left to right | logical OR     |
| <code>?:</code>                    | right to left | conditional    |
| <code>= += -= *= /= %</code>       | right to left | assignment     |

**Fig. 10.2** | Precedence and associativity of the operators discussed so far.

## 10.3 Declaring and Allocating Arrays

Arrays occupy space in memory. Actually, an array in JavaScript is an **Array object**. You use the **new operator** to create an array and to specify the number of elements in an array. The new operator creates an object as the script executes by obtaining enough memory to store an object of the type specified to the right of new. To allocate 12 elements for integer array c, use a new expression like:

```
var c = new Array( 12 );
```

The preceding statement can also be performed in two steps, as follows:

```
var c; // declares a variable that will hold the array
c = new Array( 12 ); // allocates the array
```

When arrays are created, the elements are *not* initialized—they have the value `undefined`.

## 10.4 Examples Using Arrays

This section presents several examples of creating and manipulating arrays.

### 10.4.1 Creating, Initializing and Growing Arrays

Our next example (Figs. 10.3–10.4) uses operator `new` to allocate an array of five elements and an empty array. The script demonstrates initializing an array of existing elements and also shows that an array can grow dynamically to accommodate new elements. The array's values are displayed in HTML5 tables.

#### *HTML5 Document for Displaying Results*

Figure 10.3 shows the HTML5 document in which we display the results. You'll notice that we've placed the CSS styles and JavaScript code into separate files. Line 9 links the CSS file `tablestyle.css` to this document as shown in Chapter 4. (There are no new concepts in the CSS file used in this chapter, so we don't show them in the text.) Line 10 demonstrates how to link a script that's stored in a separate file to this document. To do so, use the `script` element's `src` attribute to specify the location of the JavaScript file (named with the `.js` filename extension). This document's body contains two `divs` in which we'll display the contents of two arrays. When the document finishes loading, the JavaScript function `start` (Fig. 10.4) is called.



#### Software Engineering Observation 10.1

*It's considered good practice to separate your JavaScript scripts into separate files so that they can be reused in multiple web pages.*

---


```

1  <!DOCTYPE html>
2
3  <!-- Fig. 10.3: InitArray.html -->
4  <!-- Web page for showing the results of initializing arrays. -->
5  <html>
6    <head>
```

---

**Fig. 10.3** | Web page for showing the results of initializing arrays. (Part 1 of 2.)

```
7      <meta charset = "utf-8">
8      <title>Initializing an Array</title>
9      <link rel = "stylesheet" type = "text/css" href = "tablestyle.css">
10     <script src = "InitArray.js"></script>
11   </head>
12   <body>
13     <div id = "output1"></div>
14     <div id = "output2"></div>
15   </body>
16 </html>
```



---

**Fig. 10.3** | Web page for showing the results of initializing arrays. (Part 2 of 2.)

#### *Script that Creates, Initializes and Displays the Contents of Arrays*

Figure 10.4 presents the script used by the document in Fig. 10.3. Function `start` (lines 3–24) is called when the window's `load` event occurs.

---

```
1 // Fig. 10.4: InitArray.js
2 // Create two arrays, initialize their elements and display them
3 function start()
4 {
```

---

**Fig. 10.4** | Create two arrays, initialize their elements and display them. (Part 1 of 2.)

---

```

5   var n1 = new Array( 5 ); // allocate five-element array
6   var n2 = new Array(); // allocate empty array
7
8   // assign values to each element of array n1
9   var length = n1.length; // get array's length once before the loop
10
11  for ( var i = 0; i < length; ++i )
12  {
13      n1[ i ] = i;
14  } // end for
15
16  // create and initialize five elements in array n2
17  for ( i = 0; i < 5; ++i )
18  {
19      n2[ i ] = i;
20  } // end for
21
22  outputArray( "Array n1:", n1, document.getElementById( "output1" ) );
23  outputArray( "Array n2:", n2, document.getElementById( "output2" ) );
24 } // end function start
25
26 // output the heading followed by a two-column table
27 // containing indices and elements of "theArray"
28 function outputArray( heading, theArray, output )
29 {
30     var content = "<h2>" + heading + "</h2><table>" +
31         "<thead><th>Index</th><th>Value</th></thead><tbody>";
32
33     // output the index and value of each array element
34     var length = theArray.length; // get array's length once before loop
35
36     for ( var i = 0; i < length; ++i )
37     {
38         content += "<tr><td>" + i + "</td><td>" + theArray[ i ] +
39             "</td></tr>";
40     } // end for
41
42     content += "</tbody></table>";
43     output.innerHTML = content; // place the table in the output element
44 } // end function outputArray
45
46 window.addEventListener( "load", start, false );

```

---

**Fig. 10.4** | Create two arrays, initialize their elements and display them. (Part 2 of 2.)

Line 5 creates array n1 with five elements. Line 6 creates array n2 as an *empty* array. Lines 9–14 use a for statement to initialize the elements of n1 to their index values (0 to 4). With arrays, we use zero-based counting so that the loop can access *every* array element. Line 9 uses the expression n1.length to determine the array's length. JavaScript's arrays are dynamically resizable, so it's important to get an array's length once before a loop that processes the array—in case the script changes the array's length. In this example, the array's length is 5, so the loop continues executing as long as the value of control variable

*i* is less than 5. This process is known as **iterating through the array's elements**. For a five-element array, the index values are 0 through 4, so using the less-than operator, `<`, guarantees that the loop does not attempt to access an element beyond the end of the array. Zero-based counting is usually used to iterate through arrays.

### Growing an Array Dynamically

Lines 17–20 use a `for` statement to add five elements to the array `n2` and initialize each element to its index value (0 to 4). The array grows dynamically to accommodate each value as it's assigned to each element of the array.



### Software Engineering Observation 10.2

*JavaScript automatically reallocates an array when a value is assigned to an element that's outside the bounds of the array. Elements between the last element of the original array and the new element are undefined.*

Lines 22–23 invoke function `outputArray` (defined in lines 28–44) to display the contents of each array in an HTML5 table in a corresponding `div`. Function `outputArray` receives three arguments—a string to be output as an `h2` element before the HTML5 table that displays the contents of the array, the array to output and the `div` in which to place the table. Lines 36–40 use a `for` statement to define each row of the table.



### Error-Prevention Tip 10.1

*When accessing array elements, the index values should never go below 0 and should be less than the number of elements in the array (i.e., one less than the array's size), unless it's your explicit intent to grow the array by assigning a value to a nonexistent element.*

### Using an Initializer List

If an array's element values are known in advance, the elements can be allocated and initialized in the declaration of the array. There are two ways in which the initial values can be specified. The statement

```
var n = [ 10, 20, 30, 40, 50 ];
```

uses a comma-separated **initializer list** enclosed in square brackets (`[` and `]`) to create a five-element array with indices of 0, 1, 2, 3 and 4. The array size is determined by the number of values in the initializer list. The preceding declaration does *not* require the `new` operator to create the `Array` object—this functionality is provided by the JavaScript interpreter when it encounters an array declaration that includes an initializer list. The statement

```
var n = new Array( 10, 20, 30, 40, 50 );
```

also creates a five-element array with indices of 0, 1, 2, 3 and 4. In this case, the initial values of the array elements are specified as arguments in the parentheses following `new Array`. The size of the array is determined by the number of values in parentheses. It's also possible to reserve a space in an array for a value to be specified later by using a comma as a **place holder** in the initializer list. For example, the statement

```
var n = [ 10, 20, , 40, 50 ];
```

creates a five-element array in which the third element (`n[2]`) has the value `undefined`.

### 10.4.2 Initializing Arrays with Initializer Lists

The example in Figs. 10.5–10.6 creates three Array objects to demonstrate initializing arrays with initializer lists. Figure 10.5 is nearly identical to Fig. 10.3 but provides three divs in its body element for displaying this example's arrays.

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 10.5: InitArray2.html -->
4  <!-- Web page for showing the results of initializing arrays. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Initializing an Array</title>
9          <link rel = "stylesheet" type = "text/css" href = "tablestyle.css">
10         <script src = "InitArray2.js"></script>
11     </head>
12     <body>
13         <div id = "output1"></div>
14         <div id = "output2"></div>
15         <div id = "output3"></div>
16     </body>
17 </html>
```

The screenshot shows a web browser window with the title 'Initializing an Array'. Inside, there are three separate sections, each containing a table. The first section is labeled 'Array colors contains' and has the following data:

| Index | Value   |
|-------|---------|
| 0     | cyan    |
| 1     | magenta |
| 2     | yellow  |
| 3     | black   |

The second section is labeled 'Array integers1 contains' and has the following data:

| Index | Value |
|-------|-------|
| 0     | 2     |
| 1     | 4     |
| 2     | 6     |
| 3     | 8     |

The third section is labeled 'Array integers2 contains' and has the following data:

| Index | Value     |
|-------|-----------|
| 0     | 2         |
| 1     | undefined |
| 2     | undefined |
| 3     | 8         |

**Fig. 10.5** | Web page for showing the results of initializing arrays.

The start function in Fig. 10.6 demonstrates array initializer lists (lines 7–9) and displays each array in an HTML5 table using the same function `outputArray` as Fig. 10.4. Note that when array `integers2` is displayed in the web page, the elements with indices 1 and 2 (the second and third elements of the array) appear in the web page as `undefined`. These are the two elements for which we did not supply values in line 9.

---

```

1 // Fig. 10.6: InitArray2.js
2 // Initializing arrays with initializer lists.
3 function start()
4 {
5     // Initializer list specifies the number of elements and
6     // a value for each element.
7     var colors = new Array( "cyan", "magenta", "yellow", "black" );
8     var integers1 = [ 2, 4, 6, 8 ];
9     var integers2 = [ 2, , , 8 ];

10    outputArray( "Array colors contains", colors,
11                  document.getElementById( "output1" ) );
12    outputArray( "Array integers1 contains", integers1,
13                  document.getElementById( "output2" ) );
14    outputArray( "Array integers2 contains", integers2,
15                  document.getElementById( "output3" ) );
16
17 } // end function start
18
19 // output the heading followed by a two-column table
20 // containing indices and elements of "theArray"
21 function outputArray( heading, theArray, output )
22 {
23     var content = "<h2>" + heading + "</h2><table>" +
24         "<thead><th>Index</th><th>Value</th></thead><tbody>";
25
26     // output the index and value of each array element
27     var length = theArray.length; // get array's length once before loop
28
29     for ( var i = 0; i < length; ++i )
30     {
31         content += "<tr><td>" + i + "</td><td>" + theArray[ i ] +
32                     "</td></tr>";
33     } // end for
34
35     content += "</tbody></table>";
36     output.innerHTML = content; // place the table in the output element
37 } // end function outputArray
38
39 window.addEventListener( "load", start, false );

```

---

**Fig. 10.6** | Initializing arrays with initializer lists.

### 10.4.3 Summing the Elements of an Array with `for` and `for...in`

The example in Figs. 10.7–10.8 sums an array's elements and displays the results. The document in Fig. 10.7 shows the results of the script in Fig. 10.8.

---

```

1 <!DOCTYPE html>
2
3 <!-- Fig. 10.7: SumArray.html -->
4 <!-- HTML5 document that displays the sum of an array's elements. -->
5 <html>
6   <head>
7     <meta charset = "utf-8">
8     <title>Sum Array Elements</title>
9     <script src = "SumArray.js"></script>
10    </head>
11    <body>
12      <div id = "output"></div>
13    </body>
14 </html>

```

---

**Fig. 10.7** | HTML5 document that displays the sum of an array's elements.

The script in Fig. 10.8 sums the values contained in `theArray`, the 10-element integer array declared, allocated and initialized in line 5. The statement in line 14 in the body of the first `for` statement does the totaling.

---


```

1 // Fig. 10.8: SumArray.js
2 // Summing the elements of an array with for and for...in
3 function start()
4 {
5   var theArray = [ 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 ];
6   var total1 = 0, total2 = 0;
7
8   // iterates through the elements of the array in order and adds
9   // each element's value to total1
10  var length = theArray.length; // get array's length once before loop
11
12  for ( var i = 0; i < length; ++i )
13  {
14    total1 += theArray[ i ];
15  } // end for
16
17  var results = "<p>Total using indices: " + total1 + "</p>";
18
19  // iterates through the elements of the array using a for... in
20  // statement to add each element's value to total2
21  for ( var element in theArray )
22  {
23    total2 += theArray[ element ];
24  } // end for
25
26  results += "<p>Total using for...in: " + total2 + "</p>";
27  document.getElementById( "output" ).innerHTML = results;
28 } // end function start
29
30 window.addEventListener( "load", start, false );

```

---

**Fig. 10.8** | Summing the elements of an array with `for` and `for...in`. (Part I of 2.)



**Fig. 10.8** | Summing the elements of an array with `for` and `for...in`. (Part 2 of 2.)

### The `for...in` Repetition Statement

In this example, we introduce JavaScript's **`for...in` statement**, which enables a script to perform a task for each element in an array (or, as we'll see in Chapters 12–13, for each element in a *collection*). Lines 21–24 show the syntax of a `for...in` statement. Inside the parentheses, we declare the `element` variable used to select each element in the object to the right of keyword `in` (`theArray` in this case). When you use `for...in`, JavaScript automatically determines the number of elements in the array. As the JavaScript interpreter iterates over theArray's elements, variable `element` is assigned a value that can be used as an index for theArray. In the case of an array, the value assigned is an index in the range from 0 up to, but not including, `theArray.length`. Each value is added to `total2` to produce the sum of the elements in the array.



#### Error-Prevention Tip 10.2

*When iterating over all the elements of an array, use a `for...in` statement to ensure that you manipulate only the existing elements. The `for...in` statement skips any undefined elements in the array.*

### 10.4.4 Using the Elements of an Array as Counters

In Section 9.5.3, we indicated that there's a more elegant way to implement the dice-rolling example presented in that section. The example allowed the user to roll 12 dice at a time and kept statistics showing the number of times and the percentage of the time each face occurred. An array version of this example is shown in Figs. 10.9–10.10. We divided the example into three files—`style.css` contains the styles (not shown here), `RollDice.html` (Fig. 10.9) contains the HTML5 document and `RollDice.js` (Fig. 10.10) contains the JavaScript.

```


1  <!DOCTYPE html>
2
3  <!-- Fig. 10.9: RollDice.html -->
4  <!-- HTML5 document for the dice-rolling example. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Roll a Six-Sided Die 6000000 Times</title>
9          <link rel = "stylesheet" type = "text/css" href = "style.css">
```

**Fig. 10.9** | HTML5 document for the dice-rolling example. (Part 1 of 2.)

```

10      <script src = "RollDice.js"></script>
11  </head>
12  <body>
13      <p><img id = "die1" src = "blank.png" alt = "die 1 image">
14          <img id = "die2" src = "blank.png" alt = "die 2 image">
15          <img id = "die3" src = "blank.png" alt = "die 3 image">
16          <img id = "die4" src = "blank.png" alt = "die 4 image">
17          <img id = "die5" src = "blank.png" alt = "die 5 image">
18          <img id = "die6" src = "blank.png" alt = "die 6 image"></p>
19      <p><img id = "die7" src = "blank.png" alt = "die 7 image">
20          <img id = "die8" src = "blank.png" alt = "die 8 image">
21          <img id = "die9" src = "blank.png" alt = "die 9 image">
22          <img id = "die10" src = "blank.png" alt = "die 10 image">
23          <img id = "die11" src = "blank.png" alt = "die 11 image">
24          <img id = "die12" src = "blank.png" alt = "die 12 image"></p>
25      <form action = "#">
26          <input id = "rollButton" type = "button" value = "Roll Dice">
27      </form>
28      <div id = "frequencyTableDiv"></div>
29  </body>
30 </html>

```



**Fig. 10.9** | HTML5 document for the dice-rolling example. (Part 2 of 2.)

In Fig. 10.10, lines 3–5 declare the script's global variables. The `frequency` array (line 3) contains seven elements representing the counters we use in this script. We ignore element 0 of the array and use only the elements that correspond to values on the sides of a die (the elements with indices 1–6). Variable `totalDice` tracks the total number of dice

rolled. The `dieImages` array contains 12 elements that will refer to the 12 `img` elements in the HTML document (Fig. 10.9).

```
1 // Fig. 10.10: RollDice.js
2 // Summarizing die-rolling frequencies with an array instead of a switch
3 var frequency = [ , 0, 0, 0, 0, 0, 0 ]; // frequency[0] uninitialized
4 var totalDice = 0;
5 var dieImages = new Array(12); // array to store img elements
6
7 // get die img elements
8 function start()
9 {
10    var button = document.getElementById( "rollButton" );
11    button.addEventListener( "click", rollDice, false );
12    var length = dieImages.length; // get array's length once before loop
13
14    for ( var i = 0; i < length; ++i )
15    {
16        dieImages[ i ] = document.getElementById( "die" + (i + 1) );
17    } // end for
18 } // end function start
19
20 // roll the dice
21 function rollDice()
22 {
23    var face; // face rolled
24    var length = dieImages.length;
25
26    for ( var i = 0; i < length; ++i )
27    {
28        face = Math.floor( 1 + Math.random() * 6 );
29        tallyRolls( face ); // increment a frequency counter
30        setImage( i, face ); // display appropriate die image
31        ++totalDice; // increment total
32    } // end for
33
34    updateFrequencyTable();
35 } // end function rollDice
36
37 // increment appropriate frequency counter
38 function tallyRolls( face )
39 {
40    ++frequency[ face ]; // increment appropriate counte
41 } // end function tallyRolls
42
43 // set image source for a die
44 function setImage( dieImg )
45 {
46    dieImages[ dieNumber ].setAttribute( "src", "die" + face + ".png" );
47    dieImages[ dieNumber ].setAttribute( "alt",
48        "die with " + face + " spot(s)" );
49 } // end function setImage
```

**Fig. 10.10** | Summarizing die-rolling frequencies with an array instead of a `switch`. (Part 1 of 2.)

---

```

50
51 // update frequency table in the page
52 function updateFrequencyTable()
53 {
54     var results = "<table><caption>Die Rolling Frequencies</caption>" +
55         "<thead><th>Face</th><th>Frequency</th>" +
56         "<th>Percent</th></thead><tbody>";
57     var length = frequency.length;
58
59     // create table rows for frequencies
60     for (var i = 1; i < length; ++i)
61     {
62         results += "<tr><td>1</td><td>" + i + "</td><td>" +
63             formatPercent(frequency[ i ] / totalDice) + "</td></tr>";
64     } // end for
65
66     results += "</tbody></table>";
67     document.getElementById( "frequencyTableDiv" ).innerHTML = results;
68 } // end function updateFrequencyTable
69
70 // format percentage
71 function formatPercent( value )
72 {
73     value *= 100;
74     return value.toFixed(2);
75 } // end function formatPercent
76
77 window.addEventListener( "load", start, false );

```

---

**Fig. 10.10** | Summarizing die-rolling frequencies with an array instead of a switch. (Part 2 of 2.)

When the document finishes loading, the script’s `start` function (lines 8–18) is called to register the button’s event handler and to get the `img` elements and store them in the global array `dieImages` for use in the rest of the script. Each time the user clicks the `Roll Dice` button, function `rollDice` (lines 21–35) is called to roll 12 dice and update the results on the page.

The `switch` statement in Fig. 9.6 is replaced by line 40 in function `tallyRolls`. This line uses the random face value (calculated at line 28) as the index for the array `frequency` to determine which element to increment during each iteration of the loop. Because the random number calculation in line 28 produces numbers from 1 to 6 (the values for a six-sided die), the `frequency` array must have seven elements (index values 0 to 6). Also, lines 60–64 of this program generate the table rows that were written one line at a time in Fig. 9.6. We can loop through array `frequency` to help produce the output, so we do not have to enumerate each HTML5 table row as we did in Fig. 9.6.

## 10.5 Random Image Generator Using Arrays


In Chapter 9, we created a random image generator that required image files to be named with the word `die` followed by a number from 1 to 6 and the file extension `.png` (e.g., `die1.png`). In this example (Figs. 10.11–10.12), we create a more elegant random image generator that does not require the image filenames to contain integers in sequence. This

version uses an array `pictures` to store the names of the image files as strings. Each time you click the image in the document (Fig. 10.11), the script generates a random integer and uses it as an index into the `pictures` array. The script updates the `img` element's `src` attribute with the image filename at the randomly selected position in the `pictures` array. In addition, we update the `alt` attribute with an appropriate description of the image from the `descriptions` array.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 10.11: RandomPicture.html -->
4  <!-- HTML5 document that displays randomly selected images. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Random Image Generator</title>
9          <script src = "RandomPicture.js"></script>
10     </head>
11     <body>
12         <img id = "image" src = "CPE.png" alt = "Common Programming Error">
13     </body>
14 </html>
```



**Fig. 10.11** | HTML5 document that displays randomly selected images.

The script (Fig. 10.12) declares the array `pictures` in line 4 and initializes it with the names of seven image files—the files contain our bug icons that we associate with our programming tips. Lines 5–8 create a separate array `descriptions` that contains the `alt` text for the corresponding images in the `pictures` array. When the user clicks the `img` element in the document, function `pickImage` (lines 12–17) is called to pick a random integer `index` from 0 to 6 and display the associated image. Line 15 uses that `index` to get a value from the `pictures` array, appends ".png" to it, then sets the `img` element's `src` attribute to the new image file name. Similarly, line 16 uses the `index` to get the corresponding text from the `descriptions` array and assigns that text to the `img` element's `alt` attribute.

---

```

1  // Fig. 10.12: RandomPicture2.js
2  // Random image selection using arrays
3  var iconImg;
4  var pictures = [ "CPE", "EPT", "GPP", "GUI", "PERF", "PORT", "SEO" ];
```

**Fig. 10.12** | Random image selection using arrays. (Part 1 of 2.)

```

5  var descriptions = [ "Common Programming Error",
6    "Error-Prevention Tip", "Good Programming Practice",
7    "Look-and-Feel Observation", "Performance Tip", "Portability Tip",
8    "Software Engineering Observation" ];
9
10 // pick a random image and corresponding description, then modify
11 // the img element in the document's body
12 function pickImage()
13 {
14   var index = Math.floor( Math.random() * 7 );
15   iconImg.setAttribute( "src", pictures[ index ] + ".png" );
16   iconImg.setAttribute( "alt", descriptions[ index ] );
17 } // end function pickImage
18
19 // registers iconImg's click event handler
20 function start()
21 {
22   iconImg = document.getElementById( "iconImg" );
23   iconImg.addEventListener( "click", pickImage, false );
24 } // end function start
25
26 window.addEventListener( "load", start, false );

```

**Fig. 10.12** | Random image selection using arrays. (Part 2 of 2.)

## 10.6 References and Reference Parameters

Two ways to pass arguments to functions (or methods) in many programming languages are **pass-by-value** and **pass-by-reference**. When an argument is passed to a function by value, a *copy* of the argument's value is made and is passed to the called function. In JavaScript, numbers, boolean values and strings are passed to functions by value.

With pass-by-reference, the caller gives the called function access to the caller's data and allows the called function to *modify* the data if it so chooses. This procedure is accomplished by passing to the called function the **address in memory** where the data resides. Pass-by-reference can *improve performance* because it can eliminate the overhead of copying large amounts of data, but it can *weaken security* because the called function can access the caller's data. In JavaScript, all objects (and thus all arrays) are passed to functions by reference.



### Error-Prevention Tip 10.3

*With pass-by-value, changes to the copy of the value received by the called function do not affect the original variable's value in the calling function. This prevents the accidental side effects that hinder the development of correct and reliable software systems.*



### Software Engineering Observation 10.3

*When information is returned from a function via a return statement, numbers and boolean values are returned by value (i.e., a copy is returned), and objects are returned by reference (i.e., a reference to the object is returned). When an object is passed-by-reference, it's not necessary to return the object, because the function operates on the original object in memory.*

The name of an array actually is a *reference* to an object that contains the array elements and the `length` variable. To pass a reference to an object into a function, simply specify the reference name in the function call. The reference name is the identifier that the program uses to manipulate the object. Mentioning the reference by its parameter name in the body of the called function actually refers to the original object in memory, and the original object is accessed directly by the called function.

## 10.7 Passing Arrays to Functions

To pass an array argument to a function, specify the array's name (a reference to the array) without brackets. For example, if array `hourlyTemperatures` has been declared as

```
var hourlyTemperatures = new Array( 24 );
```

then the function call

```
modifyArray( hourlyTemperatures );
```

passes array `hourlyTemperatures` to function `modifyArray`. As stated in Section 10.2, every array object in JavaScript knows its own size (via the `length` attribute). Thus, when we pass an array object into a function, we do not pass the array's size separately as an argument. Figure 10.4 demonstrated this concept.

Although entire arrays are passed by reference, *individual numeric and boolean array elements* are passed *by value* exactly as simple numeric and boolean variables are passed. Such simple single pieces of data are called **scalars**, or **scalar quantities**. Objects referred to by individual array elements are still passed by reference. To pass an array element to a function, use the indexed name of the element as an argument in the function call.

For a function to receive an array through a function call, the function's parameter list must specify a parameter that will refer to the array in the body of the function. JavaScript does not provide a special syntax for this purpose—it simply requires that the identifier for the array be specified in the parameter list. For example, the function header for function `modifyArray` might be written as

```
function modifyArray( b )
```

indicating that `modifyArray` expects to receive a parameter named `b`. Arrays are passed by reference, and therefore when the called function uses the array name `b`, it refers to the actual array in the caller (array `hourlyTemperatures` in the preceding call). The script in Figures 10.13–10.14 demonstrates the difference between passing an entire array and passing an array element. The body of the document in Fig. 10.13 contains the `p` elements that the script in Fig. 10.14 uses to display the results.

---

```

1 <!DOCTYPE html>
2
3 <!-- Fig. 10.13: PassArray.html -->
4 <!-- HTML document that demonstrates passing arrays and -->
5 <!-- individual array elements to functions. -->
6 <html>
```


---

**Fig. 10.13** | HTML document that demonstrates passing arrays and individual array elements to functions. (Part 1 of 2.)

```

7   <head>
8     <meta charset = "utf-8">
9     <title>Arrays as Arguments</title>
10    <link rel = "stylesheet" type = "text/css" href = "style.css">
11    <script src = "PassArray.js"></script>
12  </head>
13  <body>
14    <h2>Effects of passing entire array by reference</h2>
15    <p id = "originalArray"></p>
16    <p id = "modifiedArray"></p>
17    <h2>Effects of passing array element by value</h2>
18    <p id = "originalElement"></p>
19    <p id = "inModifyElement"></p>
20    <p id = "modifiedElement"></p>
21  </body>
22 </html>

```



**Fig. 10.13** | HTML document that demonstrates passing arrays and individual array elements to functions. (Part 2 of 2.)



#### Software Engineering Observation 10.4

*JavaScript does not check the number of arguments or types of arguments that are passed to a function. It's possible to pass any number of values to a function.*

When the document of Fig. 10.13 loads, function `start` (Fig. 10.14, lines 3–20) is called. Lines 8–9 invoke `outputArray` to display the array `a`'s contents before it's modified. Function `outputArray` (lines 23–26) receives a string to display, the array to display and the element in which to place the content. Line 25 uses Array method `join` to create a string containing all the elements in `theArray`. Method `join` takes as its argument a string containing the `separator` that should be used to separate the array elements in the string that's returned. If the argument is not specified, the empty string is used as the separator.

Line 10 invokes `modifyArray` (lines 29–35) and passes it array `a`. The function multiplies each element by 2. To illustrate that array `a`'s elements were modified, lines 11–12 invoke `outputArray` again to display the array `a`'s contents after it's modified. As the screen capture in Fig. 10.13 shows, the elements of `a` are indeed modified by `modifyArray`.

```
1 // Fig. 10.14: PassArray.js
2 // Passing arrays and individual array elements to functions.
3 function start()
4 {
5     var a = [ 1, 2, 3, 4, 5 ];
6
7     // passing entire array
8     outputArray( "Original array: ", a,
9                 document.getElementById( "originalArray" ) );
10    modifyArray( a ); // array a passed by reference
11    outputArray( "Modified array: ", a,
12                 document.getElementById( "modifiedArray" ) );
13
14    // passing individual array element
15    document.getElementById( "originalElement" ).innerHTML =
16        "a[3] before modifyElement: " + a[ 3 ];
17    modifyElement( a[ 3 ] ); // array element a[3] passed by value
18    document.getElementById( "modifiedElement" ).innerHTML =
19        "a[3] after modifyElement: " + a[ 3 ];
20 } // end function start()
21
22 // outputs heading followed by the contents of "theArray"
23 function outputArray( heading, theArray, output )
24 {
25     output.innerHTML = heading + theArray.join( " " );
26 } // end function outputArray
27
28 // function that modifies the elements of an array
29 function modifyArray( theArray )
30 {
31     for ( var j in theArray )
32     {
33         theArray[ j ] *= 2;
34     } // end for
35 } // end function modifyArray
36
37 // function that modifies the value passed
38 function modifyElement( e )
39 {
40     e *= 2; // scales element e only for the duration of the function
41     document.getElementById( "inModifyElement" ).innerHTML =
42         "Value in modifyElement: " + e;
43 } // end function modifyElement
44
45 window.addEventListener( "load", start, false );
```

---

**Fig. 10.14** | Passing arrays and individual array elements to functions.

Lines 15–16 display the value of `a[3]` before the call to `modifyElement`. Line 17 invokes `modifyElement` (lines 38–43), passing `a[3]` as the argument. Remember that `a[3]` actually is one integer value in the array, and that numeric values and boolean values are always passed to functions by value. Therefore, a *copy* of `a[3]` is passed. Function `modifyElement` multiplies its argument by 2, stores the result in its parameter `e`, then displays `e`'s

value. A parameter is a local variable in a function, so when the function terminates, the local variable is no longer accessible. Thus, when control is returned to start, the unmodified original value of `a[3]` is displayed by the statement in lines 18–19.


## 10.8 Sorting Arrays with Array Method `sort`

Sorting data (putting data in a particular order, such as ascending or descending) is one of the most important computing functions. The `Array` object in JavaScript has a built-in method `sort` for sorting arrays. The example in Figs. 10.15–10.16 demonstrates the `Array` object's `sort` method. The unsorted and sorted values are displayed in Figs. 10.15's paragraph elements (lines 14–15).

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 10.15: Sort.html -->
4  <!-- HTML5 document that displays the results of sorting an array. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Array Method sort</title>
9          <link rel = "stylesheet" type = "text/css" href = "style.css">
10         <script src = "Sort.js"></script>
11     </head>
12     <body>
13         <h1>Sorting an Array</h1>
14         <p id = "originalArray"></p>
15         <p id = "sortedArray"></p>
16     </body>
17 </html>
```



**Fig. 10.15** | HTML5 document that displays the results of sorting an array.

By default, `Array` method `sort` (with no arguments) uses *string* comparisons to determine the sorting order of the array elements. The strings are compared by the ASCII values of their characters. [Note: String comparison is discussed in more detail in Chapter 11.] In this script (Fig. 10.16), we'd like to sort an array of *integers*.

Method `sort` (line 9) takes as its argument the name of a **comparator function** that compares its two arguments and returns one of the following:

- a negative value if the first argument is *less than* the second argument,

```
1 // Fig. 10.16: Sort.js
2 // Sorting an array with sort.
3 function start()
4 {
5     var a = [ 10, 1, 9, 2, 8, 3, 7, 4, 6, 5 ];
6
7     outputArray( "Data items in original order: ", a,
8         document.getElementById( "originalArray" ) );
9     a.sort( compareIntegers ); // sort the array
10    outputArray( "Data items in ascending order: ", a,
11        document.getElementById( "sortedArray" ) );
12 } // end function start
13
14 // output the heading followed by the contents of theArray
15 function outputArray( heading, theArray, output )
16 {
17     output.innerHTML = heading + theArray.join( " " );
18 } // end function outputArray
19
20 // comparison function for use with sort
21 function compareIntegers( value1, value2 )
22 {
23     return parseInt( value1 ) - parseInt( value2 );
24 } // end function compareIntegers
25
26 window.addEventListener( "load", start, false );
```

**Fig. 10.16** | Sorting an array with `sort`.

- zero if the arguments are *equal*, or
- a positive value if the first argument is *greater than* the second argument.

This example uses the comparator function `compareIntegers` (defined in lines 21–24). It calculates the difference between the integer values of its two arguments (function `parseInt` ensures that the arguments are handled properly as integers).

Line 9 invokes Array object `a`'s `sort` method and passes function `compareIntegers` as an argument. Method `sort` then uses function `compareIntegers` to compare elements of the array `a` to determine their sorting order.



#### Software Engineering Observation 10.5

*Functions in JavaScript are considered to be data. Therefore, functions can be assigned to variables, stored in arrays and passed to functions just like other data types.*

## 10.9 Searching Arrays with Array Method `indexOf`


When working with data stored in arrays, it's often necessary to determine whether an array contains a value that matches a certain *key value*. The process of locating a particular element value in an array is called *searching*. The Array object in JavaScript has built-in methods `indexOf` and `lastIndexOf` for searching arrays. Method `indexOf` searches for the first occurrence of the specified key value, and method `lastIndexOf` searches for the last occurrence of the specified key value. If the key value is found in the array, each method

returns the index of that value; otherwise, -1 is returned. The example in Figs. 10.17–10.18 demonstrates method `indexOf`. You enter the integer search key in the form's number input element (Fig. 10.17, line 14) then press the button (lines 15–16) to invoke the script's `buttonPressed` function, which performs the search and displays the results in the paragraph at line 17.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 10.17: search.html -->
4  <!-- HTML5 document for searching an array with indexOf. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Search an Array</title>
9          <script src = "search.js"></script>
10     </head>
11     <body>
12         <form action = "#">
13             <p><label>Enter integer search key:</label>
14                 <input id = "inputVal" type = "number"></label>
15                 <input id = "searchButton" type = "button" value = "Search">
16             </p>
17             <p id = "result"></p>
18         </form>
19     </body>
20 </html>
```



**Fig. 10.17** | HTML5 document for searching an array with `indexOf`.

The script in Fig. 10.18 creates an array containing 100 elements (line 3), then initializes the array's elements with the even integers from 0 to 198 (lines 6–9). When the user presses the button in Fig. 10.17, function `buttonPressed` (lines 12–32) performs the search and displays the results. Line 15 gets the `inputVal` number input element, which contains the key value specified by the user, and line 18 gets the paragraph where the script displays the results. Next, we get the integer value entered by the user (line 21). Every `input` element has a `value` property that can be used to get or set the element's value.

Finally, line 22 performs the search by calling method `indexOf` on the array `a`, and lines 24–31 display the results.

---

```

1 // Fig. 10.18: search.js
2 // Search an array with indexOf.
3 var a = new Array( 100 ); // create an array
4
5 // fill array with even integer values from 0 to 198
6 for ( var i = 0; i < a.length; ++i )
7 {
8     a[ i ] = 2 * i;
9 } // end for
10
11 // function called when "Search" button is pressed
12 function buttonPressed()
13 {
14     // get the input text field
15     var inputVal = document.getElementById( "inputVal" );
16
17     // get the result paragraph
18     var result = document.getElementById( "result" );
19
20     // get the search key from the input text field then perform the search
21     var searchKey = parseInt( inputVal.value );
22     var element = a.indexOf( searchKey );
23
24     if ( element != -1 )
25     {
26         result.innerHTML = "Found value in element " + element;
27     } // end if
28     else
29     {
30         result.innerHTML = "Value not found";
31     } // end else
32 } // end function buttonPressed
33
34 // register searchButton's click event handler
35 function start()
36 {
37     var searchButton = document.getElementById( "searchButton" );
38     searchButton.addEventListener( "click", buttonPressed, false );
39 } // end function start
40
41 window.addEventListener( "load", start, false );

```

---

**Fig. 10.18** | Search an array with `indexOf`.

#### *Optional Second Argument to `indexOf` and `lastIndexOf`*

You can pass an optional second argument to methods `indexOf` and `lastIndexOf` that represents the index from which to start the search. By default, this argument's value is 0 and the methods search the entire array. If the argument is greater than or equal to the array's `length`, the methods simply return `-1`. If the argument's value is negative, it's used as an offset from the end of the array. For example, the 100-element array in Fig. 10.18 has in-

dices from 0 to 99. If we pass -10 as the second argument, the search will begin from index 89. If a negative second argument results in an index value less than 0 as the start point, the entire array will be searched.

## 10.10 Multidimensional Arrays

Multidimensional arrays with two indices are often used to represent *tables* of values consisting of information arranged in **rows** and **columns**. To identify a particular table element, we must specify the two indices; by convention, the first identifies the element's row and the second the element's column. Arrays that require two indices to identify a particular element are called **two-dimensional arrays**.

Multidimensional arrays can have *more* than two dimensions. JavaScript does not support multidimensional arrays directly, but it does allow you to specify arrays whose elements are also arrays, thus achieving the same effect. When an array contains one-dimensional arrays as its elements, we can imagine these one-dimensional arrays as rows of a table, and the positions in these arrays as columns. Figure 10.19 illustrates a two-dimensional array named *a* that contains three rows and four columns (i.e., a three-by-four array—three one-dimensional arrays, each with four elements). In general, an array with *m* rows and *n* columns is called an ***m*-by-*n* array**.

Every element in array *a* is identified in Fig. 10.19 by an element name of the form *a*[*row*][*column*]—*a* is the name of the array, and *row* and *column* are the indices that uniquely identify the row and column, respectively, of each element in *a*. The element names in row 0 all have a first index of 0; the element names in column 3 all have a second index of 3.

---

|       | Column 0            | Column 1            | Column 2            | Column 3            |
|-------|---------------------|---------------------|---------------------|---------------------|
| Row 0 | <i>a</i> [ 0 ][ 0 ] | <i>a</i> [ 0 ][ 1 ] | <i>a</i> [ 0 ][ 2 ] | <i>a</i> [ 0 ][ 3 ] |
| Row 1 | <i>a</i> [ 1 ][ 0 ] | <i>a</i> [ 1 ][ 1 ] | <i>a</i> [ 1 ][ 2 ] | <i>a</i> [ 1 ][ 3 ] |
| Row 2 | <i>a</i> [ 2 ][ 0 ] | <i>a</i> [ 2 ][ 1 ] | <i>a</i> [ 2 ][ 2 ] | <i>a</i> [ 2 ][ 3 ] |

Column subscript  
Row subscript  
Array name

---

**Fig. 10.19** | Two-dimensional array with three rows and four columns.

### Arrays of One-Dimensional Arrays

Multidimensional arrays can be initialized in declarations like a one-dimensional array. Array *b* with two rows and two columns could be declared and initialized with the statement

```
var b = [ [ 1, 2 ], [ 3, 4 ] ];
```

The values are grouped by row in square brackets. The array [1, 2] initializes element *b*[0], and the array [3, 4] initializes element *b*[1]. So 1 and 2 initialize *b*[0][0] and *b*[0][1], respectively. Similarly, 3 and 4 initialize *b*[1][0] and *b*[1][1], respectively. The

interpreter determines the number of rows by counting the number of subinitializer lists—arrays nested within the outermost array. The interpreter determines the number of columns in each row by counting the number of values in the subarray that initializes the row.

### *Two-Dimensional Arrays with Rows of Different Lengths*

The rows of a two-dimensional array can vary in length. The declaration

```
var b = [ [ 1, 2 ], [ 3, 4, 5 ] ];
```

creates array *b* with row 0 containing two elements (1 and 2) and row 1 containing three elements (3, 4 and 5).

### *Creating Two-Dimensional Arrays with new*

A multidimensional array in which each row has a *different* number of columns can be allocated dynamically, as follows:

```
var b;
b = new Array( 2 );           // allocate two rows
b[ 0 ] = new Array( 5 ); // allocate columns for row 0
b[ 1 ] = new Array( 3 ); // allocate columns for row 1
```

The preceding code creates a two-dimensional array with two rows. Row 0 has five columns, and row 1 has three columns.

### *Two-Dimensional Array Example: Displaying Element Values*

The example in Figs. 10.20–10.21 initializes two-dimensional arrays in declarations and uses nested `for...in` loops to **traverse the arrays** (i.e., manipulate every element of the array). When the document in Fig. 10.20 loads, the script's `start` function displays the results of initializing the arrays.

The script's `start` function declares and initializes two arrays (Fig. 10.21, lines 5–9). The declaration of `array1` (lines 5–6) provides six initializers in two sublists. The first sublist


---

```

1 <!DOCTYPE html>
2
3 <!-- Fig. 10.20: InitArray3.html -->
4 <!-- HTML5 document showing multidimensional array initialization. -->
5 <html>
6   <head>
7     <meta charset = "utf-8">
8     <title>Multidimensional Arrays</title>
9     <link rel = "stylesheet" type = "text/css" href = "style.css">
10    <script src = "InitArray3.js"></script>
11  </head>
12  <body>
13    <h2>Values in array1 by row</h2>
14    <div id = "output1"></div>
15    <h2>Values in array2 by row</h2>
16    <div id = "output2"></div>
17  </body>
18 </html>
```

---

**Fig. 10.20** | HTML5 document showing multidimensional array initialization. (Part 1 of 2.)



**Fig. 10.20** | HTML5 document showing multidimensional array initialization. (Part 2 of 2.)

initializes row 0 of the array to the values 1, 2 and 3; the second sublist initializes row 1 of the array to the values 4, 5 and 6. The declaration of array2 (lines 7–9) provides six initializers in three sublists. The sublist for row 0 explicitly initializes the row to have two elements, with values 1 and 2, respectively. The sublist for row 1 initializes the row to have one element, with value 3. The sublist for row 2 initializes the third row to the values 4, 5 and 6.

```

1 // Fig. 10.21: InitArray3.js
2 // Initializing multidimensional arrays.
3 function start()
4 {
5     var array1 = [ [ 1, 2, 3 ], // row 0
6                  [ 4, 5, 6 ] ]; // row 1
7     var array2 = [ [ 1, 2 ], // row 0
8                   [ 3 ], // row 1
9                   [ 4, 5, 6 ] ]; // row 2
10
11    outputArray( "Values in array1 by row", array1,
12                 document.getElementById( "output1" ) );
13    outputArray( "Values in array2 by row", array2,
14                 document.getElementById( "output2" ) );
15 } // end function start
16
17 // display array contents
18 function outputArray( heading, theArray, output )
19 {
20     var results = "";
21
22     // iterates through the set of one-dimensional arrays
23     for ( var row in theArray )
24     {
25         results += "<ol>"; // start ordered list
26

```

**Fig. 10.21** | Initializing multidimensional arrays. (Part 1 of 2.)

```
27      // iterates through the elements of each one-dimensional array
28      for ( var column in theArray[ row ] )
29      {
30          results += "<li>" + theArray[ row ][ column ] + "</li>";
31      } // end inner for
32
33      results += "</ol>"; // end ordered list
34  } // end outer for
35
36  output.innerHTML = results;
37 } // end function outputArray
38
39 window.addEventListener( "load", start, false );
```

**Fig. 10.21** | Initializing multidimensional arrays. (Part 2 of 2.)

Function `start` calls function `outputArray` twice (lines 11–14) to display each array's elements in the web page. Function `outputArray` (lines 18–37) receives a string `heading` to output before the array, the array to output (called `theArray`) and the element in which to display the array. The function uses a nested `for...in` statement (lines 23–34) to output each row of a two-dimensional array as an ordered list. Using CSS, we set each list item's `display` property to `inline` so that the list items appear unnumbered from left to right on the page, rather than numbered and listed vertically (the default). The outer `for...in` statement iterates over the rows of the array. The inner `for...in` statement iterates over the columns of the current row being processed. The nested `for...in` statement in this example could have been written with `for` statements, as follows:

```
var numberOfRows = theArray.length;

for ( var row = 0; row < numberOfRows; ++row )
{
    results += "<ol>"; // start ordered list
    var numberofcolumns = theArray[ row ].length;

    for ( var column = 0; j < numberofcolumns; ++j )
    {
        results += "<li>" + theArray[ row ][ column ] + "</li>";
    } // end inner for

    results += "</ol>"; // end ordered list
} // end outer for
```

Just before the outer `for` statement, the expression `theArray.length` determines the number of rows in the array. Just before the inner `for` statement, the expression `theArray[row].length` determines the number of columns in the current row of the array. This enables the loop to determine, for each row, the exact number of columns.

**Common Multidimensional-Array Manipulations with `for` and `for...in` Statements**  
Many common array manipulations use `for` or `for...in` repetition statements. For example, the following `for` statement sets all the elements in row 2 of array `a` in Fig. 10.19 to zero:

```
var columns = a[ 2 ].length;
for ( var col = 0; col < columns; ++col )
{
    a[ 2 ][ col ] = 0;
}
```

We specified row 2; therefore, we know that the first index is always 2. The **for** loop varies only the second index (i.e., the column index). The preceding **for** statement is equivalent to the assignment statements

```
a[ 2 ][ 0 ] = 0;
a[ 2 ][ 1 ] = 0;
a[ 2 ][ 2 ] = 0;
a[ 2 ][ 3 ] = 0;
```

The following **for...in** statement is also equivalent to the preceding **for** statement:

```
for ( var col in a[ 2 ] )
{
    a[ 2 ][ col ] = 0;
}
```

The following nested **for** statement determines the total of all the elements in array **a**:

```
var total = 0;
var rows = a.length;

for ( var row = 0; row < rows; ++row )
{
    var columns = a[ row ].length;

    for ( var col = 0; col < columns; ++col )
    {
        total += a[ row ][ col ];
    }
}
```

The **for** statement totals the elements of the array, one row at a time. The outer **for** statement begins by setting the row index to 0, so that the elements of row 0 may be totaled by the inner **for** statement. The outer **for** statement then increments **row** to 1, so that the elements of row 1 can be totaled. Then the outer **for** statement increments **row** to 2, so that the elements of row 2 can be totaled. The result can be displayed when the nested **for** statement terminates. The preceding **for** statement is equivalent to the following **for...in** statement:

```
var total = 0;

for ( var row in a )
{
    for ( var col in a[ row ] )
    {
        total += a[ row ][ col ];
    }
}
```

## Summary

### Section 10.1 Introduction

- Arrays (p. 357) are data structures consisting of related data items (sometimes called collections of data items).
- JavaScript arrays are “dynamic” entities in that they can change size after they’re created.

### Section 10.2 Arrays

- An array is a group of memory locations that all have the same name and normally are of the same type (although this attribute is not required in JavaScript).
- Each individual location is called an element (p. 357). Any one of these elements may be referred to by giving the name of the array followed by the position number (an integer normally referred to as the index, p. 357) of the element in square brackets ([]).
- The first element in every array is the zeroth element (p. 357). In general, the  $i$ th element of array  $c$  is referred to as  $c[i-1]$ . Array names (p. 357) follow the same conventions as other identifiers.
- An indexed array name can be used on the left side of an assignment to place a new value (p. 358) into an array element. It can also be used on the right side of an assignment operation to assign its value to another variable.
- Every array in JavaScript knows its own length (p. 357), which it stores in its `length` attribute.

### Section 10.3 Declaring and Allocating Arrays

- JavaScript arrays are represented by `Array` objects (p. 359).
- Arrays are created with operator `new` (p. 359).

### Section 10.4 Examples Using Arrays

- To link a JavaScript file to an HTML document, use the `script` element’s `src` attribute (p. 359) to specify the location of the JavaScript file.
- Zero-based counting is usually used to iterate through arrays.
- JavaScript automatically reallocates an array when a value is assigned to an element that’s outside the bounds of the original array. Elements between the last element of the original array and the new element have `undefined` values.
- Arrays can be created using a comma-separated initializer list (p. 362) enclosed in square brackets ([ and ]). The array’s size is determined by the number of values in the initializer list.
- The initial values of an array can also be specified as arguments in the parentheses following `new Array`. The size of the array is determined by the number of values in parentheses.
- JavaScript’s `for...in` statement (p. 366) enables a script to perform a task for each element in an array. This process is known as iterating over the elements of an array.

### Section 10.5 Random Image Generator Using Arrays

- We create a more elegant random image generator than the one in Chapter 9 that does not require the image filenames to be integers by using a `pictures` array to store the names of the image files as strings and accessing the array using a randomized index.

### Section 10.6 References and Reference Parameters

- Two ways to pass arguments to functions (or methods) in many programming languages are pass-by-value and pass-by-reference (p. 371).

- When an argument is passed to a function by value, a *copy* of the argument's value is made and is passed to the called function.
- In JavaScript, numbers, boolean values and strings are passed to functions by value.
- With pass-by-reference, the caller gives the called function access to the caller's data and allows it to modify the data if it so chooses. Pass-by-reference can improve performance because it can eliminate the overhead of copying large amounts of data, but it can weaken security because the called function can access the caller's data.
- In JavaScript, all objects (and thus all arrays) are passed to functions by reference.
- The name of an array is actually a reference to an object that contains the array elements and the `length` variable, which indicates the number of elements in the array.

### ***Section 10.7 Passing Arrays to Functions***

- To pass an array argument to a function, specify the name of the array (a reference to the array) without brackets.
- Although entire arrays are passed by reference, individual numeric and boolean array elements are passed by value exactly as simple numeric and boolean variables are passed. Such simple single pieces of data are called scalars, or scalar quantities (p. 372). To pass an array element to a function, use the indexed name of the element as an argument in the function call.
- Method `join` (p. 373) takes as its argument a string containing the separator (p. 373) that should be used to separate the elements of the array in the string that's returned. If the argument is not specified, the empty string is used as the separator.

### ***Section 10.8 Sorting Arrays with Array Method `sort`***

- Sorting data (putting data in a particular order, such as ascending or descending, p. 375) is one of the most important computing functions.
- The `Array` object in JavaScript has a built-in method `sort` (p. 375) for sorting arrays.
- By default, `Array` method `sort` (with no arguments) uses string comparisons to determine the sorting order of the array elements.
- Method `sort` takes as its optional argument the name of a function (called the comparator function, p. 375) that compares its two arguments and returns a negative value, zero, or a positive value, if the first argument is less than, equal to, or greater than the second, respectively.
- Functions in JavaScript are considered to be data. Therefore, functions can be assigned to variables, stored in arrays and passed to functions just like other data types.

### ***Section 10.9 Searching Arrays with Array Method `indexOf`***

- Array method `indexOf` (p. 376) searches for the first occurrence of a value and, if found, returns the value's array index; otherwise, it returns -1. Method `lastIndexOf` searches for the last occurrence.

### ***Section 10.10 Multidimensional Arrays***

- To identify a particular two-dimensional multidimensional array element, we must specify the two indices; by convention, the first identifies the element's row (p. 379) and the second the element's column (p. 379).
- In general, an array with  $m$  rows and  $n$  columns is called an  $m$ -by- $n$  array (p. 379).
- Every element in a two-dimensional array (p. 379) is accessed using an element name of the form `a[row][column]`; `a` is the name of the array, and `row` and `column` are the indices that uniquely identify the row and column, respectively, of each element in `a`.
- Multidimensional arrays are maintained as arrays of arrays.

## Self-Review Exercises

- 10.1** Fill in the blanks in each of the following statements:
- Every array in JavaScript knows its own length by \_\_\_\_\_ attribute.
  - To link a JavaScript file to an HTML document, we use the \_\_\_\_\_ attribute.
  - Zero-based counting is usually used to iterate through \_\_\_\_\_.
  - An array with  $p$  rows and  $q$  columns is called a(n) \_\_\_\_\_.
  - The \_\_\_\_\_ property contains an array of all the `form`'s controls.
- 10.2** State whether each of the following is *true* or *false*. If *false*, explain why.
- An array can store many different types of values.
  - An array index should normally be a floating-point value.
  - An individual array element that's passed to a function and modified in it will contain the modified value when the called function completes execution.
- 10.3** Write JavaScript statements (regarding array `fractions`) to accomplish each of the following tasks:
- Declare an array with 15 elements, and initialize the elements of the array to 1.
  - Refer to element 5 of the array.
  - Refer to array element 7.
  - Assign the value 3.14 to array element 6.
  - Assign the value 4.444 to the lowest-numbered element of the array.
  - Multiply all the elements of the array, using a `for...in` statement. Define variable `y` as a control variable for the loop.
- 10.4** Write JavaScript statements (regarding array `table`) to accomplish each of the following tasks:
- Declare and create the array with four rows and four columns.
  - Display the number of elements present in the second row.
  - Use a `for...in` statement to initialize each element of the array to the multiplication of its row and column indices. Assume that the variables `i` and `j` are declared as control variables.
- 10.5** Find the error(s) in each of the following program segments, and correct them.
- ```
var a = new Array( 20 );
for ( var j = 0; j = 30, ++i )
{
    a[ j ] = 0;
}
```
  - ```
var b = [ [ 2, 2, 3 ], [ 3, 4, 7 ] ];
b[ 0, 0 ] = 8;
```

## Answers to Self-Review Exercises

- 10.1** a) `length`. b) `src`. c) arrays. d) p-by-q array. e) `elements`.
- 10.2** a) True. b). False. An array index must be an integer or an integer expression. c) False. Individual primitive-data-type elements are passed by value. If a reference to an array is passed, then modifications to the elements of the array are reflected in the original element of the array. Also, an individual element of an object type passed to a function is passed by reference, and changes to the object will be reflected in the original array element.
- 10.3** a) `var fractions = [ 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1 ];`  
 b) `fractions[ 5 ]`

- c) `fractions[ 7 ]`  
 d) `fractions[ 6 ] = 3.14;`  
 e) `fractions[ 0 ] = 4.444;`  
 f) `var total = 1;`  
`for ( var y in fractions )`  
`{`  
 `total *= fractions[ y ];`  
`}`
- 10.4** a) `var table = new Array( new Array( 4 ), new Array( 4 ),`  
`new Array( 4 ), new Array( 4 ) );`  
 b) `document.write( "total: " + (table[ 1 ].length ) );`  
 c) `for ( var i in table )`  
`{`  
 `for ( var j in table[ i ] )`  
 `{`  
 `table[ i ][ j ] = i * j;`  
 `}`  
`}`

**10.5** a) Error: Referencing an array element outside the bounds of the array (`a[20]`). [Note: This error is actually a logic error, not a syntax error.] Correction: Change the `j < 30` to `j < 20`. b) Error: The array indexing is done incorrectly. Correction: Change the statement to `b[0][0] = 8;`.

## Exercises

- 10.6** Fill in the blanks in each of the following statements:
- JavaScript arrays are \_\_\_\_\_ entities.
  - Arrays are created with operator \_\_\_\_\_.
  - Two ways to pass arguments to functions (or methods) in many programming languages are \_\_\_\_\_ and \_\_\_\_\_.
  - In JavaScript, \_\_\_\_\_, \_\_\_\_\_ and \_\_\_\_\_ are passed to functions by value.
  - Multidimensional arrays are maintained as \_\_\_\_\_.
- 10.7** State whether each of the following is *true* or *false*. If *false*, explain why.
- Arrays are data structures consisting of related data items, sometimes called collections of data items.
  - The first element in every array is the first element.
  - Pass-by-reference can improve performance but can weaken security.
  - Method `concatenate` takes as its argument a string containing the separator that should be used to separate the elements of the array in the string that's returned.
  - The binary search algorithm is more efficient than the linear search algorithm.
- 10.8** Write JavaScript statements to accomplish each of the following tasks:
- Allocate 25 elements in an integer array.
  - Create and initialize a five-element array with indices of 0, 1, 2, 3 and 4.
  - Write statements to pass an array argument to a function.
  - Create an array `b` with two rows and two columns and initialize it.
  - Create a multidimensional array in which each row has a different number of columns which can be allocated dynamically.

- 10.9** Consider a three-by-four array *a* that will store integer number.
- Write a statement that declares and creates array *a*.
  - How many rows does *a* have?
  - How many columns does *a* have?
  - How many elements does *a* have?
  - Write the names of all the elements in row 2 of *a*.
  - Write the names of all the elements in the second column of *a*.
  - Write a single statement that sets the element of *a* in row 2 and column 3 to zero.
  - Write a series of statements that initializes each element of *a* to one. Do not use a repetition statement.
  - Write a nested for statement that initializes each element of *a* to one.
  - Write a series of statements that determines and prints the largest value in array *a*.
  - Write a non-repetition statement that displays the elements of the second row of *a*.
  - Write a series of statements that prints the array *a* in neat, tabular format. List the column indices as headings across the top, and list the row indices at the left of each row.
- 10.10** Use a one-dimensional array to solve the following problem: A company pays its salespeople on a commission basis. The salespeople receive \$200 per week plus 9 percent of their gross sales for that week. For example, a salesperson who grosses \$5000 in sales in a week receives \$200 plus 9 percent of \$5000, or a total of \$650. Write a script (using an array of counters) that obtains the gross sales for each employee through an HTML5 form and determines how many of the salespeople earned salaries in each of the following ranges (assume that each salesperson's salary is truncated to an integer amount):
- \$200–299
  - \$300–399
  - \$400–499
  - \$500–599
  - \$600–699
  - \$700–799
  - \$800–899
  - \$900–999
  - \$1000 and over
- 10.11** Write statements that perform the following operations for a one-dimensional array:
- Set the 15 elements of array *counts* to zeros.
  - Add 2 to each of the 20 elements of array *bonus*.
  - Display the seven values of array *bestScores*, separated by spaces.
- 10.12** Write JavaScript statements to sum the values contained in an array named *theArray*. The 20-element integer array must first be declared, allocated and initialized. The summation of the elements of the array must to be done with *for* and *for...in* statements.
- 10.13** Label the elements of two-by-four two-dimensional array *table* to indicate the order in which they're set to five by the following program segment:
- ```

for (var row in table)
{
    for (var col in table[ row ] )
    {
        table[ row ][ col ] = 5;
    }
}

```

**10.14** Write a script to simulate the rolling of two dice. The script should use `Math.random` to roll the first die and again to roll the second die. The sum of the two values should then be calculated. [Note: Since each die can show an integer value from 1 to 6, the sum of the values will vary from 2 to 12, with 7 being the most frequent sum, and 2 and 12 the least frequent sums. Figure 10.22 shows the 36 possible combinations of the two dice. Your program should roll the dice 36,000 times. Use a one-dimensional array to tally the number of times each possible sum appears. Display the results in an HTML5 table. Also determine whether the totals are reasonable (e.g., there are six ways to roll a 7, so approximately 1/6 of all the rolls should be 7).]

|   | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---|---|---|---|---|---|---|---|---|
| 0 |   |   |   |   |   |   |   |   |
| 1 |   |   |   | 2 |   | 1 |   |   |
| 2 |   |   | 3 |   |   |   | 0 |   |
| 3 |   |   |   |   | K |   |   |   |
| 4 |   | 4 |   |   |   |   | 7 |   |
| 5 |   |   | 5 |   | 6 |   |   |   |
| 6 |   |   |   |   |   |   |   |   |
| 7 |   |   |   |   |   |   |   |   |

**Fig. 10.22** | The 36 possible combinations of the two dice.

**10.15 (Turtle Graphics)** The Logo language, which is popular among young computer users, made the concept of *turtle graphics* famous. Imagine a mechanical turtle that walks around the room under the control of a JavaScript program. The turtle holds a pen in one of two positions, up or down. When the pen is down, the turtle traces out shapes as it moves; when the pen is up, the turtle moves about freely without writing anything. In this problem, you'll simulate the operation of the turtle and create a computerized sketchpad as well.

Use a 20-by-20 array `floor` that's initialized to zeros. Read commands from an array that contains them. Keep track of the current position of the turtle at all times and of whether the pen is currently up or down. Assume that the turtle always starts at position (0, 0) of the floor, with its pen up. The set of turtle commands your script must process are as in Fig. 10.23.

Suppose that the turtle is somewhere near the center of the floor. The following “program” would draw and print a 12-by-12 square, then leave the pen in the up position:

| Command | Meaning  |
|---------|--|
| 1       | Pen up   |
| 2       | Pen down   |
| 3       | Turn right   |
| 4       | Turn left  |
| 5,10    | Move forward 10 spaces (or a number other than 10) |
| 6       | Print the 20-by-20 array                           |
| 9       | End of data (sentinel)                             |

**Fig. 10.23** | Turtle-graphics commands.

```

2
5,12
3
5,12
3
5,12
3
5,12
1
6
9

```

As the turtle moves with the pen down, set the appropriate elements of array `floor` to 1s. When the `6` command (`print`) is given, display an asterisk or some other character of your choosing wherever there's a 1 in the array. Wherever there's a zero, display a blank. Write a script to implement the turtle-graphics capabilities discussed here. Write several turtle-graphics programs to draw interesting shapes. Add other commands to increase the power of your turtle-graphics language.

**10.16 (The Sieve of Eratosthenes)** A prime integer is an integer greater than 1 that's evenly divisible only by itself and 1. The Sieve of Eratosthenes is an algorithm for finding prime numbers. It operates as follows:

- Create an array with all elements initialized to 1 (true). Array elements with prime indices will remain as 1. All other array elements will eventually be set to zero.
- Set the first two elements to zero, since 0 and 1 are not prime. Starting with array index 2, every time an array element is found whose value is 1, loop through the remainder of the array and set to zero every element whose index is a multiple of the index for the element with value 1. For array index 2, all elements beyond 2 in the array that are multiples of 2 will be set to zero (indices 4, 6, 8, 10, etc.); for array index 3, all elements beyond 3 in the array that are multiples of 3 will be set to zero (indices 6, 9, 12, 15, etc.); and so on.

When this process is complete, the array elements that are still set to 1 indicate that the index is a prime number. These indices can then be printed. Write a script that uses an array of 1000 elements to determine and print the prime numbers between 1 and 999. Ignore element 0 of the array.

**10.17 (Simulation: The Tortoise and the Hare)** In this problem, you'll re-create one of the truly great moments in history, namely the classic race of the tortoise and the hare. You'll use random number generation to develop a simulation of this memorable event.

Our contenders begin the race at square 1 of 70 squares. Each square represents a possible position along the race course. The finish line is at square 70. The first contender to reach or pass square 70 is rewarded with a pail of fresh carrots and lettuce. The course weaves its way up the side of a slippery mountain, so occasionally the contenders lose ground.

There's a clock that ticks once per second. With each tick of the clock, your script should adjust the position of the animals according to the rules in Fig. 10.24.

| Animal   | Move type | Percentage of the time | Actual move            |
|----------|-----------|------------------------|------------------------|
| Tortoise | Fast plod | 50%                    | 3 squares to the right |
|          | Slip      | 20%                    | 6 squares to the left  |
|          | Slow plod | 30%                    | 1 square to the right  |

**Fig. 10.24** | Rules for adjusting the position of the tortoise and the hare. (Part 1 of 2.)

| Animal | Move type  | Percentage of the time | Actual move            |
|--------|------------|------------------------|------------------------|
| Hare   | Sleep      | 20%                    | No move at all         |
|        | Big hop    | 20%                    | 9 squares to the right |
|        | Big slip   | 10%                    | 12 squares to the left |
|        | Small hop  | 30%                    | 1 square to the right  |
|        | Small slip | 20%                    | 2 squares to the left  |

**Fig. 10.24** | Rules for adjusting the position of the tortoise and the hare. (Part 2 of 2.)

Use variables to keep track of the positions of the animals (i.e., position numbers are 1–70). Start each animal at position 1 (i.e., the “starting gate”). If an animal slips left before square 1, move the animal back to square 1.

Generate the percentages in Fig. 10.24 by producing a random integer  $i$  in the range  $1 \leq i \leq 10$ . For the tortoise, perform a “fast plod” when  $1 \leq i \leq 5$ , a “slip” when  $6 \leq i \leq 7$  and a “slow plod” when  $8 \leq i \leq 10$ . Use a similar technique to move the hare.


Begin the race by printing

```
BANG !!!!!
AND THEY'RE OFF !!!!!
```

Then, for each tick of the clock (i.e., each repetition of a loop), print a 70-position line showing the letter T in the position of the tortoise and the letter H in the position of the hare. Occasionally, the contenders will land on the same square. In this case, the tortoise bites the hare, and your script should print OUCH!!! beginning at that position. All print positions other than the T, the H or the OUCH!!! (in case of a tie) should be blank.

After each line is printed, test whether either animal has reached or passed square 70. If so, print the winner, and terminate the simulation. If the tortoise wins, print TORTOISE WINS!!! YAY!!! If the hare wins, print Hare wins. Yuck! If both animals win on the same tick of the clock, you may want to favor the turtle (the “underdog”), or you may want to print It's a tie. If neither animal wins, perform the loop again to simulate the next tick of the clock. When you're ready to run your script, assemble a group of fans to watch the race. You'll be amazed at how involved your audience gets!

Later in the book, we introduce a number of Dynamic HTML capabilities, such as graphics, images, animation and sound. As you study those features, you might enjoy enhancing your tortoise-and-hare contest simulation.



# JavaScript: Objects

*My object all sublime  
I shall achieve in time.*

—W. S. Gilbert

*Is it a world to hide virtues in?*

—William Shakespeare

## Objectives

In this chapter you'll:

- Learn object-based programming terminology and concepts.
- Learn the concepts of encapsulation and data hiding.
- Learn the value of object orientation.
- Use the methods of the JavaScript objects `Math`, `String`, `Date`, `Boolean` and `Number`.
- Use HTML5 web storage to create a web application that stores user data locally.
- Represent objects simply using JSON.



|   |  |
|---|--|
| <b>11.1</b> Introduction                          | <b>11.4</b> Date Object                                  |
| <b>11.2</b> Math Object                           | <b>11.5</b> Boolean and Number Objects                   |
| <b>11.3</b> String Object                         | <b>11.6</b> document Object                              |
| 11.3.1 Fundamentals of Characters and Strings     | <b>11.7</b> Favorite Twitter Searches: HTML5 Web Storage |
| 11.3.2 Methods of the String Object               | <b>11.8</b> Using JSON to Represent Objects              |
| 11.3.3 Character-Processing Methods               |  |
| 11.3.4 Searching Methods                          |  |
| 11.3.5 Splitting Strings and Obtaining Substrings |  |

*Summary | Self-Review Exercise | Answers to Self-Review Exercise | Exercises  
Special Section: Challenging String-Manipulation Projects*

## 11.1 Introduction

This chapter presents a more formal treatment of **objects**. We presented a brief introduction to object-oriented programming concepts in Chapter 1. This chapter overviews—and serves as a reference for—several of JavaScript’s built-in objects and demonstrates many of their capabilities. We use HTML5’s new web storage capabilities to create a web application that stores a user’s favorite Twitter searches on the computer for easy access at a later time. We also provide a brief introduction to JSON, a means for creating JavaScript objects—typically for transferring data over the Internet between client-side and server-side programs (a technique we discuss in Chapter 16). In subsequent chapters on the Document Object Model and JavaScript Events, you’ll work with many objects provided by the browser that enable scripts to manipulate the elements of an HTML5 document.

## 11.2 Math Object

The **Math** object’s methods enable you to conveniently perform many common mathematical calculations. As shown previously, an object’s methods are called by writing the name of the object followed by a dot (.) and the name of the method. In parentheses following the method name are arguments to the method. For example, to calculate the square root of 900 you might write

```
var result = Math.sqrt( 900 );
```

which first calls method **Math.sqrt** to calculate the square root of the number contained in the parentheses (900), then assigns the result to a variable. The number 900 is the argument of the **Math.sqrt** method. The above statement would return 30. Some **Math**-object methods are summarized in Fig. 11.1.



### Software Engineering Observation 11.1

*The difference between invoking a stand-alone function and invoking a method of an object is that an object name and a dot are not required to call a stand-alone function.*

The **Math** object defines several properties that represent commonly used mathematical constants. These are summarized in Fig. 11.2. [Note: By convention, the names of constants are written in all uppercase letters so that they stand out in a program.]

| Method                   | Description   | Examples  |
|--------------------------|---|---|
| <code>abs( x )</code>    | Absolute value of x.                                | <code>abs( 7.2 )</code> is 7.2<br><code>abs( 0 )</code> is 0<br><code>abs( -5.6 )</code> is 5.6 |
| <code>ceil( x )</code>   | Rounds x to the smallest integer not less than x.   | <code>ceil( 9.2 )</code> is 10<br><code>ceil( -9.8 )</code> is -9.0                             |
| <code>cos( x )</code>    | Trigonometric cosine of x (x in radians).           | <code>cos( 0 )</code> is 1  |
| <code>exp( x )</code>    | Exponential method $e^x$ .                          | <code>exp( 1 )</code> is 2.71828<br><code>exp( 2 )</code> is 7.38906                            |
| <code>floor( x )</code>  | Rounds x to the largest integer not greater than x. | <code>floor( 9.2 )</code> is 9<br><code>floor( -9.8 )</code> is -10.0                           |
| <code>log( x )</code>    | Natural logarithm of x (base e).                    | <code>log( 2.718282 )</code> is 1<br><code>log( 7.389056 )</code> is 2                          |
| <code>max( x, y )</code> | Larger value of x and y.                            | <code>max( 2.3, 12.7 )</code> is 12.7<br><code>max( -2.3, -12.7 )</code> is -2.3                |
| <code>min( x, y )</code> | Smaller value of x and y.                           | <code>min( 2.3, 12.7 )</code> is 2.3<br><code>min( -2.3, -12.7 )</code> is -12.7                |
| <code>pow( x, y )</code> | x raised to power y ( $x^y$ ).                      | <code>pow( 2, 7 )</code> is 128<br><code>pow( 9, .5 )</code> is 3.0                             |
| <code>round( x )</code>  | Rounds x to the closest integer.                    | <code>round( 9.75 )</code> is 10<br><code>round( 9.25 )</code> is 9                             |
| <code>sin( x )</code>    | Trigonometric sine of x (x in radians).             | <code>sin( 0 )</code> is 0  |
| <code>sqrt( x )</code>   | Square root of x.                                   | <code>sqrt( 900 )</code> is 30<br><code>sqrt( 9 )</code> is 3                                   |
| <code>tan( x )</code>    | Trigonometric tangent of x (x in radians).          | <code>tan( 0 )</code> is 0  |

**Fig. 11.1** | Math object methods.

| Constant                  | Description   | Value                           |
|---------------------------|---|---------------------------------|
| <code>Math.E</code>       | Base of a natural logarithm (e).                              | Approximately 2.718             |
| <code>Math.LN2</code>     | Natural logarithm of 2.                                       | Approximately 0.693             |
| <code>Math.LN10</code>    | Natural logarithm of 10.                                      | Approximately 2.302             |
| <code>Math.LOG2E</code>   | Base 2 logarithm of e.  | Approximately 1.442             |
| <code>Math.LOG10E</code>  | Base 10 logarithm of e.                                       | Approximately 0.434             |
| <code>Math.PI</code>      | $\pi$ —the ratio of a circle's circumference to its diameter. | Approximately 3.141592653589793 |
| <code>Math.SQRT1_2</code> | Square root of 0.5.   | Approximately 0.707             |
| <code>Math.SQRT2</code>   | Square root of 2.0.   | Approximately 1.414             |

**Fig. 11.2** | Properties of the Math object.

## 11.3 String Object

In this section, we introduce JavaScript's string- and character-processing capabilities. The techniques discussed here are appropriate for processing names, addresses, telephone numbers and other text-based data.

### 11.3.1 Fundamentals of Characters and Strings

Characters are the building blocks of JavaScript programs. Every program is composed of a sequence of characters grouped together meaningfully that's interpreted by the computer as a series of instructions used to accomplish a task.

A string is a series of characters treated as a single unit. A string may include letters, digits and various **special characters**, such as +, -, \*, /, and \$. JavaScript supports the set of characters called **Unicode®**, which represents a large portion of the world's languages. (We discuss Unicode in detail in Appendix F.) A string is an object of type **String**. **String literals** or **string constants** are written as a sequence of characters in double or single quotation marks, as follows:

|                          |                      |
|--------------------------|----------------------|
| "John Q. Doe"            | (a name)             |
| '9999 Main Street'       | (a street address)   |
| "Waltham, Massachusetts" | (a city and state)   |
| '(201) 555-1212'         | (a telephone number) |

A **String** may be assigned to a variable in a declaration. The declaration

```
var color = "blue";
```

initializes variable **color** with the **String** object containing the string "blue". **Strings** can be compared via the relational (<, <=, > and >=) and equality operators (==, ===, != and !==). The comparisons are based on the Unicode values of the corresponding characters. For example, the expression "h" < "H" evaluates to false because lowercase letters have higher Unicode values.

### 11.3.2 Methods of the String Object

The **String** object encapsulates the attributes and behaviors of a string of characters. It provides many methods (behaviors) that accomplish useful tasks such as selecting characters from a string, combining strings (called **concatenation**), obtaining *substrings* (portions) of a string, searching for substrings within a string, *tokenizing strings* (i.e., splitting strings into individual words) and converting strings to all uppercase or lowercase letters. The **String** object also provides several methods that generate HTML5 tags. Figure 11.3 summarizes many **String** methods. Figures 11.4–11.9 demonstrate some of these methods.

| Method                       | Description  |
|------------------------------|--|
| <code>charAt( index )</code> | Returns a string containing the character at the specified <i>index</i> . If there's no character at the <i>index</i> , <code>charAt</code> returns an empty string. The first character is located at <i>index</i> 0. |

**Fig. 11.3** | Some **String**-object methods. (Part 1 of 2.)

| Method  | Description   |
|---|---|
| <code>charCodeAt( index )</code>                    | Returns the Unicode value of the character at the specified <i>index</i> , or <code>NaN</code> (not a number) if there's no character at that <i>index</i> .  |
| <code>concat( string )</code>                       | Concatenates its argument to the end of the string on which the method is invoked. The original string is not modified; instead a new <code>String</code> is returned. This method is the same as adding two strings with the string-concatenation operator <code>+</code> (e.g., <code>s1.concat(s2)</code> is the same as <code>s1 + s2</code> ).   |
| <code>fromCharCode( value1, value2, ... )</code>    | Converts a list of Unicode values into a string containing the corresponding characters.  |
| <code>indexOf( substring, index )</code>            | Searches for the <i>first</i> occurrence of <i>substring</i> starting from position <i>index</i> in the string that invokes the method. The method returns the starting index of <i>substring</i> in the source string or <code>-1</code> if <i>substring</i> is not found. If the <i>index</i> argument is not provided, the method begins searching from index <code>0</code> in the source string.   |
| <code>lastIndexOf( substring, index )</code>        | Searches for the <i>last</i> occurrence of <i>substring</i> starting from position <i>index</i> and searching toward the beginning of the string that invokes the method. The method returns the starting index of <i>substring</i> in the source string or <code>-1</code> if <i>substring</i> is not found. If the <i>index</i> argument is not provided, the method begins searching from the <i>end</i> of the source string.                                 |
| <code>replace( searchString, replaceString )</code> | Searches for the substring <i>searchString</i> , replaces the first occurrence with <i>replaceString</i> and returns the modified string, or returns the original string if no replacement was made.  |
| <code>slice( start, end )</code>                    | Returns a string containing the portion of the string from index <i>start</i> through index <i>end</i> . If the <i>end</i> index is not specified, the method returns a string from the <i>start</i> index to the end of the source string. A negative <i>end</i> index specifies an offset from the end of the string, starting from a position one past the end of the last character (so <code>-1</code> indicates the last character position in the string). |
| <code>split( string )</code>                        | Splits the source string into an array of strings (tokens), where its <i>string</i> argument specifies the delimiter (i.e., the characters that indicate the end of each token in the source string).   |
| <code>substr( start, length )</code>                | Returns a string containing <i>length</i> characters starting from index <i>start</i> in the source string. If <i>length</i> is not specified, a string containing characters from <i>start</i> to the end of the source string is returned.  |
| <code>substring( start, end )</code>                | Returns a string containing the characters from index <i>start</i> up to but not including index <i>end</i> in the source string.   |
| <code>toLowerCase()</code>                          | Returns a string in which all uppercase letters are converted to lowercase letters. Non-letter characters are not changed.  |
| <code>toUpperCase()</code>                          | Returns a string in which all lowercase letters are converted to uppercase letters. Non-letter characters are not changed.  |

**Fig. 11.3** | Some `String`-object methods. (Part 2 of 2.)

### 11.3.3 Character-Processing Methods

The example in Figs. 11.4–11.5 demonstrates some of the `String` object's character-processing methods, including:


- `charAt`—returns the character at a specific position
- `charCodeAt`—returns the Unicode value of the character at a specific position
- `fromCharCode`—returns a string created from a series of Unicode values
- `toLowerCase`—returns the lowercase version of a string
- `toUpperCase`—returns the uppercase version of a string

The HTML document (Fig. 11.4) calls the script's `start` function to display the results in the results `div`. [Note: Throughout this chapter, we show the CSS style sheets only if there are new features to discuss. You can view each example's style-sheet contents by opening the style sheet in a text editor.]

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 11.4: CharacterProcessing.html -->
4  <!-- HTML5 document to demonstrate String methods charAt, charCodeAt,
5      fromCharCode, toLowercase and toUpperCase. -->
6  <html>
7      <head>
8          <meta charset = "utf-8">
9          <title>Character Processing</title>
10         <link rel = "stylesheet" type = "text/css" href = "style.css">
11         <script src = "CharacterProcessing.js"></script>
12     </head>
13     <body>
14         <div id = "results"></div>
15     </body>
16 </html>
```



**Fig. 11.4** | HTML5 document to demonstrate methods `charAt`, `charCodeAt`, `fromCharCode`, `toLowerCase` and `toUpperCase`.

In the script (Fig. 11.5), lines 10–11 get the first character in `String s ("ZEBRA")` using `String` method `charAt` and append it to the `result` string. Method `charAt` returns a string containing the character at the specified index (0 in this example). Indices for the characters in a string start at 0 (the first character) and go up to (but do not include) the

string's length (e.g., if the string contains five characters, the indices are 0 through 4). If the index is outside the bounds of the string, the method returns an empty string.

---

```

1 // Fig. 11.5: CharacterProcessing.js
2 // String methods charAt, charCodeAt, fromCharCode,
3 // toLowerCase and toUpperCase.
4 function start()
5 {
6     var s = "ZEBRA";
7     var s2 = "AbCdEfG";
8     var result = "";
9
10    result = "<p>Character at index 0 in '" + s + "' is " +
11        s.charAt( 0 ) + "</p>";
12    result += "<p>Character code at index 0 in '" + s + "' is " +
13        s.charCodeAt( 0 ) + "</p>";
14
15    result += "<p>'" + String.fromCharCode( 87, 79, 82, 68 ) +
16        "' contains character codes 87, 79, 82 and 68</p>";
17
18    result += "<p>'" + s2 + "' in lowercase is '" +
19        s2.toLowerCase() + "'</p>";
20    result += "<p>'" + s2 + "' in uppercase is '" +
21        s2.toUpperCase() + "'</p>";
22
23    document.getElementById( "results" ).innerHTML = result;
24 } // end function start
25
26 window.addEventListener( "load", start, false );

```

---

**Fig. 11.5** | String methods `charAt`, `charCodeAt`, `fromCharCode`, `toLowerCase` and `toUpperCase`.

Lines 12–13 get the character code for the first character in `String` `s` ("ZEBRA") by calling `String` method `charCodeAt`. Method `charCodeAt` returns the Unicode value of the character at the specified index (0 in this example). If the index is outside the bounds of the string, the method returns `Nan`.

`String` method `fromCharCode` receives as its argument a comma-separated list of Unicode values and builds a string containing the character representations of those Unicode values. Lines 15–16 create the string "WORD", which consists of the character codes 87, 79, 82 and 68. Note that we use the `String` object to call method `fromCharCode`, rather than a specific `String` variable. Appendix D, ASCII Character Set, contains the character codes for the ASCII character set—a subset of the Unicode character set (Appendix F) that contains only Western characters.

Lines 18–21 use `String` methods `toLowerCase` and `toUpperCase` to get versions of `String` `s2` ("AbCdEfG") in all lowercase letters and all uppercase letters, respectively.

### 11.3.4 Searching Methods

The example in Figs. 11.6–11.7 demonstrates the `String`-object methods `indexOf` and `lastIndexOf` that `search` for a specified substring in a string. All the searches in this exam-


ple are performed on a global string named `letters` in the script (Fig. 11.7, line 3). The user types a substring in the HTML5 form `searchForm's inputField` and presses the **Search** button to search for the substring in `letters`. Clicking the **Search** button calls function `buttonPressed` (lines 5–18) to respond to the `click` event and perform the searches. The results of each search are displayed in the `div` named `results`.

In the script (Fig. 11.7), lines 10–11 use `String` method `indexOf` to determine the location of the *first* occurrence in string `letters` of the string `inputField.value` (i.e., the string the user typed in the `inputField` text field). If the substring is found, the index at which the first occurrence of the substring begins is returned; otherwise, `-1` is returned.


---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 11.6: SearchingStrings.html -->
4  <!-- HTML document to demonstrate methods indexOf and lastIndexOf. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Searching Strings</title>
9          <link rel = "stylesheet" type = "text/css" href = "style.css">
10         <script src = "SearchingStrings.js"></script>
11     </head>
12     <body>
13         <form id = "searchForm" action = "#">
14             <h1>The string to search is:</h1>
15             abcdefghijklmnopqrstuvwxyzabcdefghijklm</h1>
16             <p>Enter the substring to search for</p>
17             <input id = "inputField" type = "search">
18             <input id = "searchButton" type = "button" value = "Search"></p>
19             <div id = "results"></div>
20         </form>
21     </body>
22 </html>
```



**Fig. 11.6** | HTML document to demonstrate methods `indexOf` and `lastIndexOf`. (Part 1 of 2.)



**Fig. 11.6** | HTML document to demonstrate methods `indexOf` and `lastIndexOf`. (Part 2 of 2.)

Lines 12–13 use String method `lastIndexOf` to determine the location of the *last* occurrence in `letters` of the string in `inputField`. If the substring is found, the index at which the last occurrence of the substring begins is returned; otherwise, `-1` is returned.

Lines 14–15 use String method `indexOf` to determine the location of the *first* occurrence in string `letters` of the string in the `inputField` text field, starting from index 12 in `letters`. If the substring is found, the index at which the first occurrence of the substring (starting from index 12) begins is returned; otherwise, `-1` is returned.

Lines 16–17 use String method `lastIndexOf` to determine the location of the *last* occurrence in `letters` of the string in the `inputField` text field, starting from index 12 in `letters` and moving toward the beginning of the input. If the substring is found, the index at which the first occurrence of the substring (if one appears before index 12) begins is returned; otherwise, `-1` is returned.

```

1 // Fig. 11.7: SearchingStrings.js
2 // Searching strings with indexOf and lastIndexOf.
3 var letters = "abcdefghijklmnopqrstuvwxyzabcdefghijklmnopqrstuvwxyz";
4
5 function buttonPressed()
6 {
7     var inputField = document.getElementById("inputField");
8
9     document.getElementById("results").innerHTML =
10        "<p>First occurrence is located at index " +
11            letters.indexOf( inputField.value ) + "</p>" +
12        "<p>Last occurrence is located at index " +
13            letters.lastIndexOf( inputField.value ) + "</p>" +
14        "<p>First occurrence from index 12 is located at index " +
15            letters.indexOf( inputField.value, 12 ) + "</p>" +
16        "<p>Last occurrence from index 12 is located at index " +
17            letters.lastIndexOf( inputField.value, 12 ) + "</p>";
18 } // end function buttonPressed

```

**Fig. 11.7** | Searching strings with `indexOf` and `lastIndexOf`. (Part 1 of 2.)

---

```

19
20 // register click event handler for searchButton
21 function start()
22 {
23     var searchButton = document.getElementById( "searchButton" );
24     searchButton.addEventListener( "click", buttonPressed, false );
25 } // end function start
26
27 window.addEventListener( "load", start, false );

```

---

**Fig. 11.7** | Searching strings with `indexOf` and `lastIndexOf`. (Part 2 of 2.)

### 11.3.5 Splitting Strings and Obtaining Substrings

When you read a sentence, your mind breaks it into individual words, or **tokens**, each of which conveys meaning to you. The process of breaking a string into tokens is called **tokenization**. Interpreters also perform tokenization. They break up statements into such individual pieces as keywords, identifiers, operators and other elements of a programming language. The example in Figs. 11.8–11.9 demonstrates `String` method **split**, which breaks a string into its component tokens. Tokens are separated from one another by **delimiters**, typically white-space characters such as blanks, tabs, newlines and carriage returns. Other characters may also be used as delimiters to separate tokens. The HTML5 document displays a form containing a text field where the user types a sentence to tokenize. The results of the tokenization process are displayed in a `div`. The script also demonstrates `String` method **substring**, which returns a portion of a string.

The user types a sentence into the text field with id `inputField` and presses the **Split** button to tokenize the string. Function `splitButtonPressed` (Fig. 11.9) is called in response to the button's `click` event.

---


```

1 <!DOCTYPE html>
2
3 <!-- Fig. 11.8: SplitAndSubString.html -->
4 <!-- HTML document demonstrating String methods split and substring. -->
5 <html>
6     <head>
7         <meta charset = "utf-8">
8         <title>split and substring</title>
9         <link rel = "stylesheet" type = "text/css" href = "style.css">
10        <script src = "SplitAndSubString.js"></script>
11    </head>
12    <body>
13        <form action = "#">
14            <p>Enter a sentence to split into words:</p>
15            <p><input id = "inputField" type = "text">
16                <input id = "splitButton" type = "button" value = "Split"></p>
17            <div id = "results"></p>
18        </form>
19    </body>
20 </html>

```

---

**Fig. 11.8** | HTML document demonstrating `String` methods `split` and `substring`. (Part I of 2.)



**Fig. 11.8** | HTML document demonstrating String methods `split` and `substring`. (Part 2 of 2.)

In the script (Fig. 11.9), line 5 gets the value of the input field and stores it in variable `inputString`. Line 6 calls `String` method `split` to tokenize `inputString`. The argument to method `split` is the **delimiter string**—the string that determines the end of each token in the original string. In this example, the space character delimits the tokens. The delimiter string can contain multiple characters to be used as delimiters. Method `split` returns an array of strings containing the tokens. Line 11 uses `Array` method `join` to combine the tokens in array `tokens` and separate each token with `</p><p class = 'indent'>` to end one paragraph element and start a new one. Line 13 uses `String` method `substring` to obtain a string containing the first 10 characters of the string the user entered (still stored in `inputString`). The method returns the substring from the **starting index** (0 in this example) up to but not including the **ending index** (10 in this example). If the ending index is greater than the length of the string, the substring returned includes the characters from the starting index to the end of the original string. The result of the string concatenations in lines 9–13 is displayed in the document's `results` div.

---

```
1 // Fig. 11.9: SplitAndSubString.js
2 // String object methods split and substring.
3 function splitButtonPressed()
4 {
5     var inputString = document.getElementById( "inputField" ).value;
6     var tokens = inputString.split( " " );
7
8     var results = document.getElementById( "results" );
```

**Fig. 11.9** | String-object methods `split` and `substring`. (Part 1 of 2.)

---

```

9     results.innerHTML = "<p>The sentence split into words is: </p>" +
10    "<p class = 'indent'>" +
11    tokens.join( "</p><p class = 'indent'>" ) + "</p>" +
12    "<p>The first 10 characters of the input string are: </p>" +
13    "<p class = 'indent'>" + inputString.substring( 0, 10 ) + "'</p>";
14 } // end function splitButtonPressed
15
16 // register click event handler for searchButton
17 function start()
18 {
19     var splitButton = document.getElementById( "splitButton" );
20     splitButton.addEventListener( "click", splitButtonPressed, false );
21 } // end function start
22
23 window.addEventListener( "load", start, false );

```

---

**Fig. 11.9** | String-object methods `split` and `substring`. (Part 2 of 2.)

## 11.4 Date Object

JavaScript's **Date** object provides methods for date and time manipulations. These can be performed based on the computer's **local time zone** or based on World Time Standard's **Coordinated Universal Time** (abbreviated UTC)—formerly called **Greenwich Mean Time (GMT)**. Most methods of the Date object have a local time zone and a UTC version. Date-object methods are summarized in Fig. 11.10.

| Method                            | Description  |
|-----------------------------------|--|
| <code>getDate()</code>            | Returns a number from 1 to 31 representing the day of the month in local time or UTC.  |
| <code>getUTCDate()</code>         |  |
| <code>getDay()</code>             | Returns a number from 0 (Sunday) to 6 (Saturday) representing the day of the week in local time or UTC.  |
| <code>getUTCDay()</code>          |  |
| <code>getFullYear()</code>        | Returns the year as a four-digit number in local time or UTC.  |
| <code>getUTCFullYear()</code>     |  |
| <code>getHours()</code>           | Returns a number from 0 to 23 representing hours since midnight in local time or UTC.  |
| <code>getUTCHours()</code>        |  |
| <code>getMilliseconds()</code>    | Returns a number from 0 to 999 representing the number of milliseconds in local time or UTC, respectively. The time is stored in hours, minutes, seconds and milliseconds. |
| <code>getUTCMilliSeconds()</code> |  |
| <code>getMinutes()</code>         | Returns a number from 0 to 59 representing the minutes for the time in local time or UTC.  |
| <code>getUTCMinutes()</code>      |  |
| <code>getMonth()</code>           | Returns a number from 0 (January) to 11 (December) representing the month in local time or UTC.  |
| <code>getUTCMonth()</code>        |  |
| <code>getSeconds()</code>         | Returns a number from 0 to 59 representing the seconds for the time in local time or UTC.  |
| <code>getUTCSeconds()</code>      |  |

**Fig. 11.10** | Date-object methods. (Part 1 of 2.)

| Method   | Description  |
|--|--|
| <code>getTime()</code>   | Returns the number of milliseconds between January 1, 1970, and the time in the <code>Date</code> object.  |
| <code>getTimezoneOffset()</code>   | Returns the difference in minutes between the current time on the local computer and UTC (Coordinated Universal Time).   |
| <code> setDate( val )</code><br><code>setUTCDate( val )</code>                   | Sets the day of the month (1 to 31) in local time or UTC.  |
| <code> setFullYear( y, m, d )</code><br><code>setUTCFullYear( y, m, d )</code>   | Sets the year in local time or UTC. The second and third arguments representing the month and the date are optional. If an optional argument is not specified, the current value in the <code>Date</code> object is used.                                |
| <code> setHours( h, m, s, ms )</code><br><code>setUTCHours( h, m, s, ms )</code> | Sets the hour in local time or UTC. The second, third and fourth arguments, representing the minutes, seconds and milliseconds, are optional. If an optional argument is not specified, the current value in the <code>Date</code> object is used.       |
| <code> setMilliseconds( ms )</code><br><code>setUTCMilliseconds( ms )</code>     | Sets the number of milliseconds in local time or UTC.  |
| <code> setMinutes( m, s, ms )</code><br><code>setUTCMinutes( m, s, ms )</code>   | Sets the minute in local time or UTC. The second and third arguments, representing the seconds and milliseconds, are optional. If an optional argument is not specified, the current value in the <code>Date</code> object is used.                      |
| <code> setMonth( m, d )</code><br><code>setUTCMonth( m, d )</code>               | Sets the month in local time or UTC. The second argument, representing the date, is optional. If the optional argument is not specified, the current date value in the <code>Date</code> object is used.   |
| <code> setSeconds( s, ms )</code><br><code>setUTCSeconds( s, ms )</code>         | Sets the seconds in local time or UTC. The second argument, representing the milliseconds, is optional. If this argument is not specified, the current milliseconds value in the <code>Date</code> object is used.                                       |
| <code> setTime( ms )</code>  | Sets the time based on its argument—the number of elapsed milliseconds since January 1, 1970.  |
| <code>toLocaleString()</code>  | Returns a string representation of the date and time in a form specific to the computer's locale. For example, September 13, 2007, at 3:42:22 PM is represented as <i>09/13/07 15:47:22</i> in the United States and <i>13/09/07 15:47:22</i> in Europe. |
| <code>toUTCString()</code>   | Returns a string representation of the date and time in the form: <i>15 Sep 2007 15:47:22 UTC</i> .  |
| <code>toString()</code>  | Returns a string representation of the date and time in a form specific to the locale of the computer ( <i>Mon Sep 17 15:47:22 EDT 2007</i> in the United States).   |
| <code>valueOf()</code>   | The time in number of milliseconds since midnight, January 1, 1970. (Same as <code>getTime()</code> .)   |

**Fig. 11.10** | Date-object methods. (Part 2 of 2.)

The example in Figs. 11.11–11.12 demonstrates many of the local-time-zone methods in Fig. 11.10. The HTML document (Fig. 11.11) provides several sections in which the results are displayed.

### Date-Object Constructor with No Arguments

In the script (Fig. 11.12), line 5 creates a new Date object. The new operator creates the Date object. The empty parentheses indicate a call to the Date object's **constructor** with no arguments. A constructor is an *initializer* method for an object. *Constructors are called automatically when an object is allocated with new.* The Date constructor with no arguments initializes the Date object with the local computer's current date and time.

### Methods **toString**, **toLocaleString**, **toUTCString** and **valueOf**

Lines 9–12 demonstrate the methods **toString**, **toLocaleString**, **toUTCString** and **valueOf**. Method **valueOf** returns a large integer value representing the total number of milliseconds between midnight, January 1, 1970, and the date and time stored in Date object **current**.

### Date-Object get Methods

Lines 16–25 demonstrate the Date object's *get* methods for the local time zone. The method **getFullYear** returns the year as a four-digit number. The method **getTimeZoneOffset** returns the difference in minutes between the local time zone and UTC time (i.e., a difference of four hours in our time zone when this example was executed).


---

```

1 <!DOCTYPE html>
2
3 <!-- Fig. 11.11: DateTime.html -->
4 <!-- HTML document to demonstrate Date-object methods. -->
5 <html>
6   <head>
7     <meta charset = "utf-8">
8     <title>Date and Time Methods</title>
9     <link rel = "stylesheet" type = "text/css" href = "style.css">
10    <script src = "DateTime.js"></script>
11  </head>
12  <body>
13    <h1>String representations and valueOf</h1>
14    <section id = "strings"></section>
15    <h1>Get methods for local time zone</h1>
16    <section id = "getMethods"></section>
17    <h1>Specifying arguments for a new Date</h1>
18    <section id = "newArguments"></section>
19    <h1>Set methods for local time zone</h1>
20    <section id = "setMethods"></section>
21  </body>
22 </html>
```

---

**Fig. 11.11** | HTML document to demonstrate Date-object methods. (Part 1 of 2.)



**Fig. 11.11** | HTML document to demonstrate Date-object methods. (Part 2 of 2.)

```

1 // Fig. 11.12: DateTime.js
2 // Date and time methods of the Date object.
3 function start()
4 {
5   var current = new Date();
6
7   // string-formatting methods and valueOf
8   document.getElementById( "strings" ).innerHTML =
9     "<p>toString: " + current.toString() + "</p>" +
10    "<p>toLocaleString: " + current.toLocaleString() + "</p>" +
11    "<p>toUTCString: " + current.toUTCString() + "</p>" +
12    "<p>valueOf: " + current.valueOf() + "</p>";
13
14   // get methods
15   document.getElementById( "getMethods" ).innerHTML =
16     "<p>getDate: " + current.getDate() + "</p>" +
17     "<p>getDay: " + current.getDay() + "</p>" +
18     "<p>getMonth: " + current.getMonth() + "</p>" +
19     "<p>getFullYear: " + current.getFullYear() + "</p>" +

```

**Fig. 11.12** | Date and time methods of the Date object. (Part 1 of 2.)

---

```

20      "<p>getTime: " + current.getTime() + "</p>" +
21      "<p>getHours: " + current.getHours() + "</p>" +
22      "<p>getMinutes: " + current.getMinutes() + "</p>" +
23      "<p>getSeconds: " + current.getSeconds() + "</p>" +
24      "<p>getMilliseconds: " + current.getMilliseconds() + "</p>" +
25      "<p>getTimezoneOffset: " + current.getTimezoneOffset() + "</p>";
26
27 // creating a Date
28 var anotherDate = new Date( 2011, 2, 18, 1, 5, 0, 0 );
29 document.getElementById( "newArguments" ).innerHTML =
30     "<p>Date: " + anotherDate + "</p>";
31
32 // set methods
33 anotherDate.setDate( 31 );
34 anotherDate.setMonth( 11 );
35 anotherDate.setFullYear( 2011 );
36 anotherDate.setHours( 23 );
37 anotherDate.setMinutes( 59 );
38 anotherDate.setSeconds( 59 );
39 document.getElementById( "setMethods" ).innerHTML =
40     "<p>Modified date: " + anotherDate + "</p>";
41 } // end function start
42
43 window.addEventListener( "load", start, false );

```

---

**Fig. 11.12** | Date and time methods of the Date object. (Part 2 of 2.)

### Date-Object Constructor with Arguments

Line 28 creates a new Date object and supplies arguments to the Date constructor for *year*, *month*, *date*, *hours*, *minutes*, *seconds* and *milliseconds*. The *hours*, *minutes*, *seconds* and *milliseconds* arguments are all optional. If an argument is not specified, 0 is supplied in its place. For *hours*, *minutes* and *seconds*, if the argument to the right of any of these is specified, it too must be specified (e.g., if the *minutes* argument is specified, the *hours* argument must be specified; if the *milliseconds* argument is specified, all the arguments must be specified).

### Date-Object set Methods

Lines 33–38 demonstrate the Date-object *set* methods for the local time zone. Date objects represent the month internally as an integer from 0 to 11. These values are off by one from what you might expect (i.e., 1 for January, 2 for February, ..., and 12 for December). When creating a Date object, you must specify 0 to indicate January, 1 to indicate February, ..., and 11 to indicate December.



#### Common Programming Error 11.1

Assuming that months are represented as numbers from 1 to 12 leads to off-by-one errors when you're processing Dates.

### Date-Object *parse* and UTC Methods

The Date object provides methods **Date.parse** and **Date.UTC** that can be called without creating a new Date object. Date.parse receives as its argument a string representing a date and time, and returns the number of milliseconds between midnight, January 1, 1970, and

the specified date and time. This value can be converted to a `Date` object with the statement

```
var theDate = new Date( numberOfMilliseconds );
```

Method `parse` converts the string using the following rules:

- Short dates can be specified in the form `MM-DD-YY`, `MM-DD-YYYY`, `MM/DD/YY` or `MM/DD/YYYY`. The month and day are not required to be two digits.
- Long dates that specify the complete month name (e.g., “January”), date and year can specify the month, date and year in any order.
- Text in parentheses within the string is treated as a comment and ignored. Commas and white-space characters are treated as delimiters.
- All month and day names must have at least two characters. The names are not required to be unique. If the names are identical, the name is resolved as the last match (e.g., “Ju” represents “July” rather than “June”).
- If the name of the day of the week is supplied, it’s ignored.
- All standard time zones (e.g., `EST` for Eastern Standard Time), Coordinated Universal Time (`UTC`) and Greenwich Mean Time (`GMT`) are recognized.
- When specifying hours, minutes and seconds, separate them with colons.
- In 24-hour-clock format, “`PM`” should not be used for times after 12 noon.

`Date` method `UTC` returns the number of milliseconds between midnight, January 1, 1970, and the date and time specified as its arguments. The arguments to the `UTC` method include the required `year`, `month` and `date`, and the optional `hours`, `minutes`, `seconds` and `milliseconds`. If any of the `hours`, `minutes`, `seconds` or `milliseconds` arguments is not specified, a zero is supplied in its place. For the `hours`, `minutes` and `seconds` arguments, if the argument to the right of any of these arguments in the argument list is specified, that argument must also be specified (e.g., if the `minutes` argument is specified, the `hours` argument must be specified; if the `milliseconds` argument is specified, all the arguments must be specified). As with the result of `Date.parse`, the result of `Date.UTC` can be converted to a `Date` object by creating a new `Date` object with the result of `Date.UTC` as its argument.

## 11.5 Boolean and Number Objects

JavaScript provides the `Boolean` and `Number` objects as **object wrappers** for boolean `true/false` values and numbers, respectively. These wrappers define methods and properties useful in manipulating boolean values and numbers.

When a JavaScript program requires a boolean value, JavaScript automatically creates a `Boolean` object to store the value. JavaScript programmers can create `Boolean` objects explicitly with the statement

```
var b = new Boolean( booleanValue );
```

The `booleanValue` specifies whether the `Boolean` object should contain `true` or `false`. If `booleanValue` is `false`, `0`, `null`, `Number.NaN` or an empty string (""), or if no argument is supplied, the new `Boolean` object contains `false`. Otherwise, the new `Boolean` object contains `true`. Figure 11.13 summarizes the methods of the `Boolean` object.

| Method                  | Description  |
|-------------------------|--|
| <code>toString()</code> | Returns the string "true" if the value of the Boolean object is <code>true</code> ; otherwise, returns the string "false". |
| <code>valueOf()</code>  | Returns the value <code>true</code> if the Boolean object is <code>true</code> ; otherwise, returns <code>false</code> .   |

**Fig. 11.13** | Boolean-object methods.

JavaScript automatically creates Number objects to store numeric values in a script. You can create a Number object with the statement

```
var n = new Number( numericValue );
```

The constructor argument *numericValue* is the number to store in the object. Although you can explicitly create Number objects, normally the JavaScript interpreter creates them as needed. Figure 11.14 summarizes the methods and properties of the Number object.

| Method or property                    | Description   |
|---------------------------------------|---|
| <code>toString( radix )</code>        | Returns the string representation of the number. The optional <i>radix</i> argument (a number from 2 to 36) specifies the number's base. Radix 2 results in the <i>binary</i> representation, 8 in the <i>octal</i> representation, 10 in the <i>decimal</i> representation and 16 in the <i>hexadecimal</i> representation. See Appendix E, Number Systems, for an explanation of the binary, octal, decimal and hexadecimal number systems.                                 |
| <code>valueOf()</code>                | Returns the numeric value.  |
| <code>Number.MAX_VALUE</code>         | The largest value that can be stored in a JavaScript program.   |
| <code>Number.MIN_VALUE</code>         | The smallest value that can be stored in a JavaScript program.  |
| <code>Number.NaN</code>               | <i>Not a number</i> —a value returned from an arithmetic expression that doesn't result in a number (e.g., <code>parseInt("hello")</code> cannot convert the string "hello" to a number, so <code>parseInt</code> would return <code>Number.NaN</code> .) To determine whether a value is <code>NaN</code> , test the result with function <code>isNaN</code> , which returns <code>true</code> if the value is <code>NaN</code> ; otherwise, it returns <code>false</code> . |
| <code>Number.NEGATIVE_INFINITY</code> | A value less than <code>-Number.MAX_VALUE</code> .  |
| <code>Number.POSITIVE_INFINITY</code> | A value greater than <code>Number.MAX_VALUE</code> .  |

**Fig. 11.14** | Number-object methods and properties.

## 11.6 document Object

The `document` object, which we've used extensively, is provided by the browser and allows JavaScript code to manipulate the current document in the browser. The `document` object has several properties and methods, such as method `document.getElementById`, which has been used in many examples. Figure 11.15 shows the methods of the `document` object that are used in this chapter. We'll cover several more in Chapter 12.

| Method                                       | Description   |
|--|---|
| <code>getElementById( id )</code>            | Returns the HTML5 element whose <code>id</code> attribute matches <code>id</code> . |
| <code>getElementsByTagName( tagName )</code> | Returns an array of the HTML5 elements with the specified <code>tagName</code> .    |

**Fig. 11.15** | document-object methods.

## 11.7 Favorite Twitter Searches: HTML5 Web Storage

Before HTML5, websites could store only small amounts of text-based information on a user’s computer using cookies. A **cookie** is a *key/value pair* in which each *key* has a corresponding *value*. The key and value are both strings. Cookies are stored by the browser on the user’s computer to maintain client-specific information during and between browser sessions. A website might use a cookie to record user preferences or other information that it can retrieve during the client’s subsequent visits. For example, a website can retrieve the user’s name from a cookie and use it to display a personalized greeting. Similarly, many websites used cookies during a browsing session to track user-specific information, such as the contents of an online shopping cart.

When a user visits a website, the browser locates any cookies written by that website and sends them to the server. *Cookies may be accessed only by the web server and scripts of the website from which the cookies originated* (i.e., a cookie set by a script on `amazon.com` can be read only by `amazon.com` servers and scripts). The browser sends these cookies with *every* request to the server.

### Problems with Cookies

There are several problems with cookies. One is that they’re extremely limited in size. Today’s web apps often allow users to manipulate large amounts of data, such as documents or thousands of emails. Some web applications allow so-called *offline access*—for example, a word-processing web application might allow a user to access documents locally, even when the computer is not connected to the Internet. Cookies cannot store entire documents.

Another problem is that a user often opens many tabs in the same browser window. If the user browses the same site from multiple tabs, all of the site’s cookies are shared by the pages in each tab. This could be problematic in web applications that allow the user to purchase items. For example, if the user is purchasing different items in each tab, with cookies it’s possible that the user could accidentally purchase the same item twice.

### Introducing `localStorage` and `sessionStorage`

As of HTML5, there are two new mechanisms for storing key/value pairs that help eliminate some of the problems with cookies. Web applications can use the `window` object’s **`localStorage`** property to store up to several megabytes of key/value-pair string data on the user’s computer and can access that data across browsing sessions and browser tabs. Unlike cookies, data in the `localStorage` object is not sent to the web server with each request. Each website domain (such as `deitel.com` or `google.com`) has a separate `local-`

Storage object—all the pages from a given domain share one `localStorage` object. Typically, 5MB are reserved for each `localStorage` object, but a web browser can ask the user if more space should be allocated when the space is full.


Web applications that need access to data for *only* a browsing session and that must keep that data *separate* among multiple tabs can use the `window` object's **`sessionStorage` property**. There's a separate `sessionStorage` object for every browsing session, including separate tabs that are accessing the same website.

### **Favorite Twitter Searches App Using `localStorage` and `sessionStorage`**

To demonstrate these new HTML5 storage capabilities, we'll implement a **Favorite Twitter Searches** app. Twitter's search feature is a great way to follow trends and see what people are saying about specific topics. The app we present here allows users to save their favorite (possibly lengthy) Twitter search strings with easy-to-remember, user-chosen, short tag names. Users can then conveniently follow the tweets on their favorite topics by visiting this web page and clicking the link for a saved search. Twitter search queries can be finely tuned using Twitter's search operators ([dev.twitter.com/docs/using-search](http://dev.twitter.com/docs/using-search))—but more complex queries are lengthy, time consuming and error prone to type. The user's favorite searches are saved using `localStorage`, so they're immediately available each time the user browses the app's web page.

Figure 11.16(a) shows the app when it's loaded for the first time. The app uses `sessionStorage` to determine whether the user has visited the page previously during the current browsing session. If not, the app displays a welcome message. The user can save many searches and view them in alphabetical order. Search queries and their corresponding tags are entered in the `text` inputs at the top of the page. Clicking the **Save** button adds the new search to the favorites list. Clicking a the link for a saved search requests the search page from Twitter's website, passing the user's saved search as an argument, and displays the search results in the web browser.

a) **Favorite Twitter Searches** app when it's loaded for the first time in this browsing session and there are no tagged searches



**Fig. 11.16** | Sample outputs from the **Favorite Twitter Searches** web application. (Part 1 of 2.)


b) App with several saved searches and the user saving a new search



c) App after new search is saved—the user is about to click the Deitel search



d) Results of touching the Deitel link



**Fig. 11.16** | Sample outputs from the **Favorite Twitter Searches** web application. (Part 2 of 2.)

Figure 11.16(b) shows the app with several previously saved searches. Figure 11.16(c) shows the user entering a new search. Figure 11.16(d) shows the result of touching the **Deitel** link, which searches for tweets from Deitel—specified in Fig. 11.16(c) with the Twitter search `from:Deitel`. You can edit the searches using the **Edit** buttons to the right of each search link. This enables you to tweak your searches for better results after you save them as favorites. Touching the **Clear All Saved Searches** button removes all the searches from the favorites list. Some browsers support `localStorage` and `sessionStorage` only for web pages that are downloaded from a web server, not for web pages that are loaded directly from the local file system. So, we've posted the app online for testing at:

```
http://test.deitel.com/iw3htp5/ch11/fig11_20-22/
FavoriteTwitterSearches.html
```

### **Favorite Twitter Searches HTML5 Document**

The **Favorite Twitter Searches** application contains three files—`FavoriteTwitterSearches.html` (Fig. 11.17), `styles.css` (Fig. 11.18) and `FavoriteTwitterSearches.js` (Fig. 11.18). The HTML5 document provides a form (lines 14–24) that allows the user to enter new searches. Previously tagged searches are displayed in the `div` named `searches` (line 26).

---

```
1  <!DOCTYPE html>
2
3  <!-- Fig. 11.17: FavoriteTwitterSearches.html -->
4  <!-- Favorite Twitter Searches web application. -->
5  <html>
6  <head>
7      <title>Twitter Searches</title>
8      <link rel = "stylesheet" type = "text/css" href = "style.css">
9      <script src = "FavoriteTwitterSearches.js"></script>
10 </head>
11 <body>
12     <h1>Favorite Twitter Searches</h1>
13     <p id = "welcomeMessage"></p>
14     <form action = "#">
15         <p><input id = "query" type = "text"
16             placeholder = "Enter Twitter search query">
17             <a href = "https://dev.twitter.com/docs/using-search">
18                 Twitter search operators</a></p>
19             <p><input id = "tag" type = "text" placeholder = "Tag your query">
20                 <input type = "button" value = "Save"
21                     id = "saveButton">
22                 <input type = "button" value = "Clear All Saved Searches"
23                     id = "clearButton"></p>
24         </form>
25         <h1>Previously Tagged Searches</h1>
26         <div id = "searches"></div>
27     </body>
28 </html>
```

---

**Fig. 11.17** | Favorite Twitter Searches web application.

### *CSS for Favorite Twitter Searches*

Figure 11.18 contains the CSS styles for this app. Line 3 uses a CSS3 attribute selector to select all `input` elements that have the `type` "text" and sets their width to 250px. Each link that represents a saved search is displayed in a `span` that has a fixed width (line 6). To specify the width, we set the `display` property of the `spans` to `inline-block`. Line 8 specifies a `:first-child` selector that's used to select the first list item in the unordered list of saved searches that's displayed at the bottom of the web page. Lines 9–10 and 11–12 use `:nth-child` selectors to specify the styles of the odd (first, third, fifth, etc.) and even (second, fourth, sixth, etc.) list items, respectively. We use these selectors to alternate the background colors of the saved searches.

---

```

1  p { margin: 0px; }
2  #welcomeMessage { margin-bottom: 10px; font-weight: bold; }
3  input[type = "text"] { width: 250px; }
4
5  /* list item styles */
6  span { margin-left: 10px; display: inline-block; width: 100px; }
7  li { list-style-type: none; width: 220px; }
8  li:first-child { border-top: 1px solid grey; }
9  li:nth-child(even) { background-color: lightyellow;
10   border-bottom: 1px solid grey; }
11  li:nth-child(odd) { background-color: lightblue;
12   border-bottom: 1px solid grey; }
```

---

**Fig. 11.18** | Styles used in the Favorite Twitter Searches app.

### *Script for Favorite Twitter Searches*

Figure 11.19 presents the JavaScript for the Favorite Twitter Searches app. When the HTML5 document in Fig. 11.17 loads, function `start` (lines 80–87) is called to register event handlers and call function `loadSearches` (lines 7–44). Line 9 uses the `sessionStorage` object to determine whether the user has already visited the page during this browsing session. The `getItem` method receives a name of a key as an argument. If the key exists, the method returns the corresponding string value; otherwise, it returns `null`. If this is the user's first visit to the page during this browsing session, line 11 uses the `setItem` method to set the key "herePreviously" to the string "true", then lines 12–13 display a welcome message in the `welcomeMessage` paragraph element. Next, line 16 gets the `localStorage` object's `length`, which represents the number of key/value pairs stored. Line 17 creates an array and assigns it to the script variable `tags`, then lines 20–23 get the keys from the `localStorage` object and store them in the `tags` array. Method `key` (line 22) receives an index as an argument and returns the corresponding key. Line 25 sorts the `tags` array, so that we can display the searches in alphabetical order by tag name (i.e., key). Lines 27–42 build the unordered list of links representing the saved searches. Line 33 calls the `localStorage` object's `getItem` method to obtain the search string for a given tag and appends the search string to the Twitter search URL (line 28). Notice that, for simplicity, lines 37 and 38 use the `onclick` attributes of the dynamically generated `Edit` and `Delete` buttons to set the buttons' event handlers—this is an older mechanism for registering event handlers. To register these with the elements' `addEventListener` method, we'd have to dynamically locate the buttons in the page after we've created them, then register the event handlers,

which would require significant additional code. Separately, notice that each event handler is receiving the button `input` element's `id` as an argument—this enables the event handler to use the `id` value when handling the event. [Note: The `localStorage` and `sessionStorage` properties and methods we discuss throughout this section apply to both objects.]

---

```

1 // Fig. 11.19: FavoriteTwitterSearches.js
2 // Storing and retrieving key/value pairs using
3 // HTML5 localStorage and sessionStorage
4 var tags; // array of tags for queries
5
6 // loads previously saved searches and displays them in the page
7 function loadSearches()
8 {
9     if ( !sessionStorage.getItem( "herePreviously" ) )
10    {
11        sessionStorage.setItem( "herePreviously", "true" );
12        document.getElementById( "welcomeMessage" ).innerHTML =
13            "Welcome to the Favorite Twitter Searches App";
14    } // end if
15
16    var length = localStorage.length; // number of key/value pairs
17    tags = []; // create empty array
18
19    // load all keys
20    for (var i = 0; i < length; ++i)
21    {
22        tags[i] = localStorage.key(i);
23    } // end for
24
25    tags.sort(); // sort the keys
26
27    var markup = "<ul>"; // used to store search link markup
28    var url = "http://search.twitter.com/search?q=";
29
30    // build list of links
31    for (var tag in tags)
32    {
33        var query = url + localStorage.getItem(tags[tag]);
34        markup += "<li><span><a href = '" + query + "'>" + tags[tag] +
35            "</a></span>" +
36            "<input id = '" + tags[tag] + "' type = 'button' " +
37            "value = 'Edit' onclick = 'editTag(id)'>" +
38            "<input id = '" + tags[tag] + "' type = 'button' " +
39            "value = 'Delete' onclick = 'deleteTag(id)'>";
40    } // end for
41
42    markup += "</ul>";
43    document.getElementById("searches").innerHTML = markup;
44 } // end function loadSearches
45

```

---

**Fig. 11.19** | Storing and retrieving key/value pairs using HTML5 `localStorage` and `sessionStorage`. (Part 1 of 2.)

```
46 // deletes all key/value pairs from localStorage
47 function clearAllSearches()
48 {
49     localStorage.clear();
50     loadSearches(); // reload searches
51 } // end function clearAllSearches
52
53 // saves a newly tagged search into localStorage
54 function saveSearch()
55 {
56     var query = document.getElementById("query");
57     var tag = document.getElementById("tag");
58     localStorage.setItem(tag.value, query.value);
59     tag.value = ""; // clear tag input
60     query.value = ""; // clear query input
61     loadSearches(); // reload searches
62 } // end function saveSearch
63
64 // deletes a specific key/value pair from localStorage
65 function deleteTag( tag )
66 {
67     localStorage.removeItem( tag );
68     loadSearches(); // reload searches
69 } // end function deleteTag
70
71 // display existing tagged query for editing
72 function editTag( tag )
73 {
74     document.getElementById("query").value = localStorage[ tag ];
75     document.getElementById("tag").value = tag;
76     loadSearches(); // reload searches
77 } // end function editTag
78
79 // register event handlers then load searches
80 function start()
81 {
82     var saveButton = document.getElementById( "saveButton" );
83     saveButton.addEventListener( "click", saveSearch, false );
84     var clearButton = document.getElementById( "clearButton" );
85     clearButton.addEventListener( "click", clearAllSearches, false );
86     loadSearches(); // load the previously saved searches
87 } // end function start
88
89 window.addEventListener( "load", start, false );
```

---

**Fig. 11.19** | Storing and retrieving key/value pairs using HTML5 `localStorage` and `sessionStorage`. (Part 2 of 2.)

Function `clearAllSearches` (lines 47–51) is called when the user clicks the **Clear All Saved Searches** button. The `clear` method of the `localStorage` object (line 49) removes all key/value pairs from the object. We then call `loadSearches` to refresh the list of saved searches in the web page.

Function `saveSearch` (lines 54–62) is called when the user clicks **Save** to save a search. Line 58 uses the `setItem` method to store a key/value pair in the `localStorage` object. If the key already exists, `setItem` replaces the corresponding value; otherwise, it creates a new key/value pair. We then call `loadSearches` to refresh the list of saved searches in the web page.

Function `deleteTag` (lines 65–69) is called when the user clicks the **Delete** button next to a particular search. The function receives the tag representing the key/value pair to delete, which we set in line 38 as the button's `id`. Line 67 uses the `removeItem` method to remove a key/value pair from the `localStorage` object. We then call `loadSearches` to refresh the list of saved searches in the web page.

Function `editTag` (lines 72–77) is called when the user clicks the **Edit** button next to a particular search. The function receives the tag representing the key/value pair to edit, which we set in line 36 as the button's `id`. In this case, we display the corresponding key/value pair's contents in the `input` elements with the `ids` "tag" and "query", respectively, so the user can edit them. Line 74 uses the `[]` operator to access the value for a specified key (`tag`)—this performs the same task as calling `getItem` on the `localStorage` object. We then call `loadSearches` to refresh the list of saved searches in the web page.

## 11.8 Using JSON to Represent Objects

In 1999, JSON (JavaScript Object Notation)—a simple way to represent JavaScript objects as strings—was introduced as an alternative to XML as a data-exchange technique. JSON has gained acclaim due to its simple format, making objects easy to read, create and parse. Each JSON object is represented as a list of property names and values contained in curly braces, in the following format:

```
{ propertyName1 : value1, propertyName2 : value2 }
```

Arrays are represented in JSON with square brackets in the following format:

```
[ value0, value1, value2 ]
```

Each value can be a string, a number, a JSON object, `true`, `false` or `null`. To appreciate the simplicity of JSON data, examine this representation of an array of address-book entries that we'll use in Chapter 16:

```
[ { first: 'Cheryl', last: 'Black' },
  { first: 'James', last: 'Blue' },
  { first: 'Mike', last: 'Brown' },
  { first: 'Meg', last: 'Gold' } ]
```

JSON provides a straightforward way to manipulate objects in JavaScript, and many other programming languages now support this format. In addition to simplifying object creation, JSON allows programs to easily extract data and efficiently transmit it across the Internet. JSON integrates especially well with Ajax applications, discussed in Chapter 16. See Section 16.6 for a more detailed discussion of JSON, as well as an Ajax-specific example. For more information on JSON, visit our JSON Resource Center at [www.deitel.com/json](http://www.deitel.com/json).

## Summary

### Section 11.2 Math Object

- Math-object methods (p. 393) enable you to perform many common mathematical calculations.
- An object's methods are called by writing the name of the object followed by a dot (.) and the name of the method. In parentheses following the method name are arguments to the method.

### Section 11.3 String Object

- Characters are the building blocks of JavaScript programs. Every program is composed of a sequence of characters grouped together meaningfully that's interpreted by the computer as a series of instructions used to accomplish a task.
- A string is a series of characters treated as a single unit.
- A string may include letters, digits and various special characters, such as +, -, \*, /, and \$.
- JavaScript supports Unicode (p. 395), which represents a large portion of the world's languages.
- String literals or string constants (p. 395) are written as a sequence of characters in double or single quotation marks.
- Combining strings is called concatenation (p. 395).
- String method `charAt` (p. 397) returns the character at a specific index in a string. Indices for the characters in a string start at 0 (the first character) and go up to (but do not include) the string's `length` (i.e., if the string contains five characters, the indices are 0 through 4). If the index is outside the bounds of the string, the method returns an empty string.
- String method `charCodeAt` (p. 397) returns the Unicode value of the character at a specific index in a string. If the index is outside the bounds of the string, the method returns `NaN`. String method `fromCharCode` (p. 397) creates a string from a list of Unicode values.
- String method `toLowerCase` (p. 397) returns the lowercase version of a string. String method `toUpperCase` (p. 397) returns the uppercase version of a string.
- String method `indexOf` (p. 398) determines the location of the first occurrence of its argument in the string used to call the method. If the substring is found, the index at which the first occurrence of the substring begins is returned; otherwise, -1 is returned. This method receives an optional second argument specifying the index from which to begin the search.
- String method `lastIndexOf` (p. 398) determines the location of the last occurrence of its argument in the string used to call the method. If the substring is found, the index at which the last occurrence of the substring begins is returned; otherwise, -1 is returned. This method receives an optional second argument specifying the index from which to begin the search.
- The process of breaking a string into tokens (p. 401) is called tokenization (p. 401). Tokens are separated from one another by delimiters, typically white-space characters such as blank, tab, newline and carriage return. Other characters may also be used as delimiters to separate tokens.
- String method `split` (p. 401) breaks a string into its component tokens. The argument to method `split` is the delimiter string (p. 402)—the string that determines the end of each token in the original string. Method `split` returns an array of strings containing the tokens.
- String method `substring` returns the substring from the starting index (its first argument, p. 402) up to but not including the ending index (its second argument, p. 402). If the ending index is greater than the length of the string, the substring returned includes the characters from the starting index to the end of the original string.

### Section 11.4 Date Object

- JavaScript's Date object (p. 403) provides methods for date and time manipulations.

- Date and time processing can be performed based either on the computer's local time zone (p. 403) or on World Time Standard's Coordinated Universal Time (abbreviated UTC, p. 403)—formerly called Greenwich Mean Time (GMT, p. 403).
- Most methods of the Date object have a local time zone and a UTC version.
- Date method parse receives as its argument a string representing a date and time and returns the number of milliseconds between midnight, January 1, 1970, and the specified date and time.
- Date method UTC (p. 407) returns the number of milliseconds between midnight, January 1, 1970, and the date and time specified as its arguments. The arguments to the UTC method include the required year, month and date, and the optional hours, minutes, seconds and milliseconds. If any of the hours, minutes, seconds or milliseconds arguments is not specified, a zero is supplied in its place. For the hours, minutes and seconds arguments, if the argument to the right of any of these arguments is specified, that argument must also be specified (e.g., if the minutes argument is specified, the hours argument must be specified; if the milliseconds argument is specified, all the arguments must be specified).

### **Section 11.5 Boolean and Number Objects**

- JavaScript provides the Boolean (p. 408) and Number (p. 408) objects as object wrappers for boolean true/false values and numbers, respectively.
- When a boolean value is required in a JavaScript program, JavaScript automatically creates a Boolean object to store the value.
- JavaScript programmers can create Boolean objects explicitly with the statement

```
var b = new Boolean( booleanValue );
```

The argument *booleanValue* specifies the value of the Boolean object (`true` or `false`). If *booleanValue* is `false`, `0`, `null`, `Number.NaN` or the empty string (""), or if no argument is supplied, the new Boolean object contains `false`. Otherwise, the new Boolean object contains `true`.

- JavaScript automatically creates Number objects to store numeric values in a JavaScript program.
- JavaScript programmers can create a Number object with the statement

```
var n = new Number( numericValue );
```

The argument *numericValue* is the number to store in the object. Although you can explicitly create Number objects, normally they're created when needed by the JavaScript interpreter.

### **Section 11.6 document Object**

- JavaScript provides the `document` object (p. 409) for manipulating the document that's currently visible in the browser window.

### **Section 11.7 Favorite Twitter Searches: HTML5 Web Storage**

- Before HTML5, websites could store only small amounts of text-based information on a user's computer using cookies. A cookie (p. 410) is a key/value pair in which each key has a corresponding value. The key and value are both strings.
- Cookies are stored by the browser on the user's computer to maintain client-specific information during and between browser sessions.
- When a user visits a website, the browser locates any cookies written by that website and sends them to the server. Cookies may be accessed only by the web server and scripts of the website from which the cookies originated.
- Web applications can use the `window` object's `localStorage` property (p. 410) to store up to several megabytes of key/value-pair string data on the user's computer and can access that data across browsing sessions and browser tabs.

- Unlike cookies, data in the `localStorage` object is not sent to the web server with each request.
- Each website domain has a separate `localStorage` object—all the pages from a given domain share it. Typically, 5MB are reserved for each `localStorage` object, but a web browser can ask the user whether more space should be allocated when the space is full.
- Web applications that need access to key/value pair data for only a browsing session and that must keep that data separate among multiple tabs can use the `window` object's `sessionStorage` property (p. 411). There's a separate `sessionStorage` object for every browsing session, including separate tabs that are accessing the same website.
- A CSS3 `:first-child` selector (p. 414) selects the first child of an element.
- A CSS3 `:nth-child` selector (p. 414) with the argument "odd" selects the odd child elements, and one with the argument "even" selects the even child elements.
- The `localStorage` and `sessionStorage` method `getItem` (p. 414) receives a name of a key as an argument. If the key exists, the method returns the corresponding string value; otherwise, it returns `null`. Method `setItem` (p. 414) sets a key/value pair. If the key already exists, `setItem` replaces the value for the specified key; otherwise, it creates a new key/value pair.
- The `localStorage` and `sessionStorage` `length` property (p. 414) returns the number of key/value pairs stored in the corresponding object.
- The `localStorage` and `sessionStorage` method `key` (p. 414) receives an index as an argument and returns the corresponding key.
- The `localStorage` and `sessionStorage` method `clear` (p. 416) removes all key/value pairs from the corresponding object.
- The `localStorage` and `sessionStorage` method `removeItem` (p. 417) removes a key/value pair from the corresponding object.
- In addition to `getItem`, you can use the `[]` operator to access the value for a specified key in a `localStorage` or `sessionStorage` object.

### *Section 11.8 Using JSON to Represent Objects*

- JSON (JavaScript Object Notation, p. 417) is a simple way to represent JavaScript objects as strings.
- JSON was introduced in 1999 as an alternative to XML for data exchange.
- Each JSON object is represented as a list of property names and values contained in curly braces, in the following format:
 

```
{ propertyName1 : value1, propertyName2 : value2 }
```
- Arrays are represented in JSON with square brackets in the following format:
 

```
[ value0, value1, value2 ]
```
- Values in JSON can be strings, numbers, JSON objects, `true`, `false` or `null`.

## **Self-Review Exercise**

- 11.1** Fill in the blanks in each of the following statements:
- Because JavaScript uses objects to perform many tasks, JavaScript is commonly referred to as a(n) \_\_\_\_\_.
  - All objects have \_\_\_\_\_ and exhibit \_\_\_\_\_.
  - The methods of the \_\_\_\_\_ object allow you to perform many common mathematical calculations.
  - Invoking (or calling) a method of an object is referred to as \_\_\_\_\_.

- e) String literals or string constants are written as a sequence of characters in \_\_\_\_\_ or \_\_\_\_\_.
- f) Indices for the characters in a string start at \_\_\_\_\_.
- g) String methods \_\_\_\_\_ and \_\_\_\_\_ search for the first and last occurrences of a substring in a String, respectively.
- h) The process of breaking a string into tokens is called \_\_\_\_\_.
- i) Date and time processing can be performed based on the \_\_\_\_\_ or on World Time Standard's \_\_\_\_\_.
- j) Date method \_\_\_\_\_ receives as its argument a string representing a date and time and returns the number of milliseconds between midnight, January 1, 1970, and the specified date and time.
- k) Web applications can use the window object's \_\_\_\_\_ property to store up to several megabytes of key/value-pair string data on the user's computer and can access that data across browsing sessions and browser tabs.
- l) Web applications that need access to key/value pair data for only a browsing session and that must keep that data separate among multiple tabs can use the window object's \_\_\_\_\_ property.
- m) A CSS3 \_\_\_\_\_ selector selects the first child of an element.
- n) A CSS3 \_\_\_\_\_ selector with the argument "odd" selects the odd child elements, and one with the argument "even" selects the even child elements.

## Answers to Self-Review Exercise

**11.1** a) object-based programming language. b) attributes, behaviors. c) Math. d) sending a message to the object. e) double quotation marks, single quotation marks. f) 0. g) indexOf, lastIndexOf. h) tokenization. i) computer's local time zone, Coordinated Universal Time (UTC). j) parse. k) localStorage. l) sessionStorage. m) :first-child. n) :nth-child.

## Exercises

**11.2** Create a web page that contains four buttons. Each button, when clicked, should cause an alert dialog to display a different time or date in relation to the current time. Create a Now button that alerts the current time and date and a Yesterday button that alerts the time and date 24 hours ago. The other two buttons should alert the time and date ten years ago and one week from today.

**11.3** Write a script that tests as many of the Math library functions in Fig. 11.1 as you can. Exercise each of these functions by having your program display tables of return values for several argument values in an HTML5 textarea.

**11.4** Math method floor may be used to round a number to a specific decimal place. For example, the statement

```
y = Math.floor( x * 10 + .5 ) / 10;
```

rounds x to the tenths position (the first position to the right of the decimal point). The statement

```
y = Math.floor( x * 100 + .5 ) / 100;
```

rounds x to the hundredths position (i.e., the second position to the right of the decimal point). Write a script that defines four functions to round a number x in various ways:

- a) roundToInteger( number )
- b) roundToTenths( number )
- c) roundToHundredths( number )
- d) roundToThousands( number )

For each value read, your program should display the original value, the number rounded to the nearest integer, the number rounded to the nearest tenth, the number rounded to the nearest hundredth and the number rounded to the nearest thousandth.

**11.5** Modify the solution to Exercise 11.4 to use `Math` method `round` instead of method `floor`.

**11.6** Write a script that uses relational and equality operators to compare two `Strings` input by the user through an HTML5 form. Display whether the first string is less than, equal to or greater than the second.

**11.7** Write a script that uses random number generation to create sentences. Use four arrays of strings called `article`, `noun`, `verb` and `preposition`. Create a sentence by selecting a word at random from each array in the following order: `article`, `noun`, `verb`, `preposition`, `article` and `noun`. As each word is picked, concatenate it to the previous words in the sentence. The words should be separated by spaces. When the final sentence is output, it should start with a capital letter and end with a period.

The arrays should be filled as follows: the `article` array should contain the articles "the", "a", "one", "some" and "any"; the `noun` array should contain the nouns "boy", "girl", "dog", "town" and "car"; the `verb` array should contain the verbs "drove", "jumped", "ran", "walked" and "skipped"; the `preposition` array should contain the prepositions "to", "from", "over", "under" and "on".

The program should generate 20 sentences to form a short story and output the result to an HTML5 `textarea`. The story should begin with a line reading "Once upon a time..." and end with a line reading "THE END".

**11.8** (*Limericks*) A limerick is a humorous five-line verse in which the first and second lines rhyme with the fifth, and the third line rhymes with the fourth. Using techniques similar to those developed in Exercise 11.7, write a script that produces random limericks. Polishing this program to produce good limericks is a challenging problem, but the result will be worth the effort!

**11.9** (*Pig Latin*) Write a script that encodes English-language phrases in pig Latin. Pig Latin is a form of coded language often used for amusement. Many variations exist in the methods used to form pig Latin phrases. For simplicity, use the following algorithm:

To form a pig Latin phrase from an English-language phrase, tokenize the phrase into an array of words using `String` method `split`. To translate each English word into a pig Latin word, place the first letter of the English word at the end of the word and add the letters "ay." Thus the word "jump" becomes "umpjay," the word "the" becomes "hetay" and the word "computer" becomes "omputercay." Blanks between words remain as blanks. Assume the following: The English phrase consists of words separated by blanks, there are no punctuation marks and all words have two or more letters. Function `printLatinWord` should display each word. Each token (i.e., word in the sentence) is passed to method `printLatinWord` to print the pig Latin word. Enable the user to input the sentence through an HTML5 form. Keep a running display of all the converted sentences in an HTML5 `textarea`.

**11.10** Write a script that inputs a telephone number as a string in the form (555) 555-5555. The script should use `String` method `split` to extract the area code as a token, the first three digits of the phone number as a token and the last four digits of the phone number as a token. Display the area code in one text field and the seven-digit phone number in another text field.

**11.11** Write a script that inputs a line of text, tokenizes it with `String` method `split` and outputs the tokens in reverse order.

**11.12** Write a script that inputs text from an HTML5 form and outputs it in uppercase and lowercase letters.

**11.13** Write a script that inputs several lines of text and a search character and uses `String` method `indexof` to determine the number of occurrences of the character in the text.

**11.14** Write a script based on the program in Exercise 11.13 that inputs several lines of text and uses `String` method `indexOf` to determine the total number of occurrences of each letter of the alphabet in the text. Uppercase and lowercase letters should be counted together. Store the totals for each letter in an array, and print the values in tabular format in an HTML5 `textarea` after the totals have been determined.

**11.15** Write a script that reads a series of strings and outputs in an HTML5 `textarea` only those strings beginning with the character “b.”

**11.16** Write a script that reads a series of strings and outputs in an HTML5 `textarea` only those strings ending with the characters “ed.”

**11.17** Write a script that inputs an integer code for a character and displays the corresponding character.

**11.18** Modify your solution to Exercise 11.17 so that it generates all possible three-digit codes in the range 000 to 255 and attempts to display the corresponding characters. Display the results in an HTML5 `textarea`.

**11.19** Write your own version of the `String` method `indexOf` and use it in a script.

**11.20** Write your own version of the `String` method `lastIndexOf` and use it in a script.

**11.21** Write a program that reads a five-letter word from the user and produces all possible three-letter words that can be derived from the letters of the five-letter word. For example, the three-letter words produced from the word “bathe” include the commonly used words “ate,” “bat,” “bet,” “tab,” “hat,” “the” and “tea.” Output the results in an HTML5 `textarea`.

**11.22** (*Printing Dates in Various Formats*) Dates are printed in several common formats. Write a script that reads a date from an HTML5 form and creates a `Date` object in which to store it. Then use the various methods of the `Date` object that convert `Dates` into strings to display the date in several formats.

## Special Section: Challenging String-Manipulation Projects

The preceding exercises are keyed to the text and designed to test the reader's understanding of fundamental string-manipulation concepts. This section includes a collection of intermediate and advanced string-manipulation exercises. The reader should find these problems challenging, yet entertaining. The problems vary considerably in difficulty. Some require an hour or two of program writing and implementation. Others are useful for lab assignments that might require two or three weeks of study and implementation. Some are challenging term projects.

**11.23** (*Text Analysis*) The availability of computers with string-manipulation capabilities has resulted in some rather interesting approaches to analyzing the writings of great authors. Much attention has been focused on whether William Shakespeare really wrote the works attributed to him. Some scholars believe there's substantial evidence indicating that Christopher Marlowe actually penned these masterpieces. Researchers have used computers to find similarities in the writings of these two authors. This exercise examines three methods for analyzing texts with a computer.

- a) Write a script that reads several lines of text from the keyboard and prints a table indicating the number of occurrences of each letter of the alphabet in the text. For example, the phrase

To be, or not to be: that is the question:

contains one “a,” two “b’s,” no “c’s,” etc.

- b) Write a script that reads several lines of text and prints a table indicating the number of one-letter words, two-letter words, three-letter words, etc., appearing in the text. For example, the phrase

Whether 'tis nobler in the mind to suffer

contains

| Word length | Occurrences        |
|-------------|--------------------|
| 1           | 0                  |
| 2           | 2                  |
| 3           | 1                  |
| 4           | 2 (including 'tis) |
| 5           | 0                  |
| 6           | 2                  |
| 7           | 1                  |

- c) Write a script that reads several lines of text and prints a table indicating the number of occurrences of each different word in the text. The first version of your program should include the words in the table in the same order in which they appear in the text. For example, the lines

To be, or not to be: that is the question:  
Whether 'tis nobler in the mind to suffer

contain the word “to” three times, the word “be” twice, and the word “or” once. A more interesting (and useful) printout should then be attempted in which the words are sorted alphabetically.

**11.24 (Check Protection)** Computers are frequently employed in check-writing systems such as payroll and accounts payable applications. Many strange stories circulate regarding weekly paychecks being printed (by mistake) for amounts in excess of \$1 million. Incorrect amounts are printed by computerized check-writing systems because of human error and/or machine failure. Systems designers build controls into their systems to prevent erroneous checks from being issued.

Another serious problem is the intentional alteration of a check amount by someone who intends to cash a check fraudulently. To prevent a dollar amount from being altered, most computerized check-writing systems employ a technique called *check protection*.

Checks designed for imprinting by computer contain a fixed number of spaces in which the computer may print an amount. Suppose a paycheck contains eight blank spaces in which the computer is supposed to print the amount of a weekly paycheck. If the amount is large, then all eight of those spaces will be filled, for example:

1,230.60 (check amount)

-----

12345678 (position numbers)

On the other hand, if the amount is less than \$1000, then several of the spaces will ordinarily be left blank. For example,

99.87

-----

12345678

contains three blank spaces. If a check is printed with blank spaces, it's easier for someone to alter the amount of the check. To prevent a check from being altered, many check-writing systems insert *leading asterisks* to protect the amount as follows:

```
***99 .87  
-----  
12345678
```

Write a script that inputs a dollar amount to be printed on a check, then prints the amount in check-protected format with leading asterisks if necessary. Assume that nine spaces are available for printing the amount.

**11.25 (Writing the Word Equivalent of a Check Amount)** Continuing the discussion in the preceding exercise, we reiterate the importance of designing check-writing systems to prevent alteration of check amounts. One common security method requires that the check amount be both written in numbers and spelled out in words. Even if someone is able to alter the numerical amount of the check, it's extremely difficult to change the amount in words.

Many computerized check-writing systems do not print the amount of the check in words. Perhaps the main reason for this omission is that most high-level languages used in commercial applications do not contain adequate string-manipulation features. Another reason is that the logic for writing word equivalents of check amounts is somewhat involved.

Write a script that inputs a numeric check amount and writes the word equivalent of the amount. For example, the amount 112.43 should be written as

ONE HUNDRED TWELVE and 43/100

**11.26 (Metric Conversion Program)** Write a script that will assist the user with metric conversions. Your program should allow the user to specify the names of the units as strings (e.g., centimeters, liters, grams, for the metric system and inches, quarts, pounds, for the English system) and should respond to simple questions such as

```
"How many inches are in 2 meters?"  
"How many liters are in 10 quarts?"
```

Your program should recognize invalid conversions. For example, the question

"How many feet are in 5 kilograms?"

is not a meaningful question because "feet" is a unit of length whereas "kilograms" is a unit of mass.

**11.27 (Project: A Spell Checker)** Many popular word-processing software packages have built-in spell checkers.

In this project, you're asked to develop your own spell-checker utility. We make suggestions to help get you started. You should then consider adding more capabilities. Use a computerized dictionary (if you have access to one) as a source of words.

Why do we type so many words with incorrect spellings? In some cases, it's because we simply do not know the correct spelling, so we make a best guess. In some cases, it's because we transpose two letters (e.g., "defualt" instead of "default"). Sometimes we double-type a letter accidentally (e.g., "hanndy" instead of "handy"). Sometimes we type a nearby key instead of the one we intended (e.g., "biryhday" instead of "birthday"). And so on.

Design and implement a spell-checker application in JavaScript. Your program should maintain an array `wordList` of strings. Enable the user to enter these strings.

Your program should ask a user to enter a word. The program should then look up the word in the `wordList` array. If the word is present in the array, your program should print "Word is spelled correctly."

If the word is not present in the array, your program should print "word is not spelled correctly." Then your program should try to locate other words in `wordList` that might be the word

the user intended to type. For example, you can try all possible single transpositions of adjacent letters to discover that the word “default” is a direct match to a word in `wordList`. Of course, this implies that your program will check all other single transpositions, such as “edfault,” “dfeault,” “deafult,” “defalut” and “default.” When you find a new word that matches one in `wordList`, print that word in a message, such as “Did you mean “default?””

Implement any other tests you can develop, such as replacing each double letter with a single letter, to improve the value of your spell checker.

**11.28 (Project: Crossword Puzzle Generator)** Most people have worked a crossword puzzle, but few have ever attempted to generate one. Generating a crossword puzzle is suggested here as a string-manipulation project requiring substantial sophistication and effort.

You must resolve many issues to get even the simplest crossword puzzle generator program working. For example, how does one represent the grid of a crossword puzzle in the computer? Should one use a series of strings, or use double-subscripted arrays?

You need a source of words (i.e., a computerized dictionary) that can be directly referenced by the program. In what form should these words be stored to facilitate the complex manipulations required by the program?

The really ambitious reader will want to generate the clues portion of the puzzle, in which the brief hints for each across word and each down word are printed for the puzzle worker. Merely printing a version of the blank puzzle itself is not a simple problem.

# Document Object Model (DOM): Objects and Collections

12

*Though leaves are many, the root is one.*

—William Butler Yeats

*Most of us become parents long before we have stopped being children.*

—Mignon McLaughlin

*Sibling rivalry is inevitable. The only sure way to avoid it is to have one child.*

—Nancy Samalin

## Objectives

In this chapter you will:

- Use JavaScript and the W3C Document Object Model to create dynamic web pages.
- Learn the concept of DOM nodes and DOM trees.
- Traverse, edit and modify elements in an HTML5 document.
- Change CSS styles dynamically.
- Create JavaScript animations.



- |  |   |
|--|---|
| <b>12.1</b> Introduction<br><b>12.2</b> Modeling a Document: DOM Nodes and Trees<br><b>12.3</b> Traversing and Modifying a DOM Tree<br><b>12.4</b> DOM Collections | <b>12.5</b> Dynamic Styles<br><b>12.6</b> Using a Timer and Dynamic Styles to Create Animated Effects |
|--|---|

[Summary](#) | [Self-Review Exercises](#) | [Answers to Self-Review Exercises](#) | [Exercises](#)

## 12.1 Introduction

In this chapter we introduce the **Document Object Model (DOM)**. The DOM gives you scripting access to *all* the elements on a web page. Inside the browser, the whole web page—paragraphs, forms, tables, etc.—is represented in an **object hierarchy**. Using JavaScript, you can dynamically create, modify and remove elements in the page.

We introduce the concepts of DOM nodes and DOM trees. We discuss properties and methods of DOM nodes and cover additional methods of the document object. We show how to dynamically change style properties, which enables you to create effects, such as user-defined background colors and animations.



### Software Engineering Observation 12.1

*With the DOM, HTML5 elements can be treated as objects, and many attributes of HTML5 elements can be treated as properties of those objects. Then objects can be scripted with JavaScript to achieve dynamic effects.*

## 12.2 Modeling a Document: DOM Nodes and Trees

As we saw in previous chapters, the document's `getElementById` method is the simplest way to access a specific element in a page. The method returns objects called **DOM nodes**. *Every* piece of an HTML5 page (elements, attributes, text, etc.) is modeled in the web browser by a DOM node. All the nodes in a document make up the page's **DOM tree**, which describes the relationships among elements. Nodes are related to each other through child-parent relationships. An HTML5 element *inside* another element is said to be its **child**—the containing element is known as the **parent**. A node can have multiple children but only one parent. Nodes with the same parent node are referred to as **siblings**.

Today's desktop browsers provide developer tools that can display a visual representation of a document's DOM tree. Figure 12.1 shows how to access the developer tools for each of the desktop browsers we use for testing web apps in this book. For the most part, the developer tools are similar across the browsers. [Note: For Firefox, you must first install the DOM Inspector add-on from <https://addons.mozilla.org/en-US/firefox/addon/dom-inspector-6622/>. Other developer tools are available in the Firefox menu's **Web Developer** menu item, and more Firefox web-developer add-ons are available from <https://addons.mozilla.org/en-US/firefox/collections/mozilla/webdeveloper/>.]

| Browser           | Command to display developer tools   |
|-------------------|--|
| Chrome            | Windows/Linux: <i>Control + Shift + i</i><br>Mac OS X: <i>Command + Option + i</i> |
| Firefox           | Windows/Linux: <i>Control + Shift + i</i><br>Mac OS X: <i>Command + Shift + i</i>  |
| Internet Explorer | <i>F12</i>   |
| Opera             | Windows/Linux: <i>Control + Shift + i</i><br>Mac OS X: <i>Command + Option + i</i> |
| Safari            | Windows/Linux: <i>Control + Shift + i</i><br>Mac OS X: <i>Command + Option + i</i> |

**Fig. 12.1** | Commands for displaying developer tools in desktop browsers.

### *Viewing a Document's DOM*

Figure 12.2 shows an HTML5 document in the Chrome web browser. At the bottom of the window, the document's DOM tree is displayed in the **Elements** tab of the Chrome developer tools. The HTML5 document contains a few simple elements. A node can be expanded and collapsed using the ▶ and ▷ arrows next to a given node. Figure 12.2 shows all the nodes in the document fully expanded. The **html** node at the top of the tree is called the **root node**, because it has no parent. Below the **html** node, the **head** node is indented to signify that the **head** node is a child of the **html** node. The **html** node represents the **html** element (lines 5–21).


---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 12.2: domtree.html -->
4  <!-- Demonstration of a document's DOM tree. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>DOM Tree Demonstration</title>
9      </head>
10     <body>
11         <h1>An HTML5 Page</h1>
12         <p>This page contains some basic HTML5 elements. The DOM tree
13             for the document contains a DOM node for every element</p>
14         <p>Here's an unordered list:</p>
15         <ul>
16             <li>One</li>
17             <li>Two</li>
18             <li>Three</li>
19         </ul>
20     </body>
21 </html>
```

---

**Fig. 12.2** | Demonstration of a document's DOM tree. (Part 1 of 2.)



**Fig. 12.2** | Demonstration of a document's DOM tree. (Part 2 of 2.)

The **head** and **body** nodes are siblings, since they're both children of the **html** node. The **head** contains the **meta** and **title** nodes. The **body** node contains nodes representing each of the elements in the document's body element. The **li** nodes are children of the **ul** node, since they're nested inside it.

When you select a node in the left side of the developer tools **Elements** tab, the node's details are displayed in the right side. In Fig. 12.2, we selected the **p** node just before the unordered list. In the **Properties** section, you can see values for that node's many properties, including the **innerHTML** property that we've used in many examples.

In addition to viewing a document's DOM structure, the developer tools in each browser typically enable you to view and modify styles, view and debug JavaScripts used in the document, view the resources (such as images) used by the document, and more. See each browser's developer tools documentation online for more detailed information.

## 12.3 Traversing and Modifying a DOM Tree

The DOM enables you to programmatically access a document's elements, allowing you to modify its contents dynamically using JavaScript. This section introduces some of the DOM-node properties and methods for traversing the DOM tree, modifying nodes and creating or deleting content dynamically.

The example in Figs. 12.3–12.5 demonstrates several DOM node features and two additional document-object methods. It allows you to highlight, modify, insert and remove elements.

### CSS

Figure 12.3 contains the CSS for the example. The CSS class highlighted (line 14) is applied dynamically to elements in the document as we add, remove and select elements using the `form` in Fig. 12.4.

---

```

1  /* Fig. 12.3: style.css */
2  /* CSS for dom.html. */
3  h1, h3      { text-align: center;
4                  font-family: tahoma, geneva, sans-serif; }
5  p           { margin-left: 5%;
6                  margin-right: 5%;
7                  font-family: arial, helvetica, sans-serif; }
8  ul          { margin-left: 10%; }
9  a           { text-decoration: none; }
10 a:hover    { text-decoration: underline; }
11 .nav        { width: 100%;
12                 border-top: 3px dashed blue;
13                 padding-top: 10px; }
14 .highlighted { background-color: yellow; }
15 input       { width: 150px; }
16 form > p   { margin: 0px; }
```

---

**Fig. 12.3** | CSS for basic DOM functionality example.

### HTML5 Document

Figure 12.4 contains the HTML5 document that we'll manipulate dynamically by modifying its DOM. Each element in this example has an `id` attribute, which we also display at the beginning of the element in square brackets. For example, the `id` of the `h1` element in lines 13–14 is set to `bigheading`, and the heading text begins with `[bigheading]`. This allows you to see the `id` of each element in the page. The body also contains an `h3` heading, several `p` elements, and an unordered list. A `div` element (lines 29–48) contains the remainder of the document. Line 30 begins a `form`. Lines 32–46 contain the controls for modifying and manipulating the elements on the page. The `click` event handlers (registered in Fig. 12.5) for the six buttons call corresponding functions to perform the actions described by the buttons' values.

### JavaScript

The JavaScript code (Fig. 12.5) begins by declaring two variables. Variable `currentNode` (line 3) keeps track of the currently highlighted node—the functionality of each button


```
1 <!DOCTYPE html>
2
3 <!-- Fig. 12.4: dom.html -->
4 <!-- Basic DOM functionality. -->
5 <html>
6   <head>
7     <meta charset = "utf-8">
8     <title>Basic DOM Functionality</title>
9     <link rel = "stylesheet" type = "text/css" href = "style.css">
10    <script src = "dom.js"></script>
11  </head>
12  <body>
13    <h1 id = "bigheading" class = "highlighted">
14      [bigheading] DHTML Object Model</h1>
15    <h3 id = "smallheading">[smallheading] Element Functionality</h3>
16    <p id = "para1">[para1] The Document Object Model (DOM) allows for
17      quick, dynamic access to all elements in an HTML5 document for
18      manipulation with JavaScript.</p>
19    <p id = "para2">[para2] For more information, check out the
20      "JavaScript and the DOM" section of Deitel's
21      <a id = "link" href = "http://www.deitel.com/javascript">
22        [link] JavaScript Resource Center.</a></p>
23    <p id = "para3">[para3] The buttons below demonstrate:(list)</p>
24    <ul id = "list">
25      <li id = "item1">[item1] getElementById and parentNode</li>
26      <li id = "item2">[item2] insertBefore and appendChild</li>
27      <li id = "item3">[item3] replaceChild and removeChild</li>
28    </ul>
29    <div id = "nav" class = "nav">
30      <form onsubmit = "return false" action = "#">
31        <p><input type = "text" id = "gbi" value = "bigheading">
32          <input type = "button" value = "Get By id"
33            id = "byIdButton"></p>
34        <p><input type = "text" id = "ins">
35          <input type = "button" value = "Insert Before"
36            id = "insertButton"></p>
37        <p><input type = "text" id = "append">
38          <input type = "button" value = "Append Child"
39            id = "appendButton"></p>
40        <p><input type = "text" id = "replace">
41          <input type = "button" value = "Replace Current"
42            id = "replaceButton()"></p>
43        <p><input type = "button" value = "Remove Current"
44            id = "removeButton"></p>
45        <p><input type = "button" value = "Get Parent"
46            id = "parentButton"></p>
47      </form>
48    </div>
49  </body>
50 </html>
```

---

**Fig. 12.4** | HTML5 document that's used to demonstrate DOM functionality for dynamically adding, removing and selecting elements. (Part I of 2.)

---

The document when it first loads. It begins with the large heading highlighted.



**Fig. 12.4** | HTML5 document that's used to demonstrate DOM functionality for dynamically adding, removing and selecting elements. (Part 2 of 2.)

depends on which node is currently selected. Function `start` (lines 7–24) registers the event handlers for the document's buttons, then initializes `currentNode` to the `h1` element with `id bigheading`. This function is set up to be called when the `window`'s `load` event (line 27) occurs. Variable `idcount` (line 4) is used to assign a unique `id` to any new elements that are created. The remainder of the JavaScript code contains event-handling functions for the buttons and two helper functions that are called by the event handlers. We now discuss each button and its corresponding event handler in detail.

---

```

1 // Fig. 12.5: dom.js
2 // Script to demonstrate basic DOM functionality.
3 var currentNode; // stores the currently highlighted node
4 var idcount = 0; // used to assign a unique id to new elements
5
6 // register event handlers and initialize currentNode
7 function start()
8 {

```

---

**Fig. 12.5** | Script to demonstrate basic DOM functionality. (Part 1 of 3.)

```
9   document.getElementById( "byIdButton" ).addEventListener(
10     "click", byId, false );
11   document.getElementById( "insertButton" ).addEventListener(
12     "click", insert, false );
13   document.getElementById( "appendButton" ).addEventListener(
14     "click", appendNode, false );
15   document.getElementById( "replaceButton" ).addEventListener(
16     "click", replaceCurrent, false );
17   document.getElementById( "removeButton" ).addEventListener(
18     "click", remove, false );
19   document.getElementById( "parentButton" ).addEventListener(
20     "click", parent, false );
21
22 // initialize currentNode
23 currentNode = document.getElementById( "bigheading" );
24 } // end function start
25
26 // call start after the window loads
27 window.addEventListener( "load", start, false );
28
29 // get and highlight an element by its id attribute
30 function byId()
31 {
32   var id = document.getElementById( "gbi" ).value;
33   var target = document.getElementById( id );
34
35   if ( target )
36     switchTo( target );
37 } // end function byId
38
39 // insert a paragraph element before the current element
40 // using the insertBefore method
41 function insert()
42 {
43   var newNode = createNewNode(
44     document.getElementById( "ins" ).value );
45   currentNode.parentNode.insertBefore( newNode, currentNode );
46   switchTo( newNode );
47 } // end function insert
48
49 // append a paragraph node as the child of the current node
50 function appendNode()
51 {
52   var newNode = createNewNode(
53     document.getElementById( "append" ).value );
54   currentNode.appendChild( newNode );
55   switchTo( newNode );
56 } // end function appendNode
57
58 // replace the currently selected node with a paragraph node
59 function replaceCurrent()
60 {
```

---


**Fig. 12.5** | Script to demonstrate basic DOM functionality. (Part 2 of 3.)

```
61  var newNode = createNewNode(
62      document.getElementById( "replace" ).value );
63  currentNode.parentNode.replaceChild( newNode, currentNode );
64  switchTo( newNode );
65 } // end function replaceCurrent
66
67 // remove the current node
68 function remove()
69 {
70     if ( currentNode.parentNode == document.body )
71         alert( "Can't remove a top-level element." );
72     else
73     {
74         var oldNode = currentNode;
75         switchTo( oldNode.parentNode );
76         currentNode.removeChild( oldNode );
77     }
78 } // end function remove
79
80 // get and highlight the parent of the current node
81 function parent()
82 {
83     var target = currentNode.parentNode;
84
85     if ( target != document.body )
86         switchTo( target );
87     else
88         alert( "No parent." );
89 } // end function parent
90
91 // helper function that returns a new paragraph node containing
92 // a unique id and the given text
93 function createNewNode( text )
94 {
95     var newNode = document.createElement( "p" );
96     nodeId = "new" + idcount;
97     ++idcount;
98     newNode.setAttribute( "id", nodeId ); // set newNode's id
99     text = "[" + nodeId + "] " + text;
100    newNode.appendChild( document.createTextNode( text ) );
101    return newNode;
102 } // end function createNewNode
103
104 // helper function that switches to a new currentNode
105 function switchTo( newNode )
106 {
107     currentNode.setAttribute( "class", "" ); // remove old highlighting
108     currentNode = newNode;
109     currentNode.setAttribute( "class", "highlighted" ); // highlight
110     document.getElementById( "gbi" ).value =
111         currentNode.getAttribute( "id" );
112 } // end function switchTo
```

**Fig. 12.5** | Script to demonstrate basic DOM functionality. (Part 3 of 3.)

*Finding and Highlighting an Element Using `getElementById`, `setAttribute` and `getAttribute`*

The first row of the form (Fig. 12.4, lines 31–33) allows the user to enter the id of an element into the text field and click the **Get By Id** button to find and highlight the element, as shown in Fig. 12.6. The button's click event calls function `byId`.



**Fig. 12.6** | The document of Figure 12.4 after using the **Get By id** button to select `item1`.

The `byId` function (Fig. 12.5, lines 30–37) uses `getElementById` to assign the contents of the text field to variable `id`. Line 33 uses `getElementById` to find the element whose `id` attribute matches variable `id` and assign it to variable `target`. If an element is found with the given `id`, an object is returned; otherwise, `null` is returned. Line 35 checks whether `target` is an object—any object used as a boolean expression is `true`, while `null` is `false`. If `target` evaluates to `true`, line 36 calls the `switchTo` function with `target` as its argument.

The `switchTo` function (lines 105–112) is used throughout the script to highlight an element in the page. The current element is given a yellow background using the style class `highlighted`, defined in the CSS styles. This function introduces the DOM element methods `setAttribute` and `getAttribute`, which allow you to modify an attribute value and get an attribute value, respectively. Line 107 uses `setAttribute` to set the current node's `class` attribute to the empty string. This clears the `class` attribute to remove the `highlighted` class from the `currentNode` before we highlight the new one.

Line 108 assigns the `newNode` object (passed into the function as a parameter) to variable `currentNode`. Line 109 uses `setAttribute` to set the new node's `class` attribute to the CSS class `highlighted`.

Finally, lines 110–111 use `getAttribute` to get the `currentNode`'s `id` and assign it to the input field's `value` property. While this isn't necessary when `switchTo` is called by `byId`,

we'll see shortly that other functions call `switchTo`. This line ensures that the text field's value contains the currently selected node's id. Notice that we did not use `setAttribute` to change the value of the input field. Methods `setAttribute` and `getAttribute` do not work for user-modifiable content, such as the value displayed in an input field.


### *Creating and Inserting Elements Using `insertBefore` and `appendChild`*

The second and third rows in the form (Fig. 12.4, lines 34–39) allow the user to create a new element and insert it before or as a child of the current node, respectively. If the user enters text in the second text field and clicks **Insert Before**, the text is placed in a new paragraph element, which is inserted into the document before the currently selected element, as in Fig. 12.7. The button's `click` event calls function `insert` (Fig. 12.5, lines 41–47).

Lines 43–44 call the function `createNewNode`, passing it the value of the "ins" input field as an argument. Function `createNewNode`, defined in lines 93–102, creates a paragraph node containing the text passed to it. Line 95 creates a `p` element using the `document` object's **createElement** method, which creates a new DOM node, taking the tag name as an argument. Though `createElement` creates an element, it does not *insert* the element on the page.

Line 96 creates a unique `id` for the new element by concatenating "new" and the value of `idcount` before incrementing `idcount`. Line 98 uses `setAttribute` to set the `id` of the new element. Line 99 concatenates the element's `id` in square brackets to the beginning of `text` (the parameter containing the paragraph's text).

Line 100 introduces two new methods. The `document`'s **createTextNode** method creates a node that contains only text. Given a string argument, `createTextNode` inserts the




**Fig. 12.7** | The document of Figure 12.4 after selecting `para3` with the **Get By id** button, then using the **Insert Before** button to insert a new paragraph before `para3`.

string into the text node. We create a new text node containing the contents of variable `text`. This new node is then used as the argument to the `appendChild` method, which is called on the new paragraph's node. Method `appendChild` inserts a child node (passed as an argument) after any existing children of the node on which it's called.

After the `p` element is created, line 101 returns the node to the calling function `insert`, where it's assigned to `newNode` (line 43). Line 45 inserts the new node before the currently selected one. Property `parentNode` contains the node's parent. In line 45, we use this property to get `currentNode`'s parent. Then we call the `insertBefore` method (line 45) on the parent with `newNode` and `currentNode` as its arguments. This inserts `newNode` as a child of the parent directly before `currentNode`. Line 46 uses our `switchTo` function to update the `currentNode` to the newly inserted node and highlight it in the document.


The input field and button in the third table row allow the user to append a new paragraph node as a child of the current element (Fig. 12.8). This feature uses a procedure similar to the `insert` function. Lines 52–53 in function `appendNode` create a new node, line 54 inserts it as a child of the current node, and line 55 uses `switchTo` to update `currentNode` and highlight the new node.



**Fig. 12.8** | The document of Figure 12.4 after using the `Append Child` button to append a child to the new paragraph in Figure 12.7.

### Replacing and Removing Elements Using `replaceChild` and `removeChild`

The next two table rows (Fig. 12.4, lines 40–44) allow the user to replace the current element with a new `p` element or simply remove the current element. When the user clicks `Replace Current` (Fig. 12.9), function `replaceCurrent` (Fig. 12.5, lines 59–65) is called.



**Fig. 12.9** | The document of Figure 12.4 after using the **Replace Current** button to replace the paragraph created in Figure 12.8.

In function `replaceCurrent`, lines 61–62 call `createNewNode`, in the same way as in `insert` and `appendNode`, getting the text from the correct input field. Line 63 gets the parent of `currentNode`, then calls the `replaceChild` method on the parent. The **replaceChild** method receives as its first argument the new node to insert and as its second argument the node to replace.

Clicking the **Replace Current** button (Fig. 12.10) calls the `remove` function (Fig. 12.5, lines 68–77) to remove the current element entirely and highlights the parent. If the node's parent is the body element, line 71 displays an error message—the program does not allow the entire body element to be selected. Otherwise, lines 74–76 remove the current element. Line 74 stores the old `currentNode` in variable `oldNode`. We do this to maintain a reference to the node to be removed after we've changed the value of `currentNode`. Line 75 calls `switchTo` to highlight the parent node. Line 76 uses the **removeChild** method to remove the `oldNode` (a child of the new `currentNode`) from its place in the HTML5 document. In general,

```
parent.removeChild( child );
```


looks in `parent`'s list of children for `child` and removes it.

The form's **Get Parent** button selects and highlights the parent element of the currently highlighted element (Fig. 12.11) by calling the `parent` function (Fig. 12.5, lines 81–89). The function simply gets the parent node (line 83), makes sure it's not the body element and calls `switchTo` to highlight the parent; otherwise, we display an error if the parent node is the body element.



**Fig. 12.10** | The document of Figure 12.4 after using the **Remove Current** button to remove the paragraph highlighted in Figure 12.9.

---



**Fig. 12.11** | The document of Figure 12.4 after using the **Get By id** button to item2, then using the **Get Parent** button to select item2's parent—the unordered list.

---

## 12.4 DOM Collections

The Document Object Model contains several **collections**, which are groups of related objects on a page. DOM collections are accessed as properties of DOM objects such as the `document` object or a DOM node. The `document` object has properties containing the

- `images` collection
- `links` collection
- `forms` collection
- `anchors` collection

These collections contain all the elements of the corresponding type on the page. The example of Figs. 12.12–12.14 uses the `links` collection to extract all the links on a page and display them at the bottom of the page.

### CSS

Figure 12.12 contains the CSS for the example.

---

```

1  /* Fig. 12.12: style.css */
2  /* CSS for collections.html. */
3  body          { font-family: arial, helvetica, sans-serif }
4  h1           { font-family: tahoma, geneva, sans-serif;
5            text-align: center }
6  p a          { color: DarkRed }
7  ul           { font-size: .9em; }
8  li           { display: inline;
9            list-style-type: none;
10           border-right: 1px solid gray;
11           padding-left: 5px; padding-right: 5px; }
12 li:first-child { padding-left: 0px; }
13 li:last-child { border-right: none; }
14 a            { text-decoration: none; }
15 a:hover      { text-decoration: underline; }
```

---

**Fig. 12.12** | CSS for collections.html.

### HTML5 Document

Figure 12.13 presents the example's HTML5 document. The body contains two paragraphs (lines 14–28) with links at various places in the text and an empty `div` (line 29) with the `id` "links".

---


```

1  <!DOCTYPE html>
2
3  <!-- Fig. 12.13: collections.html -->
4  <!-- Using the links collection. -->
5  <html>
6    <head>
```

---

**Fig. 12.13** | Using the `links` collection. (Part I of 2.)

```
7      <meta charset="utf-8">
8      <title>Using Links Collection</title>
9      <link rel = "stylesheet" type = "text/css" href = "style.css">
10     <script src = "collections.js"></script>
11   </head>
12 <body>
13   <h1>Deitel Resource Centers</h1>
14   <p><a href = "http://www.deitel.com/">Deitel's website</a>
15   contains a growing
16   <a href = "http://www.deitel.com/ResourceCenters.html">list
17   of Resource Centers</a> on a wide range of topics. Many
18   Resource centers related to topics covered in this book,
19   <a href = "http://www.deitel.com/books/iw3htp5">Internet &
20   World Wide Web How to Program, 5th Edition</a>. We have
21   Resource Centers on
22   <a href = "http://www.deitel.com/Web2.0">Web 2.0</a>,
23   <a href = "http://www.deitel.com/Firefox">Firefox</a> and
24   <a href = "http://www.deitel.com/IE9">Internet Explorer 9</a>,
25   <a href = "http://www.deitel.com/HTML5">HTML5</a>, and
26   <a href = "http://www.deitel.com/JavaScript">JavaScript</a>.
27   Watch for related new Resource Centers.</p>
28   <p>Links in this page:</p>
29   <div id = "links"></div>
30 </body>
31 </html>
```



---

**Fig. 12.13** | Using the `links` collection. (Part 2 of 2.)

### *JavaScript*

Function `processlinks` (Fig. 12.14) is called when the `window`'s `load` event occurs (as specified in line 20). The function declares variable `linksList` (line 5) to store the document's `links` collection, which is accessed with the `links` property of the `document` object. Line 6 creates the string (`contents`) that will contain all the document's links as an unordered list, to be inserted into the "`links`" `div` later. Lines 9–14 iterate through the `links` collection. The collection's `length` property specifies the number of items in the collection.

Line 11 stores the current link. You access the elements of the collection using indices in square brackets, just as we did with arrays. DOM collection objects have one property

---

```

1 // Fig. 12.14: collections.js
2 // Script to demonstrate using the links collection.
3 function processLinks()
4 {
5     var linksList = document.links; // get the document's links
6     var contents = "<ul>";
7
8     // concatenate each link to contents
9     for ( var i = 0; i < linksList.length; ++i )
10    {
11        var currentLink = linksList[ i ];
12        contents += "<li><a href='" + currentLink.href + "'>" +
13            currentLink.innerHTML + "</li>";
14    } // end for
15
16    contents += "</ul>";
17    document.getElementById( "links" ).innerHTML = contents;
18 } // end function processLinks
19
20 window.addEventListener( "load", processLinks, false );

```

---

**Fig. 12.14** | Script to demonstrate using the links collection.

and two methods—the `length` property, the `item` method and the `namedItem` method. The `item` method—an alternative to the square bracketed indices—receives an integer argument and returns the corresponding item in the collection. The `namedItem` method receives an element id as an argument and finds the element with that id in the collection.

Lines 12–13 add to the `contents` string an `li` element containing the current link. Variable `currentLink` (a DOM node representing an `a` element) has an `href` property representing the link’s `href` attribute. Line 17 inserts the contents into the empty `div` with id "links" to show all the links on the page in one location.

Collections allow easy access to all elements of a single type in a page. This is useful for gathering elements into one place and for applying changes to those elements across an entire page. For example, the `forms` collection could be used to disable all form inputs after a `submit` button has been pressed to avoid multiple submissions while the next page loads.

## 12.5 Dynamic Styles

An element’s style can be changed dynamically. Often such a change is made in response to user events, which we discuss in Chapter 13. Style changes can create mouse-hover effects, interactive menus and animations. The example in Figs. 12.15–12.16 changes the document body’s `background-color` style property in response to user input. The document (Fig. 12.15) contains just a paragraph of text.

---

```


1 <!DOCTYPE html>
2
3 <!-- Fig. 12.15: dynamicstyle.html -->
4 <!-- Dynamic styles. -->

```

---

**Fig. 12.15** | Dynamic styles. (Part 1 of 2.)

```
5 <html>
6   <head>
7     <meta charset="utf-8">
8     <title>Dynamic Styles</title>
9     <script src = "dynamicstyle.js"></script>
10    </head>
11    <body>
12      <p>Welcome to our website!</p>
13    </body>
14  </html>
```



**Fig. 12.15** | Dynamic styles. (Part 2 of 2.)

Function `start` (Fig. 12.16) is called when the window's `load` event occurs (as specified in line 11). The function prompts the user to enter a color name, then sets the body element's background color to that value. [Note: An error occurs if the value entered is not a valid color. See Appendix B, HTML Colors, for a list of color names.] The document object's **body** property refers to the body element. We then use the `setAttribute` method to set the `style` attribute with the user-specified color for the `background-color` CSS property. If you have predefined CSS style classes defined for your document, you can also use the `setAttribute` method to set the `class` attribute. So, if you had a class named `.red` you could set the `class` attribute's value to "red" to apply the style class.

---

```
1 // Fig. 12.16: dynamicstyle.js
2 // Script to demonstrate dynamic styles.
3 function start()
4 {
5   var inputColor = prompt( "Enter a color name for the " +
6     "background of this page", "" );
7   document.body.setAttribute( "style",
8     "background-color: " + inputColor );
9 } // end function start
10
11 window.addEventListener( "load", start, false );
```

---

**Fig. 12.16** | Script to demonstrate dynamic styles.

## 12.6 Using a Timer and Dynamic Styles to Create Animated Effects

The example of Figs. 12.17–12.19 introduces the `window` object's `setInterval` and `clearInterval` methods, combining them with dynamic styles to create animated effects. This example is a basic image viewer that allows you to select a book cover and view it in a larger size. When the user clicks a thumbnail image, the larger version grows from the top-left corner of the main image area.

### CSS

Figure 12.17 contains the CSS styles used in the example.

---

```

1  /* Fig. 12.17: style.css */
2  /* CSS for coverviewer.html. */
3  #thumbs { width: 192px;
4          height: 370px;
5          padding: 5px;
6          float: left }
7  #mainimg { width: 289px;
8          padding: 5px;
9          float: left }
10 #imgCover { height: 373px }
11 img { border: 1px solid black }
```

---

**Fig. 12.17** | CSS for coverviewer.html.

### HTML5 Document

The HTML5 document (Fig. 12.18) contains two `div` elements, both floated `left` using styles defined in Fig. 12.17 to present them side by side. The left `div` contains the full-size image `jhtp.jpg`, which appears when the page loads. The right `div` contains six thumbnail images. Each responds to its click event by calling the `display` function (as registered in Fig. 12.19) and passing it the filename of the corresponding full-size image.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 12.18: coverviewer.html -->
4  <!-- Dynamic styles used for animation. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Deitel Book Cover Viewer</title>
9          <link rel = "stylesheet" type = "text/css" href = "style.css">
10         <script src = "coverviewer.js"></script>
11     </head>
```

---

**Fig. 12.18** | Dynamic styles used for animation. (Part 1 of 4.)

```
12    <body>
13      <div id = "mainimg">
14        <img id = "imgCover" src = "fullsize/jhttp.jpg"
15        alt = "Full cover image">
16      </div>
17      <div id = "thumbs" >
18        <img src = "thumbs/jhttp.jpg" id = "jhttp"
19        alt = "Java How to Program cover">
20        <img src = "thumbs/iw3http.jpg" id = "iw3http"
21        alt = "Internet & World Wide Web How to Program cover">
22        <img src = "thumbs/cpphttp.jpg" id = "cpphttp"
23        alt = "C++ How to Program cover">
24        <img src = "thumbs/jhtplov.jpg" id = "jhtplov"
25        alt = "Java How to Program LOV cover">
26        <img src = "thumbs/cpphtplov.jpg" id = "cpphtplov"
27        alt = "C++ How to Program LOV cover">
28        <img src = "thumbs/vcsharphtp.jpg" id = "vcsharphtp"
29        alt = "Visual C# How to Program cover">
30      </div>
31    </body>
32  </html>
```

a) The cover viewer page loads with the cover of *Java How to Program, 9/e*




---

**Fig. 12.18** | Dynamic styles used for animation. (Part 2 of 4.)

- b) When the user clicks the thumbnail of *Internet & World Wide Web How to Program, 5/e*, the full-size image begins growing from the top-left corner of the window



- c) The cover continues to grow



**Fig. 12.18** | Dynamic styles used for animation. (Part 3 of 4.)

- 
- d) The animation finishes when the cover reaches its full size



**Fig. 12.18** | Dynamic styles used for animation. (Part 4 of 4.)

### JavaScript

Figure 12.19 contains the JavaScript code that creates the animation effect. The same effects can be achieved by declaring animations and transitions in CSS3, as we demonstrated in Sections 5.12–5.13.

---

```

1 // Fig. 12.19: coverviewer.js
2 // Script to demonstrate dynamic styles used for animation.
3 var interval = null; // keeps track of the interval
4 var speed = 6; // determines the speed of the animation
5 var count = 0; // size of the image during the animation
6
7 // called repeatedly to animate the book cover
8 function run()
9 {
10    count += speed;
11
12    // stop the animation when the image is large enough
13    if ( count >= 375 )
14    {
15       window.clearInterval( interval );
16       interval = null;
17    } // end if

```

---

**Fig. 12.19** | Script to demonstrate dynamic styles used for animation. (Part 1 of 2.)

---

```

18
19     var bigImage = document.getElementById( "imgCover" );
20     bigImage.setAttribute( "style", "width: " + (0.7656 * count + "px;" ) +
21         "height: " + (count + "px;" ) );
22 } // end function run
23
24 // inserts the proper image into the main image area and
25 // begins the animation
26 function display( imgfile )
27 {
28     if ( interval )
29         return;
30
31     var bigImage = document.getElementById( "imgCover" );
32     bigImage.setAttribute( "style", "width: 0px; height: 0px;" );
33     bigImage.setAttribute( "src", "fullsize/" + imgfile );
34     bigImage.setAttribute( "alt", "Large version of " + imgfile );
35     count = 0; // start the image at size 0
36     interval = window.setInterval( "run()", 10 ); // animate
37 } // end function display
38
39 // register event handlers
40 function start()
41 {
42     document.getElementById( "jhtp" ).addEventListener(
43         "click", function() { display( "jhtp.jpg" ); }, false );
44     document.getElementById( "iw3htp" ).addEventListener(
45         "click", function() { display( "iw3htp.jpg" ); }, false );
46     document.getElementById( "cpphttp" ).addEventListener(
47         "click", function() { display( "cpphttp.jpg" ); }, false );
48     document.getElementById( "jhtplov" ).addEventListener(
49         "click", function() { display( "jhtplov.jpg" ); }, false );
50     document.getElementById( "cpphttplov" ).addEventListener(
51         "click", function() { display( "cpphttplov.jpg" ); }, false );
52     document.getElementById( "vcsharphtp" ).addEventListener(
53         "click", function() { display( "vcsharphtp.jpg" ); }, false );
54 } // end function start
55
56 window.addEventListener( "load", start, false );

```

---

**Fig. 12.19** | Script to demonstrate dynamic styles used for animation. (Part 2 of 2.)

The `display` function (lines 26–36) dynamically updates the image in the left `div` to the one the user clicked. Lines 28–29 prevent the rest of the function from executing if `interval` is defined (i.e., an animation is in progress.) Line 31 gets the left `div` by its `id`, `imgCover`. Line 32 sets the image's `style` attribute, using `0px` for the `width` and `height`—the initial size of the image before the animation begins. Next, line 33 sets the image's `src` attribute to the specified image file in the `fullsize` directory, and line 34 sets its required `alt` attribute. Line 35 sets `count`, the variable that controls the animation, to 0.

Line 36 introduces the `window` object's `setInterval` method, which creates a timer that controls our animation. This method takes two parameters—a statement to execute repeatedly, and an integer specifying how often to execute it, in milliseconds. We use

`setInterval` to call function `run` (lines 8–22) every 10 milliseconds. The `setInterval` method returns a unique identifier to keep track of that particular interval timer—we assign this identifier to the variable `interval`. This identifier can be used later to stop the timer (and thus, the animation) when the image has finished growing.

The `run` function increases the height of the image by the value of `speed` and updates its width accordingly to keep the aspect ratio consistent. The `run` function is called every 10 milliseconds, so the image grows dynamically. Line 10 adds the value of `speed` (declared and initialized to 6 in line 4) to `count`, which keeps track of the animation's progress and determines the current size of the image. If the image has grown to its full height (375), line 15 uses the window's `clearInterval` method to terminate the timer, which prevents function `run` from being called again until the user clicks another thumbnail image. We pass to `clearInterval` the interval-timer identifier (stored in `interval`) that `setInterval` created in line 36. Since each interval timer has its own unique identifier, scripts can keep track of multiple interval timers and choose which one to stop when calling `clearInterval`.

Line 19 gets the `imgCover` element, and lines 20–21 set its `width` and `height` CSS properties. Note that line 20 multiplies `count` by a scaling factor of 0.7656—this is the aspect ratio of the width to the height for the images used in this example. Run the code example and click on a thumbnail image to see the full animation effect.

### **Function start—Using Anonymous functions**

Function `start` (lines 40–54) registers the `click` event handlers for the `img` elements in the HTML5 document. In each case, we define an **anonymous function** to handle the event. An anonymous function is defined with no name—it's created in nearly the same way as any other function, but with no identifier after the keyword `function`. This notation is useful when creating a function for the sole purpose of assigning it to an event handler. It's also useful when you must provide arguments to the function, since you cannot provide a function call as the second argument to `addEventListener`—if you did, the JavaScript interpreter would call the function, then pass the result of the function call to `addEventListener`. In line 43, the code

```
function() { display( "jhtp.jpg" ); }
```

defines an anonymous function that calls function `display` with the name of the image file to display.

---

## **Summary**

### **Section 12.1 Introduction**

- The Document Object Model (p. 428) gives you access to all the elements on a web page. Using JavaScript, you can dynamically create, modify and remove elements in the page.

### **Section 12.2 Modeling a Document: DOM Nodes and Trees**

- The `getElementById` method returns objects called DOM nodes (p. 428). Every element in an HTML5 page is modeled in the web browser by a DOM node.
- All the nodes in a document make up the page's DOM tree (p. 428), which describes the relationships among elements.

- Nodes are related to each other through child-parent relationships. An HTML5 element inside another element is said to be its child (p. 428)—the containing element is known as the parent (p. 428). A node can have multiple children but only one parent. Nodes with the same parent node are referred to as siblings (p. 428).
- The document node in a DOM tree is called the root node (p. 429), because it has no parent.

### ***Section 12.3 Traversing and Modifying a DOM Tree***

- DOM element methods `setAttribute` and `getAttribute` (p. 436) allow you to modify an attribute value and get an attribute value of an element, respectively.
- The `document` object's `createElement` method (p. 437) creates a new DOM node, taking the tag name as an argument. Note that while `createElement` *creates* an element, it does not *insert* the element on the page.
- The `document`'s `createTextNode` method (p. 437) creates a DOM node that can contain only text. Given a string argument, `createTextNode` inserts the string into the text node.
- Method `appendChild` (p. 438) is called on a parent node to insert a child node (passed as an argument) after any existing children.
- The `parentNode` property (p. 438) of any DOM node contains the node's parent.
- The `insertBefore` method (p. 438) is called on a parent having a new child and an existing child as arguments. The new child is inserted as a child of the parent directly before the existing child.
- The `replaceChild` method (p. 439) is called on a parent, taking a new child and an existing child as arguments. The method inserts the new child into its list of children in place of the existing child.
- The `removeChild` method (p. 439) is called on a parent with a child to be removed as an argument.

### ***Section 12.4 DOM Collections***

- The DOM contains several collections (p. 441), which are groups of related objects on a page. DOM collections are accessed as properties of DOM objects such as the `document` object (p. 441) or a DOM node.
- The `document` object has properties containing the `images` collection (p. 441), `links` collection (p. 441), `forms` collection and `anchors` collection (p. 441). These collections contain all the elements of the corresponding type on the page.
- To find the number of elements in the collection, use the collection's `length` property (p. 442).
- To access items in a collection, use square brackets just as you would with an array, or use the `item` method. The `item` method (p. 443) of a DOM collection is used to access specific elements in a collection, taking an index as an argument. The `namedItem` method (p. 443) takes a name as a parameter and finds the element in the collection, if any, whose `id` attribute or `name` attribute matches it.
- The `href` property of a DOM link node refers to the link's `href` attribute (p. 443).

### ***Section 12.5 Dynamic Styles***

- An element's style can be changed dynamically. Often such a change is made in response to user events. Such style changes can create many effects, including mouse-hover effects, interactive menus, and animations.
- A `document` object's `body` property refers to the `body` element (p. 444) in the HTML5 page.
- The `setInterval` method (p. 449) of the `window` object repeatedly executes a statement on a certain interval. It takes two parameters—a statement to execute repeatedly, and an integer specifying how often to execute it, in milliseconds. The `setInterval` method returns a unique identifier to keep track of that particular interval.

- The window object's `clearInterval` method (p. 450) stops the repetitive calls of object's `setInterval` method. We pass to `clearInterval` the interval identifier that `setInterval` returned.

## Self-Review Exercises

- 12.1** State whether each of the following is *true* or *false*. If *false*, explain why.
- The Document Object Model does not give access to all the elements on a web page.
  - The `getElementById` method returns objects called DOM nodes
  - The document node in a DOM tree is called the child node
  - Nodes are related to each other through peer-to-peer relationships.
  - The `removeChild` method is called on the root with a child to be removed as an argument.
  - The `parentNode` property of any DOM node contains the node's parent.
  - All the nodes in a document make up the page's DOM tree, which does not describe relationships among elements.
  - The document object's `createElement` method inserts an element on the page.
  - To find the number of elements in the collection, use the collection's `width` property.
- 12.2** Fill in the blanks for each of the following statements.
- We pass to `clearInterval` the interval identifier that \_\_\_\_\_ returned.
  - The document object's `createElement` method creates a new DOM node, taking the \_\_\_\_\_ as an argument.
  - Method \_\_\_\_\_ is called on a parent node to insert a child node
  - Using JavaScript, you can \_\_\_\_\_ create, modify and remove elements in the page.
  - Nodes are related to each other through \_\_\_\_\_ relationships.

## Answers to Self-Review Exercises

- 12.1** a) False. The Document Object Model gives you access to all the elements on a web page.  
 b) True.  
 c) False. The document node in a DOM tree is called the root node.  
 d) False. Nodes are related to each other through child-parent relationships.  
 e) False. The `removeChild` method is called on a parent with a child to be removed as an argument.  
 f) True.  
 g) False. All the nodes in a document make up the page's DOM tree, which describes the relationships among elements.  
 h) False. `createElement` *creates* an element, it does not *insert* the element on the page.  
 i) False. To find the number of elements in the collection, use the collection's `length` property.

- 12.2** a) `setInterval`. b) `tagname`. c) `appendChild`. d) dynamically. e) child-parent.

## Exercises

- 12.3** Modify Fig. 12.3 to use red as a background color to highlight all the links. Use yellow for the text in the links, instead of displaying them in a box at the bottom.

- 12.4** Use a browser's developer tools to view the DOM tree of the document in Fig. 12.4. Look at the document tree of your favorite website. Explore the information these tools give you in the right panel(s) about an element when you click it.

- 12.5** Write a script that contains a button and a counter in a `div`. The button should decrement the counter each time it's clicked with a default initial value of 100.

- 12.6** Create a web page in which the user is allowed to select the page's background color and whether the page uses serif or sans serif fonts. Then change the `body` element's `style` attribute accordingly.

- 12.7** (15 Puzzle) Write a web page that enables the user to play the game of 15. There's a 4-by-4 board (implemented as an HTML5 table) for a total of 16 slots. One of the slots is empty. The

other slots are occupied by 15 tiles, randomly numbered from 1 through 15. Any tile next to the currently empty slot can be moved into the currently empty slot by clicking on the tile. Your program should create the board with the tiles out of order. The user's goal is to arrange the tiles in sequential order row by row. Using the DOM and the `click` event, write a script that allows the user to swap the positions of the open position and an adjacent tile. [*Hint:* The `click` event should be specified for each table cell.]

**12.8** Modify your solution to Exercise 12.7 to determine when the game is over, then prompt the user to determine whether to play again. If so, scramble the numbers using the `Math.random` method.

**12.9** Modify your solution to Exercise 12.8 to use an image that's split into 16 pieces of equal size. Discard one of the pieces and randomly place the other 15 pieces in the HTML5 table.

# 13

## JavaScript Event Handling: A Deeper Look

*The wisest prophets make sure of  
the event first.*

—Horace Walpole

*Do you think I can listen all day  
to such stuff?*

—Lewis Carroll

*The user should feel in control of  
the computer; not the other way  
around. This is achieved in  
applications that embody three  
qualities: responsiveness,  
permissiveness, and consistency.*

—Inside Macintosh, Volume 1

Apple Computer, Inc., 1985

*We are responsible for actions  
performed in response to  
circumstances for which we are  
not responsible.*

—Allan Massie

### Objectives

In this chapter you'll:

- Learn the concepts of events, event handlers and event bubbling.
- Create and register event handlers that respond to mouse and keyboard events.
- Use the `event` object to get information about an event.
- Recognize and respond to many common events.



|   |   |
|---|---|
| <b>13.1</b> Introduction  | <b>13.6</b> More Form Processing with<br><code>submit</code> and <code>reset</code> |
| <b>13.2</b> Reviewing the <code>load</code> Event                           | <b>13.7</b> Event Bubbling  |
| <b>13.3</b> Event <code>mousemove</code> and the <code>event</code> Object  | <b>13.8</b> More Events   |
| <b>13.4</b> Rollovers with <code>mouseover</code> and <code>mouseout</code> | <b>13.9</b> Web Resource  |
| <b>13.5</b> Form Processing with <code>focus</code> and <code>blur</code>   |   |

[Summary](#) | [Self-Review Exercises](#) | [Answers to Self-Review Exercises](#) | [Exercises](#)

## 13.1 Introduction

We've seen that HTML5 pages can be controlled via scripting, and we've already used several events—`load`, `submit` and `click`—to trigger calls to JavaScript functions. This chapter takes a deeper look into **JavaScript events**, which allow scripts to respond to user interactions and modify the page accordingly. Events allow scripts to respond to a user who is moving the mouse, entering form data, pressing keys and much more. Events and event handling help make web applications more dynamic and interactive. We give examples of event handling several common events and list other useful events.

## 13.2 Reviewing the `load` Event

In several earlier examples, we used the `window` object's `load` event to begin executing scripts. This event fires when the `window` finishes loading successfully (i.e., all its children are loaded and all external files referenced by the page are loaded). Actually, *every* DOM element has a `load` event, but it's most commonly used on the `window` object. The example of Figs. 13.1–13.2 reviews the `load` event. The `load` event's handler creates an interval timer that updates a `span` with the number of seconds that have elapsed since the document was loaded. The document's (Fig. 13.1) paragraph contains the `span` (line 14).


---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 13.1: onload.html -->
4  <!-- Demonstrating the load event. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>load Event</title>
9          <link rel = "stylesheet" type = "text/css" href = "style.css">
10         <script src = "load.js"></script>
11     </head>
12     <body>
13         <p>Seconds you have spent viewing this page so far:
14             <span id = "soFar">0</span></p>
15         </body>
16     </html>
```

---

**Fig. 13.1** | Demonstrating the `window`'s `load` event. (Part 1 of 2.)



**Fig. 13.1** | Demonstrating the window's load event. (Part 2 of 2.)

### Registering an Event Handler

An **event handler** is a function that responds to an event. Assigning an event handler to an event for a DOM node is called **registering an event handler**. The script (Fig. 13.2) registers the window's `load` event handler at line 18. Method `addEventListener` is available for every DOM node. The method takes three arguments:

- The first is the name of the event for which we're registering a handler.
- The second is the function that will be called to handle the event.
- The last argument is typically `false`—the `true` value is beyond this book's scope.

Line 19 indicates that when the `load` event occurs, function `startTimer` (lines 6–9) should execute. This function uses method `window.setInterval` to specify that function `updateTime` (lines 12–16) should be called every 1000 milliseconds. The `updateTime` function increments variable `seconds` and updates the counter in the span named "`soFar`".

---

```
1 // Fig. 13.2: load.js
2 // Script to demonstrate the load event.
3 var seconds = 0;
4
5 // called when the page loads to begin the timer
6 function startTimer()
7 {
8     window.setInterval( "updateTime()", 1000 );
9 } // end function startTimer
10
11 // called every 1000 ms to update the timer
12 function updateTime()
13 {
14     ++seconds;
15     document.getElementById( "soFar" ).innerHTML = seconds;
16 } // end function updateTime
17
18 window.addEventListener( "load", startTimer, false );
```

---

**Fig. 13.2** | Script that registers window's `load` event handler and handles the event.

Note that the `load` event enables us to access the elements in the HTML5 page *after* they're fully loaded. If a script loaded in the document's head section contains statements that appear outside any script functions, those statements execute when the script loads—that is, *before* the body has loaded. If such a statement attempted to use `getElementById`

to get a DOM node for an HTML5 element in the `body`, `getElementById` would return `null`. Another solution to this problem is to place the script as the last item in the document's `body` element—in that case, before the script executes, the `body`'s nested elements will have already been created.

### *Registering Multiple Event Handlers*

Method `addEventListener` can be called multiple times on a DOM node to register more than one event-handling method for an event. For example, if you wanted to perform a visual effect when the mouse is over a button and perform a task when that button is pressed, you could register `mouseover` and `click` event handlers.

### *Removing Event Listeners*

It's also possible to remove an event listener by calling `removeEventListener` with the same arguments that you passed to `addEventListener` to register the event handler.

### *A Note About Older Event-Registration Models*

We use the W3C standard event-registration model, which is supported by all of the browsers we use in this book. In legacy HTML and JavaScript code, you'll frequently encounter two other event-registration models—the inline model and the traditional model.

The inline model places calls to JavaScript functions directly in HTML code. For example, the following code indicates that JavaScript function `start` should be called when the `body` element loads:

```
<body onload = "start()">
```

The `onload` attribute corresponds to the `body` element's `load` event. By current web development standards, it's generally considered poor practice to intermix HTML and JavaScript code in this manner.

The traditional model uses a property of an object to specify an event handler. For example, the following JavaScript code indicates that function `start` should be called when `document` loads:

```
document.onload = "start()";
```

The `onload` property corresponds to the `document` object's `load` event. Though this property is specified in JavaScript and not in the HTML5 document, there are various problems with using it. In particular, if another statement assigns a different value to `document.onload`, the original value is replaced, which may not be the intended result.

For more information about these older event-registration models, visit these sites:

```
www.onlinetools.org/articles/unobtrusivejavascript/chapter4.html  
www.quirksmode.org/js/introevents.html
```

## **13.3 Event `mousemove` and the `event` Object**

This section introduces the `mousemove` event, which occurs whenever the user moves the mouse over the web page. We also discuss the `event` object, which contains information about the event that occurred. The example in Figs. 13.3–13.5 creates a simple drawing program that allows the user to draw inside a `table` element in red or blue by holding down the *Shift* key or *Ctrl* key and moving the mouse over the box. (In the next chapter,

we'll introduce HTML5's new `canvas` element for creating graphics.) We do not show the example's `style.css` file, because the styles it contains have all been demonstrated previously.

### *HTML5 Document*

The document's body (Fig. 13.3, lines 12–18) has a `table` with a `caption` that provides instructions on how to use the program and an empty `tbody`. The document's `load` event will call a function named `createCanvas` (Fig. 13.4) to fill the `table` with rows and columns.


---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 13.3: draw.html -->
4  <!-- A simple drawing program. -->
5  <html>
6      <head>
7          <meta charset="utf-8">
8          <title>Simple Drawing Program</title>
9          <link rel = "stylesheet" type = "text/css" href = "style.css">
10         <script src = "draw.js"></script>
11     </head>
12     <body>
13         <table id = "canvas">
14             <caption>Hold <em>Ctrl</em> (or <em>Control</em>) to draw blue.  


15             Hold <em>Shift</em> to draw red.</caption>
16             <tbody id = "tbody"></tbody>
17         </table>
18     </body>
19 </html>
```

- a) User holds the Shift key and moves the mouse to draw in red.



**Fig. 13.3** | Simple drawing program. (Part 1 of 2.)

b) User holds the *Ctrl* key and moves the mouse to draw in blue.



**Fig. 13.3** | Simple drawing program. (Part 2 of 2.)

#### Function *createCanvas* in *draw.js*

The *createCanvas* function (Fig. 13.4, lines 4–25) fills in the table with a grid of cells. The *style.css* file used in this example contains a CSS rule that sets the width and height of every *td* element to 4px. Another CSS rule in the file sets the *table* to 400px wide and uses the *border-collapse* CSS property to eliminate space between the table cells.

```

1 // Fig. 13.4: draw.js
2 // A simple drawing program.
3 // initialization function to insert cells into the table
4 function createCanvas()
5 {
6     var side = 100;
7     var tbody = document.getElementById( "tbody" );
8
9     for ( var i = 0; i < side; ++i )
10    {
11        var row = document.createElement( "tr" );
12
13        for ( var j = 0; j < side; ++j )
14        {
15            var cell = document.createElement( "td" );
16            row.appendChild( cell );
17        } // end for
18
19        tbody.appendChild( row );
20    } // end for

```

**Fig. 13.4** | JavaScript code for the simple drawing program. (Part 1 of 2.)

```
21
22 // register mousemove listener for the table
23 document.getElementById( "canvas" ).addEventListener(
24     "mousemove", processMouseMove, false );
25 } // end function createCanvas
26
27 // processes the onmousemove event
28 function processMouseMove( e )
29 {
30     if ( e.target.tagName.toLowerCase() == "td" )
31     {
32         // turn the cell blue if the Ctrl key is pressed
33         if ( e.ctrlKey )
34         {
35             e.target.setAttribute( "class", "blue" );
36         } // end if
37
38         // turn the cell red if the Shift key is pressed
39         if ( e.shiftKey )
40         {
41             e.target.setAttribute( "class", "red" );
42         } // end if
43     } // end if
44 } // end function processMouseMove
45
46 window.addEventListener( "load", createCanvas, false );
```

**Fig. 13.4** | JavaScript code for the simple drawing program. (Part 2 of 2.)

Line 6 defines variable `side` and sets it to 100—we use this as the number of rows and the number of columns in each row for a total of 10,000 table cells. Line 7 stores the `tbody` element so that we can append rows to it as they’re generated. The outer loop creates each table row and the inner loop creates each cell. The inner loop uses DOM method `createElement` to create a `td` element and appends the cell as a child of the row.

Lines 23–24 set function `processMouseMove` as the table’s `mousemove` event handler, which effectively specifies that function as the `mousemove` event handler for the table and all of its nested elements. An element’s `mousemove` event fires whenever the user moves the mouse over that element.

#### ***Function `processMouseMove` in `draw.js`***

At this point, the table is set up and function `processMouseMove` (lines 28–44) is called whenever the mouse moves over the table. When the browser calls an event-handling function, it passes an **event object** to the function. That object contains information about the event that caused the event-handling function to be called. Figure 13.5 shows several properties of the event object.

If an event-handling function is defined with a parameter (as in line 28), the function can use the event object. The function parameter is commonly named `e`. Function `processMouseMove` colors the cell the mouse moves over, depending on the key that’s pressed when the event occurs. When the mouse moves over the table, the `td` element that the mouse moved over receives the event first. If that element does not have an event handler

| Property                                      | Description   |
|---|---|
| <code>altKey</code>                           | This value is <code>true</code> if the <i>Alt</i> key was pressed when the event fired.   |
| <code>cancelBubble</code>                     | Set to <code>true</code> to prevent the event from bubbling. Defaults to <code>false</code> . (See Section 13.7, Event Bubbling.)                                   |
| <code>clientX</code> and <code>clientY</code> | The coordinates of the mouse cursor inside the client area (i.e., the active area where the web page is displayed, excluding scrollbars, navigation buttons, etc.). |
| <code>ctrlKey</code>                          | This value is <code>true</code> if the <i>Ctrl</i> key was pressed when the event fired.  |
| <code>keyCode</code>                          | The ASCII code of the key pressed in a keyboard event. See Appendix D for more information on the ASCII character set.  |
| <code>screenX</code> and <code>screenY</code> | The coordinates of the mouse cursor on the screen coordinate system.  |
| <code>shiftKey</code>                         | This value is <code>true</code> if the <i>Shift</i> key was pressed when the event fired.   |
| <code>target</code>                           | The DOM object that received the event.   |
| <code>type</code>                             | The name of the event that fired.   |

**Fig. 13.5** | Some event-object properties.

for the `mouseover` event, the event is sent to the `td` element's parent element, and so on—this is known as **event bubbling** (which we discuss in more detail in Section 13.7). This process continues until a `mouseover` event handler is found—in this case, the one for the `table` element. The event object, however, always contains the specific element that original received the event. This is stored in the object's **target** property. Line 30 uses this property to get the element's tag name. If the tag name is "`td`", then lines 33–42 do the actual drawing. The event object's **ctrlKey** property (line 33) contains a boolean which reflects whether the *Ctrl* key was pressed during the event. If `ctrlKey` is `true`, line 35 changes the color of the target table cell by setting its `class` attribute to the CSS class `blue` (defined in `style.css`). Similarly, if the **shiftKey** property of the event object is `true`, the *Shift* key is pressed and line 41 changes the color of the cell to red by setting its `class` attribute to the CSS class `blue`. This simple function allows the user to draw inside the table on the page in red and blue. You'll add more functionality to this example in the exercises at the end of this chapter.

## 13.4 Rollovers with mouseover and mouseout

Two more events fired by mouse movements are `mouseover` and `mouseout`. When the mouse cursor moves into an element, a **mouseover event** occurs for that element. When the cursor leaves the element, a **mouseout event** occurs. The example in Figs. 13.6–13.7 uses these events to achieve a **rollover effect** that updates text when the mouse cursor moves over it. We also introduce a technique for creating rollover images—though you've already seen that image rollover effects can be accomplished with CSS3 as well. We do not show the example's `style.css` file, because the styles it contains have all been demonstrated previously.

***HTML5 Document***

The HTML5 document (Fig. 13.6) contains an `h1` with a nested `img`, a paragraph and a `div` with a nested unordered list. The unordered list contains the hexadecimal color codes for 16 basic HTML colors. Each list item's `id` is set to the color name for the hexadecimal color value that's displayed. The `style.css` file provides CSS rules that set the `div`'s width and border and that display the unordered list's elements in `inline-block` format. The `div`'s width allows only four list items per line.

---


```

1  <!DOCTYPE html>
2
3  <!-- Fig 13.6: mouseoverout.html -->
4  <!-- Events mouseover and mouseout. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Events mouseover and mouseout</title>
9          <link rel = "stylesheet" type = "text/css" href = "style.css">
10         <script src = "mouseoverout.js"></script>
11     </head>
12     <body>
13         <h1><img src = "heading1.png" id = "heading"
14             alt = "Heading Image"></h1>
15         <p>Can you tell a color from its hexadecimal RGB code
16             value? Look at the hex code, guess its color. To see
17             what color it corresponds to, move the mouse over the
18             hex code. Moving the mouse out of the hex code's table
19             cell will display the color name.</p>
20         <div>
21             <ul>
22                 <li id = "Black">#000000</li>
23                 <li id = "Blue">#0000FF</li>
24                 <li id = "Magenta">#FF00FF</li>
25                 <li id = "Gray">#808080</li>
26                 <li id = "Green">#008000</li>
27                 <li id = "Lime">#00FF00</li>
28                 <li id = "Maroon">#800000</li>
29                 <li id = "Navy">#000080</li>
30                 <li id = "Olive">#808000</li>
31                 <li id = "Purple">#800080</li>
32                 <li id = "Red">#FF0000</li>
33                 <li id = "Silver">#C0C0C0</li>
34                 <li id = "Cyan">#00FFFF</li>
35                 <li id = "Teal">#008080</li>
36                 <li id = "Yellow">#FFFF00</li>
37                 <li id = "White">#FFFFFF</li>
38             </ul>
39         </div>
40     </body>
41 </html>
```


---

**Fig. 13.6** | HTML5 document to demonstrate `mouseover` and `mouseout`. (Part 1 of 3.)


a) The page loads with the blue heading image and all the hex codes in black.



b) The heading image switches to an image with green text when the mouse rolls over it.




c) When mouse rolls over a hex code, the text color changes to the color represented by the hex code. Notice that the heading image has become blue again because the mouse is no longer over it.



**Fig. 13.6** | HTML5 document to demonstrate mouseover and mouseout. (Part 2 of 3.)

- d) When the mouse leaves the hex code's table cell, the text changes to the name of the color.



**Fig. 13.6** | HTML5 document to demonstrate mouseover and mouseout. (Part 3 of 3.)

#### *Script-Level Variables in mouseoverout.js*

Figure 13.7 presents the JavaScript code for this example. To create a *rollover effect* for the image in the heading, lines 3–6 create two new JavaScript `Image` objects—`image1` and `image2`. Image `image2` displays when the mouse *hovers* over the image. Image `image1` displays when the mouse is *outside* the image. The script sets the `src` properties of each `Image` in lines 4 and 6, respectively. Creating `Image` objects preloads the images, so the browser does *not* need to download the rollover image the first time the script displays the image. If the image is large or the connection is slow, downloading would cause a noticeable delay in the image update.



#### Performance Tip 13.1

*Preloading images used in rollover effects prevents a delay the first time an image is displayed.*

```

1 // Fig 13.7: mouseoverout.js
2 // Events mouseover and mouseout.
3 image1 = new Image();
4 image1.src = "heading1.png";
5 image2 = new Image();
6 image2.src = "heading2.png";
7
8 function mouseOver( e )
9 {
10    // swap the image when the mouse moves over it
11    if ( e.target.getAttribute( "id" ) == "heading" )
12    {
13       e.target.setAttribute( "src", image2.getAttribute( "src" ) );
14    } // end if
15

```

**Fig. 13.7** | Processing the mouseover and mouseout events. (Part 1 of 2.)

---

```

16    // if the element is an li, assign its id to its color
17    // to change the hex code's text to the corresponding color
18    if ( e.target.tagName.toLowerCase() == "li" )
19    {
20        e.target.setAttribute( "style",
21            "color: " + e.target.getAttribute( "id" ) );
22    } // end if
23 } // end function mouseOver
24
25 function mouseOut( e )
26 {
27    // put the original image back when the mouse moves away
28    if ( e.target.getAttribute( "id" ) == "heading" )
29    {
30        e.target.setAttribute( "src", image1.getAttribute( "src" ) );
31    } // end if
32
33    // if the element is an li, assign its id to innerHTML
34    // to display the color name
35    if ( e.target.tagName.toLowerCase() == "li" )
36    {
37        e.target.innerHTML = e.target.getAttribute( "id" );
38    } // end if
39 } // end function mouseOut
40
41 document.addEventListener( "mouseover", mouseOver, false );
42 document.addEventListener( "mouseout", mouseOut, false );

```

---

**Fig. 13.7** | Processing the mouseover and mouseout events. (Part 2 of 2.)

#### *Function mouseOver and mouseOut*

Lines 41–42 register functions `mouseOver` and `mouseOut` to handle the `mouseover` and `mouseout` events, respectively.

Lines 11–14 in the `mouseOver` function handle the `mouseover` event for the heading image. We use the event object's `target` property (line 11) to get the `id` of the DOM object that received the event. If the event target's `id` attribute is the string "`heading`", line 13 sets the `img` element's `src` attribute to the `src` attribute of the appropriate `Image` object (`image2`). The same task occurs with `image1` in the `mouseOut` function (lines 28–31).

The script handles the `mouseover` event for the list items in lines 18–22. This code tests whether the event's `target` is an `li` element. If so, the code sets the element's `style` attribute, using the color name stored in the `id` as the value of the `style`'s `color` property. Lines 35–38 handle the `mouseout` event by changing the `innerHTML` in the list item (i.e., the `target`) to the color name specified in the `target`'s `id`.

## 13.5 Form Processing with focus and blur

The `focus` and `blur` events can be useful when dealing with form elements that allow user input. The `focus` event fires when an element gains the focus (i.e., when the user clicks a form field or uses the `Tab` key to move between form elements), and `blur` fires when an element loses the focus, which occurs when another control gains the focus. The example in Figs. 13.8–13.9 demonstrates these events.


***HTML5 Document***

The HTML5 document in Fig. 13.8 contains a form followed by a paragraph in which we'll display help text for the `input` element that currently has the focus.

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 13.8: focusblur.html -->
4  <!-- Demonstrating the focus and blur events. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>A Form Using focus and blur</title>
9          <link rel = "stylesheet" type = "text/css" href = "style.css">
10         <script src = "focusblur.js"></script>
11     </head>
12     <body>
13         <form id = "myForm" action = "">
14             <p><label class = "fixed" for = "name">Name:</label>
15                 <input type = "text" id = "name"
16                     placeholder = "Enter name"></p>
17             <p><label class = "fixed" for = "email">E-mail:</label>
18                 <input type = "email" id = "email"
19                     placeholder = "Enter e-mail address"></p>
20             <p><label>Click here if you like this site
21                 <input type = "checkbox" id = "like"></label></p>
22             <p><label for = "comments">Any comments?</label>
23                 <textarea id = "comments"
24                     placeholder = "Enter comments here"></textarea>
25             <p><input id = "submit" type = "submit">
26                 <input id = "reset" type = "reset"></p>
27         </form>
28         <p id = "helpText"></p>
29     </body>
30 </html>
```

- a) The blue message at the bottom of the page instructs the user to enter a name when the **Name:** field has the focus.



**Fig. 13.8** | Demonstrating the focus and blur events. (Part 1 of 2.)

b) The message changes depending on which field has focus—this window shows the help text for the comments text area.

The screenshot shows a web browser window with the title "A Form Using focus and blur". Inside the window, there is a form with several input fields:

- A text input field labeled "Name" with the placeholder "Enter name".
- A text input field labeled "E-mail" with the placeholder "Enter e-mail address".
- A checked checkbox labeled "Click here if you like this site".
- A text area labeled "Any comments?" with a placeholder "Enter any comments here that you'd like us to read.".
- Two buttons at the bottom: "Submit" and "Reset".

**Fig. 13.8** | Demonstrating the focus and blur events. (Part 2 of 2.)

### JavaScript for the **focus** and **blur** Events

The script in Fig. 13.9 registers the event handlers for the window's load event (line 35) and for the form elements' focus and blur events.

```

1 // Fig. 13.9: focusblur.js
2 // Demonstrating the focus and blur events.
3 var helpArray = [ "Enter your name in this input box.",
4   "Enter your e-mail address in the format user@domain.",
5   "Check this box if you liked our site.",
6   "Enter any comments here that you'd like us to read.",
7   "This button submits the form to the server-side script.",
8   "This button clears the form.", "" ];
9 var helpText;
10
11 // initialize helpTextDiv and register event handlers
12 function init()
13 {
14   helpText = document.getElementById( "helpText" );
15
16   // register listeners
17   registerListeners( document.getElementById( "name" ), 0 );
18   registerListeners( document.getElementById( "email" ), 1 );
19   registerListeners( document.getElementById( "like" ), 2 );
20   registerListeners( document.getElementById( "comments" ), 3 );
21   registerListeners( document.getElementById( "submit" ), 4 );
22   registerListeners( document.getElementById( "reset" ), 5 );
23 } // end function init
24
25 // utility function to help register events
26 function registerListeners( object, messageNumber )
27 {

```

**Fig. 13.9** | Demonstrating the focus and blur events. (Part 1 of 2.)

```
28     object.addEventListener( "focus",
29         function() { helpText.innerHTML = helpArray[ messageNumber ]; },
30         false );
31     object.addEventListener( "blur",
32         function() { helpText.innerHTML = helpArray[ 6 ]; }, false );
33 } // end function registerListener
34
35 window.addEventListener( "load", init, false );
```

**Fig. 13.9** | Demonstrating the focus and blur events. (Part 2 of 2.)

### *Script-Level Variables*

The `helpArray` (lines 3–8) contains the messages that are displayed when each input element receives the focus. Variable `helpText` (line 9) will refer to the paragraph in which the help text will be displayed.

### *Function init*

When the window's `load` event occurs, function `init` (lines 12–23) executes. Line 14 gets the `helpText` paragraph element from the document. Then, lines 17–22 call the function `registerListeners` (lines 26–33) once for each element in the `form`. The first argument in each call is the element for which we'll register the `focus` and `blur` events, and the second argument a `helpArray` index that indicates which message to display for the element.

### *Function registerListeners—Using Anonymous functions*

Function `registerListeners` registers the `focus` and `blur` events for the `object` it receives as its first argument. In each case, we define an **anonymous function** to handle the event. An anonymous function is defined with no name—it's created in nearly the same way as any other function, but with no identifier after the keyword `function`. This notation is useful when creating a function for the sole purpose of assigning it to an event handler. We never call the function ourselves, so we don't need to give it a name, and it's more concise to create the function and register it as an event handler at the same time. For example, line 29

```
function() { helpText.innerHTML = helpArray[ messageNumber ]; }
```

defines an anonymous function that sets the `helpText` paragraph's `innerHTML` property to the string in `helpArray` at index `messageNumber`. For the `blur` event handler, line 32 defines an anonymous function that sets the `helpText` paragraph's `innerHTML` property to the empty string in `helpArray[6]`.

## 13.6 More Form Processing with `submit` and `reset`

Two more events for processing forms are `submit` (which you've seen in earlier chapters) and `reset`. These events fire when a `form` is submitted or reset, respectively (Fig. 13.10). This example enhances the one in Fig. 13.8. The HTML5 document is identical, so we don't show it here. The new JavaScript code for this example is in lines 24–36, which register event handlers for the `form`'s `submit` and `reset` events.

Line 24 gets the `form` element ("myForm"), then lines 25–30 register an anonymous function for its `submit` event. The anonymous function executes in response to the user's

submitting the form by clicking the **Submit** button or pressing the *Enter* key. Line 28 introduces the `window` object's **confirm** method. As with `alert` and `prompt`, we do *not* need to prefix the call with `window` and a dot (.). The `confirm` dialog asks the users a question, presenting them with an **OK** button and a **Cancel** button. If the user clicks **OK**, `confirm` returns `true`; otherwise, `confirm` returns `false`.

---

```


1 // Fig. 13.8: focusblur.js
2 // Demonstrating the focus and blur events.
3 var helpArray = [ "Enter your name in this input box.",
4   "Enter your e-mail address in the format user@domain.",
5   "Check this box if you liked our site.",
6   "Enter any comments here that you'd like us to read.",
7   "This button submits the form to the server-side script.",
8   "This button clears the form.", "" ];
9 var helpText;
10
11 // initialize helpTextDiv and register event handlers
12 function init()
13 {
14   helpText = document.getElementById( "helpText" );
15
16   // register listeners
17   registerListeners( document.getElementById( "name" ), 0 );
18   registerListeners( document.getElementById( "email" ), 1 );
19   registerListeners( document.getElementById( "like" ), 2 );
20   registerListeners( document.getElementById( "comments" ), 3 );
21   registerListeners( document.getElementById( "submit" ), 4 );
22   registerListeners( document.getElementById( "reset" ), 5 );
23
24   var myForm = document.getElementById( "myForm" );
25   myForm.addEventListener( "submit",
26     function()
27     {
28       return confirm( "Are you sure you want to submit?" );
29     }, // end anonymous function
30     false );
31   myForm.addEventListener( "reset",
32     function()
33     {
34       return confirm( "Are you sure you want to reset?" );
35     }, // end anonymous function
36     false );
37 } // end function init
38
39 // utility function to help register events
40 function registerListeners( object, messageNumber )
41 {
42   object.addEventListener( "focus",
43     function() { helpText.innerHTML = helpArray[ messageNumber ]; },
44     false );

```

---

**Fig. 13.10** | Demonstrating the `focus` and `blur` events. (Part I of 2.)

```
45     object.addEventListener( "blur",
46         function() { helpText.innerHTML = helpArray[ 6 ]; }, false );
47 } // end function registerListener
48
49 window.addEventListener( "load", init, false );
```



**Fig. 13.10** | Demonstrating the focus and blur events. (Part 2 of 2.)

Our event handlers for the form's `submit` and `reset` events simply return the value of the `confirm` dialog, which asks the users if they're sure they want to submit or reset (lines 28 and 34, respectively). By returning either `true` or `false`, the event handlers dictate whether the default action for the event—in this case *submitting* or *resetting* the form—is taken. Other default actions, such as following a hyperlink, can be prevented by returning `false` from a `click` event handler on the link. If an event handler returns `true` or does not return a value, the default action is taken once the event handler finishes executing.

## 13.7 Event Bubbling

Event **bubbling** is the process by which events fired on *child* elements “bubble” up to their *parent* elements. When an event is fired on an element, it’s first delivered to the element’s event handler (if any), then to the parent element’s event handler (if any). This might result in event handling that was *not* intended. *If you intend to handle an event in a child element alone, you should cancel the bubbling of the event in the child element’s event-handling code by using the `cancelBubble` property of the event object*, as shown in Figs. 13.11–13.12.

---

```
1  <!DOCTYPE html>
2
3  <!-- Fig. 13.11: bubbling.html -->
4  <!-- Canceling event bubbling. -->
5  <html>
```


**Fig. 13.11** | Canceling event bubbling. (Part 1 of 2.)

```


6   <head>
7     <meta charset="utf-8">
8     <title>Event Bubbling</title>
9     <script src = "bubbling.js">
10    </head>
11    <body>
12      <p id = "bubble">Bubbling enabled.</p>
13      <p id = "noBubble">Bubbling disabled.</p>
14    </body>
15  </html>

```


- a) User clicks the first paragraph, for which bubbling is enabled.




- b) Paragraph's event handler causes an alert.



- c) Document's event handler causes another alert, because the event bubbles up to the document.



- d) User clicks the second paragraph, for which bubbling is disabled.



- e) Paragraph's event handler causes an alert. The document's event handler is not called.



**Fig. 13.11 |** Canceling event bubbling. (Part 2 of 2.)

Clicking the first `p` element triggers a call to `bubble` (Fig. 13.12, lines 8–12). Then, because line 22 registers the document's `click` event, `documentClick` is also called. This

occurs because the `click` event bubbles up to the document. This is probably not the desired result. Clicking the second `p` element calls `noBubble` (lines 14–18), which disables the event bubbling for this event by setting the `cancelBubble` property of the `event` object to `true`. The default value of `cancelBubble` is `false`, so the statement in line 11 is unnecessary.



### Common Programming Error 13.1

*Forgetting to cancel event bubbling when necessary may cause unexpected results in your scripts.*

---

```

1 // Fig. 13.12: bubbling.js
2 // Canceling event bubbling.
3 function documentClick()
4 {
5     alert( "You clicked in the document." );
6 } // end function documentClick
7
8 function bubble( e )
9 {
10    alert( "This will bubble." );
11    e.cancelBubble = false;
12 } // end function bubble
13
14 function noBubble( e )
15 {
16    alert( "This will not bubble." );
17    e.cancelBubble = true;
18 } // end function noBubble
19
20 function registerEvents()
21 {
22     document.addEventListener( "click", documentClick, false );
23     document.getElementById( "bubble" ).addEventListener(
24         "click", bubble, false );
25     document.getElementById( "noBubble" ).addEventListener(
26         "click", noBubble, false );
27 } // end function registerEvents
28
29 window.addEventListener( "load", registerEvents, false );

```

---

**Fig. 13.12** | Canceling event bubbling.

## 13.8 More Events

The events we covered in this chapter are among the most commonly used. Figure 13.13 lists some common events and their descriptions. The actual DOM event names begin with "on", but we show the names you use with `addEventListener` here.

## 13.9 Web Resource

[www.quirksmode.org/js/introevents.html](http://www.quirksmode.org/js/introevents.html)

An introduction and reference site for JavaScript events. Includes comprehensive information on history of events, the different event models, and making events work across multiple browsers.

| Event     | Description  |
|-----------|--|
| abort     | Fires when image transfer has been interrupted by user.  |
| change    | Fires when a new choice is made in a <code>select</code> element, or when a text input is changed and the element loses focus. |
| click     | Fires when the user clicks the mouse.  |
| dblclick  | Fires when the user double clicks the mouse.   |
| focus     | Fires when a form element gets the focus.  |
| keydown   | Fires when the user pushes down a key.   |
| keypress  | Fires when the user presses then releases a key.   |
| keyup     | Fires when the user releases a key.  |
| load      | Fires when an element and all its children have loaded.  |
| mousedown | Fires when a mouse button is pressed.  |
| mousemove | Fires when the mouse moves.  |
| mouseout  | Fires when the mouse leaves an element.  |
| mouseover | Fires when the mouse enters an element.  |
| mouseup   | Fires when a mouse button is released.   |
| reset     | Fires when a form resets (i.e., the user clicks a reset button).   |
| resize    | Fires when the size of an object changes (i.e., the user resizes a window or frame).   |
| select    | Fires when a text selection begins (applies to <code>input</code> or <code>textarea</code> ).                                  |
| submit    | Fires when a form is submitted.  |
| unload    | Fires when a page is about to unload.  |

**Fig. 13.13** | Common events.

## Summary

### Section 13.1 Introduction

- JavaScript events (p. 455) allow scripts to respond to user interactions and modify the page accordingly.
- Events and event handling help make web applications more responsive, dynamic and interactive.

### Section 13.2 Reviewing the `load` Event

- Functions that handle events are called event handlers (p. 456). Assigning an event handler to an event on a DOM node is called registering an event handler (p. 456).
- The `load` event fires whenever an element finishes loading successfully.
- If a script in the head attempts to get a DOM node for an HTML5 element in the body, `getEle-  
mentById` returns `null` because the body has not yet loaded.
- Method `addEventListener` can be called multiple times on a DOM node to register more than one event-handling method for an event.

- You can remove an event listener by calling `removeEventListener` (p. 457) with the same arguments that you passed to `addEventListener` to register the event handler.
- The inline model of event registration places calls to JavaScript functions directly in HTML code.
- The traditional model of event registration uses a property of an object to specify an event handler.

### ***Section 13.3 Event `mousemove` and the `event` Object***

- The `mousemove` event (p. 457) fires whenever the user moves the mouse.
- The `event` object (p. 460) stores information about the event that called the event-handling function.
- The `event` object's `ctrlKey` property (p. 461) contains a boolean which reflects whether the *Ctrl* key was pressed during the event.
- The `event` object's `shiftKey` property (p. 461) reflects whether the *Shift* key was pressed during the event.
- In an event-handling function, `this` refers to the DOM object on which the event occurred.
- The `event` object stores in its `target` property the node on which the action occurred.

### ***Section 13.4 Rollovers with `mouseover` and `mouseout`***

- When the mouse cursor enters an element, a `mouseover` event (p. 461) occurs for that element.
- When the mouse cursor leaves the element, a `mouseout` event (p. 461) occurs for that element.
- Creating an `Image` object and setting its `src` property preloads the image.

### ***Section 13.5 Form Processing with `focus` and `blur`***

- The `focus` event (p. 465) fires when an element gains focus (i.e., when the user clicks a form field or uses the *Tab* key to move between form elements).
- `blur` (p. 465) fires when an element loses focus, which occurs when another control gains the focus.

### ***Section 13.6 More Form Processing with `submit` and `reset`***

- The `submit` and `reset` events (p. 468) fire when a form is submitted or reset, respectively.
- An anonymous function (p. 468) is a function that's defined with no name—it's created in nearly the same way as any other function, but with no identifier after the keyword `function`.
- Anonymous functions are useful when creating a function for the sole purpose of assigning it to an event handler.
- The `confirm` method (p. 469) asks the users a question, presenting them with an **OK** button and a **Cancel** button. If the user clicks **OK**, `confirm` returns `true`; otherwise, `confirm` returns `false`.
- By returning either `true` or `false`, event handlers dictate whether the default action for the event is taken.
- If an event handler returns `true` or does not return a value, the default action is taken once the event handler finishes executing.

### ***Section 13.7 Event Bubbling***

- Event bubbling (p. 470) is the process whereby events fired in child elements “bubble” up to their parent elements. When an event is fired on an element, it's first delivered to the element's event handler (if any), then to the parent element's event handler (if any).
- If you intend to handle an event in a child element alone, you should cancel the bubbling of the event in the child element's event-handling code by using the `cancelBubble` property (p. 470) of the `event` object.

## Self-Review Exercises

- 13.1** Fill in the blanks in each of the following statements:
- If a script in the head attempts to get a DOM node for an HTML5 element in the body, \_\_\_\_\_ returns \_\_\_\_\_ because the body has not yet loaded.
  - Method \_\_\_\_\_ can be called multiple times on a DOM node to register more than one event-handling method for an event.
  - The \_\_\_\_\_ keyword allows us to use one event handler to apply a change to one of many DOM elements, depending on which one received the event.
  - The `confirm` method asks the users a question, presenting them with an OK button and a(n) \_\_\_\_\_ button. If the user clicks OK, `confirm` returns \_\_\_\_\_.
  - When an event is fired on an element, it's first delivered to the \_\_\_\_\_ event handler, then to the \_\_\_\_\_ element's event handler.
- 13.2** State whether each of the following is *true* or *false*. If the statement is *false*, explain why.
- An anonymous function has a special identifier after the keyword `function`.
  - In an event-handling function, `this` refers to the DOM object on which the event occurred.
  - The `focus` event fires when an element gains focus.
  - If an event handler returns `true` or does not return a value, the default action is taken once the event handler finishes executing.
  - The `event` object stores in its `source` property the node on which the action occurred.

## Answers to Self-Review Exercises

- 13.1** a) `getElementById`, `null`. b) `addEventListener`. c) `this`. d) `Cancel`, `true`. e) element's, parent.
- 13.2** a) False. An anonymous function has no identifier after the keyword `function`. b) True. c) True. d) True. e) False. The `event` object stores in its `target` property the node on which the action occurred.

## Exercises

- 13.3** Add an erase feature to the drawing program in Fig. 13.3. Try setting the background color of the table cell over which the mouse moved to `white` when the `Alt` key is pressed.
- 13.4** Add a button to your program from Exercise 13.3 to erase the entire drawing window.
- 13.5** You have a server-side script that cannot handle any ampersands (&) in the form data. Write a function that converts all ampersands in a form field to " and " when the field loses focus (`blur`).
- 13.6** Write a function that responds to a click anywhere on the page by displaying an `alertView` dialog. Display the event name if the user held `Shift` during the mouse click. Display the element name that triggered the event if the user held `Ctrl` during the mouse click.
- 13.7** Use CSS absolute positioning, `mousedown`, `mousemove`, `mouseup` and the `clientX/clientY` properties of the event object to create a program that allows you to drag and drop an image. When the user clicks the image, it should follow the cursor until the mouse button is released.
- 13.8** Modify Exercise 13.7 to allow multiple images to be dragged and dropped in the same page.

# 14

## HTML5: Introduction to canvas

*With every experience, you alone are painting your own canvas, thought by thought, choice by choice.*

—Oprah Winfrey

*Observe Everything.  
Communicate Well.  
Draw, Draw, Draw.*

—Frank Thomas

*Do not go where the path may lead, go instead where there is no path and leave a trail.*

—Ralph Waldo Emerson

### Objectives

In this chapter you'll:

- Draw lines, rectangles, arcs, circles, ellipses and text.
- Draw gradients and shadows.
- Draw images, create patterns and convert a color image to black and white.
- Draw Bezier and quadratic curves.
- Rotate, scale and transform.
- Dynamically resize a `canvas` to fill the window.
- Use alpha transparency and compositing techniques.
- Create an HTML5 `canvas`-based game app with sound and collision detection that's easy to code and fun to play.



# Outline

|  |  |
|--|--|
| <b>14.1</b> Introduction   | <b>14.15</b> Text  |
| <b>14.2</b> <code>canvas</code> Coordinate System  | <b>14.16</b> Resizing the <code>canvas</code> to Fill the Browser Window   |
| <b>14.3</b> Rectangles   | <b>14.17</b> Alpha Transparency  |
| <b>14.4</b> Using Paths to Draw Lines  | <b>14.18</b> Compositing   |
| <b>14.5</b> Drawing Arcs and Circles   | <b>14.19</b> Cannon Game   |
| <b>14.6</b> Shadows  | 14.19.1 HTML5 Document   |
| <b>14.7</b> Quadratic Curves   | 14.19.2 Instance Variables and Constants   |
| <b>14.8</b> Bezier Curves  | 14.19.3 Function <code>setupGame</code>  |
| <b>14.9</b> Linear Gradients   | 14.19.4 Functions <code>startTimer</code> and <code>stopTimer</code>   |
| <b>14.10</b> Radial Gradients  | 14.19.5 Function <code>resetElements</code>  |
| <b>14.11</b> Images  | 14.19.6 Function <code>newGame</code>  |
| <b>14.12</b> Image Manipulation: Processing the Individual Pixels of a <code>canvas</code> | 14.19.7 Function <code>updatePositions</code> :<br>Manual Frame-by-Frame Animation<br>and Simple Collision Detection |
| <b>14.13</b> Patterns  | 14.19.8 Function <code>fireCannonball</code>   |
| <b>14.14</b> Transformations   | 14.19.9 Function <code>alignCannon</code>  |
| 14.14.1 <code>scale</code> and <code>translate</code> Methods:<br>Drawing Ellipses         | 14.19.10 Function <code>draw</code>  |
| 14.14.2 <code>rotate</code> Method: Creating an Animation                                  | 14.19.11 Function <code>showGameOverDialog</code>  |
| 14.14.3 <code>transform</code> Method: Drawing Skewed Rectangles                           | <b>14.20</b> <code>save</code> and <code>restore</code> Methods  |
|  | <b>14.21</b> A Note on SVG   |
|  | <b>14.22</b> A Note on <code>canvas</code> 3D  |

[Summary](#) | [Self-Review Exercises](#) | [Answers to Self-Review Exercises](#) | [Exercises](#)

## 14.1 Introduction<sup>1</sup>

It's taken us a while to get here, working hard to present many of the great new features of HTML5 and CSS3, and scripting in JavaScript. Now it's time to exercise your creativity and have some fun.

Most people enjoy drawing. The `canvas` element, which you'll learn to use in this chapter, provides a JavaScript application programming interface (API) with methods for drawing two-dimensional bitmapped graphics and animations, manipulating fonts and images, and inserting images and videos.

The `canvas` element is supported by all of the browsers we've used to test the book's examples. To get a sense of the wide range of its capabilities, review the chapter objectives and outline. A key benefit of `canvas` is that it's built into the browser, eliminating the need for plug-ins like Flash and Silverlight, thereby improving performance and convenience and reducing costs. At the end of the chapter we'll build a fun **Cannon Game**, which in previous editions of this book was built in Flash.

## 14.2 `canvas` Coordinate System

To begin drawing, we first must understand `canvas`'s **coordinate system** (Fig. 14.1), a scheme for identifying every point on a `canvas`. By default, the upper-left corner of a can-

---


1. Due to the large number of examples in this chapter, most of the examples use embedded JavaScripts.

vas has the coordinates (0, 0). A coordinate pair has both an **x-coordinate** (the horizontal coordinate) and a **y-coordinate** (the vertical coordinate). The **x**-coordinate is the horizontal distance to the right from the left border of a canvas. The **y**-coordinate is the vertical distance downward from the top border of a canvas. The **x-axis** defines every horizontal coordinate, and the **y-axis** defines every vertical coordinate. You position text and shapes on a canvas by specifying their **x** and **y**-coordinates. Coordinate space units are measured in pixels (“picture elements”), which are the smallest units of resolution on a screen.



### Portability Tip 14.1

*Different screens vary in resolution and thus in density of pixels so graphics may vary in appearance on different screens.*



**Fig. 14.1** | canvas coordinate system. Units are measured in pixels.

## 14.3 Rectangles

Now we’re ready to create a canvas and start drawing. Figure 14.2 demonstrates how to draw a rectangle with a border on a canvas.

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 14.2: drawrectangle.html -->
4  <!-- Drawing a rectangle on a canvas. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Drawing a Rectangle</title>
9      </head>
10     <body>
11         <canvas id = "drawRectangle" width = "300" height = "100"
12             style = "border: 1px solid black;">
13             Your browser does not support Canvas.
14         </canvas>
15         <script type>
16             var canvas = document.getElementById("drawRectangle");
17             var context = canvas.getContext("2d")

```

**Fig. 14.2** | Drawing a rectangle with a border on a canvas. (Part 1 of 2.)

---

```

18     context.fillStyle = "yellow";
19     context.fillRect(5, 10, 200, 75);
20     context.strokeStyle = "royalblue";
21     context.lineWidth = 6;
22     context.strokeRect(4, 9, 201, 76);
23   </script>
24 </body>
25 </html>
```



**Fig. 14.2** | Drawing a rectangle with a border on a canvas. (Part 2 of 2.)

### *Creating a Canvas*

The canvas element has two attributes—*width* and *height*. The default width is 300 and the default height 150. In lines 11–12, we create a canvas starting with a **canvasID**—in this case, "drawRectangle". Many people use "myCanvas" or something similar. Assigning a unique ID to a canvas allows you to access it like any other element, and to use more than one canvas on a page. Next, we specify the canvas's *width* (300) and *height* (100), and a border of 1px solid black. You do not need to include a visible border. In line 13 we include the *fallback text* Your browser does not support canvas. This will appear if the user runs the application in a browser that does not support canvas. To save space, we have not included it in the subsequent examples.

### *Graphics Contexts and Graphics Objects*

Now we're ready to write our JavaScript (lines 15–23). First, we use the **getElementById** **method** to get the canvas element using the ID (line 16). Next we get the **context** object. A context represents a 2D rendering surface that provides methods for drawing on a canvas. The context contains attributes and methods for drawing, font manipulation, color manipulation and other graphics-related actions.

### *Drawing the Rectangle*

To draw the rectangle, we specify its color by setting the **fillStyle** attribute to **yellow** (line 18). The **fillRect** **method** then draws the rectangle using the arguments *x*, *y*, *width* and *height*, where *x* and *y* are the coordinates for the top-left corner of the rectangle (line 19). In this example, we used the values 5, 10, 200 and 75, respectively.

Next, we add a border, or *stroke*, to the rectangle. The **strokeStyle** attribute (line 20) specifies the stroke color or style (in this case, **royalblue**). The **LineWidth** attribute specifies the stroke width in coordinate space units (line 21). Finally, the **strokeRect** **method** specifies the coordinates of the stroke using the arguments *x*, *y*, *width* and *height*. We used values that are one coordinate off in each direction from the outer edges of the

rectangle—4, 9, 201 and 76. If the width *and* height are 0, no stroke will appear. If only one of the width *or* height values is 0, the result will be a line, not a rectangle.

## 14.4 Using Paths to Draw Lines

To draw lines and complex shapes in canvas, we use **paths**. A path can have zero or more **subpaths**, each having one or more points connected by lines or curves. If a subpath has fewer than two points, no path is drawn.

Figure 14.3 uses paths to draw lines on a canvas. The **beginPath** method starts the line's path (line 19). The **moveTo** method sets the x- and y-coordinates of the path's origin (line 20). From the point of origin, we use the **lineTo** method to specify the destinations for the path (lines 21–23). The **lineWidth** attribute is used to change the thickness of the line (line 24). The default **lineWidth** is 1 pixel. We then use the **lineJoin** attribute to specify the style of the corners where two lines meet—in this case, **bevel** (line 25). The **lineJoin** attribute has three possible values—**bevel**, **round**, and **miter**. The value **bevel** gives the path sloping corners. We'll discuss the other two **lineJoin** values shortly.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 14.3: Lines.html -->
4  <!-- Drawing lines on a canvas. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Drawing Lines</title>
9      </head>
10     <body>
11         <canvas id = "drawLines" width = "400" height = "200"
12             style = "border: 1px solid black;">
13         </canvas>
14         <script>
15             var canvas = document.getElementById("drawLines");
16             var context = canvas.getContext("2d")
17
18             // red lines without a closed path
19             context.beginPath(); // begin a new path
20             context.moveTo(10, 10); // path origin
21             context.lineTo(390, 10);
22             context.lineTo(390, 30);
23             context.lineTo(10, 30);
24             context.lineWidth = 10; // line width
25             context.lineJoin = "bevel" // line join style
26             context.lineCap = "butt"; // line cap style
27             context.strokeStyle = "red" // line color
28             context.stroke(); //draw path
29
30             // orange lines without a closed path
31             context.beginPath(); //begin a new path
32             context.moveTo(40, 75); // path origin
33             context.lineTo(40, 55);


```

---

**Fig. 14.3** | Drawing lines on a canvas. (Part I of 2.)

```

34         context.lineTo(360, 55);
35         context.lineTo(360, 75);
36         context.lineWidth = 20; // line width
37         context.lineJoin = "round" // line join style
38         context.lineCap = "round"; // line cap style
39         context.strokeStyle = "orange" //line color
40         context.stroke(); // draw path
41
42     // green lines with a closed path
43     context.beginPath(); // begin a new path
44     context.moveTo(10, 100); // path origin
45     context.lineTo(390, 100);
46     context.lineTo(390, 130);
47     context.closePath() // close path
48     context.lineWidth = 10; // line width
49     context.lineJoin = "miter" // line join style
50     context.strokeStyle = "green" // line color
51     context.stroke(); // draw path
52
53     // blue lines without a closed path
54     context.beginPath(); // begin a new path
55     context.moveTo(40, 140); // path origin
56     context.lineTo(360, 190);
57     context.lineTo(360, 140);
58     context.lineTo(40, 190);
59     context.lineWidth = 5; // line width
60     context.lineCap = "butt"; // line cap style
61     context.strokeStyle = "blue" // line color
62     context.stroke(); // draw path
63   </script>
64 </body>
65 </html>
```



**Fig. 14.3** | Drawing lines on a canvas. (Part 2 of 2.)

The **lineCap** attribute specifies the style of the end of the lines. There are three possible values—**butt**, **round**, and **square**. A **butt lineCap** (line 26) specifies that the line ends have edges perpendicular to the direction of the line and *no additional cap*. We'll demonstrate the other **lineCap** styles shortly.

Next, the `strokeStyle` attribute specifies the line color—in this case, red (line 27). Finally, the `stroke` method draws the line on the canvas (line 28). The default stroke color is black.


To demonstrate the different `lineJoin` and `lineCap` styles, we draw additional lines. First we draw orange lines (lines 31–40) with a `lineWidth` of 20 (line 36). The `round` `lineJoin` creates rounded corners (line 37). Then, the `round` `lineCap` adds a *semicircular* cap to the ends of the path (line 38)—the cap’s diameter is equal to the width of the line.

Next, we draw green lines (lines 43–51) with a `lineWidth` of 10 (line 48). After we specify the destinations of the path, we use the `closePath` method (line 47) which closes the path by drawing a straight line from the last specified destination (line 46) back to the point of the path’s origin (line 44). The `miter` `lineJoin` (line 49) *bevels* the lines at an angle where they meet. For example, the lines that meet at a 90-degree angle have edges beveled at 45-degree angles where they meet. Since the path is closed, we do not specify a `lineCap` style for the green line. If we did not close the path (line 47), the *previous* `lineCap` style that we specified for the orange line above in line 36 would be applied to the green line. Such settings are said to be *sticky*—they continue to apply until they’re changed.

Finally, we draw blue lines (lines 54–62) with a `lineWidth` of 5. The `butt` `lineCap` adds a rectangular cap to the line ends (line 60). The length of the cap is equal to the line width, and the width of the cap is equal to half the line width. The edge of the square `lineCap` is perpendicular to the direction of the line.

## 14.5 Drawing Arcs and Circles

Arcs are portions of the circumference of a circle. To draw an arc, you specify the arc’s **starting angle** and **ending angle** measured in *radians*—the ratio of the arc’s length to its radius. The arc is said to sweep from its starting angle to its ending angle. Figure 14.4 depicts two arcs. The arc at the left of the figure sweeps *countrerclockwise* from zero radians to  $\pi/2$  radians, resulting in an arc that sweeps three quarters of the circumference a circle. The arc at the right of the figure sweeps *clockwise* from zero radians to  $\pi/2$  radians.



**Fig. 14.4** | Positive and negative arc angles.

Figure 14.5 shows how to draw arcs and circles using the `arc` method. We start by drawing a filled `mediumslateblue` circle (lines 18–21). The `beginPath` method starts the path (line 18). Next, the `arc` method draws the circle using five arguments (line 20). The


first two arguments represent the  $x$ - and  $y$ -coordinates of the center of the circle—in this case, 35, 50. The third argument is the radius of the circle. The fourth and fifth arguments are the arc's starting and ending angles in radians. In this case, the ending angle is `Math.PI*2`. The constant `Math.PI` is the JavaScript representation of the mathematical constant  $\pi$ , the ratio of a circle's circumference to its diameter.  $2\pi$  radians represents a 360-degree arc,  $\pi$  radians is 180 degrees and  $\pi/2$  radians is 90 degrees. There's an optional sixth argument of the `arc` method which we'll discuss shortly. To draw the circle to the canvas, we specify a `fillStyle` of `mediumslateblue` (line 20), then draw the circle using the `fill` method.

---

```
1  <!DOCTYPE html>
2
3  <!-- Fig. 14.5: drawingarcs.html -->
4  <!-- Drawing arcs and a circle on a canvas. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Arcs and Circles</title>
9      </head>
10     <body>
11         <canvas id = "drawArcs" width = "225" height = "100">
12         </canvas>
13         <script>
14             var canvas = document.getElementById("drawArcs");
15             var context = canvas.getContext("2d")
16
17             // draw a circle
18             context.beginPath();
19             context.arc(35, 50, 30, 0, Math.PI * 2);
20             context.fillStyle = "mediumslateblue";
21             context.fill();
22
23             // draw an arc counterclockwise
24             context.beginPath();
25             context.arc(110, 50, 30, 0, Math.PI, false);
26             context.stroke();
27
28             // draw a half-circle clockwise
29             context.beginPath();
30             context.arc(185, 50, 30, 0, Math.PI, true);
31             context.fillStyle = "red";
32             context.fill();
33
34             // draw an arc counterclockwise
35             context.beginPath();
36             context.arc(260, 50, 30, 0, 3 * Math.PI / 2);
37             context.strokeStyle = "darkorange";
38             context.stroke();
39         </script>
40     </body>
41 </html>
```

---

**Fig. 14.5** | Drawing arcs and circles on a canvas. (Part I of 2.)



**Fig. 14.5** | Drawing arcs and circles on a canvas. (Part 2 of 2.)

In lines 24–26 we draw a `black` arc that sweeps *clockwise*. Using the `arc` method, we draw an arc with a center at `110, 50`, a radius of `30`, a starting angle of `0` and an ending angle of `Math.PI` (180 degrees). The sixth argument is *optional* and specifies the direction in which the arc's path is drawn. By default, the sixth argument is `false`, indicating that the arc is drawn *clockwise*. If the argument is `true`, the arc is drawn *counterclockwise* (or *anticlockwise*). We draw the arc using the `stroke` method (line 26).

Next, we draw a filled `red` semicircle *counterclockwise* so that it sweeps upward (lines 29–32). In this case, arguments of the `arc` method include a center of `185, 50`, a radius of `30`, a starting angle of `0` and an ending angle of `Math.PI` (180 degrees). To draw the arc *counterclockwise*, we use the sixth argument, `true`. We specify a `fillStyle` of `red` (line 31), then draw the semicircle using the `fill` method (line 32).

Finally, we draw a `darkorange` 270-degree *clockwise* arc (lines 35–38). Using the `arc` method (line 36), we draw an arc with a center at `260, 50`, a radius of `30`, a starting angle of `0` and an ending angle of `3*Math.PI/2` (270 degrees). Since we do not include the optional sixth argument, it defaults to `false`, drawing the arc *clockwise*. Then we specify a `strokeStyle` of `darkorange` (line 37) and draw the arc using the `stroke` method (line 38).

## 14.6 Shadows

In the next example, we add shadows to two filled rectangles (Fig. 14.6). We create a shadow that drops *below* and to the *right* of the first rectangle (lines 19–22). We start by specifying the `shadowBlur` attribute, setting its value to `10` (line 19). By default, the blur is `0` (no blur). The *higher* the value, the *more blurred* the edges of the shadow will appear. Next, we set the `shadowOffsetX` attribute to `15`, which moves the shadow to the *right* of the rectangle (line 20). We then set the `shadowOffsetY` attribute to `15`, which moves the shadow *down* from the rectangle (line 21). Finally, we specify the `shadowColor` attribute as `blue` (line 22).

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 14.6: shadows.html -->
4  <!-- Creating shadows on a canvas. -->
5  <html>
```

---

**Fig. 14.6** | Creating shadows on a canvas. (Part 1 of 2.)

```

6   <head>
7     <meta charset = "utf-8">
8     <title>Shadows</title>
9   </head>
10  <body>
11    <canvas id = "shadow" width = "525" height = "250"
12      style = "border: 1px solid black;">
13    </canvas>
14  <script>
15
16    // shadow effect with positive offsets
17    var canvas = document.getElementById("shadow");
18    var context = canvas.getContext("2d")
19    context.shadowBlur = 10;
20    context.shadowOffsetX = 15;
21    context.shadowOffsetY = 15;
22    context.shadowColor = "blue";
23    context.fillStyle = "cyan";
24    context.fillRect(25, 25, 200, 200);
25
26    // shadow effect with negative offsets
27    context.shadowBlur = 20;
28    context.shadowOffsetX = -20;
29    context.shadowOffsetY = -20;
30    context.shadowColor = "gray";
31    context.fillStyle = "magenta";
32    context.fillRect(300, 25, 200, 200);
33  </script>
34  </body>
35 </html>

```



**Fig. 14.6** | Creating shadows on a canvas. (Part 2 of 2.)

For the second rectangle, we create a shadow that shifts *above* and to the *left* of the rectangle (lines 28–29). Notice that the shadowBlur is 20 (line 27). The effect is a shadow on which the edges appear more blurred than on the shadow of the first rectangle. Next,

we specify the `shadowOffsetX`, setting its value to `-20`. Using a *negative* `shadowOffsetX` moves the shadow to the *left* of the rectangle (line 28). We then specify the `shadowOffsetY` attribute, setting its value to `-20` (line 29). Using a *negative* `shadowOffsetY` moves the shadow *up* from the rectangle. Finally, we specify the `shadowColor` as gray (line 30). The default values for the `shadowOffsetX` and `shadowOffsetY` are 0 (no shadow).

## 14.7 Quadratic Curves

Figure 14.7 demonstrates how to draw a rounded rectangle using lines to draw the straight sides and quadratic curves to draw the rounded corners. Quadratic curves have a starting point, an ending point and a *single* point of inflection.

The `quadraticCurveTo` method uses four arguments. The first two, `cpx` and `cpy`, are the coordinates of the *control point*—the point of the curve's inflection. The third and fourth arguments, `x` and `y`, are the coordinates of the *ending point*. The *starting point* is the last subpath destination, specified using the `moveTo` or `lineTo` methods. For example, if we write

```
context.moveTo(5, 100);
context.quadraticCurveTo(25, 5, 95, 50);
```

the curve starts at `(5, 100)`, curves at `(25, 5)` and ends at `(95, 50)`.

Unlike in CSS3, rounded rectangles are *not* built into canvas. To create a rounded rectangle, we use the `lineTo` method to draw the straight sides of the rectangle and the `quadraticCurveTo` to draw the rounded corners.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 14.7: roundedrectangle.html -->
4  <!-- Drawing a rounded rectangle on a canvas. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Quadratic Curves</title>
9      </head>
10     <body>
11         <canvas id = "drawRoundedRect" width = "130" height = "130"
12             style = "border: 1px solid black;">
13         </canvas>
14         <script>
15             var canvas = document.getElementById("drawRoundedRect");
16             var context = canvas.getContext("2d")
17             context.beginPath();
18             context.moveTo(15, 5);
19             context.lineTo(95, 5);
20             context.quadraticCurveTo(105, 5, 105, 15);
21             context.lineTo(105, 95);
22             context.quadraticCurveTo(105, 105, 95, 105);
23             context.lineTo(15, 105);
24             context.quadraticCurveTo(5, 105, 5, 95);
25             context.lineTo(5, 15);
```


---

**Fig. 14.7** | Drawing a rounded rectangle on a canvas. (Part 1 of 2.)

```

26         context.quadraticCurveTo(5, 5, 15, 5);
27         context.closePath();
28         context.fillStyle = "yellow";
29         context.fill(); //fill with the fillStyle color
30         context.strokeStyle = "royalblue";
31         context.lineWidth = 6;
32         context.stroke(); //draw 6-pixel royalblue border
33     </script>
34 </body>
35 </html>

```



**Fig. 14.7** | Drawing a rounded rectangle on a canvas. (Part 2 of 2.)

The rounded rectangle in this example has a width of 100, a height of 100 and a radius of 10 with which we calculate the points in the quadratic curves used to draw the rounded corners. The *x*- and *y*-coordinates for the rounded rectangle are both 5. We'll use these values to calculate the coordinates for each of the points in the path of our drawing.

As in the previous example, we start the path with the `beginPath` method (line 17). We start the drawing in the *top left*, then move *clockwise* using the `moveTo` method (line 18). We use the formula  $x + radius$  to calculate the first argument (15) and use our original *y*-coordinate (5) as the second argument.

We then use the `lineTo` method to draw a line from the starting point to the *top-right* side of the drawing (line 19). For the first argument, we use the formula  $x + width - radius$  to calculate the *x*-coordinate (in this case, 95). The second argument is simply the original *y*-coordinate (5).

To draw the *top-right rounded corner*, we use the `quadraticCurveTo` method with the arguments *cpx*, *cpy*, *x*, *y* (line 20). We calculate the value of the first argument, *cpx*, using the formula  $x + width$ , which is 105. The second argument, *cpy*, is the same as our original *y*-coordinate (5). We calculate the value of the third argument using the formula  $x + width$ , which is 105. To calculate the value of the fourth argument, we use the formula  $y + radius$ , which is 15.

We use the `lineTo` method to draw the *right side* of the rounded rectangle (line 21). The first argument is equal to  $x + width$ , in this case, 105. To calculate the second argument, we use the formula  $y + height - radius$ , which is 95.

Next, we draw the *bottom-right corner* using the `quadraticCurveTo` method (line 22). We use the formula  $x + width$  to calculate the first argument (105), and the formula  $y + height$  to calculate the second argument (105). We use the formula  $x + width - radius$  to

determine the third argument (95). Then we use the formula  $y + height$  to determine the fourth argument (105).

We then draw the *bottom edge* of the rectangle with the `lineTo` method (line 23). The formula  $x + radius$  is used to calculate the first argument (15) and the formula  $y + height$  to calculate the second argument (105).

Next, we draw the *bottom-left corner* using the `quadraticCurveTo` method (line 24). The first argument is simply our original  $x$ -coordinate (5). We use the formula  $y + height$  to calculate the second argument (105). The third argument is the same as our original  $x$ -coordinate (5). The formula  $y + height - radius$  is then used to calculate the fourth argument (95).

We draw the *left side* of the rounded rectangle using the `lineTo` method (line 25). Again, the first argument is the original  $x$ -coordinate (5). The formula  $y + radius$  is then used to calculate the second argument (15).

We draw the *top-left corner* of the rounded rectangle using the `quadraticCurveTo` method (line 26). The first and second arguments are the original  $x$ - and  $y$ -coordinates (both 5). To calculate the third argument (15), we use the formula  $x + radius$ . The fourth argument is simply the original  $y$ -coordinate (5). Finally, the `closePath` method closes the path for the rounded rectangle by drawing a line back to the path's origin (line 27).

We specify a `fillStyle` of `yellow`, then use the `fill` method to draw the rounded rectangle to the canvas (lines 28–29). Finally, we place a border around the rounded rectangle by specifying a `strokeStyle` of `royalblue` (line 30) and a `lineWidth` of 6 (line 31), and then use the `stroke` method to draw the border (line 32).

## 14.8 Bezier Curves

Bezier curves have a starting point, an ending point and *two* control points through which the curve passes. These can be used to draw curves with one or two points of inflection, depending on the coordinates of the four points. For example, you might use a Bezier curve to draw complex shapes with *s*-shaped curves. The `bezierCurveTo` method uses six arguments. The first two arguments, `cp1x` and `cp1y`, are the coordinates of the first control point. The third and fourth arguments, `cp2x` and `cp2y`, are the coordinates for the second control point. Finally, the fifth and sixth arguments, `x` and `y`, are the coordinates of the ending point. The starting point is the last subpath destination, specified using either the `moveTo` or `lineTo` method. Figure 14.8 demonstrates how to draw an *s*-shaped Bezier curve using the `bezierCurveTo` method.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 14.8: beziercurves.html -->
4  <!-- Drawing a Bezier curve on a canvas. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Bezier Curves</title>
9      </head>
10     <body>
```


---

**Fig. 14.8** | Drawing a Bezier curve on a canvas. (Part I of 2.)

```

11      <canvas id = "drawBezier" width = "150" height = "150"
12          style = "border: 1px solid black;">
13      </canvas>
14      <script>
15          var canvas = document.getElementById("drawBezier");
16          var context = canvas.getContext("2d")
17          context.beginPath();
18          context.moveTo(115, 20);
19          context.bezierCurveTo(12, 37, 176, 77, 32, 133);
20          context.lineWidth = 10;
21          context.strokeStyle = "red";
22          context.stroke();
23      </script>
24  </body>
25 </html>

```



**Fig. 14.8** | Drawing a Bezier curve on a canvas. (Part 2 of 2.)

The `beginPath` method starts the path of the Bezier curve (line 17), then the `moveTo` method specifies the path's starting point (line 18). Next, the `bezierCurveTo` method specifies the three points in the Bezier curve (line 19). The first and second arguments (12 and 37) are the first control point. The third and fourth arguments (176 and 77) are the second control point. The fifth and sixth arguments (32 and 133) are the ending point.

The `lineWidth` attribute specifies the thickness of the line (line 20). The `strokeStyle` attribute specifies a stroke color of red. Finally, the `stroke` method draws the Bezier curve.

## 14.9 Linear Gradients

Figure 14.9 fills three separate canvases with linear gradients—vertical, horizontal and diagonal. On the first canvas (lines 13–25), we draw a *vertical* gradient. In line 19, we use the `createLinearGradient` method—the first two arguments are the *x*- and *y*-coordinates of the gradient's start, and the last two are the *x*- and *y*-coordinates of the end. In this example, we use (0, 0) for the start of the gradient and (0, 200) for the end. The start and end have the *same* *x*-coordinates but *different* *y*-coordinates, so the start of the gradient is a point at the top of the canvas directly above the point at the end of the gradient at the bottom. This creates a vertical linear gradient that starts at the top and changes as the gradient moves to the bottom of the canvas. We'll show how to create horizontal and diagonal gradients by altering these values.

```
1 <!DOCTYPE html>
2
3 <!-- Fig. 14.9: lineargradient.html -->
4 <!-- Drawing linear gradients on a canvas. -->
5 <html>
6   <head>
7     <meta charset = "utf-8">
8     <title>Linear Gradients</title>
9   </head>
10  <body>
11
12    <!-- vertical linear gradient -->
13    <canvas id = "linearGradient" width = "200" height = "200"
14      style = "border: 1px solid black;">
15    </canvas>
16    <script>
17      var canvas = document.getElementById("linearGradient");
18      var context = canvas.getContext("2d");
19      var gradient = context.createLinearGradient(0, 0, 0, 200);
20      gradient.addColorStop(0, "white");
21      gradient.addColorStop(0.5, "lightsteelblue");
22      gradient.addColorStop(1, "navy");
23      context.fillStyle = gradient;
24      context.fillRect(0, 0, 200, 200);
25    </script>
26
27    <!-- horizontal linear gradient -->
28    <canvas id = "linearGradient2" width = "200" height = "200"
29      style = "border: 2px solid orange;">
30    </canvas>
31    <script>
32      var canvas = document.getElementById("linearGradient2");
33      var context = canvas.getContext("2d");
34      var gradient = context.createLinearGradient(0, 0, 200, 0);
35      gradient.addColorStop(0, "white");
36      gradient.addColorStop(0.5, "yellow");
37      gradient.addColorStop(1, "orange");
38      context.fillStyle = gradient;
39      context.fillRect(0, 0, 200, 200);
40    </script>
41
42    <!-- diagonal linear gradient -->
43    <canvas id = "linearGradient3" width = "200" height = "200"
44      style = "border: 2px solid purple;">
45    </canvas>
46    <script>
47      var canvas = document.getElementById("linearGradient3");
48      var context = canvas.getContext("2d");
49      var gradient = context.createLinearGradient(0, 0, 45, 200);
50      gradient.addColorStop(0, "white");
51      gradient.addColorStop(0.5, "plum");
52      gradient.addColorStop(1, "purple");
53      context.fillStyle = gradient;
```

---


**Fig. 14.9** | Drawing linear gradients on a canvas. (Part I of 2.)

---

```

54         context.fillRect(0, 0, 200, 200);
55     </script>
56 </body>
57 </html>

```



**Fig. 14.9** | Drawing linear gradients on a canvas. (Part 2 of 2.)

Next, we use the **addColorStop** method to add three *color stops* (lines 20–22). (For a definition of color stops, see Section 5.6.) Each color stop has a positive value between 0 (the start of the gradient) and 1 (the end of the gradient). For each color stop, we specify a color (white, lightsteelblue and navy). The **fillStyle** method specifies a gradient (line 23) and then the **fillRect** method draws the gradient on the canvas (line 24).

On the second canvas (lines 28–40), we draw a *horizontal* gradient. In line 34, we use the **createLinearGradient** method where the first two arguments are (0, 0) for the start of the gradient and (200, 0) for the end. Note that in this case, the start and end have *different* x-coordinates but the *same* y-coordinates, horizontally aligning the start and end. This creates a horizontal linear gradient that starts at the left and changes as the gradient moves to the right edge of the canvas.

On the third canvas (lines 43–55), we draw a *diagonal* gradient. In line 49, we use the **createLinearGradient** method again. The first two arguments are (0, 0)—the coordinates of the starting position of the gradient in the top left of the canvas. The last two arguments are (135, 200)—the ending position of the gradient. This creates a diagonal linear gradient that starts at the top left and changes at an angle as the gradient moves to the right edge of the canvas.

## 14.10 Radial Gradients

Next, we show how to create two different *radial* gradients on a canvas (Fig. 14.10). A radial gradient is comprised of two circles—an *inner circle* where the gradient starts and an *outer circle* where it ends. In lines 18–19, we use the **createRadialGradient** method

whose first three arguments are the *x*- and *y*-coordinates and the radius of the gradient's start circle, respectively, and whose last three arguments are the *x*- and *y*-coordinates and the radius of the end circle. In this example, we use (100, 100, 10) for the start circle and (100, 100, 125) for the end circle. Note that these are *concentric* circles—they have the *same* *x*- and *y*-coordinates but each has a *different* radius. This creates a radial gradient that starts in a common center and changes as it moves outward to the end circle.

Next, the `gradient.addColorStop` method is used to add four *color stops* (lines 20–23). Each color stop has a positive value between 0 (the start circle of the gradient) and 1 (the end circle of the gradient). For each color stop, we specify a color (in this case, `white`, `yellow`, `orange` and `red`). Then, the `fillStyle` attribute is used to specify a gradient (line 24). The `fillRect` method draws the gradient on the canvas (line 25).

On the second canvas (lines 29–43), the start and end circles have *different* *x*- and *y*-coordinates, altering the effect. In lines 35–36, the `createRadialGradient` method uses the arguments (20, 150, 10) for the start circle and (100, 100, 125) for the end circle. These are *not* concentric circles. The start circle of the gradient is near the bottom left of the canvas and the end circle is centered on the canvas. This creates a radial gradient that starts near the bottom left of the canvas and changes as it moves to the right.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 14.10: radialgradient.html -->
4  <!-- Drawing radial gradients on a canvas. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Radial Gradients</title>
9      </head>
10     <body>
11         <!-- radial gradient with concentric circles -->
12         <canvas id = "radialGradient" width = "200" height = "200"
13             style = "border: 1px solid black;">
14         </canvas>
15         <script>
16             var canvas = document.getElementById("radialGradient");
17             var context = canvas.getContext("2d")
18             var gradient = context.createRadialGradient(
19                 100, 100, 10, 100, 100, 125);
20             gradient.addColorStop(0, "white");
21             gradient.addColorStop(0.5, "yellow");
22             gradient.addColorStop(0.75, "orange");
23             gradient.addColorStop(1, "red");
24             context.fillStyle = gradient;
25             context.fillRect(0, 0, 200, 200);
26         </script>
27
28         <!-- radial gradient with nonconcentric circles -->
29         <canvas id = "radialGradient2" width = "200" height = "200"
30             style = "border: 1px solid black;">
31         </canvas>
```

---

**Fig. 14.10** | Drawing radial gradients on a canvas. (Part 1 of 2.)

---

```

32      <script>
33          var canvas = document.getElementById("radialGradient2");
34          var context = canvas.getContext("2d")
35          var gradient = context.createRadialGradient(
36              20, 150, 10, 100, 100, 125);
37          gradient.addColorStop(0, "red");
38          gradient.addColorStop(0.5, "orange");
39          gradient.addColorStop(0.75, "yellow");
40          gradient.addColorStop(1, "white");
41          context.fillStyle = gradient;
42          context.fillRect(0, 0, 200, 200);
43      </script>
44  </body>
45 </html>

```



**Fig. 14.10** | Drawing radial gradients on a canvas. (Part 2 of 2.)

## 14.11 Images

Figure 14.11 uses the **drawImage** method to draw an image to a canvas. In line 10, we create a new **Image** object and store it in the variable **image**. Line 11 locates the image source, "yellowflowers.png". Our function **draw** (lines 13–18) is called to draw the image after the document and all of its resources load. The **drawImage** method (line 17) draws the image to the canvas using five arguments. The first argument can be an **image**, **canvas** or **video** element. The second and third arguments are the destination *x*- and destination *y*-coordinates—these indicate the position of the top-left corner of the image on the canvas. The fourth and fifth arguments are the *destination width* and *destination height*. If the values do not match the size of the image, it will be *stretched* to fit.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 14.11: image.html -->
4  <!-- Drawing an image to a canvas. -->
5  <html>

```

**Fig. 14.11** | Drawing an image to a canvas. (Part 1 of 2.)

```

6   <head>
7     <meta charset = "utf-8">
8     <title>Images</title>
9     <script>
10    var image = new Image();
11    image.src = "yellowflowers.png";
12
13    function draw()
14    {
15      var canvas = document.getElementById("myimage");
16      var context = canvas.getContext("2d")
17      context.drawImage(image, 0, 0, 175, 175);
18    } // end function draw
19
20    window.addEventListener( "load", draw, false );
21  </script>
22 </head>
23 <body>
24   <canvas id = "myimage" width = "200" height = "200"
25     style = "border: 1px solid Black;">
26   </canvas>
27 </body>
28 </html>

```



**Fig. 14.11** | Drawing an image to a canvas. (Part 2 of 2.)

Note that you can call `drawImage` in three ways. In its simplest form, you can use

```
context.drawImage(image, dx, dy)
```

where `dx` and `dy` represent the position of the top-left corner of the image on the destination canvas. The default width and height are the source image's width and height. Or, as we did in this example, you can use

```
context.drawImage(image, dx, dy, dw, dh)
```

where `dw` is the specified width of the image on the destination canvas and `dh` is the specified height of the image on the destination canvas. Finally, you can use

```
context.drawImage(image, sx, sy, sw, sh, dx, dy, dw, dh)
```

where *sx* and *sy* are the coordinates of the top-left corner of the source image, *sw* is the source image's width and *sh* its height.

## 14.12 Image Manipulation: Processing the Individual Pixels of a canvas

Figure 14.12 shows how to obtain a canvas's pixels and manipulate their red, green, blue and alpha (RGBA) values. For security reasons, some browsers allow a script to get an image's pixels only if the document is requested from a web server, not if the file is loaded from the local computer's file system. For this reason, you can test this example at

```
http://test.deitel.com/iw3htp5/ch14/fig14\_12/imagemanipulation.html
```

The HTML5 document's body (lines 123–135) defines a 750-by-250 pixel canvas element on which we'll draw an original image, a version of the image showing any changes you make to the RGBA values, and a version of the image converted to grayscale. You can change the RGBA values with the input elements of type range defined in the body. You can adjust the amount of red, green or blue from 0 to 500% of its original value—on a pixel-by-pixel basis, we calculate the new amount of red, green or blue accordingly. For the alpha, you can adjust the value from 0 (completely transparent) to 255 (completely opaque). The script begins when the window's load event (registered in line 120) calls function start.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 14.12: imagemanipulation.html -->
4  <!-- Manipulating an image's pixels to change colors and transparency. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Manipulating an Image</title>
9          <style>
10             label { display: inline-block; width: 3em; }
11             canvas { border: 1px solid black; }
12             input[type="range"] { width: 600px; }
13         </style>
14         <script>
15             var context; // context for drawing on canvas
16             var redRange; // % of original red pixel value
17             var greenRange; // % of original green pixel value
18             var blueRange; // % of original blue pixel value
19             var alphaRange; // alpha amount value
20
21             var image = new Image(); // image object to store loaded image
22             image.src = "redflowers.png"; // set the image source
23
24             function start()
25             {
26                 var canvas = document.getElementById( "thecanvas" );

```

---

**Fig. 14.12** | Manipulating an image's pixels to change colors and transparency. (Part I of 4.)


```
27         context = canvas.getContext("2d")
28         context.drawImage(image, 0, 0); // original image
29         context.drawImage(image, 250, 0); // image for user change
30         processGrayscale(); // display grayscale of original image
31
32         // configure GUI events
33         redRange = document.getElementById( "redRange" );
34         redRange.addEventListener( "change",
35             function() { processImage( this.value, greenRange.value,
36                 blueRange.value ); }, false );
37         greenRange = document.getElementById( "greenRange" );
38         greenRange.addEventListener( "change",
39             function() { processImage( redRange.value, this.value,
40                 blueRange.value ); }, false )
41         blueRange = document.getElementById( "blueRange" );
42         blueRange.addEventListener( "change",
43             function() { processImage( redRange.value,
44                 greenRange.value, this.value ); }, false )
45         alphaRange = document.getElementById( "alphaRange" );
46         alphaRange.addEventListener( "change",
47             function() { processAlpha( this.value ); }, false )
48         document.getElementById( "resetButton" ).addEventListener(
49             "click", resetImage, false );
50     } // end function start
51
52     // sets the alpha value for every pixel
53     function processAlpha( newValue )
54     {
55         // get the ImageData object representing canvas's content
56         var imageData = context.getImageData(0, 0, 250, 250);
57         var pixels = imageData.data; // pixel info from ImageData
58
59         // convert every pixel to grayscale
60         for ( var i = 3; i < pixels.length; i += 4 )
61         {
62             pixels[ i ] = newValue;
63         } // end for
64
65         context.putImageData( imageData, 250, 0 ); // show grayscale
66     } // end function processImage
67
68     // sets the RGB values for every pixel
69     function processImage( redPercent, greenPercent, bluePercent )
70     {
71         // get the ImageData object representing canvas's content
72         context.drawImage(image, 250, 0);
73         var imageData = context.getImageData(0, 0, 250, 250);
74         var pixels = imageData.data; // pixel info from ImageData
75
76         //set percentages of red, green and blue in each pixel
77         for ( var i = 0; i < pixels.length; i += 4 )
78         {
79             pixels[ i ] *= redPercent / 100;
```

Fig. 14.12 | Manipulating an image's pixels to change colors and transparency. (Part 2 of 4.)

```
80          pixels[ i + 1 ] *= greenPercent / 100;
81          pixels[ i + 2 ] *= bluePercent / 100;
82      } // end for
83
84      context.putImageData( imageData, 250, 0 ); // show grayscale
85  } // end function processImage
86
87  // creates grayscale version of original image
88  function processGrayscale()
89  {
90      // get the ImageData object representing canvas's content
91      context.drawImage( image, 500, 0 );
92      var imageData = context.getImageData( 0, 0, 250, 250 );
93      var pixels = imageData.data; // pixel info from ImageData
94
95      // convert every pixel to grayscale
96      for ( var i = 0; i < pixels.length; i += 4 )
97      {
98          var average =
99              (pixels[ i ] * 0.30 + pixels[ i + 1 ] * 0.59 +
100             pixels[ i + 2 ] * 0.11).toFixed(0);
101
102          pixels[ i ] = average;
103          pixels[ i + 1 ] = average;
104          pixels[ i + 2 ] = average;
105      } // end for
106
107      context.putImageData( imageData, 500, 0 ); // show grayscale
108  } // end function processGrayscale
109
110  // resets the user manipulated image and the sliders
111  function resetImage()
112  {
113      context.drawImage( image, 250, 0 );
114      redRange.value = 100;
115      greenRange.value = 100;
116      blueRange.value = 100;
117      alphaRange.value = 255;
118  } // end function resetImage
119
120  window.addEventListener( "load", start, false );
121  </script>
122 </head>
123 <body>
124     <canvas id = "thecanvas" width = "750" height = "250" ></canvas>
125     <p><label>Red:</label> 0 <input id = "redRange"
126         type = "range" max = "500" value = "100"> 500%</p>
127     <p><label>Green:</label> 0 <input id = "greenRange"
128         type = "range" max = "500" value = "100"> 500%</p>
129     <p><label>Blue:</label> 0 <input id = "blueRange"
130         type = "range" max = "500" value = "100"> 500%</p>
131     <p><label>Alpha:</label> 0 <input id = "alphaRange"
132         type = "range" max = "255" value = "255"> 255</p>
```

**Fig. 14.12** | Manipulating an image's pixels to change colors and transparency. (Part 3 of 4.)

```
I33      <p><input id = "resetButton" type = "button"
I34          value = "Reset Image">
I35      </body>
I36  </html>
```



**Fig. 14.12** | Manipulating an image's pixels to change colors and transparency. (Part 4 of 4.)

#### *Script-Level Variables and Loading the Original Image*

Lines 15–21 declare the script-level variables. Variables redRange, greenRange, blueRange and alphaRange will refer to the four range inputs so that we can easily access their values in the script's other functions. Variable image represents the original image to draw. Line 21 creates an Image object and line 22 uses it to load the image redflower.png, which is provided with the example.

#### *Function start*

Lines 28–29 draw the original image twice—once in the upper-left corner of the canvas and once 250 pixels to the right. Line 30 calls function processGrayscale to create the grayscale version of the image which will appear at x-coordinate 500. Lines 33–49 get the range input elements and register their event handlers. For the redRange, greenRange and blueRange elements, we register for the change event and call processImage with the values of these three range inputs. For the alphaRange elements we register for the change event and call processAlpha with the value of that range input.

#### *Function processAlpha*

Function processAlpha (lines 53–66) applies the new alpha value to every pixel in the image. Line 56 calls canvas method **getImageData** to obtain an object that contains the pixels we wish to manipulate. The method receives a bounding rectangle representing the

portion of the canvas to get—in this case, a 250-pixel square from the upper-left corner. The returned object contains an array named `data` (line 57) which stores every pixel in the selected rectangular area as four elements in the array. Each pixel's data is stored in the order red value, green value, blue value, alpha value. So, the first four elements in the array represent the RGBA values of the pixel in row 0 and column 0, the next four elements represent the pixel in row 0 and column 1, etc.

Lines 60–63 iterate through the array processing every fourth element, which represents the alpha value in each pixel, and assigning it the new alpha value. Line 65 uses canvas method `putImageData` to place the updated pixels on the canvas with the upper-left corner of the processed image at location 250, 0.

#### **Function `processImage`**

Function `processImage` (lines 69–85) is similar to function `processAlpha` except that its loop (lines 77–82) processes the first three of every four elements—that is, the ones that represent a pixel's RGB values.

#### **Function `processGrayscale`**

Function `processGrayscale` (lines 88–108) is similar to function `processImage` except that its loop (lines 96–105) performs a weighted-average calculation to determine the new value assigned to the red, green and blue components of a given pixel. We used the formula for converting from RGB to grayscale provided at <http://en.wikipedia.org/wiki/Grayscale>.

#### **Function `resetImage`**

Function `resetImage` (lines 111–118) resets the on-screen images and the range input elements to their original values.

## 14.13 Patterns

Figure 14.13 demonstrates how to draw a *pattern* on a canvas. Lines 10–11 create and load the image we'll use for our pattern. Function `start` (lines 13–21) is called in response to the window's `load` event. Line 17 uses the **createPattern** method to create the pattern. This method takes two arguments. The first is the image we're using for the pattern, which can be an `image` element, a `canvas` element or a `video` element. The second specifies how the image will repeat to create the pattern and can be one of four values—`repeat` (repeats horizontally and vertically), `repeat-x` (repeats horizontally), `repeat-y` (repeats vertically) or `no-repeat`. In line 18, we specify the coordinates for the pattern on the canvas. The first image in the pattern is drawn so that its top left is at the origin of the coordinate space. We then specify the `fillStyle` attribute (`pattern`) and use the `fill` method to draw the pattern to the canvas.

---


```

1  <!DOCTYPE html>
2
3  <!-- Fig. 14.13: pattern.html -->
4  <!-- Creating a pattern using an image on a canvas. -->
5  <html>
```

---

**Fig. 14.13** | Creating a pattern using an image on a canvas. (Part 1 of 2.)

```
6   <head>
7     <meta charset = "utf-8">
8     <title>Patterns</title>
9     <script>
10    var image = new Image();
11    image.src = "yellowflowers.png";
12
13    function start()
14    {
15      var canvas = document.getElementById("pattern");
16      var context = canvas.getContext("2d");
17      var pattern = context.createPattern(image, "repeat");
18      context.rect(5, 5, 385, 200);
19      context.fillStyle = pattern;
20      context.fill();
21    } // end function start
22
23    window.addEventListener( "load", start, false );
24  </script>
25 </head>
26 <body>
27   <canvas id = "pattern" width = "400" height = "200"
28     style = "border: 1px solid black;">
29   </canvas>
30 </body>
31 </html>
```



---

**Fig. 14.13** | Creating a pattern using an image on a canvas. (Part 2 of 2.)

## 14.14 Transformations

The next several examples show you how to use canvas transformation methods including `translate`, `scale`, `rotate` and `transform`.

### 14.14.1 scale and translate Methods: Drawing Ellipses

Figure 14.14 demonstrates how to draw ellipses. In line 18, we change the *transformation matrix* (the coordinates) on the canvas using the `translate` method so that the *center* of

the canvas becomes the origin  $(0, 0)$ . To do this, we use half the canvas width as the  $x$ -coordinate and half the canvas height as the  $y$ -coordinate (line 18). This will enable us to center the ellipse on the canvas. We then use the **scale** method to *stretch* a circle to create an ellipse (line 19). The  $x$  value represents the *horizontal scale factor*; the  $y$  value represents the *vertical scale factor*—in this case, our scale factor indicates that the ratio of the width to the height is 1:3, which will create a tall, thin ellipse. Next, we draw the circle that we want to stretch using the **beginPath** method to start the path, then the **arc** method to draw the circle (lines 20–21). Notice that the  $x$ - and  $y$ -coordinates for the center of the circle are  $(0, 0)$ , which is now the *center* of the canvas (*not* the top-left corner). We then specify a **fillStyle** of orange (line 22) and draw the ellipse to the canvas using the **fill** method (line 23).

Next, we create a horizontal purple ellipse on a separate canvas (lines 26–39). We use a scale of 3, 2 (line 34), indicating that the ratio of the width to the height is 3:2. This results in an ellipse that is shorter and wider.

---

```


1  <!DOCTYPE html>
2
3  <!-- Fig. 14.14: ellipse.html -->
4  <!-- Drawing an ellipse on a canvas. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Ellipse</title>
9      </head>
10     <body>
11         <!-- vertical ellipse -->
12         <canvas id = "drawEllipse" width = "200" height = "200"
13             style = "border: 1px solid black;">
14         </canvas>
15         <script>
16             var canvas = document.getElementById("drawEllipse");
17             var context = canvas.getContext("2d")
18             context.translate(canvas.width / 2, canvas.height / 2);
19             context.scale(1, 3);
20             context.beginPath();
21             context.arc(0, 0, 30, 0, 2 * Math.PI, true);
22             context.fillStyle = "orange";
23             context.fill();
24         </script>
25
26         <!-- horizontal ellipse -->
27         <canvas id = "drawEllipse2" width = "200" height = "200"
28             style = "border: 1px solid black;">
29         </canvas>
30         <script>
31             var canvas = document.getElementById("drawEllipse2");
32             var context = canvas.getContext("2d")
33             context.translate(canvas.width / 2, canvas.height / 2);
34             context.scale(3, 2);
35             context.beginPath();

```

---

**Fig. 14.14** | Drawing an ellipse on a canvas. (Part I of 2.)

```
36         context.arc(0, 0, 30, 0, 2 * Math.PI, true);
37         context.fillStyle = "indigo";
38         context.fill();
39     </script>
40 </body>
41 </html>
```



**Fig. 14.14** | Drawing an ellipse on a canvas. (Part 2 of 2.)

#### 14.14.2 rotate Method: Creating an Animation

Figure 14.15 uses the **rotate** method to create an animation of a rotating rectangle on a canvas. First, we create the JavaScript function `startRotating` (lines 18–22). Just as we did in the previous example, we change the transformation matrix on the canvas using the `translate` method, making the center of the canvas the origin with the *x*, *y* values (0, 0) (line 20). This allows us to rotate the rectangle (which is centered on the canvas) around its center.

```
1  <!DOCTYPE html>
2
3  <!-- Fig. 14.15: rotate.html -->
4  <!-- Using the rotate method to rotate a rectangle on a canvas. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Rotate</title>
9      </head>
10     <body>
11         <canvas id = "rotateRectangle" width = "200" height = "200"
12             style = "border: 1px solid black;">
13         </canvas>
14         <script>
15             var canvas = document.getElementById("rotateRectangle");
16             var context = canvas.getContext("2d")
17
```

**Fig. 14.15** | Using the `rotate` method to rotate a rectangle on a canvas. (Part 1 of 2.)

```
18     function startRotating()
19     {
20         context.translate(canvas.width / 2, canvas.height / 2);
21         setInterval(rotate, 10);
22     }
23
24     function rotate()
25     {
26         context.clearRect(-100, -100, 200, 200);
27         context.rotate(Math.PI / 360);
28         context.fillStyle = "lime";
29         context.fillRect(-50, -50, 100, 100);
30     }
31
32     window.addEventListener( "load", startRotating, false );
33 
```

</script>

```
34 </body>
35 </html>
```



**Fig. 14.15** | Using the `rotate` method to rotate a rectangle on a canvas. (Part 2 of 2.)

In line 21, we use the `setInterval` method of the `window` object. The first argument is the name of the function to call (`rotate`) and the second is the number of milliseconds between calls.

Next, we create the JavaScript function `rotate` (lines 24–30). We use the **clearRect** method to clear the rectangle's pixels from the canvas, converting them back to transparent as the rectangle rotates (line 26). This method takes four arguments—*x*, *y*, *width* and *height*. Since the center of the canvas has the *x*- and *y*-coordinates (0, 0), the top-left corner of the canvas is now (-100, -100). The width and height of the canvas remain the same (200, 200). If you were to remove the `clearRect` method, the pixels would remain on the canvas, and after one full rotation of the rectangle, you would see a circle.

Next, the `rotate` method takes one argument—the angle of the clockwise rotation, expressed in radians (line 27). We then specify the rectangle's `fillStyle` (`lime`) and draw the rectangle using the `fillRect` method. Notice that its *x*- and *y*-coordinates are the translated coordinates, (-50, -50) (line 29).

### 14.14.3 transform Method: Drawing Skewed Rectangles

The `transform` method allows you to skew, scale, rotate and translate elements without using the separate transformation methods discussed earlier in this section. The `transform` method takes six arguments in the format `( a, b, c, d, e, f )`. The first argument, `a`, is the `x`-scale—the factor by which to scale the element horizontally. For example, a value of 2 would double the element's width. The second argument, `b`, is the `y`-skew. The third argument, `c`, is the `x`-skew. The greater the value of the `x`- and `y`-skew, the more the element will be skewed horizontally and vertically, respectively. The fourth argument, `d`, is the `y`-scale—the factor by which to scale the element vertically. The fifth argument, `e`, is the `x`-translation and the sixth argument, `f`, is the `y`-translation. The default `x`- and `y`-scale values are 1. The default values of the `x`- and `y`-skew and the `x`- and `y`-translation are 0, meaning there is no skew or translation.

Figure 14.16 uses the `transform` method to *skew*, *scale* and *translate* two rectangles. On the first canvas (lines 12–32), we declare the variable `rectangleWidth` and assign it the value 120, and declare the variable `rectangleHeight` and assign it the value 60 (lines 18–19).

---

```
1  <!DOCTYPE html>
2
3  <!-- Fig. 14.16: skew.html -->
4  <!-- Using the translate and transform methods to skew rectangles. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Skew</title>
9      </head>
10     <body>
11         <!-- skew left -->
12         <canvas id = "transform" width = "320" height = "150"
13             style = "border: 1px solid Black;">
14         </canvas>
15         <script>
16             var canvas = document.getElementById("transform");
17             var context = canvas.getContext("2d");
18             var rectangleWidth = 120;
19             var rectangleHeight = 60;
20             var scaleX = 2;
21             var skewY = 0;
22             var skewX = 1;
23             var scaleY = 1;
24             var translationX = -10;
25             var translationY = 30;
26             context.translate(canvas.width / 2, canvas.height / 2);
27             context.transform(scaleX, skewY, skewX, scaleY,
28                 translationX, translationY);
29             context.fillStyle = "red";
30             context.fillRect(-rectangleWidth / 2, -rectangleHeight / 2,
31                 rectangleWidth, rectangleHeight);
32         </script>
```


---

**Fig. 14.16** | Using the `translate` and `transform` methods to skew rectangles. (Part 1 of 2.)

```

33      <!-- skew right -->
34      <canvas id = "transform2" width = "220" height = "150"
35          style = "border: 1px solid Black;">
36      <script>
37          var canvas = document.getElementById("transform2");
38          var context = canvas.getContext("2d");
39          var rectangleWidth = 120;
40          var rectangleHeight = 60;
41          var scaleX = 1;
42          var skewY = 0;
43          var skewX = -1.5;
44          var scaleY = 2;
45          var translationX = 0;
46          var translationY = 0;
47          context.translate(canvas.width / 2, canvas.height / 2);
48          context.transform(scaleX, skewY, skewX, scaleY,
49                          translationX, translationY);
50          context.fillStyle = "blue";
51          context.fillRect(-rectangleWidth / 2, -rectangleHeight / 2,
52                          rectangleWidth, rectangleHeight);
53      </script>
54  </body>
55 </html>

```



**Fig. 14.16** | Using the `translate` and `transform` methods to skew rectangles. (Part 2 of 2.)

In lines 20–25, we declare variables for each of the arguments that will be used in the `transform` method and assign each a value. `scaleX` is assigned the value 2 to double the width of the rectangle. `skewY` is assigned the value 0 (the default value) so there's no vertical skew. `skewX` is assigned the value 1 to skew the rectangle horizontally to the left. Increasing this value would increase the angle of the skew. `scaleY` is assigned the value 1 (the default value) so the rectangle is *not* scaled vertically (line 20). `translationX` is assigned the value -10 to shift the position of the rectangle left of the point of origin. Finally, `translationY` is assigned the value 30 to shift the rectangle down from the point of origin.

In line 26, the `translate` method centers the point of origin (0, 0) on the canvas. Next, the `transform` method scales and skews the rectangle horizontally, then shifts its center left and down from the point of origin.


In lines 35–54 we create a second canvas to demonstrate how different values can be used to transform a rectangle. In this case, the value of `scaleX` is 1 (the default), so there is no horizontal scale. The value of `skewY` is 0. In line 44, `skewX` is assigned -1.5. The *negative* value causes the rectangle to skew *right*. Next, the variable `scaleY` is assigned 2 to double the height of the rectangle. Finally, the variables `translationX` and `translationY` are each assigned 0 (the default) so that the rectangle remains centered on the canvas's point of origin.

## 14.15 Text

Figure 14.17 shows you how to draw text on a canvas. We draw two lines of text. For the first line, we color the text using a `fillStyle` of red (line 19). We use the `font` attribute to specify the style, size and font of the text—in this case, `italic 24px serif` (line 20).

```
1  <!DOCTYPE html>
2
3  <!-- Fig. 14.17: text.html -->
4  <!-- Drawing text on a canvas. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Text</title>
9      </head>
10     <body>
11         <canvas id = "text" width = "230" height = "100"
12             style = "border: 1px solid black;">
13         </canvas>
14         <script>
15             var canvas = document.getElementById("text");
16             var context = canvas.getContext("2d")
17
18             // draw the first line of text
19             context.fillStyle = "red";
20             context.font = "italic 24px serif";
21             context.textBaseline = "top";
22             context.fillText ("HTML5 Canvas", 0, 0);
23
24             // draw the second line of text
25             context.font = "bold 30px sans-serif";
26             context.TextAlign = "center";
27             context.lineWidth = 2;
28             context.strokeStyle = "navy";
29             context.strokeText("HTML5 Canvas", 115, 50);
30
31         </script>
32     </body>
33 </html>
```

**Fig. 14.17** | Drawing text on a canvas. (Part I of 2.)



**Fig. 14.17** | Drawing text on a canvas. (Part 2 of 2.)

Next, we use **textBaseline** attribute to specify the alignment points of the text (line 21). There are six different **textBaseline** attribute values (Fig. 14.18). To see how each value aligns the font, see the graphic in the HTML5 canvas specification at

<http://www.whatwg.org/specs/web-apps/current-work/multipage/the-canvas-element.html#text-0>

| Value                    | Description                             |
|--------------------------|---|
| <code>top</code>         | Top of the em square                    |
| <code>hanging</code>     | Hanging baseline                        |
| <code>middle</code>      | Middle of the em square                 |
| <code>alphabetic</code>  | Alphabetic baseline (the default value) |
| <code>ideographic</code> | Ideographic baseline                    |
| <code>bottom</code>      | Bottom of the em square                 |

**Fig. 14.18** | `textBaseline` values.

Now we use the **fillText** method to draw the text to the canvas (line 22). This method takes three arguments. The first is the text being drawn to the canvas. The second and third arguments are the *x*- and *y*-coordinates. You may include the optional fourth argument, `maxWidth`, to limit the width of the text.

Lines 25–29 draw the second line of text to the canvas. In this case, the `font` attribute specifies a bold, 30px, sans-serif font (line 25). We center the text on the canvas using the **textAlign** attribute which specifies the horizontal alignment of the text relative to the *x*-coordinate of the text (line 26). Figure 14.19 describes the five **textAlign** attribute values.

| Value              | Description            |
|--------------------|------------------------|
| <code>left</code>  | Text is left aligned.  |
| <code>right</code> | Text is right aligned. |

**Fig. 14.19** | `textAlign` attribute values. (Part 1 of 2.)

| Value                     | Description  |
|---------------------------|--|
| center                    | Text is centered.  |
| start (the default value) | Text is left aligned if the start of the line is left-to-right; text is right aligned if the start of the text is right-to-left. |
| end                       | Text is right aligned if the end of the line is left-to-right; text is left aligned if the end of the text is right-to-left.     |

**Fig. 14.19** | `textAlign` attribute values. (Part 2 of 2.)

We use the `lineWidth` attribute to specify the thickness of the stroke used to draw the text—in this case, 2 (line 27). Next, we specify the `strokeStyle` to specify the color of the text (line 28). Finally, we use `strokeText` to specify the text being drawn to the canvas and its *x*- and *y*-coordinates (line 29). By using `strokeText` instead of `fillText`, we draw outlined text instead of filled text. Keep in mind that once text is on a canvas it's just bits—it can no longer be manipulated as text.

## 14.16 Resizing the canvas to Fill the Browser Window

Figure 14.20 demonstrates how to dynamically resize a canvas to fill the window. To do this, we draw a yellow rectangle so you can see how it fills the canvas.

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 14.20: fillingwindow.html -->
4  <!-- Resizing a canvas to fill the window. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Filling the Window</title>
9          <style type = "text/css">
10             canvas { position: absolute; left: 0px; top: 0px;
11                 width: 100%; height: 100%; }
12         </style>
13     </head>
14     <body>
15         <canvas id = "resize"></canvas>
16         <script>
17             function draw()
18             {
19                 var canvas = document.getElementById( "resize" );
20                 var context = canvas.getContext( "2d" );
21                 context.fillStyle = "yellow";
22                 context.fillRect(
23                     0, 0, context.canvas.width, context.canvas.height );
24             } // end function draw

```


**Fig. 14.20** | Dynamically resizing a canvas to fill the window. (Part 1 of 2.)

---

```

25           window.addEventListener( "load", draw, false );
26         </script>
27       </body>
28   </html>

```



The yellow  
canvas fills the  
browser window

**Fig. 14.20** | Dynamically resizing a canvas to fill the window. (Part 2 of 2.)

First we use a CSS style sheet to set the position of the canvas to absolute and set both its width and height to 100%, rather than using fixed coordinates (lines 10–11). This places the canvas at the top left of the screen and allows the canvas width and height to be resized to 100% of those of the window. Do not include a border on the canvas.

We use JavaScript function draw to draw the canvas when the application is rendered (lines 17 and 26). Line 21 specifies the color of the rectangle by setting the fillStyle to yellow. We use fillRect to draw the color to the canvas. Recall that in previous examples, the four coordinates we used for method fillRect were x, y, x1, y1, where x1 and y1 represent the coordinates of the bottom-right corner of the rectangle. In this example, the x- and y-coordinates are (0, 0)—the top left of the canvas. The x1 value is context.canvas.width and the y1 value is context.value.height, so no matter the size of the window, the x1 value will always be the width of the canvas and the y1 value will always be the height of the canvas.

## 14.17 Alpha Transparency

In Figure 14.21, we use the **globalAlpha** attribute to demonstrate three different alpha transparencies. To do this, we create three canvases, each with a fully opaque rectangle and an overlapping circle and varying transparencies. The **globalAlpha** value can be any number between 0 (fully transparent) and 1 (the default value, which is fully opaque).

On the first canvas we specify a **globalAlpha** attribute value of 0.9 to create a circle that's *mostly opaque* (line 23). On the second canvas we specify a **globalAlpha** attribute value of 0.5 to create a circle that's *semitransparent* (line 41). Notice in the output that in the area where the circle overlaps the rectangle, the rectangle is visible. On the third canvas we specify a **globalAlpha** attribute value of 0.15 to create a circle that's *almost entirely transparent* (line 59). In the area where the circle overlaps the rectangle, the rectangle is even more visible.

```
1 <!DOCTYPE html>
2
3 <!-- Fig. 14.21: alpha.html -->
4 <!-- Using the globalAlpha attribute on a canvas. -->
5 <html>
6   <head>
7     <meta charset = "utf-8">
8     <title>Alpha Transparency</title>
9   </head>
10  <body>
11
12    <!-- 0.75 alpha value -->
13    <canvas id = "alpha" width = "200" height = "200"
14      style = "border: 1px solid black;">
15    </canvas>
16    <script>
17      var canvas = document.getElementById("alpha");
18      var context = canvas.getContext("2d")
19      context.beginPath();
20      context.rect(10, 10, 120, 120);
21      context.fillStyle = "purple";
22      context.fill();
23      context.globalAlpha = 0.9;
24      context.beginPath();
25      context.arc(120, 120, 65, 0, 2 * Math.PI, false);
26      context.fillStyle = "lime";
27      context.fill();
28    </script>
29
30    <!-- 0.5 alpha value -->
31    <canvas id = "alpha2" width = "200" height = "200"
32      style = "border: 1px solid black;">
33    </canvas>
34    <script>
35      var canvas = document.getElementById("alpha2");
36      var context = canvas.getContext("2d")
37      context.beginPath();
38      context.rect(10, 10, 120, 120);
39      context.fillStyle = "purple";
40      context.fill();
41      context.globalAlpha = 0.5;
42      context.beginPath();
43      context.arc(120, 120, 65, 0, 2 * Math.PI, false);
44      context.fillStyle = "lime";
45      context.fill();
46    </script>
47
48    <!-- 0.15 alpha value -->
49    <canvas id = "alpha3" width = "200" height = "200"
50      style = "border: 1px solid black;">
51    </canvas>
52    <script>
53      var canvas = document.getElementById("alpha3");
```

---

Fig. 14.21 | Using the `globalAlpha` attribute on a canvas. (Part 1 of 2.)

---

```

54     var context = canvas.getContext("2d")
55     context.beginPath();
56     context.rect(10, 10, 120, 120);
57     context.fillStyle = "purple";
58     context.fill();
59     context.globalAlpha = 0.15;
60     context.beginPath();
61     context.arc(120, 120, 65, 0, 2 * Math.PI, false);
62     context.fillStyle = "lime";
63     context.fill();
64   </script>
65 </body>
66 </html>
```



- a) globalAlpha value of 0.9 makes the circle only slightly transparent  
 b) globalAlpha value of 0.5 makes the circle semi-transparent  
 c) globalAlpha value of 0.15 makes the circle almost entirely transparent

---

**Fig. 14.21** | Using the `globalAlpha` attribute on a `canvas`. (Part 2 of 2.)

## 14.18 Compositing

Compositing allows you to control the layering of shapes and images on a canvas using two attributes—the `globalAlpha` attribute described in the previous example, and the **`globalCompositeOperation` attribute**. There are 11 `globalCompositeOperation` attribute values (Fig. 14.22). The *source* is the image being drawn to a canvas. The *destination* is the current bitmap on a canvas.

| Value                    | Description   |
|--------------------------|---|
| <code>source-atop</code> | The source is placed on top of the destination image. If both images are opaque, the source is displayed where the images overlap. If the source is transparent but the destination image is opaque, the destination image is displayed where the images overlap. The destination image is transparent where there is no overlap. |

**Fig. 14.22** | `globalCompositeOperation` values. (Part 1 of 2.)

| Value                                  | Description  |
|--|--|
| <code>source-in</code>                 | The source image is displayed where the images overlap and both are opaque. Both images are transparent where there is no overlap.   |
| <code>source-out</code>                | If the source image is opaque and the destination image is transparent, the source image is displayed where the images overlap. Both images are transparent where there is no overlap.   |
| <code>source-over<br/>(default)</code> | The source image is placed over the destination image. The source image is displayed where it's opaque and the images overlap. The destination image is displayed where there is no overlap.   |
| <code>destination-atop</code>          | The destination image is placed on top of the source image. If both images are opaque, the destination image is displayed where the images overlap. If the destination image is transparent but the source image is opaque, the source image is displayed where the images overlap. The source image is transparent where there is no overlap. |
| <code>destination-in</code>            | The destination image is displayed where the images overlap and both are opaque. Both images are transparent where there is no overlap.  |
| <code>destination-out</code>           | If the destination image is opaque and the source image is transparent, the destination image is displayed where the images overlap. Both images are transparent where there is no overlap.  |
| <code>destination-over</code>          | The destination image is placed over the source image. The destination image is displayed where it's opaque and the images overlap. The source image is displayed where there is no overlap.   |
| <code>lighter</code>                   | Displays the sum of the source-image color and destination-image color—up to the maximum RGB color value (255)—where the images overlap. Both images are normal elsewhere.   |
| <code>copy</code>                      | If the images overlap, only the source image is displayed (the destination is ignored).  |
| <code>xor</code>                       | Source-image <code>xor</code> (exclusive-or) destination. The images are transparent where they overlap and normal elsewhere.  |

**Fig. 14.22** | `globalCompositeOperation` values. (Part 2 of 2.)

In Fig. 14.23, we demonstrate six of the compositing effects (lines 21–49). In this example, the destination image is a large red rectangle (lines 18–19) and the source images are six lime rectangles.

---

```

1 <!DOCTYPE html>
2
3 <!-- Fig. 14.23: image.html -->
4 <!-- Compositing on a canvas. -->
```

---


**Fig. 14.23** | Demonstrating compositing on a canvas. (Part 1 of 3.)

---

```
5 <html>
6   <head>
7     <meta charset = "utf-8">
8     <title>Compositing</title>
9   </head>
10  <body>
11    <canvas id = "composite" width = "220" height = "200">
12    </canvas>
13    <script>
14      function draw()
15      {
16        var canvas = document.getElementById("composite");
17        var context = canvas.getContext("2d")
18        context.fillStyle = "red";
19        context.fillRect(5, 50, 210, 100);
20
21        // source-atop
22        context.globalCompositeOperation = "source-atop";
23        context.fillStyle = "lime";
24        context.fillRect(10, 20, 60, 60);
25
26        // source-over
27        context.globalCompositeOperation = "source-over";
28        context.fillStyle = "lime";
29        context.fillRect(10, 120, 60, 60);
30
31        // destination-over
32        context.globalCompositeOperation = "destination-over";
33        context.fillStyle = "lime";
34        context.fillRect(80, 20, 60, 60);
35
36        // destination-out
37        context.globalCompositeOperation = "destination-out";
38        context.fillStyle = "lime";
39        context.fillRect(80, 120, 60, 60);
40
41        // lighter
42        context.globalCompositeOperation = "lighter";
43        context.fillStyle = "lime";
44        context.fillRect(150, 20, 60, 60);
45
46        // xor
47        context.globalCompositeOperation = "xor";
48        context.fillStyle = "lime";
49        context.fillRect(150, 120, 60, 60);
50      } // end function draw
51
52      window.addEventListener( "load", draw, false );
53    </script>
54  </body>
55 </html>
```

---

**Fig. 14.23** | Demonstrating compositing on a canvas. (Part 2 of 3.)



**Fig. 14.23** | Demonstrating compositing on a canvas. (Part 3 of 3.)

## 14.19 Cannon Game

Now let's have some fun! The **Cannon Game** app challenges you to destroy a seven-piece moving target before a ten-second time limit expires (Fig. 14.24).<sup>2</sup> The game consists of four visual components—a *cannon* that you control, a *cannonball* fired by the cannon, the *seven-piece target* and a moving *blocker* that defends the target to make the game more challenging. You aim the cannon by clicking the screen—the cannon then aims where you clicked and fires a cannonball. You can fire a cannonball only if there is *not* another one on the screen.


The game begins with a *10-second time limit*. Each time you hit a target section, you are *rewarded* with three seconds being *added* to the time limit; each time you hit the blocker, you are *penalized* with two seconds being *subtracted* from the time limit. You win by destroying all seven target sections before time runs out. If the timer reaches zero, you lose. When the game ends, it displays an *alert* dialog indicating whether you won or lost, and shows the number of shots fired and the elapsed time (Fig. 14.25).

When the cannon fires, the game plays a *firing sound*. The target consists of seven pieces. When a cannonball hits a piece of the target, a *glass-breaking sound* plays and that piece disappears from the screen. When the cannonball hits the blocker, a *hit sound* plays


---

2. The **Cannon Game** currently works in Chrome, Internet Explorer 9 and Safari. It does not work properly in Opera, Firefox, iPhone and Android.

and the cannonball bounces back. The blocker cannot be destroyed. The target and blocker move *vertically* at different speeds, changing direction when they hit the top or bottom of the screen. At any time, the blocker and the target can be moving in the same or different directions.



**Fig. 14.24** | Completed Cannon Game app.



**Fig. 14.25** | Cannon Game app alerts showing a win and a loss.

### 14.19.1 HTML5 Document

Figure 14.26 shows the HTML5 document for the **Cannon Game**. Lines 15–20 use HTML5 audio elements to load the game’s sounds, which are located in the same folder as the HTML5 document. Recall from Chapter 9 that the HTML5 audio element may contain multiple source elements for the audio file in several formats, so that you can support cross-browser playback of the sounds. For this app, we’ve included only MP3 files. We set the audio element’s `preload` attribute to `auto` to indicate that the sounds should be loaded *immediately* when the page loads. Line 22 creates a **Start Game** button which the user will click to launch the game. After a game is over, this button remains on the screen so that the user can click it to play again.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 14.26: cannon.html -->
4  <!-- Cannon Game HTML5 document. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Cannon Game</title>
9          <style type = "text/css">
10             canvas { border: 1px solid black; }
11         </style>
12         <script src = "cannon.js"></script>
13     </head>
14     <body>
15         <audio id = "blockerSound" preload = "auto">
16             <source src = "blocker_hit.mp3" type = "audio/mpeg"></audio>
17         <audio id = "targetSound" preload = "auto">
18             <source src = "target_hit.mp3" type = "audio/mpeg"></audio>
19         <audio id = "cannonSound" preload = "auto">
20             <source src = "cannon_fire.mp3" type = "audio/mpeg"></audio>
21         <canvas id = "theCanvas" width = "480" height = "600"></canvas>
22         <p><input id = "startButton" type = "button" value = "Start Game">
23     </p>
24     </body>
25 </html>
```

---

**Fig. 14.26** | Cannon Game HTML5 document.

### 14.19.2 Instance Variables and Constants

Figure 14.27 lists the **Cannon Game**’s numerous constants and instance variables. Most are self-explanatory, but we’ll explain each as we encounter it in the discussion.

---

```

1  // Fig. 14.27 cannon.js
2  // Logic of the Cannon Game
3  var canvas; // the canvas
4  var context; // used for drawing on the canvas
```

---

**Fig. 14.27** | Cannon Game variable declarations. (Part 1 of 2.)

---

```
5 // constants for game play
6 var TARGET_PIECES = 7; // sections in the target
7 var MISS_PENALTY = 2; // seconds deducted on a miss
8 var HIT_REWARD = 3; // seconds added on a hit
9 var TIME_INTERVAL = 25; // screen refresh interval in milliseconds
10
11 // variables for the game loop and tracking statistics
12 var intervalTimer; // holds interval timer
13 var timerCount; // times the timer fired since the last second
14 var timeLeft; // the amount of time left in seconds
15 var shotsFired; // the number of shots the user has fired
16 var timeElapsed; // the number of seconds elapsed
17
18 // variables for the blocker and target
19 var blocker; // start and end points of the blocker
20 var blockerDistance; // blocker distance from left
21 var blockerBeginning; // blocker distance from top
22 var blockerEnd; // blocker bottom edge distance from top
23 var initialBlockerVelocity; // initial blocker speed multiplier
24 var blockerVelocity; // blocker speed multiplier during game
25
26
27 var target; // start and end points of the target
28 var targetDistance; // target distance from left
29 var targetBeginning; // target distance from top
30 var targetEnd; // target bottom's distance from top
31 var pieceLength; // length of a target piece
32 var initialTargetVelocity; // initial target speed multiplier
33 var targetVelocity; // target speed multiplier during game
34
35 var lineWidth; // width of the target and blocker
36 var hitStates; // is each target piece hit?
37 var targetPiecesHit; // number of target pieces hit (out of 7)
38
39 // variables for the cannon and cannonball
40 var cannonball; // cannonball image's upper-left corner
41 var cannonballVelocity; // cannonball's velocity
42 var cannonballOnScreen; // is the cannonball on the screen
43 var cannonballRadius; // cannonball radius
44 var cannonballSpeed; // cannonball speed
45 var cannonBaseRadius; // cannon base radius
46 var cannonLength; // cannon barrel length
47 var barrelEnd; // the end point of the cannon's barrel
48 var canvasWidth; // width of the canvas
49 var canvasHeight; // height of the canvas
50
51 // variables for sounds
52 var targetSound;
53 var cannonSound;
54 var blockerSound;
55
```

---

**Fig. 14.27** | Cannon Game variable declarations. (Part 2 of 2.)

### 14.19.3 Function setupGame

Figure 14.28 shows function `setupGame`. Later in the script, line 408 registers the `window` object's `load` event handler so that function `setupGame` is called when the `cannon.html` page loads.

Lines 71–78 create the `blocker`, `target`, `cannonball` and `barrelEnd` as JavaScript Objects. You can create your own properties on such Objects simply by assigning a value to a property name. For example, lines 72–73 create `start` and `end` properties to represent the start and end points, respectively, of the `blocker`. Each is initialized as an Object so that it, in turn, can contain `x` and `y` properties representing the coordinates of the point. Function `resetElements` (Fig. 14.30) sets the initial values of the `x` and `y` properties for the start and end of the `blocker` and `target`.

We create boolean array `hitStates` (line 81) to keep track of which of the target's seven pieces have been hit (and thus should not be drawn). Lines 84–86 get references to the audio elements that represent the game's sounds—we use these to call `play` on each audio at the appropriate time.

---

```

56 // called when the app first launches
57 function setupGame()
58 {
59     // stop timer if document unload event occurs
60     document.addEventListener( "unload", stopTimer, false );
61
62     // get the canvas, its context and setup its click event handler
63     canvas = document.getElementById( "theCanvas" );
64     context = canvas.getContext("2d");
65
66     // start a new game when user clicks Start Game button
67     document.getElementById( "startButton" ).addEventListener(
68         "click", newGame, false );
69
70     // JavaScript Object representing game items
71     blocker = new Object(); // object representing blocker line
72     blocker.start = new Object(); // will hold x-y coords of line start
73     blocker.end = new Object(); // will hold x-y coords of line end
74     target = new Object(); // object representing target line
75     target.start = new Object(); // will hold x-y coords of line start
76     target.end = new Object(); // will hold x-y coords of line end
77     cannonball = new Object(); // object representing cannonball point
78     barrelEnd = new Object(); // object representing end of cannon barrel
79
80     // initialize hitStates as an array
81     hitStates = new Array(TARGET_PIECES);
82
83     // get sounds
84     targetSound = document.getElementById( "targetSound" );
85     cannonSound = document.getElementById( "cannonSound" );
86     blockerSound = document.getElementById( "blockerSound" );
87 } // end function setupGame
88

```

---

**Fig. 14.28** | Cannon Game function `setupGame`.

#### 14.19.4 Functions `startTimer` and `stopTimer`

Figure 14.29 presents functions `startTimer` and `stopTimer` which manage the click event handler and the interval timer. As you know, users interact with this app by clicking the mouse on the device's screen. A click aligns the cannon to face the point of the click and fires the cannon. Line 92 in function `startTimer` registers function `fireCannonball` as the canvas's click event handler. Once the game is over, we don't want the user to be able to click the canvas anymore, so line 99 in function `stopTimer` removes the canvas's click event handler.

Line 93 in function `startTimer` creates an interval timer that calls `updatePositions` to update the game every `TIME_INTERVAL` (Fig. 14.27, line 10) milliseconds. `TIME_INTERVAL` can be adjusted to increase or decrease the CannonView's refresh rate. Based on the value of the `TIME_INTERVAL` constant (25), `updatePositions` is called approximately 40 times per second. When the game is over, `stopTimer` is called and line 100 terminates the interval timer so that `updatePositions` is not called again until the user starts a new game.

---

```

89 // set up interval timer to update game
90 function startTimer()
91 {
92     canvas.addEventListener( "click", fireCannonball, false );
93     intervalTimer = window.setInterval( updatePositions, TIME_INTERVAL );
94 } // end function startTimer
95
96 // terminate interval timer
97 function stopTimer()
98 {
99     canvas.removeEventListener( "click", fireCannonball, false );
100    window.clearInterval( intervalTimer );
101 } // end function stopTimer
102

```

---

**Fig. 14.29** | Cannon Game functions `startTimer` and `stopTimer`.

#### 14.19.5 Function `resetElements`

Function `resetElements` (Fig. 14.30) is called by function `newGame` to position and scale the size of the game elements relative to the size of the canvas. The calculations performed here *scale* the game's on-screen elements based on the canvas's pixel width and height—we arrived at our scaling factors via trial and error until the game surface looked good. Lines 141–142 set the end point of the cannon's barrel to point horizontally and to the right from the midpoint of the left border of the canvas.

---

```

103 // called by function newGame to scale the size of the game elements
104 // relative to the size of the canvas before the game begins
105 function resetElements()
106 {

```

---

**Fig. 14.30** | Cannon Game function `resetElements`. (Part 1 of 2.)

```
107  var w = canvas.width;
108  var h = canvas.height;
109  canvasWidth = w; // store the width
110  canvasHeight = h; // store the height
111  cannonBaseRadius = h / 18; // cannon base radius 1/18 canvas height
112  cannonLength = w / 8; // cannon length 1/8 canvas width
113
114  cannonballRadius = w / 36; // cannonball radius 1/36 canvas width
115  cannonballSpeed = w * 3 / 2; // cannonball speed multiplier
116
117  lineWidth = w / 24; // target and blocker 1/24 canvas width
118
119  // configure instance variables related to the blocker
120  blockerDistance = w * 5 / 8; // blocker 5/8 canvas width from left
121  blockerBeginning = h / 8; // distance from top 1/8 canvas height
122  blockerEnd = h * 3 / 8; // distance from top 3/8 canvas height
123  initialBlockerVelocity = h / 2; // initial blocker speed multiplier
124  blocker.start.x = blockerDistance;
125  blocker.start.y = blockerBeginning;
126  blocker.end.x = blockerDistance;
127  blocker.end.y = blockerEnd;
128
129  // configure instance variables related to the target
130  targetDistance = w * 7 / 8; // target 7/8 canvas width from left
131  targetBeginning = h / 8; // distance from top 1/8 canvas height
132  targetEnd = h * 7 / 8; // distance from top 7/8 canvas height
133  pieceLength = (targetEnd - targetBeginning) / TARGET_PIECES;
134  initialTargetVelocity = -h / 4; // initial target speed multiplier
135  target.start.x = targetDistance;
136  target.start.y = targetBeginning;
137  target.end.x = targetDistance;
138  target.end.y = targetEnd;
139
140  // end point of the cannon's barrel initially points horizontally
141  barrelEnd.x = cannonLength;
142  barrelEnd.y = h / 2;
143 } // end function resetElements
144
```

---

**Fig. 14.30** | Cannon Game function `resetElements`. (Part 2 of 2.)

#### 14.19.6 Function `newGame`

Function `newGame` (Fig. 14.31) is called when the user clicks the **Start Game** button; the function initializes the game’s instance variables. Lines 152–153 initialize all the elements of the `hitStates` array to `false` to indicate that none of the targets have been destroyed. Lines 155–162 initialize key variables in preparation for launching a fresh game. In particular, line 160 indicates that no cannonball is on the screen—this enables the cannon to fire a cannonball when the user next clicks the screen. Line 164 invokes function `start-Timer` to start the game loop for the new game.

---

```

145 // reset all the screen elements and start a new game
146 function newGame()
147 {
148     resetElements(); // reinitialize all the game elements
149     stopTimer(); // terminate previous interval timer
150
151     // set every element of hitStates to false--restores target pieces
152     for (var i = 0; i < TARGET_PIECES; ++i)
153         hitStates[i] = false; // target piece not destroyed
154
155     targetPiecesHit = 0; // no target pieces have been hit
156     blockerVelocity = initialBlockerVelocity; // set initial velocity
157     targetVelocity = initialTargetVelocity; // set initial velocity
158     timeLeft = 10; // start the countdown at 10 seconds
159     timerCount = 0; // the timer has fired 0 times so far
160     cannonballOnScreen = false; // the cannonball is not on the screen
161     shotsFired = 0; // set the initial number of shots fired
162     timeElapsed = 0; // set the time elapsed to zero
163
164     startTimer(); // starts the game loop
165 } // end function newGame
166

```

---

**Fig. 14.31** | Cannon Game function newGame.

#### 14.19.7 Function updatePositions: Manual Frame-by-Frame Animation and Simple Collision Detection

This app performs its animations *manually* by updating the positions of all the game elements at fixed time intervals. Line 93 (Fig. 14.29) in function startTimer created an interval timer that calls function updatePositions (Fig. 14.32) to update the game every 25 milliseconds (i.e., 40 times per second). This function also performs simple *collision detection* to determine whether the cannonball has collided with any of the canvas's edges, with the blocker or with a section of the target. Game-development frameworks generally provide more sophisticated, built-in collision-detection capabilities.

---

```

167 // called every TIME_INTERVAL milliseconds
168 function updatePositions()
169 {
170     // update the blocker's position
171     var blockerUpdate = TIME_INTERVAL / 1000.0 * blockerVelocity;
172     blocker.start.y += blockerUpdate;
173     blocker.end.y += blockerUpdate;
174
175     // update the target's position
176     var targetUpdate = TIME_INTERVAL / 1000.0 * targetVelocity;
177     target.start.y += targetUpdate;
178     target.end.y += targetUpdate;
179

```

---

**Fig. 14.32** | Cannon Game function updatePositions. (Part 1 of 3.)

```
180 // if the blocker hit the top or bottom, reverse direction
181 if (blocker.start.y < 0 || blocker.end.y > canvasHeight)
182     blockerVelocity *= -1;
183
184 // if the target hit the top or bottom, reverse direction
185 if (target.start.y < 0 || target.end.y > canvasHeight)
186     targetVelocity *= -1;
187
188 if (cannonballOnScreen) // if there is currently a shot fired
189 {
190     // update cannonball position
191     var interval = TIME_INTERVAL / 1000.0;
192
193     cannonball.x += interval * cannonballVelocityX;
194     cannonball.y += interval * cannonballVelocityY;
195
196     // check for collision with blocker
197     if (cannonballVelocityX > 0 &&
198         cannonball.x + cannonballRadius >= blockerDistance &&
199         cannonball.x + cannonballRadius <= blockerDistance + lineWidth &&
200         cannonball.y - cannonballRadius > blocker.start.y &&
201         cannonball.y + cannonballRadius < blocker.end.y)
202     {
203         blockerSound.play(); // play blocker hit sound
204         cannonballVelocityX *= -1; // reverse cannonball's direction
205         timeLeft -= MISS_PENALTY; // penalize the user
206     } // end if
207
208     // check for collisions with left and right walls
209     else if (cannonball.x + cannonballRadius > canvasWidth ||
210             cannonball.x - cannonballRadius < 0)
211     {
212         cannonballOnScreen = false; // remove cannonball from screen
213     } // end else if
214
215     // check for collisions with top and bottom walls
216     else if (cannonball.y + cannonballRadius > canvasHeight ||
217             cannonball.y - cannonballRadius < 0)
218     {
219         cannonballOnScreen = false; // make the cannonball disappear
220     } // end else if
221
222     // check for cannonball collision with target
223     else if (cannonballVelocityX > 0 &&
224         cannonball.x + cannonballRadius >= targetDistance &&
225         cannonball.x + cannonballRadius <= targetDistance + lineWidth &&
226         cannonball.y - cannonballRadius > target.start.y &&
227         cannonball.y + cannonballRadius < target.end.y)
228     {
229         // determine target section number (0 is the top)
230         var section =
231             Math.floor((cannonball.y - target.start.y) / pieceLength);
232
```

---

Fig. 14.32 | Cannon Game function updatePositions. (Part 2 of 3.)

---

```

233      // check whether the piece hasn't been hit yet
234      if ((section >= 0 && section < TARGET_PIECES) &&
235          !hitStates[section])
236      {
237          targetSound.play(); // play target hit sound
238          hitStates[section] = true; // section was hit
239          cannonballOnScreen = false; // remove cannonball
240          timeLeft += HIT_REWARD; // add reward to remaining time
241
242          // if all pieces have been hit
243          if (++targetPiecesHit == TARGET_PIECES)
244          {
245              stopTimer(); // game over so stop the interval timer
246              draw(); // draw the game pieces one final time
247              showGameOverDialog("You won!"); // show winning dialog
248          } // end if
249      } // end if
250  } // end else if
251 } // end if
252
253     ++timerCount; // increment the timer event counter
254
255     // if one second has passed
256     if (TIME_INTERVAL * timerCount >= 1000)
257     {
258         --timeLeft; // decrement the timer
259         ++timeElapsed; // increment the time elapsed
260         timerCount = 0; // reset the count
261     } // end if
262
263     draw(); // draw all elements at updated positions
264
265     // if the timer reached zero
266     if (timeLeft <= 0)
267     {
268         stopTimer();
269         showGameOverDialog("You lost"); // show the losing dialog
270     } // end if
271 } // end function updatePositions
272

```

---

**Fig. 14.32 | Cannon Game function updatePositions. (Part 3 of 3.)**

The function begins by updating the positions of the blocker and the target. Lines 171–173 change the blocker's position by multiplying blockerVelocity by the amount of time that has passed since the last update and adding that value to the current *x*- and *y*-coordinates. Lines 176–178 do the same for the target. If the blocker has collided with the top or bottom wall, its direction is *reversed* by multiplying its velocity by -1 (lines 181–182). Lines 185–186 perform the same check and adjustment for the full length of the target, including any sections that have already been hit.

Line 188 checks whether the cannonball is on the screen. If it is, we update its position by adding the distance it should have traveled since the last timer event. This is calculated by multiplying its velocity by the amount of time that passed (lines 193–194).

Lines 198–201 check whether the cannonball has collided with the blocker. We perform simple *collision detection*, based on the rectangular boundary of the cannonball. Four conditions must be met if the cannonball is in contact with the blocker:

- The cannonball has reached the blocker’s distance from the left edge of the screen.
- The cannonball has not yet passed the blocker.
- Part of the cannonball must be lower than the top of the blocker.
- Part of the cannonball must be higher than the bottom of the blocker.

If all these conditions are met, we play blocker hit sound (line 203), *reverse* the cannonball’s direction on the screen (line 204) and *penalize* the user by *subtracting* MISS\_PENALTY from timeLeft.

We remove the cannonball if it reaches any of the screen’s edges. Lines 209–212 test whether the cannonball has *collided* with the left or right wall and, if it has, remove the cannonball from the screen. Lines 216–219 remove the cannonball if it collides with the top or bottom of the screen.

We then check whether the cannonball has hit the target (lines 223–227). These conditions are similar to those used to determine whether the cannonball collided with the blocker. If the cannonball hit the target, we determine which *section* of the target was hit. Lines 230–231 accomplish this—dividing the distance between the cannonball and the bottom of the target by the length of a piece. This expression evaluates to 0 for the topmost section and 6 for the bottommost. We check whether that section was previously hit, using the hitStates array (lines 234–235). If it wasn’t, we play the target hit sound, set the corresponding hitStates element to true and remove the cannonball from the screen. We then add HIT\_REWARD to timeLeft, increasing the game’s time remaining. We increment targetPiecesHit, then determine whether it’s equal to TARGET\_PIECES (line 243). If so, the game is over, so we call function stopTimer to stop the interval timer and function draw to perform the final update of the game elements on the screen. Then we call showGameOverDialog with the string "You won!".

We increment the timerCount, keeping track of the number of times we’ve updated the on-screen elements’ positions (line 253). If the product of TIME\_INTERVAL and timerCount is  $\geq 1000$  (i.e., one second has passed since timeLeft was last updated), we decrement timeLeft, increment timeElapsed and reset timerCount to zero (lines 256–260). Then we draw all the elements at their updated positions (line 263). If the timer has reached zero, the game is over—we call function stopTimer and call function showGameOverDialog with the string "You Lost" (lines 266–269).

### 14.19.8 Function fireCannonball

When the user clicks the mouse on the canvas, the click event handler calls function fireCannonball (Fig. 14.33) to fire a cannonball. If there’s already a cannonball on the screen, another cannot be fired, so the function returns immediately; otherwise, it fires the cannon. Line 279 calls alignCannon to aim the cannon at the click point and get the cannon’s angle. Lines 282–283 “load” the cannon (that is, position the cannonball inside the cannon). Then, lines 286 and 289 calculate the horizontal and vertical components of the cannonball’s velocity. Next, we set cannonballOnScreen to true so that the cannonball

will be drawn by function `draw` (Fig. 14.35) and increment `shotsFired`. Finally, we play the cannon's firing sound (`cannonSound`).

---

```

273 // fires a cannonball
274 function fireCannonball(event)
275 {
276     if (cannonballOnScreen) // if a cannonball is already on the screen
277         return; // do nothing
278
279     var angle = alignCannon(event); // get the cannon barrel's angle
280
281     // move the cannonball to be inside the cannon
282     cannonball.x = cannonballRadius; // align x-coordinate with cannon
283     cannonball.y = canvasHeight / 2; // centers ball vertically
284
285     // get the x component of the total velocity
286     cannonballVelocityX = (cannonballSpeed * Math.sin(angle)).toFixed(0);
287
288     // get the y component of the total velocity
289     cannonballVelocityY = (-cannonballSpeed * Math.cos(angle)).toFixed(0);
290     cannonballOnScreen = true; // the cannonball is on the screen
291     ++shotsFired; // increment shotsFired
292
293     // play cannon fired sound
294     cannonSound.play();
295 } // end function fireCannonball
296

```

---

**Fig. 14.33** | Cannon Game function `fireCannonball`.

### 14.19.9 Function `alignCannon`

Function `alignCannon` (Fig. 14.34) aims the cannon at the point where the user clicked the mouse on the screen. Lines 302–303 get the *x*- and *y*-coordinates of the click from the `event` argument. We compute the vertical distance of the mouse click from the center of the screen. If this is not zero, we calculate the cannon barrel's angle from the horizontal (line 313). If the click is on the lower half of the screen we adjust the angle by `Math.PI` (line 317). We then use the `cannonLength` and the angle to determine the *x*- and *y*-coordinates for the end point of the cannon's barrel (lines 320–322)—this is used in function `draw` (Fig. 14.35) to draw a line from the cannon base's center at the left edge of the screen to the cannon barrel's end point.

---

```

297 // aligns the cannon in response to a mouse click
298 function alignCannon(event)
299 {
300     // get the location of the click
301     var clickPoint = new Object();
302     clickPoint.x = event.x;
303     clickPoint.y = event.y;

```

---

**Fig. 14.34** | Cannon Game function `alignCannon`. (Part I of 2.)

```
304
305 // compute the click's distance from center of the screen
306 // on the y-axis
307 var centerMinusY = (canvasHeight / 2 - clickPoint.y);
308
309 var angle = 0; // initialize angle to 0
310
311 // calculate the angle the barrel makes with the horizontal
312 if (centerMinusY !== 0) // prevent division by 0
313     angle = Math.atan(clickPoint.x / centerMinusY);
314
315 // if the click is on the lower half of the screen
316 if (clickPoint.y > canvasHeight / 2)
317     angle += Math.PI; // adjust the angle
318
319 // calculate the end point of the cannon's barrel
320 barrelEnd.x = (cannonLength * Math.sin(angle)).toFixed(0);
321 barrelEnd.y =
322     (-cannonLength * Math.cos(angle) + canvasHeight / 2).toFixed(0);
323
324 return angle; // return the computed angle
325 } // end function alignCannon
326
```

---

**Fig. 14.34 | Cannon Game** function alignCannon. (Part 2 of 2.)

#### 14.19.10 Function draw

When the screen needs to be *redrawn*, the draw function (Fig. 14.35) renders the game’s on-screen elements—the cannon, the cannonball, the blocker and the seven-piece target. We use various canvas properties to specify drawing characteristics, including color, line thickness, font size and more, and various canvas functions to draw text, lines and circles.

Lines 333–336 display the time remaining in the game. If the cannonball is on the screen, lines 341–346 draw the cannonball in its current position.

We display the cannon barrel (lines 350–355), the cannon base (lines 358–362), the blocker (lines 365–369) and the target pieces (lines 372–398).

Lines 377–398 iterate through the target’s sections, drawing each in the correct color—blue for the odd-numbered pieces and yellow for the others. Only those sections that haven’t been hit are displayed.

---

```
327 // draws the game elements to the given Canvas
328 function draw()
329 {
330     canvas.width = canvas.width; // clears the canvas (from W3C docs)
331
332     // display time remaining
333     context.fillStyle = "black";
334     context.font = "bold 24px serif";
335     context.textBaseline = "top";
336     context.fillText("Time remaining: " + timeLeft, 5, 5);
```

---

**Fig. 14.35 | Cannon Game** function draw. (Part 1 of 3.)

```
337
338 // if a cannonball is currently on the screen, draw it
339 if (cannonballOnScreen)
340 {
341     context.fillStyle = "gray";
342     context.beginPath();
343     context.arc(cannonball.x, cannonball.y, cannonballRadius,
344         0, Math.PI * 2);
345     context.closePath();
346     context.fill();
347 } // end if
348
349 // draw the cannon barrel
350 context.beginPath(); // begin a new path
351 context.strokeStyle = "black";
352 context.moveTo(0, canvasHeight / 2); // path origin
353 context.lineTo(barrelEnd.x, barrelEnd.y);
354 context.lineWidth = lineWidth; // line width
355 context.stroke(); // draw path
356
357 // draw the cannon base
358 context.beginPath();
359 context.fillStyle = "gray";
360 context.arc(0, canvasHeight / 2, cannonBaseRadius, 0, Math.PI*2);
361 context.closePath();
362 context.fill();
363
364 // draw the blocker
365 context.beginPath(); // begin a new path
366 context.moveTo(blocker.start.x, blocker.start.y); // path origin
367 context.lineTo(blocker.end.x, blocker.end.y);
368 context.lineWidth = lineWidth; // line width
369 context.stroke(); //draw path
370
371 // initialize currentPoint to the starting point of the target
372 var currentPoint = new Object();
373 currentPoint.x = target.start.x;
374 currentPoint.y = target.start.y;
375
376 // draw the target
377 for (var i = 0; i < TARGET_PIECES; ++i)
378 {
379     // if this target piece is not hit, draw it
380     if (!hitStates[i])
381     {
382         context.beginPath(); // begin a new path for target
383
384         // alternate coloring the pieces yellow and blue
385         if (i % 2 === 0)
386             context.strokeStyle = "yellow";
387         else
388             context.strokeStyle = "blue";
389 }
```

Fig. 14.35 | Cannon Game function draw. (Part 2 of 3.)

```
390         context.moveTo(currentPoint.x, currentPoint.y); // path origin
391         context.lineTo(currentPoint.x, currentPoint.y + pieceLength);
392         context.lineWidth = lineWidth; // line width
393         context.stroke(); // draw path
394     } // end if
395
396     // move currentPoint to the start of the next piece
397     currentPoint.y += pieceLength;
398 } // end for
399 } // end function draw
400
```

---

**Fig. 14.35** | Cannon Game function draw. (Part 3 of 3.)

#### 14.19.11 Function showGameOverDialog

When the game ends, the `showGameOverDialog` function (Fig. 14.36) displays an `alert` indicating whether the player won or lost, the number of shots fired and the total time elapsed. Line 408 registers the `window` object's `load` event handler so that function `setUpGame` is called when the `cannon.html` page loads.

---

```
401 // display an alert when the game ends
402 function showGameOverDialog(message)
403 {
404     alert(message + "\nShots fired: " + shotsFired +
405           "\nTotal time: " + timeElapsed + " seconds");
406 } // end function showGameOverDialog
407
408 window.addEventListener("load", setUpGame, false);
```

---

**Fig. 14.36** | Cannon Game function showGameOverDialog.

## 14.20 save and restore Methods

The canvas's state includes its current style and transformations, which are maintained in a stack. The **save** method is used to save the context's current state. The **restore** method restores the context to its previous state. Figure 14.37 demonstrates using the `save` method to change a rectangle's `fillStyle` and the `restore` method to restore the `fillStyle` to the previous settings in the stack.

---

```
1 <!DOCTYPE html>
2
3 <!-- Fig. 14.37: saveandrestore.html -->
4 <!-- Saving the current state and restoring the previous state. -->
5 <html>
6   <head>
7     <meta charset = "utf-8">
8     <title>Save and Restore</title>
9   </head>
```


---

**Fig. 14.37** | Saving the current state and restoring the previous state. (Part 1 of 2.)

```

10   <body>
11     <canvas id = "save" width = "400" height = "200">
12     </canvas>
13     <script>
14       function draw()
15     {
16       var canvas = document.getElementById("save");
17       var context = canvas.getContext("2d")
18
19       // draw rectangle and save the settings
20       context.fillStyle = "red"
21       context.fillRect(0, 0, 400, 200);
22       context.save();
23
24       // change the settings and save again
25       context.fillStyle = "orange"
26       context.fillRect(0, 40, 400, 160);
27       context.save();
28
29       // change the settings again
30       context.fillStyle = "yellow"
31       context.fillRect(0, 80, 400, 120);
32
33       // restore to previous settings and draw new rectangle
34       context.restore();
35       context.fillRect(0, 120, 400, 80);
36
37       // restore to original settings and draw new rectangle
38       context.restore();
39       context.fillRect(0, 160, 400, 40);
40     }
41     window.addEventListener( "load", draw, false );
42   </script>
43 </body>
44 </html>

```



**Fig. 14.37** | Saving the current state and restoring the previous state. (Part 2 of 2.)

We begin by drawing a red rectangle (lines 20–21), then using the `save` method to save its style (line 22). Next, we draw an orange rectangle and save its style (lines 25–27). Then we draw a yellow rectangle (lines 30–31) without saving its style.

Now we draw two rectangles, restoring the previous styles in reverse order of the stack—last in, first out. Line 34 uses the `restore` method to revert to the last-saved style in the stack. Then we draw a new rectangle (line 35). The result is an orange rectangle.

We use the `restore` method again to revert back to the first-saved style (line 38), then draw a fifth rectangle (line 39). The result is a red rectangle.

## 14.21 A Note on SVG

We've devoted this chapter to the new HTML5 `canvas`. Most current browsers also support **SVG (Scalable Vector Graphics)**, which offers a different approach to developing 2D graphics. Although we do not present SVG, we'll compare it briefly to HTML5 `canvas` so you can determine which might be more appropriate for particular applications.

SVG has been around since the early 2000s and is a mature technology with well-established standards. `canvas` is part of the HTML5 initiative and is an emerging technology with evolving standards.

`canvas` graphics are bitmapped—they're made of pixels. *Vector graphics* are made of scalable geometric primitives such as line segments and arcs.

Drawing is convenient in each of these technologies, but the mechanisms are different. SVG is XML-based, so it uses a *declarative* approach—you say *what* you want and SVG builds it for you. HTML5 `canvas` is JavaScript-based, so it uses an *imperative* approach—you say *how* to build your graphics by programming in JavaScript.

Anything you draw on a `canvas` ultimately becomes nothing more than bits. With SVG, each separate part of your graphic becomes an *object* that can be manipulated through the DOM. So, for example, it's easy to attach event handlers to items in SVG graphics. This makes SVG graphics more appropriate for interactive applications.

`canvas` is a low-level capability that offers *higher performance* than SVG; this makes `canvas` more appropriate for applications with intense performance demands, such as game programming. The DOM manipulation in SVG can degrade performance, particularly for more complex graphics.

SVG graphics easily and accurately scale to larger or smaller drawing surfaces. `canvas` graphics can be scaled, but the results may not be as eye pleasing.

SVG is more appropriate for accessibility applications for people with disabilities. It's easier, for example, for people with low vision or vision impairments to work with the XML text in an SVG document than with the pixels in a `canvas`.

`canvas` is more appropriate for pixel-manipulation applications (such as color-to-black-and-white image conversion; Section 14.12) and game-playing applications (such as the **Cannon Game** in Section 14.19). SVG has better animation capabilities, so game developers often use a *mix* of both the `canvas` and SVG approaches.

SVG has better text-rendering capabilities. And the text is still an object after it's on the screen, so you can easily edit it and change its attributes. Text on a `canvas` is "lost" in the bits, so it's difficult to modify.

SVG is more convenient for cross-platform graphics, which is becoming especially important with the proliferation of "form factors," such as desktops, notebooks, smartphones, tablets and various special-purpose devices such as car navigation systems.

An additional problem for canvas-based applications is that some web users disable JavaScript in their browsers. You should consider mastering both technologies.

## 14.22 A Note on canvas 3D

At the time of this writing, 3D functionality was not yet supported in canvas, though various tools and plug-ins enable you to create 3D effects. It's widely expected that a future version of the HTML5 canvas specification will support 3D capabilities. Figure 14.38 lists several websites with fun and interesting 3D examples.

| URL   | Description   |
|---|---|
| <a href="http://www.kevs3d.co.uk/dev/html5logo/">http://www.kevs3d.co.uk/dev/html5logo/</a>   | Spinning 3D HTML5 logo.   |
| <a href="http://sebleedelisle.com/demos/GravityParticles/ParticlesForces3D2.html">http://sebleedelisle.com/demos/GravityParticles/ParticlesForces3D2.html</a>   | A basic 3D particle distribution system.                                |
| <a href="http://www.kevs3d.co.uk/dev/canvask3d/k3d_test.html">http://www.kevs3d.co.uk/dev/canvask3d/k3d_test.html</a>   | Includes several 3D shapes that rotate when clicked.                    |
| <a href="http://alteredqualia.com/canvasmol/#DNA">http://alteredqualia.com/canvasmol/#DNA</a>   | Spinning 3D molecules.  |
| <a href="http://deanmg.github.com/pre3d/monster.html">http://deanmg.github.com/pre3d/monster.html</a>   | A cube that morphs into other 3D shapes.                                |
| <a href="http://html5canvastutorials.com/demos/webgl/html5_canvas_webgl_3d_world/">http://html5canvastutorials.com/demos/webgl/html5_canvas_webgl_3d_world/</a>   | Click and drag the mouse to smoothly change perspective in a 3D room.   |
| <a href="http://onepixelahead.com/2010/09/24/10-awesome-html5-canvas-3d-examples/">http://onepixelahead.com/2010/09/24/10-awesome-html5-canvas-3d-examples/</a>   | Ten HTML5 canvas 3D examples including games and animations.            |
| <a href="http://sixrevisions.com/web-development/how-to-create-an-html5-3d-engine/">http://sixrevisions.com/web-development/how-to-create-an-html5-3d-engine/</a>   | The tutorial, "How to Create an HTML5 3D Engine."                       |
| <a href="http://sebleedelisle.com/2011/02/html5-canvas-3d-particles-uniform-distribution/">http://sebleedelisle.com/2011/02/html5-canvas-3d-particles-uniform-distribution/</a>   | The short tutorial, "HTML5 Canvas 3D Particles Uniform Distribution."   |
| <a href="http://www.script-tutorials.com/how-to-create-3d-canvas-object-in-html5/">http://www.script-tutorials.com/how-to-create-3d-canvas-object-in-html5/</a>   | The tutorial, "How to Create Animated 3D Canvas Objects in HTML5."      |
| <a href="http://blogs.msdn.com/b/davrous/archive/2011/05/27/how-to-add-the-3d-animated-html5-logo-into-your-webpages-thanks-to-1t-canvas-gt.aspx">http://blogs.msdn.com/b/davrous/archive/2011/05/27/how-to-add-the-3d-animated-html5-logo-into-your-webpages-thanks-to-1t-canvas-gt.aspx</a> | The tutorial, "How to Add the 3D Animated HTML5 Logo to Your Webpages." |
| <a href="http://www.bitstorm.it/blog/en/2011/05/3d-sphere-html5-canvas/">http://www.bitstorm.it/blog/en/2011/05/3d-sphere-html5-canvas/</a>   | The tutorial, "Draw Old School 3D Sphere with HTML5."                   |

**Fig. 14.38 |** HTML5 canvas 3D demos and tutorials.

## Summary

### Section 14.2 *canvas Coordinate System*

- The canvas coordinate system (p. 477) is a scheme for identifying every point on a canvas.
- By default, the upper-left corner of a canvas has the coordinates (0, 0).

- A coordinate pair has both an *x*-coordinate (the horizontal coordinate; p. 478) and a *y*-coordinate (the vertical coordinate; p. 478).
- The *x*-coordinate (p. 478) is the horizontal distance to the right from the left border of a canvas. The *y*-coordinate (p. 478) is the vertical distance downward from the top border of a canvas.
- The *x*-axis (p. 478) defines every horizontal coordinate, and the *y*-axis (p. 478) defines every vertical coordinate.
- You position text and shapes on a canvas by specifying their *x*- *y*-coordinates.
- Coordinate space units are measured in pixels (“picture elements”), which are the smallest units of resolution on a screen.

### Section 14.3 Rectangles

- A canvas is a rectangular area in which you can draw.
- The `canvas` element (p. 479) has two attributes—`width` and `height`. The default `width` is 300, and the default `height` is 150.
- The `fillStyle` (p. 479) specifies the color of the rectangle.
- To specify the coordinates of the rectangle, we use `fillRect` (p. 479) in the format `(x, y, w, h)`, where *x* and *y* are the coordinates for the top-left corner of the rectangle, *w* is the width of the rectangle and *h* is the height.
- The `strokeStyle` (p. 479) specifies the stroke color and `lineWidth` (p. 479) specifies the line width.
- The `strokeRect` method (p. 479) specifies the path of the stroke in the format `(x, y, w, h)`.
- If the `width` and `height` are 0, no stroke will appear. If either the `width` or the `height` is 0, the result will be a line, not a rectangle.

### Section 14.4 Using Paths to Draw Lines

- The `beginPath` method (p. 480) starts the path.
- The `moveTo` method (p. 480) sets the *x*- and *y*-coordinates of the path’s origin.
- From the point of origin, we use the `lineTo` method (p. 480) to specify the destinations for the path.
- The `lineWidth` attribute (p. 480) is used to change the thickness of the line. The default `lineWidth` is 1.0.
- The `lineJoin` attribute (p. 480) specifies the style of the corners where two lines meet. It has three possible values—`bevel`, `round`, and `miter`.
- The `bevel` `lineJoin` gives the path sloping corners.
- The `lineCap` attribute (p. 481) defines the style of the line ends. There are three possible values—`butt`, `round`, and `square`.
- A `butt` `lineCap` specifies that the line ends have edges perpendicular to the direction of the line and *no additional cap*.
- The `strokeStyle` attribute (p. 482) specifies the line color.
- The `stroke` method (p. 482) draws lines on a canvas. The default stroke color is `black`.
- The `round` `lineJoin` creates rounded corners. Then, the `round` `lineCap` adds a semicircular cap to the ends of the path. The diameter of the added cap is equal to the width of the line.
- The `closePath` method (p. 482) closes the path by drawing a line from the last specified destination back to the point of the path’s origin.
- The `miter` `lineJoin` bevels the lines at an angle where they meet. For example, the lines that meet at a 90-degree angle have edges bevelled at 45-degree angles where they meet.

- A `square` `lineCap` adds a rectangular cap to the line ends. The length of the cap is equal to the line width, and the width of the cap is equal to half of the line width. The edge of the square `lineCap` is perpendicular to the direction of the line.

### **Section 14.5 Drawing Arcs and Circles**

- Arcs are portions of the circumference of a circle. To draw an arc, you specify the arc's starting angle and ending angle (p. 482) measured in *radians*—the ratio of the arc's length to its radius.
- The `arc` method (p. 482) draws the circle using five arguments. The first two arguments represent the *x*- and *y*-coordinates of the center of the circle. The third argument is the radius of the circle. The fourth and fifth arguments are the arc's starting and ending angles in radians.
- The sixth argument is optional and specifies the direction in which the arc's path is drawn. By default, the sixth argument is `false`, indicating that the arc is drawn clockwise. If the argument is `true`, the arc is drawn counterclockwise (or anticlockwise).
- The constant `Math.PI` is the JavaScript representation of the mathematical constant  $\pi$ , the ratio of a circle's circumference to its diameter.  $2\pi$  radians represents a 360-degree arc,  $\pi$  radians is 180 degrees and  $\pi/2$  radians is 90 degrees.

### **Section 14.6 Shadows**

- The `shadowBlur` attribute (p. 484) specifies the blur and color or a shadow. By default, the blur is 0 (no blur). The higher the value, the more blurred the edges of the shadow will appear.
- A positive `shadowOffsetX` attribute (p. 484) moves the shadow to the right of the rectangle.
- A positive `shadowOffsetY` attribute (p. 484) moves the shadow down from the rectangle
- The `shadowColor` attribute (p. 484) specifies the color of the shadow.
- Using a negative `shadowOffsetX` moves the shadow to the left of the rectangle.
- Using a negative `shadowOffsetY` moves the shadow up from the rectangle.
- The default value for the `shadowOffsetX` and `shadowOffsetY` is 0 (no shadow).

### **Section 14.7 Quadratic Curves**

- Quadratic curves (p. 486) have a starting point, an ending point and a single point of inflection.
- The `quadraticCurveTo` method (p. 486) uses four arguments. The first two, `cpx` and `cpy`, are the coordinates of the control point—the point of the curve's inflection. The third and fourth arguments, `x` and `y`, are the coordinates of the ending point. The starting point is the last subpath destination, specified using the `moveTo` or `lineTo` methods.

### **Section 14.8 Bezier Curves**

- Bezier curves (p. 488) have a starting point, an ending point and two control points through which the curve passes. These can be used to draw curves with one or two points of inflection, depending on the coordinates of the four points.
- The `bezierCurveTo` method (p. 488) uses six arguments. The first two arguments, `cp1x` and `cp1y`, are the coordinates of the first control point. The third and fourth arguments, `cp2x` and `cp2y`, are the coordinates for the second control point. Finally, the fifth and sixth arguments, `x` and `y`, are the coordinates of the ending point. The starting point is the last subpath destination, specified using either the `moveTo` or `lineTo` method.

### **Section 14.9 Linear Gradients**

- The `createLinearGradient` method (p. 489) has four arguments that represent `x0`, `y0`, `x1`, `y1`, where the first two arguments are the *x*- and *y*-coordinates of the gradient's start and the last two are the *x*- and *y*-coordinates of the end.

- The start and end have the same *x*-coordinates but different *y*-coordinates, so the start of the gradient is a point at the top of the canvas directly above the point at the end of the gradient at the bottom. This creates a vertical linear gradient that starts at the top and changes as it moves to the bottom of the canvas.
- The `addColorStop` method (p. 491) adds color stops to the gradient. Note that each color stop has a positive value between 0 (the start of the gradient) and 1 (the end of the gradient). For each color stop, specify a color.
- The `fillStyle` method specifies a gradient, then the `fillRect` method draws the gradient on the canvas.
- To draw a horizontal gradient, use the `createLinearGradient` method where the start and end have different *x*-coordinates but the same *y*-coordinates.

### ***Section 14.10 Radial Gradients***

- A radial gradient is comprised of two circles—an inner circle where the gradient starts and an outer circle where the gradient ends.
- The `createRadialGradient` method (p. 491) has six arguments that represent *x0*, *y0*, *r0*, *x1*, *y1*, *r1*, where the first three arguments are the *x*- and *y*-coordinates and the radius of the gradient's start circle, and the last three arguments are the *x*- and *y*-coordinates and the radius of the end circle.
- Drawing concentric circles with the same *x*- and *y*-coordinates but different radii creates a radial gradient that starts in a common center and changes as it moves outward to the end circle.
- If the start and end circles are not concentric circles, the effect is altered.

### ***Section 14.11 Images***

- The `drawImage` method (p. 493) draws an image to a canvas using five arguments. The first argument can be an `image`, `canvas` or `video` element. The second and third arguments are the destination *x*- and destination *y*-coordinates—these indicate the position of the top-left corner of the image on the canvas. The fourth and fifth arguments are the destination width and destination height.

### ***Section 14.12 Image Manipulation: Processing the Individual Pixels of a canvas***

- You can obtain a canvas's pixels and manipulate their red, green, blue and alpha (RGBA) values.
- You can change the RGBA values with the input elements of type range defined in the body.
- The method `getImageData` (p. 498) obtains an object that contains the pixels to manipulate. The method receives a bounding rectangle representing the portion of the canvas to get.
- The returned object contains an array named `data` which stores every pixel in the selected rectangular area as four elements in the array. Each pixel's data is stored in the order red, green, blue, alpha. So, the first four elements in the array represent the RGBA values of the pixel in row 0 and column 0, the next four elements represent the pixel in row 0 and column 1, etc.

### ***Section 14.13 Patterns***

- The `createPattern` method (p. 499) takes two arguments. The first argument is the image for the pattern, which can be an `image` element, a `canvas` element or a `video` element. The second argument specifies how the image will be repeated to create the pattern and can be one of four values—`repeat` (repeats horizontally and vertically), `repeat-x` (repeats horizontally), `repeat-y` (repeats vertically) or `no-repeat`.
- Use the `fillStyle` attribute `pattern` and use the `fill` method to draw the pattern to the canvas.

### **Section 14.14 Transformations**

- You can change the transformation matrix (the coordinates) on the canvas using method `translate` (p. 500) so that the center of the canvas becomes the point of origin with the *x*, *y* values 0, 0.
- The `scale` method (p. 501) can stretch a circle to create an ellipse. The *x* value represents the horizontal scale factor, the *y* value the vertical scale factor.
- The `rotate` method (p. 502) allows you to create animated rotations on a canvas.
- To rotate an image around its center, change the transformation matrix on the canvas using the `translate` method. The `rotate` method takes one argument—the angle of the clockwise rotation, expressed in radians.
- The `setInterval` method (p. 503) of the `window` object takes two arguments. The first is the name of the function to call (`rotate`) and the second is the number of milliseconds between calls.
- The `clearRect` method (p. 503) clears the rectangle's pixels from the canvas, converting them back to transparent. This method takes four arguments—*x*, *y*, *width* and *height*.
- The `transform` method (p. 504) allows you to skew, scale, rotate and translate elements without using separate transformation methods.
- The `transform` method takes six arguments in the format  $(a, b, c, d, e, f)$  based on a transformation matrix. The first argument, *a*, is the *x*-scale—the factor by which to scale an element horizontally. The second argument, *b*, is the *y*-skew. The third argument, *c*, is the *x*-skew. The fourth argument, *d*, is the *y*-scale—the factor by which to scale an element vertically. The fifth argument, *e*, is the *x*-translation and the sixth argument, *f*, is the *y*-translation.

### **Section 14.15 Text**

- The `font` attribute (p. 506) specifies the style, size and font of the text.
- The `textBaseline` attribute (p. 507) specifies the alignment points of the text. There are six different attribute values—`top`, `hanging`, `middle`, `ideographic` and `bottom`.
- Method `fillText` (p. 507) draws the text to the canvas. This method takes three arguments. The first is the text being drawn to the canvas. The second and third arguments are the *x*- and *y*-coordinates. You may include the optional fourth argument, `maxWidth`, to limit the width of the text.
- The `textAlign` attribute (p. 507) specifies the horizontal alignment of the text relative to the *x*-coordinate of the text. There are five possible `textAlign` attribute values—`left`, `right`, `center`, `start` (the default value) and `end`.
- The `lineWidth` attribute specifies the thickness of the stroke used to draw the text.
- The `strokeStyle` specifies the color of the text.
- Using `strokeText` instead of `fillText` draws outlined text instead of filled text.

### **Section 14.16 Resizing the canvas to Fill the Browser Window**

- Use a CSS style sheet to set the position of the canvas to `absolute` and set both its `width` and `height` to 100%, rather than using fixed coordinates.
- Use JavaScript function `draw` to draw the canvas when the application is rendered.
- Use the `fillRect` method to draw the color to the canvas. The *x*- and *y*-coordinates are 0, 0—the top left of the canvas. The *x1* value is `context.canvas.width` and the *y1* value is `context.value.height`, so no matter the size of the window, the *x1* value will always be the width of the canvas and the *y1* value the height of the canvas.

### **Section 14.17 Alpha Transparency**

- The `globalAlpha` attribute (p. 509) value can be any number between 0 (fully transparent) and 1 (the default value, which is fully opaque).

### Section 14.18 Compositing

- Compositing (p. 511) allows you to control the layering of shapes and images on a canvas using two attributes—the `globalAlpha` attribute and the `globalCompositeOperation` attribute (p. 511).
- There are 11 `globalCompositeOperation` attribute values. The source is the image being drawn to the canvas. The destination is the current bitmap on the canvas.
- If you use `source-in`, the source image is displayed where the images overlap and both are opaque. Both images are transparent where there is no overlap.
- Using `source-out`, if the source image is opaque and the destination is transparent, the source image is displayed where the images overlap. Both images are transparent where there is no overlap.
- `source-over` (the default value) places the source image over the destination. The source image is displayed where it's opaque and the images overlap. The destination is displayed where there is no overlap.
- `destination-atop` places the destination on top of the source image. If both images are opaque, the destination is displayed where the images overlap. If the destination is transparent but the source image is opaque, the source image is displayed where the images overlap. The source image is transparent where there is no overlap.
- `destination-in` displays the destination image where the images overlap and both are opaque. Both images are transparent where there is no overlap.
- Using `destination-out`, if the destination image is opaque and the source image is transparent, the destination is displayed where the images overlap. Both images are transparent where there is no overlap.
- `destination-over` places the destination image over the source image. The destination image is displayed where it's opaque and the images overlap. The source image is displayed where there's no overlap.
- `lighter` displays the sum of the source-image color and destination-image color—up to the maximum RGB color value (255)—where the images overlap. Both images are normal elsewhere.
- Using `copy`, if the images overlap, only the source image is displayed (the destination is ignored).
- With `xor`, the images are transparent where they overlap and normal elsewhere.

### Section 14.19 Cannon Game

- The HTML5 audio element may contain multiple source elements for the audio file in several formats, so that you can support cross-browser playback of the sounds.
- You can create your own properties on JavaScript Objects simply by assigning a value to a property name.
- Collision detection determines whether the cannonball has collided with any of the canvas's edges, with the blocker or with a section of the target. Game-development frameworks generally provide more sophisticated, built-in collision-detection capabilities.

### Section 14.20 `save` and `restore` Methods

- The canvas's state (p. 528) includes its current style and transformations, which are maintained in a stack.
- The `save` method (p. 528) is used to save the context's current state.
- The `restore` method (p. 528) restores the context to its previous state.

### Section 14.21 A Note on SVG

- Vector graphics are made of scalable geometric primitives such as line segments and arcs.

- SVG (Scalable Vector Graphics, p. 498) is XML-based, so it uses a declarative approach—you say what you want and SVG builds it for you. HTML5 canvas is JavaScript-based, so it uses an imperative approach—you say how to build your graphics by programming in JavaScript.
- With SVG, each separate part of your graphic becomes an object that can be manipulated through the DOM.
- SVG is more convenient for cross-platform graphics, which is becoming especially important with the proliferation of “form factors,” such as desktops, notebooks, smartphones, tablets and various special-purpose devices such as car navigation systems.

## Self-Review Exercises

- 14.1** State whether each of the following is *true* or *false*. If *false*, explain why.
- The `strokeStyle` attribute specifies the line width.
  - The `bevel` `lineJoin` gives the path square corners.
  - `canvas`'s `roundedRect` method is used to build rounded rectangles.
  - The `fillRect` method is used to specify a color or gradient.
  - By default, the origin  $(0, 0)$  is located at the exact center of the monitor.
  - The `restore` method restores the context to its initial state.
  - The `canvas`'s state includes its current style and transformations, which are maintained in a stack.
- 14.2** Fill in the blanks in each of the following:
- The `canvas` element has two attributes\_\_\_\_\_ and \_\_\_\_\_.
  - When drawing a rectangle, the \_\_\_\_\_ method specifies the path of the stroke in the format  $(x, y, w, h)$ .
  - The `lineCap` attribute has the possible values \_\_\_\_\_, \_\_\_\_\_, and \_\_\_\_\_.
  - The \_\_\_\_\_ method draws a line from the last specified destination back to the point of the path's origin.
  - The \_\_\_\_\_ method specifies the three points in the Bezier curve.
  - The \_\_\_\_\_ attribute specifies the color of the shadow.
  - \_\_\_\_\_ are portions of the circumference of a circle and are measured in \_\_\_\_\_.
  - The \_\_\_\_\_ method is used to save the context's current state.

## Answers to Self-Review Exercises

**14.1** a) False. The `strokeStyle` attribute specifies the stroke color. b) False. The `bevel` `lineJoin` gives the path sloping corners. c) False. Unlike CSS3, there's no `roundedRect` method in `canvas`. d) False. The `fillStyle` method specifies a color gradient, then the `fillRect` method draws the color or gradient on the `canvas`. e) False. The origin  $(0, 0)$  corresponds to the upper-left corner of the `canvas` by default. f) False. The `restore` method restores the context to its previous state. g) True.

**14.2** a) `width`, `height`. b) `strokeRect`. c) `butt`, `round`, `square`. d) `closePath`. e) `bezierCurveTo`. f) `shadowColor`. g) Arcs, radians. h) `save`.

## Exercises

- 14.3** State whether each of the following is *true* or *false*. If *false*, explain why.
- The `moveTo` method sets the  $x$ - and  $y$ -coordinates of the path's destination.
  - A square `lineCap` specifies that the line ends have edges perpendicular to the direction of the line and no additional cap.
  - A vertical gradient has different  $x$ -coordinates but the same  $y$ -coordinates.
  - In the `canvas` coordinate system,  $x$  values increase from left to right.

e) Bezier curves have a starting point, an ending point and a single point of inflection.

**14.4** Fill in the blanks in each of the following:

- a) The \_\_\_\_\_ method starts the path.
- b) The `lineJoin` attribute has three possible values—\_\_\_\_\_, \_\_\_\_\_, and \_\_\_\_\_.
- c) The \_\_\_\_\_ attribute specifies the line color.
- d) The \_\_\_\_\_ `lineJoin` bevels the lines at an angle where they meet.
- e) Each color stop in a gradient has a value between \_\_\_\_\_ (the start of the gradient) and \_\_\_\_\_ (the end of the gradient).
- f) The \_\_\_\_\_ attribute specifies the horizontal alignment of text relative to the *x*-coordinate of the text.
- g) The constant \_\_\_\_\_ is the JavaScript representation of the mathematical constant  $\pi$ .

**14.5** (*Text Shadow*) Create a shadow on the phrase "HTML5 Canvas" with an `offset-x` of 4px, an `offset-y` of 10px, a blur radius of 3px and a `text-shadow` color red.

**14.6** (*Rounded Rectangle*) Generalize the example in Fig. 14.7 into a `roundedRect` function and call it thrice with different arguments to place three different rounded rectangles on the canvas.

**14.7** (*Diagonal Linear Gradient*) Create a canvas with a `width` and `height` of 250px. Create a diagonal linear gradient using the following colors —Red, Yellow, Green, Blue, Gray.

**14.8** (*Horizontal Linear Gradient*) Draw a non-rectangular shape using lines, then add a horizontal linear gradient to the shape with three color stops.

**14.9** (*Radial Gradient*) Create a canvas with a `width` and `height` of 250px. Create a radial gradient with three colors. Start the gradient in the bottom-left corner with the colors changing as they move to the right.

**14.10** (*Shadows*) Create two canvases. On the first, draw a rectangle. Add a shadow that's offset up and to the left of the rectangle and that has a `shadowBlur` of 30. On the second canvas, draw a triangle. Add a shadow that's offset down and to the right of the triangle and has a `shadowBlur` of 15.

**14.11** (*Concentric Circles*) Write a script that draws ten concentric circles. The circles should be separated from one another by 8 pixels. Vary the colors and thicknesses of each.

**14.12** (*Changing the Font*) Enable a user to dynamically change the font style and size as required.

**14.13** (*Live Canvas Coordinate System*) Draw the canvas coordinate system. As you move the mouse around, dynamically display its *x*- and *y*- coordinates at the extreme left corner.

**14.14** (*Moving Circle*) Crate a square canvas with a width and height of 500. Write a script that continuously moves a circle counterclockwise in a diamond pattern so that the circle touches the center of each edge of the canvas.

**14.15** (*Draw Street Signs*) Go to [http://mutcd.fhwa.dot.gov/ser-shs\\_millennium\\_eng.htm](http://mutcd.fhwa.dot.gov/ser-shs_millennium_eng.htm) and find three different street signs of your choosing. Draw each on a canvas.

**14.16** (*Printing in a Larger Font*) Write a script that enables a (visually impaired) user to dynamically scale the font size of text on a canvas to a comfortable size. Use a slider to control the font size.

**14.17** (*Painting*) Create a painting application that allows the you to create art by clicking and dragging the mouse across the canvas. Include options for changing the drawing color and line thickness. Provide red, green and blue sliders that allow you to select the RGB color. Include a color swatch below the three sliders so that as you move each slider, the color swatch shows you the cur-

rent drawing color. Provide a line-width dialog with a single slider that controls the thickness of the line that you'll draw. Also include options that allow you to turn the cursor into an eraser, to clear the screen and to save the current drawing. At any point, you should be able to clear the entire drawing from the canvas.

**14.18 (Fireworks Text Skywriter)** The website <http://js-fireworks.appspot.com/> is a fun HTML5 application that uses canvas. You can enter a message, which is then written in the sky over the London skyline using a fireworks effect. The author provides the open-source code. Modify the example to create your own skywriting effect over an image of your choosing.

**14.19 (Live canvas Coordinate System)** Draw the canvas coordinate system. As you move the mouse around, dynamically display its *x*- and *y*-coordinates.

**14.20 (Kaleidoscope)** Create an animated kaleidoscope effect.

**14.21 (Random Lines Art)** Write a script that draws 50 lines with random lengths, locations, widths, orientations, colors, and transparencies.

**14.22 (Creating Random 2D Art)** Create random art using at least two circles, rectangles and triangles.

**14.23 (Flashing Image)** Write a script that repeatedly flashes an image on the screen. Do this by alternating the image with a plain background-color image.

**14.24 (Cannon Game Enhancements)** In Section 14.19 we showed you how to write a Cannon Game using JavaScript and HTML5 canvas. Add the following enhancements and others of your choosing:

1. Add an “explosion animation” each time the cannonball hits one of the sections of the target. Match the animation with the “explosion sound” that plays when a piece of the target is hit.
2. Play a sound when the blocker hits the top or the bottom of the screen.
3. Play a sound when the target hits the top or the bottom of the screen.
4. Add a trail to the cannonball; erase it when the cannonball hits the target.
5. Modify the click events so that a single tap aims the cannon, and the second single tap fires it.
6. Add a scoring mechanism and keep track of the all-time best score.
7. Using CSS3 Media Queries, determine the size of the display area and scale the cannon game elements accordingly.

**14.25 (Randomly Erasing an Image)** Suppose an image is displayed in a canvas. One way to erase the image is simply to set every pixel to the same background color immediately, but the visual effect is dull. Write a JavaScript program that displays an image, then erases it by using random-number generation to select individual pixels to erase. After most of the image is erased, erase all the remaining pixels at once. You might try several variants of this problem. For example, you might display lines, circles or shapes randomly to erase regions of the screen.

**14.26 (Text Flasher)** Create a script that repeatedly flashes text on the screen. Do this by alternating the text with a plain background-color image. Allow the user to control the “blink speed” and the background color or pattern.

**14.27 (Digital Clock)** Implement a script that displays a digital clock on the screen. Include alarm-clock functionality.

**14.28 (Analog Clock)** Create a script that displays an analog clock with hour, minute and second hands that move appropriately as the time changes.

**14.29 (Calling Attention to an Image)** If you want to emphasize an image, you might place a row of simulated light bulbs around it. You can let the light bulbs flash in unison or fire on and off in sequence one after the other.

**14.30 (Animation)** Create a general-purpose JavaScript animation. It should allow the user to specify the sequence of frames to be displayed, the speed at which the images are displayed, audios and videos to be played while the animation is running and so on.

**14.31 (Random Interimage Transition)** In Fig. 5.14, we used CSS3 to “melt” one image into another. This provides a nice visual effect. If you’re displaying one image in a given area on the screen and you’d like to transition to another image in the same area, store the new screen image in an off-screen “buffer” and *randomly* copy pixels from it to the display area, overlaying the pixels already at those locations. When the vast majority of the pixels have been copied, copy the entire new image to the display area to be sure you’re displaying the complete new image. You might try several variants of this problem. For example, select all the pixels in a randomly chosen straight line or shape in the new image and overlay them above the corresponding positions of the old image.

**14.32 (Background Audio)** Add background audio to one of your favorite applications.

**14.33 (Scrolling Marquee Sign)** Create a script that scrolls dotted characters from right to left (or from left to right if that’s appropriate for your language) across a marquee-like display sign. As an option, display the text in a continuous loop, so that after the text disappears at one end, it reappears at the other.

**14.34 (Scrolling-Image Marquee)** Create a script that scrolls a series of images across a marquee screen.

**14.35 (Dynamic Audio and Graphical Kaleidoscope)** Write a kaleidoscope script that displays reflected graphics to simulate the popular children’s toy. Incorporate audio effects that “mirror” your script’s dynamically changing graphics.

**14.36 (Automatic Jigsaw Puzzle Generator)** Create a jigsaw puzzle generator and manipulator. The user specifies an image. Your script loads and displays the image, then breaks it into randomly selected shapes and shuffles them. The user then uses the mouse to move the pieces around to solve the puzzle. Add appropriate audio sounds as the pieces are moved around and snapped back into place. You might keep tabs on each piece and where it really belongs—then use audio effects to help the user get the pieces into the correct positions.

**14.37 (Maze Generator and Walker)** Develop a multimedia-based maze generator and traverser script. Let the user customize the maze by specifying the number of rows and columns and by indicating the level of difficulty. Have an animated mouse walk the maze. Use audio to dramatize the movement of your mouse character.

**14.38 (Maze Traversal Using Recursive Backtracking)** The grid of #s and dots(.) in Fig. 14.39 is a two-dimensional array representation of a maze. The #s represent the walls of the maze, and the dots represent locations in the possible paths through the maze. A move can be made only to a location in the array that contains a dot.

Write a *recursive* method (`mazeTraversal`) to walk through mazes like the one in Fig. 14.39. The method should receive as arguments a 12-by-12 character array representing the maze and the current location in the maze (the first time this method is called, the current location should be the entry point of the maze). As `mazeTraversal` attempts to locate the exit, it should place the character x in each square in the path. There’s a simple algorithm for walking through a maze that guarantees finding the exit (assuming there’s an exit—if there’s no exit, you’ll arrive at the starting location again). For details, visit: [http://en.wikipedia.org/wiki/Maze\\_solving\\_algorithm#Wall\\_follower](http://en.wikipedia.org/wiki/Maze_solving_algorithm#Wall_follower).

```

# # # # # # # # # #
# . . . # . . . . . #
. . # . # . # # # . #
# # # . # . . . . # . #
# . . . . # # # . # . .
# # # # . # . # . # .
# . . # . # . # . # .
# # . # . # . # . # .
# . . . . . . . . # . #
# # # # . # . # # . #
# . . . . . . # . . . #
# # # # # # # # # #

```

**Fig. 14.39** | Two-dimensional array representation of a maze.

**14.39 (Generating Mazes Randomly)** Write a method `mazeGenerator` that takes as an argument a two-dimensional 12-by-12 character array and randomly produces a maze. The method should also provide the starting and ending locations of the maze. Test your method `mazeTraversal` from Exercise 14.38, using several randomly generated mazes.

**14.40 (Mazes of Any Size)** Generalize methods `mazeTraversal` and `mazeGenerator` of Exercise 14.38 and Exercise 14.39 to process mazes of any width and height.

**14.41 (One-Armed Bandit)** Develop a multimedia simulation of a “one-armed bandit.” Have three spinning wheels. Place symbols and images of various fruits on each wheel. Use random-number generation to simulate the spinning of each wheel and the stopping of each wheel on a symbol.

**14.42 (Horse Race)** Create a simulation of a horse race. Have multiple contenders. Use audios for a race announcer. Play the appropriate audios to indicate the correct status of each contender throughout the race. Use audios to announce the final results. You might try to simulate the kinds of horse-racing games that are often played at carnivals. The players take turns at the mouse and have to perform some skill-oriented manipulation with it to advance their horses.

**14.43 (Shuffleboard)** Develop a multimedia-based simulation of the game of shuffleboard. Use appropriate audio and visual effects.

**14.44 (Game of Pool)** Create a multimedia-based simulation of the game of pool. Each player takes turns using the mouse to position a pool cue and hit it against the ball at the appropriate angle to try to make other balls fall into the pockets. Your script should keep score.

**14.45 (Fireworks Designer)** Create a script that enables the user to create a customized fireworks display. Create a variety of fireworks demonstrations. Then orchestrate the firing of the fireworks for maximum effect. You might synchronize your fireworks with audios or videos.

**14.46 (Floor Planner)** Develop a script that will help someone arrange furniture in a room.

**14.47 (Crossword Puzzle)** Crossword puzzles are among the most popular pastimes. Develop a multimedia-based crossword-puzzle script. Your script should enable the player to place and erase words easily. Tie your script to a large computerized dictionary. Your script also should be able to suggest completion of words on which letters have already been filled in. Provide other features that will make the crossword-puzzle enthusiast’s job easier.

**14.48 (15 Puzzle)** Write a multimedia-based script that enables the user to play the game of 15. The game is played on a 4-by-4 board having a total of 16 slots. One slot is empty; the others are occupied by 15 tiles numbered 1 through 15. The user can move any tile next to the currently empty slot into that slot by clicking on the tile. Your script should create the board with the tiles in random order. The goal is to arrange the tiles into sequential order, row by row.

**14.49 (Reaction Time/Reaction Precision Tester)** Create a script that moves a randomly created shape around the screen. The user moves the mouse to catch and click on the shape. The shape's speed and size can be varied. Keep statistics on how long the user typically takes to catch a shape of a given size and speed. The user will have more difficulty catching faster-moving, smaller shapes.

**14.50 (Rotating Images)** Create a script that lets you rotate an image through some number of degrees (out of a maximum of 360 degrees). The script should let you specify that you want to spin the image continuously. It should let you adjust the spin speed dynamically.

**14.51 (Coloring Black-and-White Photographs and Images)** Create a script that lets you paint a black-and-white photograph with color. Provide a color palette for selecting colors. Your script should let you apply different colors to different regions of the image.

**14.52 (Vacuuming Robot)** Start with a blank canvas that represents the floor of the room. Add obstacles such as a chair, couch, table legs, floor-standing vase, etc. Add your vacuum-cleaning robot. Start it moving in a random direction. It must avoid obstacles and must eventually vacuum the entire room. It has a known width and height. Keep track of which pixels have been "vacuumed." Keep track of the percentage of the canvas that has been vacuumed and how much time it has taken.

**14.53 (Eyesight Tester)** You've probably had your eyesight tested several times—to qualify for a driver's license, etc. In these exams, you're asked to cover one eye, then read out loud the letters from an eyesight chart called a Snellen chart. The letters are arranged in 11 rows and include only the letters C, D, E, F, L, N, O, P, T, Z. The first row has one letter in a very large font. As you move down the page, the number of letters in each row increases by one and the font size of the letters decreases, ending with a row of 11 letters in a very small font. Your ability to read the letters accurately measures your visual acuity. Create an eyesight testing chart similar to the Snellen chart used by medical professionals. To learn more about the Snellen chart and to see an example, visit [http://en.wikipedia.org/wiki/Snellen\\_chart](http://en.wikipedia.org/wiki/Snellen_chart).

*Like everything metaphysical,  
the harmony between thought  
and reality is to be found in the  
grammar of the language.*

—Ludwig Wittgenstein

*I played with an idea, and grew  
willful; tossed it into the air;  
transformed it; let it escape and  
recaptured it; made it iridescent  
with fancy, and winged it with  
paradox.*

—Oscar Wilde

## Objectives

In this chapter you'll:

- Mark up data using XML.
- Learn how XML namespaces help provide unique XML element and attribute names.
- Create DTDs and schemas for specifying and validating the structure of an XML document.
- Create and use simple XSL style sheets to render XML document data.
- Retrieve and manipulate XML data programmatically using JavaScript.



|             |                                  |               |  |
|-------------|----------------------------------|---------------|--|
| <b>15.1</b> | Introduction                     | <b>15.7</b>   | XML Vocabularies                                       |
| <b>15.2</b> | XML Basics                       | <b>15.7.1</b> | MathML™  |
| <b>15.3</b> | Structuring Data                 | <b>15.7.2</b> | Other Markup Languages                                 |
| <b>15.4</b> | XML Namespaces                   | <b>15.8</b>   | Extensible Stylesheet Language and XSL Transformations |
| <b>15.5</b> | Document Type Definitions (DTDs) | <b>15.9</b>   | Document Object Model (DOM)                            |
| <b>15.6</b> | W3C XML Schema Documents         | <b>15.10</b>  | Web Resources  |

[Summary](#) | [Self-Review Exercises](#) | [Answers to Self-Review Exercises](#) | [Exercises](#)

## 15.1 Introduction

The Extensible Markup Language (XML) was developed in 1996 by the World Wide Web Consortium's (W3C's) XML Working Group. XML is a widely supported open technology (i.e., nonproprietary technology) for describing data that has become the standard format for data exchanged between applications over the Internet.

Web applications use XML extensively, and web browsers provide many XML-related capabilities. Sections 15.2–15.7 introduce XML and XML-related technologies—XML namespaces for providing unique XML element and attribute names, and Document Type Definitions (DTDs) and XML Schemas for validating XML documents. These sections support the use of XML in many subsequent chapters. Sections 15.8–15.9 present additional XML technologies and key JavaScript capabilities for loading and manipulating XML documents programmatically—this material is optional but is recommended if you plan to use XML in your own applications.

## 15.2 XML Basics

XML permits document authors to create **markup** (i.e., a text-based notation for describing data) for virtually any type of information, enabling them to create entirely new markup languages for describing any type of data, such as mathematical formulas, software-configuration instructions, chemical molecular structures, music, news, recipes and financial reports. XML describes data in a way that human beings can understand and computers can process.

Figure 15.1 is a simple XML document that describes information for a baseball player. We focus on lines 5–9 to introduce basic XML syntax. You'll learn about the other elements of this document in Section 15.3.

---

```

1 <?xml version = "1.0"?>
2
3 <!-- Fig. 15.1: player.xml -->
4 <!-- Baseball player structured with XML -->
5 <player>
6   <firstName>John</firstName>
7   <lastName>Doe</lastName>
8   <batttingAverage>0.375</batttingAverage>
9 </player>
```

---

**Fig. 15.1** | XML that describes a baseball player's information.

### *XML Elements*

XML documents contain text that represents content (i.e., data), such as John (line 6 of Fig. 15.1), and **elements** that specify the document’s structure, such as `firstName` (line 6 of Fig. 15.1). XML documents delimit elements with **start tags** and **end tags**. A start tag consists of the element name in **angle brackets** (e.g., `<player>` and `<firstName>` in lines 5 and 6, respectively). An end tag consists of the element name preceded by a **forward slash** (/) in angle brackets (e.g., `</firstName>` and `</player>` in lines 6 and 9, respectively). An element’s start and end tags enclose text that represents a piece of data (e.g., the player’s `firstName`—John—in line 6, which is enclosed by the `<firstName>` start tag and `</firstName>` end tag). Every XML document must have exactly one **root element** that contains all the other elements. In Fig. 15.1, the root element is `player` (lines 5–9).

### *XML Vocabularies*

XML-based markup languages—called **XML vocabularies**—provide a means for describing particular types of data in standardized, structured ways. Some XML vocabularies include XHTML (Extensible HyperText Markup Language), MathML™ (for mathematics), VoiceXML™ (for speech), CML (Chemical Markup Language—for chemistry), XBRL (Extensible Business Reporting Language—for financial data exchange) and others that we discuss in Section 15.7.

Massive amounts of data are currently stored on the Internet in many formats (e.g., databases, web pages, text files). Much of this data, especially that which is passed between systems, will soon take the form of XML. Organizations see XML as the future of data encoding. Information-technology groups are planning ways to integrate XML into their systems. Industry groups are developing custom XML vocabularies for most major industries that will allow business applications to communicate in common languages. For example, many web services allow web-based applications to exchange data seamlessly through standard protocols based on XML.

The next generation of the web is being built on an XML foundation, enabling you to develop more sophisticated web-based applications. XML allows you to assign meaning to what would otherwise be random pieces of data. As a result, programs can “understand” the data they manipulate. For example, a web browser might view a street address in a simple web page as a string of characters without any real meaning. In an XML document, however, this data can be clearly identified (i.e., marked up) as an address. A program that uses the document can recognize this data as an address and provide links to a map of that location, driving directions from that location or other location-specific information. Likewise, an application can recognize names of people, dates, ISBN numbers and any other type of XML-encoded data. The application can then present users with other related information, providing a richer, more meaningful user experience.

### *Viewing and Modifying XML Documents*

XML documents are highly portable. Viewing or modifying an XML document—which is a text file that usually ends with the `.xml` filename extension—does not require special software, although many software tools exist, and new ones are frequently released that make it more convenient to develop XML-based applications. Any text editor that supports ASCII/Unicode characters can open XML documents for viewing and editing. Also, most web browsers can display XML documents in a formatted manner that shows the

XML's structure (as we show in Section 15.3). An important characteristic of XML is that it's both human and machine readable.

### *Processing XML Documents*

Processing an XML document requires software called an **XML parser** (or **XML processor**). A parser makes the document's data available to applications. While reading an XML document's contents, a parser checks that the document follows the syntax rules specified by the W3C's XML Recommendation ([www.w3.org/XML](http://www.w3.org/XML)). XML syntax requires a single root element, a start tag and end tag for each element, and properly nested tags (i.e., the end tag for a nested element must appear before the end tag of the enclosing element). Furthermore, XML is case sensitive, so the proper capitalization must be used in elements. A document that conforms to this syntax is a **well-formed XML document** and is syntactically correct. We present fundamental XML syntax in Section 15.3. If an XML parser can process an XML document successfully, that XML document is well-formed. Parsers can provide access to XML-encoded data in well-formed documents only. XML parsers are often built into browsers and other software.

### *Validating XML Documents*

An XML document can reference a **Document Type Definition (DTD)** or a **schema** that defines the document's proper structure. When an XML document references a DTD or a schema, some parsers (called **validating parsers**) can read it and check that the XML document follows the structure it defines. If the XML document conforms to the DTD/schema (i.e., has the appropriate structure), the document is **valid**. For example, if in Fig. 15.1 we were referencing a DTD that specified that a `player` element must have `firstName`, `lastName` and `battingAverage` elements, then omitting the `lastName` element (line 7 in Fig. 15.1) would invalidate the XML document `player.xml`. However, it would still be well-formed, because it follows proper XML syntax (i.e., it has one root element, each element has a start tag and an end tag, and the elements are nested properly). By definition, a valid XML document is well-formed. Parsers that cannot check for document conformance against DTDs/schemas are **non-validating parsers**—they determine only whether an XML document is well-formed, not whether it's valid.

We discuss validation, DTDs and schemas, as well as the key differences between these two types of structural specifications, in Sections 15.5–15.6. For now, note that schemas are XML documents themselves, whereas DTDs are not. As you'll learn in Section 15.6, this difference presents several advantages in using schemas over DTDs.



#### **Software Engineering Observation 15.1**

*DTDs and schemas are essential for business-to-business (B2B) transactions and mission-critical systems. Validating XML documents ensures that disparate systems can manipulate data structured in standardized ways and prevents errors caused by missing or malformed data.*

### *Formatting and Manipulating XML Documents*

Most XML documents contain only data, so applications that process XML documents must decide how to manipulate or display the data. For example, a PDA (personal digital assistant) may render an XML document differently than a wireless phone or a desktop

computer. You can use Extensible Stylesheet Language (XSL) to specify rendering instructions for different platforms. We discuss XSL in Section 15.8.

XML-processing programs can also search, sort and manipulate XML data using XSL. Some other XML-related technologies are XPath (XML Path Language—a language for accessing parts of an XML document), XSL-FO (XSL Formatting Objects—an XML vocabulary used to describe document formatting) and XSLT (XSL Transformations—a language for transforming XML documents into other documents). We present XSLT and XPath in Section 15.8.

## 15.3 Structuring Data

In this section and throughout this chapter, we create our own XML markup. XML allows you to describe data precisely in a well-structured format.

### *XML Markup for an Article*

In Fig. 15.2, we present an XML document that marks up a simple article using XML. The line numbers shown are for reference only and are not part of the XML document.

---

```

1  <?xml version = "1.0"?>
2
3  <!-- Fig. 15.2: article.xml -->
4  <!-- Article structured with XML -->
5  <article>
6      <title>Simple XML</title>
7      <date>July 4, 2007</date>
8      <author>
9          <firstName>John</firstName>
10         <lastName>Doe</lastName>
11     </author>
12     <summary>XML is pretty easy.</summary>
13     <content>This chapter presents examples that use XML.</content>
14 </article>
```

---

**Fig. 15.2** | XML used to mark up an article.

### *XML Declaration*

This document begins with an **XML declaration** (line 1), which identifies the document as an XML document. The **version** attribute specifies the XML version to which the document conforms. The current XML standard is version 1.0. Though the W3C released a version 1.1 specification in February 2004, this newer version is not yet widely supported. The W3C may continue to release new versions as XML evolves to meet the requirements of different fields.



#### Portability Tip 15.1

Documents should include the XML declaration to identify the version of XML used. A document that lacks an XML declaration might be assumed to conform to the latest version of XML—when it does not, errors could result.

### *Blank Space and Comments*

As in most markup languages, blank lines (line 2), white spaces and indentation help improve readability. Blank lines are normally ignored by XML parsers. XML comments (lines 3–4), which begin with `<!--` and end with `-->`, can be placed almost anywhere in an XML document and can span multiple lines. There must be one end marker (`-->`) for each begin marker (`<!--`).



#### **Common Programming Error 15.1**

*Placing any characters, including white space, before the XML declaration is an error.*



#### **Common Programming Error 15.2**

*In an XML document, each start tag must have a matching end tag; omitting either tag is an error. Soon, you'll learn how such errors are detected.*



#### **Common Programming Error 15.3**

*XML is case sensitive. Using different cases for the start-tag and end-tag names for the same element is a syntax error.*

### *Root Node and XML Prolog*

In Fig. 15.2, `article` (lines 5–14) is the root element. The lines that precede the root element (lines 1–4) are the XML **prolog**. In an XML prolog, the XML declaration must appear before the comments and any other markup.

### *XML Element Names*

The elements we use in the example do not come from any specific markup language. Instead, we chose the element names and markup structure that best describe our particular data. You can invent elements to mark up your data. For example, element `title` (line 6) contains text that describes the article's title (e.g., Simple XML). Similarly, `date` (line 7), `author` (lines 8–11), `firstName` (line 9), `lastName` (line 10), `summary` (line 12) and `content` (line 13) contain text that describes the date, author, the author's first name, the author's last name, a summary and the content of the document, respectively. XML element names can be of any length and may contain letters, digits, underscores, hyphens and periods. However, they must begin with either a letter or an underscore, and they should not begin with “`xm1`” in any combination of uppercase and lowercase letters (e.g., `XML`, `Xm1`, `xM1`), as this is reserved for use in the XML standards.



#### **Common Programming Error 15.4**

*Using a white-space character in an XML element name is an error.*



#### **Good Programming Practice 15.1**

*XML element names should be meaningful to humans and should not use abbreviations.*

### *Nesting XML Elements*

XML elements are **nested** to form hierarchies—with the root element at the top of the hierarchy. This allows document authors to create parent/child relationships between data

items. For example, elements `title`, `date`, `author`, `summary` and `content` are children of `article`. Elements `firstName` and `lastName` are children of `author`. We discuss the hierarchy of Fig. 15.2 later in this chapter (Fig. 15.23).



### Common Programming Error 15.5

*Nesting XML tags improperly is a syntax error. For example, <x><y>he11o</x></y> is an error, because the </y> tag must precede the </x> tag.*

Any element that contains other elements (e.g., `article` or `author`) is a **container element**. Container elements also are called **parent elements**. Elements nested inside a container element are **child elements** (or **children**) of that container element. If those child elements are at the same nesting level, they're **siblings** of one another.

#### *Viewing an XML Document in a Web Browser*

The XML document in Fig. 15.2 is simply a text file named `article.xml`. It does not contain formatting information for the article. This is because XML is a technology for describing the structure of data. The formatting and displaying of data from an XML document are application-specific issues. For example, when the user loads `article.xml` in a web browser, the browser parses and displays the document's data. Each browser has a built-in **style sheet** to format the data. The resulting format of the data (Fig. 15.3) is similar to the format of the listing in Fig. 15.2. In Section 15.8, we show how you can create your own style sheets to transform XML data into formats suitable for display.

The down arrow (▼) and right arrow (►) in the screen shots of Fig. 15.3 are not part of the XML document. Google Chrome places them next to every container element. A down arrow indicates that the browser is displaying the container element's child elements. Clicking the down arrow next to an element collapses that element (i.e., causes the browser to hide the container element's children and replace the down arrow with a right arrow). Conversely, clicking the right arrow next to an element expands that element (i.e.,


a) `article.xml` with all elements expanded

```

<!-- Fig. 15.2: article.xml -->
<!-- Article structured with XML -->
<article>
  <title>Simple XML</title>
  <date>July 4, 2007</date>
  <author>
    <firstName>John</firstName>
    <lastName>Doe</lastName>
  </author>
  <summary>XML is pretty easy.</summary>
  <content>This chapter presents examples that use XML.</content>
</article>

```

**Fig. 15.3** | `article.xml` displayed in the Google Chrome browser. (Part 1 of 2.)



**Fig. 15.3** | article.xml displayed in the Google Chrome browser. (Part 2 of 2.)

causes the browser to display the container element's children and replace the right arrow with a down arrow). This behavior is similar to viewing the directory structure in a file-manager window (like Windows Explorer on Windows or Finder on Mac OS X) or another similar directory viewer. In fact, a directory structure often is modeled as a series of tree structures, in which the **root** of a tree represents a disk drive (e.g., C:), and **nodes** in the tree represent directories. Parsers often store XML data as tree structures to facilitate efficient manipulation, as discussed in Section 15.9. [Note: Some browsers display minus and plus signs, rather than down and right arrows.]

### *XML Markup for a Business Letter*

Now that you've seen a simple XML document, let's examine a more complex one that marks up a business letter (Fig. 15.4). Again, we begin the document with the XML declaration (line 1) that states the XML version to which the document conforms.

---

```

1  <?xml version = "1.0"?>
2
3  <!-- Fig. 15.4: letter.xml -->
4  <!-- Business letter marked up with XML -->
5  <!DOCTYPE letter SYSTEM "letter.dtd">
6
7  <letter>
8    <contact type = "sender">
9      <name>Jane Doe</name>
10     <address1>Box 12345</address1>
11     <address2>15 Any Ave.</address2>
12     <city>Othertown</city>
13     <state>Otherstate</state>
14     <zip>67890</zip>
15     <phone>555-4321</phone>
16     <flag gender = "F" />
17   </contact>

```

---

**Fig. 15.4** | Business letter marked up with XML. (Part 1 of 2.)

---

```

18      <contact type = "receiver">
19          <name>John Doe</name>
20          <address1>123 Main St.</address1>
21          <address2></address2>
22          <city>Anytown</city>
23          <state>Anystate</state>
24          <zip>12345</zip>
25          <phone>555-1234</phone>
26          <flag gender = "M" />
27      </contact>
28
29      <salutation>Dear Sir:</salutation>
30
31      <paragraph>It is our privilege to inform you about our new database
32          managed with XML. This new system allows you to reduce the
33          load on your inventory list server by having the client machine
34          perform the work of sorting and filtering the data.
35      </paragraph>
36
37      <paragraph>Please visit our website for availability and pricing.
38      </paragraph>
39
40      <closing>Sincerely,</closing>
41      <signature>Ms. Jane Doe</signature>
42
43  </letter>

```

---

**Fig. 15.4** | Business letter marked up with XML. (Part 2 of 2.)

Line 5 specifies that this XML document references a DTD. Recall from Section 15.2 that DTDs define the structure of the data for an XML document. For example, a DTD specifies the elements and parent/child relationships between elements permitted in an XML document.



### Error-Prevention Tip 15.1

*An XML document is not required to reference a DTD, but validating XML parsers can use a DTD to ensure that the document has the proper structure.*



### Portability Tip 15.2

*Validating an XML document helps guarantee that independent developers will exchange data in a standardized form that conforms to the DTD.*

### **DOCTYPE**

The DOCTYPE reference (line 5) contains three items: the name of the root element that the DTD specifies (letter); the keyword **SYSTEM** (which denotes an **external** DTD—a DTD declared in a separate file, as opposed to a DTD declared locally in the same file); and the DTD's name and location (i.e., **letter.dtd** in the current directory; this could also be a fully qualified URL). DTD document filenames typically end with the **.dtd** extension. We discuss DTDs and **letter.dtd** in detail in Section 15.5.

### *Validating an XML Document Against a DTD*

Many online tools can validate your XML documents against DTDs (Section 15.5) or schemas (Section 15.6). The validator at

<http://www.xmlvalidation.com/>

can validate XML documents against either DTDs or schemas. To use it, you can either paste your XML document's code into a text area on the page or upload the file. If the XML document references a DTD, the site asks you to paste in the DTD or upload the DTD file. You can also select a checkbox for validating against a schema instead. You can then click a button to validate your XML document.

### *The XML Document's Contents*

Root element `letter` (lines 7–43 of Fig. 15.4) contains the child elements `contact`, `contact`, `salutation`, `paragraph`, `paragraph`, `closing` and `signature`. Data can be placed between an element's tags or as **attributes**—name/value pairs that appear within the angle brackets of an element's start tag. Elements can have any number of attributes (separated by spaces) in their start tags. The first `contact` element (lines 8–17) has an attribute named `type` with attribute value "sender", which indicates that this `contact` element identifies the letter's sender. The second `contact` element (lines 19–28) has attribute `type` with value "receiver", which indicates that this `contact` element identifies the recipient of the letter. Like element names, attribute names are case sensitive, can be any length, may contain letters, digits, underscores, hyphens and periods, and must begin with either a letter or an underscore character. A `contact` element stores various items of information about a contact, such as the contact's name (represented by element `name`), address (represented by elements `address1`, `address2`, `city`, `state` and `zip`), phone number (represented by element `phone`) and gender (represented by attribute `gender` of element `flag`). Element `salutation` (line 30) marks up the letter's salutation. Lines 32–39 mark up the letter's body using two `paragraph` elements. Elements `closing` (line 41) and `signature` (line 42) mark up the closing sentence and the author's "signature," respectively.



#### **Common Programming Error 15.6**

*Failure to enclose attribute values in double ("") or single (' ') quotes is a syntax error.*

Line 16 introduces the `empty` element `flag`. An empty element is one that does not have any content. Instead, it sometimes places data in attributes. Empty element `flag` has one attribute that indicates the gender of the contact (represented by the parent `contact` element). Document authors can close an empty element either by placing a slash immediately preceding the right angle bracket, as shown in line 16, or by explicitly writing an end tag, as in line 22:

`<address2></address2>`

The `address2` element in line 22 is empty because there's no second part to this contact's address. However, we must include this element to conform to the structural rules specified in the XML document's DTD—`letter.dtd` (which we present in Section 15.5). This DTD specifies that each `contact` element must have an `address2` child element (even if it's empty). In Section 15.5, you'll learn how DTDs indicate required and optional elements.

## 15.4 XML Namespaces

XML allows document authors to create custom elements. This extensibility can result in **naming collisions** among elements in an XML document that have the same name. For example, we may use the element `book` to mark up data about a Deitel publication. A stamp collector may use the element `book` to mark up data about a book of stamps. Using both of these elements in the same document could create a naming collision, making it difficult to determine which kind of data each element contains.

An XML **namespace** is a collection of element and attribute names. XML namespaces provide a means for document authors to unambiguously refer to elements with the same name (i.e., prevent collisions). For example,

```
<subject>Geometry</subject>
```

and

```
<subject>Cardiology</subject>
```

use element `subject` to mark up data. In the first case, the subject is something one studies in school, whereas in the second case, the subject is a field of medicine. Namespaces can differentiate these two `subject` elements—for example:

```
<highschool:subject>Geometry</highschool:subject>
```

and

```
<medicalschool:subject>Cardiology</medicalschool:subject>
```

Both `highschool` and `medicalschool` are **namespace prefixes**. A document author places a namespace prefix and colon (:) before an element name to specify the namespace to which that element belongs. Document authors can create their own namespace prefixes using virtually any name except the reserved namespace prefix `xml`. In the subsections that follow, we demonstrate how document authors ensure that namespaces are unique.



### Common Programming Error 15.7

Attempting to create a namespace prefix named `xml` in any mixture of uppercase and lowercase letters is a syntax error—the `xml` namespace prefix is reserved for internal use by XML itself.

#### Differentiating Elements with Namespaces

Figure 15.5 demonstrates namespaces. In this document, namespaces differentiate two distinct elements—the `file` element related to a text file and the `file` document related to an image file.

---

```

1 <?xml version = "1.0"?>
2
3 <!-- Fig. 15.5: namespace.xml -->
4 <!-- Demonstrating namespaces -->
5 <text:directory
6   xmlns:text = "urn:deitel:textInfo"
7   xmlns:image = "urn:deitel:imageInfo">
```

---

**Fig. 15.5** | XML namespaces demonstration. (Part 1 of 2.)

---

```

8      <text:file filename = "book.xml">
9          <text:description>A book list</text:description>
10     </text:file>
11
12
13     <image:file filename = "funny.jpg">
14         <image:description>A funny picture</image:description>
15         <image:size width = "200" height = "100" />
16     </image:file>
17 </text:directory>

```

---

**Fig. 15.5** | XML namespaces demonstration. (Part 2 of 2.)

### *The `xmlns` Attribute*

Lines 6–7 use the XML-namespace reserved attribute `xmlns` to create two namespace prefixes—`text` and `image`. Each namespace prefix is bound to a series of characters called a **Uniform Resource Identifier (URI)** that uniquely identifies the namespace. Document authors create their own namespace prefixes and URIs. A URI is a way to identifying a resource, typically on the Internet. Two popular types of URI are **Uniform Resource Name (URN)** and **Uniform Resource Locator (URL)**.

### *Unique URIs*

To ensure that namespaces are unique, document authors must provide unique URIs. In this example, we use `urn:deitel:textInfo` and `urn:deitel:imageInfo` as URIs. These URIs employ the URN scheme that is often used to identify namespaces. Under this naming scheme, a URI begins with "`urn:`", followed by a unique series of additional names separated by colons.

Another common practice is to use URLs, which specify the location of a file or a resource on the Internet. For example, `www.deitel.com` is the URL that identifies the home page of the Deitel & Associates website. Using URLs guarantees that the namespaces are unique because the domain names (e.g., `www.deitel.com`) are guaranteed to be unique. For example, lines 5–7 could be rewritten as

```

<text:directory
    xmlns:text = "http://www.deitel.com/xmlns-text"
    xmlns:image = "http://www.deitel.com/xmlns-image">

```

where URLs related to the `deitel.com` domain name serve as URIs to identify the `text` and `image` namespaces. The parser does not visit these URLs, nor do these URLs need to refer to actual web pages. They each simply represent a unique series of characters used to differentiate URI names. In fact, any string can represent a namespace. For example, our `image` namespace URI could be `hgjfkdlsa4556`, in which case our prefix assignment would be

```

    xmlns:image = "hgjfkdlsa4556"

```

### *Namespace Prefix*

Lines 9–11 use the `text` namespace prefix for elements `file` and `description`. The end tags must also specify the namespace prefix `text`. Lines 13–16 apply namespace prefix `image` to the elements `file`, `description` and `size`. Attributes do not require namespace prefixes (although they can have them), because each attribute is already part of an element

that specifies the namespace prefix. For example, attribute `filename` (line 9) is implicitly part of namespace `text` because its element (i.e., `file`) specifies the `text` namespace prefix.

### *Specifying a Default Namespace*

To eliminate the need to place namespace prefixes in each element, document authors may specify a **default namespace** for an element and its children. Figure 15.6 demonstrates using a default namespace (`urn:deitel:textInfo`) for element `directory`.

---

```

1 <?xml version = "1.0"?>
2
3 <!-- Fig. 15.6: defaultnamespace.xml -->
4 <!-- Using default namespaces -->
5 <directory xmlns = "urn:deitel:textInfo"
6   xmlns:image = "urn:deitel:imageInfo">
7
8   <file filename = "book.xml">
9     <description>A book list</description>
10    </file>
11
12   <image:image filename = "funny.jpg">
13     <image:description>A funny picture</image:description>
14     <image:size width = "200" height = "100" />
15   </image:image>
16 </directory>
```

---

**Fig. 15.6** | Default namespace demonstration.

Line 5 defines a default namespace using attribute `xmlns` with no prefix specified but with a URI as its value. Once we define this, child elements belonging to the namespace need not be qualified by a namespace prefix. Thus, element `file` (lines 8–10) is in the default namespace `urn:deitel:textInfo`. Compare this to lines 9–10 of Fig. 15.5, where we had to prefix the `file` and `description` element names with the namespace prefix `text`.

The default namespace applies to the `directory` element and all elements that are not qualified with a namespace prefix. However, we can use a namespace prefix to specify a different namespace for a particular element. For example, the `file` element in lines 12–15 of Fig. 15.16 includes the `image` namespace prefix, indicating that this element is in the `urn:deitel:imageInfo` namespace, not the default namespace.

### *Namespaces in XML Vocabularies*

XML-based languages, such as XML Schema (Section 15.6) and Extensible Stylesheet Language (XSL) (Section 15.8), often use namespaces to identify their elements. Each vocabulary defines special-purpose elements that are grouped in namespaces. These namespaces help prevent naming collisions between predefined elements and user-defined elements.

## 15.5 Document Type Definitions (DTDs)

Document Type Definitions (DTDs) are one of two main types of documents you can use to specify XML document structure. Section 15.6 presents W3C XML Schema documents, which provide an improved method of specifying XML document structure.



### Software Engineering Observation 15.2

*XML documents can have many different structures, and for this reason an application cannot be certain whether a particular document it receives is complete, ordered properly, and not missing data. DTDs and schemas (Section 15.6) solve this problem by providing an extensible way to describe XML document structure. Applications should use DTDs or schemas to confirm whether XML documents are valid.*



### Software Engineering Observation 15.3

*Many organizations and individuals are creating DTDs and schemas for a broad range of applications. These collections—called repositories—are available free for download from the web (e.g., [www.xml.org](http://www.xml.org), [www.oasis-open.org](http://www.oasis-open.org)).*

#### *Creating a Document Type Definition*

Figure 15.4 presented a simple business letter marked up with XML. Recall that line 5 of `letter.xml` references a DTD—`letter.dtd` (Fig. 15.7). This DTD specifies the business letter’s element types and attributes and their relationships to one another.

---

```

1  <!-- Fig. 15.7: letter.dtd      -->
2  <!-- DTD document for letter.xml -->
3
4  <!ELEMENT letter ( contact+, salutation, paragraph+,
5      closing, signature )>
6
7  <!ELEMENT contact ( name, address1, address2, city, state,
8      zip, phone, flag )>
9  <!ATTLIST contact type CDATA #IMPLIED>
10
11 <!ELEMENT name ( #PCDATA )>
12 <!ELEMENT address1 ( #PCDATA )>
13 <!ELEMENT address2 ( #PCDATA )>
14 <!ELEMENT city ( #PCDATA )>
15 <!ELEMENT state ( #PCDATA )>
16 <!ELEMENT zip ( #PCDATA )>
17 <!ELEMENT phone ( #PCDATA )>
18 <!ELEMENT flag EMPTY>
19 <!ATTLIST flag gender (M | F) "M">
20
21 <!ELEMENT salutation ( #PCDATA )>
22 <!ELEMENT closing ( #PCDATA )>
23 <!ELEMENT paragraph ( #PCDATA )>
24 <!ELEMENT signature ( #PCDATA )>
```

---

**Fig. 15.7** | Document Type Definition (DTD) for a business letter.

A DTD describes the structure of an XML document and enables an XML parser to verify whether an XML document is valid (i.e., whether its elements contain the proper attributes and appear in the proper sequence). DTDs allow users to check document structure and to exchange data in a standardized format. A DTD expresses the set of rules for document structure using an EBNF (Extended Backus-Naur Form) grammar. DTDs are not themselves XML documents. [Note: EBNF grammars are commonly used to define

programming languages. To learn more about EBNF grammars, visit [en.wikipedia.org/wiki/EBNF](https://en.wikipedia.org/wiki/EBNF) or [www.garshol.priv.no/download/text/bnf.html](http://www.garshol.priv.no/download/text/bnf.html).]



### Common Programming Error 15.8

*For documents validated with DTDs, any document that uses elements, attributes or nesting relationships not explicitly defined by a DTD is an invalid document.*

#### *Defining Elements in a DTD*

The **ELEMENT** element type declaration in lines 4–5 defines the rules for element **letter**. In this case, **letter** contains one or more **contact** elements, one **salutation** element, one or more **paragraph** elements, one **closing** element and one **signature** element, in that sequence. The **plus sign (+)** occurrence indicator specifies that the DTD requires one or more occurrences of an element. Other occurrence indicators include the asterisk (\*), which indicates an optional element that can occur zero or more times, and the question mark (?), which indicates an optional element that can occur at most once (i.e., zero or one occurrence). If an element does not have an occurrence indicator, the DTD requires exactly one occurrence.

The **contact** element type declaration (lines 7–8) specifies that a **contact** element contains child elements **name**, **address1**, **address2**, **city**, **state**, **zip**, **phone** and **flag**—in that order. The DTD requires exactly one occurrence of each of these elements.

#### *Defining Attributes in a DTD*

Line 9 uses the **ATTLIST** attribute-list declaration to define an attribute named **type** for the **contact** element. Keyword **#IMPLIED** specifies that if the parser finds a **contact** element without a **type** attribute, the parser can choose an arbitrary value for the attribute or can ignore the attribute. Either way the document will still be valid (if the rest of the document is valid)—a missing **type** attribute will not invalidate the document. Other keywords that can be used in place of **#IMPLIED** in an **ATTLIST** declaration include **#REQUIRED** and **#FIXED**. Keyword **#REQUIRED** specifies that the attribute must be present in the element, and keyword **#FIXED** specifies that the attribute (if present) must have the given fixed value. For example,

```
<!ATTLIST address zip CDATA #FIXED "01757">
```

indicates that attribute **zip** (if present in element **address**) must have the value 01757 for the document to be valid. If the attribute is not present, then the parser, by default, uses the fixed value that the **ATTLIST** declaration specifies.

#### *Character Data vs. Parsed Character Data*

Keyword **CDATA** (line 9) specifies that attribute **type** contains **character data** (i.e., a string). A parser will pass such data to an application without modification.



### Software Engineering Observation 15.4

*DTD syntax cannot describe an element's or attribute's data type. For example, a DTD cannot specify that a particular element or attribute can contain only integer data.*

Keyword **#PCDATA** (line 11) specifies that an element (e.g., **name**) may contain **parsed character data** (i.e., data that's processed by an XML parser). Elements with parsed char-

acter data cannot contain markup characters, such as less than (<), greater than (>) or ampersand (&). The document author should replace any markup character in a #PCDATA element with the character's corresponding **character entity reference**. For example, the character entity reference &lt; should be used in place of the less-than symbol (<), and the character entity reference &gt; should be used in place of the greater-than symbol (>). A document author who wishes to use a literal ampersand should use the entity reference &amp; instead—parsed character data can contain ampersands (&) only for inserting entities. See Appendix A, HTML Special Characters, for a list of other character entity references.



### Common Programming Error 15.9

*Using markup characters (e.g., <, > and &) in parsed character data is an error. Use character entity references (e.g., &lt;; &gt;; and &amp;;) instead.*

#### *Defining Empty Elements in a DTD*

Line 18 defines an empty element named `f1ag`. Keyword **EMPTY** specifies that the element does not contain any data between its start and end tags. Empty elements commonly describe data via attributes. For example, `f1ag`'s data appears in its `gender` attribute (line 19). Line 19 specifies that the `gender` attribute's value must be one of the enumerated values (`M` or `F`) enclosed in parentheses and delimited by a vertical bar (|) meaning “or.” Note that line 19 also indicates that `gender` has a default value of `M`.


#### *Well-Formed Documents vs. Valid Documents*

In Section 15.3, we demonstrated how to use the Microsoft XML Validator to validate an XML document against its specified DTD. The validation revealed that the XML document `letter.xml` (Fig. 15.4) is well-formed and valid—it conforms to `letter.dtd` (Fig. 15.7). Recall that a well-formed document is syntactically correct (i.e., each start tag has a corresponding end tag, the document contains only one root element, etc.), and a valid document contains the proper elements with the proper attributes in the proper sequence. An XML document cannot be valid unless it's well-formed.

When a document fails to conform to a DTD or a schema, an XML validator displays an error message. For example, the DTD in Fig. 15.7 indicates that a `contact` element must contain the `child` element name. A document that omits this child element is still well-formed but is not valid. Figure 15.8 shows the error message displayed by the validator at [www.xmlvalidation.com](http://www.xmlvalidation.com) for a version of the `letter.xml` file that's missing the first `contact` element's `name` element.

## 15.6 W3C XML Schema Documents

In this section, we introduce schemas for specifying XML document structure and validating XML documents. Many developers in the XML community believe that DTDs are not flexible enough to meet today's programming needs. For example, DTDs lack a way of indicating what specific type of data (e.g., numeric, text) an element can contain, and DTDs are not themselves XML documents, forcing developers to learn multiple grammars and developers to create multiple types of parsers. These and other limitations have led to the development of schemas.



**Fig. 15.8** | Error message when validating `letter.xml` with a missing contact name.

Unlike DTDs, schemas do not use EBNF grammar. Instead, they use XML syntax and are actually XML documents that programs can manipulate. Like DTDs, schemas are used by validating parsers to validate documents.

In this section, we focus on the W3C's **XML Schema** vocabulary (note the capital "S" in "Schema"). To refer to it, we use the term **XML Schema** in the rest of the chapter. For the latest information on XML Schema, visit [www.w3.org/XML/Schema](http://www.w3.org/XML/Schema). For tutorials on XML Schema concepts beyond what we present here, visit [www.w3schools.com/schema/default.asp](http://www.w3schools.com/schema/default.asp).

Recall that a DTD describes an XML document's structure, not the content of its elements. For example,

```
<quantity>5</quantity>
```

contains character data. If the document that contains element `quantity` references a DTD, an XML parser can validate the document to confirm that this element indeed does contain PCDATA content. However, the parser cannot validate that the content is numeric; DTDs do not provide this capability. So, unfortunately, the parser also considers

```
<quantity>hello</quantity>
```

to be valid. An application that uses the XML document containing this markup should test that the data in element `quantity` is numeric and take appropriate action if it's not.

XML Schema enables schema authors to specify that element `quantity`'s data must be numeric or, even more specifically, an integer. A parser validating the XML document

against this schema can determine that `5` conforms and `hello` does not. An XML document that conforms to a schema document is **schema valid**, and one that does not conform is **schema invalid**. Schemas are XML documents and therefore must themselves be valid.

### *Validating Against an XML Schema Document*

Figure 15.9 shows a schema-valid XML document named `book.xml`, and Fig. 15.10 shows the pertinent XML Schema document (`book.xsd`) that defines the structure for `book.xml`. By convention, schemas use the `.xsd` extension. We used an online XSD schema validator provided at

[www.xmlforasp.net/SchemaValidator.aspx](http://www.xmlforasp.net/SchemaValidator.aspx)

to ensure that the XML document in Fig. 15.9 conforms to the schema in Fig. 15.10. To validate the schema document itself (i.e., `book.xsd`) and produce the output shown in Fig. 15.10, we used an online XSV (XML Schema Validator) provided by the W3C at

[www.w3.org/2001/03/webdata/xsv](http://www.w3.org/2001/03/webdata/xsv)

These tools are free and enforce the W3C's specifications regarding XML Schemas and schema validation.

```

1 <?xml version = "1.0"?>
2
3 <!-- Fig. 15.9: book.xml -->
4 <!-- Book list marked up as XML -->
5 <deitel:books xmlns:deitel = "http://www.deitel.com/booklist">
6   <book>
7     <title>Visual Basic 2010 How to Program</title>
8   </book>
9   <book>
10    <title>Visual C# 2010 How to Program, 4/e</title>
11   </book>
12   <book>
13    <title>Java How to Program, 9/e</title>
14   </book>
15   <book>
16    <title>C++ How to Program, 8/e</title>
17   </book>
18   <book>
19    <title>Internet and World Wide Web How to Program, 5/e</title>
20   </book>
21 </deitel:books>
```

**Fig. 15.9** | Schema-valid XML document describing a list of books.

```

1 <?xml version = "1.0"?>
2
3 <!-- Fig. 15.10: book.xsd -->
4 <!-- Simple W3C XML Schema document -->
```

**Fig. 15.10** | XML Schema document for `book.xml`. (Part I of 2.)

```

5 <schema xmlns = "http://www.w3.org/2001/XMLSchema"
6   xmlns:deitel = "http://www.deitel.com/booklist"
7   targetNamespace = "http://www.deitel.com/booklist">
8
9   <element name = "books" type = "deitel:BooksType"/>
10
11  <complexType name = "BooksType">
12    <sequence>
13      <element name = "book" type = "deitel:SingleBookType"
14        minOccurs = "1" maxOccurs = "unbounded"/>
15    </sequence>
16  </complexType>
17
18  <complexType name = "SingleBookType">
19    <sequence>
20      <element name = "title" type = "string"/>
21    </sequence>
22  </complexType>
23 </schema>

```



**Fig. 15.10** | XML Schema document for book.xml. (Part 2 of 2.)

Figure 15.9 contains markup describing several Deitel books. The `books` element (line 5) has the namespace prefix `deitel`, indicating that the `books` element is a part of the `http://www.deitel.com/booklist` namespace.

#### *Creating an XML Schema Document*

Figure 15.10 presents the XML Schema document that specifies the structure of `book.xml` (Fig. 15.9). This document defines an XML-based language (i.e., a vocabulary) for writing XML documents about collections of books. The schema defines the elements, attributes and parent/child relationships that such a document can (or must) include. The schema also specifies the type of data that these elements and attributes may contain.

Root element `schema` (Fig. 15.10, lines 5–23) contains elements that define the structure of an XML document such as `book.xml`. Line 5 specifies as the default namespace the standard W3C XML Schema namespace URI—`http://www.w3.org/2001/XMLSchema`. This namespace contains predefined elements (e.g., root-element `schema`) that comprise the XML Schema vocabulary—the language used to write an XML Schema document.



### Portability Tip 15.3

*W3C XML Schema authors specify URI <http://www.w3.org/2001/XMLSchema> when referring to the XML Schema namespace. This namespace contains predefined elements that comprise the XML Schema vocabulary. Specifying this URI ensures that validation tools correctly identify XML Schema elements and do not confuse them with those defined by document authors.*

Line 6 binds the URI `http://www.deitel.com/booklist` to namespace prefix `deitel`. As we discuss momentarily, the schema uses this namespace to differentiate names created by us from names that are part of the XML Schema namespace. Line 7 also specifies `http://www.deitel.com/booklist` as the `targetNamespace` of the schema. This attribute identifies the namespace of the XML vocabulary that this schema defines. Note that the `targetNamespace` of `book.xsd` is the same as the namespace referenced in line 5 of `book.xml` (Fig. 15.9). This is what “connects” the XML document with the schema that defines its structure. When a schema validator examines `book.xml` and `book.xsd`, it will recognize that `book.xml` uses elements and attributes from the `http://www.deitel.com/booklist` namespace. The validator also will recognize that this namespace is the namespace defined in `book.xsd` (i.e., the schema’s `targetNamespace`). Thus the validator knows where to look for the structural rules for the elements and attributes used in `book.xml`.

#### Defining an Element in XML Schema

In XML Schema, the `element` tag (line 9 of Fig. 15.10) defines an element to be included in an XML document that conforms to the schema. In other words, `element` specifies the actual *elements* that can be used to mark up data. Line 9 defines the `books` element, which we use as the root element in `book.xml` (Fig. 15.9). Attributes `name` and `type` specify the `element`’s name and type, respectively. An element’s type indicates the data that the element may contain. Possible types include XML Schema-defined types (e.g., `string`, `double`) and user-defined types (e.g., `BooksType`, which is defined in lines 11–16 of Fig. 15.10). Figure 15.11 lists several of XML Schema’s many built-in types. For a complete list of built-in types, see Section 3 of the specification found at [www.w3.org/TR/xmlschema-2](http://www.w3.org/TR/xmlschema-2).

| Type                 | Description             | Range or structure   | Examples             |
|----------------------|-------------------------|--|----------------------|
| <code>string</code>  | A character string      |  | "hello"              |
| <code>boolean</code> | True or false           | <code>true</code> , <code>false</code>   | <code>true</code>    |
| <code>decimal</code> | A decimal numeral       | $i * (10^n)$ , where $i$ is an integer and $n$ is an integer that’s less than or equal to zero.  | 5, -12, -45.78       |
| <code>float</code>   | A floating-point number | $m * (2^e)$ , where $m$ is an integer whose absolute value is less than $2^{24}$ and $e$ is an integer in the range -149 to 104. Plus three additional numbers: positive infinity, negative infinity and not-a-number (NaN). | 0, 12, -109.375, NaN |

**Fig. 15.11** | Some XML Schema types. (Part 1 of 2.)

| Type                | Description                                     | Range or structure  | Examples                |
|---------------------|---|---|-------------------------|
| <code>double</code> | A floating-point number                         | $m * (2^e)$ , where $m$ is an integer whose absolute value is less than $2^{53}$ and $e$ is an integer in the range -1075 to 970. Plus three additional numbers: positive infinity, negative infinity and not-a-number (NaN). | 0, 12, -109.375, NaN    |
| <code>long</code>   | A whole number                                  | -9223372036854775808 to 9223372036854775807, inclusive.   | 1234567890, -1234567890 |
| <code>int</code>    | A whole number                                  | -2147483648 to 2147483647, inclusive.   | 1234567890, -1234567890 |
| <code>short</code>  | A whole number                                  | -32768 to 32767, inclusive.   | 12, -345                |
| <code>date</code>   | A date consisting of a year, month and day      | <code>yyyy-mm</code> with an optional <code>dd</code> and an optional time zone, where <code>yyyy</code> is four digits long and <code>mm</code> and <code>dd</code> are two digits long.                                     | 2005-05-10              |
| <code>time</code>   | A time consisting of hours, minutes and seconds | <code>hh:mm:ss</code> with an optional time zone, where <code>hh</code> , <code>mm</code> and <code>ss</code> are two digits long.  | 16:30:25-05:00          |

**Fig. 15.11** | Some XML Schema types. (Part 2 of 2.)

In this example, `books` is defined as an element of type `deitel:BooksType` (line 9). `BooksType` is a user-defined type (lines 11–16 of Fig. 15.10) in the namespace `http://www.deitel.com/booklist` and therefore must have the namespace prefix `deitel`. It's not an existing XML Schema type.

Two categories of type exist in XML Schema—**simple types** and **complex types**. They differ only in that simple types cannot contain attributes or child elements and complex types can.

A user-defined type that contains attributes or child elements must be defined as a complex type. Lines 11–16 use element `complexType` to define `BooksType` as a complex type that has a child element named `book`. The `sequence` element (lines 12–15) allows you to specify the sequential order in which child elements must appear. The `element` (lines 13–14) nested within the `complexType` element indicates that a `BooksType` element (e.g., `books`) can contain child elements named `book` of type `deitel:SingleBookType` (defined in lines 18–22). Attribute `minOccurs` (line 14), with value 1, specifies that elements of type `BooksType` must contain a minimum of one `book` element. Attribute `maxOccurs` (line 14), with value `unbounded`, specifies that elements of type `BooksType` may have any number of `book` child elements.

Lines 18–22 define the complex type `SingleBookType`. An element of this type contains a child element named `title`. Line 20 defines element `title` to be of simple type `string`. Recall that elements of a simple type cannot contain attributes or child elements. The schema end tag (`</schema>`, line 23) declares the end of the XML Schema document.

### *A Closer Look at Types in XML Schema*

Every element in XML Schema has a type. Types include the built-in types provided by XML Schema (Fig. 15.11) or user-defined types (e.g., `SingleBookType` in Fig. 15.10).

Every simple type defines a **restriction** on an XML Schema-defined type or a restriction on a user-defined type. Restrictions limit the possible values that an element can hold.

Complex types are divided into two groups—those with **simple content** and those with **complex content**. Both can contain attributes, but only complex content can contain child elements. Complex types with simple content must extend or restrict some other existing type. Complex types with complex content do not have this limitation. We demonstrate complex types with each kind of content in the next example.

The schema document in Fig. 15.12 creates both simple types and complex types. The XML document in Fig. 15.13 (`laptop.xml`) follows the structure defined in Fig. 15.12 to describe parts of a laptop computer. A document such as `laptop.xml` that conforms to a schema is known as an **XML instance document**—the document is an instance (i.e., example) of the schema.

---

```

1  <?xml version = "1.0"?>
2  <!-- Fig. 15.12: computer.xsd -->
3  <!-- W3C XML Schema document -->
4
5  <schema xmlns = "http://www.w3.org/2001/XMLSchema"
6      xmlns:computer = "http://www.deitel.com/computer"
7      targetNamespace = "http://www.deitel.com/computer">
8
9      <simpleType name = "gigahertz">
10         <restriction base = "decimal">
11             <minInclusive value = "2.1"/>
12         </restriction>
13     </simpleType>
14
15     <complexType name = "CPU">
16         <simpleContent>
17             <extension base = "string">
18                 <attribute name = "model" type = "string"/>
19             </extension>
20         </simpleContent>
21     </complexType>
22
23     <complexType name = "portable">
24         <all>
25             <element name = "processor" type = "computer:CPU"/>
26             <element name = "monitor" type = "int"/>
27             <element name = "CPUSpeed" type = "computer:gigahertz"/>
28             <element name = "RAM" type = "int"/>
29         </all>
30         <attribute name = "manufacturer" type = "string"/>
31     </complexType>
32
33     <element name = "laptop" type = "computer:portable"/>
34 </schema>
```

---

**Fig. 15.12** | XML Schema document defining simple and complex types.

---

```

1 <?xml version = "1.0"?>
2
3 <!-- Fig. 15.13: laptop.xml -->
4 <!-- Laptop components marked up as XML -->
5 <computer:laptop xmlns:computer = "http://www.deitel.com/computer"
6   manufacturer = "IBM">
7
8   <processor model = "Centrino">Intel</processor>
9   <monitor>17</monitor>
10  <CPUSpeed>2.4</CPUSpeed>
11  <RAM>256</RAM>
12 </computer:laptop>

```

---

**Fig. 15.13** | XML document using the `laptop` element defined in `computer.xsd`.

Line 5 of Fig. 15.12 declares the default namespace to be the standard XML Schema namespace—any elements without a prefix are assumed to be in that namespace. Line 6 binds the namespace prefix `computer` to the namespace `http://www.deitel.com/computer`. Line 7 identifies this namespace as the `targetNamespace`—the namespace being defined by the current XML Schema document.

To design the XML elements for describing laptop computers, we first create a simple type in lines 9–13 using the `simpleType` element. We name this `simpleType` `gigahertz` because it will be used to describe the clock speed of the processor in gigahertz. Simple types are restrictions of a type typically called a `base type`. For this `simpleType`, line 10 declares the base type as `decimal`, and we restrict the value to be at least 2.1 by using the `minInclusive` element in line 11.

Next, we declare a `complexType` named `CPU` that has `simpleContent` (lines 16–20). Remember that a complex type with simple content can have attributes but not child elements. Also recall that complex types with simple content must extend or restrict some XML Schema type or user-defined type. The `extension` element with attribute `base` (line 17) sets the base type to `string`. In this `complexType`, we extend the base type `string` with an attribute. The `attribute` element (line 18) gives the `complexType` an attribute of type `string` named `model`. Thus an element of type `CPU` must contain `string` text (because the base type is `string`) and may contain a `model` attribute that's also of type `string`.

Last, we define type `portable`, which is a `complexType` with complex content (lines 23–31). Such types are allowed to have child elements and attributes. The element `all` (lines 24–29) encloses elements that must each be included once in the corresponding XML instance document. These elements can be included in any order. This complex type holds four elements—`processor`, `monitor`, `CPUSpeed` and `RAM`. They're given types `CPU`, `int`, `gigahertz` and `int`, respectively. When using types `CPU` and `gigahertz`, we must include the namespace prefix `computer`, because these user-defined types are part of the `computer` namespace (`http://www.deitel.com/computer`)—the namespace defined in the current document (line 7). Also, `portable` contains an attribute defined in line 30. The `attribute` element indicates that elements of type `portable` contain an attribute of type `string` named `manufacturer`.

Line 33 declares the actual element that uses the three types defined in the schema. The element is called `laptop` and is of type `portable`. We must use the namespace prefix `computer` in front of `portable`.

We've now created an element named `laptop` that contains child elements `processor`, `monitor`, `CPUSpeed` and `RAM`, and an attribute `manufacturer`. Figure 15.13 uses the `laptop` element defined in the `computer.xsd` schema. Once again, we used an online XSD schema validator ([www.xmlforasp.net/SchemaValidator.aspx](http://www.xmlforasp.net/SchemaValidator.aspx)) to ensure that this XML instance document adheres to the schema's structural rules.

Line 5 declares namespace prefix `computer`. The `laptop` element requires this prefix because it's part of the `http://www.deitel.com/computer` namespace. Line 6 sets the `laptop`'s `manufacturer` attribute, and lines 8–11 use the elements defined in the schema to describe the `laptop`'s characteristics.

This section introduced W3C XML Schema documents for defining the structure of XML documents, and we validated XML instance documents against schemas using an online XSD schema validator. Section 15.7 discusses several XML vocabularies and demonstrates the MathML vocabulary.

## 15.7 XML Vocabularies

XML allows authors to create their own tags to describe data precisely. People and organizations in various fields of study have created many different kinds of XML for structuring data. Some of these markup languages are: MathML (Mathematical Markup Language), Scalable Vector Graphics (SVG), Wireless Markup Language (WML), Extensible Business Reporting Language (XBRL), Extensible User Interface Language (XUL) and Product Data Markup Language (PDML). Two other examples of XML vocabularies are W3C XML Schema and the Extensible Stylesheet Language (XSL), which we discuss in Section 15.6 and Section 15.8, respectively. The following subsections describe MathML and other custom markup languages.

### 15.7.1 MathML™

Until recently, computers typically required specialized software packages such as TeX and LaTeX for displaying complex mathematical expressions. This section introduces MathML, which the W3C developed for describing mathematical notations and expressions. The Firefox and Opera browsers can render MathML. There are also plug-ins or extensions available that enable you to render MathML in other browsers.

MathML markup describes mathematical expressions for display. MathML is divided into two types of markup—**content** markup and **presentation** markup. Content markup provides tags that embody mathematical concepts. Content MathML allows programmers to write mathematical notation specific to different areas of mathematics. For instance, the multiplication symbol has one meaning in set theory and another in linear algebra. Content MathML distinguishes between different uses of the same symbol. Programmers can take content MathML markup, discern mathematical context and evaluate the marked-up mathematical operations. Presentation MathML is directed toward formatting and displaying mathematical notation. We focus on Presentation MathML in the MathML examples.


#### *Simple Equation in MathML*

Figure 15.14 uses MathML to mark up a simple expression. For this example, we show the expression rendered in Firefox.

---

```

1 <?xml version="1.0" encoding="iso-8859-1"?>
2 <!DOCTYPE math PUBLIC "-//W3C//DTD MathML 2.0//EN"
3   "http://www.w3.org/TR/MathML2/dtd/mathml2.dtd">
4
5 <!-- Fig. 15.14: mathml1.mml -->
6 <!-- MathML equation. -->
7 <math xmlns="http://www.w3.org/1998/Math/MathML">
8   <mn>2</mn>
9   <mo>+</mo>
10  <mn>3</mn>
11  <mo>=</mo>
12  <mn>5</mn>
13 </math>
```



**Fig. 15.14** | Expression marked up with MathML and displayed in the Firefox browser.

By convention, MathML files end with the `.mml` filename extension. A MathML document's root node is the `math` element, and its default namespace is `http://www.w3.org/1998/Math/MathML` (line 7). The `mn` element (line 8) marks up a number. The `mo` element (line 9) marks up an operator (e.g., `+`). Using this markup, we define the expression  $2 + 3 = 5$ , which any MathML capable browser can display.

### *Algebraic Equation in MathML*

Let's consider using MathML to mark up an algebraic equation containing exponents and arithmetic operators (Fig. 15.15). For this example, we again show the expression rendered in Firefox.

---

```

1 <?xml version="1.0" encoding="iso-8859-1"?>
2 <!DOCTYPE math PUBLIC "-//W3C//DTD MathML 2.0//EN"
3   "http://www.w3.org/TR/MathML2/dtd/mathml2.dtd">
4
5 <!-- Fig. 15.15: mathml2.html -->
6 <!-- MathML algebraic equation. -->
7 <math xmlns="http://www.w3.org/1998/Math/MathML">
8   <mn>3</mn>
9   <mo>&InvisibleTimes;</mo>
10  <msup>
11    <mi>x</mi>
12    <mn>2</mn>
13  </msup>
14  <mo>+</mo>
```


**Fig. 15.15** | Algebraic equation marked up with MathML and displayed in the Firefox browser.  
(Part 1 of 2.)

---

```

15   <mn>x</mn>
16   <mo>&minus;</mo>
17   <mfrac>
18     <mn>2</mn>
19     <mi>x</mi>
20   </mfrac>
21   <mo>=</mo>
22   <mn>0</mn>
23 </math>

```




---

**Fig. 15.15** | Algebraic equation marked up with MathML and displayed in the Firefox browser. (Part 2 of 2.)

Line 9 uses entity reference **&InvisibleTimes;** to indicate a multiplication operation without explicit symbolic representation (i.e., the multiplication symbol does not appear between the 3 and x). For exponentiation, lines 10–13 use the **msup** element, which represents a superscript. This **msup** element has two children—the expression to be superscripted (i.e., the base) and the superscript (i.e., the exponent). Correspondingly, the **msub** element represents a subscript. To display variables such as x, line 11 uses identifier element **mi**.

To display a fraction, lines 17–20 use the **mfrac** element. Lines 18–19 specify the numerator and the denominator for the fraction. If either the numerator or the denominator contains more than one element, it must appear in an **mrow** element.

### *Calculus Expression in MathML*

Figure 15.16 marks up a calculus expression that contains an integral symbol and a square-root symbol.

---

```

1  <?xml version="1.0" encoding="iso-8859-1"?>
2  <!DOCTYPE math PUBLIC "-//W3C//DTD MathML 2.0//EN"
3    "http://www.w3.org/TR/MathML2/dtd/mathml2.dtd">
4
5  <!-- Fig. 15.16 mathml3.html -->
6  <!-- Calculus example using MathML -->
7  <math xmlns="http://www.w3.org/1998/Math/MathML">
8    <mrow>
9      <msubsup>
10        <mo>&int;</mo>
11        <mn>0</mn>
12        <mrow>
13          <mn>1</mn>

```

---


**Fig. 15.16** | Calculus expression marked up with MathML and displayed in the Firefox browser. (Part 1 of 2.)

---

```

14          <mo>&minus;</mo>
15          <mi>y</mi>
16      </mrow>
17  </msubsup>
18  <msqrt>
19      <mn>4</mn>
20      <mo>&InvisibleTimes;</mo>
21  <msup>
22      <mi>x</mi>
23      <mn>2</mn>
24  </msup>
25  <mo>+</mo>
26  <mi>y</mi>
27  </msqrt>
28  <mo>&delta;;</mo>
29  <mi>x</mi>
30 </mrow>
31 </math>

```



**Fig. 15.16** | Calculus expression marked up with MathML and displayed in the Firefox browser. (Part 2 of 2.)

Lines 8–30 group the entire expression in an **mrow** element, which is used to group elements that are positioned horizontally in an expression. The entity reference **&int;** (line 10) represents the integral symbol, while the **msubsup** element (lines 9–17) specifies the subscript and superscript for a base expression (e.g., the integral symbol). Element **mo** marks up the integral operator. The **msubsup** element requires three child elements—an operator (e.g., the integral entity, line 10), the subscript expression (line 11) and the superscript expression (lines 12–16). Element **mn** (line 11) marks up the number (i.e., 0) that represents the subscript. Element **mrow** (lines 12–16) marks up the superscript expression (i.e.,  $1-y$ ).

Element **msqrt** (lines 18–27) represents a square-root expression. Line 28 introduces entity reference **&delta;** for representing a lowercase delta symbol. Delta is an operator, so line 28 places this entity in element **mo**. To see other operations and symbols in MathML, visit [www.w3.org/Math](http://www.w3.org/Math).

### 15.7.2 Other Markup Languages

Literally hundreds of markup languages derive from XML. Every day developers find new uses for XML. Figure 15.18 summarizes a few of these markup languages. The website

[www.service-architecture.com/xml/articles/index.html](http://www.service-architecture.com/xml/articles/index.html)

provides a nice list of common XML vocabularies and descriptions.

| Markup language                                      | Description  |
|--|--|
| Chemical Markup Language (CML)                       | Chemical Markup Language (CML) is an XML vocabulary for representing molecular and chemical information. Many previous methods for storing this type of information (e.g., special file types) inhibited document reuse. CML takes advantage of XML's portability to enable document authors to use and reuse molecular information without corrupting important data in the process.  |
| VoiceXML™  | The VoiceXML Forum founded by AT&T, IBM, Lucent and Motorola developed VoiceXML. It provides interactive voice communication between humans and computers through a telephone, PDA (personal digital assistant) or desktop computer. IBM's VoiceXML SDK can process VoiceXML documents. Visit <a href="http://www.voicexml.org">www.voicexml.org</a> for more information on VoiceXML. |
| Synchronous Multimedia Integration Language (SMIL™)  | SMIL is an XML vocabulary for multimedia presentations. The W3C was the primary developer of SMIL, with contributions from some companies. Visit <a href="http://www.w3.org/AudioVideo">www.w3.org/AudioVideo</a> for more on SMIL.  |
| Research Information Exchange Markup Language (RXML) | RXML, developed by a consortium of brokerage firms, marks up investment data. Visit <a href="http://www.rxml.org">www.rxml.org</a> for more information on RXML.   |
| Geography Markup Language (GML)                      | OpenGIS developed the Geography Markup Language to describe geographic information. Visit <a href="http://www.opengis.org">www.opengis.org</a> for more information on GML.  |
| Extensible User Interface Language (XUL)             | The Mozilla Project created the Extensible User Interface Language for describing graphical user interfaces in a platform-independent way.   |

**Fig. 15.17** | Various markup languages derived from XML.

## 15.8 Extensible Stylesheet Language and XSL Transformations

Extensible Stylesheet Language (XSL) documents specify how programs are to render XML document data. XSL is a group of three technologies—XSL-FO (XSL Formatting Objects), XPath (XML Path Language) and XSLT (XSL Transformations). XSL-FO is a vocabulary for specifying formatting, and XPath is a string-based language of expressions used by XML and many of its related technologies for effectively and efficiently locating structures and data (such as specific elements and attributes) in XML documents.

The third portion of XSL—XSL Transformations (XSLT)—is a technology for transforming XML documents into other documents—i.e., transforming the structure of the XML document data to another structure. XSLT provides elements that define rules for transforming one XML document to produce a different XML document. This is useful when you want to use data in multiple applications or on multiple platforms, each of which may be designed to work with documents written in a particular vocabulary. For example, XSLT allows you to convert a simple XML document to an HTML5 document that presents the XML document's data (or a subset of the data) formatted for display in a web browser.

Transforming an XML document using XSLT involves two tree structures—the **source tree** (i.e., the XML document to transform) and the **result tree** (i.e., the XML document to create). XPath locates parts of the source-tree document that match **templates** defined in an **XSL style sheet**. When a match occurs, the matching template executes and adds its result to the result tree. When there are no more matches, XSLT has transformed the source tree into the result tree. The XSLT does not analyze every node of the source tree; it selectively navigates the source tree using XPath’s **select** and **match** attributes. For XSLT to function, the source tree must be properly structured. Schemas, DTDs and validating parsers can validate document structure before using XPath and XSLTs.

### *A Simple XSL Example*

Figure 15.18 lists an XML document that describes various sports. The output shows the result of the transformation (specified in the XSLT template of Fig. 15.19). Some web browsers will perform transformations on XML files only if they are accessed from a web server. For this reason, we’ve posted the example online at

```
http://test.deitel.com/iw3htp5/ch15/Fig15_18-19/sports.xml
```


Also, to save space, we do not show the contents of the example’s CSS file here.

---

```
1 <?xml version = "1.0"?>
2 <?xml-stylesheet type = "text/xsl" href = "sports.xsl"?>
3
4 <!-- Fig. 15.18: sports.xml -->
5 <!-- Sports Database -->
6
7 <sports>
8   <game id = "783">
9     <name>Cricket</name>
10
11    <paragraph>
12      More popular among commonwealth nations.
13    </paragraph>
14  </game>
15
16  <game id = "239">
17    <name>Baseball</name>
18
19    <paragraph>
20      More popular in America.
21    </paragraph>
22  </game>
23
24  <game id = "418">
25    <name>Soccer (Futbol)</name>
26
27    <paragraph>
28      Most popular sport in the world.
29    </paragraph>
30  </game>
31 </sports>
```

---

**Fig. 15.18** | XML document that describes various sports. (Part 1 of 2.)



The screenshot shows a web browser window titled "Sports". The address bar contains the URL "test.deitel.com/iw3htp5/ch15/Fig15\_18-19/sports.xml". The page content is titled "Information about various sports" and displays a table with three rows:

| ID  | Sport           | Information                              |
|-----|-----------------|--|
| 783 | Cricket         | More popular among commonwealth nations. |
| 239 | Baseball        | More popular in America.                 |
| 418 | Soccer (Futbol) | Most popular sport in the world.         |

**Fig. 15.18** | XML document that describes various sports. (Part 2 of 2.)

To perform transformations, an XSLT processor is required. Popular XSLT processors include Microsoft's MSXML and the Apache Software Foundation's **Xalan 2** ([xml.apache.org](http://xml.apache.org)). The XML document in Fig. 15.18 is transformed into an XHTML document when it's loaded into the web browser.

Line 2 (Fig. 15.18) is a **processing instruction (PI)** that references the XSL style sheet *sports.xsl* (Fig. 15.19). A processing instruction is embedded in an XML document and provides application-specific information to whichever XML processor the application uses. In this particular case, the processing instruction specifies the location of an XSLT document with which to transform the XML document. The `<?` and `?>` (line 2, Fig. 15.18) delimit a processing instruction, which consists of a **PI target** (e.g., `xml-stylesheet`) and a **PI value** (e.g., `type = "text/xsl" href = "sports.xsl"`). The PI value's `type` attribute specifies that *sports.xsl* is a `text/xsl` file (i.e., a text file containing XSL content). The `href` attribute specifies the name and location of the style sheet to apply—in this case, *sports.xsl* in the current directory.



### Software Engineering Observation 15.5

*XSL enables document authors to separate data presentation (specified in XSL documents) from data description (specified in XML documents).*



### Common Programming Error 15.10

*You'll sometimes see the XML processing instruction `<?xml-stylesheet?>` written as `<?xml:stylesheet?>` with a colon rather than a dash. The version with a colon results in an XML parsing error in Firefox.*

Figure 15.19 shows the XSL document for transforming the structured data of the XML document of Fig. 15.18 into an XHTML document for presentation. By convention, XSL documents have the filename extension **.xsl**.

```

1  <?xml version = "1.0"?>
2  <!-- Fig. 15.19: sports.xsl -->
3  <!-- A simple XSLT transformation -->
4

```

**Fig. 15.19** | XSLT that creates elements and attributes in an HTML5 document. (Part 1 of 2.)

---

```

5  <!-- reference XSL style sheet URI -->
6  <xslstylesheet version = "1.0"
7      xmlns:xsl = "http://www.w3.org/1999/XSL/Transform">
8
9      <xsl:output method = "html" doctype-system = "about:legacy-compat" />
10     <xsl:template match = "/"> <!-- match root element -->
11
12     <html xmlns = "http://www.w3.org/1999/xhtml">
13         <head>
14             <meta charset = "utf-8"/>
15             <link rel = "stylesheet" type = "text/css" href = "style.css"/>
16             <title>Sports</title>
17         </head>
18
19         <body>
20             <table>
21                 <caption>Information about various sports</caption>
22                 <thead>
23                     <tr>
24                         <th>ID</th>
25                         <th>Sport</th>
26                         <th>Information</th>
27                     </tr>
28                 </thead>
29
30                 <!-- insert each name and paragraph element value -->
31                 <!-- into a table row. -->
32                 <xsl:for-each select = "/sports/game">
33                     <tr>
34                         <td><xsl:value-of select = "@id"/></td>
35                         <td><xsl:value-of select = "name"/></td>
36                         <td><xsl:value-of select = "paragraph"/></td>
37                     </tr>
38                 </xsl:for-each>
39             </table>
40         </body>
41     </html>
42
43     </xsl:template>
44 </xslstylesheet>
```

---

**Fig. 15.19** | XSLT that creates elements and attributes in an HTML5 document. (Part 2 of 2.)

Lines 6–7 begin the XSL style sheet with the **stylesheet** start tag. Attribute **version** specifies the XSLT version to which this document conforms. Line 7 binds namespace prefix **xsl** to the W3C's XSLT URI (i.e., <http://www.w3.org/1999/XSL/Transform>).

#### *Outputting the DOCTYPE*

Line 9 uses element **xsl:output** to write an HTML5 document type declaration (DOCTYPE) to the result tree (i.e., the XML document to be created). At the time of this writing, the W3C has not yet updated the XSLT recommendation (standard) to support the HTML5 DOCTYPE—in the meantime, they recommend setting the attribute **doctype-**

system to the value `about:legacy-compat` to produce an HTML5 compatible DOCTYPE using XSLT.

### *Templates*

XSLT uses **templates** (i.e., `xsl:template` elements) to describe how to transform particular nodes from the source tree to the result tree. A template is applied to nodes that are specified in the required `match` attribute. Line 10 uses the `match` attribute to select the **document root** (i.e., the conceptual part of the document that contains the root element and everything below it) of the XML source document (i.e., `sports.xml`). The XPath character `/` (a forward slash) always selects the document root. Recall that XPath is a string-based language used to locate parts of an XML document easily. In XPath, a leading forward slash specifies that we're using **absolute addressing** (i.e., we're starting from the root and defining paths down the source tree). In the XML document of Fig. 15.18, the child nodes of the document root are the two processing-instruction nodes (lines 1–2), the two comment nodes (lines 4–5) and the `sports`-element node (lines 7–31). The template in Fig. 15.19, line 14, matches a node (i.e., the root node), so the contents of the template are now added to the result tree.

### *Repetition in XSL*

The browser's XML processor writes the HTML5 in lines 13–28 (Fig. 15.19) to the result tree exactly as it appears in the XSL document. Now the result tree consists of the DOCTYPE definition and the HTML5 code from lines 13–28. Lines 32–38 use element `xsl:for-each` to iterate through the source XML document, searching for `game` elements. Attribute `select` is an XPath expression that specifies the nodes (called the **node set**) on which the `xsl:for-each` operates. Again, the first forward slash means that we're using absolute addressing. The forward slash between `sports` and `game` indicates that `game` is a child node of `sports`. Thus, the `xsl:for-each` finds `game` nodes that are children of the `sports` node. The XML document `sports.xml` contains only one `sports` node, which is also the document root node. After finding the elements that match the selection criteria, the `xsl:for-each` processes each element with the code in lines 33–37 (these lines produce one row in a table each time they execute) and places the result in the result tree.

Line 34 uses element `value-of` to retrieve attribute `id`'s value and place it in a `td` element in the result tree. The XPath symbol `@` specifies that `id` is an attribute node of the context node `game`. Lines 35–36 place the `name` and `paragraph` element values in `td` elements and insert them in the result tree. When an XPath expression has no beginning forward slash, the expression uses **relative addressing**. Omitting the beginning forward slash tells the `xsl:value-of` `select` statements to search for `name` and `paragraph` elements that are children of the context node, not the root node. Owing to the last XPath expression selection, the current context node is `game`, which indeed has an `id` attribute, a `name` child element and a `paragraph` child element.

### *Using XSLT to Sort and Format Data*

Figure 15.20 presents an XML document (`sorting.xml`) that marks up information about a book. Note that several elements of the markup describing the book appear out of order (e.g., the element describing Chapter 3 appears before the element describing Chapter 2). We arranged them this way purposely to demonstrate that the XSL style sheet referenced in line 2 (`sorting.xsl`) can sort the XML file's data for presentation purposes.

```
1 <?xml version = "1.0"?>
2 <?xml-stylesheet type = "text/xsl" href = "sorting.xsl"?>
3
4 <!-- Fig. 15.20: sorting.xml -->
5 <!-- XML document containing book information -->
6 <book isbn = "999-99999-9-X">
7   <title>Deitel's XML Primer</title>
8
9   <author>
10    <firstName>Jane</firstName>
11    <lastName>Blue</lastName>
12  </author>
13
14  <chapters>
15    <frontMatter>
16      <preface pages = "2" />
17      <contents pages = "5" />
18      <illustrations pages = "4" />
19    </frontMatter>
20
21    <chapter number = "3" pages = "44">Advanced XML</chapter>
22    <chapter number = "2" pages = "35">Intermediate XML</chapter>
23    <appendix number = "B" pages = "26">Parsers and Tools</appendix>
24    <appendix number = "A" pages = "7">Entities</appendix>
25    <chapter number = "1" pages = "28">XML Fundamentals</chapter>
26  </chapters>
27
28  <media type = "CD" />
29 </book>
```

---

**Fig. 15.20** | XML document containing book information.

Figure 15.21 presents an XSL document (*sorting.xsl*) for transforming the XML document *sorting.xml* (Fig. 15.20) to HTML5. (To save space, we do not show the contents of the example’s CSS file here.) Recall that an XSL document navigates a source tree and builds a result tree. In this example, the source tree is XML, and the output tree is HTML5. Line 12 of Fig. 15.21 matches the root element of the document in Fig. 15.20. Line 13 outputs an *html* start tag to the result tree. In line 14, the *<xsl:apply-templates/>* element specifies that the XSLT processor is to apply the *xsl:templates* defined in this XSL document to the current node’s (i.e., the document root’s) children. The content from the applied templates is output in the *html* element that ends at line 15. You can view the results of the transformation at:

```
http://test.deitel.com/iw3htp5/ch15/Fig15_20-21/sorting.xml
```

---

```
1 <?xml version = "1.0"?>
2
3 <!-- Fig. 15.21: sorting.xsl -->
4 <!-- Transformation of book information into HTML5 -->
```


---

**Fig. 15.21** | XSL document that transforms *sorting.xml* into HTML5. (Part I of 3.)

```
5 <xsl:stylesheet version = "1.0"
6   xmlns:xsl = "http://www.w3.org/1999/XSL/Transform">
7
8   <!-- write XML declaration and DOCTYPE DTD information --&gt;
9   &lt;xsl:output method = "html" doctype-system = "about:legacy-compat" /&gt;
10
11  &lt;!-- match document root --&gt;
12  &lt;xsl:template match = "/"&gt;
13    &lt;html&gt;
14      &lt;xsl:apply-templates/&gt;
15    &lt;/html&gt;
16  &lt;/xsl:template&gt;
17
18  &lt;!-- match book --&gt;
19  &lt;xsl:template match = "book"&gt;
20    &lt;head&gt;
21      &lt;meta charset = "utf-8"/&gt;
22      &lt;link rel = "stylesheet" type = "text/css" href = "style.css"/&gt;
23      &lt;title&gt;ISBN &lt;xsl:value-of select = "@isbn"/&gt; -
24        &lt;xsl:value-of select = "title"/&gt;&lt;/title&gt;
25    &lt;/head&gt;
26
27    &lt;body&gt;
28      &lt;h1&gt;&lt;xsl:value-of select = "title"/&gt;&lt;/h1&gt;
29      &lt;h2&gt;by
30        &lt;xsl:value-of select = "author/lastName"/&gt;,
31        &lt;xsl:value-of select = "author/firstName"/&gt;&lt;/h2&gt;
32
33      &lt;table&gt;
34
35        &lt;xsl:for-each select = "chapters/frontMatter/*"&gt;
36          &lt;tr&gt;
37            &lt;td&gt;
38              &lt;xsl:value-of select = "name()"/&gt;
39            &lt;/td&gt;
40
41            &lt;td&gt;
42              ( &lt;xsl:value-of select = "@pages"/&gt; pages )
43            &lt;/td&gt;
44          &lt;/tr&gt;
45        &lt;/xsl:for-each&gt;
46
47        &lt;xsl:for-each select = "chapters/chapter"&gt;
48          &lt;xsl:sort select = "@number" data-type = "number"
49            order = "ascending"/&gt;
50          &lt;tr&gt;
51            &lt;td&gt;
52              Chapter &lt;xsl:value-of select = "@number"/&gt;
53            &lt;/td&gt;
54
55            &lt;td&gt;
56              &lt;xsl:value-of select = "text()"/&gt;</pre>
```

**Fig. 15.21** | XSL document that transforms *sorting.xml* into HTML5. (Part 2 of 3.)

```
57          ( <xsl:value-of select = "@pages"/> pages )
58      </td>
59    </tr>
60  </xsl:for-each>
61
62  <xsl:for-each select = "chapters/appendix">
63    <xsl:sort select = "@number" data-type = "text"
64      order = "ascending"/>
65    <tr>
66      <td>
67        Appendix <xsl:value-of select = "@number"/>
68      </td>
69
70      <td>
71        <xsl:value-of select = "text()"/>
72        ( <xsl:value-of select = "@pages"/> pages )
73      </td>
74    </tr>
75  </xsl:for-each>
76 </table>
77
78  <p>Pages:
79    <xsl:variable name = "pagecount"
80      select = "sum(chapters//*/@pages)"/>
81    <xsl:value-of select = "$pagecount"/>
82  <p>Media Type: <xsl:value-of select = "media/@type"/></p>
83  </body>
84</xsl:template>
85</xsl:stylesheet>
```



---

**Fig. 15.21** | XSL document that transforms `sorting.xml` into HTML5. (Part 3 of 3.)

Lines 19–84 specify a template that matches element book. The template indicates how to format the information contained in book elements of `sorting.xml` (Fig. 15.20) as HTML5.

Lines 23–24 create the title for the HTML5 document. We use the book's ISBN (from attribute `isbn`) and the contents of element `title` to create the string that appears in the browser window's title bar (**ISBN 999-99999-9-X - Deitel's XML Primer**).

Line 28 creates a header element that contains the book's title. Lines 29–31 create a header element that contains the book's author. Because the context node (i.e., the current node being processed) is book, the XPath expression `author/lastName` selects the author's last name, and the expression `author/firstName` selects the author's first name.

Line 35 selects each element (indicated by an asterisk) that's a child of element `front-Matter`. Line 38 calls **node-set function name** to retrieve the current node's element name (e.g., `preface`). The current node is the context node specified in the `xsl:for-each` (line 35). Line 42 retrieves the value of the `pages` attribute of the current node.

Line 47 selects each `chapter` element. Lines 48–49 use element **`xsl:sort`** to sort chapters by number in ascending order. Attribute **`select`** selects the value of attribute `number` in context node `chapter`. Attribute **`data-type`**, with value "number", specifies a numeric sort, and attribute **`order`**, with value "ascending", specifies ascending order. Attribute `data-type` also accepts the value "text" (line 63), and attribute `order` also accepts the value "descending". Line 56 uses **node-set function text** to obtain the text between the `chapter` start and end tags (i.e., the name of the chapter). Line 57 retrieves the value of the `pages` attribute of the current node. Lines 62–75 perform similar tasks for each appendix.

Lines 79–80 use an **XSL variable** to store the value of the book's total page count and output the page count to the result tree. Attribute **`name`** specifies the variable's name (i.e., `pagecount`), and attribute `select` assigns a value to the variable. Function **`sum`** (line 80) totals the values for all `page` attribute values. The two slashes between `chapters` and `*` indicate a **recursive descent**—the MSXML processor will search for elements that contain an attribute named `pages` in all descendant nodes of `chapters`. The XPath expression

```
//*
```

selects all the nodes in an XML document. Line 81 retrieves the value of the newly created XSL variable `pagecount` by placing a dollar sign in front of its name.

### *Summary of XSL Stylesheet Elements*

This section's examples used several predefined XSL elements to perform various operations. Figure 15.22 lists these and several other commonly used XSL elements. For more information on these elements and XSL in general, see [www.w3.org/Style/XSL](http://www.w3.org/Style/XSL).

| Element                                  | Description  |
|--|--|
| <code>&lt;xsl:apply-templates&gt;</code> | Applies the templates of the XSL document to the children of the current node. |

**Fig. 15.22** | XSL style-sheet elements. (Part 1 of 2.)

| Element   | Description  |
|---|--|
| <code>&lt;xsl:apply-templates<br/>match = "expression"&gt;</code> | Applies the templates of the XSL document to the children of <i>expression</i> . The value of the attribute <code>match</code> (i.e., <i>expression</i> ) must be an XPath expression that specifies elements.   |
| <code>&lt;xsl:template&gt;</code>                                 | Contains rules to apply when a specified node is matched.  |
| <code>&lt;xsl:value-of select =<br/>"expression"&gt;</code>       | Selects the value of an XML element and adds it to the output tree of the transformation. The required <code>select</code> attribute contains an XPath expression.   |
| <code>&lt;xsl:for-each select =<br/>"expression"&gt;</code>       | Applies a template to every node selected by the XPath specified by the <code>select</code> attribute.   |
| <code>&lt;xsl:sort select =<br/>"expression"&gt;</code>           | Used as a child element of an <code>&lt;xsl:apply-templates&gt;</code> or <code>&lt;xsl:for-each&gt;</code> element. Sorts the nodes selected by the <code>&lt;xsl:apply-template&gt;</code> or <code>&lt;xsl:for-each&gt;</code> element so that the nodes are processed in sorted order. |
| <code>&lt;xsl:output&gt;</code>                                   | Has various attributes to define the format (e.g., XML), version (e.g., 1.0, 2.0), document type and media type of the output document. This tag is a top-level element—it can be used only as a child element of an <code>xm1:stylesheet</code> .   |
| <code>&lt;xsl:copy&gt;</code>                                     | Adds the current node to the output tree.  |

**Fig. 15.22** | XSL style-sheet elements. (Part 2 of 2.)


## 15.9 Document Object Model (DOM)

Although an XML document is a text file, retrieving data from the document using traditional sequential file-processing techniques is neither practical nor efficient, especially for adding and removing elements dynamically.

Upon successfully parsing a document, some XML parsers store document data as tree structures in memory. Figure 15.23 illustrates the tree structure for the root element of the document `article.xml` (Fig. 15.2). This hierarchical tree structure is called a **Document Object Model (DOM) tree**, and an XML parser that creates this type of structure is known as a **DOM parser**. Each element name (e.g., `article`, `date`, `firstName`) is represented by a node. A node that contains other nodes (called **child nodes** or **children**) is called a **parent node** (e.g., `author`). A parent node can have many children, but a child node can have only one parent node. Nodes that are peers (e.g., `firstName` and `lastName`) are called **sibling nodes**. A node's **descendant nodes** include its children, its children's children and so on. A node's **ancestor nodes** include its parent, its parent's parent and so on. Many of the XML DOM capabilities you'll see in this section are similar or identical to those of the HTML5 DOM you learned in Chapter 12.

The DOM tree has a single **root node**, which contains all the other nodes in the document. For example, the root node of the DOM tree that represents `article.xml` (Fig. 15.23) contains a node for the XML declaration (line 1), two nodes for the comments (lines 3–4) and a node for the XML document's root element `article` (line 5).

To introduce document manipulation with the XML Document Object Model, we provide a scripting example (Figs. 15.24–15.25) that uses JavaScript and XML. This



**Fig. 15.23** | Tree structure for the document `article.xml` of Fig. 15.2.

example loads the XML document `article.xml` (Fig. 15.2) and uses the XML DOM API to display the document’s element names and values. The example also provides buttons that enable you to navigate the DOM structure. As you click each button, an appropriate part of the document is highlighted.

#### *HTML5 Document*

Figure 15.24 contains the HTML5 document. When this document loads, the `load` event calls our JavaScript function `start` (Fig. 15.25) to register event handlers for the buttons in the document and to load and display the contents of `article.xml` in the `div` at line 21 (`outputDiv`). Lines 13–20 define a form consisting of five buttons. When each button is pressed, it invokes one of our JavaScript functions to navigate `article.xml`’s DOM structure. (To save space, we do not show the contents of the example’s CSS file here.) Some browsers allow you to load XML documents dynamically only when accessing the files from a web server. For this reason, you can test this example at:

[http://test.deitel.com/iw3htp5/ch15/Fig15\\_24-25/XMLDOMTraversal.xml](http://test.deitel.com/iw3htp5/ch15/Fig15_24-25/XMLDOMTraversal.xml)

---


```

1  <!DOCTYPE html>
2
3  <!-- Fig. 15.24: XMLDOMTraversal.html -->
4  <!-- Traversing an XML document using the XML DOM. -->
5  <html>
6  <head>
7      <meta charset = "utf-8">
8      <link rel = "stylesheet" type = "text/css" href = "style.css">
9      <script src = "XMLDOMTraversal.js"></script>
10     <title>Traversing an XML document using the XML DOM</title>
11 </head>
  
```


---

**Fig. 15.24** | Traversing an XML document using the XML DOM. (Part I of 5.)

```
12 <body id = "body">
13   <form action = "#">
14     <input id = "firstChild" type = "button" value = "firstChild">
15     <input id = "nextSibling" type = "button" value = "nextSibling">
16     <input id = "previousSibling" type = "button"
17       value = "previousSibling">
18     <input id = "lastChild" type = "button" value = "lastChild">
19     <input id = "parentNode" type = "button" value = "parentNode">
20   </form>
21   <div id = "outputDiv"></div>
22 </body>
23 </html>
```




a) Comment node at the beginning of `article.xml` is highlighted when the XML document first loads




b) User clicked the `nextSibling` button to highlight the second comment node


**Fig. 15.24** | Traversing an XML document using the XML DOM. (Part 2 of 5.)



c) User clicked the **nextSibling** button again to highlight the **article** node




d) User clicked the **firstChild** button to highlight the **article** node's **title** child node




e) User clicked the **firstChild** button again to highlight the **title** node's text child node

**Fig. 15.24** | Traversing an XML document using the XML DOM. (Part 3 of 5.)



**Fig. 15.24** | Traversing an XML document using the XML DOM. (Part 4 of 5.)



**Fig. 15.24** | Traversing an XML document using the XML DOM. (Part 5 of 5.)

### JavaScript Code

Figure 15.24 lists the JavaScript code that manipulates this XML document and displays its content in an HTML5 page. Line 187 indicates that the document's load event handler should call the script's `start` function.

```

1  <!-- Fig. 15.25: XMLDOMTraversal.html -->
2  <!-- JavaScript for traversing an XML document using the XML DOM. -->
3  var outputHTML = ""; // stores text to output in outputDiv
4  var idCounter = 1; // used to create div IDs
5  var depth = -1; // tree depth is -1 to start
6  var current = null; // represents the current node for traversals
7  var previous = null; // represents prior node in traversals

```

**Fig. 15.25** | JavaScript for traversing an XML document using the XML DOM. (Part 1 of 5.)

```
8 // register event handlers for buttons and load XML document
9 function start()
10 {
11     document.getElementById( "firstChild" ).addEventListener(
12         "click", processFirstChild, false );
13     document.getElementById( "nextSibling" ).addEventListener(
14         "click", processNextSibling, false );
15     document.getElementById( "previousSibling" ).addEventListener(
16         "click", processPreviousSibling, false );
17     document.getElementById( "lastChild" ).addEventListener(
18         "click", processLastChild, false );
19     document.getElementById( "parentNode" ).addEventListener(
20         "click", processParentNode, false );
21     loadXMLDocument( 'article.xml' )
22 } // end function start
23
24 // load XML document based on whether the browser is IE7 or Firefox 2
25 function loadXMLDocument( url )
26 {
27     var XMLHttpRequest = new XMLHttpRequest();
28     XMLHttpRequest.open( "get", url, false );
29     XMLHttpRequest.send( null );
30     var doc = XMLHttpRequest.responseXML;
31     buildHTML( doc.childNodes ); // display the nodes
32     displayDoc(); // display the document and highlight current node
33 } // end function loadXMLDocument
34
35 // traverse xmlDocument and build HTML5 representation of its content
36 function buildHTML( childList )
37 {
38     ++depth; // increase tab depth
39
40     // display each node's content
41     for ( var i = 0; i < childList.length; i++ )
42     {
43         switch ( childList[ i ].nodeType )
44         {
45             case 1: // Node.ELEMENT_NODE; value used for portability
46             outputHTML += "<div id=\"id" + idCounter + "\>";
47             spaceOutput( depth ); // insert spaces
48             outputHTML += childList[ i ].nodeName; // show node's name
49             ++idCounter; // increment the id counter
50
51             // if current node has children, call buildHTML recursively
52             if ( childList[ i ].childNodes.length != 0 )
53                 buildHTML( childList[ i ].childNodes );
54
55             outputHTML += "</div>";
56             break;
57             case 3: // Node.TEXT_NODE; value used for portability
58             case 8: // Node.COMMENT_NODE; value used for portability
```

**Fig. 15.25** | JavaScript for traversing an XML document using the XML DOM. (Part 2 of 5.)

```
60          // if nodeValue is not 3 or 6 spaces (Firefox issue),
61          // include nodeValue in HTML
62          if ( childList[ i ].nodeValue.indexOf( "    " ) == -1 &&
63              childList[ i ].nodeValue.indexOf( "        " ) == -1 )
64          {
65              outputHTML += "<div id=\"id" + idCounter + "\>";
66              spaceOutput( depth ); // insert spaces
67              outputHTML += childList[ i ].nodeValue + "</div>";
68              ++idCounter; // increment the id counter
69          } // end if
70      } // end switch
71  } // end for
72
73  --depth; // decrease tab depth
74 } // end function buildHTML
75
76 // display the XML document and highlight the first child
77 function displayDoc()
78 {
79     document.getElementById( "outputDiv" ).innerHTML = outputHTML;
80     current = document.getElementById( 'id1' );
81     setCurrentNodeStyle( current.getAttribute( "id" ), true );
82 } // end function displayDoc
83
84 // insert nonbreaking spaces for indentation
85 function spaceOutput( number )
86 {
87     for ( var i = 0; i < number; i++ )
88     {
89         outputHTML += "&nbsp;&nbsp;&nbsp;";
90     } // end for
91 } // end function spaceOutput
92
93 // highlight first child of current node
94 function processFirstChild()
95 {
96     if ( current.childNodes.length == 1 && // only one child
97         current.firstChild.nodeType == 3 ) // and it's a text node
98     {
99         alert( "There is no child node" );
100    } // end if
101    else if ( current.childNodes.length > 1 )
102    {
103        previous = current; // save currently highlighted node
104
105        if ( current.firstChild.nodeType != 3 ) // if not text node
106            current = current.firstChild; // get new current node
107        else // if text node, use firstChild's nextSibling instead
108            current = current.firstChild.nextSibling; // get first sibling
109
110        setCurrentNodeStyle( previous.getAttribute( "id" ), false );
111        setCurrentNodeStyle( current.getAttribute( "id" ), true );
112    } // end if
```

Fig. 15.25 | JavaScript for traversing an XML document using the XML DOM. (Part 3 of 5.)

```

113     else
114         alert( "There is no child node" );
115 } // end function processFirstChild
116
117 // highlight next sibling of current node
118 function processNextSibling()
119 {
120     if ( current.getAttribute( "id" ) != "outputDiv" &&
121         current.nextSibling )
122     {
123         previous = current; // save currently highlighted node
124         current = current.nextSibling; // get new current node
125         setCurrentNodeStyle( previous.getAttribute( "id" ), false );
126         setCurrentNodeStyle( current.getAttribute( "id" ), true );
127     } // end if
128     else
129         alert( "There is no next sibling" );
130 } // end function processNextSibling
131
132 // highlight previous sibling of current node if it is not a text node
133 function processPreviousSibling()
134 {
135     if ( current.getAttribute( "id" ) != "outputDiv" &&
136         current.previousSibling && current.previousSibling.nodeType != 3 )
137     {
138         previous = current; // save currently highlighted node
139         current = current.previousSibling; // get new current node
140         setCurrentNodeStyle( previous.getAttribute( "id" ), false );
141         setCurrentNodeStyle( current.getAttribute( "id" ), true );
142     } // end if
143     else
144         alert( "There is no previous sibling" );
145 } // end function processPreviousSibling
146
147 // highlight last child of current node
148 function processLastChild()
149 {
150     if ( current.childNodes.length == 1 &&
151         current.lastChild.nodeType == 3 )
152     {
153         alert( "There is no child node" );
154     } // end if
155     else if ( current.childNodes.length != 0 )
156     {
157         previous = current; // save currently highlighted node
158         current = current.lastChild; // get new current node
159         setCurrentNodeStyle( previous.getAttribute( "id" ), false );
160         setCurrentNodeStyle( current.getAttribute( "id" ), true );
161     } // end if
162     else
163         alert( "There is no child node" );
164 } // end function processLastChild
165

```

**Fig. 15.25** | JavaScript for traversing an XML document using the XML DOM. (Part 4 of 5.)

---

```

166 // highlight parent of current node
167 function processparentNode()
168 {
169     if ( current.parentNode.getAttribute( "id" ) != "body" )
170     {
171         previous = current; // save currently highlighted node
172         current = current.parentNode; // get new current node
173         setCurrentNodeStyle( previous.getAttribute( "id" ), false );
174         setCurrentNodeStyle( current.getAttribute( "id" ), true );
175     } // end if
176     else
177         alert( "There is no parent node" );
178 } // end function processparentNode
179
180 // set style of node with specified id
181 function setCurrentNodeStyle( id, highlight )
182 {
183     document.getElementById( id ).className =
184     ( highlight ? "highlighted" : "" );
185 } // end function setCurrentNodeStyle
186
187 window.addEventListener( "load", start, false );

```

---

**Fig. 15.25** | JavaScript for traversing an XML document using the XML DOM. (Part 5 of 5.)

### *Global Script Variables*

Lines 3–7 declare several variables used throughout the script. Variable `outputHTML` stores the markup that will be placed in `outputDiv`. Variable `idCounter` is used to track the unique `id` attributes that we assign to each element in the `outputHTML` markup. These `ids` will be used to dynamically highlight parts of the document when the user clicks the buttons in the form. Variable `depth` determines the indentation level for the content in `article.xml`. We use this to structure the output using the nesting of the elements in `article.xml`. Variables `current` and `previous` track the current and previous nodes in `article.xml`'s DOM structure as the user navigates it.

### *Function `start`*

Function `start` (lines 10–23) registers event handlers for each of the buttons in Fig. 15.24, then calls function `loadXMLDocument`.

### *Function `loadXMLDocument`*

Function `loadXMLDocument` (lines 26–35) loads the XML document at the specified URL. Line 28 creates an `XMLHttpRequest` object, which can be used to load an XML document. Typically, such an object is used with Ajax to make asynchronous requests to a server—the topic of the next chapter. Here, we need to load an XML document immediately for use in this example. Line 29 uses the `XMLHttpRequest` object's `open` method to create a get request for an XML document at a specified URL. When the last argument's value is `false`, the request will be made synchronously—that is, the script will not continue until the document is received. Next, line 30 executes the `XMLHttpRequest`, which actually loads the XML document. The argument `null` to the `send` method indicates that no data is being sent to the server as part of this request. When the request completes, the resulting XML document is

stored in the XMLHttpRequest object's `responseXML` property, which we assign to local variable `doc`. When this completes, we call our `buildHTML` method (defined in lines 37–74) to construct an HTML5 representation of the XML document. The expression `doc.childNodes` is a list of the XML document's top-level nodes. Line 33 calls our `displayDoc` function (lines 77–82) to display the contents of `article.xml` in `outputDiv`.

### **Function `buildHTML`**

Function `buildHTML` (lines 37–74) is a recursive function that receives a list of nodes as an argument. Line 39 increments the depth for indentation purposes. Lines 42–71 iterate through the nodes in the list. The switch statement (lines 44–70) uses the current node's `nodeType` property to determine whether the current node is an element (line 46), a text node (i.e., the text content of an element; line 58) or a comment node (line 59). If it's an element, then we begin a new `div` element in our HTML5 (line 47) and give it a unique `id`. Then function `spaceOutput` (defined in lines 85–91) appends nonbreaking spaces (`&nbsp;`)—i.e., spaces that the browser is not allowed to collapse or that can be used to keep words together—to indent the current element to the correct level. Line 49 appends the name of the current element using the node's `nodeName` property. If the current element has children, the length of the current node's `childNodes` list is nonzero and line 54 recursively calls `buildHTML` to append the current element's child nodes to the markup. When that recursive call completes, line 56 completes the `div` element that we started at line 47.

If the current element is a text node, lines 62–63 obtain the node's value with the `nodeValue` property and use the string method `indexOf` to determine whether the node's value starts with three or six spaces. Some XML parsers do not ignore the white space used for indentation in XML documents. Instead they create text nodes containing just the space characters. The condition in lines 62–63 enables us to ignore these nodes in such browsers. If the node contains text, lines 65–67 append a new `div` to the markup and use the node's `nodeValue` property to insert that text in the `div`. Line 73 in `buildHTML` decrements the depth counter.



### **Portability Tip 15.4**

*Firefox's XML parser does not ignore white space used for indentation in XML documents. Instead, it creates text nodes containing the white-space characters.*

### **Function `displayDoc`**

In function `displayDoc` (lines 77–82), line 79 uses the DOM's `getElementById` method to obtain the `outputDiv` element and set its `innerHTML` property to the new markup generated by `buildHTML`. Then, line 80 sets variable `current` to refer to the `div` with `id 'id1'` in the new markup, and line 81 uses our `setCurrentNodeStyle` method (defined at lines 181–185) to highlight that `div`.

### **Functions `processFirstChild` and `processLastChild`**

Function `processFirstChild` (lines 94–115) is invoked by the `onclick` event of the `firstChild` button. If the current node has only one child and it's a text node (lines 96–97), line 99 displays an alert dialog indicating that there's no child node—we navigate only to nested XML elements in this example. If there are two or more children, line 103 stores the value of `current` in `previous`, and lines 105–108 set `current` to refer to its `firstChild` (if this child is not a text node) or its `firstChild`'s `nextSibling` (if the

`firstChild` is a text node)—again, this is to ensure that we navigate only to nodes that represent XML elements. Then lines 110–111 unhighlight the previous node and highlight the new current node. Function `processLastChild` (lines 148–164) works similarly, using the current node’s `lastChild` property.

#### *Functions `processNextSibling` and `processPreviousSibling`*

Function `processNextSibling` (lines 118–130) first ensures that the current node is not the `outputDiv` and that `nextSibling` exists. If so, lines 123–124 adjust the previous and current nodes accordingly and update their highlighting. Function `processPreviousSibling` (lines 133–145) works similarly, ensuring first that the current node is not the `outputDiv`, that `previousSibling` exists and that `previousSibling` is not a text node.

#### *Function `processParentNode`*

Function `processParentNode` (lines 167–178) first checks whether the current node’s `parentNode` is the HTML5 page’s body. If not, lines 171–174 adjust the previous and current nodes accordingly and update their highlighting.

#### *Common DOM Properties*

The tables in Figs. 15.26–15.31 describe many common DOM properties and methods. Some of the key DOM objects are `Node` (a node in the tree), `NodeList` (an ordered set of `Nodes`), `Document` (the document), `Element` (an element node), `Attr` (an attribute node) and `Text` (a text node). There are many more objects, properties and methods than we can possibly list here. Our XML Resource Center ([www.deitel.com/XML/](http://www.deitel.com/XML/)) includes links to various DOM reference websites.

| Property/Method              | Description  |
|------------------------------|--|
| <code>nodeType</code>        | An integer representing the node type.   |
| <code>nodeName</code>        | The name of the node.  |
| <code>nodeValue</code>       | A string or null depending on the node type.   |
| <code>parentNode</code>      | The parent node.   |
| <code>childNodes</code>      | A <code>NodeList</code> (Fig. 15.27) with all the children of the node.  |
| <code>firstChild</code>      | The first child in the <code>Node</code> ’s <code>NodeList</code> .  |
| <code>lastChild</code>       | The last child in the <code>Node</code> ’s <code>NodeList</code> .   |
| <code>previousSibling</code> | The node preceding this node; <code>null</code> if there’s no such node.   |
| <code>nextSibling</code>     | The node following this node; <code>null</code> if there’s no such node.   |
| <code>attributes</code>      | A collection of <code>Attr</code> objects (Fig. 15.30) containing the attributes for this node.  |
| <code>insertBefore</code>    | Inserts the node (passed as the first argument) before the existing node (passed as the second argument). If the new node is already in the tree, it’s removed before insertion. The same behavior is true for other methods that add nodes. |

**Fig. 15.26** | Common Node properties and methods. (Part 1 of 2.)

| Property/Method | Description   |
|-----------------|---|
| replaceChild    | Replaces the second argument node with the first argument node. |
| removeChild     | Removes the child node passed to it.                            |
| appendChild     | Appends the node it receives to the list of child nodes.        |

**Fig. 15.26** | Common Node properties and methods. (Part 2 of 2.)

| Property/Method | Description  |
|-----------------|--|
| item            | Method that receives an index number and returns the element node at that index. Indices range from 0 to <i>length</i> – 1. You can also access the nodes in a <i>NodeList</i> via array indexing. |
| length          | The total number of nodes in the list.   |

**Fig. 15.27** | *NodeList* property and method.

| Property/Method   | Description   |
|-------------------|---|
| documentElement   | The root node of the document.  |
| createElement     | Creates and returns an element node with the specified tag name.  |
| createAttribute   | Creates and returns an <i>Attr</i> node (Fig. 15.30) with the specified name and value.   |
| createTextNode    | Creates and returns a text node that contains the specified text.   |
| getElementsByName | Returns a <i>NodeList</i> of all the nodes in the subtree with the name specified as the first argument, ordered as they would be encountered in a preorder traversal. An optional second argument specifies either the direct child nodes (0) or any descendant (1). |

**Fig. 15.28** | Document property and methods.

| Property/Method  | Description   |
|------------------|---|
| tagName          | The name of the element.  |
| getAttribute     | Returns the value of the specified attribute.   |
| setAttribute     | Changes the value of the attribute passed as the first argument to the value passed as the second argument. |
| removeAttribute  | Removes the specified attribute.  |
| getAttributeNode | Returns the specified attribute node.   |
| setAttributeNode | Adds a new attribute node with the specified name.  |

**Fig. 15.29** | Element property and methods.

| Property | Description                      |
|----------|----------------------------------|
| value    | The specified attribute's value. |
| name     | The name of the attribute.       |

**Fig. 15.30** | Attr properties.

| Property | Description                                     |
|----------|---|
| data     | The text contained in the node.                 |
| length   | The number of characters contained in the node. |

**Fig. 15.31** | Text properties.

### Locating Data in XML Documents with XPath

Although you can use XML DOM capabilities to navigate through and manipulate nodes, this is not the most efficient means of locating data in an XML document's DOM tree. A simpler way to locate nodes is to search for lists of nodes matching search criteria that are written as XPath expressions. Recall that XPath (XML Path Language) provides a syntax for locating specific nodes in XML documents effectively and efficiently. XPath is a string-based language of expressions used by XML and many of its related technologies (such as XSLT, discussed in Section 15.8).

The example of Figs. 15.32–15.34 enables the user to enter XPath expressions in an HTML5 form. (To save space, we do not show the contents of the example's CSS file here.) When the user clicks the **Get Matches** button, the script applies the XPath expression to the XML DOM and displays the matching nodes.

#### HTML5 Document

When the HTML5 document (Fig. 15.32) loads, its `load` event calls `loadDocument` (as specified in Fig. 15.33, line 61) to load the `sports.xml` file (Fig. 15.34). The user specifies the XPath expression in the `input` element at line 14 (of Fig. 15.32). When the user clicks the **Get Matches** button (line 15), its `click` event handler invokes our `processXPathExpression` function (Fig. 15.33) to locate any matches and display the results in `outputDiv` (Fig. 15.32, line 17). Some browsers allow you to load XML documents dynamically only when accessing the files from a web server. For this reason, you can test this example at:

```
http://test.deitel.com/iw3htp5/ch15/Fig15_24-25/XMLDOMTraversal.xml
```

---

```

1 <!DOCTYPE html>
2
3 <!-- Fig. 15.32: xpath.html -->
4 <!-- Using XPath to locate nodes in an XML document. -->
5 <html>
6 <head>
```

**Fig. 15.32** | Using XPath to locate nodes in an XML document. (Part 1 of 2.)


```

7   <meta charset = "utf-8">
8   <link rel = "stylesheet" type = "text/css" href = "style.css">
9   <script src = "xpath.js"></script>
10  <title>Using XPath</title>
11 </head>
12 <body id = "body">
13  <form id = "myForm" action = "#">
14    <input id = "inputField" type = "text">
15    <input id = "matchesButton" type = "button" value = "Get Matches">
16  </form>
17  <div id = "outputDiv"></div>
18 </body>
19 </html>


```

a) Selecting the `sports` nodeb) Selecting the game nodes from the `sports` node

c) Selecting the name node from each game node



d) Selecting the paragraph node from each game node

e) Selecting the game with the `id` attribute value 239

f) Selecting the game with name element value Cricket

**Fig. 15.32** | Using XPath to locate nodes in an XML document. (Part 2 of 2.)

### JavaScript

The script of Fig. 15.33 loads the XML document `sports.xml` (Fig. 15.34) using the same techniques we presented in Fig. 15.25, so we focus on only the new features in this example.

```
1 // Fig. 15.33: xpath.html
2 // JavaScript that uses XPath to locate nodes in an XML document.
3 var doc; // variable to reference the XML document
4 var outputHTML = ""; // stores text to output in outputDiv
5
6 // register event handler for button and load XML document
7 function start()
8 {
9     document.getElementById( "matchesButton" ).addEventListener(
10         "click", processXPathExpression, false );
11     loadXMLDocument( "sports.xml" );
12 } // end function start
13
14 // load XML document programmatically
15 function loadXMLDocument( url )
16 {
17     var XMLHttpRequest = new XMLHttpRequest();
18     XMLHttpRequest.open( "get", url, false );
19     XMLHttpRequest.send( null );
20     doc = XMLHttpRequest.responseXML;
21 } // end function loadXMLDocument
22
23 // display the XML document
24 function displayHTML()
25 {
26     document.getElementById( "outputDiv" ).innerHTML = outputHTML;
27 } // end function displayDoc
28
29 // obtain and apply XPath expression
30 function processXPathExpression()
31 {
32     var xpathExpression = document.getElementById( "inputField" ).value;
33     var result;
34     outputHTML = "";
35
36     if ( !doc.evaluate ) // Internet Explorer
37     {
38         result = doc.selectNodes( xpathExpression );
39
40         for ( var i = 0; i < result.length; i++ )
41         {
42             outputHTML += "<p>" + result.item( i ).text + "</p>";
43         } // end for
44     } // end if
45     else // other browsers
46     {
47         result = doc.evaluate( xpathExpression, doc, null,
48             XPathResult.ORDERED_NODE_ITERATOR_TYPE, null );
49         var current = result.iterateNext();
50
51         while ( current )
52         {
```

**Fig. 15.33** | Using XPath to locate nodes in an XML document. (Part I of 2.)

---

```

53         outputHTML += "<p>" + current.textContent + "</p>";
54         current = result.iterateNext();
55     } // end while
56 } // end else
57
58     displayHTML();
59 } // end function processXPathExpression
60
61 window.addEventListener( "load", start, false );

```

---

**Fig. 15.33** | Using XPath to locate nodes in an XML document. (Part 2 of 2.)

#### *Function processXPathExpression*

Function `processXPathExpression` (Fig. 15.33, lines 30–59) obtains the XPath expression (line 32) from the `inputField`. Internet Explorer and other browsers handle XPath processing differently, so this function contains an `if...else` statement to handle the differences.

Lines 36–44 apply the XPath expression in Internet Explorer (or any other browser that does not support the `evaluate` method on an XML document object), and lines 45–56 apply the XPath expression in all other browsers. In IE, the XML document object's **selectNodes** method (line 38) receives an XPath expression as an argument and returns a collection of elements that match the expression. Lines 40–43 iterate through the results and mark up each one in a separate `p` element. After this loop completes, line 58 displays the generated markup in `outputDiv`.

For other browsers, lines 47–48 invoke the XML document object's **evaluate** method, which receives five arguments—the XPath expression, the document to apply the expression to, a namespace resolver, a result type and an `XPathResult` object into which to place the results. The result type `XPathResult.ORDERED_NODE_ITERATOR_TYPE` indicates that the method should return an object that can be used to iterate through the results in the order they appeared in the XML document. If the last argument is `null`, the function simply returns a new `XPathResult` object containing the matches. The namespace resolver argument can be `null` if you're not using XML namespace prefixes in the XPath processing. Lines 47–55 iterate through the `XPathResult` and mark up the results. Line 49 invokes the `XPathResult`'s `iterateNext` method to position to the first result. If there's a result, the condition in line 51 will be true, and line 53 creates a `p` element for that result. Line 54 then positions to the next result. After this loop completes, line 58 displays the generated markup in `outputDiv`.

#### *sports.xml*

Figure 15.34 shows the XML document `sports.xml` that we use in this example. [Note: The versions of `sports.xml` presented in Fig. 15.34 and Fig. 15.18 are nearly identical. In the current example, we do not want to apply an XSLT, so we omit the processing instruction found in line 2 of Fig. 15.18. We also removed extra blank lines to save space.]

---

```

1 <?xml version = "1.0"?>
2
3 <!-- Fig. 15.34: sports.xml -->

```

---

**Fig. 15.34** | XML document that describes various sports. (Part 1 of 2.)

---

```

4  <!-- Sports Database      -->
5  <sports>
6    <game id = "783">
7      <name>Cricket</name>
8      <paragraph>
9        More popular among commonwealth nations.
10     </paragraph>
11   </game>
12   <game id = "239">
13     <name>Baseball</name>
14     <paragraph>
15       More popular in America.
16     </paragraph>
17   </game>
18   <game id = "418">
19     <name>Soccer (Futbol)</name>
20     <paragraph>
21       Most popular sport in the world.
22     </paragraph>
23   </game>
24 </sports>

```

---

**Fig. 15.34** | XML document that describes various sports. (Part 2 of 2.)

#### *Function processXPathExpression*

Figure 15.35 summarizes the XPath expressions that we demonstrated in Fig. 15.32's sample outputs.

| Expression                    | Description  |
|-------------------------------|--|
| /sports                       | Matches all <i>sports</i> nodes that are child nodes of the document root node.  |
| /sports/game                  | Matches all <i>game</i> nodes that are child nodes of <i>sports</i> , which is a child of the document root.   |
| /sports/game/name             | Matches all <i>name</i> nodes that are child nodes of <i>game</i> . The <i>game</i> is a child of <i>sports</i> , which is a child of the document root.                       |
| /sports/game/paragraph        | Matches all <i>paragraph</i> nodes that are child nodes of <i>game</i> . The <i>game</i> is a child of <i>sports</i> , which is a child of the document root.                  |
| /sports/game [@id='239']      | Matches the <i>game</i> node with the <i>id</i> number 239. The <i>game</i> is a child of <i>sports</i> , which is a child of the document root.                               |
| /sports/game [name='Cricket'] | Matches all <i>game</i> nodes that contain a child element whose name is <i>Cricket</i> . The <i>game</i> is a child of <i>sports</i> , which is a child of the document root. |

**Fig. 15.35** | XPath expressions and descriptions.

## 15.10 Web Resources

[www.deitel.com/XML/](http://www.deitel.com/XML/)

The Deitel XML Resource Center focuses on the vast amount of free XML content available online, plus some for-sale items. Start your search here for tools, downloads, tutorials, podcasts, wikis, documentation, conferences, FAQs, books, e-books, sample chapters, articles, newsgroups, forums, downloads from CNET's download.com, jobs and contract opportunities, and more that will help you develop XML applications.

---

### Summary

#### *Section 15.1 Introduction*

- The eXtensible Markup Language (XML; p. 544) is a portable, widely supported, open (i.e., nonproprietary) technology for data storage and exchange.

#### *Section 15.2 XML Basics*

- XML documents are readable by both humans and machines.
- XML permits document authors to create custom markup for any type of information. This enables document authors to create entirely new markup languages (p. 544) that describe specific types of data, including mathematical formulas, chemical molecular structures, music and recipes.
- An XML parser (p. 546) is responsible for identifying components of XML documents (typically files with the .xml extension) and then storing those components in a data structure for manipulation.
- An XML document can optionally reference a Document Type Definition (DTD, p. 546) or schema that defines the XML document's structure.
- An XML document that conforms to a DTD/schema (i.e., has the appropriate structure) is valid.
- If an XML parser (validating or non-validating; p. 546) can process an XML document successfully, that XML document is well-formed (p. 546).

#### *Section 15.3 Structuring Data*

- An XML document begins with an XML declaration (p. 547), which identifies the document as an XML document. The `version` attribute (p. 547) specifies the version of XML syntax used in the document.
- XML comments begin with `<!--` and end with `-->`.
- An XML document contains text that represents its content (i.e., data) and elements that specify its structure. XML documents delimit an element with start and end tags.
- The root element (p. 550) of an XML document encompasses all its other elements.
- XML element names can be of any length and can contain letters, digits, underscores, hyphens and periods. However, they must begin with either a letter or an underscore, and they should not begin with "xml" in any combination of uppercase and lowercase letters, as this is reserved for use in the XML standards.
- When a user loads an XML document in a browser, a parser parses the document, and the browser uses a style sheet to format the data for display.
- Data can be placed between tags or in attributes (name/value pairs that appear within the angle brackets of start tags, p. 552). Elements can have any number of attributes.

### ***Section 15.4 XML Namespaces***

- XML allows document authors to create their own markup, and as a result, naming collisions (i.e., two different elements that have the same name, p. 553) can occur. XML namespaces (p. 553) provide a means for document authors to prevent collisions.
- Each namespace prefix (p. 553) is bound to a Uniform Resource Identifier (URI, p. 554) that uniquely identifies the namespace. A URI is a series of characters that differentiate names. Document authors create their own namespace prefixes. Any name can be used as a namespace prefix, but the namespace prefix `xml` is reserved for use in XML standards.
- To eliminate the need to place a namespace prefix in each element, authors can specify a default namespace for an element and its children. We declare a default namespace using keyword `xmlns` (p. 554) with a URI as its value.
- Document authors commonly use URLs (Uniform Resource Locators, p. 554) for URIs, because domain names (e.g., `deitel.com`) in URLs must be unique.

### ***Section 15.5 Document Type Definitions (DTDs)***

- DTDs and schemas specify documents' element types and attributes and their relationships to one another.
- DTDs and schemas enable an XML parser to verify whether an XML document is valid (i.e., its elements contain the proper attributes and appear in the proper sequence).
- A DTD expresses the set of rules for document structure using an EBNF (Extended Backus-Naur Form) grammar.
- In a DTD, an `ELEMENT` element type declaration (p. 557) defines the rules for an element. An `ATTLIST` attribute-list declaration (p. 557) defines attributes for a particular element.

### ***Section 15.6 W3C XML Schema Documents***

- XML schemas use XML syntax and are themselves XML documents.
- Unlike DTDs, XML Schema (p. 559) documents can specify what type of data (e.g., numeric, text) an element can contain.
- An XML document that conforms to a schema document is schema valid (p. 560).
- Two categories of types exist in XML Schema: simple types and complex types (p. 563). Simple types cannot contain attributes or child elements; complex types can.
- Every simple type defines a restriction on an XML Schema-defined schema type or on a user-defined type.
- Complex types can have either simple content or complex content. Both can contain attributes, but only complex content can contain child elements.
- Whereas complex types with simple content must extend or restrict some other existing type, complex types with complex content do not have this limitation.

### ***Section 15.7 XML Vocabularies***

- XML allows authors to create their own tags to describe data precisely.
- Some of these XML vocabularies include MathML (Mathematical Markup Language, p. 566), Scalable Vector Graphics (SVG, p. 566), Wireless Markup Language (WML, p. 566), Extensible Business Reporting Language (XBRL, p. 566), Extensible User Interface Language (XUL, p. 566), Product Data Markup Language (PDML, p. 566), W3C XML Schema and Extensible Stylesheet Language (XSL).
- MathML markup describes mathematical expressions for display. MathML is divided into two types of markup—content markup (p. 566) and presentation markup (p. 566).

- Content markup provides tags that embody mathematical concepts. Content MathML allows programmers to write mathematical notation specific to different areas of mathematics.
- Presentation MathML is directed toward formatting and displaying mathematical notation.
- By convention, MathML files end with the `.mml` filename extension.
- A MathML document's root node is the `math` element and its default namespace is `http://www.w3.org/1998/Math/MathML`.
- The `mn` element (p. 567) marks up a number. The `mo` element (p. 567) marks up an operator.
- Entity reference `&InvisibleTimes;` (p. 568) indicates a multiplication operation without explicit symbolic representation (p. 568).
- The `msup` element (p. 568) represents a superscript. It has two children—the expression to be superscripted (i.e., the base) and the superscript (i.e., the exponent). Correspondingly, the `msub` element (p. 568) represents a subscript.
- To display variables, use identifier element `mi` (p. 568).
- The `mfrac` element (p. 568) displays a fraction. If either the numerator or the denominator contains more than one element, it must appear in an `mrow` element (p. 569).
- An `mrow` element is used to group elements that are positioned horizontally in an expression.
- The entity reference `&int;` (p. 569) represents the integral symbol.
- The `msubsup` element (p. 569) specifies the subscript and superscript of a symbol. It requires three child elements—an operator, the subscript expression and the superscript expression.
- Element `msqrt` (p. 569) represents a square-root expression.
- Entity reference `&delta;` represents a lowercase delta symbol.

### *Section 15.8 Extensible Stylesheet Language and XSL Transformations*

- eXtensible Stylesheet Language (XSL; p. 570) can convert XML into any text-based document. XSL documents have the extension `.xsl`.
- XPath (p. 570) is a string-based language of expressions used by XML and many of its related technologies for effectively and efficiently locating structures and data (such as specific elements and attributes) in XML documents.
- XPath is used to locate parts of the source-tree document that match templates defined in an XSL style sheet. When a match occurs (i.e., a node matches a template), the matching template executes and adds its result to the result tree (p. 571). When there are no more matches, XSLT has transformed the source tree (p. 571) into the result tree.
- The XSLT does not analyze every node of the source tree; it selectively navigates the source tree using XPath's `select` and `match` attributes.
- For XSLT to function, the source tree must be properly structured. Schemas, DTDs and validating parsers can validate document structure before using XPath and XSLTs.
- XSL style sheets (p. 571) can be connected directly to an XML document by adding an `xml:stylesheet` processing instruction to the XML document.
- Two tree structures are involved in transforming an XML document using XSLT—the source tree (the document being transformed) and the result tree (the result of the transformation).
- The XPath character `/` (a forward slash) always selects the document root. In XPath, a leading forward slash specifies that we're using absolute addressing.
- An XPath expression with no beginning forward slash uses relative addressing (p. 574).
- XSL element `value-of` retrieves an attribute's value. The `@` symbol specifies an attribute node.

- XSL node-set function `name` (p. 578) retrieves the current node's element name.
- XSL node-set function `text` (p. 578) retrieves the text between an element's start and end tags.
- The XPath expression `/*` selects all the nodes in an XML document.

### ***Section 15.9 Document Object Model (DOM)***

- Although an XML document is a text file, retrieving data from the document using traditional sequential file-processing techniques is neither practical nor efficient, especially for adding and removing elements dynamically.
- Upon successfully parsing a document, some XML parsers store document data as tree structures in memory. This hierarchical tree structure is called a Document Object Model (DOM) tree (p. 579), and an XML parser that creates this type of structure is known as a DOM parser (p. 579).
- Each element name is represented by a node. A node that contains other nodes is called a parent node. A parent node (p. 579) can have many children, but a child node (p. 579) can have only one parent node.
- Nodes that are peers are called sibling nodes (p. 579).
- A node's descendant nodes (p. 579) include its children, its children's children and so on. A node's ancestor nodes (p. 579) include its parent, its parent's parent and so on.
- Many of the XML DOM capabilities are similar or identical to those of the HTML5 DOM.
- The DOM tree has a single root node (p. 579), which contains all the other nodes in the document.
- An `XMLHttpRequest` object can be used to load an XML document.
- The `XMLHttpRequest` object's `open` method (p. 588) can be used to create a `get` request for an XML document at a specified URL. When the last argument's value is `false`, the request will be made synchronously.
- `XMLHttpRequest` method `send` (p. 588) executes the request to load the XML document. When the request completes, the resulting XML document is stored in the `XMLHttpRequest` object's `responseXML` property.
- A document's `childNodes` property contains a list of the XML document's top-level nodes.
- A node's `nodeType` property (p. 589) contains the type of the node.
- Nonbreaking spaces (&nbsp;, p. 589) are spaces that the browser is not allowed to collapse or that can be used to keep words together.
- The name of an element can be obtained by the node's `nodeName` property (p. 589).
- If the current node has children, the length of the node's `childNodes` list is nonzero.
- The `nodeValue` property (p. 589) returns the value of an element.
- Node property `firstChild` (p. 589) refers to the first child of a given node. Similarly, `lastChild` (p. 590) refers to the last child of a given node.
- Node property `nextSibling` (p. 589) refers to the next sibling in a list of children of a particular node. Similarly, `previousSibling` refers to the current node's previous sibling.
- Property `parentNode` (p. 590) refers to the current node's parent node.
- A simpler way to locate nodes is to search for lists of node-matching search criteria that are written as XPath expressions.
- In IE, the XML document object's `selectNodes` method (p. 595) receives an XPath expression as an argument and returns a collection of elements that match the expression.
- Other browsers search for XPath matches using the XML document object's `evaluate` method (p. 595), which receives five arguments—the XPath expression, the document to apply the ex-

pression to, a namespace resolver, a result type and an `XPathResult` object (p. 595) into which to place the results. If the last argument is `null`, the function simply returns a new `XPathResult` object containing the matches. The namespace resolver argument can be `null` if you're not using XML namespace prefixes in the XPath processing.

## Self-Review Exercises

- 15.1** Which of the following are valid XML element names? (Select all that apply.)
- `yourQualification`
  - `your Qualification`
  - `your.Qualification`
  - `your_Qualification`
  - `your-Qualification1`
  - `5_yourQualification`
- 15.2** State which of the following statements are *true* and which are *false*. If *false*, explain why.
- XML is a technology for creating markup languages.
  - XML markup is delimited by forward and backward slashes (/ and \).
  - All XML start tags must have corresponding end tags.
  - Parsers check an XML document's syntax.
  - XML does not support namespaces.
  - When creating XML elements, document authors must use the set of XML tags provided by the W3C.
  - The pound character (#), dollar sign (\$), ampersand (&) and angle brackets (< and >) are examples of XML reserved characters.
  - XML is not case sensitive.
  - XML Schemas are better than DTDs, because DTDs lack a way of indicating what specific type of data (e.g., numeric, text) an element can contain, and DTDs are not themselves XML documents.
  - DTDs are written using an XML vocabulary.
  - Schema is a technology for locating information in an XML document.
- 15.3** Fill in the blanks for each of the following:
- XML comments begin with `<!--` and end with \_\_\_\_\_.
  - A(n) \_\_\_\_\_ object can be used to load an XML document.
  - Nodes that are peers are called \_\_\_\_\_.
  - \_\_\_\_\_ markup describes mathematical expressions for display.
  - Entity reference \_\_\_\_\_ represents a lowercase delta symbol in XML.
  - A document's \_\_\_\_\_ property contains a list of the XML document's top-level nodes.
  - The XPath expression \_\_\_\_\_ selects all the nodes in an XML document.
  - In XPath, a leading forward slash specifies that we're using \_\_\_\_\_.
  - XSL element \_\_\_\_\_ retrieves an attribute's value.
- 15.4** In Fig. 15.2, we subdivided the `author` element into more detailed pieces. How might you subdivide the `address` element? Use the address Baker Street, London, 6789, as an example.
- 15.5** Write a processing instruction that includes style sheet `book.xsl`.
- 15.6** Write an XPath expression that locates `salutation` nodes in `letter.xml` (Fig. 15.4).

## Answers to Self-Review Exercises

- 15.1** a, c, d, e. [Choice b is incorrect because it contains a space. Choice f is incorrect because the first character is a number.]

**15.2** a) True. b) False. In an XML document, markup text is delimited by tags enclosed in angle brackets (< and >) with a forward slash just after the < in the end tag. c) True. d) True. e) False. XML does support namespaces. f) False. When creating tags, document authors can use any valid name but should avoid ones that begin with the reserved word `xm1` (also `XML`, `Xm1`, etc.). g) False. XML reserved characters include the ampersand (&), the left angle bracket (<) and the right angle bracket (>), but not # and \$. h) False. XML is case sensitive. i) True. j) False. DTDs use EBNF grammar, which is not XML syntax. k) False. XPath is a technology for locating information in an XML document. XML Schema provides a means for type checking XML documents and verifying their validity.

**15.3** a) -->. b) XMLHttpRequest. c) sibling nodes. d) MathML. e) &delta;. f) childNodes. g) //\*. h) absolute addressing . i) value-of.

**15.4** `<address>`

```
<street>Baker Street</street>
<city>London</city>
<pin>6789</pin>
</address>
```

**15.5** `<?xsl:stylesheet type = "text/xsl" href = "book.xsl"?>`

**15.6** `/salutation /contact.`

## Exercises

**15.7** (*Nutrition Information XML Document*) Create an XML document that marks up the nutrition facts for a package of Grandma White's cookies. A package of cookies has a serving size of 1 package and the following nutritional value per serving: 260 calories, 100 fat calories, 11 grams of fat, 2 grams of saturated fat, 5 milligrams of cholesterol, 210 milligrams of sodium, 36 grams of total carbohydrates, 2 grams of fiber, 15 grams of sugars and 5 grams of protein. Name this document `nutrition.xml`. Load the XML document into your web browser. [Hint: Your markup should contain elements describing the product name, serving size/amount, calories, sodium, cholesterol, proteins, etc. Mark up each nutrition fact/ingredient listed above.]

**15.8** (*Nutrition Information XML Schema*) Write an XML Schema document (`nutrition.xsd`) specifying the structure of the XML document created in Exercise 15.7.

**15.9** (*Nutrition Information XSL Style Sheet*) Write an XSL style sheet for your solution to Exercise 15.7 that displays the nutritional facts in an HTML5 table.

**15.10** (*Sorting XSLT Modification*) Modify Fig. 15.21 (`sorting.xsl`) to sort by the number of pages rather than by chapter number. Save the modified document as `sorting_byPage.xsl`.

# Ajax-Enabled Rich Internet Applications with XML and JSON

16

*... the challenges are for the designers of these applications: to forget what we think we know about the limitations of the Web, and begin to imagine a wider, richer range of possibilities. It's going to be fun.*  
—Jesse James Garrett

*To know how to suggest is the great art of teaching.*  
—Henri-Frederic Amiel

*It is characteristic of the epistemological tradition to present us with partial scenarios and then to demand whole or categorical answers as it were.*  
—Avrum Stroll

*O! call back yesterday, bid time return.*  
—William Shakespeare

## Objectives

In this chapter you will:

- Learn what Ajax is and why it's important for building Rich Internet Applications.
- Use asynchronous requests to give web applications the feel of desktop applications.
- Use the XMLHttpRequest object to manage asynchronous requests to servers and to receive asynchronous responses.
- Use XML with the DOM.
- Create a full-scale Ajax-enabled application.



|             |   |             |   |
|-------------|---|-------------|---|
| <b>16.1</b> | Introduction  | <b>16.5</b> | Using XML and the DOM   |
| 16.1.1      | Traditional Web Applications vs. Ajax Applications  | 16.6        | Creating a Full-Scale Ajax-Enabled Application                |
| 16.1.2      | Traditional Web Applications                        | 16.6.1      | Using JSON  |
| 16.1.3      | Ajax Web Applications                               | 16.6.2      | Rich Functionality  |
| <b>16.2</b> | Rich Internet Applications (RIAs) with Ajax         | 16.6.3      | Interacting with a Web Service on the Server                  |
| <b>16.3</b> | History of Ajax                                     | 16.6.4      | Parsing JSON Data   |
| <b>16.4</b> | "Raw" Ajax Example Using the XMLHttpRequest Object  | 16.6.5      | Creating HTML5 Elements and Setting Event Handlers on the Fly |
| 16.4.1      | Asynchronous Requests                               | 16.6.6      | Implementing Type-Ahead                                       |
| 16.4.2      | Exception Handling                                  | 16.6.7      | Implementing a Form with Asynchronous Validation              |
| 16.4.3      | Callback Functions                                  |             |   |
| 16.4.4      | XMLHttpRequest Object Event, Properties and Methods |             |   |

[Summary](#) | [Self-Review Exercises](#) | [Answers to Self-Review Exercises](#) | [Exercises](#)

## 16.1 Introduction

Despite the tremendous technological growth of the Internet over the past decade, the usability of web applications has lagged behind that of desktop applications. **Rich Internet Applications (RIAs)** are web applications that approximate the look, feel and usability of desktop applications. Two key attributes of RIAs are performance and a rich GUI.

RIA performance comes from **Ajax (Asynchronous JavaScript and XML)**, which uses client-side scripting to make web applications more responsive. Ajax applications separate client-side user interaction and server communication and run them *in parallel*, reducing the delays of server-side processing normally experienced by the user.

There are many ways to implement Ajax functionality. "Raw" Ajax uses JavaScript to send asynchronous requests to the server, then updates the page using the DOM. "Raw" Ajax is best suited for creating small Ajax components that asynchronously update a section of the page. However, when writing "raw" Ajax you need to deal directly with cross-browser portability issues, making it impractical for developing large-scale applications. These portability issues are hidden by **Ajax toolkits**, such as jQuery, ASP.NET Ajax and JSF's Ajax capabilities, which provide powerful ready-to-use controls and functions that enrich web applications and simplify JavaScript coding by making it cross-browser compatible.

Traditional web applications use HTML5 forms to build GUIs that are simple by comparison with those of Windows, Macintosh and desktop systems in general. You can achieve rich GUIs in RIAs with JavaScript toolkits providing powerful ready-to-use controls and functions that enrich web applications.

Previous chapters discussed HTML5, CSS3, JavaScript, the DOM and XML. This chapter uses these technologies to build Ajax-enabled web applications. The client side of Ajax applications is written in HTML5 and CSS3 and uses JavaScript to add functionality to the user interface. XML is used to structure the data passed between server and client. We'll also use JSON (JavaScript Object Notation) for this purpose. The Ajax component that manages interaction with the server is usually implemented with JavaScript's **XMLHttpRequest object**—commonly abbreviated as **XHR**. The server processing can be

implemented using any server-side technology, such as PHP, ASP.NET and JavaServer Faces, each of which we cover in later chapters.


We begin with several examples that build basic Ajax applications using JavaScript and the XMLHttpRequest object. In subsequent chapters, we use tools such as ASP.NET Ajax and JavaServer Faces to build Ajax-enabled RIAs. We also include an online introduction to jQuery.

### 16.1.1 Traditional Web Applications vs. Ajax Applications

In this section, we consider the key differences between traditional web applications and Ajax-based web applications.

### 16.1.2 Traditional Web Applications

Figure 16.1 presents the typical interactions between the client and the server in a traditional web application, such as one that employs a user registration form. The user first fills in the form's fields, then submits the form (Fig. 16.1, *Step 1*). The browser generates a request to the server, which receives the request and processes it (*Step 2*). The server generates and sends a response containing the exact page that the browser will render (*Step 3*), which causes the browser to load the new page (*Step 4*) and temporarily makes the browser window blank. Note that the client *waits* for the server to respond and  *reloads the entire page* with the data from the response (*Step 4*). While such a **synchronous request** is being processed on the server, the user *cannot* interact with the client web page. Frequent long periods of waiting, due perhaps to Internet congestion, have led some users to refer to the World Wide Web as the “World Wide Wait;” this situation has improved greatly in recent years. If the user interacts with and submits another form, the process begins again (*Steps 5–8*).




**Fig. 16.1** | Classic web application reloading the page for every user interaction.

This model was originally designed for a web of hypertext documents—what some people call the “brochure web.” As the web evolved into a full-scale *applications platform*,

the model shown in Fig. 16.1 yielded erratic application performance. Every *full-page refresh* required users to re-establish their understanding of the full-page contents. Users sought a model that would yield the responsive feel of desktop applications.

### 16.1.3 Ajax Web Applications

Ajax applications add a layer between the client and the server to manage communication between the two (Fig. 16.2). When the user interacts with the page, the client creates an XMLHttpRequest object to manage a request (*Step 1*). The XMLHttpRequest object sends the request to the server (*Step 2*) and awaits the response. The requests are **asynchronous**, so the user can continue interacting with the application on the client side while the server processes the earlier request *concurrently*. Other user interactions could result in additional requests to the server (*Steps 3 and 4*). Once the server responds to the original request (*Step 5*), the XMLHttpRequest object that issued the request calls a client-side function to process the data returned by the server. This function—known as a **callback function**—uses **partial page updates** (*Step 6*) to display the data in the existing web page *without reloading the entire page*. At the same time, the server may be responding to the second request (*Step 7*) and the client side may be starting to do another partial page update (*Step 8*). The callback function updates *only* a designated part of the page. Such partial page updates help make web applications more responsive, making them feel more like desktop applications. The web application does *not* load a new page while the user interacts with it.



**Fig. 16.2** | Ajax-enabled web application interacting with the server asynchronously.

## 16.2 Rich Internet Applications (RIAs) with Ajax

Ajax improves the user experience by making interactive web applications more responsive. Consider a registration form with a number of fields (e.g., first name, last name e-mail address, telephone number, etc.) and a **Register** (or **Submit**) button that sends the en-

tered data to the server. Usually each field has rules that the user's entries have to follow (e.g., valid e-mail address, valid telephone number, etc.).

When the user clicks **Register**, an HTML5 form sends the server *all* of the data to be validated (Fig. 16.3). While the server is validating the data, the user *cannot* interact with the page. The server finds invalid data, generates a new page identifying the errors in the form and sends it back to the client—which renders the page in the browser. Once the user fixes the errors and clicks the **Register** button, the cycle repeats until no errors are found, then the data is stored on the server. The *entire* page reloads every time the user submits invalid data.

Ajax-enabled forms are more interactive. Rather than the *entire* form being sent to be validated, entries can be validated individually, dynamically, as the user enters data into the fields. For example, consider a website registration form that requires a valid e-mail address. When the user enters an e-mail address into the appropriate field, then moves to the next form field to continue entering data, an *asynchronous* request is sent to the server to validate the e-mail address. If it's not valid, the server sends an error message that's displayed on the page informing the user of the problem (Fig. 16.4). By sending each entry *asynchronously*, the user can address each invalid entry quickly, versus making edits and resubmitting the entire form repeatedly until all entries are valid. Simple validation like this for e-mails and phone numbers can also be accomplished with HTML5's new `input` elements that you learned in Chapter 3, rather than using Ajax. Asynchronous requests could also be used to fill some fields based on previous fields (e.g., automatically filling in the “city” and “state” fields based on the ZIP code entered by the user).

- a) A sample registration form in which the user has not filled in the required fields, but attempts to submit the form anyway by clicking **Register**.

The screenshot shows a web browser window titled "Sample Form" with the URL "localhost/ch19/fig19\_13-14/form.html". The page contains a "Registration Form" with instructions: "Please fill in all fields and click Register." It is divided into sections: "User Information" (with fields for First name, Last name, Email, and Phone), "Publications" (with a dropdown menu showing "Internet and WWW How to Program"), and "Operating System" (with radio buttons for Windows, Mac OS X, Linux, and Other). A red box highlights the "Phone" field and the "Register" button. Below the "Phone" field, an error message "This field is required." is displayed.

**Fig. 16.3** | Classic HTML5 form: The user submits the form to the server, which validates the data (if any). Server responds indicating any fields with invalid or missing data. (Part 1 of 2.)

- b) The server responds by indicating all the form fields with missing or invalid data. The user must correct the problems and resubmit the *entire* form repeatedly until *all* errors are corrected.

The screenshot shows a web browser window titled "Sample Form" with the URL "localhost/ch19/fig19\_13-14/form.html". The page title is "Registration Form" and the sub-instruction "Please fill in all fields and click Register." Below this is a section titled "User Information" containing four input fields: "First name" (empty), "Last name" (empty), "Email" (empty), and "Phone" (containing "(555) 555-5555"). A red error message "First name is required" is displayed next to the first input field. The "Phone" field has a red error message "Email address is required" displayed next to it. Below "User Information" is a section titled "Publications" with a dropdown menu set to "Internet and WWW How to Program". Under "Operating System", there are radio buttons for Windows, Mac OS X, Linux, and Other, with Windows selected. At the bottom is a "Register" button.

**Fig. 16.3** | Classic HTML5 form: The user submits the form to the server, which validates the data (if any). Server responds indicating any fields with invalid or missing data. (Part 2 of 2.)

This screenshot shows the same "Registration Form" page as Fig. 16.3, but with an Ajax-enabled validation system. The "Email" field now contains the invalid value "NotAValidEmail", and a red error message "Enter a valid email address, e.g., user@domain.com" is displayed directly below the field. All other fields and sections (User Information, Publications, Operating System) appear identical to the classic form version.

**Fig. 16.4** | Ajax-enabled form shows errors asynchronously when user moves to another field.

## 16.3 History of Ajax

The term Ajax was coined by Jesse James Garrett of Adaptive Path in February 2005, when he was presenting the previously unnamed technology to a client. The technologies of Ajax (HTML, JavaScript, CSS, the DOM and XML) had all existed for many years prior to 2005.

Asynchronous page updates can be traced back to earlier browsers. In the 1990s, Netscape's LiveScript language made it possible to include scripts in web pages (e.g., web forms) that could run on the client. LiveScript evolved into JavaScript. In 1998, Microsoft introduced the XMLHttpRequest object to create and manage asynchronous requests and responses. Popular applications like Flickr and Google's Gmail use the XMLHttpRequest object to update pages dynamically. For example, Flickr uses the technology for its text editing, tagging and organizational features; Gmail continuously checks the server for new e-mail; and Google Maps allows you to drag a map in any direction, downloading the new areas on the map without reloading the entire page.

The name Ajax immediately caught on and brought attention to its component technologies. Ajax has enabled "webtop" applications to challenge the dominance of established desktop applications. This has become increasingly significant as more and more computing moves to "the cloud."

## 16.4 "Raw" Ajax Example Using the XMLHttpRequest Object

In this section, we use the XMLHttpRequest object to create and manage asynchronous requests. This object, which resides on the client, is the layer between the client and the server that manages asynchronous requests in Ajax applications. It's supported on most browsers, though they may implement it differently—a common issue with browsers. To initiate an asynchronous request (shown in Fig. 16.5), you create an instance of the XMLHttpRequest object, then use its open method to set up the request and its send method to initiate the request. We summarize the XMLHttpRequest properties and methods in Figs. 16.6–16.7.

Figure 16.5 presents an Ajax application in which the user interacts with the page by moving the mouse over book-cover images; a detailed code walkthrough follows the figure. We use the `mouseover` and `mouseout` events to trigger events when the user moves the mouse over and out of an image, respectively. The `mouseover` event calls function `getContent` with the URL of the document containing the book's description. The function makes this request asynchronously using an XMLHttpRequest object. When the XMLHttpRequest object receives the response, the book description is displayed below the book images. When the user moves the mouse out of the image, the `mouseout` event calls function `clearContent` to clear the display box. These tasks are accomplished without reloading the page on the client. You can test-drive this example at [http://test.deitel.com/iw3http5/ch16/fig16\\_05/SwitchContent.html](http://test.deitel.com/iw3http5/ch16/fig16_05/SwitchContent.html).



### Performance Tip 16.1

When an Ajax application requests a file from a server, such as an HTML5 document or an image, the browser typically caches that file. Subsequent requests for the same file can load it from the browser's cache rather than making the round trip to the server again.



### Software Engineering Observation 16.1

For security purposes, the XMLHttpRequest object doesn't allow a web application to request resources from domains other than the one that served the application. For this reason, the web application and its resources must reside on the same web server (this could be a web server on your local computer). This is commonly known as the **same origin policy (SOP)**. SOP aims to close a vulnerability called **cross-site scripting**, also known as **XSS**, which allows an attacker to compromise a website's security by injecting a malicious script onto the page from another domain. To get content from another domain securely, you can implement a **server-side proxy**—an application on the web application's web server—that can make requests to other servers on the web application's behalf.

#### 16.4.1 Asynchronous Requests

The function `getContent` (lines 46–63) sends the asynchronous request. Line 51 creates the XMLHttpRequest object, which manages the asynchronous request. We store the object in the global variable `asyncRequest` (declared at line 13) so that it can be accessed anywhere in the script. You can test this web page at [test.deitel.com/iw3htp5/ch16/fig16\\_05/SwitchContent.html](http://test.deitel.com/iw3htp5/ch16/fig16_05/SwitchContent.html).

Line 56 calls the XMLHttpRequest `open` method to prepare an asynchronous GET request. In this example, the `url` parameter specifies the address of an HTML document containing the description of a particular book. When the third argument is true, the request is *asynchronous*. The URL is passed to function `getContent` in response to the `onmouseover` event for each image. Line 57 sends the asynchronous request to the server by calling the XMLHttpRequest `send` method. The argument `null` indicates that this request is not submitting data in the body of the request.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 16.5: SwitchContent.html -->
4  <!-- Asynchronously display content without reloading the page. -->
5  <html>
6  <head>
7      <meta charset = "utf-8">
8      <style type = "text/css">
9          .box { border: 1px solid black; padding: 10px }
10     </style>
11     <title>Switch Content Asynchronously</title>
12     <script>
13         var asyncRequest; // variable to hold XMLHttpRequest object
14
15         // set up event handlers
16         function registerListeners()
17         {
18             var img;
19             img = document.getElementById( "cpphtp" );
20             img.addEventListener( "mouseover",
21                 function() { getContent( "cpphtp8.html" ); }, false );
22             img.addEventListener( "mouseout", clearContent, false );
23             img = document.getElementById( "iw3htp" );

```

---

**Fig. 16.5** | Asynchronously display content without reloading the page. (Part 1 of 4.)

```
24     img.addEventListener( "mouseover",
25         function() { getContent( "iw3htp.html" ); }, false );
26     img.addEventListener( "mouseout", clearContent, false );
27     img = document.getElementById( "jhtp" );
28     img.addEventListener( "mouseover",
29         function() { getContent( "jhtp.html" ); }, false );
30     img.addEventListener( "mouseout", clearContent, false );
31     img = document.getElementById( "vbhtp" );
32     img.addEventListener( "mouseover",
33         function() { getContent( "vbhtp.html" ); }, false );
34     img.addEventListener( "mouseout", clearContent, false );
35     img = document.getElementById( "vcshtp" );
36     img.addEventListener( "mouseover",
37         function() { getContent( "vcshtp.html" ); }, false );
38     img.addEventListener( "mouseout", clearContent, false );
39     img = document.getElementById( "javafp" );
40     img.addEventListener( "mouseover",
41         function() { getContent( "javafp.html" ); }, false );
42     img.addEventListener( "mouseout", clearContent, false );
43 } // end function registerListeners
44
45 // set up and send the asynchronous request.
46 function getContent( url )
47 {
48     // attempt to create XMLHttpRequest object and make the request
49     try
50     {
51         asyncRequest = new XMLHttpRequest(); // create request object
52
53         // register event handler
54         asyncRequest.addEventListener(
55             "readystatechange", stateChange, false);
56         asyncRequest.open( "GET", url, true ); // prepare the request
57         asyncRequest.send( null ); // send the request
58     } // end try
59     catch ( exception )
60     {
61         alert( "Request failed." );
62     } // end catch
63 } // end function getContent
64
65 // displays the response data on the page
66 function stateChange()
67 {
68     if ( asyncRequest.readyState == 4 && asyncRequest.status == 200 )
69     {
70         document.getElementById( "contentArea" ).innerHTML =
71             asyncRequest.responseText; // places text in contentArea
72     } // end if
73 } // end function stateChange
74
```


Fig. 16.5 | Asynchronously display content without reloading the page. (Part 2 of 4.)

```

75      // clear the content of the box
76      function clearContent()
77      {
78          document.getElementById( "contentArea" ).innerHTML = "";
79      } // end function clearContent
80
81      window.addEventListener( "load", registerListeners, false );
82  </script>
83 </head>
84 <body>
85     <h1>Mouse over a book for more information.</h1>
86     <img id = "cpphttp" alt = "C++ How to Program book cover"
87         src = "http://test.deitel.com/images/thumbs/cpphttp8.jpg">
88     <img id = "iw3htp" alt = "Internet & WWW How to Program book cover"
89         src = "http://test.deitel.com/images/thumbs/iw3htp5.jpg">
90     <img id = "jhttp" alt = "Java How to Program book cover"
91         src = "http://test.deitel.com/images/thumbs/jhttp9.jpg">
92     <img id = "vbhttp" alt = "Visual Basic 2010 How to Program book cover"
93         src = "http://test.deitel.com/images/thumbs/vb2010http.jpg">
94     <img id = "vcshftp" alt = "Visual C# 2010 How to Program book cover"
95         src = "http://test.deitel.com/images/thumbs/vcsharp2010http.jpg">
96     <img id = "javafp" alt = "Java for Programmers book cover"
97         src = "http://test.deitel.com/images/thumbs/javafp.jpg">
98     <div class = "box" id = "contentArea"></div>
99 </body>
100 </html>


```

- a) User hovers over *C++ How to Program* book-cover image, causing an asynchronous request to the server to obtain the book's description. When the response is received, the application performs a *partial page update* to display the description.



**Fig. 16.5** | Asynchronously display content without reloading the page. (Part 3 of 4.)

b) User hovers over *Internet & World Wide Web How to Program* book-cover image, causing the process to repeat.



**Fig. 16.5** | Asynchronously display content without reloading the page. (Part 4 of 4.)

### 16.4.2 Exception Handling

Lines 59–62 introduce **exception handling**. An **exception** is an indication of a problem that occurs during a program’s execution. The name “exception” implies that the problem occurs infrequently. Exception handling enables you to create applications that can *handle* (i.e., resolve) exceptions—often allowing a program to continue executing as if no problem had been encountered.

Lines 49–58 contain a **try block**, which encloses the code that might cause an exception and the code that should not execute if an exception occurs (i.e., if an exception occurs in a statement of the try block, the remaining code in the try block is skipped). A try block consists of the keyword **try** followed by a block of code enclosed in curly braces (**{}**). If there’s a problem sending the request—e.g., if a user tries to access the page using an older browser that does not support XMLHttpRequest—the try block terminates immediately and a **catch block** (also called a **catch clause** or **exception handler**) catches (i.e., receives) and *handles* the exception. The catch block (lines 59–62) begins with the keyword **catch** and is followed by a parameter in parentheses—called the exception parameter—and a block of code enclosed in curly braces. The exception parameter’s name (**exception** in this example) enables the catch block to interact with a caught exception object (for example, to obtain the *name* of the exception or an *exception-specific error message* via the exception object’s *name* and *message* properties, respectively). In this case, we simply display our own error message “Request Failed” and terminate the **getContent**

function. The request can fail because a user accesses the web page with an older browser or the content that's being requested is located on a different domain.

### 16.4.3 Callback Functions

The `stateChange` function (lines 66–73) is the callback function that's called when the client receives the response data. Lines 54–55 register function `stateChange` as the event handler for the `XMLHttpRequest` object's `readystatechange` event. Whenever the request makes progress, the `XMLHttpRequest` object calls the `readystatechange` event handler. This progress is monitored by the `readyState` property, which has a value from 0 to 4. The value 0 indicates that the request is *not initialized* and the value 4 indicates that the request is *complete*—all the values for this property are summarized in Fig. 16.6. If the request completes successfully (line 68), lines 70–71 use the `XMLHttpRequest` object's `responseText` property to obtain the *response data* and place it in the `div` element named `contentArea` (defined at line 98). We use the DOM's `getElementById` method to get this `div` element, and use the element's `innerHTML` property to place the content in the `div`.

### 16.4.4 XMLHttpRequest Object Event, Properties and Methods

Figures 16.6 and 16.7 summarize some of the `XMLHttpRequest` object's properties and methods, respectively. The properties are crucial to interacting with asynchronous requests. The methods initialize, configure and send asynchronous requests.

| Event or Property             | Description   |
|-------------------------------|---|
| <code>readystatechange</code> | Register a listener for this event to specify the <i>callback</i> function—the event handler that gets called when the server responds.   |
| <code>readyState</code>       | Keeps track of the request's progress. It's usually used in the callback function to determine when the code that processes the response should be launched. The <code>readyState</code> value 0 signifies that the request is uninitializd; 1 that the request is loading; 2 that the request has been loaded; 3 that data is actively being sent from the server; and 4 that the request has been completed.  |
| <code>responseText</code>     | Text that's returned to the client by the server.   |
| <code>responseXML</code>      | If the server's response is in XML format, this property contains the XML document; otherwise, it's empty. It can be used like a <code>document</code> object in JavaScript, which makes it useful for receiving complex data (e.g., populating a table).   |
| <code>status</code>           | HTTP status code of the request. A <code>status</code> of 200 means that request was <i>successful</i> . A <code>status</code> of 404 means that the requested resource was <i>not found</i> . A <code>status</code> of 500 denotes that there was an <i>error</i> while the server was processing the request. For a complete status reference, visit <a href="http://www.w3.org/Protocols/rfc2616/rfc2616-sec10.html">www.w3.org/Protocols/rfc2616/rfc2616-sec10.html</a> . |
| <code>statusText</code>       | Additional information on the request's status. It's often used to display the error to the user when the request fails.  |

**Fig. 16.6 |** `XMLHttpRequest` object event and properties.

| Method                | Description   |
|-----------------------|---|
| open                  | Initializes the request and has two <i>mandatory</i> parameters—method and URL. The method parameter specifies the purpose of the request—typically GET or POST. The URL parameter specifies the address of the file on the server that will generate the response. A third optional Boolean parameter specifies whether the request is <i>asynchronous</i> —it's set to true by default. |
| send                  | Sends the request to the server. It has one optional parameter, data, which specifies the <i>data to be POSTed to the server</i> —it's set to null by default.  |
| setRequestHeader      | Alters the request header. The two parameters specify the header and its new value. It's often used to set the content-type field.  |
| getResponseHeader     | Returns the header data that precedes the response body. It takes one parameter, the name of the header to retrieve. This call is often used to <i>determine the response's type</i> , to parse the response correctly.   |
| getAllResponseHeaders | Returns an array that contains all the headers that precede the response body.  |
| abort                 | Cancels the current request.  |

**Fig. 16.7** | XMLHttpRequest object methods.

## 16.5 Using XML and the DOM

When passing structured data between the server and the client, Ajax applications often use XML because it's easy to generate and parse. When the XMLHttpRequest object receives XML data, it parses and stores the data as an XML DOM object in the responseXML property. The example in Fig. 16.8 asynchronously requests from a server XML documents containing URLs of book-cover images, then displays the images in the page. The code that configures the asynchronous request is the same as in Fig. 16.5. You can test-drive this application at

[http://test.deitel.com/iw3htp5/ch16/fig16\\_08/PullImagesOntoPage.html](http://test.deitel.com/iw3htp5/ch16/fig16_08/PullImagesOntoPage.html)

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 16.8: PullImagesOntoPage.html -->
4  <!-- Image catalog that uses Ajax to request XML data asynchronously. -->
5  <html>
6  <head>
7  <meta charset="utf-8">
8  <title> Pulling Images onto the Page </title>
9  <style type = "text/css">
10 <li { display: inline-block; padding: 4px; width: 120px; }
11   img { border: 1px solid black }
12 </style>
```

---

**Fig. 16.8** | Image catalog that uses Ajax to request XML data asynchronously. (Part 1 of 4.)

```
13 <script>
14     var asyncRequest; // variable to hold XMLHttpRequest object
15
16     // set up and send the asynchronous request to get the XML file
17     function getImages( url )
18     {
19         // attempt to create XMLHttpRequest object and make the request
20         try
21         {
22             asyncRequest = new XMLHttpRequest(); // create request object
23
24             // register event handler
25             asyncRequest.addEventListener(
26                 "readystatechange", processResponse, false);
27             asyncRequest.open( "GET", url, true ); // prepare the request
28             asyncRequest.send( null ); // send the request
29         } // end try
30         catch ( exception )
31         {
32             alert( 'Request Failed' );
33         } // end catch
34     } // end function getImages
35
36     // parses the XML response; dynamically creates an unordered list and
37     // populates it with the response data; displays the list on the page
38     function processResponse()
39     {
40         // if request completed successfully and responseXML is non-null
41         if ( asyncRequest.readyState == 4 && asyncRequest.status == 200 &&
42             asyncRequest.responseXML )
43         {
44             clearImages(); // prepare to display a new set of images
45
46             // get the covers from the responseXML
47             var covers = asyncRequest.responseXML.getElementsByTagName(
48                 "cover" )
49
50             // get base URL for the images
51             var baseUrl = asyncRequest.responseXML.getElementsByTagName(
52                 "baseurl" ).item( 0 ).firstChild.nodeValue;
53
54             // get the placeholder div element named covers
55             var output = document.getElementById( "covers" );
56
57             // create an unordered list to display the images
58             var imagesUL = document.createElement( "ul" );
59
60             // place images in unordered list
61             for ( var i = 0; i < covers.length; ++i )
62             {
63                 var cover = covers.item( i ); // get a cover from covers array
64             }
```

---

**Fig. 16.8** | Image catalog that uses Ajax to request XML data asynchronously. (Part 2 of 4.)

```

65          // get the image filename
66          var image = cover.getElementsByTagName( "image" ) .
67              item( 0 ).firstChild.nodeValue;
68
69          // create li and img element to display the image
70          var imageLI = document.createElement( "li" );
71          var imageTag = document.createElement( "img" );
72
73          // set img element's src attribute
74          imageTag.setAttribute( "src", baseUrl + escape( image ) );
75          imageLI.appendChild( imageTag ); // place img in li
76          imagesUL.appendChild( imageLI ); // place li in ul
77      } // end for statement
78
79      output.appendChild( imagesUL ); // append ul to covers div
80  } // end if
81 } // end function processResponse
82
83 // clears the covers div
84 function clearImages()
85 {
86     document.getElementById( "covers" ).innerHTML = "";
87 } // end function clearImages
88
89 // register event listeners
90 function registerListeners()
91 {
92     document.getElementById( "all" ).addEventListener(
93         "click", function() { getImages( "all.xml" ); }, false );
94     document.getElementById( "simply" ).addEventListener(
95         "click", function() { getImages( "simply.xml" ); }, false );
96     document.getElementById( "howto" ).addEventListener(
97         "click", function() { getImages( "howto.xml" ); }, false );
98     document.getElementById( "dotnet" ).addEventListener(
99         "click", function() { getImages( "dotnet.xml" ); }, false );
100    document.getElementById( "javaccpp" ).addEventListener(
101        "click", function() { getImages( "javaccpp.xml" ); }, false );
102    document.getElementById( "none" ).addEventListener(
103        "click", clearImages, false );
104 } // end function registerListeners
105
106 window.addEventListener( "load", registerListeners, false );
107 </script>
108 </head>
109 <body>
110     <input type = "radio" name ="Books" value = "all"
111         id = "all"> All Books
112     <input type = "radio" name = "Books" value = "simply"
113         id = "simply"> Simply Books
114     <input type = "radio" name = "Books" value = "howto"
115         id = "howto"> How to Program Books
116     <input type = "radio" name = "Books" value = "dotnet"
117         id = "dotnet"> .NET Books

```

**Fig. 16.8** | Image catalog that uses Ajax to request XML data asynchronously. (Part 3 of 4.)

```

118   <input type = "radio" name = "Books" value = "javaccpp"
119     id = "javaccpp"> Java/C/C++ Books
120   <input type = "radio" checked name = "Books" value = "none"
121     id = "none"> None
122   <div id = "covers"></div>
123 </body>
124 </html>

```

- a) User clicks the **All Books** radio button to display all the book covers. The application sends an *asynchronous* request to the server to obtain an XML document containing the list of book-cover filenames. When the response is received, the application performs a *partial page update* to display the set of book covers.



- b) User clicks the **How to Program Books** radio button to select a subset of book covers to display. Application sends an *asynchronous* request to the server to obtain an XML document containing the appropriate subset of book-cover filenames. When the response is received, the application performs a *partial page update* to display the subset of book covers.



**Fig. 16.8** | Image catalog that uses Ajax to request XML data asynchronously. (Part 4 of 4.)

When the XMLHttpRequest object receives the response, it invokes the callback function `processResponse` (lines 38–81). We use XMLHttpRequest object's `responseXML` property to access the XML returned by the server. Lines 41–42 check that the request was

successful and that the `responseXML` property is not empty. The XML file that we requested includes a `baseURL` node that contains the address of the image directory and a collection of `cover` nodes that contain image filenames. `responseXML` is a document object, so we can extract data from it using the XML DOM functions. Lines 47–52 use the DOM’s method `getElementsByName` to extract all the image filenames from `cover` nodes and the URL of the directory from the `baseURL` node. Since the `baseURL` has no child nodes, we use `item(0).firstChild.nodeValue` to obtain the directory’s address and store it in variable `baseURL`. The image filenames are stored in the `covers` array.

As in Fig. 16.5 we have a placeholder `div` element (line 122) to specify where the image table will be displayed on the page. Line 55 stores the `div` in variable `output`, so we can fill it with content later in the program.

Lines 58–77 generate an HTML5 unordered list dynamically, using the `createElement`, `setAttribute` and `appendChild` HTML5 DOM methods. Method `createElement` creates an HTML5 element of the specified type. Method `appendChild` inserts one HTML5 element into another. Line 58 creates the `ul` element. Each iteration of the `for` statement obtains the filename of the image to be inserted (lines 63–67), creates an `li` element to hold the image (line 70) and creates an `<img>` element (line 71). Line 74 sets the image’s `src` attribute to the image’s URL, which we build by concatenating the filename to the base URL of the HTML5 document. Lines 75–76 insert the `<img>` element into the `li` element and the `li` element into the `ul` element. Once all the images have been inserted into the unordered list, the list is inserted into the placeholder element `covers` that’s referenced by variable `output` (line 79). This element is located on the bottom of the web page.

Function `clearImages` (lines 84–87) is called to clear images when the user clicks the `None` radio button. The text is cleared by setting the `innerHTML` property of the placeholder element to an empty string.

## 16.6 Creating a Full-Scale Ajax-Enabled Application

Our next example demonstrates additional Ajax capabilities. The web application interacts with a web service to obtain data and to modify data in a server-side database. The web application and server communicate with a data format called JSON (JavaScript Object Notation). In addition, the application demonstrates *server-side validation* that occurs in parallel with the user interacting with the web application. You can test-drive the application at [http://test.deitel.com/iw3htp5/ch16/fig16\\_09-10/AddressBook.html](http://test.deitel.com/iw3htp5/ch16/fig16_09-10/AddressBook.html).

### 16.6.1 Using JSON

JSON (JavaScript Object Notation)—a simple way to represent JavaScript objects as strings—is a simpler alternative to XML for passing data between the client and the server. Each object in JSON is represented as a list of property names and values contained in curly braces, in the following format:

```
{ "propertyName1" : value1, "propertyName2": value2 }
```

Arrays are represented in JSON with square brackets in the following format:

```
[ value1, value2, value3 ]
```

Each value can be a string, a number, a JSON representation of an object, `true`, `false` or `null`. You can convert JSON strings into JavaScript objects with JavaScript's `JSON.parse` function. JSON strings are easier to create and parse than XML and require fewer bytes. For these reasons, JSON is commonly used to communicate in client/server interaction.

### 16.6.2 Rich Functionality

The previous examples in this chapter requested data from files on the server. The example in Figs. 16.9–16.10 is an address-book application that communicates with a server-side web service. The application uses server-side processing to give the page the functionality and usability of a desktop application. We use JSON to encode server-side responses and to create objects on the fly. Figure 16.9 presents the HTML5 document. Figure 16.10 presents the JavaScript.

Initially the address book loads a list of entries, each containing a first and last name (Fig. 16.9(a)). Each time the user clicks a name, the address book uses Ajax functionality to load the person's address from the server and expand the entry *without reloading the page* (Fig. 16.9(b))—and it does this *in parallel* with allowing the user to click other names.

The application allows the user to search the address book by typing a last name. As the user enters each keystroke, the application *asynchronously* calls the server to obtain the list of names in which the last name starts with the characters the user has entered so far (Fig. 16.9(c), (d) and (e))—a popular feature called **type-ahead**.

The application also enables the user to add another entry to the address book by clicking the **Add an Entry** button (Fig. 16.9(f)). The application displays a form that enables live field validation.

As the user fills out the form, the ZIP code is eventually entered, and when the user tabs to the next field, the `blur` event handler for the ZIP-code field makes an Ajax call to the server. The server then validates the ZIP code, uses the valid zip code to obtain the corresponding city and state from a ZIP-code web service and returns this information to the client (Fig. 16.9(g)). [If the ZIP code were invalid, the web service would return an error to the server, which would then send an error message back to the client.]

When the user enters the telephone number and moves the cursor out of the **Telephone:** field, the `blur` event handler for that field uses an Ajax call to the server to validate the telephone number—if it were invalid, the server would return an error message to the client.

When the **Submit** button is clicked, the button's event handler determines that some required data is missing and displays the message "**First Name and Last Name must have a value.**" at the bottom of the screen (Fig. 16.9(h)). The user enters the missing data and clicks **Submit** again (Fig. 16.9(i)). The client-side code revalidates the data, determines that it's correct and sends it to the server. The server performs its own validation, then returns the updated address book, which is displayed on the client, with the new name added in (Fig. 16.9(j)).

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 16.9 addressbook.html -->
4  <!-- Ajax enabled address book application. -->
```


---

**Fig. 16.9** | Ajax-enabled address-book application. (Part I of 4.)

```
5 <html>
6 <head>
7     <meta charset="utf-8">
8     <title>Address Book</title>
9     <link rel = "stylesheet" type = "text/css" href = "style.css">
10    <script src = "AddressBook.js"></script>
11 </head>
12 <body>
13     <div>
14         <input id = "addressBookButton" type = "button"
15             value = "Address Book">
16         <input id = "addEntryButton" type = "button"
17             value = "Add an Entry">
18     </div>
19     <div id = "addressBook"">
20         <p>Search By Last Name: <input id = "searchInput"></p>
21         <div id = "Names"></div>
22     </div>
23     <div id = "addEntry" style = "display : none">
24         <p><label>First Name:</label> <input id = "first"></p>
25         <p><label>Last Name:</label> <input id = "last"></p>
26         <p class = "head">Address:</p>
27         <p><label>Street:</label> <input id = "street"></p>
28         <p><label>City:</label> <span id = "city" class = "validator">
29             </span></p>
30         <p><label>State:</label> <span id = "state" class = "validator">
31             </span></p>
32         <p><label>Zip:</label> <input id = "zip">
33             <span id = "validateZip" class = "validator"></span></p>
34         <p><label>Telephone:</label> <input id = "phone">
35             <span id = "validatePhone" class = "validator"></span></p>
36         <p><input id = "submitButton" type = "button" value = "Submit"></p>
37     <div id = "success" class = "validator"></div>
38 </div>
39 </body>
40 </html>
```

a) Page is loaded. All the entries are displayed.

b) User clicks on an entry. The entry expands, showing the address and the telephone.



**Fig. 16.9** | Ajax-enabled address-book application. (Part 2 of 4.)

c) User types "B" in the search field. Application loads the entries whose last names start with "B".

A screenshot of a web browser window titled "Address Book". The URL is "test.deitel.com/iw3http5/c". The page contains a search form with a button "Address Book" and a link "Add an Entry". Below the form is a search input field labeled "Search By Last Name: B". A list box displays three entries: Cheryl Black, James Blue, and Mike Brown.

e) User types "Bla" in the search field. Application loads the entries whose last names start with "Bla".

A screenshot of a web browser window titled "Address Book". The URL is "test.deitel.com/iw3http5/c". The page contains a search form with a button "Address Book" and a link "Add an Entry". Below the form is a search input field labeled "Search By Last Name: Bla". A list box displays one entry: Cheryl Black.

g) User enters a valid ZIP code, then tabs to the next field. The server finds the city and state associated with the ZIP code entered and displays them on the page.

A screenshot of a web browser window titled "Address Book". The URL is "test.deitel.com/iw3http5/c". The page contains a search form with a button "Address Book" and a link "Add an Entry". Below the form is a search input field labeled "Search By Last Name: Bla". A list box displays one entry: Cheryl Black.

d) User types "Bl" in the search field. Application loads the entries whose last names start with "Bl".

A screenshot of a web browser window titled "Address Book". The URL is "test.deitel.com/iw3http5/c". The page contains a search form with a button "Address Book" and a link "Add an Entry". Below the form is a search input field labeled "Search By Last Name: Bl". A list box displays two entries: Cheryl Black and James Blue.

f) User clicks Add an Entry button. The form allowing user to add an entry is displayed.

A screenshot of a web browser window titled "Address Book". The URL is "test.deitel.com/iw3http5/c". The page contains a search form with a button "Address Book" and a link "Add an Entry". Below the form is a large "Add an Entry" form. It has fields for First Name (empty), Last Name (empty), Address (empty), Street (empty), City (empty), State (empty), Zip (empty), Telephone (empty), and a "Submit" button.

h) The user enters a telephone number and tries to submit the data. The application does not allow this, because the First Name and Last Name are empty.

A screenshot of a web browser window titled "Address Book". The URL is "test.deitel.com/iw3http5/c". The page contains a search form with a button "Address Book" and a link "Add an Entry". Below the form is a large "Add an Entry" form. The "Telephone" field contains "555-555-9643". A validation message at the bottom says "First Name and Last Name must have a value." The "First Name" and "Last Name" fields are highlighted in red.

**Fig. 16.9** | Ajax-enabled address-book application. (Part 3 of 4.)

- i) The user enters the last name and the first name and clicks the **Submit** button.

The screenshot shows a web browser window titled "Address Book". Inside, there's a form with tabs for "Address Book" and "Add an Entry". The "Add an Entry" tab is active. It has fields for First Name ("John") and Last Name ("Gray"). Below the form, a message says "First Name and Last Name must have a value." A "Submit" button is visible at the bottom of the form area.

- j) The address book is redisplayed with the new name added in.

The screenshot shows the same "Address Book" window after the entry was submitted. The "Address Book" tab is now active. The list of names is displayed in a scrollable area: Cheryl Black, James Blue, John Gray, Meg Gold, and Mike Brown. The "Add an Entry" form is no longer visible.

**Fig. 16.9** | Ajax-enabled address-book application. (Part 4 of 4.)

```

1 // Fig. 16.10 addressbook.js
2 // Ajax-enabled address-book JavaScript code
3 // URL of the web service
4 var webServiceUrl = "/AddressBookWebService/Service.svc";
5
6 var phoneValid = false; // indicates if the telephone is valid
7 var zipValid = false; // indicates if the ZIP code is valid
8
9 // get a list of names from the server and display them
10 function showAddressBook()
11 {
12     // hide the "addEntry" form and show the address book
13     document.getElementById( "addEntry" ).style.display = "none";
14     document.getElementById( "addressBook" ).style.display = "block";
15
16     callWebService( "/getAllNames", parseData );
17 } // end function showAddressBook
18
19 // send the asynchronous request to the web service
20 function callWebService( methodAndArguments, callBack )
21 {
22     // build request URL string
23     var requestUrl = webServiceUrl + methodAndArguments;
24
25     // attempt to send the asynchronous request
26     try
27     {
28         var asyncRequest = new XMLHttpRequest(); // create request
29
30         // set up callback function and store it
31         asyncRequest.addEventListener("readystatechange",
32             callBack( asyncRequest ), false);

```

**Fig. 16.10** | JavaScript code for the address-book application. (Part 1 of 6.)

```
33      // send the asynchronous request
34      asyncRequest.open( "GET", requestUrl, true );
35      asyncRequest.setRequestHeader("Accept",
36          "application/json; charset=utf-8");
37      asyncRequest.send(); // send request
38  } // end try
39  catch ( exception )
40  {
41      alert ( "Request Failed" );
42  } // end catch
43 } // end function callWebService
44
45 // parse JSON data and display it on the page
46 function parseData( asyncRequest )
47 {
48     // if request has completed successfully, process the response
49     if ( asyncRequest.readyState == 4 && asyncRequest.status == 200 )
50     {
51         // convert the JSON string to an Object
52         var data = JSON.parse(asyncRequest.responseText);
53         displayNames( data ); // display data on the page
54     } // end if
55 } // end function parseData
56
57 // use the DOM to display the retrieved address-book entries
58 function displayNames( data )
59 {
60     // get the placeholder element from the page
61     var listBox = document.getElementById( "Names" );
62     listBox.innerHTML = "", // clear the names on the page
63
64     // iterate over retrieved entries and display them on the page
65     for ( var i = 0; i < data.length; ++i )
66     {
67         // dynamically create a div element for each entry
68         // and a fieldset element to place it in
69         var entry = document.createElement( "div" );
70         var field = document.createElement( "fieldset" );
71         entry.onclick = function() { getAddress( this, this.innerHTML ); };
72         entry.id = i; // set the id
73         entry.innerHTML = data[ i ].First + " " + data[ i ].Last;
74         field.appendChild( entry ); // insert entry into the field
75         listBox.appendChild( field ); // display the field
76     } // end for
77 } // end function displayAll
78
79 // search the address book for input
80 // and display the results on the page
81 function search( input )
82 {
83     // get the placeholder element and delete its content
84     var listBox = document.getElementById( "Names" );
```

---

**Fig. 16.10** | JavaScript code for the address-book application. (Part 2 of 6.)

```
86     listBox.innerHTML = ""; // clear the display box
87
88     // if no search string is specified, all the names are displayed
89     if ( input == "" ) // if no search value specified
90     {
91         showAddressBook(); // Load the entire address book
92     } // end if
93     else
94     {
95         callWebService( "/search/" + input, parseData );
96     } // end else
97 } // end function search
98
99 // Get address data for a specific entry
100 function getAddress( entry, name )
101 {
102     // find the address in the JSON data using the element's id
103     // and display it on the page
104     var firstLast = name.split(" "); // convert string to array
105     var requestUrl = webServiceUrl + "/getAddress/"
106         + firstLast[ 0 ] + "/" + firstLast[ 1 ];
107
108     // attempt to send an asynchronous request
109     try
110     {
111         // create request object
112         var asyncRequest = new XMLHttpRequest();
113
114         // create a callback function with 2 parameters
115         asyncRequest.addEventListener("readystatechange",
116             function() { displayAddress( entry, asyncRequest ); }, false);
117
118         asyncRequest.open( "GET", requestUrl, true );
119         asyncRequest.setRequestHeader("Accept",
120             "application/json; charset=utf-8"); // set response datatype
121         asyncRequest.send(); // send request
122     } // end try
123     catch ( exception )
124     {
125         alert ( "Request Failed." );
126     } // end catch
127 } // end function getAddress
128
129 // clear the entry's data
130 function displayAddress( entry, asyncRequest )
131 {
132     // if request has completed successfully, process the response
133     if ( asyncRequest.readyState == 4 && asyncRequest.status == 200 )
134     {
135         // convert the JSON string to an object
136         var data = JSON.parse(asyncRequest.responseText);
137         var name = entry.innerHTML // save the name string
138         entry.innerHTML = name + "<br>" + data.Street +
```

---

**Fig. 16.10** | JavaScript code for the address-book application. (Part 3 of 6.)

```
139      "<br>" + data.City + ", " + data.State  
140      + ", " + data.Zip + "<br>" + data.Telephone;  
141  
142      // change event listener  
143      entry.onclick = function() { clearField( entry, name ); };  
144  } // end if  
145 } // end function displayAddress  
146  
147 // clear the entry's data  
148 function clearField( entry, name )  
149 {  
150     entry.innerHTML = name; // set the entry to display only the name  
151     entry.onclick = function() { getAddress( entry, name ); };  
152 } // end function clearField  
153  
154 // display the form that allows the user to enter more data  
155 function addEntry()  
156 {  
157     document.getElementById( "addressBook" ).style.display = "none";  
158     document.getElementById( "addEntry" ).style.display = "block";  
159 } // end function addEntry  
160  
161 // send the ZIP code to be validated and to generate city and state  
162 function validateZip( zip )  
163 {  
164     callWebService ( "/validateZip/" + zip, showCityState );  
165 } // end function validateZip  
166  
167 // get city and state that were generated using the zip code  
168 // and display them on the page  
169 function showCityState( asyncRequest )  
170 {  
171     // display message while request is being processed  
172     document.getElementById( "validateZip" ).  
173         innerHTML = "Checking zip...";  
174  
175     // if request has completed successfully, process the response  
176     if ( asyncRequest.readyState == 4 )  
177     {  
178         if ( asyncRequest.status == 200 )  
179         {  
180             // convert the JSON string to an object  
181             var data = JSON.parse(asyncRequest.responseText);  
182  
183             // update ZIP-code validity tracker and show city and state  
184             if ( data.Validity == "Valid" )  
185             {  
186                 zipValid = true; // update validity tracker  
187  
188                 // display city and state  
189                 document.getElementById( "validateZip" ).innerHTML = "";  
190                 document.getElementById( "city" ).innerHTML = data.City;  
191                 document.getElementById( "state" ).
```

---

**Fig. 16.10** | JavaScript code for the address-book application. (Part 4 of 6.)

```
192         innerHTML = data.State;
193     } // end if
194   else
195   {
196     zipValid = false; // update validity tracker
197     document.getElementById( "validateZip" ).innerHTML =
198       data.ErrorText; // display the error
199
200     // clear city and state values if they exist
201     document.getElementById( "city" ).innerHTML = "";
202     document.getElementById( "state" ).innerHTML = "";
203   } // end else
204 } // end if
205 else if ( asyncRequest.status == 500 )
206 {
207   document.getElementById( "validateZip" ).
208     innerHTML = "Zip validation service not available";
209 } // end else if
210 } // end if
211 } // end function showCityState
212
213 // send the telephone number to the server to validate format
214 function validatePhone( phone )
215 {
216   callWebService( "/validateTel/" + phone, showPhoneError );
217 } // end function validatePhone
218
219 // show whether the telephone number has correct format
220 function showPhoneError( asyncRequest )
221 {
222   // if request has completed successfully, process the response
223   if ( asyncRequest.readyState == 4 && asyncRequest.status == 200 )
224   {
225     // convert the JSON string to an object
226     var data = JSON.parse(asyncRequest.responseText);
227
228     if ( data.ErrorText != "Valid Telephone Format" )
229     {
230       phoneValid = false; // update validity tracker
231       document.getElementById( "validatePhone" ).innerHTML =
232         data.ErrorText; // display the error
233     } // end if
234   else
235   {
236     phoneValid = true; // update validity tracker
237   } // end else
238 } // end if
239 } // end function showPhoneError
240
241 // enter the user's data into the database
242 function saveForm()
243 {
244   // retrieve the data from the form
```

Fig. 16.10 | JavaScript code for the address-book application. (Part 5 of 6.)

```
245 var first = document.getElementById( "first" ).value;
246 var last = document.getElementById( "last" ).value;
247 var street = document.getElementById( "street" ).value;
248 var city = document.getElementById( "city" ).innerHTML;
249 var state = document.getElementById( "state" ).innerHTML;
250 var zip = document.getElementById( "zip" ).value;
251 var phone = document.getElementById( "phone" ).value;
252
253 // check if data is valid
254 if ( !zipValid || !phoneValid )
255 {
256     // display error message
257     document.getElementById( "success" ).innerHTML =
258         "Invalid data entered. Check form for more information";
259 } // end if
260 else if ( ( first == "" ) || ( last == "" ) )
261 {
262     // display error message
263     document.getElementById("success").innerHTML =
264         "First Name and Last Name must have a value.";
265 } // end if
266 else
267 {
268     // hide the form and show the address book
269     document.getElementById( "addEntry" ).style.display = "none";
270     document.getElementById( "addressBook" ).style.display = "block";
271
272     // call the web service to insert data into the database
273     callWebService( "/addEntry/" + first + "/" + last + "/" + street +
274                     "/" + city + "/" + state + "/" + zip + "/" + phone, parseData );
275 } // end else
276 } // end function saveForm
277
278 // register event listeners
279 function start()
280 {
281     document.getElementById( "addressBookButton" ).addEventListener(
282         "click", showAddressBook, false );
283     document.getElementById( "addEntryButton" ).addEventListener(
284         "click", addEntry, false );
285     document.getElementById( "searchInput" ).addEventListener(
286         "keyup", function() { search( this.value ); } , false );
287     document.getElementById( "zip" ).addEventListener(
288         "blur", function() { validateZip( this.value ); } , false );
289     document.getElementById( "phone" ).addEventListener(
290         "blur", function() { validatePhone( this.value ); } , false );
291     document.getElementById( "submitButton" ).addEventListener(
292         "click", saveForm , false );
293
294     showAddressBook();
295 } // end function start
296
297 window.addEventListener( "load", start, false );
```

---

**Fig. 16.10** | JavaScript code for the address-book application. (Part 6 of 6.)

### 16.6.3 Interacting with a Web Service on the Server

When the page loads, the `load` event (Fig. 16.10, line 297) calls the `start` function (lines 279–295) to register various event listeners and to call `showAddressBook`, which loads the address book onto the page. Function `showAddressBook` (lines 10–17) shows the `addressBook` element and hides the `addEntry` element (lines 13–14). Then it calls function `callWebService` to make an *asynchronous* request to the server (line 16). Our program uses an ASP.NET REST web service that we created for this example to do the server-side processing. The web service contains a collection of methods, including `getNames`, that can be called from a web application. To invoke a method you specify the web service URL followed by a forward slash (/), the name of the method to call, a forward slash and the arguments separated by forward slashes. Function `callWebService` requires a string containing the method to call on the server and the arguments to the method in the format described above. In this case, the function we're invoking on the server requires no arguments, so line 16 passes the string "/`getNames`" as the first argument to `callWebService`.

Function `callWebService` (lines 20–44) contains the code to call our web service, given a string containing the web-service method to call and the arguments to that method (if any), and the name of a callback function. The web-service method to call and its arguments are appended to the request URL (line 23). In this first call, we do not pass any parameters because the web method that returns all the entries requires none. However, future web method calls will include arguments in the `methodAndArguments` parameter. Lines 28–38 prepare and send the request, using functionality similar to that in the previous two examples. There are many types of user interactions in this application, each requiring a separate asynchronous request. For this reason, we pass the appropriate `asyncRequest` object as an argument to the function specified by the `callback` parameter. However, event handlers cannot receive arguments, so lines 31–32 register an anonymous function for `asyncRequest`'s `readystatechange` event. When this anonymous function gets called, it calls function `callBack` and passes the `asyncRequest` object as an argument. Lines 36–37 set an `Accept` request header to receive JSON-formatted data.

### 16.6.4 Parsing JSON Data

Each of our web service's methods in this example returns a JSON representation of an object or array of objects. For example, when the web application requests the list of names in the address book, the list is returned as a JSON array, as shown in Fig. 16.11. Each object in Fig. 16.11 has the attributes `first` and `last`.

---

```

1 [ { "first": "Cheryl", "last": "Black" },
2   { "first": "James", "last": "Blue" },
3   { "first": "Mike", "last": "Brown" },
4   { "first": "Meg", "last": "Gold" } ]

```

---

**Fig. 16.11** | Address-book data formatted in JSON.

When the `XMLHttpRequest` object receives the response, it calls function `parseData` (Fig. 16.10, lines 47–56). Line 53 calls the `JSON.parse` function, which converts the JSON string into a JavaScript object. Then line 54 calls function `displayNames` (lines 59–78), which displays the first and last name of each address-book entry passed to it. Lines

62–63 use the HTML5 DOM to store the placeholder `div` element `Names` in the variable `listbox` and clear its content. Once parsed, the JSON string of address-book entries becomes an array, which this function traverses (lines 66–77).

### 16.6.5 Creating HTML5 Elements and Setting Event Handlers on the Fly

Line 71 uses an HTML5 `fieldset` element to create a box in which the entry will be placed. Line 72 registers an anonymous function that calls `getAddress` as the `onclick` event handler for the `div` created in line 70. This enables the user to expand each address-book entry by clicking it. The arguments to `getAddress` are generated dynamically and not evaluated until the `getAddress` function is called. This enables each function to receive arguments that are specific to the entry the user clicked. Line 74 displays the names on the page by accessing the `first` (first name) and `last` (last name) fields of each element of the data array. To determine which address the user clicked, we introduce the **this keyword**. The meaning of `this` depends on its context. In an event-handling function, `this` refers to the DOM object on which the event occurred. Our function uses `this` to refer to the clicked entry. The `this` keyword allows us to use one event handler to apply a change to one of many DOM elements, depending on which one received the event.

Function `getAddress` (lines 100–127) is called when the user clicks an entry. This request must keep track of the entry where the address is to be displayed on the page. Lines 115–116 set as the callback function an anonymous function that calls `displayAddress` with the `entry` element as an argument. Once the request completes successfully, lines 136–140 parse the response and display the addresses. Line 143 updates the `div`'s `onclick` event handler to hide the address data when that `div` is clicked again by the user. When the user clicks an expanded entry, function `clearField` (lines 148–152) is called. Lines 150–151 reset the entry's content and its `onclick` event handler to the values they had before the entry was expanded.

You'll notice that we registered `click`-event handlers for the items in the `fieldset` by using the `onclick` property of each item, rather than the `addEventListener` method. We did this for simplicity in this example because we want to modify the event handler for each item's `click` event based on whether the item is currently displaying just the contact's name or its complete address. Each call to `addEventListener` adds another event listener to the object on which it's called—for this example, that could result in many event listeners being called for one entry that the user clicks repeatedly. Using the `onclick` property allows you to set *only one* listener at a time for a particular event, which makes it easy for us to switch event listeners as the user clicks each item in the contact list.

### 16.6.6 Implementing Type-Ahead

The `input` element declared in line 20 of Fig. 16.9 enables the user to search the address book by last name. As soon as the user starts typing in the input box, the `keyup` event handler (registered at lines 285–286 in Fig. 16.10) calls the `search` function (lines 82–97), passing the `input` element's value as an argument. The `search` function performs an asynchronous request to locate entries with last names that start with its argument value. When the response is received, the application displays the matching list of names. Each time the user changes the text in the input box, function `search` is called again to make another asynchronous request.

The search function first clears the address-book entries from the page (lines 85–86). If the `input` argument is the empty string, line 91 displays the entire address book by calling function `showAddressBook`. Otherwise line 95 sends a request to the server to search the data. Line 95 creates a string to represent the method and argument that `callWebService` will append to the request URL. When the server responds, callback function `parseData` is invoked, which calls function `displayNames` to display the results on the page.

### 16.6.7 Implementing a Form with Asynchronous Validation

When the **Add an Entry** button in the HTML5 document is clicked, the `addEntry` function (lines 155–159) is called, which hides the `addressBook` div and shows the `addEntry` div that allows the user to add a person to the address book. The `addEntry` div in the HTML5 document contains a set of entry fields, some of which have event handlers (registered in the JavaScript `start` function) that enable validation that occurs *asynchronously* as the user continues to interact with the page. When a user enters a ZIP code, then moves the cursor to another field, the `validateZip` function (lines 162–165) is called. This function calls an external web service to validate the ZIP code. If it's valid, that external web service returns the corresponding city and state. Line 164 calls the `callWebService` function with the appropriate method and argument, and specifies `showCityState` (lines 169–211) as the callback function.

ZIP-code validation can take significant time due to network delays. The function `showCityState` is called every time the request object's `readyState` property changes. Until the request completes, lines 172–173 display "Checking zip..." on the page. After the request completes, line 181 converts the JSON response text to an object. The response object has four properties—`Validity`, `ErrorText`, `City` and `State`. If the request is valid, line 186 updates the `zipValid` script variable that keeps track of ZIP-code validity, and lines 189–192 show the city and state that the server generated using the ZIP code. Otherwise lines 196–198 update the `zipValid` variable and show the error code. Lines 201–202 clear the city and state elements. If our web service fails to connect to the ZIP-code validator web service, lines 207–208 display an appropriate error message.

Similarly, when the user enters the telephone number, the function `validatePhone` (lines 214–217) sends the phone number to the server. Once the server responds, the `showPhoneError` function (lines 220–239) updates the `validatePhone` script variable and shows the error message, if the web service returned one.

When the **Submit** button is clicked, the `saveForm` function is called (lines 242–276). Lines 245–251 retrieve the data from the form. Lines 254–259 check if the ZIP code and telephone number are valid, and display the appropriate error message in the `Success` element on the bottom of the page. Before the data can be entered into a database on the server, both the first-name and last-name fields must have a value. Lines 260–265 check that these fields are not empty and, if they're empty, display the appropriate error message. Once all the data entered is valid, lines 266–275 hide the entry form and show the address book. Lines 273–274 call function `callWebService` to invoke the `addEntry` function of our web service with the data for the new contact. Once the server saves the data, it queries the database for an updated list of entries and returns them; then function `parseData` displays the entries on the page.

## Summary

### Section 16.1 Introduction

- Despite the tremendous technological growth of the Internet over the past decade, the usability of web applications has lagged behind that of desktop applications.
- Rich Internet Applications (RIAs, p. 604) are web applications that approximate the look, feel and usability of desktop applications. RIAs have two key attributes—performance and rich GUI.
- RIA performance comes from Ajax (Asynchronous JavaScript and XML, p. 604), which uses client-side scripting to make web applications more responsive.
- Ajax applications separate client-side user interaction and server communication and run them in parallel, making the delays of server-side processing more transparent to the user.
- “Raw” Ajax (p. 604) uses JavaScript to send asynchronous requests to the server, then updates the page using the DOM.
- When writing “raw” Ajax you need to deal directly with cross-browser portability issues, making it impractical for developing large-scale applications.
- Portability issues are hidden by Ajax toolkits (p. 604), which provide powerful ready-to-use controls and functions that enrich web applications and simplify JavaScript coding by making it cross-browser compatible.
- We achieve rich GUI in RIAs with Ajax toolkits and with RIA environments such as Adobe’s Flex, Microsoft’s Silverlight and JavaServer Faces. Such toolkits and environments provide powerful ready-to-use controls and functions that enrich web applications.
- The client-side of Ajax applications is written in HTML5 and CSS3 and uses JavaScript to add functionality to the user interface.
- XML and JSON are used to structure the data passed between the server and the client.
- The Ajax component that manages interaction with the server is usually implemented with JavaScript’s XMLHttpRequest object (p. 604)—commonly abbreviated as XHR.
- In traditional web applications, the user fills in the form’s fields, then submits the form. The browser generates a request to the server, which receives the request and processes it. The server generates and sends a response containing the exact page that the browser will render, which causes the browser to load the new page and temporarily makes the browser window blank. The client *waits* for the server to respond and  *reloads the entire page* with the data from the response.
- While a synchronous request (p. 605) is being processed on the server, the user cannot interact with the client web browser.
- The synchronous model was originally designed for a web of hypertext documents—what some people call the “brochure web.” This model yielded “choppy” application performance.
- In an Ajax application, when the user interacts with a page, the client creates an XMLHttpRequest object to manage a request. The XMLHttpRequest object sends the request to and awaits the response from the server. The requests are asynchronous (p. 606), allowing the user to continue interacting with the application while the server processes the request concurrently. When the server responds, the XMLHttpRequest object that issued the request invokes a callback function (p. 606), which typically uses partial page updates (p. 606) to display the returned data in the existing web page without reloading the entire page.
- The callback function updates only a designated part of the page. Such partial page updates help make web applications more responsive, making them feel more like desktop applications.

### Section 16.2 Rich Internet Applications (RIAs) with Ajax

- A classic HTML5 registration form sends all of the data to be validated to the server when the user clicks the **Register** button. While the server is validating the data, the user cannot interact

with the page. The server finds invalid data, generates a new page identifying the errors in the form and sends it back to the client—which renders the page in the browser. Once the user fixes the errors and clicks the **Register** button, the cycle repeats until no errors are found; then the data is stored on the server. The entire page reloads every time the user submits invalid data.

- Ajax-enabled forms are more interactive. Entries are validated dynamically as the user enters data into the fields. If a problem is found, the server sends an error message that's asynchronously displayed to inform the user of the problem. Sending each entry asynchronously allows the user to address invalid entries quickly, rather than making edits and resubmitting the entire form repeatedly until all entries are valid. Asynchronous requests could also be used to fill some fields based on previous fields' values.

### *Section 16.3 History of Ajax*

- The term Ajax was coined by Jesse James Garrett of Adaptive Path in February 2005, when he was presenting the previously unnamed technology to a client.
- All of the technologies involved in Ajax (HTML5, JavaScript, CSS, dynamic HTML, the DOM and XML) had existed for many years before the term “Ajax” was coined.
- In 1998, Microsoft introduced the `XMLHttpRequest` object to create and manage asynchronous requests and responses.
- Popular applications like Flickr, Google’s Gmail and Google Maps use the `XMLHttpRequest` object to update pages dynamically.
- The name Ajax immediately caught on and brought attention to its component technologies. Ajax has quickly become one of the hottest technologies in web development, as it enables web-top applications to challenge the dominance of established desktop applications.

### *Section 16.4 “Raw” Ajax Example Using the `XMLHttpRequest` Object*

- The `XMLHttpRequest` object (which resides on the client) is the layer between the client and the server that manages asynchronous requests in Ajax applications. This object is supported on most browsers, though they may implement it differently.
- To initiate an asynchronous request, you create an instance of the `XMLHttpRequest` object, then use its `open` method to set up the request and its `send` method to initiate the request.
- When an Ajax application requests a file from a server, the browser typically caches that file. Subsequent requests for the same file can load it from the browser’s cache.
- For security purposes, the `XMLHttpRequest` object does not allow a web application to request resources from servers other than the one that served the web application.
- Making a request to a different server is known as cross-site scripting (also known as XSS, p. 610). You can implement a server-side proxy—an application on the web application’s web server—that can make requests to other servers on the web application’s behalf.
- When the third argument to `XMLHttpRequest` method `open` is `true`, the request is asynchronous.
- An exception (p. 613) is an indication of a problem that occurs during a program’s execution.
- Exception handling (p. 613) enables you to create applications that can resolve (or handle) exceptions—in some cases allowing a program to continue executing as if no problem had been encountered.
- A `try` block (p. 613) encloses code that might cause an exception and code that should not execute if an exception occurs. A `try` block consists of the keyword `try` followed by a block of code enclosed in curly braces `{}`.
- When an exception occurs, a `try` block terminates immediately and a `catch` block (also called a `catch` clause or exception handler, p. 613) catches (i.e., receives) and handles the exception.

- The catch block begins with the keyword `catch` (p. 613) and is followed by an exception parameter in parentheses and a block of code enclosed in curly braces.
- The exception parameter's name enables the catch block to interact with a caught exception object, which contains `name` and `message` properties.
- A callback function is registered as the event handler for the `XMLHttpRequest` object's `readystatechange` event (p. 614). Whenever the request makes progress, the `XMLHttpRequest` calls the `readystatechange` event handler.
- Progress is monitored by the `readyState` property, which has a value from 0 to 4. The value 0 indicates that the request is not initialized and the value 4 indicates that the request is complete.

### *Section 16.5 Using XML and the DOM*

- When passing structured data between the server and the client, Ajax applications often use XML because it consumes little bandwidth and is easy to parse.
- When the `XMLHttpRequest` object receives XML data, the `XMLHttpRequest` object parses and stores the data as a DOM object in the `responseXML` property.
- The `XMLHttpRequest` object's `responseXML` property contains the XML returned by the server.
- DOM method `createElement` creates an HTML5 element of the specified type.
- DOM method `setAttribute` adds or changes an attribute of an HTML5 element.
- DOM method `appendChild` inserts one HTML5 element into another.
- The `innerHTML` property of a DOM element can be used to obtain or change the HTML5 that's displayed in a particular element.

### *Section 16.6 Creating a Full-Scale Ajax-Enabled Application*

- JSON (JavaScript Object Notation, p. 619)—a simple way to represent JavaScript objects as strings—is an alternative way (to XML) for passing data between the client and the server.
- Each JSON object is represented as a list of property names and values contained in curly braces.
- An array is represented in JSON with square brackets containing a comma-separated list of values.
- Each value in a JSON array can be a string, a number, a JSON representation of an object, `true`, `false` or `null`.
- JavaScript's `JSON.parse` function can convert JSON strings into JavaScript objects.
- JSON strings are easier to create and parse than XML and require fewer bytes. For these reasons, JSON is commonly used to communicate in client/server interaction.
- To implement type-ahead (p. 620), you can use an element's `keyup`-event handler to make asynchronous requests.

## **Self-Review Exercises**

**16.1** Fill in the blanks in each of the following statements:

- Ajax applications use \_\_\_\_\_ requests to create Rich Internet Applications.
- In Ajax applications, the \_\_\_\_\_ object manages asynchronous interaction with the server.
- The event handler called when the server responds is known as a(n) \_\_\_\_\_ function.
- The \_\_\_\_\_ attribute can be accessed through the DOM to update an HTML5 element's content without reloading the page.
- JavaScript's `XMLHttpRequest` object is commonly abbreviated as \_\_\_\_\_.
- \_\_\_\_\_ is a simple way to represent JavaScript objects as strings.
- Making a request to a different server is known as \_\_\_\_\_.

- h) JavaScript's \_\_\_\_\_ function can convert JSON strings into JavaScript objects.
  - i) A(n) \_\_\_\_\_ encloses code that might cause an exception and code that should not execute if an exception occurs.
  - j) The XMLHttpRequest object's \_\_\_\_\_ contains the XML returned by the server.
- 16.2** State whether each of the following is *true* or *false*. If *false*, explain why.
- a) Ajax applications must use XML for server responses.
  - b) The technologies that are used to develop Ajax applications have existed since the 1990s.
  - c) To handle an Ajax response, register for the XMLHttpRequest object's `readystatechange` event.
  - d) An Ajax application can be implemented so that it never needs to reload the page on which it runs.
  - e) The `responseXML` property of the XMLHttpRequest object stores the server's response as a raw XML string.
  - f) An exception indicates successful completion of a program's execution.
  - g) When the third argument to XMLHttpRequest method `open` is `false`, the request is asynchronous.
  - h) For security purposes, the XMLHttpRequest object does not allow a web application to request resources from servers other than the one that served the web application.
  - i) The `innerHTML` property of a DOM element can be used to obtain or change the HTML5 that's displayed in a particular element.

## Answers to Self-Review Exercises

**16.1** a) asynchronous. b) XMLHttpRequest. c) callback. d) `innerHTML`. e) XHR. f) JSON. g) cross-site scripting (or XSS). h) `JSON.parse`. i) try block. j) `responseXML` property.

- 16.2** a) False. Ajax applications can use any type of textual data as a response. For example, we used JSON in this chapter.
- b) True.
  - c) True.
  - d) True.
  - e) False. If the response data has XML format, the XMLHttpRequest object parses it and stores it in a document object.
  - f) False. An exception is an indication of a problem that occurs during a program's execution.
  - g) False. The third argument to XMLHttpRequest method `open` must be `true` to make an asynchronous request.
  - h) True.
  - i) True.

## Exercises

**16.3** Describe the differences between client/server interactions in traditional web applications and client/server interactions in Ajax web applications.

**16.4** Consider the `AddressBook` application in Fig. 16.9. Describe how you could reimplement the type-ahead capability so that it could perform the search using data previously downloaded rather than making an asynchronous request to the server after every keystroke.

- 16.5** Describe each of the following terms in the context of Ajax:
- a) type-ahead
  - b) edit-in-place

- c) partial page update
- d) asynchronous request
- e) XMLHttpRequest
- f) “raw” Ajax
- g) callback function
- h) same origin policy
- i) Ajax libraries
- j) RIA

[*Note to Instructors and Students:* Owing to security restrictions on using XMLHttpRequest, Ajax applications must be placed on a web server (even one on your local computer) to enable them to work correctly, and when they need to access other resources, those must reside on the same web server. *Students:* You’ll need to work closely with your instructors in order to understand your lab setup, so that you can run your solutions to the exercises (the examples are already posted on our web server), and in order to run many of the other server-side applications that you’ll learn later in the book.]

**16.6** The XML files used in the book-cover catalog example (Fig. 16.8) also store the titles of the books in a `title` attribute of each `cover` node. Modify the example so that every time the mouse hovers over an image, the book’s title is displayed below the image.

**16.7** Create an Ajax-enabled version of the feedback form from Fig. 2.15. As the user moves between form fields, ensure that each field is nonempty. For the e-mail field, ensure that the e-mail address has a valid format. In addition, create an XML file that contains a list of e-mail addresses that are not allowed to post feedback. Each time the user enters an e-mail address, check whether it’s on that list; if so, display an appropriate message.

**16.8** Create an Ajax-based product catalog that obtains its data from JSON files located on the server. The data should be separated into four JSON files. The first should be a summary file, containing a list of products. Each product should have a title, an image filename for a thumbnail image and a price. The second file should contain a list of descriptions for each product. The third file should contain a list of filenames for the full-size product images. The last file should contain a list of the thumbnail-image file names. Each item in a catalogue should have a unique ID that should be included with the entries for that product in every file. Next, create an Ajax-enabled web page that displays the product information in a table. The catalog should initially display a list of product names with their associated thumbnail images and prices. When the mouse hovers over a thumbnail image, the larger product image should be displayed. When the user moves the mouse away from that image, the original thumbnail should be redisplayed. You should provide a button that the user can click to display the product description.

# Web Servers (Apache and IIS)

17

*Stop abusing my verses, or  
publish some of your own.*

—Martial

*There are three difficulties in  
authorship: to write anything  
worth the publishing, to find  
honest men to publish it, and to  
get sensible men to read it.*

—Charles Caleb Colton

*When your Daemon is in  
charge, do not try to think  
consciously. Drift, wait and  
obey.*

—Rudyard Kipling

## Objectives

In this chapter you'll:

- Learn about a web server's functionality.
- Install Apache HTTP Server and Microsoft IIS Express.
- Test the book's examples using Apache and IIS Express.



|             |  |               |  |
|-------------|--|---------------|--|
| <b>17.1</b> | Introduction                                       | <b>17.6.2</b> | Running XAMPP                                      |
| <b>17.2</b> | HTTP Transactions                                  | <b>17.6.3</b> | Testing Your Setup                                 |
| <b>17.3</b> | Multitier Application Architecture                 | <b>17.6.4</b> | Running the Examples Using Apache HTTP Server      |
| <b>17.4</b> | Client-Side Scripting versus Server-Side Scripting | <b>17.7</b>   | <b>Microsoft IIS Express and WebMatrix</b>         |
| <b>17.5</b> | Accessing Web Servers                              | <b>17.7.1</b> | Installing and Running IIS Express                 |
| <b>17.6</b> | Apache, MySQL and PHP Installation                 | <b>17.7.2</b> | Installing and Running WebMatrix                   |
|             | 17.6.1 XAMPP Installation                          | <b>17.7.3</b> | Running the Client-Side Examples Using IIS Express |
|             |  | <b>17.7.4</b> | Running the PHP Examples Using IIS Express         |

## 17.1 Introduction

In this chapter, we discuss the specialized software—called a **web server**—that responds to client requests (typically from a web browser) by providing resources such as XHTML documents. For example, when users enter a Uniform Resource Locator (URL) address, such as [www.deitel.com](http://www.deitel.com), into a web browser, they’re requesting a specific document from a web server. The web server maps the URL to a resource on the server (or to a file on the server’s network) and returns the requested resource to the client. During this interaction, the web server and the client communicate using the platform-independent Hypertext Transfer Protocol (HTTP), a protocol for transferring requests and files over the Internet or a local intranet.

We also discuss two web servers—the open source **Apache HTTP Server** and Microsoft’s **Internet Information Services Express (IIS Express)**—that you can install on your own computer for testing your web pages and web applications.

Because this chapter is essentially a concise series of installation instructions to prepare you for the server-side chapters of the book, it does not include a summary or exercises.

## 17.2 HTTP Transactions

In this section, we discuss the fundamentals of web-based interactions between a client web browser and a web server. In its simplest form, a *web page* is nothing more than an HTML (HyperText Markup Language) document (with the extension `.html` or `.htm`) that describes to a web browser the document’s content and structure.

HTML documents normally contain hyperlinks that link to different pages or to other parts of the same page. When the user clicks a hyperlink, the requested web page loads into the user’s web browser. Similarly, the user can type the address of a page into the browser’s address field.

### *URIs and URLs*

*URIs (Uniform Resource Identifiers)* identify resources on the Internet. URIs that start with `http://` are called *URLs (Uniform Resource Locators)*. Common URLs refer to files, directories or server-side code that performs tasks such as database lookups, Internet searches and business-application processing. If you know the URL of a publicly available resource

anywhere on the web, you can enter that URL into a web browser's address field and the browser can access that resource.

### *Parts of a URL*

A URL contains information that directs a browser to the resource that the user wishes to access. Web servers make such resources available to web clients.

Let's examine the components of the URL


```
http://www.deitel.com/books/downloads.html
```

The text `http://` indicates that the HyperText Transfer Protocol (HTTP) should be used to obtain the resource. Next in the URL is the server's fully qualified **hostname** (for example, `www.deitel.com`)—the name of the web-server computer on which the resource resides. This computer is referred to as the **host**, because it houses and maintains resources. The hostname `www.deitel.com` is translated into an IP (**Internet Protocol**) **address**—a numerical value that uniquely identifies the server on the Internet. An Internet **Domain Name System (DNS) server** maintains a database of hostnames and their corresponding IP addresses and performs the translations automatically.

The remainder of the URL (`/books/downloads.html`) specifies the resource's location (`/books`) and name (`downloads.html`) on the web server. The location could represent an actual directory on the web server's file system. For *security* reasons, however, the location is typically a *virtual directory*. The web server translates the virtual directory into a real location on the server, thus hiding the resource's true location.

### *Making a Request and Receiving a Response*

When given a web page URL, a web browser uses HTTP to request the web page found at that address. Figure 17.1 shows a web browser sending a request to a web server.




**Fig. 17.1** | Client interacting with web server. Step 1: The GET request.

In Fig. 17.1, the web browser sends an HTTP request to the server. The request (in its simplest form) is

```
GET /books/downloads.html HTTP/1.1
```

The word **GET** is an **HTTP method** indicating that the client wishes to obtain a resource from the server. The remainder of the request provides the path name of the resource (e.g., an HTML5 document) and the protocol's name and version number (HTTP/1.1). The client's request also contains some required and optional headers.

Any server that understands HTTP (version 1.1) can translate this request and respond appropriately. Figure 17.2 shows the web server responding to a request.



**Fig. 17.2** | Client interacting with web server. Step 2: The HTTP response.

The server first sends a line of text that indicates the HTTP version, followed by a numeric code and a phrase describing the status of the transaction. For example,

```
HTTP/1.1 200 OK
```

indicates success, whereas

```
HTTP/1.1 404 Not found
```

informs the client that the web server could not locate the requested resource. A complete list of numeric codes indicating the status of an HTTP transaction can be found at [www.w3.org/Protocols/rfc2616/rfc2616-sec10.html](http://www.w3.org/Protocols/rfc2616/rfc2616-sec10.html).

### HTTP Headers

Next, the server sends one or more **HTTP headers**, which provide additional information about the data that will be sent. In this case, the server is sending an HTML5 text document, so one HTTP header for this example would read:

```
Content-type: text/html
```

The information provided in this header specifies the **Multipurpose Internet Mail Extensions (MIME)** type of the content that the server is transmitting to the browser. The MIME standard specifies data formats, which programs can use to interpret data correctly. For example, the MIME type `text/plain` indicates that the sent information is text that can be displayed directly. Similarly, the MIME type `image/jpeg` indicates that the content is a JPEG image. When the browser receives this MIME type, it attempts to display the image.

The header or set of headers is followed by a blank line, which indicates to the client browser that the server is finished sending HTTP headers. Finally, the server sends the contents of the requested document (`downloads.html`). The client-side browser then renders (or displays) the document, which may involve additional HTTP requests to obtain associated CSS and images.

### ***HTTP get and post Requests***

The two most common **HTTP request types** (also known as **request methods**) are **get** and **post**. A **get** request typically gets (or retrieves) information from a server, such as an HTML document, an image or search results based on a user-submitted search term. A **post** request typically posts (or sends) data to a server. Common uses of **post** requests are to send form data or documents to a server.

An **HTTP request** often posts data to a **server-side form handler** that processes the data. For example, when a user performs a search or participates in a web-based survey, the web server receives the information specified in the HTML form as part of the request. **Get** requests and **post** requests can both be used to send data to a web server, but each request type sends the information differently.

A **get** request appends data to the URL, e.g., `www.google.com/search?q=deitel`. In this case `search` is the name of Google's server-side form handler, `q` is the name of a variable in Google's search form and `deitel` is the search term. The `?` in the preceding URL separates the **query string** from the rest of the URL in a request. A *name/value* pair is passed to the server with the *name* and the *value* separated by an equals sign (`=`). If more than one *name/value* pair is submitted, each pair is separated by an ampersand (`&`). The server uses data passed in a query string to retrieve an appropriate resource from the server. The server then sends a response to the client. A **get** request may be initiated by submitting an HTML form whose `method` attribute is set to "get", or by typing the URL (possibly containing a query string) directly into the browser's address bar. We discuss HTML forms in Chapters 2–3.

A **post** request sends form data as part of the **HTTP message**, not as part of the URL. A **get** request typically limits the query string (i.e., everything to the right of the `?`) to a specific number of characters, so it's often necessary to send large amounts of information using the **post** method. The **post** method is also sometimes preferred because it hides the submitted data from the user by embedding it in an **HTTP message**. If a form submits several hidden input values along with user-submitted data, the **post** method might generate a URL like `www.searchengine.com/search`. The form data still reaches the server and is processed in a similar fashion to a **get** request, but the user does not see the exact information sent.



#### **Software Engineering Observation 17.1**


*The data sent in a post request is not part of the URL, and the user can't see the data by default. However, tools are available that expose this data, so you should not assume that the data is secure just because a post request is used.*

### ***Client-Side Caching***

Browsers often **cache** (save on disk) recently viewed web pages for quick reloading. If there are no changes between the version stored in the cache and the current version on the web, this speeds up your browsing experience. An **HTTP response** can indicate the length of time for which the content remains "fresh." If this amount of time has not been reached, the browser can avoid another request to the server. If not, the browser loads the document from the cache. Similarly, there's also the "not modified" **HTTP response**, indicating that the file content has not changed since it was last requested (which is information that's send in the request). Browsers typically do not cache the server's response to a **post** request, because the next **post** might not return the same result. For example, in a survey, many users could visit the same web page and answer a question. The survey results could then be displayed for the user. Each new answer would change the survey results.

## 17.3 Multitier Application Architecture

Web-based applications are often **multitier applications** (sometimes referred to as *n-tier applications*) that divide functionality into separate **tiers** (i.e., logical groupings of functionality). Although tiers can be located on the same computer, the tiers of web-based applications often reside on separate computers. Figure 17.3 presents the basic structure of a **three-tier web-based application**.



**Fig. 17.3** | Three-tier architecture.

The **bottom tier** (also called the data tier or the information tier) maintains the application's data. This tier typically stores data in a relational database management system (RDBMS). We discuss RDBMSs in Chapter 18. For example, Amazon might have an inventory information database containing product descriptions, prices and quantities in stock. Another database might contain customer information, such as user names, billing addresses and credit card numbers. These may reside on one or more computers, which together comprise the application's data.

The **middle tier** implements business logic, controller logic and presentation logic to control interactions between the application's clients and its data. The middle tier acts as an intermediary between data in the information tier and the application's clients. The middle-tier **controller logic** processes client requests (such as requests to view a product catalog) and retrieves data from the database. The middle-tier **presentation logic** then processes data from the information tier and presents the content to the client. Web applications typically present data to clients as HTML documents.

**Business logic** in the middle tier enforces **business rules** and ensures that data is reliable before the application updates a database or presents data to users. Business rules dictate how clients access data and how applications process data. For example, a business rule in the middle tier of a retail store's web-based application might ensure that all product quantities remain positive. A client request to set a negative quantity in the bottom tier's product information database would be rejected by the middle tier's business logic.

The **top tier**, or client tier, is the application's user interface, which gathers input and displays output. Users interact directly with the application through the user interface, which is typically a web browser or a mobile device. In response to user actions (e.g., clicking a hyperlink), the client tier interacts with the middle tier to make requests and to retrieve data from the information tier. The client tier then displays the data retrieved for the user.

## 17.4 Client-Side Scripting versus Server-Side Scripting

Client-side scripting with JavaScript can be used to validate user input, to interact with the browser, to enhance web pages, and to add client/server communication between a browser and a web server.

Client-side scripting does have limitations, such as browser dependency; the browser or **scripting host** must support the scripting language and capabilities. Scripts are restricted from arbitrarily accessing the local hardware and file system for security reasons. Another issue is that client-side scripts can be viewed by the client using the browser's source-viewing capability. Sensitive information, such as passwords or other personally identifiable data, should not be on the client. All client-side data validation should be mirrored on the server. Also, placing certain operations in JavaScript on the client can open web applications to security issues.

Programmers have more flexibility with **server-side scripts**, which often generate custom responses for clients. For example, a client might connect to an airline's web server and request a list of flights from Boston to San Francisco between April 19 and May 5. The server queries the database, dynamically generates an HTML document containing the flight list and sends the document to the client. This technology allows clients to obtain the most current flight information from the database by connecting to an airline's web server.

Server-side scripting languages have a wider range of programmatic capabilities than their client-side equivalents. Server-side scripts also have access to server-side software that extends server functionality—Microsoft web servers use **ISAPI (Internet Server Application Program Interface) extensions** and Apache HTTP Servers use **modules**. Components and modules range from programming-language support to counting the number of web-page hits. We discuss some of these components and modules in subsequent chapters.

## 17.5 Accessing Web Servers

To request documents from web servers, users must know the hostnames on which the web server software resides. Users can request documents from **local web servers** (i.e., ones residing on users' machines) or **remote web servers** (i.e., ones residing on different machines).

Local web servers can be accessed through your computer's name or through the name **localhost**—a hostname that references the local machine and normally translates to the IP address 127.0.0.1 (known as the **loopback address**). We sometimes use `localhost` in this book for demonstration purposes. To display the machine name in Windows, Mac OS X or Linux, run the `hostname` command in a command prompt or terminal window.

A remote web server referenced by a fully qualified hostname or an IP address can also serve documents. In the URL <http://www.deitel.com/books/downloads.html>, the middle portion, `www.deitel.com`, is the server's fully qualified hostname.

## 17.6 Apache, MySQL and PHP Installation

This section shows how to install the software you need for running web apps using PHP. The Apache HTTP Server, maintained by the Apache Software Foundation, is the most

popular web server in use today because of its stability, efficiency, portability, security and small size. It's open source software that runs on Linux, Mac OS X, Windows and numerous other platforms. MySQL (discussed in more detail in Section 18.5) is the most popular open-source database management system. It, too, runs on Linux, Mac OS X and Windows. PHP (Chapter 19) is the most popular server-side scripting language for creating dynamic, data-driven web applications.

The Apache HTTP Server, MySQL database server and PHP can each be downloaded and installed separately, but this also requires additional configuration on your part. There are many integrated installers that install and configure the Apache HTTP Server, MySQL database server and PHP for you on various operating-system platforms. For simplicity, we'll use the XAMPP integrated installer provided by the Apache Friends website ([www.apachefriends.org](http://www.apachefriends.org)).

### 17.6.1 XAMPP Installation

The XAMPP integrated installer for Apache, MySQL and PHP is available for Windows, Mac OS X and Linux. Chapters 18 and 19 assume that you've used the XAMPP installer to set up the software. Go to

<http://www.apachefriends.org/en/xampp.html>

then choose the installer for your platform. Carefully follow the provided installation instructions and *be sure to read the entire installation page for your platform!* We assume in Chapters 18 and 19 that you used the default installation options here.

#### *Microsoft Web Platform Installer*

If you'd prefer to use PHP with Microsoft's IIS Express and SQL Server Express, you can use their Web Platform Installer to set up and configure PHP:

<http://www.microsoft.com/web/platform/phponwindows.aspx>

Please note, however, that Chapter 19 assumes you're using PHP with MySQL and the Apache HTTP Server.

### 17.6.2 Running XAMPP

Once you've installed XAMPP, you can start the Apache and MySQL servers for each platform as described below.

#### *Windows*

Go to your c:\xampp folder (or the folder in which you installed XAMPP) and double click `xampp_start.exe`. If you need to stop the servers (e.g., so you can shut down your computer), use `xampp_stop.exe` in the same folder.

#### *Mac OS X*

Go to your Applications folder (or the folder in which you installed XAMPP), then open the XAMPP folder and run `XAMP Control.app`. Click the **Start** buttons in the control panel to start the servers. If you need to stop the servers (e.g., so you can shut down your computer), you can stop them by clicking the **Stop** buttons.

***Linux***

Open a shell and enter the command

```
/opt/lampp/lampp start
```

If you need to stop the servers (e.g., so you can shut down your computer), open a shell and enter the command

```
/opt/lampp/lampp stop
```

### 17.6.3 Testing Your Setup

Once you've started the servers, you can open any web browser on your computer and enter the address

```
http://localhost/
```

to confirm that the web server is up and running. If it is, you'll see a web page similar to the one in Fig. 17.4. You're now ready to go!



**Fig. 17.4** | default XAMPP webpage displayed on Windows.

### 17.6.4 Running the Examples Using Apache HTTP Server

Now that the Apache HTTP Server is running on your computer, you can copy the book's examples into XAMPP's `htdocs` folder. Assuming you copy the entire `examples` folder into the `htdocs` folder, you can run the examples in Chapters 2–16 and 19 with URLs of the form

```
http://localhost/examples/chapter/figure/filename
```

where `chapter` is one of the chapter folders (e.g., `ch03`), `figure` is a folder for a particular example (e.g., `fig03_01`) and `filename` is the page to load (e.g., `NewFormInputTypes.html`). So, you can run the first example in Chapter 3 with

```
http://localhost/examples/ch03/fig03_01/NewFormInputTypes.html
```

[Note: The `ch02` examples folder does not contain any subfolders.]

## 17.7 Microsoft IIS Express and WebMatrix

Microsoft Internet Information Services **Express (IIS Express)** is a web server that can be installed on computers running Microsoft Windows. Once it's running, you can use it to test web pages and web applications on your local computer. A key benefit of IIS Express is that it can be installed *without* administrator privileges on all versions of Windows XP, Windows Vista, Windows 7 and Windows Server 2008. IIS Express can be downloaded and installed by itself, or you can install it in a bundle with Microsoft's **WebMatrix**—a free development tool for building PHP and ASP.NET web apps. We provide links for each below. When you use IIS Express without administrator privileges, it can serve documents only to web browsers installed on your local computer.

### 17.7.1 Installing and Running IIS Express

If you simply want to test your web pages on IIS Express, you can install it from:

```
www.microsoft.com/web/gallery/install.aspx?appid=IISExpress
```

We recommend using the default installation options. Once you've installed IIS Express you can learn more about using it at:

```
learn.iis.net/page.aspx/860/iis-express/
```

### 17.7.2 Installing and Running WebMatrix

You can install the WebMatrix and IIS Express bundle from:

```
www.microsoft.com/web/gallery/install.aspx?appid=IISExpress
```

Again, we recommend using the default installation options. You can run WebMatrix by opening the **Start** menu and selecting **All Programs > Microsoft WebMatrix > Microsoft WebMatrix**. This will also start IIS Express. Microsoft provides tutorials on how to use WebMatrix at:

```
www.microsoft.com/web/post/web-development-101-using-webmatrix
```

### 17.7.3 Running the Client-Side Examples Using IIS Express

Once you have IIS Express installed, you can use it to test the examples in Chapters 2–16. When you start IIS Express, you can specify the folder on your computer that contains the documents you'd like to serve. To execute IIS Express, open a Command Prompt window and change directories to the IIS Express folder. On 32-bit Windows versions, use the command

```
cd "c:\Program Files\IIS Express"
```

On 64-bit Windows versions, use the command

```
cd "c:\Program Files (x86)\IIS Express"
```

#### *Launching IIS Express*

If the book's examples are in a folder named `c:\examples`, you can use the command

```
iisexpress /path:c:\examples
```

to start IIS. You can stop the server simply by typing Q in the Command Prompt window.

### *Testing a Client-Side Example*

You can now run your examples with URLs of the form

```
http://localhost:8080/chapter/figure/filename
```

where *chapter* is one of the chapter folders (e.g., ch03), *figure* is a folder for a particular example (e.g., fig03\_01) and *filename* is the page to load (e.g., NewFormInputTypes.html). So, you can run the first example in Chapter 3 with

```
http://localhost:8080/ch03/fig03_01/NewFormInputTypes.html
```


[Note: The ch02 examples folder does not contain any subfolders.]

### 17.7.4 Running the PHP Examples Using IIS Express

The easiest way to test Chapter 19's PHP examples is to use WebMatrix to enable PHP for the ch19 folder in the book's examples. To do so, perform the following steps.

1. Run WebMatrix by opening the **Start** menu and selecting **All Programs > Microsoft WebMatrix > Microsoft WebMatrix**.
2. In the **Quick Start - Microsoft WebMatrix** window, select **Site From Folder**.
3. Locate and select the ch19 folder in the **Select Folder** window, then click the **Select Folder** button.

This opens the ch19 folder as a website in WebMatrix (Fig. 17.5).




**Fig. 17.5** | The ch19 examples folder in WebMatrix.

### *Enabling PHP*

To enable PHP, perform the following steps:

1. Click the **Site** option in the bottom-left corner of the window.
2. Click **Settings** and ensure that **Enable PHP** is checked (Fig. 17.6). [Note: The first time you do this, WebMatrix will ask you for permission to install PHP. You *must* do this to test the PHP examples.]



**Fig. 17.6** | Enabling PHP for the ch19 examples folder in WebMatrix.

### *Running a PHP Example*

You can now run the PHP examples directly from WebMatrix. To do so:

1. Click the **Files** option in the bottom-left corner of the window.
2. Open the folder for the example you wish to test.
3. Right-click the example's PHP script file and select **Launch in browser**.

This opens your default browser and requests the selected PHP script file.

# Database: SQL, MySQL, LINQ and Java DB

18

*It is a capital mistake to theorize before one has data.*

—Arthur Conan Doyle

*Now go, write it before them in a table, and note it in a book, that it may be for the time to come for ever and ever.*

—The Holy Bible, Isaiah 30:8

*Get your facts first, and then you can distort them as much as you please.*

—Mark Twain

*I like two kinds of men: domestic and foreign.*

—Mae West

## Objectives

In this chapter, you'll:

- Learn fundamental relational database concepts.
- Learn Structured Query Language (SQL) capabilities for retrieving data from and manipulating data in a database.
- Configure a MySQL user account.
- Create MySQL databases.
- Learn fundamental concepts of Microsoft's Language Integrated Query (LINQ)



|             |  |  |  |
|-------------|--|--|--|
| <b>18.1</b> | Introduction   | <b>18.6.2</b>  | Querying an Array of Employee Objects Using LINQ           |
| <b>18.2</b> | Relational Databases                                 | <b>18.6.3</b>  | Querying a Generic Collection Using LINQ                   |
| <b>18.3</b> | Relational Database Overview:<br>A books Database    | <b>18.7</b> (Optional) LINQ to SQL                                   |  |
| <b>18.4</b> | SQL  | <b>18.8</b> (Optional) Querying a Database with LINQ                 |  |
| 18.4.1      | Basic SELECT Query                                   | 18.8.1   | Creating LINQ to SQL Classes                               |
| 18.4.2      | WHERE Clause   | 18.8.2   | Data Bindings Between Controls and the LINQ to SQL Classes |
| 18.4.3      | ORDER BY Clause                                      | <b>18.9</b> (Optional) Dynamically Binding LINQ to SQL Query Results |  |
| 18.4.4      | Merging Data from Multiple Tables:<br>INNER JOIN     | 18.9.1   | Creating the <b>Display Query Results</b> GUI              |
| 18.4.5      | INSERT Statement                                     | 18.9.2   | Coding the <b>Display Query Results</b> Application        |
| 18.4.6      | UPDATE Statement                                     | <b>18.10</b> Java DB/Apache Derby                                    |  |
| 18.4.7      | DELETE Statement                                     |  |  |
| <b>18.5</b> | MySQL  |  |  |
| 18.5.1      | Instructions for Setting Up a MySQL User Account     |  |  |
| 18.5.2      | Creating Databases in MySQL                          |  |  |
| <b>18.6</b> | (Optional) Microsoft Language Integrate Query (LINQ) |  |  |
| 18.6.1      | Querying an Array of int Values Using LINQ           |  |  |

[Summary](#) | [Self-Review Exercises](#) | [Answers to Self-Review Exercises](#) | [Exercises](#)

## 18.1 Introduction

A **database** is an organized collection of data. There are many different strategies for organizing data to facilitate easy access and manipulation. A **database management system (DBMS)** provides mechanisms for storing, organizing, retrieving and modifying data for many users. Database management systems allow for the access and storage of data without concern for the internal representation of data.

Today's most popular database systems are *relational databases*. A language called **SQL**—pronounced “sequel,” or as its individual letters—is the international standard language used almost universally with relational databases to perform **queries** (i.e., to request information that satisfies given criteria) and to manipulate data. [Note: As you learn about SQL, you'll see some authors writing “a SQL statement” (which assumes the pronunciation “sequel”) and others writing “an SQL statement” (which assumes that the individual letters are pronounced). In this book we pronounce SQL as “sequel.”]

Programs connect to, and interact with, a relational database via an **interface**—software that facilitates communication between a database management system and a program. For example, Java developers can use the JDBC interface to interact with databases. Similarly, ASP.NET programmers communicate with databases and manipulate their data through interfaces provided by .NET.

## 18.2 Relational Databases

A **relational database** is a logical representation of data that allows the data to be accessed without consideration of its physical structure. A relational database stores data in **tables**.

Figure 18.1 illustrates a sample table that might be used in a personnel system. The table name is **Employee**, and its primary purpose is to store the attributes of employees. Tables are composed of **rows**, and rows are composed of **columns** in which values are stored. This table consists of six rows. The **Number** column of each row is the table's **primary key**—a column (or group of columns) with a *unique* value that cannot be duplicated in other rows. This guarantees that each row can be identified by its primary key. Good examples of primary-key columns are a social security number, an employee ID number and a part number in an inventory system, as values in each of these columns are guaranteed to be unique. The rows in Fig. 18.1 are displayed in order by primary key. In this case, the rows are listed in increasing order, but we could also use decreasing order.

|       | Number | Name     | Department | Salary | Location    |
|-------|--------|----------|------------|--------|-------------|
|       | 23603  | Jones    | 413        | 1100   | New Jersey  |
|       | 24568  | Kerwin   | 413        | 2000   | New Jersey  |
| Row { | 34589  | Larson   | 642        | 1800   | Los Angeles |
|       | 35761  | Myers    | 611        | 1400   | Orlando     |
|       | 47132  | Neumann  | 413        | 9000   | New Jersey  |
|       | 78321  | Stephens | 611        | 8500   | Orlando     |

**Fig. 18.1** | Employee table sample data.

Rows in tables are not guaranteed to be stored in any particular order. As we'll demonstrate in an upcoming example, programs can specify ordering criteria when requesting data from a database.

Each column represents a different data attribute. Rows are normally unique (by primary key) within a table, but particular column values may be duplicated between rows. For example, three different rows in the Employee table's Department column contain number 413.

Different users of a database are often interested in different data and different relationships among the data. Most users require only subsets of the rows and columns. Queries specify which subsets of the data to select from a table. You use SQL to define queries. For example, you might select data from the Employee table to create a result that shows where each department is located, presenting the data sorted in increasing order by department number. This result is shown in Fig. 18.2. SQL is discussed in Section 18.4.

| Department | Location    |
|------------|-------------|
| 413        | New Jersey  |
| 611        | Orlando     |
| 642        | Los Angeles |

**Fig. 18.2** | Result of selecting distinct Department and Location data from table Employee.

## 18.3 Relational Database Overview: A books Database

We now overview relational databases in the context of a sample books database we created for this chapter. Before we discuss SQL, we discuss the *tables* of the books database. We use this database to introduce various database concepts, including how to use SQL to obtain information from the database and to manipulate the data. We provide a script to create the database. You can find the script in the examples directory for this chapter. Section 18.5.2 explains how to use this script. The database consists of three tables: Authors, AuthorISBN and Titles.

### Authors Table

The Authors table (described in Fig. 18.3) consists of three columns that maintain each author's unique ID number, first name and last name. Figure 18.4 contains sample data from the Authors table of the books database.

| Column    | Description   |
|-----------|---|
| AuthorID  | Author's ID number in the database. In the books database, this integer column is defined as <b>autoincremented</b> —for each row inserted in this table, the AuthorID value is increased by 1 automatically to ensure that each row has a unique AuthorID. This column represents the table's primary key. |
| FirstName | Author's first name (a string).   |
| LastName  | Author's last name (a string).  |

**Fig. 18.3** | Authors table from the books database.

| AuthorID | FirstName | LastName |
|----------|-----------|----------|
| 1        | Paul      | Deitel   |
| 2        | Harvey    | Deitel   |
| 3        | Abbey     | Deitel   |
| 4        | Michael   | Morgano  |
| 5        | Eric      | Kern     |

**Fig. 18.4** | Sample data from the Authors table.

### AuthorISBN Table

The AuthorISBN table (described in Fig. 18.5) consists of two columns that maintain each ISBN and the corresponding author's ID number. This table associates authors with their books. Both columns are foreign keys that represent the relationship between the tables Authors and Titles—one row in table Authors may be associated with many rows in table Titles, and vice versa. The combined columns of the AuthorISBN table represent the table's *primary key*—thus, each row in this table must be a *unique* combination of an AuthorID and an ISBN. Figure 18.6 contains sample data from the AuthorISBN table of the books database. [Note: To save space, we have split the contents of this table into two col-

umns, each containing the AuthorID and ISBN columns.] The AuthorID column is a **foreign key**—a column in this table that matches the primary-key column in another table (i.e., AuthorID in the Authors table). Foreign keys are specified when creating a table. The foreign key helps maintain the **Rule of Referential Integrity**—every foreign-key value must appear as another table’s primary-key value. This enables the DBMS to determine whether the AuthorID value for a particular book is *valid*. Foreign keys also allow related data in multiple tables to be selected from those tables for analytic purposes—this is known as **joining** the data.

| Column   | Description   |
|----------|---|
| AuthorID | The author’s ID number, a foreign key to the Authors table. |
| ISBN     | The ISBN for a book, a foreign key to the Titles table.     |

**Fig. 18.5** | AuthorISBN table from the books database.

| AuthorID | ISBN       | AuthorID | ISBN       |
|----------|------------|----------|------------|
| 1        | 0132152134 | 2        | 0132575663 |
| 2        | 0132152134 | 1        | 0132662361 |
| 1        | 0132151421 | 2        | 0132662361 |
| 2        | 0132151421 | 1        | 0132404168 |
| 1        | 0132575663 | 2        | 0132404168 |
| 1        | 013705842X | 1        | 0132121360 |
| 2        | 013705842X | 2        | 0132121360 |
| 3        | 013705842X | 3        | 0132121360 |
| 4        | 013705842X | 4        | 0132121360 |
| 5        | 013705842X |          |            |

**Fig. 18.6** | Sample data from the AuthorISBN table of books.

### ***Titles Table***

The Titles table described in Fig. 18.7 consists of four columns that stand for the ISBN, the title, the edition number and the copyright year. The table is in Fig. 18.8.

| Column | Description  |
|--------|--|
| ISBN   | ISBN of the book (a string). The table’s primary key. ISBN is an abbreviation for “International Standard Book Number”—a numbering scheme that publishers use to give every book a unique identification number. |
| Title  | Title of the book (a string).  |

**Fig. 18.7** | Titles table from the books database. (Part 1 of 2.)

| Column        | Description                              |
|---------------|--|
| EditionNumber | Edition number of the book (an integer). |
| Copyright     | Copyright year of the book (a string).   |


**Fig. 18.7** | Titles table from the books database. (Part 2 of 2.)

| ISBN       | Title   | EditionNumber | Copyright |
|------------|---|---------------|-----------|
| 0132152134 | Visual Basic 2010 How to Program                | 5             | 2011      |
| 0132151421 | Visual C# 2010 How to Program                   | 4             | 2011      |
| 0132575663 | Java How to Program                             | 9             | 2012      |
| 0132662361 | C++ How to Program                              | 8             | 2012      |
| 0132404168 | C How to Program                                | 6             | 2010      |
| 013705842X | iPhone for Programmers: An App-Driven Approach  | 1             | 2010      |
| 0132121360 | Android for Programmers: An App-Driven Approach | 1             | 2012      |

**Fig. 18.8** | Sample data from the Titles table of the books database .

### Entity-Relationship (ER) Diagram

There's a one-to-many relationship between a primary key and a corresponding foreign key (e.g., one author can write many books). A foreign key can appear many times in its own table, but only once (as the primary key) in another table. Figure 18.9 is an **entity-relationship (ER) diagram** for the books database. This diagram shows the *database tables* and the *relationships* among them. The first compartment in each box contains the table's name and the remaining compartments contain the table's columns. The names in italic are primary keys. *A table's primary key uniquely identifies each row in the table.* Every row must have a primary-key value, and that value must be unique in the table. This is known as the **Rule of Entity Integrity**. Again, for the AuthorISBN table, the primary key is the combination of both columns.

**Fig. 18.9** | Table relationships in the books database.



### Common Programming Error 18.1

*Not providing a value for every column in a primary key breaks the Rule of Entity Integrity and causes the DBMS to report an error.*



### Common Programming Error 18.2

*Providing the same primary-key value in multiple rows causes the DBMS to report an error.*

The lines connecting the tables (Fig. 18.9) represent the relationships between the tables. Consider the line between the AuthorISBN and Authors tables. On the Authors end of the line is a 1, and on the AuthorISBN end is an infinity symbol ( $\infty$ ), indicating a **one-to-many relationship** in which every author in the Authors table can have an arbitrary number of books in the AuthorISBN table. The relationship line links the AuthorID column in Authors (i.e., its primary key) to the AuthorID column in AuthorISBN (i.e., its foreign key). The AuthorID column in the AuthorISBN table is a foreign key.



### Common Programming Error 18.3

*Providing a foreign-key value that does not appear as a primary-key value in another table breaks the Rule of Referential Integrity and causes the DBMS to report an error.*

The line between Titles and AuthorISBN illustrates another *one-to-many relationship*; a title can be written by any number of authors. In fact, the sole purpose of the AuthorISBN table is to provide a *many-to-many relationship* between Authors and Titles—an author can write many books and a book can have many authors.

## 18.4 SQL

We now overview SQL in the context of our books database. The next several subsections discuss the SQL keywords listed in Fig. 18.10 in the context of SQL queries and statements. Other SQL keywords are beyond this text's scope. To learn other keywords, refer to the SQL reference guide supplied by the vendor of the DBMS you're using.

| SQL keyword | Description   |
|-------------|---|
| SELECT      | Retrieves data from one or more tables.   |
| FROM        | Tables involved in the query. Required in every SELECT.   |
| WHERE       | Criteria for selection that determine the rows to be retrieved, deleted or updated. Optional in a SQL query or a SQL statement. |
| GROUP BY    | Criteria for grouping rows. Optional in a SELECT query.   |
| ORDER BY    | Criteria for ordering rows. Optional in a SELECT query.   |
| INNER JOIN  | Merge rows from multiple tables.  |
| INSERT      | Insert rows into a specified table.   |
| UPDATE      | Update rows in a specified table.   |
| DELETE      | Delete rows from a specified table.   |

**Fig. 18.10** | SQL query keywords.

### 18.4.1 Basic SELECT Query

Let us consider several SQL queries that extract information from database books. A SQL query “selects” rows and columns from one or more tables in a database. Such selections are performed by queries with the **SELECT** keyword. The basic form of a **SELECT** query is

```
SELECT * FROM tableName
```

in which the asterisk (\*) *wildcard character* indicates that all columns from the *tableName* table should be retrieved. For example, to retrieve all the data in the Authors table, use

```
SELECT * FROM Authors
```

Most programs do not require all the data in a table. To retrieve only specific columns, replace the \* with a comma-separated list of column names. For example, to retrieve only the columns AuthorID and LastName for all rows in the Authors table, use the query

```
SELECT AuthorID, LastName FROM Authors
```

This query returns the data listed in Fig. 18.11.

| AuthorID | LastName |
|----------|----------|
| 1        | Deitel   |
| 2        | Deitel   |
| 3        | Deitel   |
| 4        | Morgano  |
| 5        | Kern     |

**Fig. 18.11** | Sample AuthorID and LastName data from the Authors table.



#### Software Engineering Observation 18.1

*In general, you process results by knowing in advance the order of the columns in the result—for example, selecting AuthorID and LastName from table Authors ensures that the columns will appear in the result with AuthorID as the first column and LastName as the second. Programs typically process result columns by specifying the column number in the result (starting from 1 for the first column). Selecting columns by name avoids returning unneeded columns and protects against changes to the order of the columns in the table(s) by returning the columns in the exact order specified.*



#### Common Programming Error 18.4

*If you assume that the columns are always returned in the same order from a query that uses the asterisk (\*), the program may process the results incorrectly.*

### 18.4.2 WHERE Clause

In most cases, it's necessary to locate rows in a database that satisfy certain **selection criteria**. Only rows that satisfy the selection criteria (formally called **predicates**) are selected. SQL uses the optional **WHERE clause** in a query to specify the selection criteria for the query. The basic form of a query with selection criteria is

```
SELECT columnName1, columnName2, ... FROM tableName WHERE criteria
```

For example, to select the Title, EditionNumber and Copyright columns from table Titles for which the Copyright date is greater than 2010, use the query

```
SELECT Title, EditionNumber, Copyright
FROM Titles
WHERE Copyright > '2010'
```

Strings in SQL are delimited by single ('') rather than double ("") quotes. Figure 18.12 shows the result of the preceding query.

| Title   | EditionNumber | Copyright |
|---|---------------|-----------|
| Visual Basic 2010 How to Program                | 5             | 2011      |
| Visual C# 2010 How to Program                   | 4             | 2011      |
| Java How to Program                             | 9             | 2012      |
| C++ How to Program                              | 8             | 2012      |
| Android for Programmers: An App-Driven Approach | 1             | 2012      |

**Fig. 18.12** | Sampling of titles with copyrights after 2005 from table Titles.

### *Pattern Matching: Zero or More Characters*

The WHERE clause criteria can contain the operators <, >, <=, >=, =, <> and LIKE. Operator LIKE is used for pattern matching with wildcard characters percent (%) and underscore (\_). Pattern matching allows SQL to search for strings that match a given pattern.

A pattern that contains a percent character (%) searches for strings that have zero or more characters at the percent character's position in the pattern. For example, the next query locates the rows of all the authors whose last name starts with the letter D:

```
SELECT AuthorID, FirstName, LastName
FROM Authors
WHERE LastName LIKE 'D%'
```

This query selects the two rows shown in Fig. 18.13—three of the five authors have a last name starting with the letter D (followed by zero or more characters). The % symbol in the WHERE clause's LIKE pattern indicates that any number of characters can appear after the letter D in the LastName. The pattern string is surrounded by single-quote characters.

| AuthorID | FirstName | LastName |
|----------|-----------|----------|
| 1        | Paul      | Deitel   |
| 2        | Harvey    | Deitel   |
| 3        | Abbey     | Deitel   |

**Fig. 18.13** | Authors whose last name starts with D from the Authors table.

**Portability Tip 18.1**

*See the documentation for your database system to determine whether SQL is case sensitive on your system and to determine the syntax for SQL keywords.*

**Portability Tip 18.2**

*Read your database system's documentation carefully to determine whether it supports the LIKE operator as discussed here.*

**Pattern Matching: Any Character**

An underscore (`_`) in the pattern string indicates a single wildcard character at that position in the pattern. For example, the following query locates the rows of all the authors whose last names start with any character (specified by `_`), followed by the letter o, followed by any number of additional characters (specified by `%`):

```
SELECT AuthorID, FirstName, LastName
  FROM Authors
 WHERE LastName LIKE '_o%'
```

The preceding query produces the row shown in Fig. 18.14, because only one author in our database has a last name that contains the letter o as its second letter.

| AuthorID | FirstName | LastName |
|----------|-----------|----------|
| 4        | Michael   | Morgano  |

**Fig. 18.14** | The only author from the Authors table whose last name contains o as the second letter.

**18.4.3 ORDER BY Clause**

The rows in the result of a query can be sorted into ascending or descending order by using the optional **ORDER BY** clause. The basic form of a query with an **ORDER BY** clause is

```
SELECT columnName1, columnName2, ... FROM tableName ORDER BY column ASC
SELECT columnName1, columnName2, ... FROM tableName ORDER BY column DESC
```

where **ASC** specifies ascending order (lowest to highest), **DESC** specifies descending order (highest to lowest) and *column* specifies the column on which the sort is based. For example, to obtain the list of authors in ascending order by last name (Fig. 18.15), use the query

```
SELECT AuthorID, FirstName, LastName
  FROM Authors
 ORDER BY LastName ASC
```

| AuthorID | FirstName | LastName |
|----------|-----------|----------|
| 1        | Paul      | Deitel   |

**Fig. 18.15** | Sample data from table Authors in ascending order by LastName.  
(Part 1 of 2.)

| AuthorID | FirstName | LastName |
|----------|-----------|----------|
| 2        | Harvey    | Deitel   |
| 3        | Abbey     | Deitel   |
| 5        | Eric      | Kern     |
| 4        | Michael   | Morgan   |

**Fig. 18.15** | Sample data from table Authors in ascending order by LastName.  
(Part 2 of 2.)

### Sorting in Descending Order

The default sorting order is ascending, so ASC is optional. To obtain the same list of authors in descending order by last name (Fig. 18.16), use the query

```
SELECT AuthorID, FirstName, LastName
  FROM Authors
 ORDER BY LastName DESC
```

| AuthorID | FirstName | LastName |
|----------|-----------|----------|
| 4        | Michael   | Morgan   |
| 5        | Eric      | Kern     |
| 1        | Paul      | Deitel   |
| 2        | Harvey    | Deitel   |
| 3        | Abbey     | Deitel   |

**Fig. 18.16** | Sample data from table Authors in descending order by LastName.

### Sorting By Multiple Columns

Multiple columns can be used for sorting with an ORDER BY clause of the form

```
ORDER BY column1 sortOrder, column2 sortOrder, ...
```

where *sortOrder* is either ASC or DESC. The *sortOrder* does not have to be identical for each column. The query

```
SELECT AuthorID, FirstName, LastName
  FROM Authors
 ORDER BY LastName, FirstName
```

sorts all the rows in ascending order by last name, then by first name. If any rows have the same last-name value, they're returned sorted by first name (Fig. 18.17).

### Combining the WHERE and ORDER BY Clauses

The WHERE and ORDER BY clauses can be combined in one query, as in

```
SELECT ISBN, Title, EditionNumber, Copyright
  FROM Titles
 WHERE Title LIKE '%How to Program'
 ORDER BY Title ASC
```

| AuthorID | FirstName | LastName |
|----------|-----------|----------|
| 3        | Abbey     | Deitel   |
| 2        | Harvey    | Deitel   |
| 1        | Paul      | Deitel   |
| 5        | Eric      | Kern     |
| 4        | Michael   | Morgano  |

**Fig. 18.17** | Sample data from Authors in ascending order by LastName and FirstName.

which returns the ISBN, Title, EditionNumber and Copyright of each book in the Titles table that has a Title ending with "How to Program" and sorts them in ascending order by Title. The query results are shown in Fig. 18.18.

| ISBN       | Title                            | Editio<br>n-<br>Number | Copy-<br>right |
|------------|----------------------------------|------------------------|----------------|
| 0132404168 | C How to Program                 | 6                      | 2010           |
| 0132662361 | C++ How to Program               | 8                      | 2012           |
| 0132575663 | Java How to Program              | 9                      | 2012           |
| 0132152134 | Visual Basic 2005 How to Program | 5                      | 2011           |
| 0132151421 | Visual C# 2005 How to Program    | 4                      | 2011           |

**Fig. 18.18** | Sampling of books from table Titles whose titles end with How to Program in ascending order by Title.

#### 18.4.4 Merging Data from Multiple Tables: INNER JOIN

Database designers often split related data into separate tables to ensure that a database does not store data redundantly. For example, in the books database, we use an AuthorISBN table to store the relationship data between authors and their corresponding titles. If we did not separate this information into individual tables, we'd need to include author information with each entry in the Titles table. This would result in the database's storing *duplicate* author information for authors who wrote multiple books. Often, it's necessary to merge data from multiple tables into a single result. Referred to as joining the tables, this is specified by an **INNER JOIN** operator, which merges rows from two tables by matching values in columns that are common to the tables. The basic form of an **INNER JOIN** is:

```
SELECT columnName1, columnName2, ...
FROM table1
INNER JOIN table2
ON table1.columnName = table2.columnName
```

The **ON clause** of the **INNER JOIN** specifies the columns from each table that are compared to determine which rows are merged. For example, the following query produces a list of authors accompanied by the ISBNs for books written by each author:

```
SELECT FirstName, LastName, ISBN
FROM Authors
INNER JOIN AuthorISBN
    ON Authors.AuthorID = AuthorISBN.AuthorID
ORDER BY LastName, FirstName
```

The query merges the `FirstName` and `LastName` columns from table `Authors` with the `ISBN` column from table `AuthorISBN`, sorting the result in ascending order by `LastName` and `FirstName`. Note the use of the syntax `tableName.columnName` in the `ON` clause. This syntax, called a **qualified name**, specifies the columns from each table that should be compared to join the tables. The “`tableName.`” syntax is required if the columns have the same name in both tables. The same syntax can be used in any SQL statement to distinguish columns in different tables that have the same name. In some systems, table names qualified with the database name can be used to perform cross-database queries. As always, the query can contain an `ORDER BY` clause. Figure 18.19 shows the results of the preceding query, ordered by `LastName` and `FirstName`. [Note: To save space, we split the result of the query into two parts, each containing the `FirstName`, `LastName` and `ISBN` columns.]

| FirstName | LastName | ISBN       | FirstName | LastName | ISBN       |
|-----------|----------|------------|-----------|----------|------------|
| Abbey     | Deitel   | 013705842X | Paul      | Deitel   | 0132151421 |
| Abbey     | Deitel   | 0132121360 | Paul      | Deitel   | 0132575663 |
| Harvey    | Deitel   | 0132152134 | Paul      | Deitel   | 0132662361 |
| Harvey    | Deitel   | 0132151421 | Paul      | Deitel   | 0132404168 |
| Harvey    | Deitel   | 0132575663 | Paul      | Deitel   | 013705842X |
| Harvey    | Deitel   | 0132662361 | Paul      | Deitel   | 0132121360 |
| Harvey    | Deitel   | 0132404168 | Eric      | Kern     | 013705842X |
| Harvey    | Deitel   | 013705842X | Michael   | Morgan   | 013705842X |
| Harvey    | Deitel   | 0132121360 | Michael   | Morgan   | 0132121360 |
| Paul      | Deitel   | 0132152134 |           |          |            |

**Fig. 18.19** | Sampling of authors and ISBNs for the books they have written in ascending order by `LastName` and `FirstName`.



### Software Engineering Observation 18.2

If a SQL statement includes columns with the same name from multiple tables, the statement must precede those column names with their table names and a dot (e.g., `Authors.AuthorID`).



### Common Programming Error 18.5

Failure to qualify names for columns that have the same name in two or more tables is an error.

## 18.4.5 INSERT Statement

The `INSERT` statement inserts a row into a table. The basic form of this statement is

```
INSERT INTO tableName ( columnName1, columnName2, ..., columnNameN )
VALUES ( value1, value2, ..., valueN )
```

where *tableName* is the table in which to insert the row. The *tableName* is followed by a comma-separated list of column names in parentheses (this list is not required if the **INSERT** operation specifies a value for every column of the table in the correct order). The list of column names is followed by the SQL keyword **VALUES** and a comma-separated list of values in parentheses. The values specified here must match the columns specified after the table name in both order and type (e.g., if *columnName1* is supposed to be the *FirstName* column, then *value1* should be a string in single quotes representing the first name). Always explicitly list the columns when inserting rows. If the table's column order changes or a new column is added, using only **VALUES** may cause an error. The **INSERT** statement

```
INSERT INTO Authors ( FirstName, LastName )
VALUES ( 'Sue', 'Red' )
```

inserts a row into the *Authors* table. The statement indicates that values are provided for the *FirstName* and *LastName* columns. The corresponding values are 'Sue' and 'Smith'. We do not specify an *AuthorID* in this example because *AuthorID* is an autoincremented column in the *Authors* table. For every row added to this table, the DBMS assigns a unique *AuthorID* value that is the next value in the autoincremented sequence (i.e., 1, 2, 3 and so on). In this case, Sue Red would be assigned *AuthorID* number 6. Figure 18.20 shows the *Authors* table after the **INSERT** operation. [Note: Not every database management system supports autoincremented columns. Check the documentation for your DBMS for alternatives to autoincremented columns.]

| AuthorID | FirstName | LastName |
|----------|-----------|----------|
| 1        | Paul      | Deitel   |
| 2        | Harvey    | Deitel   |
| 3        | Abbey     | Deitel   |
| 4        | Michael   | Morgano  |
| 5        | Eric      | Kern     |
| 6        | Sue       | Red      |

**Fig. 18.20** | Sample data from table *Authors* after an **INSERT** operation.



### Common Programming Error 18.6

*It's normally an error to specify a value for an autoincrement column.*



### Common Programming Error 18.7

*SQL delimits strings with single quotes (''). A string containing a single quote (e.g., O'Malley) must have two single quotes in the position where the single quote appears (e.g., 'o''Malley'). The first acts as an escape character for the second. Not escaping single-quote characters in a string that's part of a SQL statement is a SQL syntax error.*

### 18.4.6 UPDATE Statement

An **UPDATE** statement modifies data in a table. Its basic form is

```
UPDATE tableName
  SET columnName1 = value1, columnName2 = value2, ..., columnNameN = valueN
  WHERE criteria
```

where *tableName* is the table to update. The *tableName* is followed by keyword **SET** and a comma-separated list of column name/value pairs in the format *columnName* = *value*. The optional **WHERE** clause provides criteria that determine which rows to update. Though not required, the **WHERE** clause is typically used, unless a change is to be made to every row. The **UPDATE** statement

```
UPDATE Authors
  SET LastName = 'Black'
  WHERE LastName = 'Red' AND FirstName = 'Sue'
```

updates a row in the *Authors* table. The statement indicates that *LastName* will be assigned the value *Black* for the row in which *LastName* is equal to *Red* and *FirstName* is equal to *Sue*. [Note: If there are multiple rows with the first name “*Sue*” and the last name “*Red*,” this statement will modify all such rows to have the last name “*Black*.”] If we know the *AuthorID* in advance of the **UPDATE** operation (possibly because we searched for it previously), the **WHERE** clause can be simplified as follows:

```
WHERE AuthorID = 6
```

Figure 18.21 shows the *Authors* table after the **UPDATE** operation has taken place.

| AuthorID | FirstName | LastName |
|----------|-----------|----------|
| 1        | Paul      | Deitel   |
| 2        | Harvey    | Deitel   |
| 3        | Abbey     | Deitel   |
| 4        | Michael   | Morgan   |
| 5        | Eric      | Kern     |
| 6        | Sue       | Black    |

**Fig. 18.21** | Sample data from table *Authors* after an **UPDATE** operation.

### 18.4.7 DELETE Statement

A SQL **DELETE** statement removes rows from a table. Its basic form is

```
DELETE FROM tableName WHERE criteria
```

where *tableName* is the table from which to delete. The optional **WHERE** clause specifies the criteria used to determine which rows to delete. If this clause is omitted, all the table’s rows are deleted. The **DELETE** statement

```
DELETE FROM Authors
  WHERE LastName = 'Black' AND FirstName = 'Sue'
```

deletes the row for Sue Black in the Authors table. If we know the AuthorID in advance of the DELETE operation, the WHERE clause can be simplified as follows:

```
WHERE AuthorID = 5
```

Figure 18.22 shows the Authors table after the DELETE operation has taken place.

| AuthorID | FirstName | LastName |
|----------|-----------|----------|
| 1        | Paul      | Deitel   |
| 2        | Harvey    | Deitel   |
| 3        | Abbey     | Deitel   |
| 4        | Michael   | Morgan   |
| 5        | Eric      | Kern     |

**Fig. 18.22** | Sample data from table Authors after a DELETE operation.

## 18.5 MySQL

In 1994, TcX, a Swedish consulting firm, needed a fast and flexible way to access its tables. Unable to find a database server that could accomplish the required task adequately, Michael Widenius, the principal developer at TcX, decided to create his own database server. The resulting product was called *MySQL* (pronounced “my sequel”), a robust and scalable relational database management system (RDBMS).

MySQL, now owned by Oracle, is a multiuser, multithreaded (i.e., allows multiple simultaneous connections) RDBMS server that uses SQL to interact with and manipulate data. The MySQL Manual ([www.mysql.com/why-mysql/topreasons.html](http://www.mysql.com/why-mysql/topreasons.html)) lists numerous benefits of MySQL. A few important benefits include:

1. Scalability. You can embed it in an application or use it in massive data warehousing environments.
2. Performance. You can optimize performance based on the purpose of the database in your application.
3. Support for many programming languages. Later chapters demonstrate how to access a MySQL database from PHP (Chapter 19).
4. Implementations of MySQL for Windows, Mac OS X, Linux and UNIX.
5. Handling large databases (e.g., tens of thousands of tables with millions of rows).

For these reasons and more, MySQL is the database of choice for many businesses, universities and individuals. MySQL is an open source software product. [Note: Under certain situations, a commercial license is required for MySQL. See [www.mysql.com/about/legal](http://www.mysql.com/about/legal) for details]

### *MySQL Community Edition*

**MySQL Community Edition** is an open-source database management system that executes on many platforms, including Windows, Linux, and Mac OS X. Complete information about MySQL is available from [www.mysql.com](http://www.mysql.com). The data-driven web applications in

Chapter 19 manipulate MySQL databases using the version of MySQL that you installed with XAMPP in Chapter 17.

### 18.5.1 Instructions for Setting Up a MySQL User Account

For the MySQL examples to execute correctly, you need to set up a user account so you can create, delete and modify databases. Open the XAMPP control panel and start the MySQL server, then follow the steps below to set up a user account:

1. Next, you'll start the MySQL monitor so you can set up a user account. (The following commands assume that you followed the default installation instructions for XAMPP as discussed in Chapter 17.) In Windows, open a Command Prompt and execute the command

```
mysql -h localhost -u root
```

In Mac OS X, open a Terminal window and execute the command

```
/Applications/XAMPP/xamppfiles/bin/mysql -h localhost -u root
```

In Linux, open a shell and execute the command

```
/opt/lamp/bin/mysql -h localhost -u root
```

The `-h` option indicates the host (i.e., computer) on which the MySQL server is running—in this case your local computer (`localhost`). The `-u` option indicates the user account that will be used to log in to the server—`root` is the default user account that is created during installation to allow you to configure the server. Once you've logged in, you'll see a `mysql>` prompt at which you can type commands to interact with the MySQL server.

2. At the `mysql>` prompt, type

```
USE mysql;
```

and press *Enter* to select the built-in database named `mysql`, which stores server information, such as user accounts and their privileges for interacting with the server. Each command must end with a semicolon. To confirm the command, MySQL issues the message “Database changed.”

3. Next, you'll add the `iw3htp` user account to the `mysql` built-in database. The `mysql` database contains a table called `user` with columns that represent the user's name, password and various privileges. To create the `iw3htp` user account with the password `password`, execute the following commands from the `mysql>` prompt:

```
create user 'iw3htp'@'localhost' identified by 'password';
grant select, insert, update, delete, create, drop, references,
execute on *.* to 'deitel'@'localhost';
```

This creates the *user account* `iw3htp` with the `password` password with and privileges needed to create the databases used in Chapter 19 and manipulate them.

4. Type the command

```
exit;
```

to terminate the MySQL monitor.

### 18.5.2 Creating Databases in MySQL

For each MySQL database we use in Chapter 19, we provide a SQL script in a .sql file that sets up the database and its tables. You can execute these scripts in the MySQL monitor. In this chapter's examples directory, you'll find the following scripts:

- `books.sql`—creates the `books` database discussed in Section 18.3
- `products.sql`—creates the `Products` database used in Section 19.9
- `mailinglist.sql`—creates the `MailingList` database used in Section 19.11
- `URLs.sql`—creates the `URL` database used in Exercise 19.9.

#### *Executing a SQL Script*

To execute a SQL script:

1. Start the MySQL monitor using the username and password you created in Section 18.5.1. In Windows, open a Command Prompt and execute the command

```
mysql -h localhost -u iw3http -p
```

In Mac OS X, open a Terminal window and execute the command

```
/Applications/XAMPP/xamppfiles/bin/mysql -h localhost -u iw3http -p
```

In Linux, open a shell and execute the command

```
/opt/lamp/bin/mysql -h localhost -u iw3http -p
```

The `-p` option prompts you for the password for the `iw3http` user account. When prompted, enter the password `password`.

2. Execute the script with the `source` command. For example:

```
source books.sql;
```

creates the `books` database.

3. Repeat Step 2 for each SQL script now, so the databases are ready for use in Chapter 19.

4. Type the command

```
exit;
```

to terminate the MySQL monitor.

## 18.6 (Optional) Microsoft Language Integrate Query (LINQ)

[Note: Sections 18.6–18.9 support the database-driven C# ASP.NET examples in Chapters 20–22, which assume that you already know C#. Chapters 23–25 also use LINQ to access databases from Visual Basic ASP.NET examples. Those chapters assume that you already know Visual Basic. For more information on LINQ in VB, visit the site [msdn.microsoft.com/en-us/library/bb397910.aspx](http://msdn.microsoft.com/en-us/library/bb397910.aspx).]

The next several sections introduce C#'s LINQ (**L**anguage **I**ntegrated **Q**uery) capabilities. LINQ allows you to write **query expressions**, similar to SQL queries, that retrieve information from a wide variety of data sources, not just databases. We use **LINQ to Objects** in this section to query arrays and **Lists**, selecting elements that satisfy a set of conditions—this is known as **filtering**.

### 18.6.1 Querying an Array of int Values Using LINQ

First, we demonstrate querying an array of integers using LINQ. Repetition statements that filter arrays focus on the process of getting the results—iterating through the elements and checking whether they satisfy the desired criteria. LINQ specifies the conditions that selected elements must satisfy. This is known as **declarative programming**—as opposed to **imperative programming** (which we've been doing so far) in which you specify the actual steps to perform a task. The next several statements assume that the integer array

```
int[] values = { 2, 9, 5, 0, 3, 7, 1, 4, 8, 5 };
```

is declared. The query

```
var filtered =
    from value in values
    where value > 4
    select value;
```

specifies that the results should consist of all the `ints` in the `values` array that are greater than 4 (i.e., 9, 5, 7, 8 and 5). It *does not* specify *how* those results are obtained—the C# compiler generates all the necessary code automatically, which is one of the great strengths of LINQ. To use LINQ to Objects, you must import the `System.Linq` namespace (line 4).

#### *The **from** Clause and Implicitly Typed Local Variables*

A LINQ query begins with a **from** clause, which specifies a **range variable** (`value`) and the data source to query (`values`). The range variable represents each item in the data source (one at a time), much like the control variable in a `foreach` statement. We do not specify the range variable's type. Since it is assigned one element at a time from the array `values`, which is an `int` array, the compiler determines that the range variable `value` should be of type `int`. This is a C# feature called **implicitly typed local variables**, which enables the compiler to *infer* a local variable's type based on the context in which it's used.

Introducing the range variable in the `from` clause at the beginning of the query allows the IDE to provide *IntelliSense* while you write the rest of the query. The IDE knows the range variable's type, so when you enter the range variable's name followed by a dot (.) in the code editor, the IDE can display the range variable's methods and properties.

#### *The **var** Keyword and Implicitly Typed Local Variables*

You can also declare a local variable and let the compiler infer the variable's type based on the variable's initializer. To do so, the **var keyword** is used in place of the variable's type when declaring the variable. Consider the declaration

```
var x = 7;
```

Here, the compiler *infers* that the variable `x` should be of type `int`, because the compiler assumes that whole-number values, like 7, are of type `int`. Similarly, in the declaration

```
var y = -123.45;
```

the compiler infers that `y` should be of type `double`, because the compiler assumes that floating-point number values, like `-123.45`, are of type `double`. Typically, implicitly typed local variables are used for more complex types, such as the collections of data returned by LINQ queries.

### *The where Clause*

If the condition in the `where` clause evaluates to `true`, the element is *selected*—i.e., it's included in the results. Here, the `ints` in the array are included only if they're greater than `4`. An expression that takes an element of a collection and returns `true` or `false` by testing a condition on that element is known as a **predicate**.

### *The select Clause*

For each item in the data source, the `select` clause determines what value appears in the results. In this case, it's the `int` that the `range` variable currently represents. A LINQ query typically ends with a `select` clause.

### *Iterating Through the Results of the LINQ Query*

The `foreach` statement

```
foreach ( var element in filtered )
    Console.WriteLine( " {0}" , element );
```

displays the query results. A `foreach` statement can iterate through the contents of an array, collection or the results of a LINQ query, allowing you to process each element in the array, collection or query. The preceding `foreach` statement iterates over the query result `filtered`, displaying each of its items.

### *LINQ vs. Repetition Statements*

It would be simple to display the integers greater than `4` using a repetition statement that tests each value before displaying it. However, this would intertwine the code that selects elements and the code that displays them. With LINQ, these are kept separate, making the code easier to understand and maintain.

### *The orderby Clause*

The `orderby` clause sorts the query results in ascending order. The query

```
var sorted =
    from value in values
    orderby value
    select value;
```

sorts the integers in array `values` into ascending order and assigns the results to variable `sorted`. To sort in descending order, use `descending` in the `orderby` clause, as in

```
orderby value descending
```

An `ascending` modifier also exists but isn't normally used, because it's the default. Any value that can be compared with other values of the same type may be used with the `orderby` clause. A value of a simple type (e.g., `int`) can always be compared to another value of the same type.

The following two queries

```
var sortFilteredResults =
    from value in filtered
    orderby value descending
    select value;

var sortAndFilter =
    from value in values
    where value > 4
    orderby value descending
    select value;
```

generate the same results, but in different ways. The first query uses LINQ to sort the results of the filtered query presented earlier in this section. The second query uses both the `where` and `orderby` clauses. Because queries can operate on the results of other queries, it's possible to build a query one step at a time, and pass the results of queries between methods for further processing.

### *More on Implicitly Typed Local Variables*

Implicitly typed local variables can also be used to initialize arrays without explicitly giving their type. For example, the following statement creates an array of `int` values:

```
var array = new[] { 32, 27, 64, 18, 95, 14, 90, 70, 60, 37 };
```

Note that there are no square brackets on the left side of the assignment operator, and that `new[]` is used to specify that the variable is an array.

### *An Aside: Interface `IEnumerable<T>`*

As we mentioned, the `foreach` statement can iterate through the contents of arrays, collections and LINQ query results. Actually, `foreach` iterates over any so-called `IEnumerable<T>` object, which just happens to be what a LINQ query returns. `IEnumerable<T>` is an interface that describes the functionality of any object that can be iterated over and thus offers methods to access each element.

C# arrays are `IEnumerable<T>` objects, so a `foreach` statement can iterate over an array's elements. Similarly, each LINQ query returns an `IEnumerable<T>` object. Therefore, you can use a `foreach` statement to iterate over the results of any LINQ query. The notation `<T>` indicates that the interface is a generic interface that can be used with any type of data (for example, `ints`, `strings` or `Employees`).

## 18.6.2 Querying an Array of Employee Objects Using LINQ

LINQ is not limited to querying arrays of primitive types such as `ints`. It can be used with most data types, including `strings` and user-defined classes. It cannot be used when a query does not have a defined meaning—for example, you cannot use `orderby` on objects that are not comparable. Comparable types in .NET are those that implement the `IComparable` interface. All built-in types, such as `string`, `int` and `double` implement `IComparable`. Figure 18.23 presents the `Employee` class we use in this section. Figure 18.24 uses LINQ to query an array of `Employee` objects.

```
1 // Fig. 18.23: Employee.cs
2 // Employee class with FirstName, LastName and MonthlySalary properties.
3 public class Employee
4 {
5     private decimal monthlySalaryValue; // monthly salary of employee
6
7     // auto-implemented property FirstName
8     public string FirstName { get; set; }
9
10    // auto-implemented property LastName
11    public string LastName { get; set; }
12
13    // constructor initializes first name, last name and monthly salary
14    public Employee( string first, string last, decimal salary )
15    {
16        FirstName = first;
17        LastName = last;
18        MonthlySalary = salary;
19    } // end constructor
20
21    // property that gets and sets the employee's monthly salary
22    public decimal MonthlySalary
23    {
24        get
25        {
26            return monthlySalaryValue;
27        } // end get
28        set
29        {
30            if ( value >= 0M ) // if salary is nonnegative
31            {
32                monthlySalaryValue = value;
33            } // end if
34        } // end set
35    } // end property MonthlySalary
36
37    // return a string containing the employee's information
38    public override string ToString()
39    {
40        return string.Format( "{0,-10} {1,-10} {2,10:C}",
41                           FirstName, LastName, MonthlySalary );
42    } // end method ToString
43 } // end class Employee
```

---

**Fig. 18.23** | Employee class.

---

```
1 // Fig. 18.24: LINQWithArrayOfObjects.cs
2 // LINQ to Objects using an array of Employee objects.
3 using System;
4 using System.Linq;
5
```

---

**Fig. 18.24** | LINQ to Objects using an array of Employee objects. (Part 1 of 3.)

```
6  public class LINQWithArrayOfObjects
7  {
8      public static void Main( string[] args )
9      {
10         // initialize array of employees
11         Employee[] employees = {
12             new Employee( "Jason", "Red", 5000M ),
13             new Employee( "Ashley", "Green", 7600M ),
14             new Employee( "Matthew", "Indigo", 3587.5M ),
15             new Employee( "James", "Indigo", 4700.77M ),
16             new Employee( "Luke", "Indigo", 6200M ),
17             new Employee( "Jason", "Blue", 3200M ),
18             new Employee( "Wendy", "Brown", 4236.4M ) }; // end init list
19
20         // display all employees
21         Console.WriteLine( "Original array:" );
22         foreach ( var element in employees )
23             Console.WriteLine( element );
24
25         // filter a range of salaries using && in a LINQ query
26         var between4K6K =
27             from e in employees
28             where e.MonthlySalary >= 4000M && e.MonthlySalary <= 6000M
29             select e;
30
31         // display employees making between 4000 and 6000 per month
32         Console.WriteLine( string.Format(
33             "\nEmployees earning in the range {0:C}-{1:C} per month:",
34             4000, 6000 ) );
35         foreach ( var element in between4K6K )
36             Console.WriteLine( element );
37
38         // order the employees by last name, then first name with LINQ
39         var nameSorted =
40             from e in employees
41             orderby e.LastName, e.FirstName
42             select e;
43
44         // header
45         Console.WriteLine( "\nFirst employee when sorted by name:" );
46
47         // attempt to display the first result of the above LINQ query
48         if ( nameSorted.Any() )
49             Console.WriteLine( nameSorted.First() );
50         else
51             Console.WriteLine( "not found" );
52
53         // use LINQ to select employee last names
54         var lastNames =
55             from e in employees
56             select e.LastName;
57
```

Fig. 18.24 | LINQ to Objects using an array of Employee objects. (Part 2 of 3.)

---

```

58     // use method Distinct to select unique last names
59     Console.WriteLine( "\nUnique employee last names:" );
60     foreach ( var element in lastNames.Distinct() )
61         Console.WriteLine( element );
62
63     // use LINQ to select first and last names
64     var names =
65         from e in employees
66         select new { e.FirstName, Last = e.LastName };
67
68     // display full names
69     Console.WriteLine( "\nNames only:" );
70     foreach ( var element in names )
71         Console.WriteLine( element );
72
73     Console.WriteLine();
74 } // end Main
75 } // end class LINQWithArrayOfObjects

```

Original array:

|         |        |            |
|---------|--------|------------|
| Jason   | Red    | \$5,000.00 |
| Ashley  | Green  | \$7,600.00 |
| Matthew | Indigo | \$3,587.50 |
| James   | Indigo | \$4,700.77 |
| Luke    | Indigo | \$6,200.00 |
| Jason   | Blue   | \$3,200.00 |
| Wendy   | Brown  | \$4,236.40 |

Employees earning in the range \$4,000.00–\$6,000.00 per month:

|       |        |            |
|-------|--------|------------|
| Jason | Red    | \$5,000.00 |
| James | Indigo | \$4,700.77 |
| Wendy | Brown  | \$4,236.40 |

First employee when sorted by name:

|       |      |            |
|-------|------|------------|
| Jason | Blue | \$3,200.00 |
|-------|------|------------|

Unique employee last names:

Red  
Green  
Indigo  
Blue  
Brown

Names only:

```

{ FirstName = Jason, Last = Red }
{ FirstName = Ashley, Last = Green }
{ FirstName = Matthew, Last = Indigo }
{ FirstName = James, Last = Indigo }
{ FirstName = Luke, Last = Indigo }
{ FirstName = Jason, Last = Blue }
{ FirstName = Wendy, Last = Brown }

```

**Fig. 18.24** | LINQ to Objects using an array of Employee objects. (Part 3 of 3.)

### *Accessing the Properties of a LINQ Query's Range Variable*

Line 28 of Fig. 18.24 shows a `where` clause that accesses the properties of the range variable. In this example, the compiler infers that the range variable is of type `Employee` based on its knowledge that `employees` was defined as an array of `Employee` objects (lines 11–18). Any `bool` expression can be used in a `where` clause. Line 28 uses the conditional AND (`&&`) operator to combine conditions. Here, only employees that have a salary between \$4,000 and \$6,000 per month, inclusive, are included in the query result, which is displayed in lines 35–36.

### *Sorting a LINQ Query's Results By Multiple Properties*

Line 41 uses an `orderby` clause to sort the results according to multiple properties—specified in a comma-separated list. In this query, the employees are sorted alphabetically by last name. Each group of `Employees` that have the same last name is then sorted within the group by first name.

### *Any, First and Count Extension Methods*

Line 48 introduces the query result's `Any` method, which returns `true` if there's at least one element, and `false` if there are no elements. The query result's `First` method (line 49) returns the first element in the result. You should check that the query result is not empty (line 48) before calling `First`.

We've not specified the class that defines methods `First` and `Any`. Your intuition probably tells you they're methods declared in the `IEnumerable<T>` interface, but they aren't. They're actually extension methods, but they can be used as if they were methods of `IEnumerable<T>`.

LINQ defines many more extension methods, such as `Count`, which returns the number of elements in the results. Rather than using `Any`, we could have checked that `Count` was nonzero, but it's more efficient to determine whether there's at least one element than to count all the elements. The LINQ query syntax is actually transformed by the compiler into extension method calls, with the results of one method call used in the next. It's this design that allows queries to be run on the results of previous queries, as it simply involves passing the result of a method call to another method.

### *Selecting a Portion of an Object*

Line 56 uses the `select` clause to select the range variable's `LastName` property rather than the range variable itself. This causes the results of the query to consist of only the last names (as strings), instead of complete `Employee` objects. Lines 60–61 display the unique last names. The `Distinct` extension method (line 60) removes duplicate elements, causing all elements in the result to be unique.

### *Creating New Types in the `select` Clause of a LINQ Query*

The last LINQ query in the example (lines 65–66) selects the properties `FirstName` and `LastName`. The syntax

```
new { e.FirstName, Last = e.LastName }
```

creates a new object of an **anonymous type** (a type with no name), which the compiler generates for you based on the properties listed in the curly braces (`{}`). In this case, the anonymous type consists of properties for the first and last names of the selected `Employee`. The `LastName` property is assigned to the property `Last` in the `select` clause. This shows

how you can specify a new name for the selected property. If you don't specify a new name, the property's original name is used—this is the case for `FirstName` in this example. The preceding query is an example of a **projection**—it performs a transformation on the data. In this case, the transformation creates new objects containing only the `FirstName` and `Last` properties. Transformations can also manipulate the data. For example, you could give all employees a 10% raise by multiplying their `MonthlySalary` properties by 1.1.

When creating a new anonymous type, you can select any number of properties by specifying them in a comma-separated list within the curly braces ({} ) that delineate the anonymous type definition. In this example, the compiler automatically creates a new class having properties `FirstName` and `Last`, and the values are copied from the `Employee` objects. These selected properties can then be accessed when iterating over the results. Implicitly typed local variables allow you to use anonymous types because you do not have to explicitly state the type when declaring such variables.

When the compiler creates an anonymous type, it automatically generates a `ToString` method that returns a `string` representation of the object. You can see this in the program's output—it consists of the property names and their values, enclosed in braces.

### 18.6.3 Querying a Generic Collection Using LINQ

You can use LINQ to Objects to query Lists just as arrays. In Fig. 18.25, a `List` of `strings` is converted to uppercase and searched for those that begin with "R".

---

```

1 // Fig. 18.25: LINQWithListCollection.cs
2 // LINQ to Objects using a List< string >.
3 using System;
4 using System.Linq;
5 using System.Collections.Generic;
6
7 public class LINQWithListCollection
8 {
9     public static void Main( string[] args )
10    {
11        // populate a List of strings
12        List< string > items = new List< string >();
13        items.Add( "aQua" ); // add "aQua" to the end of the List
14        items.Add( "RusT" ); // add "RusT" to the end of the List
15        items.Add( "yElLow" ); // add "yElLow" to the end of the List
16        items.Add( "rEd" ); // add "rEd" to the end of the List
17
18        // convert all strings to uppercase; select those starting with "R"
19        var startsWithR =
20            from item in items
21            let uppercaseString = item.ToUpper()
22            where uppercaseString.StartsWith( "R" )
23            orderby uppercaseString
24            select uppercaseString;
25
26        // display query results
27        foreach ( var item in startsWithR )
28            Console.WriteLine( "{0} ", item );

```

---

**Fig. 18.25** | LINQ to Objects using a `List<string>`. (Part 1 of 2.)

---

```

29
30     Console.WriteLine(); // output end of line
31
32     items.Add( "rUbY" ); // add "rUbY" to the end of the List
33     items.Add( "SaFfRon" ); // add "SaFfRon" to the end of the List
34
35     // display updated query results
36     foreach ( var item in startsWithR )
37         Console.WriteLine( "{0}", item );
38
39     Console.WriteLine(); // output end of line
40 } // end Main
41 } // end class LINQWithListCollection

```

```

RED RUST
RED RUBY RUST

```

**Fig. 18.25** | LINQ to Objects using a `List<string>`. (Part 2 of 2.)

Line 21 uses LINQ's **let** clause to create a new range variable. This is useful if you need to store a temporary result for use later in the LINQ query. Typically, **let** declares a new range variable to which you assign the result of an expression that operates on the query's original range variable. In this case, we use `string` method **ToUpper** to convert each `item` to uppercase, then store the result in the new range variable `uppercaseString`. We then use the new range variable `uppercaseString` in the `where`, `orderby` and `select` clauses. The `where` clause (line 22) uses `string` method **StartsWith** to determine whether `uppercaseString` starts with the character "R". Method **StartsWith** performs a case-sensitive comparison to determine whether a `string` starts with the `string` received as an argument. If `uppercaseString` starts with "R", method **StartsWith** returns true, and the element is included in the query results. More powerful `string` matching can be done using .NET's regular-expression capabilities.

The query is created only once (lines 20–24), yet iterating over the results (lines 27–28 and 36–37) gives two different lists of colors. This demonstrates LINQ's **deferred execution**—the query executes only when you access the results—such as iterating over them or using the `Count` method—not when you define the query. This allows you to create a query once and execute it many times. Any changes to the data source are reflected in the results each time the query executes.

There may be times when you do not want this behavior, and want to retrieve a collection of the results immediately. LINQ provides extension methods `ToArray` and `ToList` for this purpose. These methods execute the query on which they're called and give you the results as an array or `List<T>`, respectively. These methods can also improve efficiency if you'll be iterating over the results multiple times, as you execute the query only once.

C# has a feature called **collection initializers**, which provide a convenient syntax (similar to array initializers) for initializing a collection. For example, lines 12–16 of Fig. 18.25 could be replaced with the following statement:

```

List< string > items =
    new List< string > { "aQua", "RusT", "yElLow", "rEd" };

```

## 18.7 (Optional) LINQ to SQL

[Note: This section supports Chapters 20–22.] LINQ to SQL enables you to access data in *SQL Server databases* using the same LINQ syntax introduced in Section 18.6. You interact with the database via classes that are automatically generated from the database schema by the IDE's **LINQ to SQL Designer**. For each table in the database, the IDE creates two classes:

- A class that represents a row of the table: This class contains properties for each column in the table. LINQ to SQL creates objects of this class—called **row objects**—to store the data from individual rows of the table.
- A class that represents the table: LINQ to SQL creates an object of this class to store a collection of row objects that correspond to all of the rows in the table.

Relationships between tables are also taken into account in the generated classes:

- In a row object's class, an additional property is created for each foreign key. This property returns the row object of the corresponding primary key in another table. For example, the class that represents the rows of the Books database's `AuthorISBN` table also contains an `Author` property and a `Title` property—from any `AuthorISBN` row object, you can access the full author and title information.
- In the class for a row object, an additional property is created for the collection of row objects with foreign-keys that reference the row object's primary key. For example, the LINQ to SQL class that represents the rows of the Books database's `Authors` table contains an `AuthorISBNS` property that you can use to get all of the books written by that author. The IDE automatically adds the "s" to "AuthorISBN" to indicate that this property represents a collection of `AuthorISBN` objects. Similarly, the LINQ to SQL class that represents the rows of the `Titles` table also contains an `AuthorISBNS` property that you can use to get all of the co-authors of a particular title.

Once generated, the LINQ to SQL classes have full *IntelliSense* support in the IDE.

### **IQueryable Interface**

LINQ to SQL works through the **IQueryable** interface, which inherits from the **IEnumerable** interface introduced in Section 18.6. When a LINQ to SQL query on an **IQueryable** object executes against the database, the results are loaded into objects of the corresponding LINQ to SQL classes for convenient access in your code.

### **DataContext Class**

All LINQ to SQL queries occur via a **DataContext** class, which controls the flow of data between the program and the database. A specific **DataContext** derived class, which inherits from the class `System.Data.Linq.DataContext`, is created when the LINQ to SQL classes representing each row of the table are generated by the IDE. This derived class has properties for each table in the database, which can be used as data sources in LINQ queries. Any changes made to the **DataContext** can be saved back to the database using the **DataContext**'s **SubmitChanges** method, so with LINQ to SQL you can modify the database's contents.


## 18.8 (Optional) Querying a Database with LINQ

[Note: This section supports Chapters 20–22.] In this section, we demonstrate how to *connect* to a database, *query* it and *display* the results of the query. There is little code in this section—the IDE provides *visual programming* tools and *wizards* that simplify accessing data in applications. These tools establish database connections and create the objects necessary to view and manipulate the data through Windows Forms GUI controls—a technique known as **data binding**.

Our first example performs a simple query on the Books database from Section 18.3. We retrieve the entire Authors table and use data binding to display its data in a **DataGridView**—a control from namespace `System.Windows.Forms` that can display data from a data source in tabular format. The basic steps we'll perform are:

- Connect to the Books database.
- Create the LINQ to SQL classes required to use the database.
- Add the Authors table as a data source.
- Drag the Authors table data source onto the **Design** view to create a GUI for displaying the table's data.
- Add a few statements to the program to allow it to interact with the database.

The GUI for the program is shown in Fig. 18.26. All of the controls in this GUI are automatically generated when we drag a data source that represents the Authors table onto the `Form` in **Design** view. The **BindingNavigator** at the top of the window is a collection of controls that allow you to navigate through the records in the **DataGridView** that fills the rest of the window. The **BindingNavigator** controls also allow you to add records, delete records and save your changes to the database. If you add a new record, note that empty values are not allowed in the Books database, so attempting to save a new record without specifying a value for each field will cause an error.



**Fig. 18.26** | GUI for the **Display Authors Table** application.

### 18.8.1 Creating LINQ to SQL Classes

This section presents the steps required to create LINQ to SQL classes for a database.


### *Step 1: Creating the Project*

Create a new Windows Forms Application named `DisplayTable`. Change the name of the source file to `DisplayAuthorsTable.cs`. The IDE updates the Form's class name to match the source file. Set the Form's `Text` property to `Display Authors Table`.

### *Step 2: Adding a Database to the Project and Connecting to the Database*

To interact with a database, you must create a **connection** to the database. This will also give you the option of copying the database file to your project.

1. In Visual C# 2010 Express, select **View > Other Windows > Database Explorer** to display the **Database Explorer** window. By default, it appears on the left side of the IDE. If you're using a full version of Visual Studio, select **View > Server Explorer** to display the **Server Explorer**. From this point forward, we'll refer to the **Database Explorer**. If you have a full version of Visual Studio, substitute **Server Explorer** for **Database Explorer** in the steps.
2. Click the **Connect to Database** icon () at the top of the **Database Explorer**. If the **Choose Data Source** dialog appears (Fig. 18.27), select **Microsoft SQL Server Database File** from the **Data source:** list. If you check the **Always use this selection** CheckBox, the IDE will use this type of database file by default when you connect to databases in the future. Click **Continue** to display the **Add Connection** dialog.



**Fig. 18.27 |** Choose Data Source dialog.

3. In the **Add Connection** dialog (Fig. 18.28), the **Data source:** TextBox reflects your selection from the **Choose Data Source** dialog. You can click the **Change...** Button to select a different type of database. Next, click **Browse...** to locate and select the `Books.mdf` file in the `Databases` directory included with this chapter's examples. You can click **Test Connection** to verify that the IDE can connect to the database through SQL Server Express. Click **OK** to create the connection.



#### **Error-Prevention Tip 18.1**

*Ensure that no other program is using the database file before you attempt to add it to the project. Connecting to the database requires exclusive access.*




**Fig. 18.28 |** Add Connection dialog.

### *Step 3: Generating the LINQ to SQL classes*

After adding the database, you must select the database tables from which the LINQ to SQL classes will be created. LINQ to SQL uses the database's schema to help define the classes.

1. Right click the project name in the **Solution Explorer** and select **Add > New Item...** to display the **Add New Item** dialog. Select the **LINQ to SQL Classes** template, name the new item **Books.dbml** and click the **Add** button. The **Object Relational Designer** window will appear (Fig. 18.29). You can also double click the **Books.dbml** file in the **Solution Explorer** to open the **Object Relational Designer**.



**Fig. 18.29 |** Object Relational Designer window.

2. Expand the **Books.mdf** database node in the **Database Explorer**, then expand the **Tables** node. Drag the **Authors**, **Titles** and **AuthorISBN** tables onto the **Object Relational Designer**. The IDE prompts whether you want to copy the database to the project directory. Select **Yes**. The **Object Relational Designer** will display the tables that you dragged from the **Database Explorer** (Fig. 18.30). Notice that the



**Fig. 18.30 | Object Relational Designer** window showing the selected tables from the Books database and their relationships.

Object Relational Designer named the class that represents items from the Authors table as `Author`, and named the class that represents the Titles table as `Title`. This is because one object of the `Author` class represents one author—a single row from the Authors table. Similarly, one object of the `Title` class represents one book—a single row from the Titles table. Because the class name `Title` conflicts with one of the column names in the `Titles` table, the IDE renames that column's property in the `Title` class as `Title1`.

### 3. Save the Books.dbml file.

When you save `Books.dbml`, the IDE generates the LINQ to SQL classes that you can use to interact with the database. These include a class for each table you selected from the database and a derived class of `DataContext` named `BooksDataContext` that enables you to programmatically interact with the database.



#### Error-Prevention Tip 18.2

*Be sure to save the file in the Object Relational Designer before trying to use the LINQ to SQL classes in code. The IDE does not generate the classes until you save the file.*


### 18.8.2 Data Bindings Between Controls and the LINQ to SQL Classes

The IDE's automatic data binding capabilities simplify creating applications that can view and modify the data in a database. You must write a small amount of code to enable the autogenerated data-binding classes to interact with the autogenerated LINQ to SQL classes. You'll now perform the steps to display the contents of the Authors table in a GUI.

#### Step 1: Adding the Author LINQ to SQL Class as a Data Source

To use the LINQ to SQL classes for data binding, you must first add them as a data source.

1. Select **Data > Add New Data Source...** to display the **Data Source Configuration Wizard**.
2. The LINQ to SQL classes are used to create objects representing the tables in the database, so we'll use an **Object** data source. In the dialog, select **Object** and click **Next >**. Expand the tree view as shown in Fig. 18.31 and ensure that **Author** is checked. An object of this class will be used as the data source.
3. Click **Finish**.



**Fig. 18.31** | Selecting the Author LINQ to SQL class as the data source.

The Authors table in the database is now a data source that can be used by the bindings. Open the **Data Sources** window (Fig. 18.32) by selecting **Data > Show Data Sources**—the window is displayed at the left side of the IDE. You can see the Author class that you added in the previous step. The columns of the database's Authors table should appear below it, as well as an AuthorISBNs entry representing the relationship between the database's Authors and AuthorISBN tables.



**Fig. 18.32** | Data Sources window showing the Author class as a data source.

### Step 2: Creating GUI Elements


Next, you'll use the **Design** view to create a GUI control that can display the Authors table's data.

1. Switch to **Design** view for the **DisplayAuthorsTable** class.
2. Click the **Author** node in the **Data Sources** window—it should change to a drop-down list. Open the drop-down by clicking the down arrow and ensure that the

**DataGridView** option is selected—this is the GUI control that will be used to display and interact with the data.

3. Drag the **Author** node from the **Data Sources** window onto the **Form** in **Design** view.

The IDE creates a **DataGridView** (Fig. 18.33) with the correct column names and a **BindingNavigator** (`authorBindingNavigator`) that contains Buttons for moving between entries, adding entries, deleting entries and saving changes to the database. The IDE also generates a **BindingSource** (`authorBindingSource`), which handles the transfer of data between the data source and the data-bound controls on the **Form**. Nonvisual components such as the **BindingSource** and the non-visual aspects of the **BindingNavigator** appear in the component tray—the gray region below the **Form** in **Design** view. We use the default names for automatically generated components throughout this chapter to show exactly what the IDE creates. To make the **DataGridView** occupy the entire window, select the **DataGridView**, then use the **Properties** window to set the **Dock** property to **Fill**.



**Fig. 18.33** | Component tray holds nonvisual components in **Design** view.

### Step 3: Connecting the **BooksDataContext** to the **authorBindingSource**


The final step is to connect the **BooksDataContext** (created with the LINQ to SQL classes in Section 18.8.1) to the **authorBindingSource** (created earlier in this section), so that the application can interact with the database. Figure 18.34 shows the small amount of code needed to obtain data from the database and to save any changes that the user makes to the data back into the database.

As mentioned in Section 18.7, a **DataContext** object is used to interact with the database. The **BooksDataContext** class was automatically generated by the IDE when you created the LINQ to SQL classes to allow access to the Books database. Line 18 creates an object of this class named **database**.

```

1 // Fig. 18.34: DisplayAuthorsTable.cs
2 // Displaying data from a database table in a DataGridView.
3 using System;
4 using System.Linq;
5 using System.Windows.Forms;
6
7 namespace DisplayTable
8 {
9     public partial class DisplayAuthorsTable : Form
10    {
11        // constructor
12        public DisplayAuthorsTable()
13        {
14            InitializeComponent();
15        } // end constructor
16
17        // LINQ to SQL data context
18        private BooksDataContext database = new BooksDataContext();
19
20        // load data from database into DataGridView
21        private void DisplayAuthorsTable_Load( object sender, EventArgs e )
22        {
23            // use LINQ to order the data for display
24            authorBindingSource.DataSource =
25                from author in database.Authors
26                orderby author.AuthorID
27                select author;
28        } // end method DisplayAuthorsTable_Load
29
30        // click event handler for the Save Button in the
31        // BindingNavigator saves the changes made to the data
32        private void authorBindingNavigatorSaveItem_Click(
33            object sender, EventArgs e )
34        {
35            Validate(); // validate input fields
36            authorBindingSource.EndEdit(); // indicate edits are complete
37            database.SubmitChanges(); // write changes to database file
38        } // end method authorBindingNavigatorSaveItem_Click
39    } // end class DisplayAuthorsTable
40 } // end namespace DisplayTable

```



**Fig. 18.34** | Displaying data from a database table in a DataGridView.

Create the Form's Load handler by double clicking the Form's title bar in Design view. We allow data to move between the DataContext and the BindingSource by creating a

LINQ query that extracts data from the BooksDataContext's Authors property (lines 25–27), which corresponds to the Authors table in the database. The authorBindingSource's **DataSource** property (line 24) is set to the results of this query. The authorBindingSource uses the DataSource to extract data from the database and to populate the DataGridView.

#### *Step 4: Saving Modifications Back to the Database*

If the user modifies the data in the DataGridView, we'd also like to save the modifications in the database. By default, the BindingNavigator's **Save Data Button** ( ) is disabled. To enable it, right click this Button's icon and select **Enabled**. Then, double click the icon to create its Click event handler.

Saving the data entered into the DataGridView back to the database is a three-step process (lines 35–37). First, all controls on the form are validated (line 35)—if any of the controls have event handlers for the **Validating** event, those execute. You typically handle this event to determine whether a control's contents are valid. Second, line 36 calls **EndEdit** on the authorBindingSource, which forces it to save any pending changes in the BooksDataContext. Finally, line 37 calls **SubmitChanges** on the BooksDataContext to store the changes in the database. For efficiency, LINQ to SQL saves only data that has changed.

#### *Step 5: Configuring the Database File to Persist Changes*

When you run the program in debug mode, the database file is overwritten with the original database file each time you execute the program. This allows you to test your program with the original content until it works correctly. When you run the program in release mode (*Ctrl + F5*), changes you make to the database persist automatically; however, if you change the code, the next time you run the program, the database will be restored to its original version. To persist changes for all executions, select the database in the **Solution Explorer** and set the **Copy to Output Directory** property in the **Properties** window to **Copy if newer**.

## 18.9 (Optional) Dynamically Binding LINQ to SQL Query Results

[*Note:* This section supports Chapters 20–22.] Now that you've seen how to display an entire database table in a DataGridView, we show how to perform several different queries and display the results in a DataGridView. The **Display Query Results** application (Fig. 18.35) allows the user to select a query from the ComboBox at the bottom of the window, then displays the results of the query.

### 18.9.1 Creating the Display Query Results GUI

Perform the following steps to build the **Display Query Results** application's GUI.

#### *Step 1: Creating the Project*

First, create a new **Windows Forms Application** named **DisplayQueryResult**. Rename the source file to **TitleQueries.cs**. Set the Form's **Text** property to **Display Query Results**.

#### *Step 2: Creating the LINQ to SQL Classes*

Follow the steps in Section 18.8.1 to add the Books database to the project and generate the LINQ to SQL classes.

a) Results of the “All titles” query, which shows the contents of the **Titles** table ordered by the book titles

|   | ISBN       | Title                                    | EditionNumber | Copyright |
|---|------------|--|---------------|-----------|
| ▶ | 0132404168 | C How to Program                         | 5             | 2007      |
|   | 0136152503 | C++ How to Program                       | 6             | 2008      |
|   | 0131752421 | Internet & World Wide Web How to Program | 4             | 2008      |
|   | 013222205  | Java How to Program                      | 7             | 2007      |
|   | 0136053033 | Simply Visual Basic 2008                 | 3             | 2009      |
|   | 013605305X | Visual Basic 2008 How to Program         | 4             | 2009      |
|   | 013605322X | Visual C# 2008 How to Program            | 3             | 2009      |
|   | 0136151574 | Visual C++ 2008 How to Program           | 2             | 2008      |
| * |            |  |               |           |

All titles

b) Results of the “Titles with 2008 copyright” query

|   | ISBN       | Title                                    | EditionNumber | Copyright |
|---|------------|--|---------------|-----------|
| ▶ | 0136152503 | C++ How to Program                       | 6             | 2008      |
|   | 0131752421 | Internet & World Wide Web How to Program | 4             | 2008      |
|   | 0136151574 | Visual C++ 2008 How to Program           | 2             | 2008      |
| * |            |  |               |           |

Titles with 2008 copyright

c) Results of the “Titles ending with ‘How to Program’” query

|   | ISBN       | Title                                    | EditionNumber | Copyright |
|---|------------|--|---------------|-----------|
| ▶ | 0132404168 | C How to Program                         | 5             | 2007      |
|   | 0136152503 | C++ How to Program                       | 6             | 2008      |
|   | 0131752421 | Internet & World Wide Web How to Program | 4             | 2008      |
|   | 013222205  | Java How to Program                      | 7             | 2007      |
|   | 013605305X | Visual Basic 2008 How to Program         | 4             | 2009      |
|   | 013605322X | Visual C# 2008 How to Program            | 3             | 2009      |
|   | 0136151574 | Visual C++ 2008 How to Program           | 2             | 2008      |
| * |            |  |               |           |

Titles ending with "How to Program"

**Fig. 18.35** | Sample execution of the **Display Query Results** application.

#### Step 3: Creating a **DataGridView** to Display the **Titles** Table

Follow Steps 1 and 2 in Section 18.8.2 to create the data source and the **DataGridView**. In this example, select the **Title** class (rather than the **Author** class) as the data source, and drag the **Title** node from the **Data Sources** window onto the form.

#### Step 4: Adding a **ComboBox** to the Form

In **Design** view, add a **ComboBox** named **queriesComboBox** below the **DataGridView** on the **Form**. Users will select which query to execute from this control. Set the **ComboBox**’s **Dock** property to **Bottom** and the **DataGridView**’s **Dock** property to **Fill**.

Next, you’ll add the names of the queries to the **ComboBox**. Open the **ComboBox**’s **String Collection Editor** by right clicking the **ComboBox** and selecting **Edit Items**. You can also access the **String Collection Editor** from the **ComboBox**’s smart tag menu. A **smart tag menu** provides you with quick access to common properties you might set for a control (such as the **Multiline** property of a **TextBox**), so you can set these properties directly in **Design** view, rather than in the **Properties** window. You can open a control’s smart tag menu by

clicking the small arrowhead (▣) that appears in the control's upper-right corner in **Design** view when the control is selected. In the **String Collection Editor**, add the following three items to **queriesComboBox**—one for each of the queries we'll create:

1. All titles
2. Titles with 2008 copyright
3. Titles ending with "How to Program"

### 18.9.2 Coding the Display Query Results Application

Next you must write code that executes the appropriate query each time the user chooses a different item from **queriesComboBox**. Double click **queriesComboBox** in **Design** view to generate a **queriesComboBox\_SelectedIndexChanged** event handler (Fig. 18.36, lines 44–78) in the **TitleQueries.cs** file. In the event handler, add a **switch** statement (lines 48–75) to change the **titleBindingSource**'s **DataSource** property to a LINQ query that returns the correct set of data. The data bindings created by the IDE *automatically* update the **titleDataGridView** *each time* we change its **DataSource**. The **MoveFirst** method of the **BindingSource** (line 77) moves to the first row of the result each time a query executes. The results of the queries in lines 53–55, 61–64 and 70–73 are shown in Fig. 18.35(a), (b) and (c), respectively. [Note: As we mentioned previously, in the generated LINQ to SQL classes, the IDE renamed the **Title** column of the **Titles** table as **Title1** to avoid a naming conflict with the class **Title**.]

#### *Customizing the Form's Load Event Handler*

Create the **TitleQueries\_Load** event handler (lines 20–28) by double clicking the title bar in **Design** view. Line 23 sets the **Log** property of the **BooksDataContext** to **Console.Out**. This causes the program to output to the console the SQL query that is sent to the database for each LINQ query. When the **Form** loads, it should display the complete list of books from the **Titles** table, sorted by title. Rather than defining the same LINQ query as in lines 53–55, we can programmatically cause the **queriesComboBox\_SelectedIndexChanged** event handler to execute simply by setting the **queriesComboBox**'s **SelectedIndex** to 0 (line 27).

---

```

1 // Fig. 18.36: TitleQueries.cs
2 // Displaying the result of a user-selected query in a DataGridView.
3 using System;
4 using System.Linq;
5 using System.Windows.Forms;
6
7 namespace DisplayQueryResult
8 {
9     public partial class TitleQueries : Form
10    {
11        public TitleQueries()
12        {
13            InitializeComponent();
14        } // end constructor

```

---

**Fig. 18.36** | Displaying the result of a user-selected query in a **DataGridView**. (Part I of 3.)

```
15      // LINQ to SQL data context
16      private BooksDataContext database = new BooksDataContext();
17
18
19      // load data from database into DataGridView
20      private void TitleQueries_Load( object sender, EventArgs e )
21      {
22          // write SQL to standard output stream
23          database.Log = Console.Out;
24
25          // set the ComboBox to show the default query that
26          // selects all books from the Titles table
27          queriesComboBox.SelectedIndex = 0;
28      } // end method TitleQueries_Load
29
30
31      // Click event handler for the Save Button in the
32      // BindingNavigator saves the changes made to the data
33      private void titleBindingNavigatorSaveItem_Click(
34          object sender, EventArgs e )
35      {
36          Validate(); // validate input fields
37          titleBindingSource.EndEdit(); // indicate edits are complete
38          database.SubmitChanges(); // write changes to database file
39
40          // when saving, return to "all titles" query
41          queriesComboBox.SelectedIndex = 0;
42      } // end method titleBindingNavigatorSaveItem_Click
43
44      // loads data into titleBindingSource based on user-selected query
45      private void queriesComboBox_SelectedIndexChanged(
46          object sender, EventArgs e )
47      {
48          // set the data displayed according to what is selected
49          switch ( queriesComboBox.SelectedIndex )
50          {
51              case 0: // all titles
52                  // use LINQ to order the books by title
53                  titleBindingSource.DataSource =
54                      from book in database.Titles
55                      orderby book.Title1
56                      select book;
57                  break;
58              case 1: // titles with 2008 copyright
59                  // use LINQ to get titles with 2008
60                  // copyright and sort them by title
61                  titleBindingSource.DataSource =
62                      from book in database.Titles
63                      where book.Copyright == "2008"
64                      orderby book.Title1
65                      select book;
66                  break;
67          }
68      }
```

---

**Fig. 18.36** | Displaying the result of a user-selected query in a DataGridView. (Part 2 of 3.)

```
66         case 2: // titles ending with "How to Program"
67             // use LINQ to get titles ending with
68             // "How to Program" and sort them by title
69             titleBindingSource.DataSource =
70                 from book in database.Titles
71                 where book.Title1.EndsWith( "How to Program" )
72                 orderby book.Title1
73                 select book;
74             break;
75     } // end switch
76
77     titleBindingSource.MoveFirst(); // move to first entry
78 } // end method queriesComboBox_SelectedIndexChanged
79 } // end class TitleQueries
80 } // end namespace DisplayQueryResult
```

**Fig. 18.36** | Displaying the result of a user-selected query in a DataGridView. (Part 3 of 3.)

### *Saving Changes*

Follow the instructions in the previous example to add a handler for the BindingNavigator's **Save Data** Button (lines 32–41). Note that, except for changes to the names, the three lines are identical. The last statement (line 40) displays the results of the All titles query in the DataGridView.

## 18.10 Java DB/Apache Derby

The Java SE 6 and 7 Development Kits (JDKs) come bundled with the open source, pure Java database **Java DB** (the Oracle branded version of Apache Derby). Chapters 27–28 use Java DB in data-driven web applications. Similar to MySQL, Java DB has both an embedded version and a network (client/server) version. The tools we use in Chapters 27–28 come with Java DB. For those examples, we use Java DB's network version, and we provide all the information you need to configure each example's database. You can learn more about Apache Derby at [db.apache.org/derby](http://db.apache.org/derby). You can learn more about Java DB at [www.oracle.com/technetwork/java/javadb/overview/index.html](http://www.oracle.com/technetwork/java/javadb/overview/index.html).

---

## Summary

### *Section 18.1 Introduction*

- A database (p. 650) is an integrated collection of data. A database management system (DBMS; p. 650) provides mechanisms for storing, organizing, retrieving and modifying data.
- Today's most popular database management systems are relational database (p. 650) systems.
- SQL (p. 650) is the international standard language used to query (p. 650) and manipulate relational data.

## **Section 18.2 Relational Databases**

- A relational database (p. 650) stores data in tables (p. 650). Tables are composed of rows (p. 651), and rows are composed of columns in which values are stored.
- A table's primary key (p. 651) provides a unique value that cannot be duplicated among rows.
- Each column (p. 651) of a table represents a different attribute.
- The primary key can be composed of more than one column.
- A foreign key (p. 653) is a column in a table that must match the primary-key column in another table. This is known as the Rule of Referential Integrity (p. 653).
- Every column in a primary key must have a value, and the value of the primary key must be unique. This is known as the Rule of Entity Integrity (p. 654).
- A one-to-many relationship (p. 655) between tables indicates that a row in one table can have many related rows in a separate table.
- Foreign keys enable information from multiple tables to be joined together. There's a one-to-many relationship between a primary key and its corresponding foreign key.

## **Section 18.4.1 Basic SELECT Query**

- The basic form of a query (p. 656) is

```
SELECT * FROM tableName
```

where the asterisk (\*) (p. 656) indicates that all columns from *tableName* should be selected, and *tableName* specifies the table in the database from which rows will be retrieved.

- To retrieve specific columns, replace the \* with a comma-separated list of column names.

## **Section 18.4.2 WHERE Clause**

- The optional WHERE clause (p. 656) in a query specifies the selection criteria for the query. The basic form of a query with selection criteria (p. 656) is

```
SELECT columnName1, columnName2, ... FROM tableName WHERE criteria
```

- The WHERE clause can contain operators <, >, <=, >=, =, <> and LIKE. LIKE (p. 657) is used for string pattern matching (p. 657) with wildcard characters percent (%) and underscore (\_).
- A percent character (%) (p. 657) in a pattern indicates that a string matching the pattern can have zero or more characters at the percent character's location in the pattern.
- An underscore (\_) (p. 657) in the pattern string indicates a single character at that position in the pattern.

## **Section 18.4.3 ORDER BY Clause**

- A query's result can be sorted with the ORDER BY clause (p. 658). The simplest form of an ORDER BY clause is

```
SELECT columnName1, columnName2, ... FROM tableName ORDER BY column ASC  
SELECT columnName1, columnName2, ... FROM tableName ORDER BY column DESC
```

where ASC specifies ascending order, DESC specifies descending order and *column* specifies the column on which the sort is based. The default sorting order is ascending, so ASC is optional.

- Multiple columns can be used for ordering purposes with an ORDER BY clause of the form

```
ORDER BY column1 sortingOrder, column2 sortingOrder, ...
```

- The WHERE and ORDER BY clauses can be combined in one query. If used, ORDER BY must be the last clause in the query.

#### Section 18.4.4 Merging Data from Multiple Tables: **INNER JOIN**

- An **INNER JOIN** (p. 660) merges rows from two tables by matching values in columns that are common to the tables. The basic form for the **INNER JOIN** operator is:

```
SELECT columnName1, columnName2, ...
FROM table1
INNER JOIN table2
ON table1.columnName = table2.columnName
```

The **ON** clause (p. 660) specifies the columns from each table that are compared to determine which rows are joined. If a SQL statement uses columns with the same name from multiple tables, the column names must be fully qualified (p. 661) by prefixing them with their table names and a dot (.).

#### Section 18.4.5 **INSERT Statement**

- An **INSERT** statement (p. 661) inserts a new row into a table. The basic form of this statement is

```
INSERT INTO tableName ( columnName1, columnName2, ..., columnNameN )
VALUES ( value1, value2, ..., valueN )
```

where *tableName* is the table in which to insert the row. The *tableName* is followed by a comma-separated list of column names in parentheses. The list of column names is followed by the SQL keyword **VALUES** (p. 662) and a comma-separated list of values in parentheses.

- SQL uses single quotes ('') to delimit strings. To specify a string containing a single quote in SQL, escape the single quote with another single quote (i.e., '').

#### Section 18.4.6 **UPDATE Statement**

- An **UPDATE** statement (p. 663) modifies data in a table. The basic form of an **UPDATE** statement is

```
UPDATE tableName
SET columnName1 = value1, columnName2 = value2, ..., columnNameN = valueN
WHERE criteria
```

where *tableName* is the table to update. Keyword **SET** (p. 663) is followed by a comma-separated list of *columnName* = *value* pairs. The optional **WHERE** clause determines which rows to update.

#### Section 18.4.7 **DELETE Statement**

- A **DELETE** statement (p. 663) removes rows from a table. The simplest form for a **DELETE** statement is

```
DELETE FROM tableName WHERE criteria
```

where *tableName* is the table from which to delete a row (or rows). The optional **WHERE** *criteria* determines which rows to delete. If this clause is omitted, all the table's rows are deleted.

#### Section 18.5 MySQL

- MySQL (pronounced “my sequel”) is a robust and scalable relational database management system (RDBMS) that was created by the Swedish consulting firm TcX in 1994.
- MySQL is a multiuser, multithreaded RDBMS server that uses SQL to interact with and manipulate data.
- Multithreading capabilities enable MySQL database to perform multiple tasks concurrently, allowing the server to process client requests efficiently.
- Implementations of MySQL are available for Windows, Mac OS X, Linux and UNIX.

### ***Section 18.6 (Optional) Microsoft Language Integrate Query (LINQ)***

- .NET's collection classes provide reusable data structures that are reliable, powerful and efficient.
- **Lists** automatically increase their size to accommodate additional elements.
- Large amounts of data are often stored in a database—an organized collection of data. Today's most popular database systems are relational databases. SQL is the international standard language used almost universally with relational databases to perform queries (i.e., to request information that satisfies given criteria).
- LINQ allows you to write query expressions (similar to SQL queries) that retrieve information from a wide variety of data sources. You can query arrays and **Lists**, selecting elements that satisfy a set of conditions—this is known as **filtering**.
- A LINQ provider is a set of classes that implement LINQ operations and enable programs to interact with data sources to perform tasks such as sorting, grouping and filtering elements.

#### ***Section 18.6.1 Querying an Array of `int` Values Using LINQ***

- Repetition statements focus on the process of iterating through elements and checking whether they satisfy the desired criteria. LINQ specifies the conditions that selected elements must satisfy, not the steps necessary to get the results.
- The `System.Linq` namespace contains the classes for LINQ to Objects.
- A `from` clause specifies a range variable and the data source to query. The range variable represents each item in the data source (one at a time), much like the control variable in a `foreach` statement.
- If the condition in the `where` clause evaluates to `true` for an element, it's included in the results.
- The `select` clause determines what value appears in the results.
- A C# interface describes a set of methods and properties that can be used to interact with an object.
- The `IEnumerable<T>` interface describes the functionality of any object that's capable of being iterated over and thus offers methods to access each element in some order.
- A class that implements an interface must define each method in the interface.
- Arrays and collections implement the `IEnumerable<T>` interface.
- A `foreach` statement can iterate over any object that implements the `IEnumerable<T>` interface.
- A LINQ query returns an object that implements the `IEnumerable<T>` interface.
- The `orderby` clause sorts query results in ascending order by default. Results can also be sorted in descending order using the `descending` modifier.
- C# provides implicitly typed local variables, which enable the compiler to infer a local variable's type based on the variable's initializer.
- To distinguish such an initialization from a simple assignment statement, the `var` keyword is used in place of the variable's type.
- You can use local type inference with control variables in the header of a `for` or `foreach` statement.
- Implicitly typed local variables can be used to initialize arrays without explicitly giving their type. To do so, use `new[]` to specify that the variable is an array.

#### ***Section 18.6.2 Querying an Array of `Employee` Objects Using LINQ***

- LINQ can be used with collections of most data types.
- Any `boolean` expression can be used in a `where` clause.
- An `orderby` clause can sort the results according to multiple properties specified in a comma-separated list.
- Method `Any` returns `true` if there's at least one element in the result; otherwise, it returns `false`.

- The `First` method returns the first element in the query result. You should check that the query result is not empty before calling `First`.
- The `Count` method returns the number of elements in the query result.
- The `Distinct` method removes duplicate values from query results.
- You can select any number of properties in a `select` clause by specifying them in a comma-separated list in braces after the `new` keyword. The compiler automatically creates a new class having these properties—called an anonymous type.

### ***Section 18.6.3 Querying a Generic Collection Using LINQ***

- LINQ to Objects can query `Lists`.
- LINQ's `let` clause creates a new range variable. This is useful if you need to store a temporary result for use later in the LINQ query.
- The `StartsWith` method of the `string` class determines whether a `string` starts with the `string` passed to it as an argument.
- A LINQ query uses deferred execution—it executes only when you access the results, not when you create the query.

### ***Section 18.7 (Optional) LINQ to SQL***

- LINQ to SQL enables you to access data in SQL Server databases using LINQ syntax.
- You interact with LINQ to SQL via classes that are automatically generated by the IDE's LINQ to SQL Designer based on the database schema.
- LINQ to SQL requires every table to have a primary key to support modifying the database data.
- The IDE creates a class for each table. Objects of these classes represent the collections of rows in the corresponding tables.
- The IDE also creates a class for a row of each table with a property for each column in the table. Objects of these classes (row objects) hold the data from individual rows in the database's tables.
- In the class for a row object, an additional property is created for each foreign key. This property returns the row object of the corresponding primary key in another table.
- In the class for a row object, an additional property is created for the collection of row objects with foreign-keys that reference the row object's primary key.
- Once generated, the LINQ to SQL classes have full *IntelliSense* support in the IDE.

### ***Section 18.8 (Optional) Querying a Database with LINQ***

- The IDE provides visual programming tools and wizards that simplify accessing data in your projects. These tools establish database connections and create the objects necessary to view and manipulate the data through the GUI—a technique known as data binding.
- A `DataGridView` (namespace `System.Windows.Forms`) displays data from a data source in tabular format.
- A `BindingNavigator` is a collection of controls that allow you to navigate through the records displayed in a GUI. The `BindingNavigator` controls also allow you to add records, delete records and save your changes to the database.

#### ***Section 18.8.1 Creating LINQ to SQL Classes***

- To interact with a database, you must create a connection to the database.
- In Visual C# 2010 Express, use the `Database Explorer` window to connect to the database. In full versions of Visual Studio 2010, use the `Server Explorer` window.

- After connecting to the database, you can generate the LINQ to SQL classes by adding a new **LINQ to SQL Classes** item to your project, then dragging the tables you wish to use from the **Database Explorer** onto the **Object Relational Designer**. When you save the **.dbml** file, the IDE generates the LINQ to SQL classes.

#### **Section 18.8.2 Data Bindings Between Controls and the LINQ to SQL Classes**

- To use the LINQ to SQL classes for data binding, you must first add them as a data source.
- Select **Data > Add New Data Source...** to display the **Data Source Configuration Wizard**. Use an **Object** data source. Select the LINQ to SQL object to use as a data source. Drag that data source from the **Data Sources** window onto the **Form** to create controls that can display the table's data.
- By default, the IDE creates a **DataGridView** with the correct column names and a **BindingNavigator** that contains **Buttons** for moving between entries, adding entries, deleting entries and saving changes to the database.
- The IDE also generates a **BindingSource**, which handles the transfer of data between the data source and the data-bound controls on the **Form**.
- The result of a LINQ query on the **DataContext** can be assigned to the **BindingSource**'s **DataSource** property. The **BindingSource** uses the **DataSource** to extract data from the database and to populate the **DataGridView**.
- To save the user's changes to the data in the **DataGridView**, enable the **BindingNavigator**'s **Save Data Button** (█). Then, double click the icon to create its **Click** event handler. In the event handler, you must validate the data, call **EndEdit** on the **BindingSource** to save pending changes in the **DataContext**, and call **SubmitChanges** on the **DataContext** to store the changes in the database. For efficiency, LINQ to SQL saves only data that has changed.

#### **Section 18.9 (Optional) Dynamically Binding LINQ to SQL Query Results**

- The IDE displays smart tag menus for many GUI controls to provide you with quick access to common properties you might set for a control, so you can set these properties directly in **Design** view. You can open a control's smart tag menu by clicking the small arrowhead (█) that appears in the control's upper-right corner in **Design** view.
- The **MoveFirst** method of the **BindingSource** moves to the first row of the result.

#### **Section 18.10 Java DB/Apache Derby**

- The Java SE 6 and 7 Development Kits (JDKs) come bundled with the open source, pure Java database Java DB (the Oracle branded version of Apache Derby).

## **Self-Review Exercises**

### **18.1** Fill in the blanks in each of the following statements:

- a) The international standard database language is \_\_\_\_\_.
- b) A table in a database consists of \_\_\_\_\_ and \_\_\_\_\_.
- c) The \_\_\_\_\_ uniquely identifies each row in a table.
- d) SQL keyword \_\_\_\_\_ is followed by the selection criteria that specify the rows to select in a query.
- e) SQL keywords \_\_\_\_\_ specify the order in which rows are sorted in a query.
- f) Merging rows from multiple database tables is called \_\_\_\_\_ the tables.
- g) A(n) \_\_\_\_\_ is an organized collection of data.
- h) A(n) \_\_\_\_\_ is a set of columns whose values match the primary key values of another table.
- i) The LINQ \_\_\_\_\_ clause is used for filtering.

- j) To get only unique results from a LINQ query, use the \_\_\_\_\_ method.  
 k) The \_\_\_\_\_ clause declares a new temporary variable within a LINQ query.
- 18.2** State whether each of the following is *true* or *false*. If *false*, explain why.
- The `orderby` clause in a LINQ query can sort only in ascending order.
  - LINQ queries can be used on both arrays and collections.
  - The `Remove` method of the `List` class removes an element at a specific index.
  - A `BindingNavigator` object can extract data from a database.
  - LINQ to SQL automatically saves changes made back to the database.

## Answers to Self-Review Exercises

**18.1** a) SQL. b) rows, columns. c) primary key. d) `WHERE`. e) `ORDER BY`. f) joining. g) database. h) foreign key. i) `where`. j) `Distinct`. k) `let`.

**18.2** a) False. The `descending` modifier is used to make `orderby` sort in descending order.  
 b) True. c) False. `Remove` removes the first element equal to its argument. `RemoveAt` removes the element at a specific index. d) False. A `BindingNavigator` allows users to browse and manipulate data displayed by another GUI control. A `DataContext` can extract data from a database. e) False. You must call the `SubmitChanges` method of the `DataContext` to save the changes made back to the database.

## Exercises

**18.3** Define the following terms:

- Qualified name
- Rule of Referential Integrity
- Rule of Entity Integrity
- selection criteria

**18.4** State the purpose of the following SQL keywords:

- `ASC`
- `FROM`
- `DESC`
- `INSERT`
- `LIKE`
- `UPDATE`
- `SET`
- `VALUES`
- `ON`

**18.5** Write SQL queries for the books database (discussed in Section 18.3) that perform each of the following tasks:

- Select all authors from the `Authors` table with the columns in the order `lastName`, `firstName` and `authorID`.
- Select a specific author and list all books for that author. Include the title, year and ISBN number. Order the information alphabetically by title.
- Add a new author to the `Authors` table.
- Add a new title for an author (remember that the book must have an entry in the `AuthorISBN` table).

**18.6** Fill in the blanks in each of the following statements:

- The \_\_\_\_\_ states that every column in a primary key must have a value, and the value of the primary key must be unique

- b) The \_\_\_\_\_ states that every foreign-key value must appear as another table's primary-key value.
  - c) A(n) \_\_\_\_\_ in a pattern indicates that a string matching the pattern can have zero or more characters at the percent character's location in the pattern.
  - d) Java DB is the Oracle branded version of \_\_\_\_\_.
  - e) A(n) \_\_\_\_\_ in a LIKE pattern string indicates a single character at that position in the pattern.
  - f) There's a(n) \_\_\_\_\_ relationship between a primary key and its corresponding foreign key.
  - g) SQL uses \_\_\_\_\_ as the delimiter for strings.
- 18.7** Correct each of the following SQL statements that refer to the books database.
- a) **SELECT firstName FROM author WHERE authorID = 3**
  - b) **SELECT isbn, title FROM Titles ORDER WITH title DESC**
  - c) **INSERT INTO Authors (authorID, firstName, lastName )  
VALUES ( "2", "Jane", "Doe" )**

# 19

## PHP

*Be careful when reading health books; you may die of a misprint.*

—Mark Twain

*Reckoners without their host must reckon twice.*

—John Heywood

*There was a door to which I found no key;  
There was the veil through which I might not see.*

—Omar Khayyam

## Objectives

In this chapter you will:

- Manipulate data of various types.
- Use operators, arrays and control statements.
- Use regular expressions to search for text that matches a patterns.
- Construct programs that process form data.
- Store data on the client using cookies.
- Create programs that interact with MySQL databases.



|  |  |
|--|--|
| <b>19.1</b> Introduction                               | 19.7.3 Finding Matches                         |
| <b>19.2</b> Simple PHP Program                         | 19.7.4 Character Classes                       |
| <b>19.3</b> Converting Between Data Types              | 19.7.5 Finding Multiple Instances of a Pattern |
| <b>19.4</b> Arithmetic Operators                       | <b>19.8</b> Form Processing and Business Logic |
| <b>19.5</b> Initializing and Manipulating Arrays       | 19.8.1 Superglobal Arrays                      |
| <b>19.6</b> String Comparisons                         | 19.8.2 Using PHP to Process HTML5 Forms        |
| <b>19.7</b> String Processing with Regular Expressions | <b>19.9</b> Reading from a Database            |
| 19.7.1 Searching for Expressions                       | <b>19.10</b> Using Cookies                     |
| 19.7.2 Representing Patterns                           | <b>19.11</b> Dynamic Content                   |
|  | <b>19.12</b> Web Resources                     |

[Summary](#) | [Self-Review Exercises](#) | [Answers to Self-Review Exercises](#) | [Exercises](#)

## 19.1 Introduction

PHP, or **PHP: Hypertext Preprocessor**, has become the most popular server-side scripting language for creating dynamic web pages. PHP was created by Rasmus Lerdorf to track users at his website. In 1995, Lerdorf released it as a package called the “Personal Home Page Tools.” Two years later, PHP 2 featured built-in database support and form handling. In 1997, PHP 3 was released after a substantial rewrite, which resulted in a large increase in performance and led to an explosion of PHP use. The release of PHP 4 featured the new *Zend Engine* from Zend, a PHP software company. This version was considerably faster and more powerful than its predecessor, further increasing PHP’s popularity. It’s estimated that over 15 million domains now use PHP, accounting for more than 20 percent of web pages.<sup>1</sup> Currently, PHP 5 features the *Zend Engine 2*, which provides further speed increases, exception handling and a new object-oriented programming model.<sup>2</sup> More information about the Zend Engine can be found at [www zend com](http://www zend com).

PHP is an open-source technology that’s supported by a large community of users and developers. PHP is *platform independent*—implementations exist for all major UNIX, Linux, Mac and Windows operating systems. PHP also supports many databases, including MySQL.

After introducing the basics of the PHP scripting language, we discuss form processing and business logic, which are vital to e-commerce applications. Next, we build a three-tier web application that queries a MySQL database. We also show how PHP can use cookies to store information on the client that can be retrieved during future visits to the website. Finally, we revisit the form-processing example to demonstrate some of PHP’s more dynamic capabilities.

### Notes Before Proceeding

To run a PHP script, PHP must first be installed on your system. We assume that you’ve followed the XAMPP installation instructions in Chapter 17. This ensures that the Apache web server, MySQL DBMS and PHP are configured properly so that you can test

1. “History of PHP,” 30 June 2007, *PHP* <[us.php.net/history](http://us.php.net/history)>.
2. Z. Suraski, “The OO Evolution of PHP,” 16 March 2004, *Zend* <[devzone zend com/node/view/id/1717](http://devzone zend com/node/view/id/1717)>.

PHP web applications on your local computer. For the examples that access a database, this chapter also assumes that you've followed the instructions in Chapter 18 for setting up a MySQL user account and for creating the databases we use in this chapter. All examples and exercises in this chapter have been verified using PHP 5.3.5—the version installed by XAMPP at the time of publication.

Before continuing, take the examples folder for this chapter (ch19) and copy it into the XAMPP installation folder's `htdocs` subfolder. This is the folder from which XAMPP serves documents, images and scripts.

## 19.2 Simple PHP Program

The power of the web resides not only in serving content to users, but also in responding to requests from users and generating web pages with dynamic content. Interactivity between the user and the server has become a crucial part of web functionality, making PHP—a language written specifically for handling client requests—a valuable tool.

PHP code is embedded directly into text-based documents, such as HTML, though these script segments are interpreted by the server *before* being delivered to the client. PHP script file names end with `.php`.

Figure 19.1 presents a simple PHP script that displays a welcome message. PHP code is inserted between the delimiters `<?php` and `?>` and can be placed anywhere in HTML markup. Line 7 declares variable `$name` and assigns it the string "Paul". All variables are preceded by a `$` and are created the first time they're encountered by the PHP interpreter. PHP statements terminate with a **semicolon** (`;`).



### Common Programming Error 19.1

*Variable names in PHP are case sensitive. Failure to use the proper mixture of cases to refer to a variable will result in a logic error, since the script will create a new variable for any name it doesn't recognize as a previously used variable.*



### Common Programming Error 19.2

*Forgetting to terminate a statement with a semicolon (`;`) is a syntax error.*

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 19.1: first.php -->
4  <!-- Simple PHP program. -->
5  <html>
6  <?php
7      $name = "Paul"; // declaration and initialization
8 ?><!-- end PHP script -->
9      <head>
10         <meta charset = "utf-8">
11         <title>Simple PHP document</title>
12     </head>
13     <body>
14         <!-- print variable name's value -->
15         <h1><?php print( "Welcome to PHP, $name!" ); ?></h1>

```

---

**Fig. 19.1** | Simple PHP program. (Part 1 of 2.)

---

```
16      </body>
17  </html>
```



**Fig. 19.1** | Simple PHP program. (Part 2 of 2.)

Line 7 also contains a **single-line comment**, which begins with two slashes (//). Text to the right of the slashes is ignored by the interpreter. Multiline comments begin with delimiter /\* on the first line of the comment and end with delimiter \*/ at the end of the last line of the comment.

Line 15 outputs the value of variable \$name by calling function **print**. The value of \$name is printed, not the string "\$name". When a variable is encountered inside a double-quoted ("") string, PHP **interpolates** the variable. In other words, PHP inserts the variable's value where the variable name appears in the string. Thus, variable \$name is replaced by Paul for printing purposes. All operations of this type execute on the server *before* the HTML5 document is sent to the client. You can see by viewing the source of a PHP document that the code sent to the client does not contain any PHP code.

PHP variables are *loosely typed*—they can contain different types of data (e.g., **integers**, **doubles** or **strings**) at different times. Figure 19.2 introduces PHP's data types.

| Type                       | Description  |
|----------------------------|--|
| <b>int, integer</b>        | Whole numbers (i.e., numbers without a decimal point).   |
| <b>float, double, real</b> | Real numbers (i.e., numbers containing a decimal point).   |
| <b>string</b>              | Text enclosed in either single (' ') or double ("") quotes. [Note: Using double quotes allows PHP to recognize more escape sequences.] |
| <b>bool, boolean</b>       | true or false.   |
| <b>array</b>               | Group of elements.   |
| <b>object</b>              | Group of associated data and methods.  |
| <b>resource</b>            | An external source—usually information from a database.  |
| <b>NULL</b>                | No value.  |

**Fig. 19.2** | PHP types.

## 19.3 Converting Between Data Types

Converting between different data types may be necessary when performing arithmetic operations with variables. Type conversions can be performed using function **settype**. Figure 19.3 demonstrates type conversion of some types introduced in Fig. 19.2.

```
1  <!DOCTYPE html>
2
3  <!-- Fig. 19.3: data.php -->
4  <!-- Data type conversion. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Data type conversion</title>
9          <style type = "text/css">
10             p      { margin: 0; }
11             .head  { margin-top: 10px; font-weight: bold; }
12             .space { margin-top: 10px; }
13         </style>
14     </head>
15     <body>
16         <?php
17             // declare a string, double and integer
18             $testString = "3.5 seconds";
19             $testDouble = 79.2;
20             $testInteger = 12;
21         ?><!-- end PHP script -->
22
23         <!-- print each variable's value and type -->
24         <p class = "head">Original values:</p>
25         <?php
26             print( "<p>$testString is a(n) " . gettype( $testString )
27                 . "</p>" );
28             print( "<p>$testDouble is a(n) " . gettype( $testDouble )
29                 . "</p>" );
30             print( "<p>$testInteger is a(n) " . gettype( $testInteger )
31                 . "</p>" );
32         ?><!-- end PHP script -->
33         <p class = "head">Converting to other data types:</p>
34         <?php
35             // call function settype to convert variable
36             // testString to different data types
37             print( "<p>$testString " );
38             settype( $testString, "double" );
39             print( " as a double is $testString</p>" );
40             print( "<p>$testString " );
41             settype( $testString, "integer" );
42             print( " as an integer is $testString</p>" );
43             settype( $testString, "string" );
44             print( "<p class = 'space'>Converting back to a string results in
45                 $testString</p>" );
46
47             // use type casting to cast variables to a different type
48             $data = "98.6 degrees";
49             print( "<p class = 'space'>Before casting: $data is a " .
50                   gettype( $data ) . "</p>" );
51             print( "<p class = 'space'>Using type casting instead:</p>
52                 <p>as a double: " . (double) $data . "</p>" .
53                 <p>as an integer: " . (integer) $data . "</p>" );
```


**Fig. 19.3** | Data type conversion. (Part 1 of 2.)

---

```

54         print( "<p class = 'space'>After casting: $data is a " .
55             gettype( $data ) . "</p>" );
56     ?><!-- end PHP script -->
57     </body>
58 </html>

```




---

**Fig. 19.3** | Data type conversion. (Part 2 of 2.)

### **Functions `gettype` and `settype`**

Lines 18–20 assign a string to variable \$testString, a floating-point number to variable \$testDouble and an integer to variable \$testInteger. Variables are typed based on the values assigned to them. For example, variable \$testString becomes a string when assigned the value "3.5 seconds". Lines 26–31 print the value of each variable and its type using function **gettype**, which returns the current type of its argument. When a variable is in a `print` statement but not part of a string, enclosing the variable name in double quotes is unnecessary. Lines 38, 41 and 43 call **settype** to modify the type of each variable. Function **settype** takes two arguments—the variable whose type is to be changed and the variable's new type.

Calling function **settype** can result in loss of data. For example, doubles are *truncated* when they're converted to integers. When converting from a string to a number, PHP uses the value of the number that appears at the beginning of the string. If no number appears at the beginning, the string evaluates to 0. In line 38, the string "3.5 seconds" is converted to a double, storing 3.5 in variable \$testString. In line 41, double 3.5 is converted to integer 3. When we convert this variable to a string (line 43), the variable's value becomes "3"—much of the original content from the variable's declaration in line 14 is lost.

### **Casting**

Another option for conversion between types is **casting** (or **type casting**). Unlike **settype**, casting does not change a variable's content—it creates a *temporary copy* of a variable's value in memory. Lines 52–53 cast variable \$data's value (declared in line 48) from a `string` to a

`double` and an `integer`. Casting is useful when a different type is required in a specific operation but you would like to retain the variable's original value and type. Lines 49–55 show that the type and value of `$data` remain *unchanged* even after it has been cast several times.

### String Concatenation

The **concatenation operator** (`.`) combines multiple strings in the same `print` statement, as demonstrated in lines 49–55. A `print` statement may be split over multiple lines—all data that's enclosed in the parentheses and terminated by a semicolon is printed to the XHTML document.



#### Error-Prevention Tip 19.1

*Function `print` can be used to display the value of a variable at a particular point during a program's execution. This is often helpful in debugging a script.*

## 19.4 Arithmetic Operators

PHP provides several arithmetic operators, which we demonstrate in Fig. 19.4. Line 15 declares variable `$a` and assigns to it the value 5. Line 19 calls function `define` to create a **named constant**. Function `define` takes two arguments—the name and value of the constant. An optional third argument accepts a `bool` value that specifies whether the constant is *case insensitive*—constants are case sensitive by default.



#### Common Programming Error 19.3

*Assigning a value to a constant after it's declared is a syntax error.*

Line 22 adds constant `VALUE` to variable `$a`. Line 26 uses the **multiplication assignment operator** `*=` to yield an expression equivalent to `$a = $a * 2` (thus assigning `$a` the value 20). Arithmetic assignment operators—like the ones described in Chapter 6—are syntactical shortcuts. Line 34 adds 40 to the value of variable `$a`.

Uninitialized variables have undefined values that evaluate differently, depending on the context. For example, when an undefined value is used in a numeric context (e.g., `$num` in line 51), it evaluates to 0. In contrast, when an undefined value is interpreted in a string context (e.g., `$nothing` in line 48), it evaluates to the string "undef". When you run a PHP script that uses an undefined variable, the PHP interpreter outputs warning messages in the web page. You can adjust the level of error and warning messages in the PHP configuration files for your platform (e.g., the `php.ini` file on Windows). For more information, see the online documentation for PHP at [php.net](http://php.net).

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 19.4: operators.php -->
4  <!-- Using arithmetic operators. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <style type = "text/css">
```

---

**Fig. 19.4** | Using arithmetic operators. (Part I of 3.)

---

```
9      p { margin: 0; }
10     </style>
11     <title>Using arithmetic operators</title>
12   </head>
13   <body>
14   <?php
15       $a = 5;
16       print( "<p>The value of variable a is $a</p>" );
17
18       // define constant VALUE
19       define( "VALUE", 5 );
20
21       // add constant VALUE to variable $a
22       $a = $a + VALUE;
23       print( "<p>Variable a after adding constant VALUE is $a</p>" );
24
25       // multiply variable $a by 2
26       $a *= 2;
27       print( "<p>Multiplying variable a by 2 yields $a</p>" );
28
29       // test if variable $a is less than 50
30       if ( $a < 50 )
31           print( "<p>Variable a is less than 50</p>" );
32
33       // add 40 to variable $a
34       $a += 40;
35       print( "<p>Variable a after adding 40 is $a</p>" );
36
37       // test if variable $a is 50 or less
38       if ( $a < 51 )
39           print( "<p>Variable a is still 50 or less</p>" );
40       elseif ( $a < 101 ) // $a >= 51 and <= 100
41           print( "<p>Variable a is now between 50 and 100,
42                   inclusive</p>" );
43       else // $a > 100
44           print( "<p>Variable a is now greater than 100</p>" );
45
46       // print an uninitialized variable
47       print( "<p>Using a variable before initializing:
48               $nothing</p>" ); // nothing evaluates to ""
49
50       // add constant VALUE to an uninitialized variable
51       $test = $num + VALUE; // num evaluates to 0
52       print( "<p>An uninitialized variable plus constant
53               VALUE yields $test</p>" );
54
55       // add a string to an integer
56       $str = "3 dollars";
57       $a += $str;
58       print( "<p>Adding a string to variable a yields $a</p>" );
59       ?><!-- end PHP script -->
60   </body>
61 </html>
```

---

**Fig. 19.4** | Using arithmetic operators. (Part 2 of 3.)

```
The value of variable a is 5
Variable a after adding constant VALUE is 10
Multiplying variable a by 2 yields 20
Variable a is less than 50
Variable a after adding 40 is 60
Variable a is now between 50 and 100, inclusive

Notice: Undefined variable: nothing in
C:\xampp\htdocs\ch19\fig19_04\operators.php on line 48
Using a variable before initializing:

Notice: Undefined variable: num in
C:\xampp\htdocs\ch19\fig19_04\operators.php on line 51
An uninitialized variable plus constant VALUE yields 5
Adding a string to variable a yields 63
```

**Fig. 19.4** | Using arithmetic operators. (Part 3 of 3.)



### Error-Prevention Tip 19.2

*Initialize variables before they're used to avoid subtle errors. For example, multiplying a number by an uninitialized variable results in 0.*

Strings are converted to integers or doubles when they're used in arithmetic operations. In line 57, a copy of the value of variable `str`, "3 dollars", is converted to the integer 3 for use in the calculation. The type and value of variable `$str` are left unchanged.

### Keywords

Keywords (examples from Fig. 19.4 include `if`, `elseif` and `else`) may not be used as function, method, class or namespace names. Figure 19.5 lists the PHP keywords.

### PHP keywords

|                         |                         |                         |                         |                     |
|-------------------------|-------------------------|-------------------------|-------------------------|---------------------|
| <code>abstract</code>   | <code>and</code>        | <code>array</code>      | <code>as</code>         | <code>break</code>  |
| <code>case</code>       | <code>catch</code>      | <code>class</code>      | <code>clone</code>      | <code>const</code>  |
| <code>continue</code>   | <code>declare</code>    | <code>default</code>    | <code>do</code>         | <code>else</code>   |
| <code>elseif</code>     | <code>enddeclare</code> | <code>endfor</code>     | <code>endforeach</code> | <code>endif</code>  |
| <code>endswitch</code>  | <code>endwhile</code>   | <code>extends</code>    | <code>final</code>      | <code>for</code>    |
| <code>foreach</code>    | <code>function</code>   | <code>global</code>     | <code>goto</code>       | <code>if</code>     |
| <code>implements</code> | <code>interface</code>  | <code>instanceof</code> | <code>namespace</code>  | <code>new</code>    |
| <code>or</code>         | <code>private</code>    | <code>protected</code>  | <code>public</code>     | <code>static</code> |
| <code>switch</code>     | <code>throw</code>      | <code>try</code>        | <code>use</code>        | <code>var</code>    |
| <code>while</code>      | <code>xor</code>        |                         |                         |                     |

**Fig. 19.5** | PHP keywords.

**Keywords**

Figure 19.6 contains the operator precedence chart for PHP. The operators are shown from top to bottom in decreasing order of precedence.

| Operator                | Type                  | Associativity |
|-------------------------|-----------------------|---------------|
| <code>new</code>        | constructor           | none          |
| <code>clone</code>      | copy an object        |               |
| <code>[]</code>         | subscript             | left to right |
| <code>++</code>         | increment             | none          |
| <code>--</code>         | decrement             |               |
| <code>~</code>          | bitwise not           | right to left |
| <code>-</code>          | unary negative        |               |
| <code>@</code>          | error control         |               |
| <code>(type)</code>     | cast                  |               |
| <code>instanceof</code> |                       | none          |
| <code>!</code>          | not                   | right to left |
| <code>*</code>          | multiplication        | left to right |
| <code>/</code>          | division              |               |
| <code>%</code>          | modulus               |               |
| <code>+</code>          | addition              | left to right |
| <code>-</code>          | subtraction           |               |
| <code>.</code>          | concatenation         |               |
| <code>&lt;&lt;</code>   | bitwise shift left    | left to right |
| <code>&gt;&gt;</code>   | bitwise shift right   |               |
| <code>&lt;</code>       | less than             | none          |
| <code>&gt;</code>       | greater than          |               |
| <code>&lt;=</code>      | less than or equal    |               |
| <code>&gt;=</code>      | greater than or equal |               |
| <code>==</code>         | equal                 | none          |
| <code>!=</code>         | not equal             |               |
| <code>==</code>         | identical             |               |
| <code>!==</code>        | not identical         |               |
| <code>&amp;</code>      | bitwise AND           | left to right |
| <code>^</code>          | bitwise XOR           | left to right |
| <code> </code>          | bitwise OR            | left to right |
| <code>&amp;&amp;</code> | logical AND           | left to right |
| <code>  </code>         | logical OR            | left to right |
| <code>:&gt;</code>      | ternary conditional   | left to right |

**Fig. 19.6** | PHP operator precedence and associativity. (Part 1 of 2.)

| Operator | Type                            | Associativity |
|----------|---------------------------------|---------------|
| =        | assignment                      | right to left |
| +=       | addition assignment             |               |
| -=       | subtraction assignment          |               |
| *=       | multiplication assignment       |               |
| /=       | division assignment             |               |
| %=       | modulus assignment              |               |
| &=       | bitwise AND assignment          |               |
| =        | bitwise OR assignment           |               |
| ^=       | bitwise exclusive OR assignment |               |
| .=       | concatenation assignment        |               |
| <<=      | bitwise shift left assignment   |               |
| >>=      | bitwise shift right assignment  |               |
| =>       | assign value to a named key     |               |
| and      | logical AND                     | left to right |
| xor      | exclusive OR                    | left to right |
| or       | logical OR                      | left to right |
| ,        | list                            | left to right |

Fig. 19.6 | PHP operator precedence and associativity. (Part 2 of 2.)

## 19.5 Initializing and Manipulating Arrays

PHP provides the capability to store data in arrays. Arrays are divided into elements that behave as individual variables. Array names, like other variables, begin with the \$ symbol. Figure 19.7 demonstrates initializing and manipulating arrays. Individual array elements are accessed by following the array's variable name with an index enclosed in square brackets ([]). *If a value is assigned to an array element of an array that does not exist, then the array is created* (line 18). Likewise, assigning a value to an element where the index is omitted *appends* a new element to the end of the array (line 21). The for statement (lines 24–25) prints each element's value. Function **count** returns the total number of elements in the array. In this example, the for statement terminates when the counter (\$i) is equal to the number of array elements.

---

```


1  <!DOCTYPE html>
2
3  <!-- Fig. 19.7: arrays.php -->
4  <!-- Array manipulation. -->
5  <html>
6    <head>
7      <meta charset = "utf-8">
8      <title>Array manipulation</title>
9      <style type = "text/css">
10        p { margin: 0; }
11        .head { margin-top: 10px; font-weight: bold; }
```

---

Fig. 19.7 | Array manipulation. (Part 1 of 3.)

```
12      </style>
13  </head>
14  <body>
15  <?php
16      // create array first
17  print( "<p class = 'head'>Creating the first array</p>" );
18  $first[ 0 ] = "zero";
19  $first[ 1 ] = "one";
20  $first[ 2 ] = "two";
21  $first[] = "three";
22
23      // print each element's index and value
24  for ( $i = 0; $i < count( $first ); ++$i )
25      print( "Element $i is $first[$i]</p>" );
26
27  print( "<p class = 'head'>Creating the second array</p>" );
28
29      // call function array to create array second
30  $second = array( "zero", "one", "two", "three" );
31
32  for ( $i = 0; $i < count( $second ); ++$i )
33      print( "Element $i is $second[$i]</p>" );
34
35  print( "<p class = 'head'>Creating the third array</p>" );
36
37      // assign values to entries using nonnumeric indices
38  $third[ "Amy" ] = 21;
39  $third[ "Bob" ] = 18;
40  $third[ "Carol" ] = 23;
41
42      // iterate through the array elements and print each
43      // element's name and value
44  for ( reset( $third ); $element = key( $third ); next( $third ) )
45      print( "<p>$element is $third[$element]</p>" );
46
47  print( "<p class = 'head'>Creating the fourth array</p>" );
48
49      // call function array to create array fourth using
50      // string indices
51  $fourth = array(
52      "January"    => "first",    "February"  => "second",
53      "March"      => "third",     "April"       => "fourth",
54      "May"        => "fifth",     "June"        => "sixth",
55      "July"        => "seventh",   "August"     => "eighth",
56      "September"  => "ninth",    "October"    => "tenth",
57      "November"   => "eleventh", "December"  => "twelfth" );
58
59      // print each element's name and value
60  foreach ( $fourth as $element => $value )
61      print( "<p>$element is the $value month</p>" );
62  ?><!-- end PHP script -->
63  </body>
64  </html>
```

**Fig. 19.7** | Array manipulation. (Part 2 of 3.)



**Fig. 19.7** | Array manipulation. (Part 3 of 3.)

Line 30 demonstrates a second method of initializing arrays. Function **array** creates an array that contains the arguments passed to it. The first item in the argument list is stored as the first array element (recall that the first element's index is 0), the second item is stored as the second array element and so on. Lines 32–33 display the array's contents.

In addition to integer indices, arrays can have float or nonnumeric indices (lines 38–40). An array with noninteger indices is called an **associative array**. For example, indices Amy, Bob and Carol are assigned the values 21, 18 and 23, respectively.

PHP provides functions for **iterating** through the elements of an array (line 44). Each array has a built-in **internal pointer**, which points to the array element currently being referenced. Function **reset** sets the internal pointer to the first array element. Function **key** returns the index of the element currently referenced by the internal pointer, and function **next** moves the internal pointer to the next element and returns the element. In our script, the **for** statement continues to execute as long as function **key** returns an index. Function **next** returns **false** when there are no more elements in the array. When this occurs, function **key** cannot return an index, **\$element** is set to **false** and the **for** statement terminates. Line 45 prints the index and value of each element.

The array `$fourth` is also associative. To override the automatic numeric indexing performed by function `array`, you can use operator `=>`, as demonstrated in lines 51–57. The value to the left of the operator is the array index and the value to the right is the element's value.

The `foreach` control statement (lines 60–61) is specifically designed for iterating through arrays, especially associative arrays, because it does not assume that the array has consecutive integer indices that start at 0. The `foreach` statement starts with the array to iterate through, followed by the keyword `as`, followed by two variables—the first is assigned the index of the element, and the second is assigned the value of that index. (If there's only one variable listed after `as`, it's assigned the value of the array element.) We use the `foreach` statement to print the index and value of each element in array `$fourth`.

## 19.6 String Comparisons

Many string-processing tasks can be accomplished by using the `equality` and `comparison` operators, demonstrated in Fig. 19.8. Line 16 declares and initializes array `$fruits`. Lines 19–38 iterate through each element in the `$fruits` array.

Lines 23 and 25 call function `strcmp` to compare two strings. The function returns `-1` if the first string alphabetically precedes the second string, `0` if the strings are equal, and `1` if the first string alphabetically follows the second. Lines 23–28 compare each element in the `$fruits` array to the string "banana", printing whether each is greater than, less than or equal to the string.

Relational operators (`==`, `!=`, `<`, `<=`, `>` and `>=`) can also be used to compare strings. Lines 32–37 use relational operators to compare each element of the array to the string "apple".

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 19.8: compare.php -->
4  <!-- Using the string-comparison operators. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>String Comparison</title>
9          <style type = "text/css">
10             p { margin: 0; }
11         </style>
12     </head>
13     <body>
14         <?php
15             // create array fruits
16             $fruits = array( "apple", "orange", "banana" );
17
18             // iterate through each array element
19             for ( $i = 0; $i < count( $fruits ); ++$i )
20             {
21                 // call function strcmp to compare the array element
22                 // to string "banana"
23                 if ( strcmp( $fruits[ $i ], "banana" ) < 0 )
24                     print( "<p>" . $fruits[ $i ] . " is less than banana " );

```

---


**Fig. 19.8** | Using the string-comparison operators. (Part I of 2.)

---

```

25      elseif ( strcmp( $fruits[ $i ], "banana" ) > 0 )
26          print( "<p>" . $fruits[ $i ] . " is greater than banana " );
27      else
28          print( "<p>" . $fruits[ $i ] . " is equal to banana " );
29
30      // use relational operators to compare each element
31      // to string "apple"
32      if ( $fruits[ $i ] < "apple" )
33          print( "and less than apple!</p>" );
34      elseif ( $fruits[ $i ] > "apple" )
35          print( "and greater than apple!</p>" );
36      elseif ( $fruits[ $i ] == "apple" )
37          print( "and equal to apple!</p>" );
38      } // end for
39      ?><!-- end PHP script -->
40  </body>
41 </html>

```



**Fig. 19.8** | Using the string-comparison operators. (Part 2 of 2.)

## 19.7 String Processing with Regular Expressions

PHP can process text easily and efficiently, enabling straightforward searching, substitution, extraction and concatenation of strings. Text manipulation is usually done with **regular expressions**—a series of characters that serve as *pattern-matching* templates (or search criteria) in strings, text files and databases. Function **preg\_match** uses regular expressions to search a string for a specified pattern using Perl-compatible regular expressions (PCRE). Figure 19.9 demonstrates regular expressions.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 19.9: expression.php -->
4  <!-- Regular expressions. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Regular expressions</title>
9          <style type = "text/css">
10             p { margin: 0; }
11         </style>
12     </head>

```

**Fig. 19.9** | Regular expressions. (Part 1 of 2.)

```
13 <body>
14   <?php
15     $search = "Now is the time";
16     print( "<p>Test string is: '$search'</p>" );
17
18     // call preg_match to search for pattern 'Now' in variable search
19     if ( preg_match( "/Now/", $search ) )
20       print( "<p>'Now' was found.</p>" );
21
22     // search for pattern 'Now' in the beginning of the string
23     if ( preg_match( "/^Now/", $search ) )
24       print( "<p>'Now' found at beginning of the line.</p>" );
25
26     // search for pattern 'Now' at the end of the string
27     if ( !preg_match( "/Now$/", $search ) )
28       print( "<p>'Now' was not found at the end of the line.</p>" );
29
30     // search for any word ending in 'ow'
31     if ( preg_match( "/\b([a-zA-Z]*ow)\b/i", $search, $match ) )
32       print( "<p>Word found ending in 'ow': " .
33             $match[ 1 ] . "</p>" );
34
35     // search for any words beginning with 't'
36     print( "<p>Words beginning with 't' found: " );
37
38     while ( preg_match( "/\b(t[:alpha:]+)\b/", $search, $match ) )
39     {
40       print( $match[ 1 ] . " " );
41
42       // remove the first occurrence of a word beginning
43       // with 't' to find other instances in the string
44       $search = preg_replace( "/^" . $match[ 1 ] . "/", "", $search );
45     } // end while
46
47     print( "</p>" );
48   ?><!-- end PHP script -->
49 </body>
50 </html>
```




Fig. 19.9 | Regular expressions. (Part 2 of 2.)

### 19.7.1 Searching for Expressions

Line 15 assigns the string "Now is the time" to variable \$search. The condition in line 19 calls function `preg_match` to search for the **literal characters** "Now" inside variable \$search. If the pattern is found, `preg_match` returns the length of the matched string—which evaluates to **true** in a boolean context—and line 20 prints a message indicating that the pattern was found. We use single quotes (' ') inside the string in the `print` statement to emphasize the search pattern. *Anything enclosed in single quotes is not interpolated, unless the single quotes are nested in a double-quoted string literal*, as in line 16). For example, '\$name' in a `print` statement would output \$name, not variable \$name's value.

Function `preg_match` takes two arguments—a regular-expression pattern to search for and the string to search. The regular expression must be enclosed in delimiters—typically a forward slash (/) is placed at the beginning and end of the regular-expression pattern. By default, `preg_match` performs a *case-sensitive pattern matches*. To perform *case-insensitive pattern matches* you simply place the letter i after the regular-expression pattern's closing delimiter, as in "`\b([a-zA-Z]*ow)\b/i`" (line 31).

### 19.7.2 Representing Patterns

In addition to literal characters, regular expressions can include **metacharacters**, such as ^, \$ and ., that specify patterns. The **caret** (^) metacharacter matches the beginning of a string (line 23), while the **dollar sign** (\$) matches the end of a string (line 27). The **period** (.) metacharacter matches any single character except newlines, but can be made to match newlines with the s modifier. Line 23 searches for the pattern "Now" at the beginning of \$search. Line 27 searches for "Now" at the end of \$search. Note that Now\$ is *not* a variable—it's a *pattern* that uses \$ to search for the characters "Now" at the end of a string.

Line 31, which contains a bracket expression, searches (from left to right) for the first word ending with the letters ow. **Bracket expressions** are lists of characters enclosed in square brackets ([] that match any single character from the list. Ranges can be specified by supplying the beginning and the end of the range separated by a **dash** (-). For instance, the bracket expression [a-z] matches any *lowercase* letter and [A-Z] matches any *uppercase* letter. In this example, we combine the two to create an expression that matches *any* letter. The \b before and after the parentheses indicates the beginning and end of a word, respectively—in other words, we're attempting to match whole words.

The expression [a-zA-Z]\*ow inside the parentheses (line 31) represents any word ending in ow. The **quantifier** \* matches the preceding pattern zero or more times. Thus, [a-zA-Z]\*ow matches any number of letters followed by the literal characters ow. Quantifiers are used in regular expressions to denote how often a particular character or set of characters can appear in a match. Some PHP quantifiers are listed in Fig. 19.10.

| Quantifier | Matches                          |
|------------|----------------------------------|
| {n}        | Exactly n times                  |
| {m, n}     | Between m and n times, inclusive |
| {n,}       | n or more times                  |

**Fig. 19.10** | Some regular expression quantifiers. (Part I of 2.)

| Quantifier | Matches                           |
|------------|-----------------------------------|
| +          | One or more times (same as {1,})  |
| *          | Zero or more times (same as {0,}) |
| ?          | Zero or one time (same as {0,1})  |

**Fig. 19.10** | Some regular expression quantifiers. (Part 2 of 2.)

### 19.7.3 Finding Matches

The optional third argument to function `preg_match` is an array that stores matches to the regular expression. When the expression is broken down into parenthetical sub-expressions, `preg_match` stores the first encountered instance of each expression in this array, starting from the leftmost parenthesis. The first element (i.e., index 0) stores the string matched for the entire pattern. The match to the first parenthetical pattern is stored in the second array element, the second in the third array element and so on. If the parenthetical pattern is not encountered, the value of the array element remains uninitialized. Because the statement in line 31 is the first parenthetical pattern, Now is stored in variable `$match[1]` (and, because it's the *only* parenthetical statement in this case, it's also stored in `$match[0]`).

Searching for multiple instances of a single pattern in a string is slightly more complicated, because the `preg_match` function returns only the first instance it encounters. To find multiple instances of a given pattern, we must make multiple calls to `preg_match`, and remove any matched instances before calling the function again. Lines 38–45 use a `while` statement and the `preg_replace` function to find all the words in the string that begin with t. We'll say more about this function momentarily.

### 19.7.4 Character Classes

The pattern in line 38, `/\b(t[[[:alpha:]])+\b/i`, matches any word beginning with the character t followed by one or more letters. The pattern uses the **character class** `[[[:alpha:]]]` to recognize any letter—this is equivalent to the `[a-zA-Z]`. Figure 19.11 lists some character classes that can be matched with regular expressions.

| Character class    | Description  |
|--------------------|--|
| <code>alnum</code> | Alphanumeric characters (i.e., letters [a-zA-Z] or digits [0-9]) |
| <code>alpha</code> | Word characters (i.e., letters [a-zA-Z])                         |
| <code>digit</code> | Digits   |
| <code>space</code> | White space  |
| <code>lower</code> | Lowercase letters  |
| <code>upper</code> | Uppercase letters  |

**Fig. 19.11** | Some regular expression character classes.

Character classes are enclosed by the delimiters [: and :]. When this expression is placed in another set of brackets, such as [[:alpha:]] in line 38, it's a regular expression matching a single character that's a member of the class. A bracketed expression containing two or more adjacent character classes in the class delimiters represents those character sets combined. For example, the expression [[:upper:][:lower:]]\* represents all strings of uppercase and lowercase letters in any order, while [[:upper:]][[:lower:]]\* matches strings with a single uppercase letter followed by any number of lowercase characters. The expression ([[:upper:]][[:lower:]])\* represents all strings that alternate between uppercase and lowercase characters (starting with uppercase and ending with lowercase).

### 19.7.5 Finding Multiple Instances of a Pattern

The quantifier + matches one or more consecutive instances of the preceding expression. The result of the match is stored in \$match[1]. Once a match is found, we print it in line 40. We then remove it from the string in line 44, using function `preg_replace`. This function takes three arguments—the pattern to match, a string to replace the matched string and the string to search. The modified string is returned. Here, we search for the word that we matched with the regular expression, replace the word with an empty string, then assign the result back to \$search. This allows us to match any other words beginning with the character t in the string and print them to the screen.

## 19.8 Form Processing and Business Logic

### 19.8.1 Superglobal Arrays

Knowledge of a client's execution environment is useful to system administrators who want to access client-specific information such as the client's web browser, the server name or the data sent to the server by the client. One way to obtain this data is by using a **superglobal array**. Superglobal arrays are associative arrays predefined by PHP that hold variables acquired from user input, the environment or the web server, and are accessible in any variable scope. Some of PHP's superglobal arrays are listed in Fig. 19.12.

| Variable name           | Description   |
|-------------------------|---|
| <code>\$_SERVER</code>  | Data about the currently running server.            |
| <code>\$_ENV</code>     | Data about the client's environment.                |
| <code>\$_GET</code>     | Data sent to the server by a get request.           |
| <code>\$_POST</code>    | Data sent to the server by a post request.          |
| <code>\$_COOKIE</code>  | Data contained in cookies on the client's computer. |
| <code>\$_GLOBALS</code> | Array containing all global variables.              |

**Fig. 19.12** | Some useful superglobal arrays.

Superglobal arrays are useful for verifying user input. The arrays `$_GET` and `$_POST` retrieve information sent to the server by HTTP get and post requests, respectively, making it possible for a script to have access to this data when it loads another page. For

example, if data entered by a user into a form is posted to a script, the `$_POST` array will contain all of this information in the new script. Thus, any information entered into the form can be accessed easily from a confirmation page, or a page that verifies whether fields have been entered correctly.

### 19.8.2 Using PHP to Process HTML5 Forms

Forms enable web pages to collect data from users and send it to a web server for processing. Such capabilities allow users to purchase products, request information, send and receive web-based e-mail, create profiles in online networking services and take advantage of various other online services. The HTML5 form in Fig. 19.13 gathers information to add a user to a mailing list.

---

```
1  <!DOCTYPE html>
2
3  <!-- Fig. 19.13: form.html -->
4  <!-- HTML form for gathering user input. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Sample Form</title>
9          <style type = "text/css">
10             label { width: 5em; float: left; }
11         </style>
12     </head>
13     <body>
14         <h1>Registration Form</h1>
15         <p>Please fill in all fields and click Register.</p>
16
17         <!-- post form data to form.php -->
18         <form method = "post" action = "form.php">
19             <h2>User Information</h2>
20
21             <!-- create four text boxes for user input -->
22             <div><label>First name:</label>
23                 <input type = "text" name = "fname"></div>
24             <div><label>Last name:</label>
25                 <input type = "text" name = "lname"></div>
26             <div><label>Email:</label>
27                 <input type = "text" name = "email"></div>
28             <div><label>Phone:</label>
29                 <input type = "text" name = "phone"
30                     placeholder = "(555) 555-5555"></div>
31             </div>
32
33             <h2>Publications</h2>
34             <p>Which book would you like information about?</p>
35
36             <!-- create drop-down list containing book names -->
37             <select name = "book">
38                 <option>Internet and WWW How to Program</option>
```

---

**Fig. 19.13** | HTML5 form for gathering user input. (Part I of 2.)

```
39          <option>C++ How to Program</option>
40          <option>Java How to Program</option>
41          <option>Visual Basic How to Program</option>
42      </select>
43
44  <h2>Operating System</h2>
45  <p>Which operating system do you use?</p>
46
47  <!-- create five radio buttons -->
48  <p><input type = "radio" name = "os" value = "Windows"
49      checked>Windows
50      <input type = "radio" name = "os" value = "Mac OS X">Mac OS X
51      <input type = "radio" name = "os" value = "Linux">Linux
52      <input type = "radio" name = "os" value = "Other">Other</p>
53
54  <!-- create a submit button -->
55  <p><input type = "submit" name = "submit" value = "Register"></p>
56
57  </form>
58  </body>
59  </html>
```

The form is filled out  
with an incorrect  
phone number

The screenshot shows a web browser window titled "Sample Form" displaying a registration form. The form is titled "Registration Form" and contains instructions: "Please fill in all fields and click Register." The "User Information" section has four input fields: First name (Paul), Last name (Deitel), Email (deitel@deitel.com), and Phone (1234567890). The "Publications" section has a dropdown menu showing "Internet and WWW How to Program". The "Operating System" section asks "Which operating system do you use?" and contains four radio buttons: Windows (selected), Mac OS X, Linux, and Other. A "Register" button is at the bottom.

Fig. 19.13 | HTML5 form for gathering user input. (Part 2 of 2.)

The form's `action` attribute (line 18) indicates that when the user clicks the **Register** button, the `form` data will be posted to `form.php` (Fig. 19.14) for processing. Using `method = "post"` appends form data to the browser request that contains the protocol (i.e., HTTP) and the URL of the requested resource (specified by the `action` attribute). Scripts located on the web server's machine can access the form data sent as part of the request.

We assign a unique name (e.g., `email`) to each of the form's controls. When **Register** is clicked, each field's name and value are sent to the web server. Script `form.php` accesses the value for each field through the superglobal array `$_POST`, which contains key/value pairs corresponding to name–value pairs for variables submitted through the form. [Note: The superglobal array `$_GET` would contain these key–value pairs if the form had been submitted using the HTTP *get* method. In general, *get* is not as secure as *post*, because it appends the information directly to the URL, which is visible to the user.] Figure 19.14 processes the data posted by `form.html` and sends HTML5 back to the client.



### Good Programming Practice 19.1

*Use meaningful HTML5 object names for input fields. This makes PHP scripts that retrieve form data easier to understand.*

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 19.14: form.php -->
4  <!-- Process information sent from form.html. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Form Validation</title>
9          <style type = "text/css">
10         p        { margin: 0px; }
11         .error   { color: red }
12         p.head   { font-weight: bold; margin-top: 10px; }
13     </style>
14 </head>
15 <body>
16     <?php
17         // determine whether phone number is valid and print
18         // an error message if not
19         if (!preg_match( "/^([0-9]{3}) ([0-9]{3}-[0-9]{4})$/",
20                         $_POST["phone"]))
21     {
22         print( "<p class = 'error'>Invalid phone number</p>
23             <p>A valid phone number must be in the form
24                 (555) 555-5555</p><p>Click the Back button,
25                 enter a valid phone number and resubmit.</p>
26             <p>Thank You.</p>" );
27         die(); // terminate script execution
28     }
29 ?><!-- end PHP script -->
30 <p>Hi <?php print( $_POST["fname"] ) ; ?>. Thank you for
31     completing the survey. You have been added to the

```


**Fig. 19.14** | Process information sent from `form.html`. (Part 1 of 2.)

```


32      <?php print( $_POST["book"] ); ?>mailing list.</p>
33      <p class = "head">The following information has been saved
34      in our database:</p>
35      <p>Name: <?php print( $_POST["fname"] );
36      print( $_POST["lname"] ); ?></p>
37      <p>Email: <?php print( "$email" ); ?></p>
38      <p>Phone: <?php print( "$phone" ); ?></p>
39      <p>OS: <?php print( $_POST["os"] ); ?></p>
40      <p class = "head">This is only a sample form.
41      You have not been added to a mailing list.</p>
42  </body>
43 </html>

```

- a) Submitting the form in Fig. 19.13 redirects the user to `form.php`, which gives appropriate instructions if the phone number is in an incorrect format



- b) The results of `form.php` after the user submits the form in Fig. 19.13 with a phone number in a valid format



**Fig. 19.14** | Process information sent from `form.html`. (Part 2 of 2.)

Lines 19–20 determine whether the phone number entered by the user is valid. We get the phone number from the `$_POST` array using the expression `$_POST["phone"]`, where "phone" is the name of the corresponding `input` field in the form. The validation in this example requires the phone number to begin with an opening parenthesis, followed by an area code, a closing parenthesis, a space, an exchange, a hyphen and a line number. It's crucial to validate information that will be entered into databases or used in mailing lists. For example, validation can be used to ensure that credit card numbers contain the proper number of digits before the numbers are encrypted and sent to a merchant. This script implements the business logic, or business rules, of our application.



### Software Engineering Observation 19.1

*Use business logic to ensure that invalid information is not stored in databases. Validate important or sensitive form data on the server, since JavaScript may be disabled by the client. Some data, such as passwords, must always be validated on the server side.*

In lines 19–20, the expression `\C` matches the opening parenthesis of the phone number. We want to match the literal character `(`, so we escape its normal meaning by preceding it with the backslash character (`\`). This parenthesis in the expression must be followed by three digits (`[0-9]{3}`), a closing parenthesis, three more digits, a literal hyphen and four additional digits. Note that we use the `^` and `$` symbols to ensure that no extra characters appear at either end of the string.

If the regular expression is matched, the phone number has a valid format, and an HTML5 document is sent to the client that thanks the user for completing the form. We extract each `input` element's value from the `$_POST` array in lines (30–39). Otherwise, the body of the `if` statement executes and displays an error message.

Function `die` (line 27) *terminates* script execution. This function is called if the user did not enter a correct telephone number, since we do not want to continue executing the rest of the script. The function's optional argument is a string or an integer. If it's a string, it's printed as the script exits. If it's an integer, it's used as a return status code (typically in command-line PHP shell scripts).

## 19.9 Reading from a Database

PHP offers built-in support for many databases. Our database examples use MySQL. We assume that you've followed the XAMPP installation instructions in Chapter 17 (XAMPP includes MySQL) and that you've followed the Chapter 18 instructions for setting up a MySQL user account and for creating the databases we use in this chapter.

The example in this section uses a Products database. The user selects the name of a column in the database and submits the form. A PHP script then builds a SQL SELECT query, queries the database to obtain the column's data and outputs the data in an HTML5 document that's displayed in the user's web browser. Chapter 18 discusses how to build SQL queries.

Figure 19.15 is a web page that *posts form data* consisting of a selected database column to the server. The script in Fig. 19.16 *processes the form data*.

### *HTML5 Document*

Line 12 of Fig. 19.15 begins an HTML5 `form`, specifying that the data submitted from the `form` will be sent to the script `database.php` (Fig. 19.16) in a `post` request. Lines 16–22 add a select box to the `form`, set the name of the select box to `select` and set its default selection to `*`. Submitting `*` specifies that *all* rows and columns are to be retrieved from the database. Each of the database's column names is set as an option in the select box.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 19.15: data.html -->
4  <!-- Form to query a MySQL database. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Sample Database Query</title>
9      </head>
```

---


**Fig. 19.15** | Form to query a MySQL database. (Part 1 of 2.)

---

```

10   <body>
11     <h1>Querying a MySQL database.</h1>
12     <form method = "post" action = "database.php">
13       <p>Select a field to display:
14         <!-- add a select box containing options -->
15         <!-- for SELECT query -->
16         <select name = "select">
17           <option selected>*</option>
18           <option>ID</option>
19           <option>Title</option>
20           <option>Category</option>
21           <option>ISBN</option>
22         </select></p>
23       <p><input type = "submit" value = "Send Query"></p>
24     </form>
25   </body>
26 </html>

```



**Fig. 19.15** | Form to query a MySQL database. (Part 2 of 2.)

### *database.php*

Script *database.php* (Fig. 19.16) builds a SQL query with the posted field name then queries the MySQL database. Line 25 concatenates the posted field name to a SELECT query. Lines 28–29 call function `mysql_connect` to connect to the MySQL database. We pass three arguments—the server’s hostname, a username and a password. The host name `localhost` is your computer. The username and password specified here were created in Chapter 18. Function `mysql_connect` returns a `database handle`—a representation of PHP’s connection to the database—which we assign to variable `$database`. If the connection to MySQL fails, the function returns `false` and we call `die` to output an error message and terminate the script. Line 33 calls function `mysql_select_db` to select and open the database to be queried (in this case, `products`). The function returns `true` on success or `false` on failure. We call `die` if the database cannot be opened.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 19.16: database.php -->

```

**Fig. 19.16** | Querying a database and displaying the results. (Part 1 of 3.)

---

```
4  <!-- Querying a database and displaying the results. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Search Results</title>
9          <style type = "text/css">
10         body { font-family: sans-serif;
11             background-color: lightyellow; }
12         table { background-color: lightblue;
13             border-collapse: collapse;
14             border: 1px solid gray; }
15         td { padding: 5px; }
16         tr:nth-child(odd) {
17             background-color: white; }
18     </style>
19 </head>
20 <body>
21     <?php
22         $select = $_POST["select"]; // creates variable $select
23
24         // build SELECT query
25         $query = "SELECT " . $select . " FROM books";
26
27         // Connect to MySQL
28         if ( !( $database = mysql_connect( "localhost",
29             "iw3htp", "password" ) ) )
30             die( "Could not connect to database </body></html>" );
31
32         // open Products database
33         if ( !mysql_select_db( "products", $database ) )
34             die( "Could not open products database </body></html>" );
35
36         // query Products database
37         if ( !( $result = mysql_query( $query, $database ) ) )
38         {
39             print( "<p>Could not execute query!</p>" );
40             die( mysql_error() . "</body></html>" );
41         } // end if
42
43         mysql_close( $database );
44     ?><!-- end PHP script -->
45     <table>
46         <caption>Results of "SELECT <?php print( "$select" ) ?>
47             FROM books"</caption>
48         <?php
49             // fetch each record in result set
50             while ( $row = mysql_fetch_row( $result ) )
51             {
52                 // build table to display results
53                 print( "<tr>" );
54
55                 foreach ( $row as $key => $value )
56                     print( "<td>$value</td>" );
```


---

**Fig. 19.16** | Querying a database and displaying the results. (Part 2 of 3.)

```

57         print( "</tr>" );
58     } // end while
59 ?><!-- end PHP script -->
60 </table>
61 <p>Your search yielded
62     <?php print( mysql_num_rows( $result ) ) ?> results.</p>
63 <p>Please email comments to <a href = "mailto:deitel@deitel.com">
64     Deitel and Associates, Inc.</a></p>
65
66 </body>
67 </html>

```



**Fig. 19.16** | Querying a database and displaying the results. (Part 3 of 3.)

To query the database, line 37 calls function `mysql_query`, specifying the query string and the database to query. If the query fails, the function returns `false`. Function `die` is then called with a call to function `mysql_error` as an argument. Function `mysql_error` returns any error strings from the database. If the query succeeds, `mysql_query` returns a resource containing the query result, which we assign to variable `$result`. Once we've stored the data in `$result`, we call `mysql_close` in line 43 to close the connection to the database. Function `mysql_query` can also execute SQL statements such as `INSERT` or `DELETE` that do not return results.

Lines 50–59 iterate through each record in the *result set* and construct an HTML5 table containing the results. The loop's condition calls the `mysql_fetch_row` function to return an array containing the values for each column in the current row of the query result (`$result`). The array is stored in variable `$row`. Lines 55–56 construct individual cells for each column in the row. The `foreach` statement takes the name of the array (`$row`), iterates through each index value of the array and stores the value in variable `$value`. Each element of the array is then printed as an individual cell. When the result has no more rows, `false` is returned by function `mysql_fetch_row`, which terminates the loop.

After all the rows in the result have been displayed, the table's closing tag is written (line 61). Lines 62–63 display the number of rows in `$result` by calling `mysql_num_rows` with `$result` as an argument.

## 19.10 Using Cookies

A **cookie** is a piece of information that's stored by a server in a text file on a client's computer to maintain information about the client during and between browsing sessions. A website can store a cookie on a client's computer to record user preferences and other information that the website can retrieve during the client's subsequent visits. For example, a website can use cookies to store clients' zip codes, so that it can provide weather reports and news updates tailored to the user's region. Websites also can use cookies to track information about client activity. Analysis of information collected via cookies can reveal the popularity of websites or products. Marketers can use cookies to determine the effectiveness of advertising campaigns.

Websites store cookies on users' hard drives, which raises issues regarding security and privacy. Websites should not store critical information, such as credit card numbers or passwords, in cookies, because cookies are typically stored in text files that any program can read. Several cookie features address security and privacy concerns. *A server can access only the cookies that it has placed on the client.* For example, a web application running on `www.deitel.com` cannot access cookies that the website `www.pearson.com` has placed on the client's computer. A cookie also has an *expiration date*, after which the web browser deletes it. Users who are concerned about the privacy and security implications of cookies can disable cookies in their browsers. But, disabling cookies can make it difficult or impossible for the user to interact with websites that rely on cookies to function properly.

The information stored in a cookie is sent back to the web server from which it originated whenever the user requests a web page from that particular server. The web server can send the client HTML5 output that reflects the preferences or information that's stored in the cookie.

### *HTML5 Document*

Figure 19.17 presents an HTML5 document containing a form in which the user specifies a name, height and favorite color. When the user clicks the **Write Cookie** button, the `cookies.php` script (Fig. 19.18) executes.

### *Writing Cookies: `cookies.php`*

Script `cookies.php` (Fig. 19.18) calls function `setcookie` (lines 8–10) to set the cookies to the values posted from `cookies.html`. The cookies defined in function `setcookie` are sent to the client at the same time as the information in the HTTP header; therefore, `setcookie` needs to be called *before* any other output. Function `setcookie` takes the name of the cookie to be set as the first argument, followed by the value to be stored in the cookie. For example, line 8 sets the name of the cookie to "Name" and the value to variable `$Name`, which is passed to the script from `cookies.html`. The optional third argument indicates the expiration date of the cookie. In this example, we set the cookies to expire in five days by taking the current time, which is returned by function `time`, and adding the constant `FIVE_DAYS`—the number of seconds after which the cookie is to expire (60 seconds per minute \* 60 minutes per hour \* 24 hours per day \* 5 = 5 days). *If no expiration date is specified, the cookie lasts only until the end of the current session*—that is, when the user closes the browser. This type of cookie is known as a **session cookie**, while one with an expiration date is a **persistent cookie**. If only the name argument is passed to function `setcookie`, the cookie is deleted from the client's computer. Lines 13–35 send a web page to the client

```

1 <!DOCTYPE html>
2
3 <!-- Fig. 19.17: cookies.html -->
4 <!-- Gathering data to be written as a cookie. -->
5 <html>
6   <head>
7     <meta charset = "utf-8">
8     <title>Writing a cookie to the client computer</title>
9     <style type = "text/css">
10       label { width: 7em; float: left; }
11     </style>
12   </head>
13   <body>
14     <h2>Click Write Cookie to save your cookie data.</h2>
15     <form method = "post" action = "cookies.php">
16       <div><label>Name:</label>
17         <input type = "text" name = "name"></div>
18       <div><label>Height:</label>
19         <input type = "text" name = "height"></div>
20       <div><label>Favorite Color:</label>
21         <input type = "text" name = "Color"></div>
22       <p><input type = "submit" value = "Write Cookie">
23     </form>
24   </body>
25 </html>

```



**Fig. 19.17** | Gathering data to be written as a cookie.

indicating that the cookie has been written and listing the values that are stored in the cookie.



### Software Engineering Observation 19.2

*Some clients do not accept cookies. When a client declines a cookie, the browser application normally informs the user that the site may not function correctly without cookies enabled.*




### Software Engineering Observation 19.3

*Cookies should not be used to store e-mail addresses, passwords or private data on a client's computer.*

```

1  <!-- Fig. 19.18: cookies.php -->
2  <!-- Writing a cookie to the client. -->
3  <?php
4      define( "FIVE_DAYS", 60 * 60 * 24 * 5 ); // define constant
5
6      // write each form field's value to a cookie and set the
7      // cookie's expiration date
8      setcookie( "name", $_POST["name"], time() + FIVE_DAYS );
9      setcookie( "height", $_POST["height"], time() + FIVE_DAYS );
10     setcookie( "color", $_POST["color"], time() + FIVE_DAYS );
11 ?><!-- end PHP script -->
12
13 <!DOCTYPE html>
14
15 <html>
16     <head>
17         <meta charset = "utf-8">
18         <title>Cookie Saved</title>
19         <style type = "text/css">
20             p { margin: 0px; }
21         </style>
22     </head>
23     <body>
24         <p>The cookie has been set with the following data:</p>
25
26         <!-- print each form field's value -->
27         <p>Name: <?php print( $Name ) ?></p>
28         <p>Height: <?php print( $Height ) ?></p>
29         <p>Favorite Color:
30             <span style = "color: <?php print( "$Color" ) ?> ">
31             <?php print( "$Color" ) ?></span></p>
32         <p>Click <a href = "readCookies.php">here</a>
33             to read the saved cookie.</p>
34     </body>
35 </html>

```



**Fig. 19.18** | Writing a cookie to the client.

### Reading an Existing Cookie

Figure 19.19 reads the cookie that was written in Fig. 19.18 and displays the cookie's information in a table. PHP creates the superglobal array `$_COOKIE`, which contains all the

cookie values indexed by their names, similar to the values stored in array `$_POST` when an HTML5 form is posted (see Section 19.8).

Lines 18–19 of Fig. 19.19 iterate through the `$_COOKIE` array using a `foreach` statement, printing out the name and value of each cookie in a paragraph. The `foreach` statement takes the name of the array (`$_COOKIE`) and iterates through each index value of the array (`$key`). In this case, the index values are the names of the cookies. Each element is then stored in variable `$value`, and these values become the individual cells of the table. Try closing your browser and revisiting `readCookies.php` to confirm that the cookie has persisted.


---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 19.19: readCookies.php -->
4  <!-- Displaying the cookie's contents. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Read Cookies</title>
9          <style type = "text/css">
10             p { margin: 0px; }
11         </style>
12     </head>
13     <body>
14         <p>The following data is saved in a cookie on your computer.</p>
15         <?php
16             // iterate through array $_COOKIE and print
17             // name and value of each cookie
18             foreach ($_COOKIE as $key => $value )
19                 print( "<p>$key: $value</p>" );
20             ?><!-- end PHP script -->
21         </body>
22     </html>

```

---



**Fig. 19.19** | Displaying the cookie's contents.

## 19.11 Dynamic Content

PHP can dynamically change the HTML5 it outputs based on a user's input. We now build on Section 19.8's example by combining the HTML5 form of Fig. 19.13 and the PHP script of Fig. 19.14 into one dynamic document. The form in Fig. 19.20 is created using a series of loops, arrays and conditionals. We add error checking to each of the text input fields and inform the user of invalid entries on the form itself, rather than on an error page. If an error exists, the script maintains the previously submitted values in each form

element. Finally, after the form has been successfully completed, we store the input from the user in a MySQL database. Once again, we assume that you've followed the XAMPP installation instructions in Chapter 17 (XAMPP includes MySQL) and that you've followed the Chapter 18 instructions for setting up a MySQL user account and for creating the database `MailingList` that we use in this example.

### *Variables*

Lines 19–28 create variables that are used throughout the script to fill in form fields and check for errors. Lines 19–24 use the `isset` function to determine whether the `$_POST` array contains keys representing the various form fields. These keys exist only after the form is submitted. If function `isset` returns true, then the form has been submitted and we assign the value for each key to a variable. Otherwise, we assign the empty string to each variable.

### *Arrays*

Lines 31–41 create three arrays, `$booklist`, `$systemlist` and `$inputlist`, that are used to dynamically create the form's input fields. We specify that the form created in this document is *self-submitting* (i.e., it posts to itself) by setting the `action` to the script 'dynamicForm.php' in line 125. [Note: We enclose HTML5 attribute values in the string argument of a `print` statement in single quotes so that they do not interfere with the double quotes that delimit the string. We could alternatively have used the escape sequence \" to print double quotes instead of single quotes.] Line 44 uses function `isset` to determine whether the **Register** button has been pressed, in which case the `$_POST` array will contain the key "submit" (the name of the button in the form). If it has, each of the text input fields' values is validated. If an error is detected (e.g., a text field is blank or the phone number is improperly formatted), the corresponding entry in array `$formerrors` is set to `true` and variable `$iserror` is set to `true`. If the **Register** button has not been pressed, we skip ahead to line 115.

---

```

1  <!DOCTYPE html>
2
3  <!-- Fig. 19.20: dynamicForm.php -->
4  <!-- Dynamic form. -->
5  <html>
6      <head>
7          <meta charset = "utf-8">
8          <title>Registration Form</title>
9          <style type = "text/css">
10             p { margin: 0px; }
11             .error { color: red }
12             p.head { font-weight: bold; margin-top: 10px; }
13             label { width: 5em; float: left; }
14         </style>
15     </head>
16     <body>
17         <?php
18             // variables used in script
19             $fname = isset($_POST[ "fname" ]) ? $_POST[ "fname" ] : "";
20             $lname = isset($_POST[ "lname" ]) ? $_POST[ "lname" ] : "";

```

---

**Fig. 19.20** | Dynamic form. (Part 1 of 5.)

```
21      $email = isset($_POST[ "email" ]) ? $_POST[ "email" ] : "";
22      $phone = isset($_POST[ "phone" ]) ? $_POST[ "phone" ] : "";
23      $book = isset($_POST[ "book" ]) ? $_POST[ "book" ] : "";
24      $os = isset($_POST[ "os" ]) ? $_POST[ "os" ] : "";
25      $iserror = false;
26      $formerrors =
27          array( "fnameerror" => false, "lnameerror" => false,
28                 "emailerror" => false, "phoneerror" => false );
29
30      // array of book titles
31      $booklist = array( "Internet and WWW How to Program",
32                         "C++ How to Program", "Java How to Program",
33                         "Visual Basic How to Program" );
34
35      // array of possible operating systems
36      $systemlist = array( "Windows", "Mac OS X", "Linux", "Other" );
37
38      // array of name values for the text input fields
39      $inputlist = array( "fname" => "First Name",
40                         "lname" => "Last Name", "email" => "Email",
41                         "phone" => "Phone" );
42
43      // ensure that all fields have been filled in correctly
44      if ( isset( $_POST[ "submit" ] ) )
45      {
46          if ( $fname == "" )
47          {
48              $formerrors[ "fnameerror" ] = true;
49              $iserror = true;
50          } // end if
51
52          if ( $lname == "" )
53          {
54              $formerrors[ "lnameerror" ] = true;
55              $iserror = true;
56          } // end if
57
58          if ( $email == "" )
59          {
60              $formerrors[ "emailerror" ] = true;
61              $iserror = true;
62          } // end if
63
64          if ( !preg_match( "/^\\([0-9]{3}\\) [0-9]{3}-[0-9]{4}$/",
65                           $phone ) )
66          {
67              $formerrors[ "phoneerror" ] = true;
68              $iserror = true;
69          } // end if
70
71          if ( !$iserror )
72          {
```

Fig. 19.20 | Dynamic form. (Part 2 of 5.)

```

73          // build INSERT query
74          $query = "INSERT INTO contacts "
75          "(" LastName, FirstName, Email, Phone, Book, OS ) "
76          "VALUES ( '$lname', '$fname', '$email', "
77          "'' . mysql_real_escape_string( $phone ) .
78          "'", '$book', '$os' )";
79
80          // Connect to MySQL
81          if ( !( $database = mysql_connect( "localhost",
82          "iw3http", "password" ) ) )
83          die( "<p>Could not connect to database</p>" );
84
85          // open MailingList database
86          if ( !mysql_select_db( "MailingList", $database ) )
87          die( "<p>Could not open MailingList database</p>" );
88
89          // execute query in MailingList database
90          if ( !( $result = mysql_query( $query, $database ) ) )
91          {
92              print( "<p>Could not execute query!</p>" );
93              die( mysql_error() );
94          } // end if
95
96          mysql_close( $database );
97
98          print( "<p>Hi $fname. Thank you for completing the survey.
99                  You have been added to the $book mailing list.</p>
100                 <p class = 'head'>The following information has been
101                     saved in our database:</p>
102                     <p>Name: $fname $lname</p>
103                     <p>Email: $email</p>
104                     <p>Phone: $phone</p>
105                     <p>OS: $os</p>
106                     <p><a href = 'formDatabase.php'>Click here to view
107                         entire database.</a></p>
108                     <p class = 'head'>This is only a sample form.
109                         You have not been added to a mailing list.</p>
110                     </body></html>" );
111         die(); // finish the page
112     } // end if
113 } // end if
114
115 print( "<h1>Sample Registration Form</h1>
116             <p>Please fill in all fields and click Register.</p>" );
117
118 if ( $iserror )
119 {
120     print( "<p class = 'error'>Fields with * need to be filled
121                     in properly.</p>" );
122 } // end if
123

```

**Fig. 19.20** | Dynamic form. (Part 3 of 5.)

```
124     print( "<!-- post form data to dynamicForm.php -->
125         <form method = 'post' action = 'dynamicForm.php'>
126             <h2>User Information</h2>
127
128             <!-- create four text boxes for user input -->" );
129     foreach ( $inputlist as $inputname => $inputalt )
130     {
131         print( "<div><label>$inputalt:</label><input type = 'text'
132             name = '$inputname' value = '" . $$inputname . "'>" );
133
134         if ( $formerrors[ ( $inputname ) . "error" ] == true )
135             print( "<span class = 'error'>*</span>" );
136
137         print( "</div>" );
138     } // end foreach
139
140     if ( $formerrors[ "phoneerror" ] )
141         print( "<p class = 'error'>Must be in the form
142             (555)555-5555" );
143
144     print( "<h2>Publications</h2>
145         <p>Which book would you like information about?</p>
146
147             <!-- create drop-down list containing book names -->
148             <select name = 'book'>" );
149
150     foreach ( $booklist as $currbook )
151     {
152         print( "<option" .
153             ( $currbook == $book ? " selected>" : ">" ) .
154             $currbook . "</option>" );
155     } // end foreach
156
157     print( "</select>
158         <h2>Operating System</h2>
159         <p>Which operating system do you use?</p>
160
161             <!-- create five radio buttons -->" );
162
163     $counter = 0;
164
165     foreach ( $systemlist as $currsystem )
166     {
167         print( "<input type = 'radio' name = 'os'
168             value = '$currsystem' " );
169
170         if ( ( !$os && $counter == 0 ) || ( $currsystem == $os ) )
171             print( "checked" );
172
173         print( ">$currsystem" );
174         ++$counter;
175     } // end foreach
176
```

Fig. 19.20 | Dynamic form. (Part 4 of 5.)

```

177     print( "<!-- create a submit button -->
178             <p class = 'head'><input type = 'submit' name = 'submit'
179                 value = 'Register'></p></form></body></html>" );
180     ?><!-- end PHP script -->

```

- a) Registration form after it was submitted with a missing field and an incorrectly formatted phone number

**Sample Registration Form**

Please fill in all fields and click Register.  
Fields with \* need to be filled in properly.

### User Information

First Name:

Last Name:

Email:

Phone:

Must be in the form (555)555-5555

### Publications

Which book would you like information about?

### Operating System

Which operating system do you use?

Windows  Mac OS X  Linux  Other

- b) Confirmation page displayed after the user properly fills in the form and the information is stored in the database

Hi Sue. Thank you for completing the survey. You have been added to the Internet and WWW How to Program mailing list.

**The following information has been saved in our database:**

Name: Sue Black  
Email: sue@bug2bug.com  
Phone: (123) 456-7890  
OS: Windows  
[Click here to view entire database.](#)

This is only a sample form. You have not been added to a mailing list.

localhost.../formDatabase....

**Fig. 19.20** | Dynamic form. (Part 5 of 5.)

### Dynamically Creating the Form

Line 71 determines whether any errors were detected. If `$iserror` is `false` (i.e., there were no input errors), lines 74–111 display the page indicating that the form was submitted successfully—we'll say more about these lines later. If `$iserror` is `true`, lines 74–111 are skipped, and the code from lines 115–179 executes. These lines include a series of `print` statements and conditionals to output the form, as seen in Fig. 19.20(a).

Lines 129–138 iterate through each element in the `$inputlist` array. In line 132 the value of `$$inputname` is assigned to the text field's `value` attribute. If the form has not yet been submitted, this will be the empty string `" "`. The notation `$$variable` specifies a **variable variable**, which allows the code to reference variables dynamically. You can use this expression to obtain the value of the variable whose name is equal to the value of `$variable`. PHP first determines the value of `$variable`, then appends this value to the leading `$` to form the identifier of the variable you wish to reference dynamically. (The expression `$$variable` can also be written as `$$variable` to convey this procedure.) For example, in lines 129–138, we use `$$inputname` to reference the value of each form-field variable. During the iteration of the loop, `$inputname` contains the name of one of the text input elements, such as `"email"`. PHP replaces `$inputname` in the expression `$$inputname` with the string representing that element's name forming the expression `$$email`. The entire expression then evaluates to the value of the variable `$email`. Thus, the variable `$email`, which stores the value of the e-mail text field after the form has been submitted, is dynamically referenced. This dynamic variable reference is added to the string as the value of the input field (using the concatenation operator) to maintain data over multiple submissions of the form.

Lines 134–135 add a red asterisk next to the text input fields that were filled out incorrectly. Lines 140–142 display the phone number format instructions in red if the user entered an invalid phone number.

Lines 150–155 and 165–175 generate options for the book drop-down list and operating-system radio buttons, respectively. In both cases, we ensure that the previously selected or checked element (if one exists) remains selected or checked over multiple attempts to correctly fill out the form. If any book was previously selected, line 153 adds `selected` to its option tag. Lines 170–171 select an operating system radio button under two conditions. If the form is begin displayed for the first time, the first radio button is selected. Otherwise, if the `$currensts` variable's value matches what's stored in the `$os` variable (i.e., what was submitted as part of the form), that specific radio button is selected.

### Inserting Data into the Database

If the form has been filled out correctly, lines 74–95 place the form information in the MySQL database `MailingList` using an `INSERT` statement. Line 77 uses the function `mysql_real_escape_string` to insert a backslash (`\`) before any special characters in the passed string. We must use this function so that MySQL does not interpret the parentheses in the phone number as having a special meaning aside from being part of a value to insert into the database. Lines 98–110 generate the web page indicating a successful form submission, which also provides a link to `formDatabase.php` (Fig. 19.21).

### Displaying the Database's Contents

The script in Fig. 19.21 displays the contents of the `MailingList` database using the same techniques that we showed in Fig. 19.16.

```
1 <!DOCTYPE html>
2
3 <!-- Fig. 19.21: formDatabase.php -->
4 <!-- Displaying the MailingList database. -->
5 <html>
6   <head>
7     <meta charset = "utf-8">
8     <title>Search Results</title>
9     <style type = "text/css">
10    table { background-color: lightblue;
11        border: 1px solid gray;
12        border-collapse: collapse; }
13    th, td { padding: 5px; border: 1px solid gray; }
14    tr:nth-child(even) { background-color: white; }
15    tr:first-child { background-color: lightgreen; }
16  </style>
17 </head>
18 <body>
19   <?php
20     // build SELECT query
21     $query = "SELECT * FROM contacts";
22
23     // Connect to MySQL
24     if ( !( $database = mysql_connect( "localhost",
25         "iw3htp", "password" ) ) )
26       die( "<p>Could not connect to database</p></body></html>" );
27
28     // open MailingList database
29     if ( !mysql_select_db( "MailingList", $database ) )
30       die( "<p>Could not open MailingList database</p>
31           </body></html>" );
32
33     // query MailingList database
34     if ( !( $result = mysql_query( $query, $database ) ) )
35     {
36       print( "<p>Could not execute query!</p>" );
37       die( mysql_error() . "</body></html>" );
38     } // end if
39   ?><!-- end PHP script -->
40
41   <h1>Mailing List Contacts</h1>
42   <table>
43     <caption>Contacts stored in the database</caption>
44     <tr>
45       <th>ID</th>
46       <th>Last Name</th>
47       <th>First Name</th>
48       <th>E-mail Address</th>
49       <th>Phone Number</th>
50       <th>Book</th>
51       <th>Operating System</th>
52     </tr>
```

**Fig. 19.21** | Displaying the MailingList database. (Part 1 of 2.)

```

53      <?php
54          // fetch each record in result set
55          for ( $counter = 0; $row = mysql_fetch_row( $result );
56              ++$counter )
57          {
58              // build table to display results
59              print( "<tr>" );
60
61              foreach ( $row as $key => $value )
62                  print( "<td>$value</td>" );
63
64              print( "</tr>" );
65          } // end for
66
67          mysql_close( $database );
68      ?><!-- end PHP script -->
69      </table>
70      </body>
71  </html>

```



**Fig. 19.21** | Displaying the MailingList database. (Part 2 of 2.)

## 19.12 Web Resources

[www.deitel.com/PHP/](http://www.deitel.com/PHP/)

The Deitel PHP Resource Center contains links to some of the best PHP information on the web. There you'll find categorized links to PHP tools, code generators, forums, books, libraries, frameworks and more. Also check out the tutorials for all skill levels, from introductory to advanced. Be sure to visit the related Resource Centers on HTML5 ([www.deitel.com/html5/](http://www.deitel.com/html5/)) and CSS 3 ([www.deitel.com/css3/](http://www.deitel.com/css3/)).

## Summary

### Section 19.1 Introduction

- PHP (p. 697), or PHP: Hypertext Preprocessor, has become one of the most popular server-side scripting languages for creating dynamic web pages.
- PHP is open source and platform independent—implementations exist for all major UNIX, Linux, Mac and Windows operating systems. PHP also supports a large number of databases.

### ***Section 19.2 Simple PHP Program***

- PHP code is embedded directly into HTML5 documents and interpreted on the server.
- PHP script file names end with .php.
- In PHP, code is inserted between the scripting delimiters <?php and ?> (p. 698). PHP code can be placed anywhere in HTML5 markup, as long as the code is enclosed in these delimiters.
- Variables are preceded by a \$ (p. 698) and are created the first time they're encountered.
- PHP statements terminate with a semicolon (;, p. 698).
- Single-line comments (p. 699) which begin with two forward slashes (//). Text to the right of the delimiter is ignored by the interpreter. Multiline comments begin with delimiter /\* and end with delimiter \*/.
- When a variable is encountered inside a double-quoted ("") string, PHP interpolates (p. 699) the variable—it inserts the variable's value where the variable name appears in the string.
- All operations requiring PHP interpolation execute on the server before the HTML5 document is sent to the client.

### ***Section 19.3 Converting Between Data Types***

- PHP variables are loosely typed—they can contain different types of data at different times.
- Type conversions can be performed using function `settype` (p. 699). This function takes two arguments—a variable whose type is to be changed and the variable's new type.
- Variables are automatically converted to the type of the value they're assigned.
- Function `gettype` (p. 701) returns the current type of its argument.
- Calling function `settype` can result in loss of data. For example, doubles are truncated when they're converted to integers.
- When converting from a string to a number, PHP uses the value of the number that appears at the beginning of the string. If no number appears at the beginning, the string evaluates to 0.
- Another option for conversion between types is casting (or type casting, p. 701). Casting does not change a variable's content—it creates a temporary copy of a variable's value in memory.
- The concatenation operator (., p. 702) combines multiple strings.
- A `print` statement split over multiple lines prints all the data that's enclosed in its parentheses.

### ***Section 19.4 Arithmetic Operators***

- Function `define` (p. 702) creates a named constant. It takes two arguments—the name and value of the constant. An optional third argument accepts a boolean value that specifies whether the constant is case insensitive—constants are case sensitive by default.
- Uninitialized variables have undefined values. In a numeric context, an undefined value evaluates to 0. In a string context, it evaluates to "undef").
- Keywords may not be used as function, method, class or namespace names.

### ***Section 19.5 Initializing and Manipulating Arrays***

- PHP provides the capability to store data in arrays. Arrays are divided into elements that behave as individual variables. Array names, like other variables, begin with the \$ symbol.
- Individual array elements are accessed by following the array's variable name with an index enclosed in square brackets ([]).
- If a value is assigned to an array that does not exist, then the array is created. Likewise, assigning a value to an element where the index is omitted appends a new element to the end of the array.

- Function `count` (p. 706) returns the total number of elements in the array.
- Function `array` (p. 708) creates an array that contains the arguments passed to it. The first item in the argument list is stored as the first array element (index 0), the second item is stored as the second array element and so on.
- Arrays with nonnumeric indices are called associative arrays (p. 708). You can create an associative array using the operator `=>`, where the value to the left of the operator is the array index and the value to the right is the element's value.
- PHP provides functions for iterating through the elements of an array. Each array has a built-in internal pointer (p. 708), which points to the array element currently being referenced. Function `reset` (p. 708) sets the internal pointer to the first array element. Function `key` (p. 708) returns the index of the element currently referenced by the internal pointer, and function `next` (p. 708) moves the internal pointer to the next element.
- The `foreach` statement (p. 709), designed for iterating through arrays, starts with the array to iterate through, followed by the keyword `as` (p. 709), followed by two variables—the first is assigned the index of the element and the second is assigned the value of that index. (If only one variable is listed after `as`, it's assigned the value of the array element.)

### *Section 19.6 String Comparisons*

- Many string-processing tasks can be accomplished using the equality and relational operators.
- Function `strcmp` (p. 709) compares two strings. The function returns -1 if the first string alphabetically precedes the second string, 0 if the strings are equal, and 1 if the first string alphabetically follows the second.

### *Section 19.7 String Processing with Regular Expressions*

- A regular expression (p. 710) is a series of characters used for pattern-matching templates in strings, text files and databases.
- Function `preg_match` (p. 710) uses regular expressions to search a string for a specified pattern. If a pattern is found, it returns the length of the matched string.
- Anything enclosed in single quotes in a `print` statement is not interpolated (unless the single quotes are nested in a double-quoted string literal).
- Function `preg_match` receives a regular expression pattern to search for and the string to search.
- Regular expressions can include metacharacters (p. 712) that specify patterns. For example, the caret (^) metacharacter matches the beginning of a string, while the dollar sign (\$) matches the end of a string. The period(.) metacharacter matches any single character except newlines.
- Bracket expressions (p. 712) are lists of characters enclosed in square brackets ([] ) that match any single character from the list. Ranges can be specified by supplying the beginning and the end of the range separated by a dash (-).
- Quantifiers (p. 712) are used in regular expressions to denote how often a particular character or set of characters can appear in a match.
- The optional third argument to function `preg_match` is an array that stores matches to each parenthetical statement of the regular expression. The first element stores the string matched for the entire pattern, and the remaining elements are indexed from left to right.
- To find multiple instances of a pattern, multiple calls to `preg_match`, and remove matched instances before calling the function again by using a function such as `preg_replace` (p. 713).
- Character classes (p. 713), or sets of specific characters, are enclosed by the delimiters [: and :]. When this expression is placed in another set of brackets, it's a regular expression matching all of the characters in the class.

- A bracketed expression containing two or more adjacent character classes in the class delimiters represents those character sets combined.
- Function `preg_replace` (p. 713) takes three arguments—the pattern to match, a string to replace the matched string and the string to search. The modified string is returned.

### ***Section 19.8 Form Processing and Business Logic***

- Superglobal arrays (p. 714) are associative arrays predefined by PHP that hold variables acquired from user input, the environment or the web server and are accessible in any variable scope.
- The arrays `$_GET` and `$_POST` (p. 714) retrieve information sent to the server by HTTP `get` and `post` requests, respectively.
- A script located on a web server can access the form data posted to the script as part of a request.
- Function `die` (p. 719) terminates script execution. The function's optional argument is a string to display or an integer to return as the script exits.

### ***Section 19.9 Reading from a Database***

- Function `mysql_connect` (p. 720) connects to the MySQL database. It takes three arguments—the server's hostname, a username and a password, and returns a database handle (p. 720)—a representation of PHP's connection to the database, or `false` if the connection fails.
- Function `mysql_select_db` (p. 720) specifies the database to be queried, and returns a `bool` indicating whether or not it was successful.
- To query the database, we call function `mysql_query` (p. 722), specifying the query string and the database to query. This returns a resource containing the result of the query, or `false` if the query fails. It can also execute SQL statements such as `INSERT` or `DELETE` that do not return results.
- Function `mysql_error` returns any error strings from the database.

### ***Section 19.10 Using Cookies***

- A cookie (p. 723) is a text file that a website stores on a client's computer to maintain information about the client during and between browsing sessions.
- A server can access only the cookies that it has placed on the client.
- Function `setcookie` (p. 723) takes the name of the cookie to be set as the first argument, followed by the value to be stored in the cookie. The optional third argument indicates the expiration date of the cookie. A cookie without a third argument is known as a session cookie, while one with an expiration date is a persistent cookie. If only the name argument is passed to function `setcookie`, the cookie is deleted from the client's computer.
- Cookies defined in function `setcookie` are sent to the client at the same time as the information in the HTTP header; therefore, it needs to be called before any HTML5 is printed.
- The current time is returned by function `time` (p. 723).
- When using Internet Explorer, cookies are stored in a `Cookies` directory on the client's machine. In Firefox, cookies are stored in a file named `cookies.txt`.
- The superglobal array `$_COOKIE` (p. 725) contains all the cookie values indexed by their names.

### ***Section 19.11 Dynamic Content***

- Function `isset` (p. 727) allows you to find out if a variable has a value.
- A variable variable (`$$variable`, p. 732) allows the code to reference variables dynamically. You can use this expression to obtain the value of the variable whose name is equal to the value of `$variable`.
- The `mysql_real_escape_string` function (p. 732) inserts a backslash (\) before any special characters in the passed string.

## Self-Review Exercises

- 19.1** State whether each of the following is *true* or *false*. If *false*, explain why.
- PHP is open source and platform dependent.
  - PHP supports only a few databases.
  - PHP script file names end with .php.
  - PHP code can be placed anywhere in HTML5 markup, as long as the code is enclosed in the scripting delimiters <? and ?>.
  - PHP variables are loosely typed.
  - Function `define` creates a named variable.
  - Function `preg_replace` takes two arguments—the pattern to match and the string to search.
  - Keywords may be used as identifiers.
  - Function `mysql_connect` connects to the MySQL database.
  - Function `strcmp` compares two strings.
- 19.2** Fill in the blanks in each of the following statements:
- Type conversions can be performed using function \_\_\_\_\_.
  - A variable \_\_\_\_\_ allows the code to reference variables dynamically.
  - The current time is returned by function \_\_\_\_\_.
  - A server can access only the cookies that it has placed on the \_\_\_\_\_.
  - Function `mysql_error` returns any error strings from the \_\_\_\_\_.
  - The arrays \_\_\_\_\_ retrieve information sent to the server by HTTP get requests,
  - Function `preg_replace` takes \_\_\_\_\_ arguments.
  - The \_\_\_\_\_ metacharacter matches any single character.
  - PHP statements terminate with a \_\_\_\_\_.
  - Function \_\_\_\_\_ allows you to find out if a variable has a value.

## Answers to Self-Review Exercises

- 19.1** a) False. PHP is open source and platform independent. b) False. PHP supports a large number of databases. c) True. d) False. PHP code can be placed anywhere in HTML5 markup, as long as the code is enclosed in the scripting delimiters <?php and ?>. e) True. f) False. Function `define` creates a named constant. g) False. Function `preg_replace` takes three arguments—the pattern to match, a string to replace the matched string and the string to search. h) False. Keywords may not be used as identifiers. i) True. j) True.
- 19.2** a) `settype`. b) `variable ($$variable)`. c) `time`. d) `client`. e) `database`. f) `$_GET`. g) three. h) period (.). i) semicolon. j) `isset`.

## Exercises

- 19.3** Identify and correct the error in each of the following PHP code examples:
- <?php print( "Hello World" ); >
  - <?php  
    \$name = "Paul";  
    print( "\$Name" );  
?><!-- end PHP script -->
- 19.4** Write a PHP regular expression pattern that matches a string that satisfies the following description: The string must begin with the (uppercase) letter A. Any three alphanumeric characters must follow. After these, the letter B (uppercase or lowercase) must be repeated one or more times, and the string must end with two digits.
- 19.5** Describe how input from an HTML5 form is retrieved in a PHP program.
- 19.6** Describe how cookies can be used to store information on a computer and how the information can be retrieved by a PHP script. Assume that cookies are not disabled on the client.

**19.7** Write a PHP script named `states.php` that creates a variable `$states` with the value "Mississippi Alabama Texas Massachusetts Kansas". The script should perform the following tasks:

- a) Search for a word in `$states` that ends in `xas`. Store this word in element 0 of an array named `$statesArray`.
- b) Search for a word in `$states` that begins with `k` and ends in `s`. Perform a case-insensitive comparison. Store this word in element 1 of `$statesArray`.
- c) Search for a word in `$states` that begins with `M` and ends in `s`. Store this element in element 2 of the array.
- d) Search for a word in `$states` that ends in `a`. Store this word in element 3 of the array.
- e) Search for a word in `$states` at the beginning of the string that starts with `M`. Store this word in element 4 of the array.
- f) Output the array `$statesArray` to the screen.

**19.8** Write a PHP script that tests whether an e-mail address is input correctly. Verify that the input begins with series of characters, followed by the @ character, another series of characters, a period (.) and a final series of characters. Test your program, using both valid and invalid e-mail addresses.

**19.9** Write a PHP script that obtains a URL and its description from a user and stores the information into a database using MySQL. Create and run a SQL script with a database named `URL` and a table named `UrlTable`. The first field of the table should contain an actual URL, and the second, which is named `Description`, should contain a description of the URL. Use `www.deitel.com` as the first URL, and input `Cool site!` as its description. The second URL should be `www.php.net`, and the description should be `The official PHP site`. After each new URL is submitted, print the contents of the database in a table. [Note: Follow the instructions in Section 18.5.2 to create the `Url` database by using the `URLs.sql` script that's provided with this chapter's examples in the `dbscripts` folder.]

# 20

# Web App Development with ASP.NET in C#

*... the challenges are for the designers of these applications: to forget what we think we know about the limitations of the Web, and begin to imagine a wider, richer range of possibilities. It's going to be fun.*

—Jesse James Garrett

*If any man will draw up his case, and put his name at the foot of the first page, I will give him an immediate reply. Where he compels me to turn over the sheet, he must wait my leisure.*

—Lord Sandwich

## Objectives

In this chapter you'll learn:

- Web application development using ASP.NET.
- To handle the events from a Web Form's controls.
- To use validation controls to ensure that data is in the correct format before it's sent from a client to the server.
- To maintain user-specific information.
- To create a data-driven web application using ASP.NET and LINQ to SQL.



|   |  |
|---|--|
| <b>20.1</b> Introduction                            | <b>20.7.3</b> Options.aspx: Selecting a Programming Language                           |
| <b>20.2</b> Web Basics                              | <b>20.7.4</b> Recommendations.aspx: Displaying Recommendations Based on Session Values |
| <b>20.3</b> Multitier Application Architecture      |  |
| <b>20.4</b> Your First ASP.NET Application          |  |
| 20.4.1 Building the WebTime Application             | <b>20.8</b> Case Study: Database-Driven  |
| 20.4.2 Examining WebTime.aspx's Code-Behind File    | ASP.NET Guestbook  |
| <b>20.5</b> Standard Web Controls: Designing a Form | 20.8.1 Building a Web Form that Displays Data from a Database                          |
| <b>20.6</b> Validation Controls                     | 20.8.2 Modifying the Code-Behind File for the Guestbook Application                    |
| <b>20.7</b> Session Tracking                        | <b>20.9</b> Case Study Introduction: ASP.NET AJAX                                      |
| 20.7.1 Cookies                                      |  |
| 20.7.2 Session Tracking with HttpSessionState       | <b>20.10</b> Case Study Introduction: Password-Protected Books Database Application    |

*Summary | Self-Review Exercises | Answers to Self-Review Exercises | Exercises*

## 20.1 Introduction

In this chapter, we introduce **web-application development** with Microsoft’s **ASP.NET** technology. Web-based applications create web content for web-browser clients.

We present several examples that demonstrate web-application development using **Web Forms**, **web controls** (also called **ASP.NET server controls**) and Visual C# programming. Web Form files have the file-name extension **.aspx** and contain the web page’s GUI. You customize Web Forms by adding web controls including labels, textboxes, images, buttons and other GUI components. The Web Form file represents the web page that is sent to the client browser. We often refer to Web Form files as **ASPx files**.

An ASPX file created in Visual Studio has a corresponding class written in a .NET language—we use Visual C# in this book. This class contains event handlers, initialization code, utility methods and other supporting code. The file that contains this class is called the **code-behind file** and provides the ASPX file’s programmatic implementation.

To develop the code and GUIs in this chapter, we used Microsoft’s **Visual Web Developer 2010 Express**—a free IDE designed for developing ASP.NET web applications. The full version of Visual Studio 2010 includes the functionality of Visual Web Developer, so the instructions we present for Visual Web Developer also apply to Visual Studio 2010. The database example (Section 20.8) also requires SQL Server 2008 Express. You can download and install these tools from [www.microsoft.com/express](http://www.microsoft.com/express).

In the next chapter, we present several additional web-application development topics, including:

- master pages to maintain a uniform look-and-feel across the Web Forms in a web application
- creating password-protected websites with registration and login capabilities
- using the **Web Site Administration Tool** to specify which parts of a website are password protected

- using ASP.NET AJAX to quickly and easily improve the user experience for your web applications, giving them responsiveness comparable to that of desktop applications.

## 20.2 Web Basics

In this section, we discuss what occurs when a user requests a web page in a browser. In its simplest form, a *web page* is nothing more than an *HTML (HyperText Markup Language) document* (with the extension `.html` or `.htm`) that describes to a web browser the document's content and how to format it.

HTML documents normally contain *hyperlinks* that link to different pages or to other parts of the same page. When the user clicks a hyperlink, a *web server* locates the requested web page and sends it to the user's web browser. Similarly, the user can type the *address of a web page* into the browser's *address field* and press *Enter* to view the specified page.

Web development tools like Visual Web Developer typically use a “stricter” version of HTML called *XHTML (Extensible HyperText Markup Language)*, which is based on XML. ASP.NET produces web pages as XHTML documents.

### URIs and URLs

*URIs (Uniform Resource Identifiers)* identify resources on the Internet. URIs that start with `http://` are called *URLs (Uniform Resource Locators)*. Common URLs refer to files, directories or server-side code that performs tasks such as database lookups, Internet searches and business application processing. If you know the URL of a publicly available resource anywhere on the web, you can enter that URL into a web browser's address field and the browser can access that resource.

### Parts of a URL

A URL contains information that directs a browser to the resource that the user wishes to access. Web servers make such resources available to web clients.

Let's examine the components of the URL


```
http://www.deitel.com/books/downloads.html
```

The `http://` indicates that the HyperText Transfer Protocol (HTTP) should be used to obtain the resource. HTTP is the web protocol that enables clients and servers to communicate. Next in the URL is the server's fully qualified **hostname** (`www.deitel.com`)—the name of the web server computer on which the resource resides. This computer is referred to as the **host**, because it houses and maintains resources. The hostname `www.deitel.com` is translated into an **IP (Internet Protocol) address**—a numerical value that uniquely identifies the server on the Internet. A **Domain Name System (DNS) server** maintains a database of hostnames and their corresponding IP addresses, and performs the translations automatically.


The remainder of the URL (`/books/downloads.html`) specifies the resource's location (`/books`) and name (`downloads.html`) on the web server. The location could represent an actual directory on the web server's file system. For *security* reasons, however, the location is typically a *virtual directory*. The web server translates the virtual directory into a real location on the server, thus hiding the resource's true location.

### Making a Request and Receiving a Response

When given a URL, a web browser uses HTTP to retrieve the web page found at that address. Figure 20.1 shows a web browser sending a request to a web server. Figure 20.2 shows the web server responding to that request.



**Fig. 20.1** | Client requesting a resource from a web server.




**Fig. 20.2** | Client receiving a response from the web server.

## 20.3 Multitier Application Architecture

Web-based applications are **multitier applications** (sometimes referred to as *n-tier applications*). Multitier applications divide functionality into separate **tiers** (that is, logical groupings of functionality). Although tiers can be located on the *same* computer, the tiers of web-based applications commonly reside on *separate* computers for security and scalability. Figure 20.3 presents the basic architecture of a three-tier web-based application.

### Information Tier

The **information tier** (also called the **bottom tier**) maintains the application's data. This tier typically stores data in a relational database management system. For example, a retail store might have a database for storing product information, such as descriptions, prices and quantities in stock. The same database also might contain customer information, such as user names, billing addresses and credit card numbers. This tier can contain multiple databases, which together comprise the data needed for an application.



**Fig. 20.3** | Three-tier architecture.

### *Business Logic*

The **middle tier** implements **business logic**, **controller logic** and **presentation logic** to control interactions between the application's clients and its data. The middle tier acts as an intermediary between data in the information tier and the application's clients. The middle-tier controller logic processes client requests (such as requests to view a product catalog) and retrieves data from the database. The middle-tier presentation logic then processes data from the information tier and presents the content to the client. Web applications typically present data to clients as web pages.


Business logic in the middle tier enforces *business rules* and ensures that data is reliable before the server application updates the database or presents the data to users. Business rules dictate how clients can and cannot access application data, and how applications process data. For example, a business rule in the middle tier of a retail store's web-based application might ensure that all product quantities remain positive. A client request to set a negative quantity in the bottom tier's product information database would be rejected by the middle tier's business logic.

### *Client Tier*

The **client tier**, or **top tier**, is the application's user interface, which gathers input and displays output. Users interact directly with the application through the user interface (typically viewed in a web browser), keyboard and mouse. In response to user actions (for example, clicking a hyperlink), the client tier interacts with the middle tier to make requests and to retrieve data from the information tier. The client tier then displays to the user the data retrieved from the middle tier. The client tier never directly interacts with the information tier.

## 20.4 Your First ASP.NET Application

Our first example displays the web server's time of day in a browser window (Fig. 20.4). When this application executes—that is, a web browser requests the application's web page—the web server executes the application's code, which gets the current time and displays it in a `Label`. The web server then returns the result to the web browser that made the request, and the web browser renders the web page containing the time. We show this application executing in the Internet Explorer and Firefox web browsers to show you that the web page renders identically across browsers.



**Fig. 20.4** | WebTime web application running in Internet Explorer and Firefox.


### *Testing the Application in Your Default Web Browser*

To test this application in your default web browser, perform the following steps:

1. Open Visual Web Developer.
2. Select **Open Web Site...** from the **File** menu.
3. In the **Open Web Site** dialog (Fig. 20.5), ensure that **File System** is selected, then navigate to this chapter's examples, select the `WebTime` folder and click the **Open** Button.
4. Select `WebTime.aspx` in the **Solution Explorer**, then type *Ctrl + F5* to execute the web application.


### *Testing the Application in a Selected Web Browser*

If you wish to execute the application in another web browser, you can copy the web page's address from your default browser's address field and paste it into another browser's address field, or you can perform the following steps:



**Fig. 20.5** | Open Web Site dialog.

1. In the Solution Explorer, right click **WebTime.aspx** and select **Browse With...** to display the **Browse With** dialog (Fig. 20.6).



**Fig. 20.6** | Selecting another web browser to execute the web application.

2. From the **Browsers** list, select the browser in which you'd like to test the web application and click the **Browse** Button.


If the browser you wish to use is not listed, you can use the **Browse With** dialog to add items to or remove items from the list of web browsers.

### 20.4.1 Building the WebTime Application

Now that you've tested the application, let's create it in Visual Web Developer.

#### Step 1: Creating the Web Site Project

Select **File > New Web Site...** to display the **New Web Site** dialog (Fig. 20.7). In the left column of this dialog, ensure that **Visual C#** is selected, then select **ASP.NET Empty Web Site** in the middle column. At the bottom of the dialog you can specify the location and name of the web application.



**Fig. 20.7** | Creating an ASP.NET Web Site in Visual Web Developer.

The **Web location:** ComboBox provides the following options:


- **File System:** Creates a new website for testing on your local computer. Such websites execute in Visual Web Developer's built-in ASP.NET Development Server and can be accessed only by web browsers running on the same computer. You can later "publish" your website to a production web server for access via a local network or the Internet. Each example in this chapter uses the **File System** option, so select it now.
- **HTTP:** Creates a new website on an IIS web server and uses HTTP to allow you to put your website's files on the server. IIS is Microsoft's software that is used to run production websites. If you own a website and have your own web server, you might use this to build a new website directly on that server computer. You must be an Administrator on the computer running IIS to use this option.
- **FTP:** Uses File Transfer Protocol (FTP) to allow you to put your website's files on the server. The server administrator must first create the website on the server for you. FTP is commonly used by so-called "hosting providers" to allow website owners to share a server computer that runs many websites.

Change the name of the web application from **WebSite1** to **WebTime**, then click **OK** to create the website.

### *Step 2: Adding a Web Form to the Website and Examining the Solution Explorer*

A **Web Form** represents one page in a web application—we'll often use the terms “page” and “Web Form” interchangeably. A Web Form contains a web application’s GUI. To create the `WebTime.aspx` Web Form:

1. Right click the project name in the **Solution Explorer** and select **Add New Item...** to display the **Add New Item** dialog (Fig. 20.8).




**Fig. 20.8** | Adding a new **Web Form** to the website with the **Add New Item** dialog.

2. In the left column, ensure that **Visual C#** is selected, then select **Web Form** in the middle column.
3. In the **Name:** TextBox, change the file name to `WebTime.aspx`, then click the **Add** Button.


After you add the Web Form, the IDE opens it in **Source** view by default (Fig. 20.9). This view displays the markup for the Web Form. As you become more familiar with ASP.NET and building web sites in general, you might use **Source** view to perform high precision adjustments to your design or to program in the JavaScript language that executes in web browsers. For the purposes of this chapter, we'll keep things simple by working exclusively in **Design** mode. To switch to **Design** mode, you can click the **Design** Button at the bottom of the code editor window.

### *The Solution Explorer*

The **Solution Explorer** (Fig. 20.10) shows the contents of the website. We expanded the node for `WebTime.aspx` to show you its code-behind file `WebTime.aspx.cs`. Visual Web Developer's **Solution Explorer** contains several buttons that differ from Visual C# Express. The **Copy Web Site** button opens a dialog that allows you to move the files in this project to another location, such as a remote web server. This is useful if you're developing the application on your local computer but want to make it available to the public from a different location. The **ASP.NET Configuration** button takes you to a web page called the **Web Site Administra-**



**Fig. 20.9** | Web Form in **Source** view.



**Fig. 20.10** | Solution Explorer window for an **Empty Web Site** project after adding the Web Form **WebTime.aspx**.

tion Tool, where you can manipulate various settings and security options for your application. The **Nest Related Files** button organizes each Web Form and its code-behind file.

If the ASPX file is not open in the IDE, you can open it in **Design** mode three ways:

- double click it in the **Solution Explorer** then select the **Design** tab
- select it in the **Solution Explorer** and click the **View Designer** (□) Button
- right click it in the **Solution Explorer** and select **View Designer**


To open the code-behind file in the code editor, you can

- double click it in the **Solution Explorer**
- select the ASPX file in the **Solution Explorer**, then click the **View Code** (□) Button
- right click the code-behind file in the **Solution Explorer** and select **Open**

### The Toolbox

Figure 20.11 shows the **Toolbox** displayed in the IDE when the project loads. Part (a) displays the beginning of the **Standard** list of web controls, and part (b) displays the remain-


ing web controls and the list of other control groups. We discuss specific controls listed in Fig. 20.11 as they're used throughout the chapter. Many of the controls have similar or identical names to the Windows Forms controls used in desktop applications.



**Fig. 20.11 | Toolbox** in Visual Web Developer.

### *The Web Forms Designer*

Figure 20.12 shows the initial Web Form in **Design** mode. You can drag and drop controls from the **Toolbox** onto the Web Form. You can also type at the current cursor location to add so-called static text to the web page. In response to such actions, the IDE generates the appropriate markup in the ASPX file.



**Fig. 20.12 | Design** mode of the Web Forms Designer.

### *Step 3: Changing the Title of the Page*

Before designing the Web Form's content, you'll change its title to **A Simple Web Form Example**. This title will be displayed in the web browser's title bar (see Fig. 20.4). It's typi-

cally also used by search engines like Google and Bing when they index real websites for searching. Every page should have a title. To change the title:

1. Ensure that the ASPX file is open in **Design** view.
2. View the Web Form's properties by selecting **DOCUMENT**, which represents the Web Form, from the drop-down list in the **Properties** window.
3. Modify the **Title** property in the **Properties** window by setting it to **A Simple Web Form Example**.

### *Designing a Page*

Designing a Web Form is similar to designing a Windows Form. To add controls to the page, drag-and-drop them from the **Toolbox** onto the Web Form in **Design** view. The Web Form and each control are objects that have properties, methods and events. You can set these properties visually using the **Properties** window or programmatically in the code-behind file. You can also type text directly on a Web Form at the cursor location.

Controls and other elements are placed sequentially on a Web Form one after another in the order in which you drag-and-drop them onto the Web Form. The cursor indicates the insertion point in the page. If you want to position a control between existing text or controls, you can drop the control at a specific position between existing page elements. You can also rearrange controls with drag-and-drop actions in **Design** view. The positions of controls and other elements are relative to the Web Form's upper-left corner. This type of layout is known as relative positioning and it allows the browser to move elements and resize them based on the size of the browser window. Relative positioning is the default, and we'll use it throughout this chapter.

For precise control over the location and size of elements, you can use absolute positioning in which controls are located exactly where you drop them on the Web Form. If you wish to use absolute positioning:

1. Select **Tools > Options....**, to display the **Options** dialog.
2. If it isn't checked already, check the **Show all settings** checkbox.
3. Next, expand the **HTML Designer > CSS Styling** node and ensure that the checkbox labeled **Change positioning to absolute for controls added using Toolbox, paste or drag and drop** is selected.


### *Step 4: Adding Text and a Label*

You'll now add some text and a **Label** to the Web Form. Perform the following steps to add the text:

1. Ensure that the Web Form is open in **Design** mode.
2. Type the following text at the current cursor location:


**Current time on the Web server:**

3. Select the text you just typed, then select **Heading 2** from the **Block Format ComboBox** (Fig. 20.13) to format this text as a heading that will appear in a larger bold font. In more complex pages, headings help you specify the relative importance of parts of that content—like sections in a book chapter.




**Fig. 20.13** | Changing the text to Heading 2 heading.

4. Click to the right of the text you just typed and press the *Enter* key to start a new paragraph in the page. The Web Form should now appear as in Fig. 20.14.



**Fig. 20.14** | WebTime.aspx after inserting text and a new paragraph.

5. Next, drag a Label control from the **Toolbox** into the new paragraph or double click the Label control in the **Toolbox** to insert the Label at the current cursor position.
6. Using the **Properties** window, set the Label's (ID) property to `timeLabel1`. This specifies the variable name that will be used to programmatically change the Label's Text.
7. Because, the Label's Text will be set programmatically, delete the current value of the Label's Text property. When a Label does not contain text, its name is displayed in square brackets in **Design** view (Fig. 20.15) as a placeholder for design and layout purposes. This text is not displayed at execution time.




**Fig. 20.15** | WebTime.aspx after adding a Label.

#### *Step 5: Formatting the Label*


Formatting in a web page is performed with CSS (Cascading Style Sheets). It's easy to use CSS to format text and elements in a Web Form via the tools built into Visual Web Developer. In this example, we'd like to change the Label's background color to black, its foreground color yellow and make its text size larger. To format the Label, perform the following steps:

1. Click the Label in Design view to ensure that it's selected.
  2. Select View > Other Windows > CSS Properties to display the CSS Properties window at the left side of the IDE (Fig. 20.16).
- 




**Fig. 20.16** | CSS Properties window.

3. Right click in the Applied Rules box and select New Style... to display the New Style dialog (Fig. 20.17).
4. Type the new style's name—.timeStyle—in the Selector: ComboBox. Styles that apply to specific elements must be named with a dot (.) preceding the name. Such a style is called a CSS class.
5. Each item you can set in the New Style dialog is known as a CSS attribute. To change timeLabel's foreground color, select the Font category from the Category list, then select the yellow color swatch for the color attribute.
6. Next, change the font-size attribute to xx-large.
7. To change timeLabel's background color, select the Background category, then select the black color swatch for the background-color attribute.

**Fig. 20.17** | New Style dialog.

The **New Style** dialog should now appear as shown in Fig. 20.18. Click the **OK** Button to apply the style to the `timeLabel` so that it appears as shown in Fig. 20.19. Also, notice that the Label's `CssClass` property is now set to `timeStyle` in the **Properties** window.

**Fig. 20.18** | New Style dialog after changing the Label's style.



**Fig. 20.19** | Design view after changing the Label's style.

#### *Step 6: Adding Page Logic*

Now that you've designed the GUI, you'll write code in the code-behind file to obtain the server's time and display it on the Label. Open `WebTime.aspx.cs` by double clicking it in the **Solution Explorer**. In this example, you'll add an event handler to the code-behind file to handle the Web Form's **Init** event, which occurs when the page is requested by a web browser. The event handler for this event—named `Page_Init`—initialize the page. The only initialization required for this example is to set the `timeLabel`'s `Text` property to the time on the web server computer. The code-behind file initially contains a `Page_Load` event handler. To create the `Page_Init` event handler, simply rename `Page_Load` as `Page_Init`. Then complete the event handler by inserting the following code in its body:

```
// display the server's current time in timeLabel  
timeLabel.Text = DateTime.Now.ToString("hh:mm:ss");
```

#### *Step 7: Setting the Start Page and Running the Program*

To ensure that `WebTime.aspx` loads when you execute this application, right click it in the **Solution Explorer** and select **Set As Start Page**. You can now run the program in one of several ways. At the beginning of Fig. 20.4, you learned how to view the Web Form by typing **Ctrl + F5**. You can also right click an ASPX file in the **Solution Explorer** and select **View in Browser**. Both of these techniques execute the ASP.NET Development Server, open your default web browser and load the page into the browser, thus running the web application. The development server stops when you exit Visual Web Developer.

If problems occur when running your application, you can run it in debug mode by selecting **Debug > Start Debugging**, by clicking the **Start Debugging Button** (▶) or by typing **F5** to view the web page in a web browser with debugging enabled. You cannot debug a web application unless debugging is explicitly enabled in the application's **Web.config** file—a file that is generated when you create an ASP.NET web application. This file stores the application's configuration settings. You'll rarely need to manually modify **Web.config**. The first time you select **Debug > Start Debugging** in a project, a dialog appears and asks whether you want the IDE to modify the **Web.config** file to enable debugging. After you click **OK**, the IDE executes the application. You can stop debugging by selecting **Debug > Stop Debugging**.

Regardless of how you execute the web application, the IDE will compile the project before it executes. In fact, ASP.NET compiles your web page whenever it changes between HTTP requests. For example, suppose you browse the page, then modify the `ASPX` file or add code to the code-behind file. When you reload the page, ASP.NET recompiles the

page on the server before returning the response to the browser. This important behavior ensures that clients always see the latest version of the page. You can manually compile an entire website by selecting **Build Web Site** from the **Debug** menu in Visual Web Developer.

### 20.4.2 Examining WebTime.aspx's Code-Behind File

Figure 20.20 presents the code-behind file `WebTime.aspx.cs`. Line 5 begins the declaration of class `WebTime`. In Visual C#, a class declaration can span multiple source-code files—the separate portions of the class declaration in each file are known as **partial classes**. The **partial** modifier indicates that the code-behind file is part of a larger class. Like Windows Forms applications, the rest of the class's code is generated for you based on your visual interactions to create the application's GUI in **Design** mode. That code is stored in other source code files as partial classes with the same name. The compiler assembles all the partial classes that have the same into a single class declaration.

Line 5 indicates that `WebTime` inherits from class `Page` in namespace `System.Web.UI`. This namespace contains classes and controls for building web-based applications. Class `Page` represents the default capabilities of each page in a web application—all pages inherit directly or indirectly from this class.

Lines 8–12 define the `Page_Init` event handler, which initializes the page in response to the page's `Init` event. The only initialization required for this page is to set the `timeLabel`'s `Text` property to the time on the web server computer. The statement in line 11 retrieves the current time (`DateTime.Now`) and formats it as `hh:mm:ss`. For example, 9 AM is formatted as `09:00:00`, and 2:30 PM is formatted as `02:30:00`. As you'll see, variable `timeLabel` represents an ASP.NET `Label` control. The ASP.NET controls are defined in namespace `System.Web.UI.WebControls`.

---

```

1 // Fig. 20.20: WebTime.aspx.cs
2 // Code-behind file for a page that displays the web server's time.
3 using System;
4
5 public partial class WebTime : System.Web.UI.Page
6 {
7     // initializes the contents of the page
8     protected void Page_Init( object sender, EventArgs e )
9     {
10         // display the server's current time in timeLabel
11         timeLabel.Text = DateTime.Now.ToString( "hh:mm:ss" );
12     } // end method Page_Init
13 } // end class WebTime

```

---

**Fig. 20.20** | Code-behind file for a page that displays the web server's time.

## 20.5 Standard Web Controls: Designing a Form

This section introduces some of the web controls located in the **Standard** section of the **Toolbox** (Fig. 20.11). Figure 20.21 summarizes the controls used in the next example.

### A Form Gathering User Input

Figure 20.22 depicts a form for gathering user input. This example does not perform any tasks—that is, no action occurs when the user clicks **Register**. As an exercise, we ask you

| Web control     | Description  |
|-----------------|--|
| TextBox         | Gathers user input and displays text.                                      |
| Button          | Triggers an event when clicked.  |
| HyperLink       | Displays a hyperlink.  |
| DropDownList    | Displays a drop-down list of choices from which a user can select an item. |
| RadioButtonList | Groups radio buttons.  |
| Image           | Displays images (for example, PNG, GIF and JPG).                           |

**Fig. 20.21** | Commonly used web controls.

The screenshot shows a 'Web Controls Demonstration - Windows Internet Explorer' window. The page title is 'Registration Form'. The content includes:

- A heading: **Registration Form**.
- A paragraph: Please fill in all fields and click the Register button.
- An image control labeled 'User Information'.
- A table containing four Images and four TextBoxes, with fields for First Name, Last Name, Email, and Phone.
- A TextBox control labeled 'Publications'.
- A DropDownList control labeled 'Which book would you like information about?' with an option 'Visual Basic 2010 How to Program'.
- A HyperLink control labeled 'Click here to view more information about our books'.
- A RadioButtonList control labeled 'Operating System' with options: Windows 7, Windows Vista, Windows XP, Mac OS X, Linux, and Other. The 'Windows 7' option is selected.
- A Button control labeled 'Register'.

**Fig. 20.22** | Web Form that demonstrates web controls.

to provide the functionality. Here we focus on the steps for adding these controls to a Web Form and for setting their properties. Subsequent examples demonstrate how to handle the events of many of these controls. To execute this application:

1. Select **Open Web Site...** from the **File** menu.
2. In the **Open Web Site** dialog, ensure that **File System** is selected, then navigate to this chapter's examples, select the **WebControls** folder and click the **Open** Button.
3. Select **WebControls.aspx** in the **Solution Explorer**, then type ***Ctrl + F5*** to execute the web application in your default web browser.

### *Creating the Web Site*

To begin, follow the steps in Section 20.4.1 to create an **Empty Web Site** named **WebControls**, then add a Web Form named **WebControls.aspx** to the project. Set the document's **Title** property to "Web Controls Demonstration". To ensure that **WebControls.aspx** loads when you execute this application, right click it in the **Solution Explorer** and select **Set As Start Page**.

### *Adding the Images to the Project*

The images used in this example are located in the **images** folder with this chapter's examples. Before you can display images in the Web Form, they must be added to your project. To add the **images** folder to your project:

1. Open Windows Explorer.
2. Locate and open this chapter's examples folder (ch20).
3. Drag the **images** folder from Windows Explorer into Visual Web Developer's **Solution Explorer** window and drop the folder on the name of your project.

The IDE will automatically copy the folder and its contents into your project.

### *Adding Text and an Image to the Form*

Next, you'll begin creating the page. Perform the following steps:

1. First create the page's heading. At the current cursor position on the page, type the text "Registration Form", then use the **Block Format ComboBox** in the IDE's toolbar to change the text to **Heading 3** format.
2. Press **Enter** to start a new paragraph, then type the text "Please fill in all fields and click the Register button".
3. Press **Enter** to start a new paragraph, then double click the **Image** control in the **Toolbox**. This control inserts an image into a web page, at the current cursor position. Set the **Image**'s (**ID**) property to **userInformationImage**. The **ImageUrl** property specifies the location of the image to display. In the **Properties** window, click the ellipsis for the **ImageUrl** property to display the **Select Image** dialog. Select the **images** folder under **Project folders**: to display the list of images. Then select the image **user.png**.
4. Click **OK** to display the image in **Design** view, then click to the right of the **Image** and press **Enter** to start a new paragraph.


### *Adding a Table to the Form*

Form elements are often placed in tables for layout purposes—like the elements that represent the first name, last name, e-mail and phone information in Fig. 20.22. Next, you'll create a table with two rows and two columns in **Design** mode.

1. Select **Table > Insert Table** to display the **Insert Table** dialog (Fig. 20.23). This dialog allows you to configure the table's options.
2. Under **Size**, ensure that the values of **Rows** and **Columns** are both 2—these are the default values.
3. Click **OK** to close the **Insert Table** dialog and create the table.

By default, the contents of a table cell are aligned vertically in the middle of the cell. We changed the vertical alignment of all cells in the table by setting the **vAlign** property to **top** in the **Properties** window. This causes the content in each table cell to align with the top of the cell. You can set the **vAlign** property for each table cell individually or by selecting all the cells in the table at once, then changing the **vAlign** property's value.

---



**Fig. 20.23 |** Insert Table dialog.

After creating the table, controls and text can be added to particular cells to create a neatly organized layout. Next, add **Image** and **TextBox** controls to each the four table cells as follows:


1. Click the table cell in the first row and first column of the table, then double click the **Image** control in the **Toolbox**. Set its **(ID)** property to **firstNameImage** and set its **ImageUrl** property to the image **fname.png**.
2. Next, double click the **TextBox** control in the **Toolbox**. Set its **(ID)** property to **firstNameTextBox**. As in Windows Forms, a **TextBox** control allows you to obtain text from the user and display text to the user

3. Repeat this process in the first row and second column, but set the Image's (ID) property to lastNameImage and its ImageUrl property to the image lname.png, and set the TextBox's (ID) property to lastNameTextBox.
4. Repeat *Steps 1* and *2* in the second row and first column, but set the Image's (ID) property to emailImage and its ImageUrl property to the image email.png, and set the TextBox's (ID) property to emailTextBox.
5. Repeat *Steps 1* and *2* in the second row and second column, but set the Image's (ID) property to phoneImage and its ImageUrl property to the image phone.png, and set the TextBox's (ID) property to phoneTextBox.

### *Creating the Publications Section of the Page*

This section contains an Image, some text, a DropDownList control and a HyperLink control. Perform the following steps to create this section:

1. Click below the table, then use the techniques you've already learned in this section to add an Image named publicationsImage that displays the publications.png image.
2. Click to the right of the Image, then press *Enter* and type the text "Which book would you like information about?" in the new paragraph.
3. Hold the *Shift* key and press *Enter* to create a new line in the current paragraph, then double click the **DropDownList** control in the **Toolbox**. Set its (ID) property to booksDropDownList. This control is similar to the Windows Forms ComboBox control, but doesn't allow users to type text. When a user clicks the drop-down list, it expands and displays a list from which the user can make a selection.
4. You can add items to the DropDownList using the **ListItem Collection Editor**, which you can access by clicking the ellipsis next to the DropDownList's Items property in the **Properties** window, or by using the **DropDownList Tasks** smart-tag menu. To open this menu, click the small arrowhead that appears in the upper-right corner of the control in **Design** mode (Fig. 20.24). Visual Web Developer displays smart-tag menus for many ASP.NET controls to facilitate common tasks. Clicking **Edit Items...** in the **DropDownList Tasks** menu opens the **ListItem Collection Editor**, which allows you to add ListItem elements to the DropDownList. Add items for "Visual Basic 2010 How to Program", "Visual C# 2010 How to Program", "Java How to Program" and "C++ How to Program" by clicking the **Add** Button four times. For each item, select it, then set its **Text** property to one of the four book titles.
5. Click to the right of the DropDownList and press *Enter* to start a new paragraph, then double click the **HyperLink** control in the **Toolbox** to add a hyperlink to the



**Fig. 20.24** | DropDownList Tasks smart-tag menu.

web page. Set its (ID) property to booksHyperLink and its Text property to "Click here to view more information about our books". Set the **NavigateUrl** property to <http://www.deitel.com>. This specifies the resource or web page that will be requested when the user clicks the HyperLink. Setting the **Target** property to \_blank specifies that the requested web page should open in a new browser window. By default, HyperLink controls cause pages to open in the same browser window.

### *Completing the Page*

Next you'll create the **Operating System** section of the page and the **Register** Button. This section contains a **RadioButtonList** control, which provides a series of radio buttons from which the user can select only one. The **RadioButtonList Tasks** smart-tag menu provides an **Edit Items...** link to open the **ListItem Collection Editor** so that you can create the items in the list. Perform the following steps:

1. Click to the right of the HyperLink control and press *Enter* to create a new paragraph, then add an **Image** named osImage that displays the os.png image.
2. Click to the right of the **Image** and press *Enter* to create a new paragraph, then add a **RadioButtonList**. Set its (ID) property to osRadioButtonList. Use the **ListItem Collection Editor** to add the items shown in Fig. 20.22.
3. Finally, click to the right of the **RadioButtonList** and press *Enter* to create a new paragraph, then add a **Button**. A **Button** web control represents a button that triggers an action when clicked. Set its (ID) property to registerButton and its **Text** property to **Register**. As stated earlier, clicking the **Register** button in this example does not do anything.

You can now execute the application (*Ctrl + F5*) to see the Web Form in your browser.

## **20.6 Validation Controls**


This section introduces a different type of web control, called a **validation control** or **validator**, which determines whether the data in another web control is in the proper format. For example, validators can determine whether a user has provided information in a required field or whether a zip-code field contains exactly five digits. Validators provide a mechanism for validating user input on the client. When the page is sent to the client, the validator is converted into JavaScript that performs the validation in the client web browser. JavaScript is a scripting language that enhances the functionality of web pages and is typically executed on the client. Unfortunately, some client browsers might not support scripting or the user might disable it. For this reason, you should always perform validation on the server. ASP.NET validation controls can function on the client, on the server or both.

### *Validating Input in a Web Form*


The Web Form in Fig. 20.25 prompts the user to enter a name, e-mail address and phone number. A website could use a form like this to collect contact information from visitors. After the user enters any data, but before the data is sent to the web server, validators ensure that the user *entered a value in each field* and that the e-mail address and phone-num-

ber values are in an acceptable format. In this example, (555) 123-4567, 555-123-4567 and 123-4567 are all considered valid phone numbers. Once the data is submitted, the web server responds by displaying a message that repeats the submitted information. A real business application would typically store the submitted data in a database or in a file on the server. We simply send the data back to the client to demonstrate that the server received the data. To execute this application:

1. Select **Open Web Site...** from the **File** menu.
2. In the **Open Web Site** dialog, ensure that **File System** is selected, then navigate to this chapter's examples, select the **Validation** folder and click the **Open** Button.
3. Select **Validation.aspx** in the **Solution Explorer**, then type *Ctrl + F5* to execute the web application in your default web browser.



**Fig. 20.25** | Validators in a Web Form that retrieves user contact information. (Part 1 of 2.)



**Fig. 20.25** | Validators in a Web Form that retrieves user contact information. (Part 2 of 2.)

In the sample output:

- Fig. 20.25(a) shows the initial Web Form
- Fig. 20.25(b) shows the result of submitting the form before typing any data in the TextBoxes
- Fig. 20.25(c) shows the results after entering data in each TextBox, but specifying an invalid e-mail address and invalid phone number
- Fig. 20.25(d) shows the results after entering valid values for all three TextBoxes and submitting the form.

### *Creating the Web Site*

To begin, follow the steps in Section 20.4.1 to create an **Empty Web Site** named Validation, then add a Web Form named Validation.aspx to the project. Set the document's **Title** property to "Demonstrating Validation Controls". To ensure that Validation.aspx loads when you execute this application, right click it in the **Solution Explorer** and select **Set As Start Page**.

### *Creating the GUI*

To create the page, perform the following steps:

1. Type "Please fill out all the fields in the following form:", then use the **Block Format ComboBox** in the IDE's toolbar to change the text to **Heading 3** format and press *Enter* to create a new paragraph.
2. Insert a three row and two column table. You'll add elements to the table momentarily.
3. Click below the table and add a **Button**. Set its **(ID)** property to **submitButton** and its **Text** property to **Submit**. Press *Enter* to create a new paragraph. By default, a **Button** control in a Web Form sends the contents of the form back to the server for processing.
4. Add a **Label**. Set its **(ID)** property to **outputLabel** and clear its **Text** property—you'll set it programmatically when the user clicks the **submitButton**. Set the **outputLabel**'s **Visible** property to **false**, so the **Label** does not appear in the client's browser when the page loads for the first time. You'll programmatically display this **Label** after the user submits valid data.

Next you'll add text and controls to the table you created in *Step 2* above. Perform the following steps:

1. In the left column, type the text "Name:" in the first row, "E-mail:" in the second row and "Phone:" in the third row.
2. In the right column of the first row, add a **TextBox** and set its **(ID)** property to **nameTextBox**.
3. In the right column of the second row, add a **TextBox** and set its **(ID)** property to **emailTextBox**. Then type the text "e.g., email@domain.com" to the right of the **TextBox**.
4. In the right column of the third row, add a **TextBox** and set its **(ID)** property to **phoneTextBox**. Then type the text "e.g., (555) 555-1234" to the right of the **TextBox**.

### *Using **RequiredFieldValidator** Controls*

We use three **RequiredFieldValidator** controls (found in the **Validation** section of the **Toolbox**) to ensure that the name, e-mail address and phone number **TextBoxes** are not empty when the form is submitted. A **RequiredFieldValidator** makes an input control a required field. If such a field is empty, validation fails. Add a **RequiredFieldValidator** as follows:

1. Click to the right of the **nameTextBox** in the table and press *Enter* to move to the next line.

2. Add a **RequiredFieldValidator**, set its (ID) to `nameRequiredFieldValidator` and set the `ForeColor` property to Red.
3. Set the validator's **ControlToValidate** property to `nameTextBox` to indicate that this validator verifies the `nameTextBox`'s contents.
4. Set the validator's **ErrorMessage** property to "Please enter your name". This is displayed on the Web Form only if the validation fails.
5. Set the validator's **Display** property to **Dynamic**, so the validator occupies space on the Web Form only when validation fails. When this occurs, space is allocated dynamically, causing the controls below the validator to shift downward to accommodate the `ErrorMessage`, as seen in Fig. 20.25(a)–(c).

Repeat these steps to add two more **RequiredFieldValidators** in the second and third rows of the table. Set their (ID) properties to `emailRequiredFieldValidator` and `phoneRequiredFieldValidator`, respectively, and set their `ErrorMessage` properties to "Please enter your email address" and "Please enter your phone number", respectively.

#### *Using RegularExpressionValidator Controls*

This example also uses two **RegularExpressionValidator** controls to ensure that the e-mail address and phone number entered by the user are in a valid format. Visual Web Developer provides several *predefined* regular expressions that you can simply select to take advantage of this powerful validation control. Add a **RegularExpressionValidator** as follows:

1. Click to the right of the `emailRequiredFieldValidator` in the second row of the table and add a **RegularExpressionValidator**, then set its (ID) to `emailRegularExpressionValidator` and its `ForeColor` property to Red.
2. Set the **ControlToValidate** property to `emailTextBox` to indicate that this validator verifies the `emailTextBox`'s contents.
3. Set the validator's **ErrorMessage** property to "Please enter an e-mail address in a valid format".
4. Set the validator's **Display** property to **Dynamic**, so the validator occupies space on the Web Form only when validation fails.

Repeat the preceding steps to add another **RegularExpressionValidator** in the third row of the table. Set its (ID) property to `phoneRegularExpressionValidator` and its `ErrorMessage` property to "Please enter a phone number in a valid format", respectively.

A **RegularExpressionValidator**'s **ValidationExpression** property specifies the regular expression that validates the **ControlToValidate**'s contents. Clicking the ellipsis next to property **ValidationExpression** in the **Properties** window displays the **Regular Expression Editor** dialog, which contains a list of **Standard expressions** for phone numbers, zip codes and other formatted information. For the `emailRegularExpressionValidator`, we selected the standard expression **Internet e-mail address**. If the user enters text in the `emailTextBox` that does not have the correct format and either clicks in a different text box or attempts to submit the form, the `ErrorMessage` text is displayed in red.

For the `phoneRegularExpressionValidator`, we selected **U.S. phone number** to ensure that a phone number contains an optional three-digit area code either in parentheses and followed by an optional space or without parentheses and followed by a required hyphen. After an optional area code, a phone number must contain three digits,

a hyphen and another four digits. For example, (555) 123-4567, 555-123-4567 and 123-4567 are all valid phone numbers.

### *Submitting the Web Form's Contents to the Server*

If all five validators are successful (that is, each TextBox is filled in, and the e-mail address and phone number provided are valid), clicking the **Submit** button sends the form's data to the server. As shown in Fig. 20.25(d), the server then responds by displaying the submitted data in the **outputLabel**.

### *Examining the Code-Behind File for a Web Form That Receives User Input*

Figure 20.26 shows the code-behind file for this application. Notice that this code-behind file does not contain any implementation related to the validators. We say more about this soon. In this example, we respond to the page's **Load** event to process the data submitted by the user. Like the **Init** event, the **Load** event occurs each time the page loads into a web browser—the difference is that on a postback, you cannot access the posted data in the controls. The event handler for this event is **Page\_Load** (lines 8–33). The event handler for the **Load** event is created for you when you add a new Web Form. To complete the event handler, insert the code from Fig. 20.26.

---

```

1 // Fig. 20.26: Validation.aspx.cs
2 // Code-behind file for the form demonstrating validation controls.
3 using System;
4
5 public partial class Validation : System.Web.UI.Page
6 {
7     // Page_Load event handler executes when the page is loaded
8     protected void Page_Load( object sender, EventArgs e )
9     {
10        // if this is not the first time the page is loading
11        // (i.e., the user has already submitted form data)
12        if ( IsPostBack )
13        {
14            Validate(); // validate the form
15
16            // if the form is valid
17            if ( IsValid )
18            {
19                // retrieve the values submitted by the user
20                string name = nameTextBox.Text;
21                string email = emailTextBox.Text;
22                string phone = phoneTextBox.Text;
23
24                // show the the submitted values
25                outputLabel.Text = "Thank you for your submission<br/>" +
26                    "We received the following information:<br/>";
27                outputLabel.Text +=
28                    String.Format( "Name: {0}{1}E-mail:{2}{1}Phone:{3}" ,
29                        name, "<br/>", email, phone );

```

---

**Fig. 20.26** | Code-behind file for the form demonstrating validation controls. (Part I of 2.)

---

```
30             outputLabel.Visible = true; // display the output message
31         } // end if
32     } // end if
33 } // end method Page_Load
34 } // end class Validation
```

**Fig. 20.26** | Code-behind file for the form demonstrating validation controls. (Part 2 of 2.)

### *Differentiating Between the First Request to a Page and a Postback*

Web programmers using ASP.NET often design their web pages so that the current page reloads when the user submits the form; this enables the program to receive input, process it as necessary and display the results in the same page when it's loaded the second time. These pages usually contain a form that, when submitted, sends the values of all the controls to the server and causes the current page to be requested again. This event is known as a **postback**. Line 12 uses the **IsPostBack** property of class **Page** to determine whether the page is being loaded due to a postback. The first time that the web page is requested, **IsPostBack** is **false**, and the page displays only the form for user input. When the post-back occurs (from the user clicking **Submit**), **IsPostBack** is **true**.

### *Server-Side Web Form Validation*

Server-side Web Form validation must be implemented programmatically. Line 14 calls the current **Page**'s **Validate** method to validate the information in the request. This validates the information as specified by the validation controls in the Web Form. Line 17 uses the **IsValid** property of class **Page** to check whether the validation succeeded. If this property is set to **true** (that is, validation succeeded and the Web Form is valid), then we display the Web Form's information. Otherwise, the web page loads without any changes, except any validator that failed now displays its **ErrorMessage**.

### *Processing the Data Entered by the User*

Lines 20–22 retrieve the values of **nameTextBox**, **emailTextBox** and **phoneTextBox**. When data is posted to the web server, the data that the user entered is accessible to the web application through the web controls' properties. Next, lines 25–29 set **outputLabel**'s **Text** to display a message that includes the name, e-mail and phone information that was submitted to the server. In lines 25, 26 and 29, notice the use of **<br/>** rather than **\n** to start new lines in the **outputLabel**—**<br/>** is the markup for a line break in a web page. Line 30 sets the **outputLabel**'s **Visible** property to **true**, so the user can see the thank-you message and submitted data when the page reloads in the client web browser.

## **20.7 Session Tracking**

Originally, critics accused the Internet and e-business of failing to provide the customized service typically experienced in “brick-and-mortar” stores. To address this problem, businesses established mechanisms by which they could *personalize* users’ browsing experiences, tailoring content to individual users. Businesses achieve this level of service by tracking each customer’s movement through the Internet and combining the collected data with information provided by the consumer, including billing information, personal preferences, interests and hobbies.

### *Personalization*

**Personalization** makes it possible for businesses to communicate effectively with their customers and also improves users' ability to locate desired products and services. Companies that provide content of particular interest to users can establish relationships with customers and build on those relationships over time. Furthermore, by targeting consumers with personal offers, recommendations, advertisements, promotions and services, businesses create customer loyalty. Websites can use sophisticated technology to allow visitors to customize home pages to suit their individual needs and preferences. Similarly, online shopping sites often store personal information for customers, tailoring notifications and special offers to their interests. Such services encourage customers to visit sites more frequently and make purchases more regularly.

### *Privacy*

A trade-off exists between personalized business service and protection of privacy. Some consumers embrace tailored content, but others fear the possible adverse consequences if the info they provide to businesses is released or collected by tracking technologies. Consumers and privacy advocates ask: What if the business to which we give personal data sells or gives that information to another organization without our knowledge? What if we do not want our actions on the Internet—a supposedly anonymous medium—to be tracked and recorded by unknown parties? What if unauthorized parties gain access to sensitive private data, such as credit-card numbers or medical history? These are questions that must be addressed by programmers, consumers, businesses and lawmakers alike.

### *Recognizing Clients*

To provide personalized services to consumers, businesses must be able to recognize clients when they request information from a site. As we have discussed, the request/response system on which the web operates is facilitated by HTTP. Unfortunately, HTTP is a *stateless protocol*—it *does not* provide information that would enable web servers to maintain state information regarding particular clients. This means that web servers cannot determine whether a request comes from a particular client or whether the same or different clients generate a series of requests.

To circumvent this problem, sites can provide mechanisms by which they identify individual clients. A session represents a unique client on a website. If the client leaves a site and then returns later, the client will still be recognized as the same user. When the user closes the browser, the session typically ends. To help the server distinguish among clients, each client must identify itself to the server. Tracking individual clients is known as **session tracking**. One popular session-tracking technique uses cookies (discussed in Section 20.7.1); another uses ASP.NET's `HttpSessionState` object (used in Section 20.7.2). Additional session-tracking techniques are beyond this book's scope.

## **20.7.1 Cookies**

**Cookies** provide you with a tool for personalizing web pages. A cookie is a piece of data stored by web browsers in a small text file on the user's computer. A cookie maintains information about the client during and between browser sessions. The first time a user visits the website, the user's computer might receive a cookie from the server; this cookie is then reactivated each time the user revisits that site. The collected information is intended to

be an anonymous record containing data that is used to personalize the user's future visits to the site. For example, cookies in a shopping application might store unique identifiers for users. When a user adds items to an online shopping cart or performs another task resulting in a request to the web server, the server receives a cookie containing the user's unique identifier. The server then uses the unique identifier to locate the shopping cart and perform any necessary processing.

In addition to identifying users, cookies also can indicate users' shopping preferences. When a Web Form receives a request from a client, the Web Form can examine the cookie(s) it sent to the client during previous communications, identify the user's preferences and immediately display products of interest to the client.

Every HTTP-based interaction between a client and a server includes a header containing information either about the request (when the communication is from the client to the server) or about the response (when the communication is from the server to the client). When a Web Form receives a request, the header includes information such as the request type and any cookies that have been sent previously from the server to be stored on the client machine. When the server formulates its response, the header information contains any cookies the server wants to store on the client computer and other information, such as the MIME type of the response.

The **expiration date** of a cookie determines how long the cookie remains on the client's computer. If you do not set an expiration date for a cookie, the web browser maintains the cookie for the duration of the browsing session. Otherwise, the web browser maintains the cookie until the expiration date occurs. Cookies are deleted when they expire.



### Portability Tip 20.1

*Users may disable cookies in their web browsers to help ensure their privacy. Such users will experience difficulty using web applications that depend on cookies to maintain state information.*

#### 20.7.2 Session Tracking with HttpSessionState

The next web application demonstrates session tracking using the .NET class **HttpSessionState**. When you execute this application, the Options.aspx page (Fig. 20.27(a)), which is the application's **Start Page**, allows the user to select a programming language from a group of radio buttons. [Note: You might need to right click Options.aspx in the **Solution Explorer** and select **Set As Start Page** before running this application.] When the user clicks **Submit**, the selection is sent to the web server for processing. The web server uses an **HttpSessionState** object to store the chosen language and the ISBN number for one of our books on that topic. Each user that visits the site has a unique **HttpSessionState** object, so the selections made by one user are maintained separately from all other users. After storing the selection, the server returns the page to the browser (Fig. 20.27(b)) and displays the user's selection and some information about the user's unique session (which we show just for demonstration purposes). The page also includes links that allow the user to choose between selecting another programming language or viewing the Recommendations.aspx page (Fig. 20.27(e)), which lists recommended books pertaining to the programming language(s) that the user selected previously. If the user clicks the link for book

recommendations, the information stored in the user's unique `HttpSessionState` object is read and used to form the list of recommendations. To test this application:

1. Select **Open Web Site...** from the **File** menu.
2. In the **Open Web Site** dialog, ensure that **File System** is selected, then navigate to this chapter's examples, select the **Sessions** folder and click the **Open** Button.
3. Select **Options.aspx** in the **Solution Explorer**, then type *Ctrl + F5* to execute the web application in your default web browser.


### *Creating the Web Site*

To begin, follow the steps in Section 20.4.1 to create an **Empty Web Site** named **Sessions**, then add two Web Forms named **Options.aspx** and **Recommendations.aspx** to the project. Set the **Options.aspx** document's **Title** property to "Sessions" and the **Recommendations.aspx** document's **Title** property to "Book Recommendations". To ensure that **Options.aspx** is the first page to load for this application, right click it in the **Solution Explorer** and select **Set As Start Page**.

- a) User selects a language from the **Options.aspx** page, then presses **Submit** to send the selection to the server



- b) **Options.aspx** page is updated to hide the controls for selecting a language and to display the user's selection; the user clicks the hyperlink to return to the list of languages and make another selection




**Fig. 20.27** | ASPX file that presents a list of programming languages. (Part I of 2.)


- c) User selects another language from the Options.aspx page, then presses **Submit** to send the selection to the server



- d) Options.aspx page is updated to hide the controls for selecting a language and to display the user's selection; the user clicks the hyperlink to get a list of book recommendations



- e) Recommendations.aspx displays the list of recommended books based on the user's selections



**Fig. 20.27** | ASPX file that presents a list of programming languages. (Part 2 of 2.)

### 20.7.3 Options.aspx: Selecting a Programming Language

The Options.aspx page Fig. 20.27(a) contains the following controls arranged vertically:

1. A Label with its (ID) property set to `promptLabel` and its Text property set to "Select a programming language:". We used the techniques shown in *Step 5* of Section 20.4.1 to create a CSS style for this label named `.labelStyle`, and set the style's font-size attribute to `large` and the font-weight attribute to `bold`.
2. The user selects a programming language by clicking one of the radio buttons in a RadioButtonList. Each radio button has a Text property and a Value property. The Text property is displayed next to the radio button and the Value property represents a value that is sent to the server when the user selects that radio button and submits the form. In this example, we'll use the Value property to represent the ISBN for the recommended book. Create a RadioButtonList with its (ID) property set to `languageList`. Use the **ListItem Collection Editor** to add five radio buttons with their Text properties set to Visual Basic, Visual C#, C, C++ and Java, and their Value properties set to 0-13-215213-4, 0-13-605322-X, 0-13-512356-2, 0-13-611726-0 and 0-13-605306-8, respectively
3. A Button with its (ID) property set to `submitButton` and its Text property set to Submit. In this example, we'll handle this Button's Click event. You can create its event handler by double clicking the Button in Design view.
4. A Label with its (ID) property set to `responseLabel` and its Text property set to "Welcome to Sessions!". This Label should be placed immediately to the right of the Button so that the Label appears at the top of the page when we hide the preceding controls on the page. Reuse the CSS style you created in *Step 1* by setting this Label's `CssClass` property to `labelStyle`.
5. Two more Labels with their (ID) properties set to `idLabel` and `timeoutLabel`, respectively. Clear the text in each Label's Text property—you'll set these programmatically with information about the current user's session.
6. A HyperLink with its (ID) property set to `languageLink` and its Text property set to "Click here to choose another language". Set its `NavigateUrl` property by clicking the ellipsis next to the property in the **Properties** window and selecting Options.aspx from the **Select URL** dialog.
7. A HyperLink with its (ID) property set to `recommendationsLink` and its Text property set to "Click here to get book recommendations". Set its `NavigateUrl` property by clicking the ellipsis next to the property in the **Properties** window and selecting Recommendations.aspx from the **Select URL** dialog.
8. Initially, the controls in *Steps 4–7* will not be displayed, so set each control's `Visible` property to `false`.

#### **Session Property of a Page**

Every Web Form includes a user-specific `HttpSessionState` object, which is accessible through property **Session** of class `Page`. Throughout this section, we use this property to manipulate the current user's `HttpSessionState` object. When a page is first requested, a unique `HttpSessionState` object is created by ASP.NET and assigned to the `Page`'s `Session` property.

***Code-Behind File for Options.aspx***

Fig. 20.28 presents the code-behind file for the Options.aspx page. When this page is requested, the Page\_Load event handler (lines 10–40) executes before the response is sent to the client. Since the first request to a page is not a postback, the code in lines 16–39 *does not* execute the first time the page loads.

---

```

1 // Fig. 20.28: Options.aspx.cs
2 // Processes user's selection of a programming language by displaying
3 // links and writing information in a Session object.
4 using System;
5
6 public partial class Options : System.Web.UI.Page
7 {
8     // if postback, hide form and display links to make additional
9     // selections or view recommendations
10    protected void Page_Load( object sender, EventArgs e )
11    {
12        if ( IsPostBack )
13        {
14            // user has submitted information, so display message
15            // and appropriate hyperlinks
16            responseLabel.Visible = true;
17            idLabel.Visible = true;
18            timeoutLabel.Visible = true;
19            languageLink.Visible = true;
20            recommendationsLink.Visible = true;
21
22            // hide other controls used to make language selection
23            promptLabel.Visible = false;
24            languageList.Visible = false;
25            submitButton.Visible = false;
26
27            // if the user made a selection, display it in responseLabel
28            if ( languageList.SelectedItem != null )
29                responseLabel.Text += " You selected " +
30                    languageList.SelectedItem.Text;
31            else
32                responseLabel.Text += " You did not select a language.";
33
34            // display session ID
35            idLabel.Text = "Your unique session ID is: " + Session.SessionID;
36
37            // display the timeout
38            timeoutLabel.Text = "Timeout: " + Session.Timeout + " minutes.";
39        } // end if
40    } // end method Page_Load
41
42    // record the user's selection in the Session
43    protected void submitButton_Click( object sender, EventArgs e )
44    {

```

---

**Fig. 20.28** | Process user's selection of a programming language by displaying links and writing information in an HttpSessionState object. (Part 1 of 2.)

---

```

45      // if the user made a selection
46      if ( languageList.SelectedItem != null )
47          // add name/value pair to Session
48          Session.Add( languageList.SelectedItem.Text,
49                          languageList.SelectedItem.Value );
50      } // end method submitButton_Click
51  } // end class Options

```

---

**Fig. 20.28** | Process user's selection of a programming language by displaying links and writing information in an HttpSessionState object. (Part 2 of 2.)

### *Postback Processing*

When the user presses **Submit**, a postback occurs. The form is submitted to the server and **Page\_Load** executes. Lines 16–20 display the controls shown in Fig. 20.27(b) and lines 23–25 hide the controls shown in Fig. 20.27(a). Next, lines 28–32 ensure that the user selected a language and, if so, display a message in the **responseLabel** indicating the selection. Otherwise, the message "You did not select a language" is displayed.

The ASP.NET application contains information about the **HttpSessionState** object (property **Session** of the **Page** object) for the current client. The object's **SessionID** property (displayed in line 35) contains the **unique session ID**—a sequence of random letters and numbers. The first time a client connects to the web server, a unique session ID is created for that client and a temporary cookie is written to the client so the server can identify the client on subsequent requests. When the client makes additional requests, the client's session ID from that temporary cookie is compared with the session IDs stored in the web server's memory to retrieve the client's **HttpSessionState** object. **HttpSessionState** property **Timeout** (displayed in line 38) specifies the maximum amount of time that an **HttpSessionState** object can be inactive before it's discarded. By default, if the user does not interact with this web application for 20 minutes, the **HttpSessionState** object is discarded by the server and a new one will be created if the user interacts with the application again. Figure 20.29 lists some common **HttpSessionState** properties.

| Properties          | Description  |
|---------------------|--|
| <b>Count</b>        | Specifies the number of key/value pairs in the <b>Session</b> object.  |
| <b>IsNewSession</b> | Indicates whether this is a new session (that is, whether the session was created during loading of this page).  |
| <b>Keys</b>         | Returns a collection containing the <b>Session</b> object's keys.  |
| <b>SessionID</b>    | Returns the session's unique ID.   |
| <b>Timeout</b>      | Specifies the maximum number of minutes during which a session can be inactive (that is, no requests are made) before the session expires. By default, this property is set to 20 minutes. |

**Fig. 20.29** | **HttpSessionState** properties.

### *Method submitButton\_Click*

In this example, we wish to store the user's selection in an **HttpSessionState** object when the user clicks the **Submit** Button. The **submitButton\_Click** event handler (lines 43–50)

adds a key/value pair to the `HttpSessionState` object for the current user, specifying the language chosen and the ISBN number for a book on that language. The `HttpSessionState` object is a dictionary—a data structure that stores **key/value pairs**. A program uses the key to store and retrieve the associated value in the dictionary.

The key/value pairs in an `HttpSessionState` object are often referred to as **session items**. They're placed in an `HttpSessionState` object by calling its `Add` method. If the user made a selection (line 46), lines 48–49 get the selection and its corresponding value from the `languageList` by accessing its `SelectedItem`'s `Text` and `Value` properties, respectively, then call `HttpSessionState` method `Add` to add this name/value pair as a session item in the `HttpSessionState` object (`Session`).

If the application adds a session item that has the same name as an item previously stored in the `HttpSessionState` object, the session item is replaced—session item names *must* be unique. Another common syntax for placing a session item in the `HttpSessionState` object is `Session[Name] = Value`. For example, we could have replaced lines 48–49 with

```
Session[ languageList.SelectedItem.Text ] =
    languageList.SelectedItem.Value
```



### **Software Engineering Observation 20.1**

*A Web Form should not use instance variables to maintain client state information, because each new request or postback is handled by a new instance of the page. Instead, maintain client state information in `HttpSessionState` objects, because such objects are specific to each client.*



### **Software Engineering Observation 20.2**

*A benefit of using `HttpSessionState` objects (rather than cookies) is that they can store any type of object (not just Strings) as attribute values. This provides you with increased flexibility in determining the type of state information to maintain for clients.*

#### **20.7.4 Recommendations.aspx: Displaying Recommendations Based on Session Values**

After the postback of `Options.aspx`, the user may request book recommendations. The book-recommendations hyperlink forwards the user to the page `Recommendations.aspx` (Fig. 20.27(e)) to display the recommendations based on the user's language selections. The page contains the following controls arranged vertically:

1. A `Label` with its `(ID)` property set to `recommendationsLabel` and its `Text` property set to "Recommendations". We created a CSS style for this label named `.labelStyle`, and set the `font-size` attribute to `x-large` and the `font-weight` attribute to `bold`. (See *Step 5* in Section 20.4.1 for information on creating a CSS style.)
2. A `ListBox` with its `(ID)` property set to `booksListBox`. We created a CSS style for this label named `.listBoxStyle`. In the `Position` category, we set the `width` attribute to `450px` and the `height` attribute to `125px`. The `px` indicates that the measurement is in pixels.
3. A `HyperLink` with its `(ID)` property set to `languageLink` and its `Text` property set to "Click here to choose another language". Set its `NavigateUrl` property

by clicking the ellipsis next to the property in the **Properties** window and selecting **Options.aspx** from the **Select URL** dialog. When the user clicks this link, the **Options.aspx** page will be reloaded. Requesting the page in this manner *is not* considered a postback, so the original form in Fig. 20.27(a) will be displayed.

### *Code-Behind File for Recommendations.aspx*

Figure 20.30 presents the code-behind file for **Recommendations.aspx**. Event handler **Page\_Init** (lines 8–29) retrieves the session information. If a user has not selected a language in the **Options.aspx** page, the **HttpSessionState** object's **Count** property will be 0 (line 11). This property provides the number of session items contained in a **HttpSessionState** object. If the **Count** is 0, then we display the text **No Recommendations** (line 22), clear the **ListBox** and hide it (lines 23–24), and update the **Text** of the **HyperLink** back to **Options.aspx** (line 27).

---

```

1 // Fig. 20.30: Recommendations.aspx.cs
2 // Creates book recommendations based on a Session object.
3 using System;
4
5 public partial class Recommendations : System.Web.UI.Page
6 {
7     // read Session items and populate ListBox with recommendations
8     protected void Page_Init( object sender, EventArgs e )
9     {
10         // determine whether Session contains any information
11         if ( Session.Count != 0 )
12         {
13             // display Session's name-value pairs
14             foreach ( string keyName in Session.Keys )
15                 booksListBox.Items.Add( keyName +
16                     " How to Program. ISBN#: " + Session[ keyName ] );
17         } // end if
18     else
19     {
20         // if there are no session items, no language was chosen, so
21         // display appropriate message and clear and hide booksListBox
22         recommendationsLabel.Text = "No Recommendations";
23         booksListBox.Items.Clear();
24         booksListBox.Visible = false;
25
26         // modify languageLink because no language was selected
27         languageLink.Text = "Click here to choose a language";
28     } // end else
29 } // end method Page_Init
30 } // end class Recommendations

```

---

**Fig. 20.30** | Session data used to provide book recommendations to the user.


If the user chose at least one language, the loop in lines 14–16 iterates through the **HttpSessionState** object's **Keys** property, which returns a collection containing all the keys in the session. Lines 15–16 concatenate the **keyName**, the String "How to Program. ISBN#: " and the key's corre-

sponding value, which is returned by `Session(keyName)`. This `String` is the recommendation that is added to the `ListBox`.

## 20.8 Case Study: Database-Driven ASP.NET Guestbook

Many websites allow users to provide feedback about the website in a guestbook. Typically, users click a link on the website's home page to request the guestbook page. This page usually consists of a form that contains fields for the user's name, e-mail address, message/feedback and so on. Data submitted on the guestbook form is then stored in a database located on the server.

In this section, we create a guestbook Web Form application. The GUI (Fig. 20.31) contains a **GridView** data control, which displays all the entries in the guestbook in tabular format. This control is located in the **Toolbox**'s **Data** section. We explain how to create and configure this data control shortly. The **GridView** displays **abc** in **Design** mode to indicate data that will be retrieved from a data source at runtime. You'll learn how to create and configure the **GridView** shortly.



**Fig. 20.31** | Guestbook application GUI in **Design** mode.

### *The Guestbook Database*

The application stores the guestbook information in a SQL Server database called `Guestbook.mdf` located on the web server. (We provide this database in the `databases` folder with this chapter's examples.) The database contains a single table named `Messages`.

### *Testing the Application*

To test this application:

1. Select **Open Web Site...** from the **File** menu.

2. In the **Open Web Site** dialog, ensure that **File System** is selected, then navigate to this chapter's examples, select the **Guestbook** folder and click the **Open** Button.
3. Select **Guestbook.aspx** in the **Solution Explorer**, then type ***Ctrl + F5*** to execute the web application in your default web browser.

Figure 20.32(a) shows the user submitting a new entry. Figure 20.32(b) shows the new entry as the last row in the **GridView**.

- a) User enters data for the name, e-mail and message, then presses Submit to send the data to the server

| Date      | Name      | Email              | Message   |
|-----------|-----------|--------------------|---|
| 1/27/2010 | Bob Green | bgreen@bug2bug.com | Great site!                                     |
| 1/28/2010 | Sue Black | sblack@bug2bug.com | I love the site! Keep up the good work!         |
| 1/29/2010 | Liz White | lwhite@bug2bug.com | Very useful information. Will visit again soon. |

- b) Server stores the data in the database, then refreshes the **GridView** with the updated data

| Date      | Name       | Email              | Message   |
|-----------|------------|--------------------|---|
| 1/27/2010 | Bob Green  | bgreen@bug2bug.com | Great site!                                     |
| 1/28/2010 | Sue Black  | sblack@bug2bug.com | I love the site! Keep up the good work!         |
| 1/29/2010 | Liz White  | lwhite@bug2bug.com | Very useful information. Will visit again soon. |
| 7/22/2010 | Mike Brown | mbrown@bug2bug.com | Wonderful use of ASP.NET!                       |

**Fig. 20.32** | Sample execution of the **Guestbook** application.

### 20.8.1 Building a Web Form that Displays Data from a Database

You'll now build this GUI and set up the data binding between the `GridView` control and the database. We discuss the code-behind file in Section 20.8.2. To build the guestbook application, perform the following steps:

#### *Step 1: Creating the Web Site*

To begin, follow the steps in Section 20.4.1 to create an **Empty Web Site** named **Guestbook** then add a Web Form named **Guestbook.aspx** to the project. Set the document's **Title** property to "Guestbook". To ensure that **Guestbook.aspx** loads when you execute this application, right click it in the **Solution Explorer** and select **Set As Start Page**.

#### *Step 2: Creating the Form for User Input*

In Design mode, add the text `Please leave a message in our guestbook:`, then use the **Block Format ComboBox** in the IDE's toolbar to change the text to **Heading 3** format. Insert a table with four rows and two columns, configured so that the text in each cell aligns with the top of the cell. Place the appropriate text (see Fig. 20.31) in the top three cells in the table's left column. Then place `TextBoxes` named `nameTextBox`, `emailTextBox` and `messageTextBox` in the top three table cells in the right column. Configure the `TextBoxes` as follows:

- Set the `nameTextBox`'s width to 300px.
- Set the `emailTextBox`'s width to 300px.
- Set the `messageTextBox`'s width to 300px and height to 100px. Also set this control's `TextMode` property to `MultiLine` so the user can type a message containing multiple lines of text.

Finally, add Buttons named `submitButton` and `clearButton` to the bottom-right table cell. Set the buttons' `Text` properties to `Submit` and `Clear`, respectively. We discuss the buttons' event handlers when we present the code-behind file. You can create these event handlers now by double clicking each Button in **Design** view.

#### *Step 3: Adding a `GridView` Control to the Web Form*

Add a `GridView` named `messagesGridView` that will display the guestbook entries. This control appears in the **Data** section of the **Toolbox**. The colors for the `GridView` are specified through the **Auto Format...** link in the **GridView Tasks** smart-tag menu that opens when you place the `GridView` on the page. Clicking this link displays an **AutoFormat** dialog with several choices. In this example, we chose **Professional**. We show how to set the `GridView`'s data source (that is, where it gets the data to display in its rows and columns) shortly.

#### *Step 4: Adding a Database to an ASP.NET Web Application*

To use a SQL Server Express database file in an ASP.NET web application, you must first add the file to the project's `App_Data` folder. For security reasons, this folder can be accessed only by the web application on the server—clients cannot access this folder over a network. The web application interacts with the database on behalf of the client.

The **Empty Web Site** template does not create the `App_Data` folder. To create it, right click the project's name in the **Solution Explorer**, then select **Add ASP.NET Folder > App\_Data**. Next, add the `Guestbook.mdf` file to the `App_Data` folder. You can do this in one of two ways:

- Drag the file from Windows Explorer and drop it on the App\_Data folder.
- Right click the App\_Data folder in the **Solution Explorer** and select **Add Existing Item...** to display the **Add Existing Item** dialog, then navigate to the databases folder with this chapter's examples, select the Guestbook.mdf file and click **Add**. [Note: Ensure that **Data Files** is selected in the ComboBox above or next to the **Add** Button in the dialog; otherwise, the database file will not be displayed in the list of files.]

### *Step 5: Creating the LINQ to SQL Classes*


You'll use LINQ to interact with the database. To create the LINQ to SQL classes for the Guestbook database:

1. Right click the project in the **Solution Explorer** and select **Add New Item...** to display the **Add New Item** dialog.
2. In the dialog, select **LINQ to SQL Classes**, enter Guestbook.dbml as the **Name**, and click **Add**. A dialog appears asking if you would like to put your new LINQ to SQL classes in the App\_Code folder; click **Yes**. The IDE will create an App\_Code folder and place the LINQ to SQL classes information in that folder.
3. In the **Database Explorer** window, drag the Guestbook database's Messages table from the **Database Explorer** onto the **Object Relational Designer**. Finally, save your project by selecting **File > Save All**.

### *Step 6: Binding the GridView to the Messages Table of the Guestbook Database*

You can now configure the GridView to display the database's data.

1. In the **GridView Tasks** smart-tag menu, select **<New data source...>** from the **Choose Data Source** ComboBox to display the **Data Source Configuration Wizard** dialog.
2. In this example, we use a **LinqDataSource** control that allows the application to interact with the Guestbook.mdf database through LINQ. Select **LINQ**, then set the ID of the data source to messagesLinqDataSource and click **OK** to begin the **Configure Data Source** wizard.
3. In the **Choose a Context Object** screen, ensure that GuestbookDataContext is selected in the ComboBox, then click **Next >**.
4. The **Configure Data Selection** screen (Fig. 20.33) allows you to specify which data the LinqDataSource should retrieve from the data context. Your choices on this page design a Select LINQ query. The **Table** drop-down list identifies a table in the data context. The Guestbook data context contains one table named **Messages**, which is selected by default. *If you haven't saved your project since creating your LINQ to SQL classes (Step 5), the list of tables will not appear.* In the **Select** pane, ensure that the checkbox marked with an asterisk (\*) is selected to indicate that you want to retrieve all the columns in the **Messages** table.
5. Click the **Advanced...** button, then select the **Enable the LinqDataSource to perform automatic inserts** CheckBox and click **OK**. This configures the LinqDataSource control to automatically insert new data into the database when new data is inserted in the data context. We discuss inserting new guestbook entries based on users' form submissions shortly.
6. Click **Finish** to complete the wizard.



**Fig. 20.33** | Configuring the query used by the LinqDataSource to retrieve data.

A control named `messagesLinqDataSource` now appears on the Web Form directly below the `GridView` (Fig. 20.34). It's represented in **Design** mode as a gray box containing its type and name. It will *not* appear on the web page—the gray box simply provides a way to manipulate the control visually through **Design** mode—similar to how the objects in the component tray are used in **Design** mode for a Windows Forms application.


The `GridView` now has column headers that correspond to the columns in the `Messages` table. The rows each contain either a number (which signifies an autoincremented column) or `abc` (which indicates string data). The actual data from the `Guestbook.mdf` database file will appear in these rows when you view the `ASPX` file in a web browser.

#### *Step 7: Modifying the Columns of the Data Source Displayed in the GridView*


It's not necessary for site visitors to see the `MessageID` column when viewing past guestbook entries—this column is merely a unique primary key required by the `Messages` table within the database. So, let's modify the `GridView` to prevent this column from displaying on the Web Form. We'll also modify the column `Message1` to read `Message`.

1. In the `GridView Tasks` smart tag menu, click **Edit Columns** to display the **Fields** dialog (Fig. 20.35).
2. Select `MessageID` in the **Selected fields** pane, then click the button. This removes the `MessageID` column from the `GridView`.
3. Next select `Message1` in the **Selected fields** pane and change its `HeaderText` property to `Message`. The IDE renamed this field to prevent a naming conflict in the LINQ to SQL classes.
4. Click **OK** to return to the main IDE window, then set the `Width` property of the `GridView` to `650px`.

The `GridView` should now appear as shown in Fig. 20.31.



**Fig. 20.34** | Design mode displaying LinqDataSource control for a GridView.



**Fig. 20.35** | Removing the MessageID column from the GridView.

## 20.8.2 Modifying the Code-Behind File for the Guestbook Application

After building the Web Form and configuring the data controls used in this example, double click the **Submit** and **Clear** buttons in **Design** view to create their corresponding **Click** event handlers in the code-behind file (Fig. 20.36). The IDE generates empty event handlers, so we must add the appropriate code to make these buttons work properly. The

event handler for `clearButton` (lines 37–42) clears each `TextBox` by setting its `Text` property to an empty string. This resets the form for a new guestbook submission.

---

```

1 // Fig. 20.36: Guestbook.aspx.cs
2 // Code-behind file that defines event handlers for the guestbook.
3 using System;
4 using System.Collections.Specialized; // for class ListDictionary
5
6 public partial class Guestbook : System.Web.UI.Page
7 {
8     // Submit Button adds a new guestbook entry to the database,
9     // clears the form and displays the updated list of guestbook entries
10    protected void submitButton_Click( object sender, EventArgs e )
11    {
12        // create dictionary of parameters for inserting
13        ListDictionary insertParameters = new ListDictionary();
14
15        // add current date and the user's name, e-mail address
16        // and message to dictionary of insert parameters
17        insertParameters.Add( "Date", DateTime.Now.ToShortDateString() );
18        insertParameters.Add( "Name", nameTextBox.Text );
19        insertParameters.Add( "Email", emailTextBox.Text );
20        insertParameters.Add( "Message1", messageTextBox.Text );
21
22        // execute an INSERT LINQ statement to add a new entry to the
23        // Messages table in the Guestbook data context that contains the
24        // current date and the user's name, e-mail address and message
25        messagesLinqDataSource.Insert( insertParameters );
26
27        // clear the TextBoxes
28        nameTextBox.Text = String.Empty;
29        emailTextBox.Text = String.Empty;
30        messageTextBox.Text = String.Empty;
31
32        // update the GridView with the new database table contents
33        messagesGridView.DataBind();
34    } // submitButton_Click
35
36    // Clear Button clears the Web Form's TextBoxes
37    protected void clearButton_Click( object sender, EventArgs e )
38    {
39        nameTextBox.Text = String.Empty;
40        emailTextBox.Text = String.Empty;
41        messageTextBox.Text = String.Empty;
42    } // clearButton_Click
43 } // end class Guestbook

```

---

**Fig. 20.36** | Code-behind file for the guestbook application.

Lines 10–34 contain `submitButton`'s event-handling code, which adds the user's information to the `Guestbook` database's `Messages` table. To use the values of the `TextBoxes` on the Web Form as the parameter values inserted into the database, we must create a `ListDictionary` of insert parameters that are key/value pairs.

Line 13 creates a `ListDictionary` object—a set of key/value pairs that is implemented as a linked list and is intended for dictionaries that store 10 or fewer keys. Lines 17–20 use the `ListDictionary`'s `Add` method to store key/value pairs that represent each of the four insert parameters—the current date and the user's name, e-mail address, and message. The keys must match the names of the columns of the `Messages` table in the `.dbml` file. Invoking the `LinqDataSource` method `Insert` (line 25) inserts the data in the data context, adding a row to the `Messages` table and automatically updating the database. We pass the `ListDictionary` object as an argument to the `Insert` method to specify the insert parameters. After the data is inserted into the database, lines 28–30 clear the Text-Boxes, and line 33 invokes `messagesGridView`'s **DataBind** method to refresh the data that the `GridView` displays. This causes `messagesLinqDataSource` (the `GridView`'s source) to execute its `Select` command to obtain the `Messages` table's newly updated data.

## 20.9 Case Study Introduction: ASP.NET AJAX

In Chapter 21, you learn the difference between a traditional web application and an **Ajax (Asynchronous JavaScript and XML) web application**. You also learn how to use ASP.NET AJAX to quickly and easily improve the user experience for your web applications, giving them responsiveness comparable to that of desktop applications. To demonstrate ASP.NET AJAX capabilities, you enhance the validation example by displaying the submitted form information without reloading the entire page. The only modifications to this web application appear in the `Validation.aspx` file. You use Ajax-enabled controls to add this feature.

## 20.10 Case Study Introduction: Password-Protected Books Database Application

In Chapter 21, we include a web application case study in which a user logs into a password-protected website to view a list of publications by a selected author. The application consists of several pages and provides website registration and login capabilities. You'll learn about ASP.NET master pages, which allow you to specify a common look-and-feel for all the pages in your app. We also introduce the **Web Site Administration Tool** and use it to configure the portions of the application that can be accessed only by users who are logged into the website.

---

## Summary

### Section 20.1 Introduction

- ASP.NET technology is Microsoft's technology for web-application development.
- Web Form files have the file-name extension `.aspx` and contain the web page's GUI. A Web Form file represents the web page that is sent to the client browser.
- The file that contains the programming logic of a Web Form is called the code-behind file.

### **Section 20.2 Web Basics**

- URIs (Uniform Resource Identifiers) identify resources on the Internet. URIs that start with `http://` are called URLs (Uniform Resource Locators).
- A URL contains information that directs a browser to the resource that the user wishes to access. Computers that run web server software make such resources available.
- In a URL, the hostname is the name of the server on which the resource resides. This computer usually is referred to as the host, because it houses and maintains resources.
- A hostname is translated into a unique IP address that identifies the server. This translation is performed by a domain-name system (DNS) server.
- The remainder of a URL specifies the location and name of a requested resource. For security reasons, the location is normally a virtual directory. The server translates the virtual directory into a real location on the server.
- When given a URL, a web browser uses HTTP to retrieve the web page found at that address.

### **Section 20.3 Multitier Application Architecture**

- Multitier applications divide functionality into separate tiers—logical groupings of functionality—that commonly reside on separate computers for security and scalability.
- The information tier (also called the bottom tier) maintains data pertaining to the application. This tier typically stores data in a relational database management system.
- The middle tier implements business logic, controller logic and presentation logic to control interactions between the application’s clients and the application’s data. The middle tier acts as an intermediary between data in the information tier and the application’s clients.
- Business logic in the middle tier enforces business rules and ensures that data is reliable before the server application updates the database or presents the data to users.
- The client tier, or top tier, is the application’s user interface, which gathers input and displays output. Users interact directly with the application through the user interface (typically viewed in a web browser), keyboard and mouse. In response to user actions, the client tier interacts with the middle tier to make requests and to retrieve data from the information tier. The client tier then displays to the user the data retrieved from the middle tier.

### **Section 20.4.1 Building the `WebTime` Application**

- **File System** websites are created and tested on your local computer. Such websites execute in Visual Web Developer’s built-in ASP.NET Development Server and can be accessed only by web browsers running on the same computer. You can later “publish” your website to a production web server for access via a local network or the Internet.
- **HTTP** websites are created and tested on an IIS web server and use HTTP to allow you to put your website’s files on the server. If you own a website and have your own web server computer, you might use this to build a new website directly on that server computer.
- **FTP** websites use File Transfer Protocol (FTP) to allow you to put your website’s files on the server. The server administrator must first create the website on the server for you. FTP is commonly used by so called “hosting providers” to allow website owners to share a server computer that runs many websites.
- A Web Form represents one page in a web application and contains a web application’s GUI.
- You can view the Web Form’s properties by selecting DOCUMENT in the **Properties** window. The **Title** property specifies the title that will be displayed in the web browser’s title bar when the page is loaded.

- Controls and other elements are placed sequentially on a Web Form one after another in the order in which you drag-and-drop them onto the Web Form. The cursor indicates the insertion point in the page. This type of layout is known as relative positioning. You can also use absolute positioning in which controls are located exactly where you drop them on the Web Form.
- When a **Label** does not contain text, its name is displayed in square brackets in **Design** view as a placeholder for design and layout purposes. This text is not displayed at execution time.
- Formatting in a web page is performed with Cascading Style Sheets (CSS).
- A Web Form's **Init** event occurs when the page is requested by a web browser. The event handler for this event—named **Page\_Init**—initialize the page.

#### **Section 20.4.2 Examining *WebTime.aspx*'s Code-Behind File**

- A class declaration can span multiple source-code files—the separate portions of the class declaration in each file are known as partial classes. The **partial** modifier indicates that the class in a particular file is part of a larger class.
- Every Web Form class inherits from class **Page** in namespace **System.Web.UI**. Class **Page** represents the default capabilities of each page in a web application.
- The ASP.NET controls are defined in namespace **System.Web.UI.WebControls**.

#### **Section 20.5 Standard Web Controls: Designing a Form**

- An **Image** control's **ImageUrl** property specifies the location of the image to display.
- By default, the contents of a table cell are aligned vertically in the middle of the cell. You can change this with the cell's **valign** property.
- A **TextBox** control allows you to obtain text from the user and display text to the user.
- A **DropDownList** control is similar to the Windows Forms **ComboBox** control, but doesn't allow users to type text. You can add items to the **DropDownList** using the **ListItem Collection Editor**, which you can access by clicking the ellipsis next to the **DropDownList**'s **Items** property in the **Properties** window, or by using the **DropDownList Tasks** menu.
- A **HyperLink** control adds a hyperlink to a Web Form. The **NavigateUrl** property specifies the resource or web page that will be requested when the user clicks the **HyperLink**.
- A **RadioButtonList** control provides a series of radio buttons from which the user can select only one. The **RadioButtonList Tasks** smart-tag menu provides an **Edit Items...** link to open the **ListItem Collection Editor** so that you can create the items in the list.
- A **Button** control triggers an action when clicked.

#### **Section 20.6 Validation Controls**

- A validation control determines whether the data in another web control is in the proper format.
- When the page is sent to the client, the validator is converted into **JavaScript** that performs the validation in the client web browser.
- Some client browsers might not support scripting or the user might disable it. For this reason, you should always perform validation on the server.
- A **RequiredFieldValidator** control ensures that its **ControlToValidate** is not empty when the form is submitted. The validator's **ErrorMessage** property specifies what to display on the Web Form if the validation fails. When the validator's **Display** property is set to **Dynamic**, the validator occupies space on the Web Form only when validation fails.
- A **RegularExpressionValidator** uses a regular expression to ensure data entered by the user is in a valid format. Visual Web Developer provides several predefined regular expressions that you can

simply select to validate e-mail addresses, phone numbers and more. A `RegularExpressionValidator`'s `ValidationExpression` property specifies the regular expression to use for validation.

- A Web Form's Load event occurs each time the page loads into a web browser. The event handler for this event is `Page_Load`.
- ASP.NET pages are often designed so that the current page reloads when the user submits the form; this enables the program to receive input, process it as necessary and display the results in the same page when it's loaded the second time.
- Submitting a web form is known as a postback. Class `Page`'s `IsPostBack` property returns `true` if the page is being loaded due to a postback.
- Server-side Web Form validation must be implemented programmatically. Class `Page`'s `Validate` method validates the information in the request as specified by the Web Form's validation controls. Class `Page`'s `IsValid` property returns `true` if validation succeeded.

### ***Section 20.7 Session Tracking***

- Personalization makes it possible for e-businesses to communicate effectively with their customers and also improves users' ability to locate desired products and services.
- To provide personalized services to consumers, e-businesses must be able to recognize clients when they request information from a site.
- HTTP is a stateless protocol—it does not provide information regarding particular clients.
- Tracking individual clients is known as session tracking.

#### ***Section 20.7.1 Cookies***

- A cookie is a piece of data stored in a small text file on the user's computer. A cookie maintains information about the client during and between browser sessions.
- The expiration date of a cookie determines how long the cookie remains on the client's computer. If you do not set an expiration date for a cookie, the web browser maintains the cookie for the duration of the browsing session.

#### ***Section 20.7.2 Session Tracking with `HttpSessionState`***

- Session tracking is implemented with class `HttpSessionState`.

#### ***Section 20.7.3 `Options.aspx`: Selecting a Programming Language***

- Each radio button in a `RadioButtonList` has a `Text` property and a `Value` property. The `Text` property is displayed next to the radio button and the `Value` property represents a value that is sent to the server when the user selects that radio button and submits the form.
- Every Web Form includes a user-specific `HttpSessionState` object, which is accessible through property `Session` of class `Page`.
- `HttpSessionState` property `SessionID` contains a client's unique session ID. The first time a client connects to the web server, a unique session ID is created for that client and a temporary cookie is written to the client so the server can identify the client on subsequent requests. When the client makes additional requests, the client's session ID from that temporary cookie is compared with the session IDs stored in the web server's memory to retrieve the client's `HttpSessionState` object.
- `HttpSessionState` property `Timeout` specifies the maximum amount of time that an `HttpSessionState` object can be inactive before it's discarded. Twenty minutes is the default.
- The `HttpSessionState` object is a dictionary—a data structure that stores key/value pairs. A program uses the key to store and retrieve the associated value in the dictionary.

- The key/value pairs in an `HttpSessionState` object are often referred to as session items. They're placed in an `HttpSessionState` object by calling its `Add` method. Another common syntax for placing a session item in the `HttpSessionState` object is `Session[Key] = Value`.
- If an application adds a session item that has the same name as an item previously stored in the `HttpSessionState` object, the session item is replaced—session items names *must* be unique.

#### ***Section 20.7.4 Recommendations.aspx: Displaying Recommendations Based on Session Values***

- The `Count` property returns the number of session items stored in an `HttpSessionState` object.
- `HttpSessionState`'s `Keys` property returns a collection containing all the keys in the session.

#### ***Section 20.8 Case Study: Database-Driven ASP.NET Guestbook***

- A `GridView` data control displays data in tabular format. This control is located in the `Toolbox`'s **Data** section.

#### ***Section 20.8.1 Building a Web Form that Displays Data from a Database***

- To use a SQL Server Express database file in an ASP.NET web application, you must first add the file to the project's `App_Data` folder. For security reasons, this folder can be accessed only by the web application on the server—clients cannot access this folder over a network. The web application interacts with the database on behalf of the client.
- A `LinqDataSource` control allows a web application to interact with a database through LINQ.

#### ***Section 20.8.2 Modifying the Code-Behind File for the Guestbook Application***

- To insert data into a database using a `LinqDataSource`, you must create a `ListDictionary` of insert parameters that are formatted as key/value pairs.
- A `ListDictionary`'s `Add` method stores key/value pairs that represent each insert parameter.
- A `GridView`'s `.DataBind` method refreshes the data that the `GridView` displays.

### **Self-Review Exercises**

- 20.1** State whether each of the following is *true* or *false*. If *false*, explain why.
- Web Form file names end in `.aspx`.
  - `App.config` is a file that stores configuration settings for an ASP.NET web application.
  - A maximum of one validation control can be placed on a Web Form.
  - A `LinqDataSource` control allows a web application to interact with a database.
- 20.2** Fill in the blanks in each of the following statements:
- Web applications contain three basic tiers: \_\_\_\_\_, \_\_\_\_\_, and \_\_\_\_\_.
  - The \_\_\_\_\_ web control is similar to the `ComboBox` Windows control.
  - A control which ensures that the data in another control is in the correct format is called a(n) \_\_\_\_\_.
  - A(n) \_\_\_\_\_ occurs when a page requests itself.
  - Every ASP.NET page inherits from class \_\_\_\_\_.
  - The \_\_\_\_\_ file contains the functionality for an ASP.NET page.

### **Answers to Self-Review Exercises**

- 20.1** a) True. b) False. `Web.config` is the file that stores configuration settings for an ASP.NET web application. c) False. An unlimited number of validation controls can be placed on a Web Form. d) True.

**20.2** a) bottom (information), middle (business logic), top (client). b) `DropDownList`. c) validator. d) postback. e) `Page`. f) code-behind.

## Exercises

**20.3** (*WebTime Modification*) Modify the `WebTime` example to contain drop-down lists that allow the user to modify such `Label` properties as `BackColor`, `ForeColor` and `Font-Size`. Configure these drop-down lists so that a postback occurs whenever the user makes a selection—to do this, set their `AutoPostBack` properties to true. When the page reloads, it should reflect the specified changes to the properties of the `Label` displaying the time.

**20.4** (*Page Hit Counter*) Create an ASP.NET page that uses session tracking to keep track of how many times the client computer has visited the page. Set the `HttpSessionState` object's `Timeout` property to 1440 (the number of minutes in one day) to keep the session in effect for one day into the future. Display the number of page hits every time the page loads.

**20.5** (*Guestbook Application Modification*) Add validation to the guestbook application in Section 20.8. Use validation controls to ensure that the user provides a name, a valid e-mail address and a message.

**20.6** (*Project: WebControls Modification*) Modify the example of Section 20.5 to add functionality to the `Register` Button. When the user clicks the `Button`, validate all of the input fields to ensure that the user has filled out the form completely, and entered a valid email address and phone number. If any of the fields are not valid, appropriate messages should be displayed by validation controls. If the fields are all valid, direct the user to another page that displays a message indicating that the registration was successful followed by the registration information that was submitted from the form.

**20.7** (*Project: Web-Based Address Book*) Using the techniques you learned in Section 20.8, create a web-based Address book. Display the address book's contents in a `GridView`. Allow the user to search for entries with a particular last name.

# 21

# Web App Development with ASP.NET in C#: A Deeper Look

*... the challenges are for the designers of these applications: to forget what we think we know about the limitations of the Web, and begin to imagine a wider, richer range of possibilities. It's going to be fun.*

—Jesse James Garrett

*If any man will draw up his case, and put his name at the foot of the first page, I will give him an immediate reply. Where he compels me to turn over the sheet, he must wait my leisure.*

—Lord Sandwich

## Objectives

In this chapter you'll learn:

- To use the **Web Site Administration Tool** to modify web application configuration settings.
- To restrict access to pages to authenticated users.
- To create a uniform look-and-feel for a website using master pages.
- To use ASP.NET Ajax to improve the user interactivity of your web applications.



|   |   |
|---|---|
| <b>21.1</b> Introduction  |   |
| <b>21.2</b> Case Study: Password-Protected Books Database Application                 |   |
| 21.2.1 Examining the ASP.NET Web Site Template  | 21.2.7 Modifying the Master Page ( <code>Site.master</code> ) |
| 21.2.2 Test-Driving the Completed Application   | 21.2.8 Customizing the Password-Protected Books.aspx Page     |
| 21.2.3 Configuring the Website  |   |
| 21.2.4 Modifying the Default.aspx and About.aspx Pages                                |   |
| 21.2.5 Creating a Content Page That Only Authenticated Users Can Access               |   |
| 21.2.6 Linking from the Default.aspx Page to the Books.aspx Page                      |   |
| <i>Summary   Self-Review Exercises   Answers to Self-Review Exercises   Exercises</i> |   |

## 21.1 Introduction

In Chapter 20, we introduced ASP.NET and web application development. In this chapter, we introduce several additional ASP.NET web-application development topics, including:

- master pages to maintain a uniform look-and-feel across the Web Forms in a web application
- creating a password-protected website with registration and login capabilities
- using the **Web Site Administration Tool** to specify which parts of a website are password protected
- using ASP.NET Ajax to quickly and easily improve the user experience for your web applications, giving them responsiveness comparable to that of desktop applications.

## 21.2 Case Study: Password-Protected Books Database Application

This case study presents a web application in which a user logs into a password-protected website to view a list of publications by a selected author. The application consists of several ASPX files. For this application, we'll use the **ASP.NET Web Site** template, which is a starter kit for a small multi-page website. The template uses Microsoft's recommended practices for organizing a website and separating the website's style (look-and-feel) from its content. The default site has two primary pages (**Home** and **About**) and is pre-configured with login and registration capabilities. The template also specifies a common look-and-feel for all the pages in the website—a concept known as a master page.


We begin by examining the features of the default website that is created with the **ASP.NET Web Site** template. Next, we test drive the completed application to demonstrate the changes we made to the default website. Then, we provide step-by-step instructions to guide you through building the application.

### 21.2.1 Examining the ASP.NET Web Site Template

To test the default website, begin by creating the website that you'll customize in this case study. Perform the following steps:

1. Select **File > New Web Site...** to display the **New Web Site** dialog.
2. In the left column of the **New Web Site** dialog, ensure that **Visual C#** is selected, then select **ASP.NET Web Site** in the middle column.
3. Choose a location for your website, name it **Bug2Bug** and click **OK** to create it.


Fig. 21.1 shows the website's contents in the **Solution Explorer**.



**Fig. 21.1** | The default ASP.NET Web Site in the Solution Explorer.

#### Executing the Website

You can now execute the website. Select the **Default.aspx** page in the **Solution Explorer**, then type **Ctrl + F5** to display the default page shown in Fig. 21.2.



**Fig. 21.2** | Default **Home** page of a website created with the **ASP.NET Web Site** template.

### *Navigation and Pages*


The default **ASP.NET Web Site** contains a home page and an about page—so-called **content pages**—that you'll customize in subsequent sections. The navigation bar near the top of the page allows you to switch between these pages by clicking the link for the appropriate page. In Section 21.2.7, you'll add another link to the navigation bar to allow users to browse book information.

As you navigate between the pages, notice that each page has the same look-and-feel. This is typical of professional websites. The site uses a **master page** and cascading style sheets (CSS) to achieve this. A master page defines common GUI elements that are displayed by each page in a set of content pages. Just as C# classes can inherit instance variables and methods from existing classes, content pages can inherit elements from master pages—this is a form of visual inheritance.


### *Login and Registration Support*

Websites commonly provide “membership capabilities” that allow users to register at a website and log in. Often this gives users access to website customization capabilities or premium content. The default **ASP.NET Web Site** is pre-configured to support registration and login capabilities.

In the upper-right corner of each page is a **Log In** link. Click that link to display the **Login** page (Fig. 21.3). If you are already registered with the site, you can log in with your username and password. Otherwise, you can click the **Register** link to display the **Register** page (Fig. 21.4). For the purpose of this case study, we created an account with the username `testuser1` and the password `testuser1`. You do not need to be registered or logged into the default website to view the home and about pages.



**Fig. 21.3** | Login page.



**Fig. 21.4** | Register page.

---


### 21.2.2 Test-Driving the Completed Application

This example uses a technique known as **forms authentication** to protect a page so that only registered users who are logged into the website can access the page. Such users are known as the site's members. Authentication is a crucial tool for sites that allow only members to enter the site or a portion of the site. In this application, website visitors must log in before they're allowed to view the publications in the Books database.

Let's open the completed Bug2Bug website and execute it so that you can see the authentication functionality in action. Perform the following steps:

1. Close the application you created in Section 21.2.1—you'll reopen this website so that you can customize it in Section 21.2.3.
2. Select **Open Web Site...** from the **File** menu.
3. In the **Open Web Site** dialog, ensure that **File System** is selected, then navigate to this chapter's examples, select the **Bug2Bug** folder and click the **Open** Button.
4. Select the **Default.aspx** page then type *Ctrl + F5* to execute the website.

The website appears as shown in Fig. 21.5. Notice that we modified the site's master page so that the top of the page displays an image, the background color of the top of the page is white and the **Log In** link is black. Also, the navigation bar contains a link for the **Books** page that you'll create later in this case study.



**Fig. 21.5** | Home page for the completed Bug2Bug website.

Try to visit the **Books** page by clicking the **Books** link in the navigation bar. Because this page is password protected in the Bug2Bug website, the website automatically redirects you to the **Login** page instead—you cannot view the **Books** page without logging in first. If you've not yet registered at the completed Bug2Bug website, click the **Register** link to create a new account. If you have registered, log in now.

If you are logging in, when you click the **Log In** button on the **Log In** page, the website attempts to validate your username and password by comparing them with the usernames and passwords that are stored in a database on the server—this database is created for you with the **ASP.NET Web Site** template. If there is a match, you are **authenticated** (that is, your identity is confirmed) and you're redirected to the **Books** page (Fig. 21.6). If you're registering for the first time, the server ensures that you've filled out the registration form properly and that your password is valid (at least 6 characters), then logs you in and redirects you to the **Books** page.



**Fig. 21.6** | Books.aspx displaying books by Harvey Deitel (by default).

The **Books** page provides a drop-down list of authors and a table containing the ISBNs, titles, edition numbers and copyright years of books in the database. By default, the page displays all the books by Harvey Deitel. Links appear at the bottom of the table that allow you to access additional pages of data—we configured the table to display only four rows of data at a time. When the user chooses an author, a postback occurs, and the page is updated to display information about books written by the selected author (Fig. 21.7).



**Fig. 21.7** | Books.aspx displaying books by Greg Ayer.

### Logging Out of the Website

When you're logged in, the **Log In** link is replaced in the upper-right corner of each page (not shown in Figs. 21.6–21.7) with the message “Welcome *username*” where *username* is replaced with your log in name, and a **Log Out** link. When you click **Log Out**, the website redirects you to the home page (Fig. 21.5).

### 21.2.3 Configuring the Website

Now that you're familiar with how this application behaves, you'll modify the default website you created in Section 21.2.1. Thanks to the rich functionality of the default website, you'll have to write almost no Visual C# code to create this application. The **ASP.NET Web Site** template hides the details of authenticating users against a database of user names and passwords, displaying appropriate success or error messages and redirecting the user to the correct page based on the authentication results. We now discuss the steps you must perform to create the password-protected books database application.

#### Step 1: Opening the Website

Open the default website that you created in Section 21.2.1.

1. Select **Open Web Site...** from the **File** menu.
2. In the **Open Web Site** dialog, ensure that **File System** is selected, then navigate to the location where you created your version of the Bug2Bug website and click the **Open Button**.

### ***Step 2: Setting Up Website Folders***

For this website, you'll create two new folders—one that will contain the image that is used on all the pages and one that will contain the password-protected page. Password-protected parts of your website are typically placed in a separate folder. As you'll see shortly, you can control access to specific folders in a website.

You can choose any name you like for these folders—we chose **Images** for the folder that will contain the image and **ProtectedContent** for the folder that will contain the password-protected **Books** page. To create the folders, perform the following steps:

1. Create an **Images** folder by right clicking the location of the website in the **Solution Explorer**, selecting **New Folder** and typing the name **Images**.
2. Create a **ProtectedContent** folder by right clicking the location of the website in the **Solution Explorer**, selecting **New Folder** and typing the name **ProtectedContent**.

### ***Step 3: Importing the Website Header Image and the Database File***

Next, you'll add an image to the **Images** folder and the database file to the **App\_Data** folder.

1. In Windows Explorer, locate the folder containing this chapter's examples.
2. Drag the image **bug2bug.png** from the **images** folder in Windows Explorer into the **Images** folder in the **Solution Explorer** to copy the image into the website.
3. Drag the **Books.mdf** database file from the **databases** folder in Windows Explorer to the project's **App\_Data** folder. We show how to retrieve data from this database later in the section.

### ***Step 4: Opening the Web Site Administration Tool***


In this application, we want to ensure that only authenticated users are allowed to access **Books.aspx** (created in Section 21.2.5) to view the information in the database. Previously, we created all of our **ASPX** pages in the web application's root directory. By default, any website visitor (regardless of whether the visitor is authenticated) can view pages in the root directory. **ASP.NET** allows you to restrict access to particular folders of a website. We do not want to restrict access to the root of the website, however, because users won't be able to view any pages of the website except the login and registration pages. To restrict access to the **Books** page, it must reside in a directory other than the root directory.

You'll now configure the website to allow only authenticated users (that is, users who have logged in) to view the pages in the **ProtectedContent** folder. Perform the following steps:

1. Select **Website > ASP.NET Configuration** to open the **Web Site Administration Tool** in a web browser (Fig. 21.8). This tool allows you to configure various options that determine how your application behaves.
2. Click either the **Security** link or the **Security** tab to open a web page in which you can set security options (Fig. 21.9), such as the type of authentication the application should use. By default, website users are authenticated by entering user-name and password information in a web form.



**Fig. 21.8 |** Web Site Administration Tool for configuring a web application.




**Fig. 21.9 |** Security page of the Web Site Administration Tool.

#### Step 5: Configuring the Website's Security Settings

Next, you'll configure the `ProtectedContent` folder to grant access only to authenticated users—anyone who attempts to access pages in this folder without first logging in will be redirected to the `Login` page. Perform the following steps:

- Click the **Create access rules** link in the **Access Rules** column of the **Web Site Administration Tool** (Fig. 21.9) to view the **Add New Access Rule** page (Fig. 21.10). This page is used to create an **access rule**—a rule that grants or denies access to a particular directory for a specific user or group of users.



**Fig. 21.10** | Add New Access Rule page used to configure directory access.

- Click the **ProtectedContent** directory in the left column of the page to identify the directory to which our access rule applies.
- In the middle column, select the radio button marked **Anonymous users** to specify that the rule applies to users who have not been authenticated.
- Finally, select **Deny** in the **Permission** column to prevent unauthenticated users from accessing pages in the **ProtectedContent** directory, then click **OK**.


By default, unauthenticated (anonymous) users who attempt to load a page in the **ProtectedContent** directory are redirected to the **Login.aspx** page so that they can identify themselves. Because we did not set up any access rules for the **Bug2Bug** root directory, anonymous users may still access pages there.

#### 21.2.4 Modifying the Default.aspx and About.aspx Pages

We modified the content of the home (**Default.aspx**) and about (**About.aspx**) pages to replace the default content. To do so, perform the following steps:

- Double click **Default.aspx** in the **Solution Explorer** to open it, then switch to **Design** view (Fig. 21.11). As you move the cursor over the page, you'll notice that

sometimes the cursor displays as  to indicate that you cannot edit the part of the page behind the cursor. Any part of a content page that is defined in a master page can be edited only in the master page.



**Fig. 21.11** | Default.aspx page in **Design** view.

2. Change the text "Welcome to ASP.NET!" to "Welcome to Our Password-Protected Book Information Site". Note that the text in this heading is actually formatted as small caps text when the page is displayed in a web browser—all of the letters are displayed in uppercase, but the letters that would normally be lowercase are smaller than the first letter in each word.
3. Select the text of the two paragraphs that remain in the page and replace them with "To learn more about our books, click here or click the Books tab in the navigation bar above. You must be logged in to view the Books page." In a later step, you'll link the words "click here" to the **Books** page.
4. Save and close the Default.aspx page.
5. Next, open About.aspx and switch to **Design** view.
6. Change the text "Put content here." to "This is the Bug2Bug password-protected book information database example."
7. Save and close the About.aspx page.

### 21.2.5 Creating a Content Page That Only Authenticated Users Can Access


We now create the Books.aspx file in the **ProtectedContent** folder—the folder for which we set an access rule denying access to anonymous users. If an unauthenticated user requests this file, the user will be redirected to Login.aspx. From there, the user can either log in or create a new account, both of which will authenticate the user, then redirect back to Books.aspx. To create the page, perform the following steps:

1. Right click the **ProtectedContent** folder in the **Solution Explorer** and select **Add New Item....** In the resulting dialog, select **Web Form** and specify the file name **Books.aspx**. Ensure that the **CheckBox Select master page** is checked to indicate that this Web Form should be created as a content page that references a master page, then click **Add**.
  2. In the **Select a Master Page** dialog, select **Site.master** and click **OK**. The IDE creates the file and opens it.
  3. Switch to **Design** view, click in the page to select it, then select **DOCUMENT** from the **ComboBox** in the **Properties** window.
  4. Change the **Title** property of the page to **Books**, then save and close the page.
- You'll customize this page and create its functionality shortly.

### 21.2.6 Linking from the Default.aspx Page to the Books.aspx Page

Next, you'll add a hyperlink from the text "click here" in the Default.aspx page to the Books.aspx page. To do so, perform the following steps:

1. Open the Default.aspx page and switch to **Design** view.
2. Select the text "click here".
3. Click the **Convert to Hyperlink** (  ) Button on the toolbar at the top of Visual Web Developer to display the **Hyperlink** dialog. You can enter a URL here, or you can link to another page within the website.
4. Click the **Browse...** Button to display the **Select Project Item** dialog, which allows you to select another page in the website.
5. In the left column, select the **ProtectedContent** directory.
6. In the right column, select **Books.aspx**, then click **OK** to dismiss the **Select Project Item** dialog and click **OK** again to dismiss the **Hyperlink** dialog.



**Fig. 21.12** | Selecting the Books.aspx page from the **Select Project Item** dialog.

Users can now click the **click here** link in the Default.aspx page to browse to the Books.aspx page. If a user is not logged in, clicking this link will redirect the user to the Login page.

### 21.2.7 Modifying the Master Page (`Site.master`)

Next, you'll modify the website's master page, which defines the common elements we want to appear on each page. A master page is like a base class in a visual inheritance hierarchy, and content pages are like derived classes. The master page contains placeholders for custom content created in each content page. The content pages visually inherit the master page's content, then add content in the areas designated by the master page's placeholders.

For example, it's common to include a **navigation bar** (that is, a series of buttons or menus for navigating a website) on every page of a site. If a site encompasses a large number of pages, adding markup to create the navigation bar for each page can be time consuming. Moreover, if you subsequently modify the navigation bar, every page on the site that uses it must be updated. By creating a master page, you can specify the navigation-bar in one file and have it appear on all the content pages. If the navigation bar changes, only the master page changes—any content pages that use it are updated the next time the page is requested.

In the final version of this website, we modified the master page to include the Bug2Bug logo in the header at the top of every page. We also changed the colors of some elements in the header to make them work better with the logo. In particular, we changed the background color from a dark blue to white, and we changed the color of the text for the **Log In** and **Log Out** links to black. The color changes require you to modify the CSS styles for some of the master page's elements. These styles are defined in the file `Site.css`, which is located in the website's `Styles` folder. You will not modify the CSS file directly. Instead, you'll use the tools built into Visual Web Developer to perform these modifications.

#### *Inserting an Image in the Header*

To display the logo, we'll place an `Image` control in the header of the master page. Each content page based on this master page will include the logo. Perform the following steps to add the `Image`:

1. Open `Site.master` and switch to **Design** view.
2. Delete the text `MY ASP .NET APPLICATION` at the top of the page.
3. In the **Toolbox**, double click `Image` to add an `Image` control where the text used to be.
4. Edit the `Image` control's `ImageUrl` property to point to the `bug2bug.png` image in the `Images` folder.

#### *Customizing the CSS Styles for the Master Page*

Our logo image was designed to be displayed against a white background. To change the background color in the header at the top of the page, perform the following steps:

1. Just below the **Design** view is a list of **Buttons** that show you where the cursor is currently located in the master page (Fig. 21.13). These **Buttons** also allow you to select specific elements in the page. Click the `<div.header>` **Button** to select the header portion of the page.



**Fig. 21.13** | Buttons for selecting parts of a page in **Design** view.

2. Select **View > Other Windows > CSS Properties** to display the CSS properties (at the left of the IDE) for the currently selected element (the header of the page).
3. At the top of the **CSS Properties** window, click the **Summary** Button to show only the CSS properties that are currently set for the selected element.
4. Change the background property from **#4b6c9e** (the hexadecimal value for the current dark blue background) to **white** and press *Enter*.
5. The **Log In** and **Log Out** links use white text in the default website. Now that the background of the header is white, we need to change the color of these links so they'll be visible. In the upper-right corner of the master page click the **HeadLoginView** control, which is where the **Log In** and **Log Out** links get displayed.
6. Below the **Design** view, click the **<div.loginDisplay>** Button to display the styles for the **HeadLoginView** in the **CSS Properties** window.
7. Change the **color** property from **white** to **black** and press *Enter*.
8. Click inside the box below **HeadLoginView**. Then, below the **Design** view, click the **<a#HeadingLoginStatus>** Button to display the styles for the **Log In/Log Out** link in the **CSS Properties** window.
9. Change the **color** property from **white** to **black** and press *Enter*.
10. We chose to make some style changes directly in the **Site.css** file. On many websites, when you move the mouse over a hyperlink, the color of the link changes. Similarly, once you click a hyperlink, the hyperlink is often displayed in a different color the next time you visit the page to indicate that you've already clicked that link during a previous visit. The predefined styles in this website set the color of the **Log In** link to **white** for both of these cases. To change these to **black**, open the **Site.css** file from the **Styles** folder in the **Solution Explorer**, then search for the following two styles:

```
.loginDisplay a:visited  
.loginDisplay a:hover
```

Change each style's **color** property from **white** to **black**.

11. Save the **Site.master** and **Site.css** files.

#### *Adding a Books Link to the Navigation Bar*

Currently the navigation bar has only **Home** and **About** links. Next, you'll add a link to the **Books** page. Perform the following steps:

1. In the master page, position the mouse over the navigation bar links, then open the smart-tag menu and click **Edit Menu Items**.
2. In the **Menu Item Editor** dialog, click the **Add a root item** (  ) Button.
3. Set the new item's **Text** property to **Books** and use the up arrow Button to move the new item up so the order of the navigation bar items is **Home**, **Books** and **About**.

4. Set the new item's NavigateUrl property to the Books.aspx page in the ProtectedContent folder.
5. Click OK, then save Site.master to complete the changes to the master page.


### 21.2.8 Customizing the Password-Protected Books.aspx Page

You are now ready to customize the Books.aspx page to display the book information for a particular author.

#### *Generating LINQ to SQL Classes Based on the Books.mdf Database*

The Books.aspx page will provide a DropDownList containing authors' names and a GridView displaying information about books written by the author selected in the DropDownList. A user will select an author from the DropDownList to cause the GridView to display information about only the books written by the selected author.

To work with the Books database through LINQ, we use the same approach as in the **Guestbook** case study (Section 20.8). First you need to generate the LINQ to SQL classes based on the Books database, which is provided in the databases directory of this chapter's examples folder. Name the file Books.dbml. When you drag the tables of the Books database from the **Database Explorer** onto the **Object Relational Designer** of Books.dbml, you'll find that associations (represented by arrows) between the two tables are automatically generated (Fig. 21.14).



**Fig. 21.14 | Object Relational Designer for the Books database.**

To obtain data from this data context, you'll use two LinqDataSource controls. In both cases, the LinqDataSource control's built-in data selection functionality won't be versatile enough, so the implementation will be slightly different than in Section 20.8. So, we'll use a custom Select LINQ statement as the query of a LinqDataSource.


#### *Adding a DropDownList to Display the Authors' First and Last Names*

Now that we have created a BooksDataContext class (one of the generated LINQ to SQL classes), we add controls to Books.aspx that will display the data on the web page. We first add the DropDownList from which users can select an author.

1. Open Books.aspx in **Design** mode, then add the text **Author:** and a DropDownList control named **authorsDropDownList** in the page's editable content area (which has a white background). The DropDownList initially displays the text **Unbound**.
2. Next, we'll bind the list to a data source, so the list displays the author information in the Authors table of the Books database. Because the **Configure Data**

Source wizard allows us to create LinqDataSources with only simple Select LINQ statements, we cannot use the wizard here. Instead, add a LinqDataSource object below the DropDownList named authorsLinqDataSource.

3. Open the smart-tag menu for the DropDownList and click **Choose Data Source...** to start the **Data Source Configuration Wizard** (Fig. 21.15). Select authorsLinqDataSource from the **Select a data source** drop-down list in the first screen of the wizard. Then, type Name as the data field to display in the DropDownList and AuthorID as the data field that will be submitted to the server when the user makes a selection. [Note: You must manually type these values in because authorsLinqDataSource does not yet have a defined Select query.] When authorsDropDownList is rendered in a web browser, the list items will display the names of the authors, but the underlying values associated with each item will be the AuthorIDs of the authors. Click **OK** to bind the DropDownList to the specified data.



**Fig. 21.15** | Choosing a data source for a DropDownList.

4. In the C# code-behind file (`Books.aspx.cs`), create an instance of `BooksDataContext` named `database` as an instance variable.
5. In the **Design** view of `Books.aspx`, double click `authorsLinqDataSource` to create an event handler for its **Selecting** event. This event occurs every time the LinqDataSource selects data from its data context, and can be used to implement custom Select queries against the data context. To do so, assign the custom LINQ query to the **Result** property of the event handler's `LinqDataSourceSelectEventArgs` argument. The query results become the data source's data. In this case, we must create a custom anonymous type in the `Select` clause with properties `Name` and `AuthorID` that contain the author's full name and ID. The LINQ query is

```
from author in database.Authors
select new { Name = author.FirstName + " " + author.LastName,
    author.AuthorID };
```


The limitations of the **Configure Data Source** wizard prevent us from using a custom field such as `Name` (a combination of first name and last name, separated by a space) that isn't one of the database table's existing columns.

6. The last step in configuring the `DropDownList` on `Books.aspx` is to set the control's `AutoPostBack` property to `True`. This property indicates that a postback occurs each time the user selects an item in the `DropDownList`. As you'll see shortly, this causes the page's `GridView` (created in the next step) to display new data.

### *Creating a `GridView` to Display the Selected Author's Books*

We now add a `GridView` to `Books.aspx` for displaying the book information by the author selected in the `authorsDropDownList`.

1. Add a `GridView` named `titlesGridView` below the other controls in the page's content area.
2. To bind the `GridView` to data from the Books database, create a `LinqDataSource` named `titlesLinqDataSource` beneath the `GridView`.
3. Select `titlesLinqDataSource` from the **Choose Data Source** drop-down list in the **GridView Tasks** smart-tag menu. Because `titlesLinqDataSource` has no defined `Select` query, the `GridView` will not automatically be configured.
4. To configure the columns of the `GridView` to display the appropriate data, select `Edit Columns...` from the **GridView Tasks** smart-tag menu to display the **Fields** dialog (Fig. 21.16).
5. Uncheck the **Auto-generate fields** box to indicate that you'll manually define the fields to display.



**Fig. 21.16** | Creating `GridView` fields in the **Fields** dialog.

6. Create four BoundFields with the HeaderText ISBN, Title, Edition Number and Copyright, respectively.
7. For the ISBN and Copyright BoundFields, set the SortExpression and DataField properties to match the HeaderText. For the Title BoundField, set the SortExpression and DataField properties to Title1 (the IDE renamed the Title column to Title1 to avoid a naming conflict with the table's class—Title). For Edition Number, set the SortExpression and DataField to EditionNumber—the name of the field in the database. The SortExpression specifies to sort by the associated data field when the user chooses to sort by the column. Shortly, we'll enable sorting to allow users to sort this GridView. Click OK to close the Fields dialog.
8. To specify the Select LINQ query for obtaining the data, double click titlesLinqDataSource to create its Selecting event handler. Assign the custom LINQ query to the LinqDataSourceSelectEventArgs argument's Result property. Use the following LINQ query:

```
from book in database.AuthorISBNs
where book.AuthorID ==
    Convert.ToInt32( authorsDropDownList.SelectedValue )
select book.Title
```

9. The GridView needs to update every time the user makes a new author selection. To implement this, double click the DropDownList to create an event handler for its SelectedIndexChanged event. You can make the GridView update by invoking its DataBind method.

#### *Code-Behind File for the Books Page*

Figure 21.17 shows the code for the completed code-behind file. Line 10 defines the data context object that is used in the LINQ queries. Lines 13–20 and 23–31 define the two LinqDataSource's Selecting events. Lines 34–38 define the authorsDropDownList's SelectedIndexChanged event handler, which updates the GridView.

---

```
1 // Fig. 21.17: ProtectedContent_Books.aspx.cs
2 // Code-behind file for the password-protected Books page.
3 using System;
4 using System.Linq;
5 using System.Web.UI.WebControls;
6
7 public partial class ProtectedContent_Books : System.Web.UI.Page
8 {
9     // data context queried by data sources
10    BooksDataContext database = new BooksDataContext();
11
12    // specify the Select query that creates a combined first and last name
13    protected void authorsLinqDataSource_Selecting( object sender,
14        LinqDataSourceSelectEventArgs e )
15    {
```

---

**Fig. 21.17** | Code-behind file for the password-protected **Books** page. (Part I of 2.)

```
16     e.Result =
17         from author in database.Authors
18             select new { Name = author.FirstName + " " + author.LastName,
19                         author.AuthorID };
20     } // end method authorsLinqDataSource_Selecting
21
22     // specify the Select query that gets the specified author's books
23     protected void titlesLinqDataSource_Selecting( object sender,
24             LinqDataSourceSelectEventArgs e )
25     {
26         e.Result =
27             from book in database.AuthorISBNs
28                 where book.AuthorID ==
29                     Convert.ToInt32( authorsDropDownList.SelectedValue )
30                     select book.Title;
31     } // end method titlesLinqDataSource_Selecting
32
33     // refresh the GridView when a different author is selected
34     protected void authorsDropDownList_SelectedIndexChanged(
35         object sender, EventArgs e )
36     {
37         titlesGridView.DataBind(); // update the GridView
38     } // end method authorsDropDownList_SelectedIndexChanged
39 } // end class ProtectedContent_Books
```


**Fig. 21.17** | Code-behind file for the password-protected **Books** page. (Part 2 of 2.)

---

### *Configuring the GridView to Enable Sorting and Paging*

Now that the **GridView** is tied to a data source, we modify several of the control's properties to adjust its appearance and behavior.

1. In **Design** view, use the **GridView**'s sizing handles to set the width to 580px.
2. Next, in the **GridView Tasks** smart-tag menu, check **Enable Sorting** so that the column headings in the **GridView** become hyperlinks that allow users to sort the data in the **GridView** using the sort expressions specified by each column. For example, clicking the **Titles** heading in the web browser will cause the displayed data to appear sorted in alphabetical order. Clicking this heading a second time will cause the data to be sorted in reverse alphabetical order. ASP.NET hides the details required to achieve this functionality.
3. Finally, in the **GridView Tasks** smart-tag menu, check **Enable Paging**. This causes the **GridView** to split across multiple pages. The user can click the numbered links at the bottom of the **GridView** control to display a different page of data. **GridView**'s **PageSize** property determines the number of entries per page. Set the **PageSize** property to 4 using the **Properties** window so that the **GridView** displays only four books per page. This technique for displaying data makes the site more readable and enables pages to load more quickly (because less data is displayed at one time). As with sorting data in a **GridView**, you do not need to add any code to achieve paging functionality. Figure 21.18 displays the completed **Books.aspx** file in **Design** mode.



**Fig. 21.18** | Completed Books.aspx page in Design mode.


## 21.3 ASP.NET Ajax

In this section, you learn the difference between a traditional web application and an **Ajax (Asynchronous JavaScript and XML) web application**. You also learn how to use ASP.NET Ajax to quickly and easily improve the user experience for your web applications. To demonstrate ASP.NET Ajax capabilities, you enhance the validation example of Section 20.6 by displaying the submitted form information without reloading the entire page. The only modifications to this web application appear in the Validation.aspx file. You use Ajax-enabled controls to add this feature.

### 21.3.1 Traditional Web Applications

Figure 21.19 presents the typical interactions between the client and the server in a traditional web application, such as one that uses a user registration form. The user first fills in the form's fields, then submits the form (Fig. 21.19, *Step 1*). The browser generates a request to the server, which receives the request and processes it (*Step 2*). The server generates and sends a response containing the exact page that the browser renders (*Step 3*), which causes the browser to load the new page (*Step 4*) and temporarily makes the browser window blank. The client *waits* for the server to respond and *reloads the entire page* with the data from the response (*Step 4*). While such a **synchronous request** is being processed on the server, the user cannot interact with the web page. Frequent long periods of waiting, due perhaps to Internet congestion, have led some users to refer to the World Wide Web as the “World Wide Wait.” If the user interacts with and submits another form, the process begins again (*Steps 5–8*).


This model was designed for a web of hypertext documents—what some people call the “brochure web.” As the web evolved into a full-scale applications platform, the model shown in Fig. 21.19 yielded “choppy” user experiences. Every full-page refresh required users to reload the full page. Users began to demand a more responsive model.



**Fig. 21.19** | Traditional web application reloading the page for every user interaction.

### 21.3.2 Ajax Web Applications

Ajax web applications add a layer between the client and the server to manage communication between the two (Fig. 21.20). When the user interacts with the page, the client requests information from the server (*Step 1*). The request is intercepted by the ASP.NET Ajax controls and sent to the server as an **asynchronous request** (*Step 2*)—the user can continue interacting with the application in the client browser while the server processes the request. Other user interactions could result in additional requests to the server (*Steps 3*–*8*).



**Fig. 21.20** | Ajax-enabled web application interacting with the server asynchronously.

and 4). Once the server responds to the original request (*Step 5*), the ASP.NET Ajax control that issued the request calls a client-side function to process the data returned by the server. This function—known as a **callback function**—uses **partial-page updates** (*Step 6*) to display the data in the existing web page *without reloading the entire page*. At the same time, the server may be responding to the second request (*Step 7*) and the client browser may be starting another partial-page update (*Step 8*). The callback function updates only a designated part of the page. Such partial-page updates help make web applications more responsive, making them feel more like desktop applications. The web application does not load a new page while the user interacts with it. In the following section, you use ASP.NET Ajax controls to enhance the `Validation.aspx` page.

### 21.3.3 Testing an ASP.NET Ajax Application

To demonstrate ASP.NET Ajax capabilities we'll enhance the `Validation` application from Section 20.6 by adding ASP.NET Ajax controls. There are no C# code modifications to this application—all of the changes occur in the `.aspx` file.


#### *Testing the Application in Your Default Web Browser*

To test this application in your default web browser, perform the following steps:

1. Select **Open Web Site...** from the Visual Web Developer **File** menu.
2. In the **Open Web Site** dialog, select **File System**, then navigate to this chapter's examples, select the `ValidationAjax` folder and click the **Open** Button.
3. Select `Validation.aspx` in the **Solution Explorer**, then type *Ctrl + F5* to execute the web application in your default web browser.


Figure 21.21 shows a sample execution of the enhanced application. In Fig. 21.21(a), we show the contact form split into two tabs via the `TabContainer` Ajax control. You can switch between the tabs by clicking the title of each tab. Fig. 21.21(b) shows a `ValidatorCalloutExtender` control, which displays a validation error message in a callout that points to the control in which the validation error occurred, rather than as text in the page. Fig. 21.21(c) shows the updated page with the data the user submitted to the server.

a) Entering a name on the  
**Name** tab then clicking the  
**Contact** tab



**Fig. 21.21** | Validation application enhanced by ASP.NET Ajax. (Part 1 of 2.)

- b) Entering an e-mail address in an incorrect format and pressing the *Tab* key to move to the next input field causes a callout to appear informing the user to enter an e-mail address in a valid format



- c) After filling out the form properly and clicking the **Submit** button, the submitted data is displayed at the bottom of the page with a partial page update



---

**Fig. 21.21** | Validation application enhanced by ASP.NET Ajax. (Part 2 of 2.)

#### 21.3.4 The ASP.NET Ajax Control Toolkit

You'll notice that there is a tab of basic **AJAX Extensions** controls in the **Toolbox**. Microsoft also provides the **ASP.NET Ajax Control Toolkit** as part of the **ASP.NET Ajax Library**:

[ajax.codeplex.com](http://ajax.codeplex.com)

The toolkit contains many more Ajax-enabled, rich GUI controls. Click the **Download** Button to begin the download. The toolkit does not come with an installer, so you must extract the contents of the toolkit's ZIP file to your hard drive. Note the location where you extracted the files as you'll need this information to add the ASP.NET Ajax Controls to your **Toolbox**.

### *Adding the ASP.NET Ajax Controls to the Toolbox*

You should add controls from the Ajax Control Toolkit to the **Toolbox** in Visual Web Developer (or in Visual Studio), so you can drag and drop controls onto your Web Forms. To do so, perform the following steps:

1. Open an existing website project or create a new website project.
2. Open an ASPX page from your project in **Design** mode.
3. Right click inside the **Toolbox** and choose **Add Tab**, then type **ASP.NET Ajax Library** in the new tab.
4. Right click under the new **ASP.NET Ajax Library** tab and select **Choose Items...** to open the **Choose Toolbox Items** dialog.
5. Click the **Browse** Button then locate the folder where you extracted the **ASP.NET Ajax Control Toolkit**. Select the file **AjaxControlToolkit.dll** then click **Open**.
6. Click **OK** to close dialog. The controls from the **Ajax Control Toolkit** now appear in the **Toolbox's ASP.NET Ajax Library** tab.
7. If the control names are not in alphabetical order, you can sort them alphabetically, by right clicking in the list of **Ajax Control Toolkit** controls and selecting **Sort Items Alphabetically**.

### **21.3.5 Using Controls from the Ajax Control Toolkit**

In this section, you'll enhance the application you created in Section 20.6 by adding **ASP.NET Ajax** controls. The key control in every **ASP.NET Ajax**-enabled application is the **ScriptManager** (in the **Toolbox's AJAX Extensions** tab), which manages the **JavaScript** client-side code (called scripts) that enable asynchronous **Ajax** functionality. A benefit of using **ASP.NET Ajax** is that you do not need to know **JavaScript** to be able to use these scripts. The **ScriptManager** is meant for use with the controls in the **Toolbox's AJAX Extensions** tab. There can be only one **ScriptManager** per page.

#### **ToolkitScriptManager**

The **Ajax Control Toolkit** comes with an enhanced **ScriptManager** called the **ToolkitScriptManager**, which manages the scripts for the **ASP.NET Ajax Toolkit** controls. This one should be used in any page with controls from the **ASP.NET Ajax Toolkit**.



#### **Common Programming Error 21.1**

*Putting more than one ScriptManager and/or ToolkitScriptManager control on a Web Form causes the application to throw an InvalidOperationException when the page is initialized.*

Open the **Validation** website you created in Section 20.6. Then drag a **ToolkitScriptManager** from the **ASP.NET Ajax Library** tab in the **Toolbox** to the top of the page—a script manager must appear before any controls that use the scripts it manages.

#### *Grouping Information in Tabs Using the TabContainer Control*

The **TabContainer** control enables you to group information into tabs that are displayed only if they're selected. The information in an unselected tab won't be displayed until the

user selects that tab. To demonstrate a TabContainer control, let's split the form into two tabs—one in which the user can enter the name and one in which the user can enter the e-mail address and phone number. Perform the following steps:

1. Click to the right of the text **Please fill out all the fields in the following form:** and press *Enter* to create a new paragraph.
2. Drag a TabContainer control from the **ASP.NET Ajax Library** tab in the **Toolbox** into the new paragraph. This creates a container for hosting tabs. Set the TabContainer's **Width** property to **450px**.
3. To add a tab, open the **TabContainer Tasks** smart-tag menu and select **Add Tab Panel**. This adds a **TabPanel1** object—representing a tab—to the TabContainer. Do this again to add a second tab.
4. You must change each TabPanel's **HeaderText** property by editing the ASPX page's markup. To do so, click the TabContainer to ensure that it's selected, then switch to **Split** view in the design window. In the highlighted markup that corresponds to the TabContainer, locate `HeaderText="TabPanel1"` and change "TabPanel1" to "Name", then locate `HeaderText="TabPanel2"` and change "TabPanel2" to "Contact". Switch back to **Design** view. In **Design** view, you can navigate between tabs by clicking the tab headers. You can drag-and-drop elements into the tab as you would anywhere else.
5. Click in the **Name** tab's body, then insert a one row and two column table. Take the text and controls that are currently in the **Name:** row of the original table and move them to the table in the **Name** tab.
6. Switch to the **Contact** tab, click in its body, then insert a two-row-by-two-column table. Take the text and controls that are currently in the **E-mail:** and **Phone:** rows of the original table and move them to the table in the **Contact** tab.
7. Delete the original table that is currently below the TabContainer.


### *Partial-Page Updates Using the UpdatePanel Control*

The **UpdatePanel** control eliminates full-page refreshes by isolating a section of a page for a partial-page update. In this example, we'll use a partial-page update to display the user's information that is submitted to the server.

To implement a partial-page update, perform the following steps:

1. Click to the left of the **Submit Button** and press *Enter* to create a new paragraph above it. Then click in the new paragraph and drag an **UpdatePanel** control from the **AJAX Extensions** tab in the **Toolbox** to your form.
2. Then, drag into the **UpdatePanel** the control(s) to update and the control that triggers the update. For this example, drag the **outputLabel** and the **submitButton** into the **UpdatePanel**.
3. To specify when an **UpdatePanel** should update, you need to define an **UpdatePanel trigger**. Select the **UpdatePanel**, then click the ellipsis button next to the control's **Triggers** property in the **Properties** window. In the **UpdatePanel-Trigger Collection** dialog that appears (Fig. 21.22), click **Add** to add an **AsyncPostBackTrigger**. Set the **ControlID** property to **submitButton** and the

EventName property to Click. Now, when the user clicks the Submit button, the UpdatePanel intercepts the request and makes an asynchronous request to the server instead. Then the response is inserted in the outputLabel element, and the UpdatePanel reloads the label to display the new text without refreshing the entire page. Click OK to close the dialog.



**Fig. 21.22** | Creating a trigger for an UpdatePanel.

**Adding Ajax Functionality to ASP.NET Validation Controls Using Ajax Extenders**  
 Several controls in the Ajax Control Toolkit are **extenders**—components that enhance the functionality of regular ASP.NET controls. In this example, we use **ValidatorCalloutExtender** controls that enhance the ASP.NET validation controls by displaying error messages in small yellow callouts next to the input fields, rather than as text in the page.


You can create a ValidatorCalloutExtender by opening any validator control's smart-tag menu and clicking **Add Extender...** to display the **Extender Wizard** dialog (Fig. 21.23). Next, choose **ValidatorCalloutExtender** from the list of available extenders. The extender's ID is chosen based on the ID of the validation control you're extending, but you can rename it if you like. Click **OK** to create the extender. Do this for each of the validation controls in this example.

#### *Changing the Display Property of the Validation Controls*

The ValidatorCalloutExtenders display error messages with a nicer look-and-feel, so we no longer need the validator controls to display these messages on their own. For this reason, set each validation control's **Display** property to **None**.

#### *Running the Application*

When you run this application, the TabContainer will display whichever tab was last displayed in the ASPX page's **Design** view. Ensure that the **Name** tab is displayed, then select **Validation.aspx** in the **Solution Explorer** and type **Ctrl + F5** to execute the application.



**Fig. 21.23** | Creating a control extender using the **Extender Wizard**.

### *Additional ASP.NET Information*

The Ajax Control Toolkit contains many other extenders and independent controls. You can check them out at [www.asp.net/ajax/ajaxcontroltoolkit/samples/](http://www.asp.net/ajax/ajaxcontroltoolkit/samples/). For more information on ASP.NET Ajax, check out our ASP.NET Ajax Resource Center at

[www.deitel.com/aspdotnetajax](http://www.deitel.com/aspdotnetajax)

---

## Summary

### *Section 21.2 Case Study: Password-Protected Books Database Application*

- The **ASP.NET Web Site** template is a starter kit for a small multi-page website. The template uses Microsoft's recommended practices for organizing a website and separating the website's style (look-and-feel) from its content.

### *Section 21.2.1 Examining the ASP.NET Web Site Template*

- The default **ASP.NET Web Site** contains a home page and an about page—so-called content pages. The navigation bar near the top of the page allows you to switch between these pages by clicking the link for the appropriate page.
- A master page defines common elements that are displayed by each page in a set of content pages.
- Content pages can inherit elements from master pages—this is a form of visual inheritance.

- Websites commonly provide “membership capabilities” that allow users to register at a website and log in. The default **ASP.NET Web Site** is pre-configured to support registration and login capabilities.

#### **Section 21.2.2 Test-Driving the Completed Application**

- Forms authentication enables only registered users who are logged into the website to access a password-protected page or set of pages. Such users are known as the site’s members.
- If you attempt to access a password-protected page without logging in, you’re automatically redirected to the login page.
- When you successfully log into the website you’re considered to be authenticated.
- When you’re logged in, the **Log In** link is replaced in the upper-right corner of each page with the message “Welcome *username*,” where *username* is replaced with your log in name, and a **Log Out** link. When you click **Log Out**, the website redirects you to the home page.

#### **Section 21.2.3 Configuring the Website**

- To create a folder in a website, right click the location of the website in the **Solution Explorer**, select **New Folder** and type the folder name.
- To restrict access to a page, you typically place it in a directory other than the website’s root.
- The **Web Site Administration Tool** allows you to configure various options that determine how your application behaves.
- An access rule grants or denies access to a particular directory for a specific user or group of users.

#### **Section 21.2.4 Modifying the Default.aspx and About.aspx Pages**

- As you move the cursor over a content page, you’ll notice that sometimes the cursor displays as  to indicate that you cannot edit the part of the page behind the cursor. Any part of a content page that is defined in a master page can be edited only in the master page.

#### **Section 21.2.5 Creating a Content Page That Only Authenticated Users Can Access**

- When you create a new **Web Form** that should inherit from a specific master page, ensure that the **Select master page** checkbox is checked. Then, in the **Select a Master Page** dialog, select the appropriate master page and click **OK**.

#### **Section 21.2.6 Linking from the Default.aspx Page to the Books.aspx Page**

- To convert text to a hyperlink, select the text then click the **Convert to Hyperlink** () button on the toolbar at the top of Visual Web Developer to display the **Hyperlink** dialog. You can enter a URL here, or you can link to another page within the website.

#### **Section 21.2.7 Modifying the Master Page (**Site.master**)**

- A master page is like a base class in a visual inheritance hierarchy, and content pages are like derived classes. The master page contains placeholders for custom content created in each content page. The content pages visually inherit the master page’s content, then add content in the areas designated by the master page’s placeholders.
- The website’s styles are defined in the file **Site.css**, which is located in the site’s **Styles** folder.
- Select **View > Other Windows > CSS Properties** to display the CSS properties (at the left of the IDE) for the currently selected element. At the top of the **CSS Properties** window, click the **Summary** button to show only the CSS properties that are currently set for the selected element.
- To add a link to the navigation bar in the master page, position the mouse over the navigation bar links then open the smart-tag menu and click **Edit Menu Items**. In the **Menu Item Editor** dialog,

click the **Add a root item** () button. Set the new item's **Text** property and use the arrow buttons to move the new item where it should appear in the navigation bar. Set the new item's **NavigationUrl** property to the appropriate page.

#### *Section 21.2.8 Customizing the Password-Protected Books.aspx Page*

- The **Configure Data Source** wizard allows you to create LinqDataSources with only simple Select LINQ statements. Sometimes you must add a LinqDataSource object with a custom query.
- A LinqDataSource's **Selecting** event occurs every time the LinqDataSource selects data from its data context, and can be used to implement custom Select queries against the data context. To do so, assign the custom LINQ query to the **Result** property of the event handler's **LinqDataSourceSelectEventArgs** argument. The query results become the data source's data.
- Setting a DropDownList's **AutoPostBack** property to **True** indicates that a postback occurs each time the user selects an item in the DropDownList.
- You can configure the columns of a GridView manually by selecting **Edit Columns...** from the **GridView Tasks** smart-tag menu.
- Checking **Enable Sorting** in the **GridView Tasks** smart-tag menu changes the column headings in the GridView to hyperlinks that allow users to sort the data in the GridView using the sort expressions specified by each column.
- Checking **Enable Paging** in the **GridView Tasks** smart-tag menu causes the GridView to split across multiple pages. The user can click the numbered links at the bottom of the GridView control to display a different page of data. GridView's **PageSize** property determines the number of entries per page. This technique for displaying data makes the site more readable and enables pages to load more quickly (because less data is displayed at one time).

#### *Section 21.3 ASP.NET Ajax*

- A traditional web application must make synchronous requests and must wait for a response, whereas an Ajax (Asynchronous JavaScript and XML) web applications can make asynchronous requests and do not need to wait for a response.
- The key control in every ASP.NET Ajax-enabled application is the **ScriptManager** (in the **Toolbox's AJAX Extensions tab**), which manages the JavaScript client-side code (called scripts) that enable asynchronous Ajax functionality. A benefit of using ASP.NET Ajax is that you do not need to know JavaScript to be able to use these scripts.
- The **ScriptManager** is meant for use with the controls in the **Toolbox's AJAX Extensions tab**. There can be only one **ScriptManager** per page.
- The **Ajax Control Toolkit** comes with an enhanced version of the **ScriptManager** called the **ToolkitScriptManager**, which manages all the scripts for the ASP.NET Ajax Toolkit controls. This one should be used in any ASPX page that contains controls from the ASP.NET Ajax Toolkit.
- The **TabContainer** control enables you to group information into tabs that are displayed only if they're selected. To add a tab, open the **TabContainer Tasks** smart-tag menu and select **Add Tab Panel**. This adds a **TabPanel** object—representing a tab—to the **TabContainer**.
- The **UpdatePanel** control eliminates full-page refreshes by isolating a section of a page for a partial-page update.
- To specify when an **UpdatePanel** should update, you need to define an **UpdatePanel** trigger. Select the **UpdatePanel**, then click the ellipsis button next to the control's **Triggers** property in the **Properties** window. In the **UpdatePanelTrigger Collection** dialog that appears, click **Add** to add an **AsyncPostBackTrigger**. Set the **ControlID** property to the control that triggers the update and the **EventName** property to the event that is generated when the user interacts with the control.

- Several controls in the Ajax Control Toolkit are extenders—components that enhance the functionality of regular ASP.NET controls.
- **ValidatorCalloutExtender** controls enhance the ASP.NET validation controls by displaying error messages in small yellow callouts next to the input fields, rather than as text in the page.
- You can create a **ValidatorCalloutExtender** by opening any validator control's smart-tag menu and clicking **Add Extender...** to display the **Extender Wizard** dialog. Next, choose **ValidatorCalloutExtender** from the list of available extenders.

## Self-Review Exercises

- 21.1** State whether each of the following is *true* or *false*. If *false*, explain why.
- An access rule grants or denies access to a particular directory for a specific user or group of users.
  - When using controls from the Ajax Control Toolkit, you must include the **ScriptManager** control at the top of the **ASPX** page.
  - A master page is like a base class in a visual inheritance hierarchy, and content pages are like derived classes.
  - A **GridView** automatically enables sorting and paging of its contents.
  - Ajax web applications make synchronous requests and wait for responses.
- 21.2** Fill in the blanks in each of the following statements:
- A(n) \_\_\_\_\_ defines common GUI elements that are inherited by each page in a set of \_\_\_\_\_.
  - The main difference between a traditional web application and an Ajax web application is that the latter supports \_\_\_\_\_ requests.
  - The \_\_\_\_\_ template is a starter kit for a small multi-page website that uses Microsoft's recommended practices for organizing a website and separating the website's style (look-and-feel) from its content.
  - The \_\_\_\_\_ allows you to configure various options that determine how your application behaves.
  - A **LinqDataSource**'s \_\_\_\_\_ event occurs every time the **LinqDataSource** selects data from its data context, and can be used to implement custom **Select** queries against the data context.
  - Setting a **DropDownList**'s \_\_\_\_\_ property to **True** indicates that a postback occurs each time the user selects an item in the **DropDownList**.
  - Several controls in the Ajax Control Toolkit are \_\_\_\_\_—components that enhance the functionality of regular ASP.NET controls.

## Answers to Self-Review Exercises

- 21.1** a) True. b) False. The **ToolkitScriptManager** control must be used for controls from the Ajax Control Toolkit. The **ScriptManager** control can be used only for the controls in the **Toolbox**'s **AJAX Extensions** tab. c) True. d) False. Checking **Enable Sorting** in the **GridView Tasks** smart-tag menu changes the column headings in the **GridView** to hyperlinks that allow users to sort the data in the **GridView**. Checking **Enable Paging** in the **GridView Tasks** smart-tag menu causes the **GridView** to split across multiple pages. e) False. That is what traditional web applications do. Ajax web applications can make asynchronous requests and do not need to wait for responses.

- 21.2** a) master page, content pages. b) asynchronous. c) **ASP.NET Web Site**. d) **Web Site Administration Tool**. e) **Selecting**. f) **AutoPostBack**. g) extenders.

## Exercises

**21.3** (*Guestbook Application Modification*) Add Ajax functionality to the Guestbook application in Exercise 20.5. Use control extenders to display error callouts when one of the user input fields is invalid.

**21.4** (*Guestbook Application Modification*) Modify the Guestbook application in Exercise 21.3 to use a `UpdatePanel` so only the `GridView` updates when the user submits the form. Because only the `UpdatePanel` will be updated, you cannot clear the user input fields in the `Submit` button's `Click` event, so you can remove this functionality.

**21.5** (*Session Tracking Modification*) Use the **ASP.NET Web Site** template that you learned about in this chapter to reimplement the session tracking example in Exercise 20.7.

# 22

## Web Services in C#

*A client is to me a mere unit, a factor in a problem.*

—Sir Arthur Conan Doyle

*...if the simplest things of nature have a message that you understand, rejoice, for your soul is alive.*

—Eleonora Duse

### Objectives

In this chapter you'll learn:

- How to create WCF web services.
- How XML, JSON, XML-Based Simple Object Access Protocol (SOAP) and Representational State Transfer Architecture (REST) enable WCF web services.
- The elements that comprise WCF web services, such as service references, service endpoints, service contracts and service bindings.
- How to create a client that consumes a WCF web service.
- How to use WCF web services with Windows and web applications.
- How to use session tracking in WCF web services to maintain state information for the client.
- How to pass user-defined types to a WCF web service.



- 22.1** Introduction
- 22.2** WCF Services Basics
- 22.3** Simple Object Access Protocol (SOAP)
  - 22.4** Representational State Transfer (REST)
  - 22.5** JavaScript Object Notation (JSON)
  - 22.6** Publishing and Consuming SOAP-Based WCF Web Services
    - 22.6.1 Creating a WCF Web Service
    - 22.6.2 Code for the `WelcomeSOAPXMLService`
    - 22.6.3 Building a SOAP WCF Web Service
    - 22.6.4 Deploying the `WelcomeSOAPXMLService`
    - 22.6.5 Creating a Client to Consume the `WelcomeSOAPXMLService`
    - 22.6.6 Consuming the `WelcomeSOAPXMLService`
  - 22.7** Publishing and Consuming REST-Based XML Web Services
    - 22.7.1 HTTP get and post Requests
    - 22.7.2 Creating a REST-Based XML WCF Web Service
    - 22.7.3 Consuming a REST-Based XML WCF Web Service
  - 22.8** Publishing and Consuming REST-Based JSON Web Services
- 22.8.1** Creating a REST-Based JSON WCF Web Service
- 22.8.2** Consuming a REST-Based JSON WCF Web Service
- 22.9** Blackjack Web Service: Using Session Tracking in a SOAP-Based WCF Web Service
  - 22.9.1 Creating a Blackjack Web Service
  - 22.9.2 Consuming the Blackjack Web Service
- 22.10** Airline Reservation Web Service: Database Access and Invoking a Service from ASP.NET
- 22.11** Equation Generator: Returning User-Defined Types
  - 22.11.1 Creating the REST-Based XML `EquationGenerator` Web Service
  - 22.11.2 Consuming the REST-Based XML `EquationGenerator` Web Service
  - 22.11.3 Creating the REST-Based JSON WCF `EquationGenerator` Web Service
  - 22.11.4 Consuming the REST-Based JSON WCF `EquationGenerator` Web Service
- 22.12** Web Resources

[Summary](#) | [Self-Review Exercises](#) | [Answers to Self-Review Exercises](#) | [Exercises](#)

## 22.1 Introduction

This chapter introduces **Windows Communication Foundation (WCF)** services. WCF is a set of technologies for building distributed systems in which system components communicate with one another over networks. In earlier versions of .NET, the various types of communication used different technologies and programming models. WCF uses a common framework for all communication between systems, so you need to learn only one programming model to use WCF.

This chapter focuses on WCF web services, which promote software reusability in distributed systems that typically execute across the Internet. A **web service** is a class that allows its methods to be called by methods on other machines via common data formats and protocols, such as XML, JSON (Section 22.5) and HTTP. In .NET, the over-the-network method calls are commonly implemented through **Simple Object Access Protocol (SOAP)** or the **Representational State Transfer (REST)** architecture. SOAP is an XML-based protocol describing how to mark up requests and responses so that they can be sent via protocols such as HTTP. SOAP uses a standardized XML-based format to enclose data in a message that can be sent between a client and a server. REST is a network architecture

that uses the web's traditional request/response mechanisms such as GET and POST requests. REST-based systems do not require data to be wrapped in a special message format.

We build the WCF web services presented in this chapter in Visual Web Developer 2010 Express, and we create client applications that invoke these services using both Visual C# 2010 Express and Visual Web Developer 2010 Express. Full versions of Visual Studio 2010 include the functionality of both Express editions.

Requests to and responses from web services created with Visual Web Developer are typically transmitted via SOAP or REST, so any client capable of generating and processing SOAP or REST messages can interact with a web service, regardless of the language in which the web service is written. We say more about SOAP and REST in Section 22.3 and Section 22.4, respectively.

## 22.2 WCF Services Basics

Microsoft's Windows Communication Foundation (WCF) was created as a single platform to encompass many existing communication technologies. WCF increases productivity, because you learn only one straightforward programming model. Each WCF service has three key components—addresses, bindings and contracts (usually called the ABCs of a WCF service):

- An **address** represents the service's location (also known as its **endpoint**), which includes the protocol (for example, HTTP) and network address (for example, [www.deitel.com](http://www.deitel.com)) used to access the service.
- A **binding** specifies how a client communicates with the service (for example, SOAP, REST, and so on). Bindings can also specify other options, such as security constraints.
- A **contract** is an interface representing the service's methods and their return types. The service's contract allows clients to interact with the service.

The machine on which the web service resides is referred to as a **web service host**. The client application that accesses the web service sends a method call over a network to the web service host, which processes the call and returns a response over the network to the application. This kind of distributed computing benefits systems in various ways. For example, an application without direct access to data on another system might be able to retrieve this data via a web service. Similarly, an application lacking the processing power necessary to perform specific computations could use a web service to take advantage of another system's superior resources.

## 22.3 Simple Object Access Protocol (SOAP)

The Simple Object Access Protocol (SOAP) is a platform-independent protocol that uses XML to make remote procedure calls, typically over HTTP. Each request and response is packaged in a **SOAP message**—an XML message containing the information that a web service requires to process the message. SOAP messages are written in XML so that they're computer readable, human readable and platform independent. Most **firewalls**—security barriers that restrict communication among networks—allow HTTP traffic to pass through, so that clients can browse the Internet by sending requests to and receiving re-

sponses from web servers. Thus, SOAP-based services can send and receive SOAP messages over HTTP connections with few limitations.

SOAP supports an extensive set of types. The **wire format** used to transmit requests and responses must support all types passed between the applications. SOAP types include the primitive types (for example, `int`), as well as `DateTime`, `XmLNode` and others. SOAP can also transmit arrays of these types. In Section 22.11, you'll see that you can also transmit user-defined types in SOAP messages.

When a program invokes a method of a SOAP web service, the request and all relevant information are packaged in a SOAP message enclosed in a **SOAP envelope** and sent to the server on which the web service resides. When the web service receives this SOAP message, it parses the XML representing the message, then processes the message's contents. The message specifies the method that the client wishes to execute and the arguments the client passed to that method. Next, the web service calls the method with the specified arguments (if any) and sends the response back to the client in another SOAP message. The client parses the response to retrieve the method's result. In Section 22.6, you'll build and consume a basic SOAP web service.

## 22.4 Representational State Transfer (REST)

Representational State Transfer (REST) refers to an architectural style for implementing web services. Such web services are often called **RESTful web services**. Though REST itself is not a standard, RESTful web services are implemented using web standards. Each operation in a RESTful web service is identified by a unique URL. Thus, when the server receives a request, it immediately knows what operation to perform. Such web services can be used in a program or directly from a web browser. The results of a particular operation may be cached locally by the browser when the service is invoked with a `GET` request. This can make subsequent requests for the same operation faster by loading the result directly from the browser's cache. Amazon's web services (`aws.amazon.com`) are RESTful, as are many others.

RESTful web services are alternatives to those implemented with SOAP. Unlike SOAP-based web services, the request and response of REST services are not wrapped in envelopes. REST is also not limited to returning data in XML format. It can use a variety of formats, such as XML, JSON, HTML, plain text and media files. In Sections 22.7–22.8, you'll build and consume basic RESTful web services.

## 22.5 JavaScript Object Notation (JSON)

JavaScript Object Notation (JSON) is an alternative to XML for representing data. JSON is a text-based data-interchange format used to represent objects in JavaScript as collections of name/value pairs represented as `Strings`. It is commonly used in Ajax applications. JSON is a simple format that makes objects easy to read, create and parse, and allows programs to transmit data efficiently across the Internet because it is much less verbose than XML. Each JSON object is represented as a list of property names and values contained in curly braces, in the following format:

```
{ propertyName1 : value1, propertyName2 : value2 }
```

Arrays are represented in JSON with square brackets in the following format:

```
[ value1, value2, value3 ]
```

Each value in an array can be a string, a number, a JSON object, `true`, `false` or `null`. To appreciate the simplicity of JSON data, examine this representation of an array of address-book entries

```
[ { first: 'Cheryl', last: 'Black' },
  { first: 'James', last: 'Blue' },
  { first: 'Mike', last: 'Brown' },
  { first: 'Meg', last: 'Gold' } ]
```

Many programming languages now support the JSON data format.

## 22.6 Publishing and Consuming SOAP-Based WCF Web Services

This section presents our first example of **publishing** (enabling for client access) and **consuming** (using) a web service. We begin with a SOAP-based web service.

### 22.6.1 Creating a WCF Web Service

To build a SOAP-based WCF web service in Visual Web Developer, you first create a project of type **WCF Service**. SOAP is the default protocol for WCF web services, so no special configuration is required to create them. Visual Web Developer then generates files for the WCF service code, an **SVC file** (`Service.svc`, which provides access to the service), and a **Web.config** file (which specifies the service's binding and behavior).

Visual Web Developer also generates code files for the WCF service class and any other code that is part of the WCF service implementation. In the service class, you define the methods that your WCF web service makes available to client applications.

### 22.6.2 Code for the WelcomeSOAPXMLService

Figures 22.1 and 22.2 present the code-behind files for the `WelcomeSOAPXMLService` WCF web service that you'll build in Section 22.6.3. When creating services in Visual Web Developer, you work almost exclusively in the code-behind files. The service provides a method that takes a name (represented as a `string`) as an argument and appends it to the welcome message that is returned to the client. We use a parameter in the method definition to demonstrate that a client can send data to a web service.

Figure 22.1 is the service's interface, which describes the service's contract—the set of methods and properties the client uses to access the service. The **ServiceContract** attribute (line 6) exposes a class that implements this interface as a WCF web service. The **OperationContract** attribute (line 10) exposes the `Welcome` method to clients for remote calls. Optional parameters can be assigned to these contracts to change the data format and method behavior, as we'll show in later examples.

Figure 22.2 defines the class that implements the interface declared as the **ServiceContract**. Lines 7–12 define the method `Welcome`, which returns a `string` welcoming you to WCF web services. Next, we build the web service from scratch.

---

```

1 // Fig. 22.1: IWelcomeSOAPXMLService.cs
2 // WCF web service interface that returns a welcome message through SOAP
3 // protocol and XML data format.
4 using System.ServiceModel;
5
6 [ServiceContract]
7 public interface IWelcomeSOAPXMLService
8 {
9     // returns a welcome message
10    [OperationContract]
11    string Welcome( string yourName );
12 } // end interface IWelcomeSOAPXMLService

```

---

**Fig. 22.1** | WCF web-service interface that returns a welcome message through SOAP protocol and XML format.

---

```

1 // Fig. 22.2: WelcomeSOAPXMLService.cs
2 // WCF web service that returns a welcome message using SOAP protocol and
3 // XML data format.
4 public class WelcomeSOAPXMLService : IWelcomeSOAPXMLService
5 {
6     // returns a welcome message
7     public string Welcome( string yourName )
8     {
9         return string.Format(
10             "Welcome to WCF Web Services with SOAP and XML, {0}!",
11             yourName );
12     } // end method Welcome
13 } // end class WelcomeSOAPXMLService

```

---

**Fig. 22.2** | WCF web service that returns a welcome message through the SOAP protocol and XML format.

### 22.6.3 Building a SOAP WCF Web Service


In the following steps, you create a **WCF Service** project for the **WelcomeSOAPXMLService** and test it using the built-in ASP.NET Development Server that comes with Visual Web Developer Express and Visual Studio.

#### *Step 1: Creating the Project*

To create a project of type **WCF Service**, select **File > New Web Site...** to display the **New Web Site** dialog (Fig. 22.3). Select the **WCF Service** template. Select **File System** from the **Location** drop-down list to indicate that the files should be placed on your local hard disk. By default, Visual Web Developer places files on the local machine in a directory named **WCFService1**. Rename this folder to **WelcomeSOAPXMLService**. We modified the default path as well. Click **OK** to create the project.

#### *Step 2: Examining the Newly Created Project*

After you create the project, the code-behind file **Service.cs**, which contains code for a simple web service, is displayed by default. If the code-behind file is not open, open it by double clicking the file in the **App\_Code** directory listed in the **Solution Explorer**. By



**Fig. 22.3** | Creating a WCF Service in Visual Web Developer.

default, a new code-behind file implements an interface named `IService`. This interface (in the file `IService.cs`) is marked with the `ServiceContract` and `OperationContract` attributes. In addition, the `IService.cs` file defines a class named `CompositeType` with a `DataContract` attribute (discussed in Section 22.8). The interface contains two sample service methods named `GetData` and `GetDataUsingDataContract`. The `Service.cs` contains the code that defines these methods.

#### *Step 3: Modifying and Renaming the Code-Behind File*

To create the `WelcomeSOAPXMLService` service developed in this section, modify `IService.cs` and `Service.cs` by replacing the sample code provided by Visual Web Developer with the code from the `IWelcomeSOAPXMLService` and `WelcomeSOAPXMLService` files (Figs. 22.1 and 22.2, respectively). Then rename the files to `IWelcomeSOAPXMLService.cs` and `WelcomeSOAPXMLService.cs` by right clicking each file in the Solution Explorer and choosing **Rename**.

#### *Step 4: Examining the SVC File*

The `Service.svc` file, when accessed through a web browser, provides information about the web service. However, if you open the `SVC` file on disk, it contains only

```
<%@ ServiceHost Language="C#" Debug="true" Service="Service"
CodeBehind="~/App_Code/Service.cs" %>
```

to indicate the programming language in which the web service's code-behind file is written, the `Debug` attribute (enables a page to be compiled for debugging), the name of the service and the code-behind file's location. When you request the `SVC` page in a web browser, WCF uses this information to dynamically generate the `WSDL` document.


### *Step 5: Modifying the SVC File*

If you change the code-behind file name or the class name that defines the web service, you must modify the SVC file accordingly. Thus, after defining class `WelcomeSOAPXMLService` in the code-behind file `WelcomeSOAPXMLService.cs`, modify the SVC file as follows:

```
<%@ ServiceHost Language="C#" Debug="true"
   Service="WelcomeSOAPXMLService"
   CodeBehind="~/App_Code/WelcomeSOAPXMLService.cs" %>
```

#### 22.6.4 Deploying the WelcomeSOAPXMLService

You can choose **Build Web Site** from the **Build** menu to ensure that the web service compiles without errors. You can also test the web service directly from Visual Web Developer by selecting **Start Debugging** from the **Debug** menu. The first time you do this, the **Debugging Not Enabled** dialog appears. Click **OK** if you want to enable debugging. Next, a browser window opens and displays information about the service. This information is generated dynamically when the SVC file is requested. Figure 22.4 shows a web browser displaying the Service.svc file for the `WelcomeSOAPXMLService` WCF web service.




**Fig. 22.4** | SVC file rendered in a web browser.

Once the service is running, you can also access the SVC page from your browser by typing a URL of the following form in a web browser:

```
http://localhost:portNumber/virtualPath/Service.svc
```

(See the actual URL in Fig. 22.4.) By default, the ASP.NET Development Server assigns a random port number to each website it hosts. You can change this behavior by going to the **Solution Explorer** and clicking on the project name to view the **Properties** window (Fig. 22.5). Set the **Use dynamic ports** property to **False** and set the **Port number** property to the port number that you want to use, which can be any unused TCP port. Generally, you don't do this for web services that will be deployed to a real web server. You can also change the service's virtual path, perhaps to make the path shorter or more readable.



**Fig. 22.5** | WCF web service **Properties** window.

### *Web Services Description Language*


To consume a web service, a client must determine the service's functionality and how to use it. For this purpose, web services normally contain a **service description**. This is an XML document that conforms to the **Web Service Description Language (WSDL)**—an XML vocabulary that defines the methods a web service makes available and how clients interact with them. The WSDL document also specifies lower-level information that clients might need, such as the required formats for requests and responses.

WSDL documents help applications determine how to interact with the web services described in the documents. When viewed in a web browser, an SVC file presents a link to the service's WSDL document and information on using the utility **svccutil.exe** to generate test console applications. The **svccutil.exe** tool is included with Visual Studio 2010 and Visual Web Developer. We do not use **svccutil.exe** to test our services, opting instead to build our own test applications. When a client requests the SVC file's URL followed by ?wsdl, the server autogenerated the WSDL that describes the web service and returns the WSDL document. Copy the SVC URL (which ends with .svc) from the browser's address field in Fig. 22.4, as you'll need it in the next section to build the client application. Also, leave the web service running so the client can interact with it.

#### **22.6.5 Creating a Client to Consume the WelcomeSOAPXMLService**


Now that you've defined and deployed the web service, let's consume it from a client application. A .NET web-service client can be any type of .NET application, such as a Win-

dows application, a console application or a web application. You can enable a client application to consume a web service by **adding a service reference** to the client. Figure 22.6 diagrams the parts of a client for a SOAP-based web service after a service reference has been added. [Note: This section discusses building a client application in Visual C# 2010 Express, but the discussion also applies to Visual Web Developer 2010 Express.]



**Fig. 22.6** | .NET WCF web-service client after a web-service reference has been added.

An application that consumes a SOAP-based web service actually consists of two parts—a proxy class representing the web service and a client application that accesses the web service via a proxy object (that is, an instance of the proxy class). A **proxy class** handles all the “plumbing” required for service method calls (that is, the networking details and the formation of SOAP messages). Whenever the client application calls a web service’s method, the application actually calls a corresponding method in the proxy class. This method has the same name and parameters as the web service’s method that is being called, but formats the call to be sent as a request in a SOAP message. The web service receives this request as a SOAP message, executes the method call and sends back the result as another SOAP message. When the client application receives the SOAP message containing the response, the proxy class deserializes it and returns the results as the return value of the web-service method that was called. Figure 22.7 depicts the interactions among the client code, proxy class and web service. The proxy class is not shown in the project unless you click the **Show All Files** button in the **Solution Explorer**.



**Fig. 22.7** | Interaction between a web-service client and a SOAP web service.

Many aspects of web-service creation and consumption—such as generating WSDL files and proxy classes—are handled by Visual Web Developer, Visual C# 2010 and WCF. Although developers are relieved of the tedious process of creating these files, they can still modify the files if necessary. This is required only when developing advanced web services—none of our examples require modifications to these files.

We now create a client and generate a proxy class that allows the client to access the WelcomeSOAPXMLService web service. First create a Windows application named WelcomeSOAPXMLClient in Visual C# 2010, then perform the following steps.

#### *Step 1: Opening the Add Service Reference Dialog*

Right click the project name in the **Solution Explorer** and select **Add Service Reference...** to display the **Add Service Reference** dialog.

#### *Step 2: Specifying the Web Service's Location*

In the dialog, enter the URL of WelcomeSOAPXMLService's .svc file (that is, the URL you copied from Fig. 22.4) in the **Address** field and click **Go**. When you specify the service you want to consume, the IDE accesses the web service's WSDL information and copies it into a WSDL file that is stored in the client project's Service References folder. This file is visible when you view all of your project's files in the **Solution Explorer**. [Note: A copy of the WSDL file provides the client application with local access to the web service's description. To ensure that the WSDL file is up to date, Visual C# 2010 provides an **Update Service Reference** option (available by right clicking the service reference in the **Solution Explorer**), which updates the files in the Service References folder.]

Many companies that provide web services simply distribute the exact URLs at which their web services can be accessed. The **Add Service Reference** dialog also allows you to search for services on your local machine or on the Internet.

#### *Step 3: Renaming the Service Reference's Namespace*

In the **Add Service Reference** dialog, rename the service reference's namespace by changing the **Namespace** field to **ServiceReference**.

#### *Step 4: Adding the Service Reference*

Click the **Ok** button to add the service reference.

#### *Step 5: Viewing the Service Reference in the Solution Explorer*

The **Solution Explorer** should now contain a **Service References** folder with a node showing the namespace you specified in *Step 3*.

### **22.6.6 Consuming the WelcomeSOAPXMLService**

Figure 22.8 uses the WelcomeSOAPXMLService service to send a welcome message. You are already familiar with Visual C# applications that use **Labels**, **TextBoxes** and **Buttons**, so we focus our discussions on the web-services concepts in this chapter's applications.


Line 11 defines a new **ServiceReference.WelcomeSOAPXMLServiceClient** proxy object named **client**. The event handler uses this object to call methods of the WelcomeSOAPXMLService web service. Line 22 invokes the **WelcomeSOAPXMLService** web service's **Welcome** method. The call is made via the local proxy object **client**, which then communicates with the web service on the client's behalf. If you're using the downloaded exam-

```


1 // Fig. 22.8: WelcomeSOAPXML.cs
2 // Client that consumes the WelcomeSOAPXMLService.
3 using System;
4 using System.Windows.Forms;
5
6 namespace WelcomeSOAPXMLClient
7 {
8     public partial class WelcomeSOAPXML : Form
9     {
10        // declare a reference to web service
11        private ServiceReference.WelcomeSOAPXMLServiceClient client;
12
13        public WelcomeSOAPXML()
14        {
15            InitializeComponent();
16            client = new ServiceReference.WelcomeSOAPXMLServiceClient();
17        } // end constructor
18
19        // creates welcome message from text input and web service
20        private void submitButton_Click( object sender, EventArgs e )
21        {
22            MessageBox.Show( client.Welcome( textBox.Text ), "Welcome" );
23        } // end method submitButton_Click
24    } // end class WelcomeSOAPXML
25 } // end namespace WelcomeSOAPXMLClient

```

a) User inputs name and clicks **Submit** to send it to the web service



b) Message returned by the web service



**Fig. 22.8** | Client that consumes the WelcomeSOAPXMLService.

plexes from this chapter, you may need to regenerate the proxy by removing the service reference, then adding it again, because ASP.NET Development Server may use a different port number on your computer. To do so, right click **ServiceReference** in the **Service References** folder in the **Solution Explorer** and select option **Delete**. Then follow the instructions in Section 22.6.5 to add the service reference to the project.

When the application runs, enter your name and click the **Submit** button. The application invokes the **Welcome** service method to perform the appropriate task and return the result, then displays the result in a **MessageBox**.

## 22.7 Publishing and Consuming REST-Based XML Web Services

In the previous section, we used a proxy object to pass data to and from a WCF web service using the SOAP protocol. In this section, we access a WCF web service using the REST architecture. We modify the `IWelcomeSOAPXMLService` example to return data in plain XML format. You can create a **WCF Service** project as you did in Section 22.6 to begin.

### 22.7.1 HTTP get and post Requests

The two most common HTTP request types (also known as **request methods**) are **get** and **post**. A **get request** typically gets (or retrieves) information from a server. Common uses of **get** requests are to retrieve a document or an image, or to fetch search results based on a user-submitted search term. A **post request** typically posts (or sends) data to a server. Common uses of **post** requests are to send form data or documents to a server.

An HTTP request often posts data to a **server-side form handler** that processes the data. For example, when a user performs a search or participates in a web-based survey, the web server receives the information specified in the XHTML form as part of the request. *Both* types of requests can be used to send form data to a web server, yet each request type sends the information differently.

A **get** request sends information to the server in the URL. For example, in the following URL

```
www.google.com/search?q=deitel
```

`search` is the name of Google's server-side form handler, `q` is the *name* of a *variable* in Google's search form and `deitel` is the search term. A `?` separates the **query string** from the rest of the URL in a request. A *name/value* pair is passed to the server with the *name* and the *value* separated by an equals sign (`=`). If more than one *name/value* pair is submitted, each pair is separated by an ampersand (`&`). The server uses data passed in a query string to retrieve an appropriate resource from the server. The server then sends a **response** to the client. A **get** request may be initiated by submitting an XHTML form whose `method` attribute is set to "get", or by typing the URL (possibly containing a query string) directly into the browser's address bar.

A **post** request sends form data as part of the HTTP message, not as part of the URL. A **get** request typically limits the query string (that is, everything to the right of the `?`) to a specific number of characters. For example, Internet Explorer restricts the entire URL to no more than 2083 characters. Typically, large amounts of information should be sent using the **post** method. The **post** method is also sometimes preferred because it *hides* the submitted data from the user by embedding it in an HTTP message. If a form submits hidden input values along with user-submitted data, the **post** method might generate a URL like `www.searchengine.com/search`. The form data still reaches the server for processing, but the user does not see the exact information sent.

### 22.7.2 Creating a REST-Based XML WCF Web Service

#### *Step 1: Adding the WebGet Attribute*

`IWelcomeRESTXMLService` interface (Fig. 22.9) is a modified version of the `IWelcomeSOAPXMLService` interface. The `Welcome` method's **WebGet** attribute (line 12) maps a meth-

od to a unique URL that can be accessed via an HTTP get operation programmatically or in a web browser. To use the `WebGet` attribute, we import the `System.ServiceModel.Web` namespace (line 5). `WebGet`'s `UriTemplate` property (line 12) specifies the URI format that is used to invoke the method. You can access the `Welcome` method in a web browser by appending text that matches the `UriTemplate` definition to the end of the service's location, as in `http://localhost:portNumber/WelcomeRESTXMLService/Service.svc/welcome/Paul`. `WelcomeRESTXMLService` (Fig. 22.10) is the class that implements the `IWelcomeRESTXMLService` interface; it is similar to the `WelcomeSOAPXMLService` class (Fig. 22.2).

---

```

1 // Fig. 22.9: IWelcomeRESTXMLService.cs
2 // WCF web service interface. A class that implements this interface
3 // returns a welcome message through REST architecture and XML data format
4 using System.ServiceModel;
5 using System.ServiceModel.Web;
6
7 [ServiceContract]
8 public interface IWelcomeRESTXMLService
9 {
10     // returns a welcome message
11     [OperationContract]
12     [WebGet( UriTemplate = "/welcome/{yourName}" )]
13     string Welcome( string yourName );
14 } // end interface IWelcomeRESTXMLService

```

---

**Fig. 22.9** | WCF web-service interface. A class that implements this interface returns a welcome message through REST architecture and XML data format.

---

```

1 // Fig. 22.10: WelcomeRESTXMLService.cs
2 // WCF web service that returns a welcome message using REST architecture
3 // and XML data format.
4 public class WelcomeRESTXMLService : IWelcomeRESTXMLService
5 {
6     // returns a welcome message
7     public string Welcome( string yourName )
8     {
9         return string.Format( "Welcome to WCF Web Services"
10             + " with REST and XML, {0}!", yourName );
11     } // end method Welcome
12 } // end class WelcomeRESTXMLService

```

---

**Fig. 22.10** | WCF web service that returns a welcome message using REST architecture and XML data format.

### Step 2: Modifying the `Web.config` File

Figure 22.11 shows part of the default `Web.config` file modified to use REST architecture. The `endpointBehaviors` element (lines 16–20) in the `behaviors` element indicates that this web service endpoint will be accessed using the web programming model (REST).

The nested **webHttp** element specifies that clients communicate with this service using the standard HTTP request/response mechanism. The **protocolMapping** element (lines 22–24) in the **system.serviceModel** element, changes the default protocol for communicating with this web service (normally SOAP) to **webHttpBinding**, which is used for REST-based HTTP requests.

---

```


1  <system.serviceModel>
2      <behaviors>
3          <serviceBehaviors>
4              <behavior>
5                  <!-- To avoid disclosing metadata information, set the
6                      value below to false and remove the metadata
7                      endpoint above before deployment -->
8                  <serviceMetadata httpGetEnabled="true"/>
9                  <!-- To receive exception details in faults for debugging
10                     purposes, set the value below to true. Set to false
11                     before deployment to avoid disclosing exception
12                     information -->
13                  <serviceDebug includeExceptionDetailInFaults="false"/>
14              </behavior>
15          </serviceBehaviors>
16          <endpointBehaviors>
17              <behavior>
18                  <webHttp/>
19              </behavior>
20          </endpointBehaviors>
21      </behaviors>
22      <protocolMapping>
23          <add scheme="http" binding="webHttpBinding"/>
24      </protocolMapping>
25      <serviceHostingEnvironment multipleSiteBindingsEnabled="true"/>
26  </system.serviceModel>

```

---

**Fig. 22.11** | WelcomeRESTXMLService Web.config file.

Figure 22.12 tests the **WelcomeRESTXMLService**'s **Welcome** method in a web browser. The URL specifies the location of the **Service.svc** file and uses the URI template to invoke method **Welcome** with the argument **Bruce**. The browser displays the XML data response from **WelcomeRESTXMLService**. Next, you'll learn how to consume this service.



**Fig. 22.12** | Response from **WelcomeRESTXMLService** in XML data format.

### 22.7.3 Consuming a REST-Based XML WCF Web Service

Class `WelcomeRESTXML` (Fig. 22.13) uses the `System.Net` namespace's `WebClient` class (line 13) to invoke the web service and receive its response. In lines 23–25, we register a handler for the `WebClient`'s `DownloadStringCompleted` event.

---

```

1 // Fig. 22.13: WelcomeRESTXML.cs
2 // Client that consumes the WelcomeRESTXMLService.
3 using System;
4 using System.Net;
5 using System.Windows.Forms;
6 using System.Xml.Linq;
7
8 namespace WelcomeRESTXMLClient
9 {
10    public partial class WelcomeRESTXML : Form
11    {
12        // object to invoke the WelcomeRESTXMLService
13        private WebClient client = new WebClient();
14
15        private XNamespace xmlNamespace = XNamespace.Get(
16            "http://schemas.microsoft.com/2003/10/Serialization/" );
17
18        public WelcomeRESTXML()
19        {
20            InitializeComponent();
21
22            // add DownloadStringCompleted event handler to WebClient
23            client.DownloadStringCompleted +=
24                new DownloadStringCompletedEventHandler(
25                    client_DownloadStringCompleted );
26        } // end constructor
27
28        // get user input and pass it to the web service
29        private void submitButton_Click( object sender, EventArgs e )
30        {
31            // send request to WelcomeRESTXMLService
32            client.DownloadStringAsync( new Uri(
33                "http://localhost:49429/WelcomeRESTXMLService/Service.svc/" +
34                "welcome/" + textBox.Text ) );
35        } // end method submitButton_Click
36
37        // process web service response
38        private void client_DownloadStringCompleted(
39            object sender, DownloadStringCompletedEventArgs e )
40        {
41            // check if any error occurred in retrieving service data
42            if ( e.Error == null )
43            {
44                // parse the returned XML string (e.Result)
45                XDocument xmlResponse = XDocument.Parse( e.Result );
46


```

---


**Fig. 22.13** | Client that consumes the `WelcomeRESTXMLService`. (Part 1 of 2.)

```
47         // get the <string> element's value
48         MessageBox.Show( xmlResponse.Element(
49             xmlNamespace + "string" ).Value, "Welcome" );
50     } // end if
51 } // end method client_DownloadStringCompleted
52 } // end class WelcomeRESTXML
53 } // end namespace WelcomeRESTXMLClient
```

a) User inputs name



b) Message sent from WelcomeRESTXMLService

**Fig. 22.13** | Client that consumes the WelcomeRESTXMLService. (Part 2 of 2.)

In this example, we process the `WebClient`'s `DownloadStringCompleted` event, which occurs when the client receives the completed response from the web service. Lines 32–34 call the `client` object's `DownloadStringAsync` method to invoke the web service asynchronously. (There's also a synchronous `DownloadString` method that does not return until it receives the response.) The method's argument (i.e., the URL to invoke the web service) must be specified as an object of class `Uri`. Class `Uri`'s constructor receives a `string` representing a uniform resource identifier. [Note: The URL's port number must match the one issued to the web service by the ASP.NET Development Server.] When the call to the web service completes, the `WebClient` object raises the `DownloadStringCompleted` event. Its event handler has a parameter `e` of type `DownloadStringCompletedEventArgs` which contains the information returned by the web service. We can use this variable's properties to get the returned XML document (`e.Result`) and any errors that may have occurred during the process (`e.Error`). We then parse the XML response using `XDocument` method `Parse` (line 45). In lines 15–16, we specify the XML message's namespace (seen in Fig. 22.12), and use it to parse the service's XML response to display our welcome string in a `MessageBox` (lines 48–49).

## 22.8 Publishing and Consuming REST-Based JSON Web Services

We now build a RESTful web service that returns data in JSON format.

### 22.8.1 Creating a REST-Based JSON WCF Web Service

By default, a web-service method with the `WebGet` attribute returns data in XML format. In Fig. 22.14, we modify the `WelcomeRESTXMLService` to return data in JSON format by setting `WebGet`'s `ResponseFormat` property to `WebMessageFormat.Json` (line 13). (`WebMessageFormat.Xml` is the default value.) For JSON serialization to work properly, the objects being converted to JSON must have `Public` properties. This enables the JSON serialization to create name/value pairs representing each `Public` property and its corresponding

value. The previous examples return `String` objects containing the responses. Even though `Strings` are objects, `Strings` do not have any `Public` properties that represent their contents. So, lines 19–25 define a `TextMessage` class that encapsulates a `String` value and defines a `Public` property `Message` to access that value. The `DataContract` attribute (line 19) exposes the `TextMessage` class to the client access. Similarly, the `DataMember` attribute (line 23) exposes a property of this class to the client. This property will appear in the JSON object as a name/value pair. Only `DataMembers` of a `DataContract` are serialized.

---

```

1 // Fig. 22.14: IWelcomeRESTJSONService.cs
2 // WCF web service interface that returns a welcome message through REST
3 // architecture and JSON format.
4 using System.Runtime.Serialization;
5 using System.ServiceModel;
6 using System.ServiceModel.Web;
7
8 [ServiceContract]
9 public interface IWelcomeRESTJSONService
10 {
11     // returns a welcome message
12     [OperationContract]
13     [WebGet( ResponseFormat = WebMessageFormat.Json,
14       UriTemplate = "/welcome/{yourName}" )]
15     TextMessage Welcome( string yourName );
16 } // end interface IWelcomeRESTJSONService
17
18 // class to encapsulate a string to send in JSON format
19 [DataContract]
20 public class TextMessage
21 {
22     // automatic property message
23     [DataMember]
24     public string Message {get; set; }
25 } // end class TextMessage

```

---

**Fig. 22.14** | WCF web-service interface that returns a welcome message through REST architecture and JSON format.

Figure 22.15 shows the implementation of the interface of Fig. 22.14. The `Welcome` method (lines 7–15) returns a `TextMessage` object, reflecting the changes we made to the interface class. This object is automatically serialized in JSON format (as a result of line 13 in Fig. 22.14) and sent to the client.

---

```

1 // Fig. 22.15: WelcomeRESTJSONService.cs
2 // WCF web service that returns a welcome message through REST
3 // architecture and JSON format.
4 public class WelcomeRESTJSONService : IWelcomeRESTJSONService
5 {

```


---

**Fig. 22.15** | WCF web service that returns a welcome message through REST architecture and JSON format. (Part I of 2.)

```
6    // returns a welcome message
7    public TextMessage Welcome( string yourName )
8    {
9        // add welcome message to field of TextMessage object
10       TextMessage message = new TextMessage();
11       message.Message = string.Format(
12           "Welcome to WCF Web Services with REST and JSON, {0}!",
13           yourName );
14       return message;
15   } // end method Welcome
16 } // end class WelcomeRESTJSONService
```

**Fig. 22.15** | WCF web service that returns a welcome message through REST architecture and JSON format. (Part 2 of 2.)

We can once again test the web service using a web browser, by accessing the Service.svc file (<http://localhost:49745/WelcomeRESTJSONService/Service.svc>) and appending the URI template (`Welcome/yourName`) to the address. The response prompts you to download a file called `yourName`, which is a text file. If you save it to disk, the file will have the .json extension. This contains the JSON formatted data. By opening the file in a text editor such as Notepad (Fig. 22.16), you can see the service response as a JSON object. Notice that the property named `Message` has the welcome message as its value.



**Fig. 22.16** | Response from WelcomeRESTJSONService in JSON data format.

## 22.8.2 Consuming a REST-Based JSON WCF Web Service

We mentioned earlier that all types passed to and from web services can be supported by REST. Custom types that are sent to or from a REST web service are converted to XML or JSON data format. This process is referred to as **XML serialization** or **JSON serialization**, respectively. In Fig. 22.17, we consume the WelcomeRESTJSONService service using an object of the `System.Runtime.Serialization.Json` library's **DataContractJsonSerializer** class (lines 44–45). The `TextMessage` class (lines 57–61) maps the JSON response's fields for the `DataContractJsonSerializer` to deserialize. We add the `Serializable` attribute (line 57) to the `TextMessage` class to recognize it as a valid serializable object we can convert to and from JSON format. Also, this class on the client must have `public` data or properties that match the `public` data or properties in the corresponding class from the web service. Since we want to convert the JSON response into a `TextMessage` object, we set the `DataContractJsonSerializer`'s type parameter to `TextMessage` (line 45). In line 48, we use the `System.Text` namespace's `Encoding.Unicode.GetBytes` method to convert the JSON response to a Unicode encoded byte array, and encapsulate the byte array in a `MemoryStream` object so we can read data from the array

using stream semantics. The bytes in the `MemoryStream` object are read by the `DataContractJsonSerializer` and deserialized into a `TextMessage` object (lines 47–48).

```


1 // Fig. 22.17: WelcomeRESTJSONForm.cs
2 // Client that consumes the WelcomeRESTJSONService.
3 using System;
4 using System.IO;
5 using System.Net;
6 using System.Runtime.Serialization.Json;
7 using System.Text;
8 using System.Windows.Forms;
9
10 namespace WelcomeRESTJSONClient
11 {
12     public partial class WelcomeRESTJSONForm : Form
13     {
14         // object to invoke the WelcomeRESTJSONService
15         private WebClient client = new WebClient();
16
17         public WelcomeRESTJSONForm()
18         {
19             InitializeComponent();
20
21             // add DownloadStringCompleted event handler to WebClient
22             client.DownloadStringCompleted+=
23                 new DownloadStringCompletedEventHandler(
24                     client_DownloadStringCompleted );
25         } // end constructor
26
27         // get user input and pass it to the web service
28         private void submitButton_Click( object sender, EventArgs e )
29         {
30             // send request to WelcomeRESTJSONService
31             client.DownloadStringAsync( new Uri(
32                 "http://localhost:49579/WelcomeRESTJSONService/Service.svc/"
33                 + "welcome/" + textBox.Text ) );
34         } // end method submitButton_Click
35
36         // process web service response
37         private void client_DownloadStringCompleted(
38             object sender, DownloadStringCompletedEventArgs e )
39         {
40             // check if any error occurred in retrieving service data
41             if ( e.Error == null )
42             {
43                 // deserialize response into a TextMessage object
44                 DataContractJsonSerializer JSONSerializer =
45                     new DataContractJsonSerializer( typeof( TextMessage ) );
46                 TextMessage message =
47                     ( TextMessage ) JSONSerializer.ReadObject( new
48                         MemoryStream( Encoding.Unicode.GetBytes( e.Result ) ) );
49

```


**Fig. 22.17** | Client that consumes the `WelcomeRESTJSONService`. (Part 1 of 2.)

```
50          // display Message text
51          MessageBox.Show( message.Message, "Welcome" );
52      } // end if
53  } // end method client_DownloadStringCompleted
54 } // end class WelcomeRESTJSONForm
55
56 // TextMessage class representing a JSON object
57 [Serializable]
58 public class TextMessage
59 {
60     public string Message;
61 } // end class TextMessage
62 } // end namespace WelcomeRESTJSONClient
```

a) User inputs name



b) Message sent from WelcomeRESTJSONService

**Fig. 22.17** | Client that consumes the WelcomeRESTJSONService. (Part 2 of 2.)

## 22.9 Blackjack Web Service: Using Session Tracking in a SOAP-Based WCF Web Service

In Chapter 20, we described the advantages of maintaining information about users to personalize their experiences. In particular, we discussed session tracking using `HttpSessionState` objects. Next, we incorporate session tracking into a SOAP-based WCF web service.

Suppose a client application needs to call several methods from the same web service, possibly several times each. In such a case, it can be beneficial for the web service to maintain state information for the client. Session tracking eliminates the need for information about the client to be passed between the client and the web service multiple times. For example, a web service providing access to local restaurant reviews would benefit from storing the client user's street address. Once the user's address is stored in a session variable, web service methods can return personalized, localized results without requiring that the address be passed in each method call. This not only improves performance but also requires less effort on your part—less information is passed in each method call.

### 22.9.1 Creating a Blackjack Web Service

Web services store session information to provide more intuitive functionality. Our next example is a SOAP-based web service that assists programmers in developing a blackjack card game. The web service provides methods to deal a card and to evaluate a hand of cards. After presenting the web service, we use it to serve as the dealer for a game of blackjack. The blackjack web service creates a session variable to maintain a unique deck of cards for each client application. Several clients can use the service at the same time, but

method calls made by a specific client use only the deck stored in that client's session. Our example uses a simple subset of casino blackjack rules:

*Two cards each are dealt to the dealer and the player. The player's cards are dealt face up. Only the dealer's first card is dealt face up. Each card has a value. A card numbered 2 through 10 is worth its face value. Jacks, queens and kings each count as 10. Aces can count as 1 or 11—whichever value is more beneficial to the player (as we'll soon see). If the sum of the player's two initial cards is 21 (that is, the player was dealt a card valued at 10 and an ace, which counts as 11 in this situation), the player has "blackjack" and immediately wins the game. Otherwise, the player can begin taking additional cards one at a time. These cards are dealt face up, and the player decides when to stop taking cards. If the player "busts" (that is, the sum of the player's cards exceeds 21), the game is over, and the player loses. When the player is satisfied with the current set of cards, the player "stays" (that is, stops taking cards), and the dealer's hidden card is revealed. If the dealer's total is 16 or less, the dealer must take another card; otherwise, the dealer must stay. The dealer must continue to take cards until the sum of the dealer's cards is greater than or equal to 17. If the dealer exceeds 21, the player wins. Otherwise, the hand with the higher point total wins. If the dealer and the player have the same point total, the game is a "push" (that is, a tie), and no one wins.*

The Blackjack WCF web service's interface (Fig. 22.18) uses a **ServiceContract** with the **SessionMode** property set to **Required** (line 5). This means the service requires sessions to execute correctly. By default, the **SessionMode** property is set to **Allowed**. It can also be set to **NotAllowed** to disable sessions.

---

```

1 // Fig. 22.18: IBlackjackService.cs
2 // Blackjack game WCF web service interface.
3 using System.ServiceModel;
4
5 [ServiceContract( SessionMode = SessionMode.Required )]
6 public interface IBlackjackService
7 {
8     // deals a card that has not been dealt
9     [OperationContract]
10    string DealCard();
11
12    // creates and shuffle the deck
13    [OperationContract]
14    void Shuffle();
15
16    // calculates value of a hand
17    [OperationContract]
18    int GetHandValue(string dealt);
19 } // end interface IBlackjackService

```

---

**Fig. 22.18** | Blackjack game WCF web-service interface.

The web-service class (Fig. 22.19) provides methods to deal a card, shuffle the deck and determine the point value of a hand. For this example, we want a separate object of the **BlackjackService** class to handle each client session, so we can maintain a unique deck for each client. To do this, we must specify this behavior in the **ServiceBehavior** attribute (line 7). Setting the **ServiceBehavior**'s **InstanceContextMode** property to

PerSession creates a new instance of the class for each session. The InstanceContextMode property can also be set to PerCall or Single. PerCall uses a new object of the web-service class to handle every method call to the service. Single uses the same object of the web-service class to handle all calls to the service.

```
1 // Fig. 22.19: BlackjackService.cs
2 // Blackjack game WCF web service.
3 using System;
4 using System.Collections.Generic;
5 using System.ServiceModel;
6
7 [ServiceBehavior( InstanceContextMode = InstanceContextMode.PerSession )]
8 public class BlackjackService : IBlackjackService
9 {
10     // create persistent session deck of cards object
11     List< string > deck = new List< string >();
12
13     // deals card that has not yet been dealt
14     public string DealCard()
15     {
16         string card = deck[ 0 ]; // get first card
17         deck.RemoveAt( 0 ); // remove card from deck
18         return card;
19     } // end method DealCard
20
21     // creates and shuffles a deck of cards
22     public void Shuffle()
23     {
24         Random randomObject = new Random(); // generates random numbers
25
26         deck.Clear(); // clears deck for new game
27
28         // generate all possible cards
29         for ( int face = 1; face <= 13; face++ ) // loop through faces
30             for ( int suit = 0; suit <= 3; suit++ ) // loop through suits
31                 deck.Add( face + " " + suit ); // add card (string) to deck
32
33         // shuffles deck by swapping each card with another card randomly
34         for ( int i = 0; i < deck.Count; i++ )
35         {
36             // get random index
37             int newIndex = randomObject.Next( deck.Count - 1 );
38
39             // save current card in temporary variable
40             string temporary = deck[ i ];
41             deck[ i ] = deck[ newIndex ]; // copy randomly selected card
42
43             // copy current card back into deck
44             deck[ newIndex ] = temporary;
45         } // end for
46     } // end method Shuffle
47 }
```

**Fig. 22.19** | Blackjack game WCF web service. (Part I of 2.)

---

```

48     // computes value of hand
49     public int GetHandValue( string dealt )
50     {
51         // split string containing all cards
52         string[] cards = dealt.Split( '\t' ); // get array of cards
53         int total = 0; // total value of cards in hand
54         int face; // face of the current card
55         int aceCount = 0; // number of aces in hand
56
57         // loop through the cards in the hand
58         foreach ( var card in cards )
59         {
60             // get face of card
61             face = Convert.ToInt32(
62                 card.Substring( 0, card.IndexOf( ' ' ) ) );
63
64             switch ( face )
65             {
66                 case 1: // if ace, increment aceCount
67                     ++aceCount;
68                     break;
69                 case 11: // if jack add 10
70                 case 12: // if queen add 10
71                 case 13: // if king add 10
72                     total += 10;
73                     break;
74                 default: // otherwise, add value of face
75                     total += face;
76                     break;
77             } // end switch
78         } // end foreach
79
80         // if there are any aces, calculate optimum total
81         if ( aceCount > 0 )
82         {
83             // if it is possible to count one ace as 11, and the rest
84             // as 1 each, do so; otherwise, count all aces as 1 each
85             if ( total + 11 + aceCount - 1 <= 21 )
86                 total += 11 + aceCount - 1;
87             else
88                 total += aceCount;
89         } // end if
90
91         return total;
92     } // end method GetHandValue
93 } // end class BlackjackService

```

---

**Fig. 22.19** | Blackjack game WCF web service. (Part 2 of 2.)

We represent each card as a `string` consisting of a digit (that is, 1–13) representing the card's face (for example, ace through king), followed by a space and a digit (that is, 0–3) representing the card's suit (for example, clubs, diamonds, hearts or spades). For example, the jack of hearts is represented as "11 2", and the two of clubs as "2 0". After

deploying the web service, we create a Windows Forms application that uses the BlackjackService's methods to implement a blackjack game.

#### ***Method DealCard***

Method DealCard (lines 14–19) removes a card from the deck and sends it to the client. Without using session tracking, the deck of cards would need to be passed back and forth with each method call. Using session state makes the method easy to call (it requires no arguments) and avoids the overhead of sending the deck over the network multiple times.

This method manipulates the current user's deck (the `List` of `strings` defined at line 11). From the user's deck, DealCard obtains the current top card (line 16), removes the top card from the deck (line 17) and returns the card's value as a `string` (line 18).

#### ***Method Shuffle***

Method Shuffle (lines 22–46) fills and shuffles the `List` representing a deck of cards. Lines 29–31 generate `strings` in the form "*face suit*" to represent each card in a deck. Lines 34–45 shuffle the deck by swapping each card with a randomly selected other card.

#### ***Method GetHandValue***

Method GetHandValue (lines 49–92) determines the total value of cards in a hand by trying to attain the highest score possible without going over 21. Recall that an ace can be counted as either 1 or 11, and all face cards count as 10.

As you'll see in Fig. 22.20, the client application maintains a hand of cards as a `string` in which each card is separated by a tab character. Line 52 of Fig. 22.19 tokenizes the hand of cards (represented by `dealt`) into individual cards by calling `string` method `Split` and passing to it the tab character. `Split` uses the delimiter characters to separate tokens in the `string`. Lines 58–78 count the value of each card. Lines 61–62 retrieve the first integer—the face—and use that value in the `switch` statement (lines 64–77). If the card is an ace, the method increments variable `aceCount` (line 67). We discuss how this variable is used shortly. If the card is an 11, 12 or 13 (jack, queen or king), the method adds 10 to the total value of the hand (line 72). If the card is anything else, the method increases the total by that value (line 75).

Because an ace can represent 1 or 11, additional logic is required to process aces. Lines 81–89 process the aces after all the other cards. If a hand contains several aces, only one ace can be counted as 11 (if two aces each are counted as 11, the hand would have a losing value of at least 22). The condition in line 85 determines whether counting one ace as 11 and the rest as 1 results in a total that does not exceed 21. If this is possible, line 86 adjusts the total accordingly. Otherwise, line 88 adjusts the total, counting each ace as 1.

Method GetHandValue maximizes the value of the current cards without exceeding 21. Imagine, for example, that the dealer has a 7 and receives an ace. The new total could be either 8 or 18. However, GetHandValue always maximizes the value of the cards without going over 21, so the new total is 18.

#### ***Modifying the `web.config` File***

To allow this web service to perform session tracking, you must modify the `web.config` file to include the following element in the `system.serviceModel` element:

```
<protocolMapping>
    <add scheme="http" binding="wsHttpBinding"/>
</protocolMapping>
```

### 22.9.2 Consuming the Blackjack Web Service

We use our blackjack web service in a Windows application (Fig. 22.20). This application uses an instance of `BlackjackServiceClient` (declared in line 14 and created in line 48) to represent the dealer. The web service keeps track of the cards dealt to the player and the dealer. As in Section 22.6.5, you must add a service reference to your project so it can access the service. The images for this example are provided with the chapter's examples.

Each player has 11 `PictureBoxes`—the maximum number of cards that can be dealt without exceeding 21 (that is, four aces, four twos and three threes). These `PictureBoxes` are placed in a `List` (lines 51–73), so we can index the `List` during the game to determine which `PictureBox` should display a particular card image. The images are located in the `blackjack_images` directory with this chapter's examples. Drag this directory from Windows Explorer into your project. In the **Solution Explorer**, select all the files in that folder and set their **Copy to Output Directory** property to **Copy if newer**.

#### *GameOver Method*

Method `GameOver` (lines 169–202) shows an appropriate message in the status `PictureBox` and displays the final point totals of both the dealer and the player. These values are obtained by calling the web service's `GetHandValue` method in lines 194 and 196. Method `GameOver` receives as an argument a member of the `GameStatus` enumeration (defined in lines 31–37). The enumeration represents whether the player tied, lost or won the game; its four members are `PUSH`, `LOSE`, `WIN` and `BLACKJACK`.

---

```

1 // Fig. 22.20: Blackjack.cs
2 // Blackjack game that uses the BlackjackService web service.
3 using System;
4 using System.Drawing;
5 using System.Windows.Forms;
6 using System.Collections.Generic;
7 using System.Resources;
8
9 namespace BlackjackClient
10 {
11     public partial class Blackjack : Form
12     {
13         // reference to web service
14         private ServiceReference.BlackjackServiceClient dealer;
15
16         // string representing the dealer's cards
17         private string dealersCards;
18
19         // string representing the player's cards
20         private string playersCards;
21
22         // list of PictureBoxes for card images
23         private List< PictureBox > cardBoxes;
24         private int currentPlayerCard; // player's current card number
25         private int currentDealerCard; // dealer's current card number
26

```

---

**Fig. 22.20** | Blackjack game that uses the `BlackjackService` web service. (Part I of 9.)

```
27     private ResourceManager pictureLibrary =
28         BlackjackClient.Properties.Resources.ResourceManager;
29
30     // enum representing the possible game outcomes
31     public enum GameStatus
32     {
33         PUSH, // game ends in a tie
34         LOSE, // player loses
35         WIN, // player wins
36         BLACKJACK // player has blackjack
37     } // end enum GameStatus
38
39     public Blackjack()
40     {
41         InitializeComponent();
42     } // end constructor
43
44     // sets up the game
45     private void Blackjack_Load( object sender, EventArgs e )
46     {
47         // instantiate object allowing communication with web service
48         dealer = new ServiceReference.BlackjackServiceClient();
49
50         // put PictureBoxes into cardBoxes List
51         cardBoxes = new List<PictureBox>(); // create list
52         cardBoxes.Add( pictureBox1 );
53         cardBoxes.Add( pictureBox2 );
54         cardBoxes.Add( pictureBox3 );
55         cardBoxes.Add( pictureBox4 );
56         cardBoxes.Add( pictureBox5 );
57         cardBoxes.Add( pictureBox6 );
58         cardBoxes.Add( pictureBox7 );
59         cardBoxes.Add( pictureBox8 );
60         cardBoxes.Add( pictureBox9 );
61         cardBoxes.Add( pictureBox10 );
62         cardBoxes.Add( pictureBox11 );
63         cardBoxes.Add( pictureBox12 );
64         cardBoxes.Add( pictureBox13 );
65         cardBoxes.Add( pictureBox14 );
66         cardBoxes.Add( pictureBox15 );
67         cardBoxes.Add( pictureBox16 );
68         cardBoxes.Add( pictureBox17 );
69         cardBoxes.Add( pictureBox18 );
70         cardBoxes.Add( pictureBox19 );
71         cardBoxes.Add( pictureBox20 );
72         cardBoxes.Add( pictureBox21 );
73         cardBoxes.Add( pictureBox22 );
74     } // end method Blackjack_Load
75
76     // deals cards to dealer while dealer's total is less than 17,
77     // then computes value of each hand and determines winner
78     private void DealerPlay()
79     {
```

---

**Fig. 22.20** | Blackjack game that uses the BlackjackService web service. (Part 2 of 9.)

```
80          // reveal dealer's second card
81          string[] cards = dealersCards.Split( '\t' );
82          DisplayCard( 1, cards[1] );
83
84          string nextCard;
85
86          // while value of dealer's hand is below 17,
87          // dealer must take cards
88          while ( dealer.GetHandValue( dealersCards ) < 17 )
89          {
90              nextCard = dealer.DealCard(); // deal new card
91              dealersCards += '\t' + nextCard; // add new card to hand
92
93              // update GUI to show new card
94              MessageBox.Show( "Dealer takes a card" );
95              DisplayCard( currentDealerCard, nextCard );
96              ++currentDealerCard;
97          } // end while
98
99          int dealersTotal = dealer.GetHandValue( dealersCards );
100         int playersTotal = dealer.GetHandValue( playersCards );
101
102         // if dealer busted, player wins
103         if ( dealersTotal > 21 )
104         {
105             GameOver( GameStatus.WIN );
106         } // end if
107         else
108         {
109             // if dealer and player have not exceeded 21,
110             // higher score wins; equal scores is a push.
111             if ( dealersTotal > playersTotal ) // player loses game
112                 GameOver( GameStatus.LOSE );
113             else if ( playersTotal > dealersTotal ) // player wins game
114                 GameOver( GameStatus.WIN );
115             else // player and dealer tie
116                 GameOver( GameStatus.PUSH );
117         } // end else
118     } // end method DealerPlay
119
120     // displays card represented by cardValue in specified PictureBox
121     public void DisplayCard( int card, string cardValue )
122     {
123         // retrieve appropriate PictureBox
124         PictureBox displayBox = cardBoxes[ card ];
125
126         // if string representing card is empty,
127         // set displayBox to display back of card
128         if ( string.IsNullOrEmpty( cardValue ) )
129         {
130             displayBox.Image =
131                 ( Image ) pictureLibrary.GetObject( "cardback" );
```

**Fig. 22.20** | Blackjack game that uses the BlackjackService web service. (Part 3 of 9.)

```
132         return;
133     } // end if
134
135     // retrieve face value of card from cardValue
136     string face =
137         cardValue.Substring( 0, cardValue.IndexOf( ' ' ) );
138
139     // retrieve the suit of the card from cardValue
140     string suit =
141         cardValue.Substring( cardValue.IndexOf( ' ' ) + 1 );
142
143     char suitLetter; // suit letter used to form image file name
144
145     // determine the suit letter of the card
146     switch ( Convert.ToInt32( suit ) )
147     {
148         case 0: // clubs
149             suitLetter = 'c';
150             break;
151         case 1: // diamonds
152             suitLetter = 'd';
153             break;
154         case 2: // hearts
155             suitLetter = 'h';
156             break;
157         default: // spades
158             suitLetter = 's';
159             break;
160     } // end switch
161
162     // set displayBox to display appropriate image
163     displayBox.Image = ( Image ) pictureLibrary.GetObject(
164         "_" + face + suitLetter );
165 } // end method DisplayCard
166
167 // displays all player cards and shows
168 // appropriate game status message
169 public void GameOver( GameStatus winner )
170 {
171     string[] cards = dealersCards.Split( '\t' );
172
173     // display all the dealer's cards
174     for ( int i = 0; i < cards.Length; i++ )
175         DisplayCard( i, cards[ i ] );
176
177     // display appropriate status image
178     if ( winner == GameStatus.PUSH ) // push
179         statusPictureBox.Image =
180             ( Image ) pictureLibrary.GetObject( "tie" );
181     else if ( winner == GameStatus.LOSE ) // player loses
182         statusPictureBox.Image =
183             ( Image ) pictureLibrary.GetObject( "lose" );
```

---

**Fig. 22.20** | Blackjack game that uses the BlackjackService web service. (Part 4 of 9.)

```
184     else if ( winner == GameStatus.BLACKJACK )
185         // player has blackjack
186         statusPictureBox.Image =
187             ( Image ) pictureLibrary.GetObject( "blackjack" );
188     else // player wins
189         statusPictureBox.Image =
190             ( Image ) pictureLibrary.GetObject( "win" );
191
192     // display final totals for dealer and player
193     dealerTotalLabel.Text =
194         "Dealer: " + dealer.GetHandValue( dealersCards );
195     playerTotalLabel.Text =
196         "Player: " + dealer.GetHandValue( playersCards );
197
198     // reset controls for new game
199     stayButton.Enabled = false;
200     hitButton.Enabled = false;
201     dealButton.Enabled = true;
202 } // end method GameOver
203
204 // deal two cards each to dealer and player
205 private void dealButton_Click( object sender, EventArgs e )
206 {
207     string card; // stores a card temporarily until added to a hand
208
209     // clear card images
210     foreach ( PictureBox cardImage in cardBoxes )
211         cardImage.Image = null;
212
213     statusPictureBox.Image = null; // clear status image
214     dealerTotalLabel.Text = string.Empty; // clear dealer total
215     playerTotalLabel.Text = string.Empty; // clear player total
216
217     // create a new, shuffled deck on the web service host
218     dealer.Shuffle();
219
220     // deal two cards to player
221     playersCards = dealer.DealCard(); // deal first card to player
222     DisplayCard( 11, playersCards ); // display card
223     card = dealer.DealCard(); // deal second card to player
224     DisplayCard( 12, card ); // update GUI to display new card
225     playersCards += '\t' + card; // add second card to player's hand
226
227     // deal two cards to dealer, only display face of first card
228     dealersCards = dealer.DealCard(); // deal first card to dealer
229     DisplayCard( 0, dealersCards ); // display card
230     card = dealer.DealCard(); // deal second card to dealer
231     DisplayCard( 1, string.Empty ); // display card face down
232     dealersCards += '\t' + card; // add second card to dealer's hand
233
234     stayButton.Enabled = true; // allow player to stay
235     hitButton.Enabled = true; // allow player to hit
236     dealButton.Enabled = false; // disable Deal Button
```


Fig. 22.20 | Blackjack game that uses the BlackjackService web service. (Part 5 of 9.)

```
237 // determine the value of the two hands
238 int dealersTotal = dealer.GetHandValue( dealersCards );
239 int playersTotal = dealer.GetHandValue( playersCards );
240
241 // if hands equal 21, it is a push
242 if ( dealersTotal == playersTotal && dealersTotal == 21 )
243     GameOver( GameStatus.PUSH );
244 else if ( dealersTotal == 21 ) // if dealer has 21, dealer wins
245     GameOver( GameStatus.LOSE );
246 else if ( playersTotal == 21 ) // player has blackjack
247     GameOver( GameStatus.BLACKJACK );
248
249 // next dealer card has index 2 in cardBoxes
250 currentDealerCard = 2;
251
252 // next player card has index 13 in cardBoxes
253 currentPlayerCard = 13;
254 } // end method dealButton
255
256 // deal another card to player
257 private void hitButton_Click( object sender, EventArgs e )
258 {
259     string card = dealer.DealCard(); // deal new card
260     playersCards += '\t' + card; // add new card to player's hand
261
262     DisplayCard( currentPlayerCard, card ); // display card
263     ++currentPlayerCard;
264
265     // determine the value of the player's hand
266     int total = dealer.GetHandValue( playersCards );
267
268     // if player exceeds 21, house wins
269     if ( total > 21 )
270         GameOver( GameStatus.LOSE );
271     else if ( total == 21 ) // if player has 21, dealer's turn
272     {
273         hitButton.Enabled = false;
274         DealerPlay();
275     } // end if
276 } // end method hitButton_Click
277
278 // play the dealer's hand after the player chooses to stay
279 private void stayButton_Click( object sender, EventArgs e )
280 {
281     stayButton.Enabled = false; // disable Stay Button
282     hitButton.Enabled = false; // disable Hit Button
283     dealButton.Enabled = true; // enable Deal Button
284     DealerPlay(); // player chose to stay, so play the dealer's hand
285 }
286 } // end method stayButton_Click
287 } // end class Blackjack
288 } // end namespace BlackjackClient
```


---

**Fig. 22.20** | Blackjack game that uses the BlackjackService web service. (Part 6 of 9.)

a) Initial cards dealt to the player and the dealer when the user presses the **Deal** button.




b) Cards after the player presses the **Hit** button once, then the **Stay** button. In this case, the player wins the game with a higher total than the dealer.




**Fig. 22.20** | Blackjack game that uses the `BlackjackService` web service. (Part 7 of 9.)

- c) Cards after the player presses the **Hit** button once, then the **Stay** button. In this case, the player busts (exceeds 21) and the dealer wins the game.



- d) Cards after the player presses the **Deal** button. In this case, the player wins with Blackjack because the first two cards are an ace and a card with a value of 10 (a jack in this case).



**Fig. 22.20** | Blackjack game that uses the `BlackjackService` web service. (Part 8 of 9.)

- e) Cards after the player presses the **Stay** button. In this case, the player and dealer push—they have the same card total.



**Fig. 22.20** | Blackjack game that uses the `BlackjackService` web service. (Part 9 of 9.)

#### ***dealButton\_Click*** Method

When the player clicks the **Deal** button, the event handler (lines 205–255) clears the `PictureBoxes` and the `Labels` displaying the final point totals. Line 218 shuffles the deck by calling the web service’s `Shuffle` method, then the player and dealer receive two cards each (returned by calls to the web service’s `DealCard` method in lines 221, 223, 228 and 230). Lines 239–240 evaluate both the dealer’s and player’s hands by calling the web service’s `GetHandValue` method. If the player and the dealer both obtain scores of 21, the program calls method `GameOver`, passing `GameStatus.PUSH`. If only the player has 21 after the first two cards are dealt, the program passes `GameStatus.BLACKJACK` to method `GameOver`. If only the dealer has 21, the program passes `GameStatus.LOSE` to method `GameOver`.

#### ***hitButton\_Click*** Method

If `dealButton_Click` does not call `GameOver`, the player can take more cards by clicking the **Hit** button. The event handler for this button is in lines 258–277. Each time a player clicks **Hit**, the program deals the player one more card (line 260), displaying it in the GUI. Line 267 evaluates the player’s hand. If the player exceeds 21, the game is over, and the player loses. If the player has exactly 21, the player cannot take any more cards, and method `DealerPlay` (lines 78–118) is called, causing the dealer to keep taking cards until the dealer’s hand has a value of 17 or more (lines 88–97). If the dealer exceeds 21, the player wins (line 105); otherwise, the values of the hands are compared, and `GameOver` is called with the appropriate argument (lines 111–116).

***hitButton\_Click Method***

Clicking the **Stay** button indicates that a player does not want to be dealt another card. The event handler for this button (lines 280–286) disables the **Hit** and **Stay** buttons, then calls method **DealerPlay**.

***DisplayCard Method***

Method **DisplayCard** (lines 121–165) updates the GUI to display a newly dealt card. The method takes as arguments an integer representing the index of the **PictureBox** in the **List** that must have its image set, and a **string** representing the card. An empty **string** indicates that we wish to display the card face down. If method **DisplayCard** receives a **string** that's not empty, the program extracts the face and suit from the **string** and uses this information to find the correct image. The **switch** statement (lines 146–160) converts the number representing the suit to an **int** and assigns the appropriate character literal to **suitLetter** (**c** for clubs, **d** for diamonds, **h** for hearts and **s** for spades). The character in **suitLetter** is used to complete the image's file name (lines 163–164).

## 22.10 Airline Reservation Web Service: Database Access and Invoking a Service from ASP.NET

Our prior examples accessed web services from Windows Forms applications. You can just as easily use web services in ASP.NET web applications. In fact, because web-based businesses are becoming increasingly prevalent, it is common for web applications to consume web services. Figures 22.21 and 22.22 present the interface and class, respectively, for an airline reservation service that receives information regarding the type of seat a customer wishes to reserve, checks a database to see if such a seat is available and, if so, makes a reservation. Later in this section, we present an ASP.NET web application that allows a customer to specify a reservation request, then uses the airline reservation web service to attempt to execute the request. The code and database used in this example are provided with the chapter's examples.

---

```

1 // Fig. 22.21: IReservationService.cs
2 // Airline reservation WCF web service interface.
3 using System.ServiceModel;
4
5 [ServiceContract]
6 public interface IReservationService
7 {
8     // reserves a seat
9     [OperationContract]
10    bool Reserve( string seatType, string classType );
11 } // end interface IReservationService

```

---

**Fig. 22.21** | Airline reservation WCF web-service interface.

---

```

1 // Fig. 22.22: ReservationService.cs
2 // Airline reservation WCF web service.
3 using System.Linq;

```

---

**Fig. 22.22** | Airline reservation WCF web service. (Part 1 of 2.)

---

```

4
5  public class ReservationService : IReservationService
6  {
7      // create ticketsDB object to access Tickets database
8      private TicketsDataContext ticketsDB = new TicketsDataContext();
9
10     // checks database to determine whether matching seat is available
11     public bool Reserve( string seatType, string classType )
12     {
13         // LINQ query to find seats matching the parameters
14         var result =
15             from seat in ticketsDB.Seats
16             where ( seat.Taken == false ) && ( seat.Type == seatType ) &&
17                 ( seat.Class == classType )
18             select seat;
19
20         // get first available seat
21         Seat firstAvailableSeat = result.FirstOrDefault();
22
23         // if seat is available seats, mark it as taken
24         if ( firstAvailableSeat != null )
25         {
26             firstAvailableSeat.Taken = true; // mark the seat as taken
27             ticketsDB.SubmitChanges(); // update
28             return true; // seat was reserved
29         } // end if
30
31         return false; // no seat was reserved
32     } // end method Reserve
33 } // end class ReservationService

```

---

**Fig. 22.22** | Airline reservation WCF web service. (Part 2 of 2.)

We added the `Tickets.mdf` database and corresponding LINQ to SQL classes to create a `DataContext` object (Fig. 22.22, line 8) for our ticket reservation system. `Tickets.mdf` database contains the `Seats` table with four columns—the seat number (1–10), the seat type (Window, Middle or Aisle), the class (Economy or First) and a column containing either 1 (true) or 0 (false) to indicate whether the seat is taken.


This web service has a single method—`Reserve` (lines 11–32)—which searches a seat database (`Tickets.mdf`) to locate a seat matching a user’s request. If it finds an appropriate seat, `Reserve` updates the database, makes the reservation and returns `true`; otherwise, no reservation is made, and the method returns `false`. The statements in lines 14–18 and lines 24–29, which query and update the database, use LINQ to SQL.

`Reserve` receives two parameters—a `string` representing the seat type (that is, Window, Middle or Aisle) and a `string` representing the class type (that is, Economy or First). Lines 15–18 retrieve the seat numbers of any available seats matching the requested seat and class type with the results of a query. Line 21 gets the first matching seat (or `null` if there is not one). If there is a matching seat (line 24), the web service reserves that seat. Line 26 marks the seat as taken and line 27 submits the changes to the database. Method `Reserve` returns `true` (line 28) to indicate that the reservation was suc-

cessful. If there are no matching seats, Reserve returns `false` (line 31) to indicate that no seats matched the user's request.

### *Creating a Web Form to Interact with the Airline Reservation Web Service*

Figure 22.23 shows an ASP.NET page through which users can select seat types. This page allows users to reserve a seat on the basis of its class (Economy or First) and location (Aisle, Middle or Window) in a row of seats. The page then uses the airline reservation web service to carry out user requests. If the database request is not successful, the user is instructed to modify the request and try again. When you create this ASP.NET application, remember to add a service reference to the `ReservationService`.



**Fig. 22.23** | ASPX file that takes reservation information.

This page defines two `DropDownList` objects and a `Button`. One `DropDownList` displays all the seat types from which users can select (Aisle, Middle, Window). The second provides choices for the class type. Users click the `Button` named `reserveButton` to submit requests after making selections from the `DropDownLists`. The page also defines an initially blank `Label` named `errorLabel`, which displays an appropriate message if no seat matching the user's selection is available. The code-behind file is shown in Fig. 22.24.

```

1 // Fig. 22.24: ReservationClient.aspx.cs
2 // ReservationClient code behind file.
3 using System;
4
5 public partial class ReservationClient : System.Web.UI.Page
6 {
7     // object of proxy type used to connect to ReservationService
8     private ServiceReference.ReservationServiceClient ticketAgent =
9         new ServiceReference.ReservationServiceClient();
10
11    // attempt to reserve the selected type of seat
12    protected void reserveButton_Click( object sender, EventArgs e )
13    {
14        // if the ticket is reserved
15        if ( ticketAgent.Reserve( seatList.SelectedItem.Text,
16            classList.SelectedItem.Text ) )
17    }

```

**Fig. 22.24** | ReservationClient code-behind file. (Part I of 2.)

```


18     // hide other controls
19     instructionsLabel.Visible = false;
20     seatList.Visible = false;
21     classList.Visible = false;
22     reserveButton.Visible = false;
23     errorLabel.Visible = false;
24
25     // display message indicating success
26     Response.Write( "Your reservation has been made. Thank you." );
27 } // end if
28 else // service method returned false, so signal failure
29 {
30     // display message in the initially blank errorLabel
31     errorLabel.Text = "This type of seat is not available. " +
32         "Please modify your request and try again.";
33 } // end else
34 } // end method reserveButton_Click
35 } // end class ReservationClient

```


**Fig. 22.24** | ReservationClient code-behind file. (Part 2 of 2.)

Lines 8–9 of Fig. 22.24 creates a `ReservationServiceClient` proxy object. When the user clicks **Reserve** (Fig. 22.25(a)), the `reserveButton_Click` event handler (lines 12–34 of Fig. 22.24) executes, and the page reloads. The event handler calls the web service's `Reserve` method and passes to it the selected seat and class type as arguments (lines 15–16). If `Reserve` returns `true`, the application hides the GUI controls and displays a message thanking the user for making a reservation (line 26); otherwise, the application notifies the user that the type of seat requested is not available and instructs the user to try again (lines


a) Selecting a seat




b) Seat is reserved successfully

**Fig. 22.25** | Ticket reservation web-application sample execution. (Part 1 of 2.)

c) Attempting to reserve another seat



d) No seats match the requested type and class



**Fig. 22.25** | Ticket reservation web-application sample execution. (Part 2 of 2.)

31–32). You can use the techniques presented in Chapter 20 to build this ASP.NET Web Form. Figure 22.25 shows several user interactions with this web application.

## 22.11 Equation Generator: Returning User-Defined Types

With the exception of the `WelcomeRESTJSONService` (Fig. 22.15), the web services we've demonstrated all received and returned primitive-type instances. It is also possible to process instances of complete user-defined types in a web service. These types can be passed to or returned from web-service methods.

This section presents an `EquationGenerator` web service that generates random arithmetic equations of type `Equation`. The client is a math-tutoring application that inputs information about the mathematical question that the user wishes to attempt (addition, subtraction or multiplication) and the skill level of the user (1 specifies equations using numbers from 1 to 10, 2 specifies equations involving numbers from 10 to 100, and 3 specifies equations containing numbers from 100 to 1000). The web service then generates an equation consisting of random numbers in the proper range. The client application receives the `Equation` and displays the sample question to the user.

### Defining Class `Equation`

We define class `Equation` in Fig. 22.26. Lines 33–53 define a constructor that takes three arguments—two `ints` representing the left and right operands and a `string` that represents the arithmetic operation to perform. The constructor sets the `Equation`'s properties, then calculates the appropriate result. The parameterless constructor (lines 26–30) calls the three-argument constructor (lines 33–53) and passes default values.

---

```
1 // Fig. 22.26: Equation.cs
2 // Class Equation that contains information about an equation.
3 using System.Runtime.Serialization;
4
5 [DataContract]
6 public class Equation
7 {
8     // automatic property to access the left operand
9     [DataMember]
10    private int Left { get; set; }
11
12    // automatic property to access the right operand
13    [DataMember]
14    private int Right { get; set; }
15
16    // automatic property to access the result of applying
17    // an operation to the left and right operands
18    [DataMember]
19    private int Result { get; set; }
20
21    // automatic property to access the operation
22    [DataMember]
23    private string Operation { get; set; }
24
25    // required default constructor
26    public Equation()
27        : this( 0, 0, "add" )
28    {
29        // empty body
30    } // end default constructor
31
32    // three-argument constructor for class Equation
33    public Equation( int leftValue, int rightValue, string type )
34    {
35        Left = leftValue;
36        Right = rightValue;
37
38        switch ( type ) // perform appropriate operation
39        {
40            case "add": // addition
41                Result = Left + Right;
42                Operation = "+";
43                break;
44            case "subtract": // subtraction
45                Result = Left - Right;
46                Operation = "-";
47                break;
48            case "multiply": // multiplication
49                Result = Left * Right;
50                Operation = "*";
51                break;
52        } // end switch
53    } // end three-argument constructor
```

---

**Fig. 22.26** | Class Equation that contains information about an equation. (Part I of 2.)

---

```
54      // return string representation of the Equation object
55  public override string ToString()
56  {
57      return string.Format( "{0} {1} {2} = {4}", Left, Operation,
58          Right, Result );
59  } // end method ToString
60
61
62  // property that returns a string representing left-hand side
63  [DataMember]
64  private string LeftHandSide
65  {
66      get
67      {
68          return string.Format( "{0} {1} {2}", Left, Operation, Right );
69      } // end get
70      set
71      {
72          // empty body
73      } // end set
74  } // end property LeftHandSide
75
76  // property that returns a string representing right-hand side
77  [DataMember]
78  private string RightHandSide
79  {
80      get
81      {
82          return Result.ToString();
83      } // end get
84      set
85      {
86          // empty body
87      } // end set
88  } // end property RightHandSide
89 } // end class Equation
```

---

**Fig. 22.26** | Class Equation that contains information about an equation. (Part 2 of 2.)

Class Equation defines properties LeftHandSide (lines 64–74), RightHandSide (lines 78–88), Left (line 10), Right (line 14), Result (line 19) and Operation (line 23). The web service client does not need to modify the values of properties LeftHandSide and RightHandSide. However, a property can be serialized only if it has both a get and a set accessor—even if the set accessor has an empty body. Each property is preceded by the **DataMember** attribute to indicate that it should be serialized. LeftHandSide (lines 64–74) returns a string representing everything to the left of the equals (=) sign in the equation, and RightHandSide (lines 78–88) returns a string representing everything to the right of the equals (=) sign. Left (line 10) returns the int to the left of the operator (known as the left operand), and Right (lines 14) returns the int to the right of the operator (known as the right operand). Result (line 19) returns the solution to the equation, and Operation (line 23) returns the operator in the equation. The client in this case study does not use

the `RightHandSide` property, but we included it in case future clients choose to use it. Method `ToString` (lines 56–60) returns a `string` representation of the equation.

### 22.11.1 Creating the REST-Based XML EquationGenerator Web Service

Figures 22.27 and 22.28 present the interface and class for the `EquationGeneratorService` web service, which creates random, customized Equations. This web service contains only method `GenerateEquation` (lines 9–26 of Fig. 22.28), which takes two parameters—a `string` representing the mathematical operation ("add", "subtract" or "multiply") and a `string` representing the difficulty level. When line 25 of Fig. 22.28 returns the `Equation`, it is serialized as XML by default and sent to the client. We'll do this with JSON as well in Section 22.11.3. Recall from Section 22.7.2 that you must modify the `Web.config` file to enable REST support as well.

---

```

1 // Fig. 22.27: IEquationGeneratorService.cs
2 // WCF REST service interface to create random equations based on a
3 // specified operation and difficulty level.
4 using System.ServiceModel;
5 using System.ServiceModel.Web;
6
7 [ServiceContract]
8 public interface IEquationGeneratorService
9 {
10     // method to generate a math equation
11     [OperationContract]
12     [WebGet( UriTemplate = "equation/{operation}/{level}" )]
13     Equation GenerateEquation( string operation, string level );
14 } // end interface IEquationGeneratorService

```

---

**Fig. 22.27** | WCF REST service interface to create random equations based on a specified operation and difficulty level.

---

```

1 // Fig. 22.28: EquationGeneratorService.cs
2 // WCF REST service to create random equations based on a
3 // specified operation and difficulty level.
4 using System;
5
6 public class EquationGeneratorService : IEquationGeneratorService
7 {
8     // method to generate a math equation
9     public Equation GenerateEquation( string operation, string level )
10    {
11        // calculate maximum and minimum number to be used
12        int maximum =
13            Convert.ToInt32( Math.Pow( 10, Convert.ToInt32( level ) ) );
14        int minimum =
15            Convert.ToInt32( Math.Pow( 10, Convert.ToInt32( level ) - 1 ) );
16

```

---

**Fig. 22.28** | WCF REST service to create random equations based on a specified operation and difficulty level. (Part 1 of 2.)

---

```

17     Random randomObject = new Random(); // generate random numbers
18
19     // create Equation consisting of two random
20     // numbers in the range minimum to maximum
21     Equation newEquation = new Equation(
22         randomObject.Next( minimum, maximum ),
23         randomObject.Next( minimum, maximum ), operation );
24
25     return newEquation;
26 } // end method GenerateEquation
27 } // end class EquationGeneratorService

```

---

**Fig. 22.28** | WCF REST service to create random equations based on a specified operation and difficulty level. (Part 2 of 2.)

### 22.11.2 Consuming the REST-Based XML EquationGenerator Web Service

The MathTutor application (Fig. 22.29) calls the EquationGenerator web service's GenerateEquation method to create an Equation object. The tutor then displays the left-hand side of the Equation and waits for user input.

The default setting for the difficulty level is 1, but the user can change this by choosing a level from the RadioButtons in the GroupBox labeled **Difficulty**. Clicking any of the levels invokes the corresponding RadioButton's CheckedChanged event handler (lines 112–133), which sets integer **level** to the level selected by the user. Although the default setting for the question type is **Addition**, the user also can change this by selecting one of the RadioButtons in the GroupBox labeled **Operation**. Doing so invokes the corresponding operation's event handlers in lines 88–109, which assigns to string **operation** the string corresponding to the user's selection.

---

```

1 // Fig. 22.29: MathTutor.cs
2 // Math tutor using EquationGeneratorServiceXML to create equations.
3 using System;
4 using System.Net;
5 using System.Windows.Forms;
6 using System.Xml.Linq;
7
8 namespace MathTutorXML
9 {
10    public partial class MathTutor : Form
11    {
12        private string operation = "add"; // the default operation
13        private int level = 1; // the default difficulty level
14        private string leftHandSide; // the left side of the equation
15        private int result; // the answer
16        private XNamespace xmlNamespace =
17            XNamespace.Get( "http://schemas.datacontract.org/2004/07/" );
18

```

---

**Fig. 22.29** | Math tutor using EquationGeneratorServiceXML to create equations. (Part 1 of 4.)

```
19     // object used to invoke service
20     private WebClient service = new WebClient();
21
22     public MathTutor()
23     {
24         InitializeComponent();
25
26         // add DownloadStringCompleted event handler to WebClient
27         service.DownloadStringCompleted +=
28             new DownloadStringCompletedEventHandler(
29                 service_DownloadStringCompleted );
30     } // end constructor
31
32     // generates new equation when user clicks button
33     private void generateButton_Click( object sender, EventArgs e )
34     {
35         // send request to EquationGeneratorServiceXML
36         service.DownloadStringAsync( new Uri(
37             "http://localhost:49732/EquationGeneratorServiceXML" +
38             "/Service.svc/equation/" + operation + "/" + level ) );
39     } // end method generateButton_Click
40
41     // process web service response
42     private void service_DownloadStringCompleted(
43         object sender, DownloadStringCompletedEventArgs e )
44     {
45         // check if any errors occurred in retrieving service data
46         if ( e.Error == null )
47         {
48             // parse response and get LeftHandSide and Result values
49             XDocument xmlResponse = XDocument.Parse( e.Result );
50             leftHandSide = xmlResponse.Element(
51                 xmlNamespace + "Equation" ).Element(
52                     xmlNamespace + "LeftHandSide" ).Value;
53             result = Convert.ToInt32( xmlResponse.Element(
54                 xmlNamespace + "Equation" ).Element(
55                     xmlNamespace + "Result" ).Value );
56
57             // display left side of equation
58             questionLabel.Text = leftHandSide;
59             okButton.Enabled = true; // enable okButton
60             answerTextBox.Enabled = true; // enable answerTextBox
61         } // end if
62     } // end method client_DownloadStringCompleted
63
64     // check user's answer
65     private void okButton_Click( object sender, EventArgs e )
66     {
67         if ( !string.IsNullOrEmpty( answerTextBox.Text ) )
68         {
```

**Fig. 22.29** | Math tutor using EquationGeneratorServiceXML to create equations. (Part 2 of 4.)

```
69         // get user's answer
70         int userAnswer = Convert.ToInt32( answerTextBox.Text );
71
72         // determine whether user's answer is correct
73         if ( result == userAnswer )
74         {
75             questionLabel.Text = string.Empty; // clear question
76             answerTextBox.Clear(); // clear answer
77             okButton.Enabled = false; // disable OK button
78             MessageBox.Show( "Correct! Good job!", "Result" );
79         } // end if
80         else
81         {
82             MessageBox.Show( "Incorrect. Try again.", "Result" );
83         } // end else
84     } // end if
85 } // end method okButton_Click
86
87 // set the operation to addition
88 private void additionRadioButton_CheckedChanged( object sender,
89                                         EventArgs e )
90 {
91     if ( additionRadioButton.Checked )
92         operation = "add";
93 } // end method additionRadioButton_CheckedChanged
94
95 // set the operation to subtraction
96 private void subtractionRadioButton_CheckedChanged( object sender,
97                                         EventArgs e )
98 {
99     if ( subtractionRadioButton.Checked )
100        operation = "subtract";
101 } // end method subtractionRadioButton_CheckedChanged
102
103 // set the operation to multiplication
104 private void multiplicationRadioButton_CheckedChanged(
105             object sender, EventArgs e )
106 {
107     if ( multiplicationRadioButton.Checked )
108         operation = "multiply";
109 } // end method multiplicationRadioButton_CheckedChanged
110
111 // set difficulty level to 1
112 private void levelOneRadioButton_CheckedChanged( object sender,
113                                         EventArgs e )
114 {
115     if ( levelOneRadioButton.Checked )
116         level = 1;
117 } // end method levelOneRadioButton_CheckedChanged
118
```

**Fig. 22.29** | Math tutor using EquationGeneratorServiceXML to create equations. (Part 3 of 4.)


---

```


119     // set difficulty level to 2
120     private void levelTwoRadioButton_CheckedChanged( object sender,
121             EventArgs e )
122     {
123         if ( levelTwoRadioButton.Checked )
124             level = 2;
125     } // end method levelTwoRadioButton_CheckedChanged
126
127     // set difficulty level to 3
128     private void levelThreeRadioButton_CheckedChanged( object sender,
129             EventArgs e )
130     {
131         if ( levelThreeRadioButton.Checked )
132             level = 3;
133     } // end method levelThreeRadioButton_CheckedChanged
134 } // end class MathTutor
135 } // end namespace MathTutorXML

```


a) Generating a level 1 addition equation



b) Answering the question incorrectly



c) Answering the question correctly

**Fig. 22.29** | Math tutor using EquationGeneratorServiceXML to create equations. (Part 4 of 4.)

Line 20 defines the `WebClient` that is used to invoke the web service. Event handler `generateButton_Click` (lines 33–39) invokes `EquationGeneratorService` method `GenerateEquation` (line 36–38) asynchronously using the web service's `UriTemplate` specified at line 12 in Fig. 22.27. When the response arrives, the `DownloadStringCompleted` event handler (lines 42–62) parses the XML response (line 49), uses `XDocument`'s `Element` method to obtain the left side of the equation (lines 50–52) and stores the result (lines 53–55). We define the XML response's namespace in lines 16–17 as an `XNamespace` to parse the XML response. Then, the handler displays the left-hand side of the equation in `questionLabel` (line 58) and enables `okButton` so that the user can enter an answer. When the user clicks **OK**, `okButton_Click` (lines 65–85) checks whether the user provided the correct answer.

### 22.11.3 Creating the REST-Based JSON WCF EquationGenerator Web Service

You can set the web service to return JSON data instead of XML. Figure 22.30 is a modified `IEquationGeneratorService` interface for a service that returns an `Equation` in JSON format. The `ResponseFormat` property (line 12) is added to the `WebGet` attribute and set to `WebMessageFormat.Json`. We don't show the implementation of this interface here, because it is identical to that of Fig. 22.28. This shows how flexible WCF can be.

---

```

1 // Fig. 22.30: IEquationGeneratorService.cs
2 // WCF REST service interface to create random equations based on a
3 // specified operation and difficulty level.
4 using System.ServiceModel;
5 using System.ServiceModel.Web;
6
7 [ServiceContract]
8 public interface IEquationGeneratorService
9 {
10     // method to generate a math equation
11     [OperationContract]
12     [WebGet( ResponseFormat = WebMessageFormat.Json,
13       UriTemplate = "equation/{operation}/{level}" )]
14     Equation GenerateEquation(string operation, string level );
15 } // end interface IEquationGeneratorService

```

---

**Fig. 22.30** | WCF REST service interface to create random equations based on a specified operation and difficulty level.

### 22.11.4 Consuming the REST-Based JSON WCF EquationGenerator Web Service

A modified `MathTutor` application (Fig. 22.31) accesses the URI of the `EquationGenerator` web service to get the JSON object (lines 35–37). We define a JSON representation of an `Equation` object for the serializer in Fig. 22.32. The JSON object is deserialized using the `System.Runtime.Serialization.Json` namespace's `DataContractJsonSerializer` (lines 48–49) and converted into an `Equation` object. We use the `LeftHandSide` field of the deserialized object (line 55) to display the left side of the equation and the `Result` field (line 67) to obtain the answer.

```
1 // Fig. 22.31: MathTutorForm.cs
2 // Math tutor using EquationGeneratorServiceJSON to create equations.
3 using System;
4 using System.IO;
5 using System.Net;
6 using System.Runtime.Serialization.Json;
7 using System.Text;
8 using System.Windows.Forms;
9
10 namespace MathTutorJSON
11 {
12     public partial class MathTutorForm : Form
13     {
14         private string operation = "add"; // the default operation
15         private int level = 1; // the default difficulty level
16         private Equation currentEquation; // represents the Equation
17
18         // object used to invoke service
19         private WebClient service = new WebClient();
20
21         public MathTutorForm()
22         {
23             InitializeComponent();
24
25             // add DownloadStringCompleted event handler to WebClient
26             service.DownloadStringCompleted +=
27                 new DownloadStringCompletedEventHandler(
28                     service_DownloadStringCompleted );
29         } // end constructor
30
31         // generates new equation when user clicks button
32         private void generateButton_Click( object sender, EventArgs e )
33         {
34             // send request to EquationGeneratorServiceJSON
35             service.DownloadStringAsync( new Uri(
36                 "http://localhost:50238/EquationGeneratorServiceJSON" +
37                 "/Service.svc/equation/" + operation + "/" + level ) );
38         } // end method generateButton_Click
39
40         // process web service response
41         private void service_DownloadStringCompleted(
42             object sender, DownloadStringCompletedEventArgs e )
43         {
44             // check if any errors occurred in retrieving service data
45             if ( e.Error == null )
46             {
47                 // deserialize response into an Equation object
48                 DataContractJsonSerializer JSONSerializer =
49                     new DataContractJsonSerializer( typeof( Equation ) );
50                 currentEquation =
51                     ( Equation ) JSONSerializer.ReadObject( new
52                         MemoryStream( Encoding.Unicode.GetBytes( e.Result ) ) );
53             }
54         }
55     }
56 }
```

Fig. 22.31 | Math tutor using EquationGeneratorServiceJSON. (Part 1 of 4.)

```
53          // display left side of equation
54          questionLabel.Text = currentEquation.LeftHandSide;
55          okButton.Enabled = true; // enable okButton
56          answerTextBox.Enabled = true; // enable answerTextBox
57      } // end if
58  } // end method client_DownloadStringCompleted
59
60
61  // check user's answer
62  private void okButton_Click( object sender, EventArgs e )
63  {
64      if ( !string.IsNullOrEmpty( answerTextBox.Text ) )
65      {
66          // determine whether user's answer is correct
67          if ( currentEquation.Result ==
68              Convert.ToInt32( answerTextBox.Text ) )
69          {
70              questionLabel.Text = string.Empty; // clear question
71              answerTextBox.Clear(); // clear answer
72              okButton.Enabled = false; // disable OK button
73              MessageBox.Show( "Correct! Good job!", "Result" );
74          } // end if
75          else
76          {
77              MessageBox.Show( "Incorrect. Try again.", "Result" );
78          } // end else
79      } // end if
80  } // end method okButton_Click
81
82  // set the operation to addition
83  private void additionRadioButton_CheckedChanged( object sender,
84      EventArgs e )
85  {
86      if ( additionRadioButton.Checked )
87          operation = "add";
88  } // end method additionRadioButton_CheckedChanged
89
90  // set the operation to subtraction
91  private void subtractionRadioButton_CheckedChanged( object sender,
92      EventArgs e )
93  {
94      if ( subtractionRadioButton.Checked )
95          operation = "subtract";
96  } // end method subtractionRadioButton_CheckedChanged
97
98  // set the operation to multiplication
99  private void multiplicationRadioButton_CheckedChanged(
100     object sender, EventArgs e )
101  {
102      if ( multiplicationRadioButton.Checked )
103          operation = "multiply";
104  } // end method multiplicationRadioButton_CheckedChanged
```

---


**Fig. 22.31** | Math tutor using EquationGeneratorServiceJSON. (Part 2 of 4.)

```


105     // set difficulty level to 1
106     private void levelOneRadioButton_CheckedChanged( object sender,
107         EventArgs e )
108     {
109         if ( levelOneRadioButton.Checked )
110             level = 1;
111     } // end method levelOneRadioButton_CheckedChanged
112
113     // set difficulty level to 2
114     private void levelTwoRadioButton_CheckedChanged( object sender,
115         EventArgs e )
116     {
117         if ( levelTwoRadioButton.Checked )
118             level = 2;
119     } // end method levelTwoRadioButton_CheckedChanged
120
121     // set difficulty level to 3
122     private void levelThreeRadioButton_CheckedChanged( object sender,
123         EventArgs e )
124     {
125         if ( levelThreeRadioButton.Checked )
126             level = 3;
127     } // end method levelThreeRadioButton_CheckedChanged
128 } // end class MathTutorForm
129 } // end namespace MathTutorJSON

```

a) Generating a level 2 multiplication equation




b) Answering the question incorrectly

**Fig. 22.31** | Math tutor using EquationGeneratorServiceJSON. (Part 3 of 4.)

---

c) Answering the question correctly



**Fig. 22.31** | Math tutor using EquationGeneratorServiceJSON. (Part 4 of 4.)

---

```

1 // Fig. 22.32: Equation.cs
2 // Equation class representing a JSON object.
3 using System;
4
5 namespace MathTutorJSON
6 {
7     [Serializable]
8     class Equation
9     {
10         public int Left = 0;
11         public string LeftHandSide = null;
12         public string Operation = null;
13         public int Result = 0;
14         public int Right = 0;
15         public string RightHandSide = null;
16     } // end class Equation
17 } // end namespace MathTutorJSON

```

**Fig. 22.32** | Equation class representing a JSON object.

## 22.12 Web Resources

To learn more about web services, check out our web services Resource Centers at:

[www.deitel.com/WebServices/](http://www.deitel.com/WebServices/)  
[www.deitel.com/RESTWebServices/](http://www.deitel.com/RESTWebServices/)

You'll find articles, samples chapters and tutorials that discuss XML, web-services specifications, SOAP, WSDL, UDDI, .NET web services, consuming XML web services and web-services architecture. You'll learn how to build your own Yahoo! maps mashups and applications that work with the Yahoo! Music Engine. You'll find information about Amazon's web services including the Amazon E-Commerce Service (ECS), Amazon historical pricing, Amazon Mechanical Turk, Amazon S3 (Simple Storage Service) and the Scalable Simple Queue Service (SQS). You'll learn how to use web services from several other companies including eBay, Google and Microsoft. You'll find REST web services best practices and guidelines. You'll also learn how to use REST web services with other technologies including SOAP, Rails, Windows Communication Foundation (WCF) and more. You can view the complete list of Deitel Resource Centers at [www.deitel.com/ResourceCenters.html](http://www.deitel.com/ResourceCenters.html).

## Summary

### Section 22.1 Introduction

- WCF is a set of technologies for building distributed systems in which system components communicate with one another over networks. WCF uses a common framework for all communication between systems, so you need to learn only one programming model to use WCF.
- WCF web services promote software reusability in distributed systems that typically execute across the Internet.
- Simple Object Access Protocol (SOAP) is an XML-based protocol describing how to mark up requests and responses so that they can be sent via protocols such as HTTP. SOAP uses a standardized XML-based format to enclose data in a message.
- Representational State Transfer (REST) is a network architecture that uses the web's traditional request/response mechanisms such as GET and POST requests. REST-based systems do not require data to be wrapped in a special message format.

### Section 22.2 WCF Services Basics

- WCF service has three key components—addresses, bindings and contracts.
- An address represents the service's location or endpoint, which includes the protocol and network address used to access the service.
- A binding specifies how a client communicates with the service, such as through SOAP protocol or REST architecture. Bindings can also specify other options, such as security constraints.
- A contract is an interface representing the service's methods and their return types. The service's contract allows clients to interact with the service.
- The machine on which the web service resides is referred to as a web service host.

### Section 22.3 Simple Object Access Protocol (SOAP)

- The Simple Object Access Protocol (SOAP) is a platform-independent protocol that uses XML to make remote procedure calls, typically over HTTP.
- Each request and response is packaged in a SOAP message—an XML message containing the information that a web service requires to process the message.
- SOAP messages are written in XML so that they're computer readable, human readable and platform independent.
- SOAP supports an extensive set of types—the primitive types, as well as `DateTime`, `XmlNode` and others. SOAP can also transmit arrays of these types.
- When a program invokes a method of a SOAP web service, the request and all relevant information are packaged in a SOAP message enclosed in a SOAP envelope and sent to the server on which the web service resides.
- When a web service receives a SOAP message, it parses the XML representing the message, then processes the message's contents. The message specifies the method that the client wishes to execute and the arguments the client passed to that method.
- After a web service parses a SOAP message, it calls the appropriate method with the specified arguments (if any), and sends the response back to the client in another SOAP message. The client parses the response to retrieve the method's result.

### Section 22.4 Representational State Transfer (REST)

- Representational State Transfer (REST) refers to an architectural style for implementing web services. Such web services are often called RESTful web services. Though REST itself is not a standard, RESTful web services are implemented using web standards.

- Each operation in a RESTful web service is identified by a unique URL.
- REST can return data in formats such as XML, JSON, HTML, plain text and media files.

### ***Section 22.5 JavaScript Object Notation (JSON)***

- JavaScript Object Notation (JSON) is an alternative to XML for representing data.
- JSON is a text-based data-interchange format used to represent objects in JavaScript as collections of name/value pairs represented as strings.
- JSON is a simple format that makes objects easy to read, create and parse, and allows programs to transmit data efficiently across the Internet because it is much less verbose than XML.
- Each value in a JSON array can be a string, a number, a JSON object, true, false or null.

### ***Section 22.6 Publishing and Consuming SOAP-Based WCF Web Services***

- Enabling a web service for client usage is also known as publishing the web service.
- Using a web service is also known as consuming the web service.

#### ***Section 22.6.1 Creating a WCF Web Service***

- To create a SOAP-based WCF web service in Visual Web Developer, you first create a project of type **WCF Service**. SOAP is the default protocol for WCF web services, so no special configuration is required to create SOAP-based services.
- Visual Web Developer automatically generates files for a **WCF Service** project, including an SVC file, which provides access to the service, and a **Web.config** file, which specifies the service's binding and behavior, and code files for the WCF service class and any other code that is part of the WCF service implementation. In the service class, you define the methods that your WCF web service makes available to client applications.

#### ***Section 22.6.2 Code for the WelcomeSOAPXMLService***

- The service interface describes the service's contract—the set of methods and properties the client uses to access the service.
- The **ServiceContract** attribute exposes a class that implements the service interface as a WCF web service.
- The **OperationContract** attribute exposes a method for remote calls.

#### ***Section 22.6.3 Building a SOAP WCF Web Service***

- By default, a new code-behind file implements an interface named **IService** that is marked with the **ServiceContract** and **OperationContract** attributes. In addition, the **IService.cs** file defines a class named **CompositeType** with a **DataContract** attribute. The interface contains two sample service methods named **GetData** and **GetDataUsingContract**. The **Service.cs** file contains the code that defines these methods.
- The **Service.svc** file, when accessed through a web browser, provides access to information about the web service.
- When you display the SVC file in the **Solution Explorer**, you see the programming language in which the web service's code-behind file is written, the **Debug** attribute, the name of the service and the code-behind file's location.
- If you change the code-behind file name or the class name that defines the web service, you must modify the SVC file accordingly.

#### ***Section 22.6.4 Deploying the WelcomeSOAPXMLService***

- You can choose **Build Web Site** from the **Build** menu to ensure that the web service compiles without errors. You can also test the web service directly from Visual Web Developer by selecting

**Start Without Debugging** from the **Debug** menu. This opens a browser window that contains the SVC page. Once the service is running, you can also access the SVC page from your browser by typing the URL in a web browser.

- By default, the ASP.NET Development Server assigns a random port number to each website it hosts. You can change this behavior by going to the **Solution Explorer** and clicking on the project name to view the **Properties** window. Set the **Use dynamic ports** property to **False** and specify the port number you want to use, which can be any unused TCP port. You can also change the service's virtual path, perhaps to make the path shorter or more readable.
- Web services normally contain a service description that conforms to the Web Service Description Language (WSDL)—an XML vocabulary that defines the methods a web service makes available and how clients interact with them. WSDL documents help applications determine how to interact with the web services described in the documents.
- When viewed in a web browser, an SVC file presents a link to the service's WSDL file and information on using the utility `svcutil.exe` to generate test console applications.
- When a client requests the WSDL URL, the server autogenerates the WSDL that describes the web service and returns the WSDL document.
- Many aspects of web-service creation and consumption—such as generating WSDL files and proxy classes—are handled by Visual Web Developer, Visual C# 2010 and WCF.

#### *Section 22.6.5 Creating a Client to Consume the WelcomeSOAPXMLService*

- An application that consumes a SOAP-based web service consists of a proxy class representing the web service and a client application that accesses the web service via a proxy object. The proxy object passes arguments from the client application to the web service as part of the web-service method call. When the method completes its task, the proxy object receives the result and parses it for the client application.
- A proxy object communicates with the web service on the client's behalf. The proxy object is part of the client application, making web-service calls appear to interact with local objects.
- To add a proxy class, right click the project name in the **Solution Explorer** and select **Add Service Reference...** to display the **Add Service Reference** dialog. In the dialog, enter the URL of the service's .svc file in the **Address** field. The tools will automatically use that URL to request the web service's WSDL document. You can rename the service reference's namespace by changing the **Namespace** field. Click the **OK** button to add the service reference.
- A proxy object handles the networking details and the formation of SOAP messages. Whenever the client application calls a web method, the application actually calls a corresponding method in the proxy class. This method has the same name and parameters as the web method that is being called, but formats the call to be sent as a request in a SOAP message. The web service receives this request as a SOAP message, executes the method call and sends back the result as another SOAP message. When the client application receives the SOAP message containing the response, the proxy class deserializes it and returns the results as the return value of the web method that was called.

#### *Section 22.7.2 Creating a REST-Based XML WCF Web Service*

- `WebGet` maps a method to a unique URL that can be accessed via an HTTP GET operation.
- `WebGet`'s `UriTemplate` property specifies the URI format that is used to invoke a method.
- You can test a REST-based service method using a web browser by going to the `Service.svc` file's network address and appending to the address the URI template with the appropriate arguments.

#### *Section 22.7.3 Consuming a REST-Based XML WCF Web Service*

- The  `WebClient` class invokes a web service and receives its response.

- WebClient's DownloadStringAsync method invokes a web service asynchronously. The DownloadStringCompleted event occurs when the WebClient receives the completed response from the web service.
- If a service is invoked asynchronously, the application can continue executing and the user can continue interacting with it while waiting for a response from the web service. DownloadStringCompletedEventArgs contains the information returned by the web service. We can use this variable's properties to get the returned XML document and any errors that may have occurred during the process.

#### ***Section 22.8.1 Creating a REST-Based JSON WCF Web Service***

- By default, a web-service method with the WebGet attribute returns data in XML format. To return data in JSON format, set WebGet's ResponseFormat property to WebMessageFormat.Json.
- Objects being converted to JSON must have Public properties. This enables the JSON serialization to create name/value pairs that represent each Public property and its corresponding value.
- The DataContract attribute exposes a class to the client access.
- TheDataMember attribute exposes a property of this class to the client.
- When we test the web service using a web browser, the response prompts you to download a text file containing the JSON formatted data. You can see the service response as a JSON object by opening the file in a text editor such as Notepad.

#### ***Section 22.8.2 Consuming a REST-Based JSON WCF Web Service***

- XML serialization converts a custom type into XML data format.
- JSON serialization converts a custom type into JSON data format.
- The System.Runtime.Serialization.Json library'sDataContractJsonSerializer class serializes custom types as JSON objects. To use the System.Runtime.Serialization.Json library, you must include a reference to the System.ServiceModel.Web assembly in the project.
- Attribute Serializable indicates that a class can be used in serialization.
- A MemoryStream object is used to encapsulate the JSON object so we can read data from the byte array using stream semantics. The MemoryStream object is read by the DataContractJsonSerializer and then converted into a custom type.

#### ***Section 22.9 Blackjack Web Service: Using Session Tracking in a SOAP-Based WCF Web Service***

- Using session tracking eliminates the need for information about the client to be passed between the client and the web service multiple times.

#### ***Section 22.9.1 Creating a Blackjack Web Service***

- Web services store session information to provide more intuitive functionality.
- A service's interface uses a ServiceContract with the SessionMode property set to Required to indicate that the service needs a session to run. The SessionMode property is Allowed by default and can also be set to NotAllowed to disable sessions.
- Setting the ServiceBehavior's InstanceContextMode property to PerSession creates a new instance of the class for each session. The InstanceContextMode property can also be set to PerCall or Single. PerCall uses a new object of the web-service class to handle every method call to the service. Single uses the same object of the web-service class to handle all calls to the service.

### **Section 22.10 Airline Reservation Web Service: Database Access and Invoking a Service from ASP.NET**

- You can add a database and corresponding LINQ to SQL classes to create a `DataContext` object to support database operations of your web service.

### **Section 22.11 Equation Generator: Returning User-Defined Types**

- Instances of user-defined types can be passed to or returned from web-service methods.

## **Self-Review Exercises**

- 22.1** State whether each of the following is *true* or *false*. If *false*, explain why.
- The purpose of a web service is to create objects of a class located on a web service host. This class then can be instantiated and used on the local machine.
  - You must explicitly create the proxy class after you add a service reference for a SOAP-based service to a client application.
  - A client application can invoke only those methods of a web service that are tagged with the `OperationContract` attribute.
  - To enable session tracking in a web-service method, no action is required other than setting the `SessionMode` property to `SessionMode.Required` in the `ServiceContract` attribute.
  - Operations in a REST web service are defined by their own unique URLs.
  - A SOAP-based web service can return data in JSON format.
  - For a client application to deserialize a JSON object, the client must define a `Serializable` class with public instance variables or properties that match those serialized by the web service.
- 22.2** Fill in the blanks for each of the following statements:
- A key difference between SOAP and REST is that SOAP messages have data wrapped in a(n) \_\_\_\_\_.
  - A WCF web service exposes its methods to clients by adding the \_\_\_\_\_ and \_\_\_\_\_ attributes to the service interface.
  - Web-service requests are typically transported over the Internet via the \_\_\_\_\_ protocol.
  - To return data in JSON format from a REST-based web service, the \_\_\_\_\_ property of the `WebGet` attribute is set to \_\_\_\_\_.
  - \_\_\_\_\_ transforms an object into a format that can be sent between a web service and a client.
  - To parse a HTTP response in XML data format, the client application must import the response's \_\_\_\_\_.


## **Answers to Self-Review Exercises**

**22.1** a) False. Web services are used to execute methods on web service hosts. The web service receives the arguments it needs to execute a particular method, executes the method and returns the result to the caller. b) False. The proxy class is created by Visual C# or Visual Web Developer when you add a Service Reference to your project. The proxy class itself is hidden from you. c) True. d) True. e) True. f) False. A SOAP web service implicitly returns data in XML format. g) True.

**22.2** a) envelope. b) `ServiceContract`, `OperationContract`. c) HTTP. d) `ResponseFormat`, `WebMessageFormat.Json`. e) `Serialization`. f) namespace.

## Exercises

**22.3 (Phone-Book Web Service)** Create a REST-based web service that stores phone-book entries in a database (`PhoneBook.mdf`, which is provided in the examples directory for this chapter) and a client application that consumes this service. Give the client user the capability to enter a new contact (service method `AddEntry`) and to find contacts by last name (service method `GetEntries`). Pass only primitive types as arguments to the web service. Add a `DataContext` to the web-service project to enable the web service to interact with the database. The `GetEntries` method should return an array of strings that contains the matching phone-book entries. Each string in the array should consist of the last name, first name and phone number for one phone-book entry separated by commas. Build an ASP.NET client (Fig. 22.33) to interact with this web service. To use an asynchronous web request from an ASP.NET client, you must set the `Async` property to true by adding `Async="true"` to the `.aspx` page directive. Since the `AddEntry` method accepts a request and does not return a response to the client, you can use `WebClient`'s `OpenRead` method to access the service method. You can use the `ToArray` method on the LINQ query to return an array containing LINQ query results.



**Fig. 22.33** | Template web form for phone book client.

**22.4 (Phone-Book Web Service Modification)** Modify Exercise 22.3 so that it uses a class named `PhoneBookEntry` to represent a row in the database. The web service should return objects of type `PhoneBookEntry` in XML format for the `GetEntries` service method, and the client application should use XML document parsing to interpret the `PhoneBookEntry` object.

**22.5 (Phone-Book Web Service with JSON)** Modify Exercise 22.4 so that the `PhoneBookEntry` class is passed to and from the web service as a JSON object. Use serialization to convert the JSON object into an object of type `PhoneBookEntry`.

**22.6 (Blackjack Modification)** Modify the blackjack web-service example in Section 22.9 to include class Card. Change service method DealCard so that it returns an object of type Card and modify method GetHandValue to receive an array of Cards. Also modify the client application to keep track of what cards have been dealt by using Card objects. Your Card class should include properties for the face and suit of the card. [Note: When you create the Card class, be sure to add the DataContract attribute to the class and theDataMember attribute to the properties. Also, in a SOAP-based service, you don't need to define your own Card class on the client as well. The Card class will be exposed to the client through the service reference that you add to the client. If the service reference is named ServiceReference, you'll access the card type as ServiceReference.Card.]

**22.7 (Airline Reservation Web-Service Modification)** Modify the airline reservation web service in Section 22.10 so that it contains two separate methods—one that allows users to view all available seats, and another that allows users to reserve a particular seat that is currently available. Use an object of type Ticket to pass information to and from the web service. The web service must be able to handle cases in which two users view available seats, one reserves a seat and the second user tries to reserve the same seat, not knowing that it is now taken. The names of the methods that execute should be Reserve and GetAllAvailableSeats.

# Web App Development with ASP.NET in Visual Basic

# 23

*... the challenges are for the designers of these applications: to forget what we think we know about the limitations of the Web, and begin to imagine a wider, richer range of possibilities. It's going to be fun.*  
—Jesse James Garrett

*If any man will draw up his case, and put his name at the foot of the first page, I will give him an immediate reply. Where he compels me to turn over the sheet, he must wait my leisure.*  
—Lord Sandwich

## Objectives

In this chapter you'll learn:

- Web application development using ASP.NET.
- To handle the events from a Web Form's controls.
- To use validation controls to ensure that data is in the correct format before it's sent from a client to the server.
- To maintain user-specific information.
- To create a data-driven web application using ASP.NET and LINQ to SQL.

|             |   |   |  |
|-------------|---|---|--|
| <b>23.1</b> | Introduction                              | <b>23.7.3</b>   | Options.aspx: Selecting a Programming Language                           |
| <b>23.2</b> | Web Basics                                | <b>23.7.4</b>   | Recommendations.aspx: Displaying Recommendations Based on Session Values |
| <b>23.3</b> | Multitier Application Architecture        | <b>23.8</b> Case Study: Database-Driven ASP.NET Guestbook                     |  |
| <b>23.4</b> | Your First ASP.NET Application            | <b>23.8.1</b>   | Building a Web Form that Displays Data from a Database                   |
| 23.4.1      | Building the WebTime Application          | <b>23.8.2</b>   | Modifying the Code-Behind File for the Guestbook Application             |
| 23.4.2      | Examining WebTime.aspx's Code-Behind File | <b>23.9</b> Online Case Study: ASP.NET AJAX                                   |  |
| <b>23.5</b> | Standard Web Controls: Designing a Form   | <b>23.10</b> Online Case Study: Password-Protected Books Database Application |  |
| <b>23.6</b> | Validation Controls                       |   |  |
| <b>23.7</b> | Session Tracking                          |   |  |
| 23.7.1      | Cookies                                   |   |  |
| 23.7.2      | Session Tracking with HttpSessionState    |   |  |

[Summary](#) | [Self-Review Exercises](#) | [Answers to Self-Review Exercises](#) | [Exercises](#)

## 23.1 Introduction

In this chapter, we introduce **web-application development** with Microsoft's **ASP.NET** technology. Web-based applications create web content for web-browser clients.

We present several examples that demonstrate web-application development using **Web Forms**, **web controls** (also called **ASP.NET server controls**) and Visual Basic programming. Web Form files have the file-name extension **.aspx** and contain the web page's GUI. You customize Web Forms by adding web controls including labels, textboxes, images, buttons and other GUI components. The Web Form file represents the web page that is sent to the client browser. We often refer to Web Form files as **ASPx files**.

An ASPX file created in Visual Studio has a corresponding class written in a .NET language—we use Visual Basic in this book. This class contains event handlers, initialization code, utility methods and other supporting code. The file that contains this class is called the **code-behind file** and provides the ASPX file's programmatic implementation.

To develop the code and GUIs in this chapter, we used Microsoft's **Visual Web Developer 2010 Express**—a free IDE designed for developing ASP.NET web applications. The full version of Visual Studio 2010 includes the functionality of Visual Web Developer, so the instructions we present for Visual Web Developer also apply to Visual Studio 2010. The database example (Section 23.8) also requires SQL Server 2008 Express. See the *Before You Begin* section of the book for additional information on this software.

In Chapter 25 (online), we present several additional web-application development topics, including:

- master pages to maintain a uniform look-and-feel across the Web Forms in a web application
- creating password-protected websites with registration and login capabilities
- using the **Web Site Administration Tool** to specify which parts of a website are password protected

- using ASP.NET AJAX to quickly and easily improve the user experience for your web applications, giving them responsiveness comparable to that of desktop applications.

## 23.2 Web Basics

In this section, we discuss what occurs when a user requests a web page in a browser. In its simplest form, a *web page* is nothing more than an *HTML (HyperText Markup Language) document* (with the extension `.html` or `.htm`) that describes to a web browser the document's content and how to format it.

HTML documents normally contain *hyperlinks* that link to different pages or to other parts of the same page. When the user clicks a hyperlink, a *web server* locates the requested web page and sends it to the user's web browser. Similarly, the user can type the *address of a web page* into the browser's *address field* and press *Enter* to view the specified page.

Web development tools like Visual Web Developer typically use a “stricter” version of HTML called *XHTML (Extensible HyperText Markup Language)*. ASP.NET produces web pages as XHTML documents.

### *URIs and URLs*

*URIs (Uniform Resource Identifiers)* identify resources on the Internet. URIs that start with `http://` are called *URLs (Uniform Resource Locators)*. Common URLs refer to files, directories or server-side code that performs tasks such as database lookups, Internet searches and business application processing. If you know the URL of a publicly available resource anywhere on the web, you can enter that URL into a web browser's address field and the browser can access that resource.

### *Parts of a URL*

A URL contains information that directs a browser to the resource that the user wishes to access. Web servers make such resources available to web clients. Popular web servers include Microsoft's Internet Information Services (IIS) and Apache's HTTP Server.

Let's examine the components of the URL


```
http://www.deitel.com/books/downloads.html
```

The `http://` indicates that the HyperText Transfer Protocol (HTTP) should be used to obtain the resource. HTTP is the web protocol that enables clients and servers to communicate. Next in the URL is the server's fully qualified **hostname** (`www.deitel.com`)—the name of the web server computer on which the resource resides. This computer is referred to as the **host**, because it houses and maintains resources. The hostname `www.deitel.com` is translated into an **IP (Internet Protocol) address**—a numerical value that uniquely identifies the server on the Internet. A **Domain Name System (DNS) server** maintains a database of hostnames and their corresponding IP addresses, and performs the translations automatically.


The remainder of the URL (`/books/downloads.html`) specifies the resource's location (`/books`) and name (`downloads.html`) on the web server. The location could represent an actual directory on the web server's file system. For *security* reasons, however, the location is typically a *virtual directory*. The web server translates the virtual directory into a real location on the server, thus hiding the resource's true location.

### Making a Request and Receiving a Response

When given a URL, a web browser uses HTTP to retrieve and display the web page found at that address. Figure 23.1 shows a web browser sending a request to a web server. Figure 23.2 shows the web server responding to that request.



**Fig. 23.1** | Client requesting a resource from a web server.




**Fig. 23.2** | Client receiving a response from the web server.

### 23.3 Multitier Application Architecture

Web-based applications are **multitier applications** (sometimes referred to as *n-tier applications*). Multitier applications divide functionality into separate **tiers** (that is, logical groupings of functionality). Although tiers can be located on the *same* computer, the tiers of web-based applications commonly reside on *separate* computers for security and scalability. Figure 23.3 presents the basic architecture of a three-tier web-based application.

#### Information Tier

The **information tier** (also called the **bottom tier**) maintains the application's data. This tier typically stores data in a relational database management system. For example, a retail store might have a database for storing product information, such as descriptions, prices and quantities in stock. The same database also might contain customer information, such as user names, billing addresses and credit card numbers. This tier can contain multiple databases, which together comprise the data needed for an application.



**Fig. 23.3** | Three-tier architecture.

### *Business Logic*

The **middle tier** implements **business logic**, **controller logic** and **presentation logic** to control interactions between the application's clients and its data. The middle tier acts as an intermediary between data in the information tier and the application's clients. The middle-tier controller logic processes client requests (such as requests to view a product catalog) and retrieves data from the database. The middle-tier presentation logic then processes data from the information tier and presents the content to the client. Web applications typically present data to clients as web pages.


Business logic in the middle tier enforces *business rules* and ensures that data is reliable before the server application updates the database or presents the data to users. Business rules dictate how clients can and cannot access application data, and how applications process data. For example, a business rule in the middle tier of a retail store's web-based application might ensure that all product quantities remain positive. A client request to set a negative quantity in the bottom tier's product information database would be rejected by the middle tier's business logic.

### *Client Tier*

The **client tier**, or **top tier**, is the application's user interface, which gathers input and displays output. Users interact directly with the application through the user interface (typically viewed in a web browser), keyboard and mouse. In response to user actions (for example, clicking a hyperlink), the client tier interacts with the middle tier to make requests and to retrieve data from the information tier. The client tier then displays to the user the data retrieved from the middle tier. The client tier never directly interacts with the information tier.

## 23.4 Your First ASP.NET Application

Our first example displays the web server's time of day in a browser window (Fig. 23.4). When this application executes—that is, a web browser requests the application's web page—the web server executes the application's code, which gets the current time and displays it in a `Label`. The web server then returns the result to the web browser that made the request, and the web browser renders the web page containing the time. We show this application executing in the Internet Explorer and Firefox web browsers to show you that the web page renders identically in each.



**Fig. 23.4** | WebTime web application running in Internet Explorer and Firefox.


### Testing the Application in Your Default Web Browser

To test this application in your default web browser, perform the following steps:

1. Open Visual Web Developer.
2. Select **Open Web Site...** from the **File** menu.
3. In the **Open Web Site** dialog (Fig. 23.5), ensure that **File System** is selected, then navigate to this chapter's examples, select the `WebTime` folder and click the **Open** Button.
4. Select `WebTime.aspx` in the **Solution Explorer**, then type *Ctrl + F5* to execute the web application.


### Testing the Application in a Selected Web Browser

If you wish to execute the application in another web browser, you can copy the web page's address from your default browser's address field and paste it into another browser's address field, or you can perform the following steps:



**Fig. 23.5** | Open Web Site dialog.

1. In the Solution Explorer, right click **WebTime.aspx** and select **Browse With...** to display the **Browse With** dialog (Fig. 23.6).



**Fig. 23.6** | Selecting another web browser to execute the web application.

2. From the **Browsers** list, select the browser in which you'd like to test the web application and click the **Browse** Button.


If the browser you wish to use is not listed, you can use the **Browse With** dialog to add items to or remove items from the list of web browsers.

### 23.4.1 Building the WebTime Application

Now that you've tested the application, let's create it in Visual Web Developer.

#### Step 1: Creating the Web Site Project

Select **File > New Web Site...** to display the **New Web Site** dialog (Fig. 23.7). In the left column of this dialog, ensure that **Visual Basic** is selected, then select **Empty Web Site** in the middle column. At the bottom of the dialog you can specify the location and name of the web application.



**Fig. 23.7** | Creating an **ASP.NET Web Site** in Visual Web Developer.

The **Web location:** ComboBox provides the following options:

- **File System:** Creates a new website for testing on your local computer. Such websites execute in Visual Web Developer's built-in ASP.NET Development Server and can be accessed only by web browsers running on the same computer. You can later "publish" your website to a production web server for access via a local network or the Internet. Each example in this chapter uses the **File System** option, so select it now.
- **HTTP:** Creates a new website on an IIS web server and uses HTTP to allow you to put your website's files on the server. IIS is Microsoft's software that is used to run production websites. If you own a website and have your own web server, you might use this to build a new website directly on that server computer. You must be an Administrator on the computer running IIS to use this option.


- **FTP:** Uses File Transfer Protocol (FTP) to allow you to put your website's files on the server. The server administrator must first create the website on the server for you. FTP is commonly used by so-called "hosting providers" to allow website owners to share a server computer that runs many websites.

Change the name of the web application from **WebSite1** to **WebTime**, then click the **OK** Button to create the website.

### **Step 2: Adding a Web Form to the Website and Examining the Solution Explorer**

A **Web Form** represents one page in a web application—we'll often use the terms "page" and "Web Form" interchangeably. A Web Form contains a web application's GUI. To create the **WebTime.aspx** Web Form:


1. Right click the project name in the **Solution Explorer** and select **Add New Item...** to display the **Add New Item** dialog (Fig. 23.8).



**Fig. 23.8** | Adding a new **Web Form** to the website with the **Add New Item** dialog.

2. In the left column, ensure that **Visual Basic** is selected, then select **Web Form** in the middle column.
3. In the **Name:** **TextBox**, change the file name to **WebTime.aspx**, then click the **Add** **Button**.


After you add the Web Form, the IDE opens it in **Source** view by default (Fig. 23.9). This view displays the markup for the Web Form. As you become more familiar with ASP.NET and building web sites in general, you might use **Source** view to perform high precision adjustments to your design or to program in the JavaScript language that executes in web browsers. For the purposes of this chapter, we'll keep things simple by working exclusively in **Design** mode. To switch to **Design** mode, you can click the **Design** **Button** at the bottom of the code editor window.



**Fig. 23.9** | Web Form in **Source** view.

### The Solution Explorer

The **Solution Explorer** (Fig. 23.10) shows the contents of the website. We expanded the node for `WebTime.aspx` to show you its code-behind file `WebTime.aspx.vb`. Visual Web Developer's **Solution Explorer** contains several buttons that differ from Visual Basic Express. The **View Designer** button allows you to open the Web Form in **Design** mode. The **Copy Web Site** button opens a dialog that allows you to move the files in this project to another location, such as a remote web server. This is useful if you're developing the application on your local computer but want to make it available to the public from a different location. Finally, the **ASP.NET Configuration** button takes you to a web page called the **Web Site Administration Tool**, where you can manipulate various settings and security options for your application.



**Fig. 23.10** | Solution Explorer window for an **Empty Web Site** project.

If the ASPX file is not open in the IDE, you can open it in **Design** mode three ways:


- double click it in the **Solution Explorer**
- select it in the **Solution Explorer** and click the **View Designer** (  ) Button
- right click it in the **Solution Explorer** and select **View Designer**

To open the code-behind file in the code editor, you can

- double click it in the **Solution Explorer**
- select the ASPX file in the **Solution Explorer**, then click the **View Code** (  ) Button
- right click the code-behind file in the **Solution Explorer** and select **Open**

### *The Toolbox*


Figure 23.11 shows the **Toolbox** displayed in the IDE when the project loads. Part (a) displays the beginning of the **Standard** list of web controls, and part (b) displays the remaining web controls and the list of other control groups. We discuss specific controls listed in Fig. 23.11 as they're used throughout the chapter. Many of the controls have similar or identical names to Windows Forms controls presented earlier in the book.



**Fig. 23.11 | Toolbox** in Visual Web Developer.

### *The Web Forms Designer*

Figure 23.12 shows the initial Web Form in **Design** mode. You can drag and drop controls from the **Toolbox** onto the Web Form. You can also type at the current cursor location to add so-called static text to the web page. In response to such actions, the IDE generates the appropriate markup in the ASPX file.



**Fig. 23.12** | Design mode of the Web Forms Designer.

### *Step 3: Changing the Title of the Page*

Before designing the Web Form's content, you'll change its title to **A Simple Web Form Example**. This title will be displayed in the web browser's title bar (see Fig. 23.4). It's typically also used by search engines like Google and Bing when they index real websites for searching. Every page should have a title. To change the title:

1. Ensure that the ASPX file is open in **Design** view.
2. View the Web Form's properties by selecting **DOCUMENT**, which represents the Web Form, from the drop-down list in the **Properties** window.
3. Modify the **Title** property in the **Properties** window by setting it to **A Simple Web Form Example**.

### *Designing a Page*

Designing a Web Form is similar to designing a Windows Form. To add controls to the page, drag-and-drop them from the **Toolbox** onto the Web Form in **Design** view. The Web Form and each control are objects that have properties, methods and events. You can set these properties visually using the **Properties** window or programmatically in the code-behind file. You can also type text directly on a Web Form at the cursor location.

Controls and other elements are placed sequentially on a Web Form one after another in the order in which you drag-and-drop them onto the Web Form. The cursor indicates the insertion point in the page. If you want to position a control between existing text or controls, you can drop the control at a specific position between existing page elements. You can also rearrange controls with drag-and-drop actions in **Design** view. The positions of controls and other elements are relative to the Web Form's upper-left corner. This type of layout is known as relative positioning and it allows the browser to move elements and resize them based on the size of the browser window. Relative positioning is the default, and we'll use it throughout this chapter.

For precise control over the location and size of elements, you can use absolute positioning in which controls are located exactly where you drop them on the Web Form. If you wish to use absolute positioning:

1. Select **Tools > Options....**, to display the **Options** dialog.
2. If it isn't checked already, check the **Show all settings** checkbox.

3. Next, expand the **HTML Designer > CSS Styling** node and ensure that the checkbox labeled **Change positioning to absolute for controls added using Toolbox, paste or drag and drop** is selected.


#### *Step 4: Adding Text and a Label*

You'll now add some text and a **Label** to the Web Form. Perform the following steps to add the text:

1. Ensure that the Web Form is open in **Design** mode.
2. Type the following text at the current cursor location:

Current time on the Web server:

3. Select the text you just typed, then select **Heading 2** from the **Block Format ComboBox** (Fig. 23.13) to format this text as a heading that will appear in a larger bold font. In more complex pages, headings help you specify the relative importance of parts of that content—like sections in a book chapter.



**Fig. 23.13** | Changing the text to **Heading 2** heading.

4. Click to the right of the text you just typed and press the *Enter* key to start a new paragraph in the page. The Web Form should now appear as in Fig. 23.14.
5. Next, drag a **Label** control from the **Toolbox** into the new paragraph or double click the **Label** control in the **Toolbox** to insert the **Label** at the current cursor position.
6. Using the **Properties** window, set the **Label**'s **(ID)** property to **timeLabel1**. This specifies the variable name that will be used to programmatically change the **Label**'s **Text**.



**Fig. 23.14** | WebTime.aspx after inserting text and a new paragraph.

- Because the Label's Text will be set programmatically, delete the current value of the Label's Text property. When a Label does not contain text, its name is displayed in square brackets in Design view (Fig. 23.15) as a placeholder for design and layout purposes. This text is not displayed at execution time.




**Fig. 23.15** | WebTime.aspx after adding a Label.


#### Step 5: Formatting the Label

Formatting in a web page is performed with CSS (Cascading Style Sheets). It's easy to use CSS to format text and elements in a Web Form via the tools built into Visual Web Developer. In this example, we'd like to change the Label's background color to black, its foreground color yellow and make its text size larger. To format the Label, perform the following steps:

- Click the Label in Design view to ensure that it's selected.
- Select View > Other Windows > CSS Properties to display the CSS Properties window at the left side of the IDE (Fig. 23.16).
- Right click in the Applied Rules box and select New Style... to display the New Style dialog (Fig. 23.17).
- Type the new style's name—.timeStyle—in the Selector: ComboBox. Styles that apply to specific elements must be named with a dot (.) preceding the name. Such a style is called a CSS class.
- Each item you can set in the New Style dialog is known as a CSS attribute. To change timeLabel's foreground color, select the Font category from the Category list, then select the yellow color swatch for the color attribute.
- Next, change the font-size attribute to xx-large.




**Fig. 23.16 |** CSS Properties window.



**Fig. 23.17 |** New Style dialog.

7. To change `timeLabel`'s background color, select the **Background** category, then select the black color swatch for the **background-color** attribute.

The **New Style** dialog should now appear as shown in Fig. 23.18. Click the **OK** Button to apply the style to the `timeLabel` so that it appears as shown in Fig. 23.19. Also, notice that the Label's **CssClass** property is now set to `timeStyle` in the **Properties** window.



**Fig. 23.18** | New Style dialog after changing the Label's font size, foreground color and background color.



**Fig. 23.19** | Design view after changing the Label's style.

#### Step 6: Adding Page Logic

Now that you've designed the GUI, you'll write code in the code-behind file to obtain the server's time and display it on the Label. First, open `WebTime.aspx.vb` by double clicking its node in the **Solution Explorer**. In this example, you'll add an event handler to the code-behind file to handle the Web Form's **Init** event, which occurs when the page is first requested by a web browser. The event handler for this event—named **Page\_Init**—initialize the page. The only initialization required for this example is to set the `timeLabel`'s `Text` property to the time on the web server computer. To create the `Page_Init` event handler:

1. Select (**Page Events**) from the left ComboBox at the top of the code editor window.
2. Select **Init** from the right ComboBox at the top of the code editor window.

3. Complete the event handler by inserting the following code in the `Page_Init` event handler:

```
' display the server's current time in timeLabel  
timeLabel.Text = DateTime.Now.ToString("hh:mm:ss")
```

### *Step 7: Setting the Start Page and Running the Program*

To ensure that `WebTime.aspx` loads when you execute this application, right click it in the **Solution Explorer** and select **Set As Start Page**. You can now run the program in one of several ways. At the beginning of Fig. 23.4, you learned how to view the Web Form by typing *Ctrl + F5* to run the application. You can also right click an `ASPX` file in the **Solution Explorer** and select **View in Browser**. Both of these techniques execute the `ASP.NET Development Server`, open your default web browser and load the page into the browser, thus running the web application. The development server stops when you exit Visual Web Developer.

If problems occur when running your application, you can run it in debug mode by selecting **Debug > Start Debugging**, by clicking the **Start Debugging Button** (▶) or by typing *F5* to view the web page in a web browser with debugging enabled. You cannot debug a web application unless debugging is explicitly enabled in the application's `Web.config` file—a file that is generated when you create an `ASP.NET` web application. This file stores the application's configuration settings. You'll rarely need to manually modify `Web.config`. The first time you select **Debug > Start Debugging** in a project, a dialog appears and asks whether you want the IDE to modify the `Web.config` file to enable debugging. After you click **OK**, the IDE executes the application. You can stop debugging by selecting **Debug > Stop Debugging**.

Regardless of how you execute the web application, the IDE will compile the project before it executes. In fact, `ASP.NET` compiles your web page whenever it changes between HTTP requests. For example, suppose you browse the page, then modify the `ASPX` file or add code to the code-behind file. When you reload the page, `ASP.NET` recompiles the page on the server before returning the response to the browser. This important behavior ensures that clients always see the latest version of the page. You can manually compile an entire website by selecting **Build Web Site** from the **Debug** menu in Visual Web Developer.

#### **23.4.2 Examining `WebTime.aspx`'s Code-Behind File**

Figure 23.20 presents the code-behind file `WebTime.aspx.vb`. Line 3 of Fig. 23.20 begins the declaration of class `WebTime`. In Visual Basic, a class declaration can span multiple source-code files—the separate portions of the class declaration in each file are known as **partial classes**. The **Partial** modifier indicates that the code-behind file is part of a larger class. Like Windows Forms applications, the rest of the class's code is generated for you based on your visual interactions to create the application's GUI in **Design** mode. That code is stored in other source code files as partial classes with the same name. The compiler assembles all the partial classes that have the same into a single class declaration.

Line 4 indicates that `WebTime` inherits from class `Page` in namespace `System.Web.UI`. This namespace contains classes and controls for building web-based applications. Class `Page` represents the default capabilities of each page in a web application—all pages inherit directly or indirectly from this class.

```
1  ' Fig. 23.20: WebTime.aspx.vb
2  ' Code-behind file for a page that displays the current time.
3  Partial Class WebTime
4      Inherits System.Web.UI.Page
5
6      ' initializes the contents of the page
7      Protected Sub Page_Init(ByVal sender As Object, _
8          ByVal e As System.EventArgs) Handles Me.Init
9
10     ' display the server's current time in timeLabel
11     timeLabel.Text = DateTime.Now.ToString("hh:mm:ss")
12 End Sub ' Page_Init
13 End Class ' WebTime
```

**Fig. 23.20** | Code-behind file for a page that displays the web server's time.

Lines 7–12 define the `Page_Init` event handler, which initializes the page in response to the page's `Init` event. The only initialization required for this page is to set the `timeLabel`'s `Text` property to the time on the web server computer. The statement in line 11 retrieves the current time (`DateTime.Now`) and formats it as `hh:mm:ss`. For example, 9 AM is formatted as `09:00:00`, and 2:30 PM is formatted as `02:30:00`. As you'll see, variable `timeLabel` represents an ASP.NET `Label` control. The ASP.NET controls are defined in namespace `System.Web.UI.WebControls`.

## 23.5 Standard Web Controls: Designing a Form


This section introduces some of the web controls located in the **Standard** section of the **Toolbox** (Fig. 23.11). Figure 23.21 summarizes the controls used in the next example.

| Web control     | Description  |
|-----------------|--|
| TextBox         | Gathers user input and displays text.                                      |
| Button          | Triggers an event when clicked.  |
| HyperLink       | Displays a hyperlink.  |
| DropDownList    | Displays a drop-down list of choices from which a user can select an item. |
| RadioButtonList | Groups radio buttons.  |
| Image           | Displays images (for example, PNG, GIF and JPG).                           |

**Fig. 23.21** | Commonly used web controls.

### A Form Gathering User Input

Figure 23.22 depicts a form for gathering user input. This example does not perform any tasks—that is, no action occurs when the user clicks **Register**. As an exercise, we ask you to provide the functionality. Here we focus on the steps for adding these controls to a Web Form and for setting their properties. Subsequent examples demonstrate how to handle the events of many of these controls. To execute this application:



---

**Fig. 23.22** | Web Form that demonstrates web controls.

1. Select **Open Web Site...** from the **File** menu.
2. In the **Open Web Site** dialog, ensure that **File System** is selected, then navigate to this chapter's examples, select the **WebControls** folder and click the **Open** Button.
3. Select **WebControls.aspx** in the **Solution Explorer**, then type **Ctrl + F5** to execute the web application in your default web browser.

#### *Create the Web Site*

To begin, follow the steps in Section 23.4.1 to create an **Empty Web Site** named **WebControls**, then add a Web Form named **WebControls.aspx** to the project. Set the document's **Title** property to "Web Controls Demonstration". To ensure that **WebControls.aspx** loads when you execute this application, right click it in the **Solution Explorer** and select **Set As Start Page**.

### *Adding the Images to the Project*

The images used in this example are located in the `images` folder with this chapter's examples. Before you can display images in the Web Form, they must be added to your project. To add the `images` folder to your project:

1. Open Windows Explorer.
2. Locate and open this chapter's examples folder (`ch23`).
3. Drag the `images` folder from Windows Explorer into Visual Web Developer's **Solution Explorer** window and drop the folder on the name of your project.

The IDE will automatically copy the folder and its contents into your project.

### *Adding Text and an Image to the Form*

Next, you'll begin creating the page. Perform the following steps:


1. First create the page's heading. At the current cursor position on the page, type the text "Registration Form", then use the **Block Format ComboBox** in the IDE's toolbar to change the text to **Heading 3** format.
2. Press *Enter* to start a new paragraph, then type the text "Please fill in all fields and click the Register button".
3. Press *Enter* to start a new paragraph, then double click the **Image** control in the **Toolbox**. This control inserts an image into a web page, at the current cursor position. Set the **Image**'s (ID) property to `userInformationImage`. The **ImageUrl** property specifies the location of the image to display. In the **Properties** window, click the ellipsis for the **ImageUrl** property to display the **Select Image** dialog. Select the `images` folder under **Project folders**: to display the list of images. Then select the image `user.png`.
4. Click **OK** to display the image in **Design** view, then click to the right of the **Image** and press *Enter* to start a new paragraph.

### *Adding a Table to the Form*

Form elements are often placed in tables for layout purposes—like the elements that represent the first name, last name, e-mail and phone information in Fig. 23.22. Next, you'll create a table with two rows and two columns in **Design** mode.

1. Select **Table > Insert Table** to display the **Insert Table** dialog (Fig. 23.23). This dialog allows you to configure the table's options.
2. Under **Size**, ensure that the values of **Rows** and **Columns** are both 2—these are the default values.
3. Click **OK** to close the **Insert Table** dialog and create the table.

By default, the contents of a table cell are aligned vertically in the middle of the cell. We changed the vertical alignment of all cells in the table by setting the `vAlign` property to `top` in the **Properties** window. This causes the content in each table cell to align with the top of the cell. You can set the `vAlign` property for each table cell individually or by selecting all the cells in the table at once, then changing the `vAlign` property's value.



---

**Fig. 23.23 |** Insert Table dialog.


After creating the table, controls and text can be added to particular cells to create a neatly organized layout. Next, add **Image** and **TextBox** controls to each the four table cells as follows:

1. Click the table cell in the first row and first column of the table, then double click the **Image** control in the **Toolbox**. Set its **(ID)** property to **firstNameImage** and set its **ImageUrl** property to the image **fname.png**.
2. Next, double click the **TextBox** control in the **Toolbox**. Set its **(ID)** property to **firstNameTextBox**. As in Windows Forms, a **TextBox** control allows you to obtain text from the user and display text to the user
3. Repeat this process in the first row and second column, but set the **Image**'s **(ID)** property to **lastNameImage** and its **ImageUrl** property to the image **lname.png**, and set the **TextBox**'s **(ID)** property to **lastNameTextBox**.
4. Repeat *Steps 1* and *2* in the second row and first column, but set the **Image**'s **(ID)** property to **emailImage** and its **ImageUrl** property to the image **email.png**, and set the **TextBox**'s **(ID)** property to **emailTextBox**.
5. Repeat *Steps 1* and *2* in the second row and second column, but set the **Image**'s **(ID)** property to **phoneImage** and its **ImageUrl** property to the image **phone.png**, and set the **TextBox**'s **(ID)** property to **phoneTextBox**.

### *Creating the Publications Section of the Page*

This section contains an Image, some text, a DropDownList control and a HyperLink control. Perform the following steps to create this section:

1. Click below the table, then use the techniques you've already learned in this section to add an Image named publicationsImage that displays the publications.png image.
2. Click to the right of the Image, then press *Enter* and type the text "Which book would you like information about?" in the new paragraph.
3. Hold the *Shift* key and press *Enter* to create a new line in the current paragraph, then double click the **DropDownList** control in the **Toolbox**. Set its (ID) property to booksDropDownList. This control is similar to the Windows Forms ComboBox control, but doesn't allow users to type text. When a user clicks the drop-down list, it expands and displays a list from which the user can make a selection.
4. You can add items to the DropDownList using the **ListItem Collection Editor**, which you can access by clicking the ellipsis next to the DropDownList's Items property in the **Properties** window, or by using the **DropDownList Tasks** smart-tag menu. To open this menu, click the small arrowhead that appears in the upper-right corner of the control in **Design** mode (Fig. 23.24). Visual Web Developer displays smart-tag menus for many ASP.NET controls to facilitate common tasks. Clicking **Edit Items...** in the **DropDownList Tasks** menu opens the **ListItem Collection Editor**, which allows you to add ListItem elements to the DropDownList. Add items for "Visual Basic 2010 How to Program", "Visual C# 2008 How to Program", "Java How to Program" and "C++ How to Program" by clicking the **Add Button** four times. For each item, select it, then set its Text property to one of the four book titles.



**Fig. 23.24 | DropDownList Tasks** smart-tag menu.

5. Click to the right of the DropDownList and press *Enter* to start a new paragraph, then double click the **HyperLink** control in the **Toolbox** to add a hyperlink to the web page. Set its (ID) property to booksHyperLink and its Text property to "Click here to view more information about our books". Set the **NavigateUrl** property to <http://www.deitel.com>. This specifies the resource or web page that will be requested when the user clicks the HyperLink. Setting the **Target** property to `_blank` specifies that the requested web page should open in a new browser window. By default, HyperLink controls cause pages to open in the same browser window.

### *Completing the Page*

Next you'll create the **Operating System** section of the page and the **Register** Button. This section contains a **RadioButtonList** control, which provides a series of radio buttons from

which the user can select only one. The **RadioButtonList Tasks** smart-tag menu provides an **Edit Items...** link to open the **ListItem Collection Editor** so that you can create the items in the list. Perform the following steps:

1. Click to the right of the **HyperLink** control and press *Enter* to create a new paragraph, then add an **Image** named `osImage` that displays the `os.png` image.
2. Click to the right of the **Image** and press *Enter* to create a new paragraph, then add a **RadioButtonList**. Set its **(ID)** property to `osRadioButtonList`. Use the **ListItem Collection Editor** to add the items shown in Fig. 23.22.
3. Finally, click to the right of the **RadioButtonList** and press *Enter* to create a new paragraph, then add a **Button**. A **Button** web control represents a button that triggers an action when clicked. Set its **(ID)** property to `registerButton` and its **Text** property to `Register`. As stated earlier, clicking the **Register** button in this example does not do anything.

You can now execute the application (*Ctrl + F5*) to see the Web Form in your browser.

## 23.6 Validation Controls

This section introduces a different type of web control, called a **validation control** or **validator**, which determines whether the data in another web control is in the proper format. For example, validators can determine whether a user has provided information in a required field or whether a zip-code field contains exactly five digits. Validators provide a mechanism for validating user input on the client. When the page is sent to the client, the validator is converted into JavaScript that performs the validation in the client web browser. JavaScript is a scripting language that enhances the functionality of web pages and is typically executed on the client. Unfortunately, some client browsers might not support scripting or the user might disable it. For this reason, you should always perform validation on the server. ASP.NET validation controls can function on the client, on the server or both.

### *Validating Input in a Web Form*

The Web Form in Fig. 23.25 prompts the user to enter a name, e-mail address and phone number. A website could use a form like this to collect contact information from visitors. After the user enters any data, but before the data is sent to the web server, validators ensure that the user *entered a value in each field* and that the e-mail address and phone-number values are in an acceptable format. In this example, (555) 123-4567, 555-123-4567 and 123-4567 are all considered valid phone numbers. Once the data is submitted, the web server responds by displaying a message that repeats the submitted information. A real business application would typically store the submitted data in a database or in a file on the server. We simply send the data back to the client to demonstrate that the server received the data. To execute this application:

1. Select **Open Web Site...** from the **File** menu.
2. In the **Open Web Site** dialog, ensure that **File System** is selected, then navigate to this chapter's examples, select the **Validation** folder and click the **Open** button.
3. Select **Validation.aspx** in the **Solution Explorer**, then type *Ctrl + F5* to execute the web application in your default web browser.

In the sample output:

- Fig. 23.25(a) shows the initial Web Form
- Fig. 23.25(b) shows the result of submitting the form before typing any data in the TextBoxes
- Fig. 23.25(c) shows the results after entering data in each TextBox, but specifying an invalid e-mail address and invalid phone number
- Fig. 23.25(d) shows the results after entering valid values for all three TextBoxes and submitting the form.

a) Initial Web Form

Demonstrating Validation Controls - Windows Internet E...  
http://localhost:49153/Demonstrating Validation Controls.aspx  
Favorites Demonstrating Validation Controls...  
Please fill out all the fields in the following form:  
Name: \_\_\_\_\_  
E-mail: \_\_\_\_\_ e.g., email@domain.com  
Phone: \_\_\_\_\_ e.g., (555) 555-1234  
Submit  
Local intranet | Protected Mode: Off 100%

b) Web Form after the user presses the **Submit Button** without having entered any data in the **TextBoxes**; each **TextBox** is followed by an error message that was displayed by a validation control

Demonstrating Validation Controls - Windows Internet E...  
http://localhost:49153/Demonstrating Validation Controls.aspx  
Favorites Demonstrating Validation Controls...  
Please fill out all the fields in the following form:  
Name: \_\_\_\_\_ Please enter your name  
E-mail: \_\_\_\_\_ e.g., email@domain.com Please enter your e-mail address  
Phone: \_\_\_\_\_ e.g., (555) 555-1234 Please enter your phone number  
Submit  
Local intranet | Protected Mode: Off 100%

**Fig. 23.25** | Validators in a Web Form that retrieves user contact information. (Part 1 of 2.)

- c) Web Form after the user enters a name, an invalid e-mail address and an invalid phone number in the TextBoxes, then presses the **Submit Button**; the validation controls display error messages in response to the invalid e-mail and phone number values

The screenshot shows a web page titled "Demonstrating Validation Controls - Windows Internet E...". The page contains the following text: "Please fill out all the fields in the following form:". Below this, there are three text input fields:

- Name: Bob White
- E-mail: bwhite e.g., email@domain.com
- Phone: 55-1234 e.g., (555) 555-1234

Below each field, an error message is displayed:

- E-mail: Please enter an e-mail address in a valid format
- Phone: Please enter a phone number in a valid format

A callout box labeled "RegularExpressionValidator controls" points to the E-mail and Phone fields.

- d) The Web Form after the user enters valid values for all three TextBoxes and presses the **Submit Button**

The screenshot shows a web page titled "Demonstrating Validation Controls - Windows Internet E...". The page contains the following text: "Please fill out all the fields in the following form:". Below this, there are three text input fields:

- Name: Bob White
- E-mail: bwhite@deitel.com e.g., email@domain.com
- Phone: (555) 555-9876 e.g., (555) 555-1234

Below the fields is a "Submit" button.

After submission, the page displays a thank you message and the received information:

Thank you for your submission  
We received the following information:  
Name: Bob White  
E-mail:bwhite@deitel.com  
Phone:(555) 555-9876

**Fig. 23.25** | Validators in a Web Form that retrieves user contact information. (Part 2 of 2.)

### *Creating the Web Site*

To begin, follow the steps in Section 23.4.1 to create an **Empty Web Site** named **Validation**, then add a Web Form named **Validation.aspx** to the project. Set the document's **Title** property to "Demonstrating Validation Controls". To ensure that **Validation.aspx** loads when you execute this application, right click it in the **Solution Explorer** and select **Set As Start Page**.

### *Creating the GUI*

To create the page, perform the following steps:

1. Type "Please fill out all the fields in the following form:", then use the **Block Format** ComboBox in the IDE's toolbar to change the text to **Heading 3** format and press *Enter* to create a new paragraph.
2. Insert a three row and two column table. You'll add elements to the table momentarily.
3. Click below the table and add a **Button**. Set its (ID) property to `submitButton` and its `Text` property to `Submit`. Press *Enter* to create a new paragraph. By default, a **Button** control in a Web Form sends the contents of the form back to the server for processing.
4. Add a **Label**. Set its (ID) property to `outputLabel` and clear its `Text` property—you'll set it programmatically when the user clicks the `submitButton`. Set the `outputLabel`'s **Visible** property to `False`, so the **Label** does not appear in the client's browser when the page loads for the first time. You'll programmatically display this **Label** after the user submits valid data.

Next you'll add text and controls to the table you created in *Step 2* above. Perform the following steps:

1. In the left column, type the text "Name:" in the first row, "E-mail:" in the second row and "Phone:" in the third row.
2. In the right column of the first row, add a **TextBox** and set its (ID) property to `nameTextBox`.
3. In the right column of the second row, add a **TextBox** and set its (ID) property to `emailTextBox`. Then type the text "e.g., email@domain.com" to the right of the **TextBox**.
4. In the right column of the third row, add a **TextBox** and set its (ID) property to `phoneTextBox`. Then type the text "e.g., (555) 555-1234" to the right of the **TextBox**.

### *Using RequiredFieldValidator Controls*

We use three **RequiredFieldValidator** controls (found in the **Validation** section of the **Toolbox**) to ensure that the name, e-mail address and phone number **TextBoxes** are not empty when the form is submitted. A **RequiredFieldValidator** makes an input control a required field. If such a field is empty, validation fails. Add a **RequiredFieldValidator** as follows:

1. Click to the right of the `nameTextBox` in the table and press *Enter* to move to the next line.
2. Add a **RequiredFieldValidator**, set its (ID) to `nameRequiredFieldValidator` and set the `ForeColor` property to Red.
3. Set the validator's `ControlToValidate` property to `nameTextBox` to indicate that this validator verifies the `nameTextBox`'s contents.
4. Set the validator's `ErrorMessage` property to "Please enter your name". This is displayed on the Web Form only if the validation fails.

5. Set the validator's **Display** property to **Dynamic**, so the validator occupies space on the Web Form only when validation fails. When this occurs, space is allocated dynamically, causing the controls below the validator to shift downward to accommodate the **ErrorMessage**, as seen in Fig. 23.25(a)–(c).

Repeat these steps to add two more **RequiredFieldValidator**s in the second and third rows of the table. Set their **(ID)** properties to **emailRequiredFieldValidator** and **phoneRequiredFieldValidator**, respectively, and set their **ErrorMessage** properties to "Please enter your e-mail address" and "Please enter your phone number", respectively.

#### *Using RegularExpressionValidator Controls*

This example also uses two **RegularExpressionValidator** controls to ensure that the e-mail address and phone number entered by the user are in a valid format. Regular expressions are beyond the scope of this book; however, Visual Web Developer provides several *predefined* regular expressions that you can simply select to take advantage of this powerful validation control. Add a **RegularExpressionValidator** as follows:

1. Click to the right of the **emailRequiredFieldValidator** in the second row of the table and add a **RegularExpressionValidator**, then set its **(ID)** to **emailRegularExpressionValidator** and its **ForeColor** property to Red.
2. Set the **ControlToValidate** property to **emailTextBox** to indicate that this validator verifies the **emailTextBox**'s contents.
3. Set the validator's **ErrorMessage** property to "Please enter an e-mail address in a valid format".
4. Set the validator's **Display** property to **Dynamic**, so the validator occupies space on the Web Form only when validation fails.

Repeat the preceding steps to add another **RegularExpressionValidator** in the third row of the table. Set its **(ID)** property to **phoneRequiredFieldValidator** and its **ErrorMessage** property to "Please enter a phone number in a valid format", respectively.

A **RegularExpressionValidator**'s **ValidationExpression** property specifies the regular expression that validates the **ControlToValidate**'s contents. Clicking the ellipsis next to property **ValidationExpression** in the **Properties** window displays the **Regular Expression Editor** dialog, which contains a list of **Standard expressions** for phone numbers, zip codes and other formatted information. For the **emailRegularExpressionValidator**, we selected the standard expression **Internet e-mail address**. If the user enters text in the **emailTextBox** that does not have the correct format and either clicks in a different text box or attempts to submit the form, the **ErrorMessage** text is displayed in red.

For the **phoneRegularExpressionValidator**, we selected **U.S. phone number** to ensure that a phone number contains an optional three-digit area code either in parentheses and followed by an optional space or without parentheses and followed by a required hyphen. After an optional area code, a phone number must contain three digits, a hyphen and another four digits. For example, (555) 123-4567, 555-123-4567 and 123-4567 are all valid phone numbers.

#### *Submitting the Web Form's Contents to the Server*

If all five validators are successful (that is, each **TextBox** is filled in, and the e-mail address and phone number provided are valid), clicking the **Submit** button sends the form's data

to the server. As shown in Fig. 23.25(d), the server then responds by displaying the submitted data in the `outputLabel`.

### *Examining the Code-Behind File for a Web Form That Receives User Input*

Figure 23.26 shows the code-behind file for this application. Notice that this code-behind file does not contain any implementation related to the validators. We say more about this soon. In this example, we respond to the page's **Load** event to process the data submitted by the user. This event occurs each time the page loads into a web browser—as opposed to the **Init** event, which executes only the first time the page is requested by the user. The event handler for this event is **Page\_Load** (lines 7–30). To create the event handler, open `Validation.aspx.vb` in the code editor and perform the following steps:

1. Select **(Page Events)** from the left ComboBox at the top of the code editor window.
2. Select **Load** from the right ComboBox at the top of the code editor window.
3. Complete the event handler by inserting the code from Fig. 23.26.

---

```

1  ' Fig. 23.26: Validation.aspx.vb
2  ' Code-behind file for the form demonstrating validation controls.
3  Partial Class Validation
4      Inherits System.Web.UI.Page
5
6      ' Page_Load event handler executes when the page is loaded
7      Protected Sub Page_Load(ByVal sender As Object,
8          ByVal e As System.EventArgs) Handles Me.Load
9
10         ' if this is not the first time the page is loading
11         ' (i.e., the user has already submitted form data)
12         If IsPostBack Then
13             Validate() ' validate the form
14
15         If IsValid Then
16             ' retrieve the values submitted by the user
17             Dim name As String = nameTextBox.Text
18             Dim email As String = emailTextBox.Text
19             Dim phone As String = phoneTextBox.Text
20
21             ' create a table indicating the submitted values
22             outputLabel.Text = "Thank you for your submission<br/>" &
23                 "We received the following information:<br/>"
24             outputLabel.Text &=
25                 String.Format("Name: {0}{1}E-mail:{2}{1}Phone:{3}",
26                             name, "<br/>", email, phone)
27             outputLabel.Visible = True ' display the output message
28         End If
29     End If
30 End Sub ' Page_Load
31 End Class ' Validation

```

---

**Fig. 23.26** | Code-behind file for a Web Form that obtains a user's contact information.

### *Differentiating Between the First Request to a Page and a Postback*

Web programmers using ASP.NET often design their web pages so that the current page reloads when the user submits the form; this enables the program to receive input, process it as necessary and display the results in the same page when it's loaded the second time. These pages usually contain a form that, when submitted, sends the values of all the controls to the server and causes the current page to be requested again. This event is known as a **postback**. Line 12 uses the **IsPostBack** property of class **Page** to determine whether the page is being loaded due to a postback. The first time that the web page is requested, **IsPostBack** is **False**, and the page displays only the form for user input. When the post-back occurs (from the user clicking **Submit**), **IsPostBack** is **True**.

### *Server-Side Web Form Validation*

Server-side Web Form validation must be implemented programmatically. Line 13 calls the current **Page**'s **Validate** method to validate the information in the request. This validates the information as specified by the validation controls in the Web Form. Line 15 uses the **IsValid** property of class **Page** to check whether the validation succeeded. If this property is set to **True** (that is, validation succeeded and the Web Form is valid), then we display the Web Form's information. Otherwise, the web page loads without any changes, except any validator that failed now displays its **ErrorMessage**.

### *Processing the Data Entered by the User*

Lines 17–19 retrieve the values of **nameTextBox**, **emailTextBox** and **phoneTextBox**. When data is posted to the web server, the data that the user entered is accessible to the web application through the web controls' properties. Next, lines 22–27 set **outputLabel**'s **Text** to display a message that includes the name, e-mail and phone information that was submitted to the server. In lines 22, 23 and 26, notice the use of **<br/>** rather than **vbCrLf** to start new lines in the **outputLabel**—**<br/>** is the markup for a line break in a web page. Line 27 sets the **outputLabel**'s **Visible** property to **True**, so the user can see the thank-you message and submitted data when the page reloads in the client web browser.

## **23.7 Session Tracking**

Originally, critics accused the Internet and business of failing to provide the customized service typically experienced in “brick-and-mortar” stores. To address this problem, businesses established mechanisms by which they could *personalize* users’ browsing experiences, tailoring content to individual users. Businesses achieve this level of service by tracking each customer’s movement through the Internet and combining the collected data with information provided by the consumer, including billing information, personal preferences, interests and hobbies.

### *Personalization*

**Personalization** makes it possible for businesses to communicate effectively with their customers and also improves users’ ability to locate desired products and services. Companies that provide content of particular interest to users can establish relationships with customers and build on those relationships over time. Furthermore, by targeting consumers with personal offers, recommendations, advertisements, promotions and services, businesses create customer loyalty. Websites can use sophisticated technology to allow visitors to cus-

tomize home pages to suit their individual needs and preferences. Similarly, online shopping sites often store personal information for customers, tailoring notifications and special offers to their interests. Such services encourage customers to visit sites more frequently and make purchases more regularly.

### *Privacy*

A trade-off exists between personalized business service and protection of privacy. Some consumers embrace tailored content, but others fear the possible adverse consequences if the info they provide to businesses is released or collected by tracking technologies. Consumers and privacy advocates ask: What if the business to which we give personal data sells or gives that information to another organization without our knowledge? What if we do not want our actions on the Internet—a supposedly anonymous medium—to be tracked and recorded by unknown parties? What if unauthorized parties gain access to sensitive private data, such as credit-card numbers or medical history? These are questions that must be addressed by programmers, consumers, businesses and lawmakers alike.

### *Recognizing Clients*

To provide personalized services to consumers, businesses must be able to recognize clients when they request information from a site. As we have discussed, the request/response system on which the web operates is facilitated by HTTP. Unfortunately, HTTP is a *stateless protocol*—it *does not* provide information that would enable web servers to maintain state information regarding particular clients. This means that web servers cannot determine whether a request comes from a particular client or whether the same or different clients generate a series of requests.

To circumvent this problem, sites can provide mechanisms by which they identify individual clients. A session represents a unique client on a website. If the client leaves a site and then returns later, the client will still be recognized as the same user. When the user closes the browser, the session ends. To help the server distinguish among clients, each client must identify itself to the server. Tracking individual clients is known as **session tracking**. One popular session-tracking technique uses cookies (discussed in Section 23.7.1); another uses ASP.NET’s `HttpSessionState` object (used in Section 23.7.2). Additional session-tracking techniques are beyond this book’s scope.

#### **23.7.1 Cookies**

**Cookies** provide you with a tool for personalizing web pages. A cookie is a piece of data stored by web browsers in a small text file on the user’s computer. A cookie maintains information about the client during and between browser sessions. The first time a user visits the website, the user’s computer might receive a cookie from the server; this cookie is then reactivated each time the user revisits that site. The collected information is intended to be an anonymous record containing data that is used to personalize the user’s future visits to the site. For example, cookies in a shopping application might store unique identifiers for users. When a user adds items to an online shopping cart or performs another task resulting in a request to the web server, the server receives a cookie containing the user’s unique identifier. The server then uses the unique identifier to locate the shopping cart and perform any necessary processing.

In addition to identifying users, cookies also can indicate users' shopping preferences. When a Web Form receives a request from a client, the Web Form can examine the cookie(s) it sent to the client during previous communications, identify the user's preferences and immediately display products of interest to the client.

Every HTTP-based interaction between a client and a server includes a header containing information either about the request (when the communication is from the client to the server) or about the response (when the communication is from the server to the client). When a Web Form receives a request, the header includes information such as the request type and any cookies that have been sent previously from the server to be stored on the client machine. When the server formulates its response, the header information contains any cookies the server wants to store on the client computer and other information, such as the MIME type of the response.

The **expiration date** of a cookie determines how long the cookie remains on the client's computer. If you do not set an expiration date for a cookie, the web browser maintains the cookie for the duration of the browsing session. Otherwise, the web browser maintains the cookie until the expiration date occurs. Cookies are deleted when they expire.



### Portability Tip 23.1

*Users may disable cookies in their web browsers to help ensure their privacy. Such users will experience difficulty using web applications that depend on cookies to maintain state information.*

#### 23.7.2 Session Tracking with HttpSessionState


The next web application demonstrates session tracking using the .NET class **HttpSessionState**. When you execute this application, the `Options.aspx` page (Fig. 23.27(a)), which is the application's **Start Page**, allows the user to select a programming language from a group of radio buttons. When the user clicks **Submit**, the selection is sent to the web server for processing. The web server uses an `HttpSessionState` object to store the chosen language and the ISBN number for one of our books on that topic. Each user that visits the site has a unique `HttpSessionState` object, so the selections made by one user are maintained separately from all other users. After storing the selection, the server returns the page to the browser (Fig. 23.27(b)) and displays the user's selection and some information about the user's unique session (which we show just for demonstration purposes). The page also includes links that allow the user to choose between selecting another programming language or viewing the `Recommendations.aspx` page (Fig. 23.27(e)), which lists recommended books pertaining to the programming language(s) that the user selected previously. If the user clicks the link for book recommendations, the information stored in the user's unique `HttpSessionState` object is read and used to form the list of recommendations. To test this application:

1. Select **Open Web Site...** from the **File** menu.
2. In the **Open Web Site** dialog, ensure that **File System** is selected, then navigate to this chapter's examples, select the `Sessions` folder and click the **Open** Button.
3. Select `Options.aspx` in the **Solution Explorer**, then type *Ctrl + F5* to execute the web application in your default web browser.

- a) User selects a language from the Options.aspx page, then presses **Submit** to send the selection to the server



- b) Options.aspx page is updated to hide the controls for selecting a language and to display the user's selection; the user clicks the hyperlink to return to the list of languages and make another selection



- c) User selects another language from the Options.aspx page, then presses **Submit** to send the selection to the server




**Fig. 23.27** | ASPX file that presents a list of programming languages. (Part I of 2.)

d) Options.aspx page is updated to hide the controls for selecting a language and to display the user's selection; the user clicks the hyperlink to get a list of book recommendations



e) Recommendations.aspx displays the list of recommended books based on the user's selections



**Fig. 23.27** | ASPX file that presents a list of programming languages. (Part 2 of 2.)

### *Creating the Web Site*

To begin, follow the steps in Section 23.4.1 to create an **Empty Web Site** named **Sessions**, then add two Web Forms named **Options.aspx** and **Recommendations.aspx** to the project. Set the **Options.aspx** document's **Title** property to "Sessions" and the **Recommendations.aspx** document's **Title** property to "Book Recommendations". To ensure that **Options.aspx** is the first page to load for this application, right click it in the **Solution Explorer** and select **Set As Start Page**.

### **23.7.3 Options.aspx: Selecting a Programming Language**

The **Options.aspx** page Fig. 23.27(a) contains the following controls arranged vertically:

1. A Label with its **(ID)** property set to **promptLabel** and its **Text** property set to "Select a programming language:". We used the techniques shown in *Step 5* of Section 23.4.1 to create a CSS style for this label named **.labelStyle**, and set the style's **font-size** attribute to **large** and the **font-weight** attribute to **bold**.

2. The user selects a programming language by clicking one of the radio buttons in a `RadioButtonList`. Each radio button has a `Text` property and a `Value` property. The `Text` property is displayed next to the radio button and the `Value` property represents a value that is sent to the server when the user selects that radio button and submits the form. In this example, we'll use the `Value` property to represent the ISBN for the recommended book.

Create a `RadioButtonList` with its `(ID)` property set to `languageList`. Use the **List Item Collection Editor** to add five radio buttons with their `Text` properties set to Visual Basic, Visual C#, C, C++ and Java, and their `Value` properties set to 0-13-215213-4, 0-13-605322-X, 0-13-512356-2, 0-13-611726-0 and 0-13-605306-8, respectively

3. A `Button` with its `(ID)` property set to `submitButton` and its `Text` property set to `Submit`. In this example, we'll handle this `Button`'s `Click` event. You can create its event handler by double clicking the `Button` in **Design** view.
4. A `Label` with its `(ID)` property set to `responseLabel` and its `Text` property set to "`Welcome to Sessions!`". This `Label` should be placed immediately to the right of the `Button` so that the `Label` appears at the top of the page when we hide the preceding controls on the page. Reuse the CSS style you created in *Step 1* by setting this `Label`'s `CssClass` property to `labelStyle`.
5. Two more `Labels` with their `(ID)` properties set to `idLabel` and `timeoutLabel`, respectively. Clear the text in each `Label`'s `Text` property—you'll set these programmatically with information about the current user's session.
6. A `HyperLink` with its `(ID)` property set to `languageLink` and its `Text` property set to "Click here to choose another language". Set its `NavigateUrl` property by clicking the ellipsis next to the property in the **Properties** window and selecting `Options.aspx` from the **Select URL** dialog.
7. A `HyperLink` with its `(ID)` property set to `recommendationsLink` and its `Text` property set to "Click here to get book recommendations". Set its `NavigateUrl` property by clicking the ellipsis next to the property in the **Properties** window and selecting `Recommendations.aspx` from the **Select URL** dialog.
8. Initially, the controls in *Steps 4–7* will not be displayed, so set each control's `Visible` property to `False`.

### ***Session Property of a Page***

Every Web Form includes a user-specific `HttpSessionState` object, which is accessible through property **Session** of class `Page`. Throughout this section, we use this property to manipulate the current user's `HttpSessionState` object. When a page is first requested, a unique `HttpSessionState` object is created by ASP.NET and assigned to the `Page`'s `Session` property.

### ***Code-Behind File for Options.aspx***

Fig. 23.28 presents the code-behind file for the `Options.aspx` page. When this page is requested, the `Page_Load` event handler (lines 9–40) executes before the response is sent to the client. Since the first request to a page is not a postback, the code in lines 12–39 *does not* execute the first time the page loads.

### *Postback Processing*

When the user presses **Submit**, a postback occurs. The form is submitted to the server and the **Page\_Load** event handler executes. Lines 15–19 display the controls shown in Fig. 23.27(b) and lines 22–24 hide the controls shown in Fig. 23.27(a). Next, lines 27–32 ensure that the user selected a language and, if so, display a message in the **responseLabel** indicating the selection. Otherwise, the message "You did not select a language" is displayed.

---

```

1  ' Fig. 23.28: Options.aspx.vb
2  ' Process user's selection of a programming language by displaying
3  ' links and writing information in an HttpSessionState object.
4  Partial Class Options
5      Inherits System.Web.UI.Page
6
7      ' if postback, hide form and display links to make additional
8      ' selections or view recommendations
9  Protected Sub Page_Load(ByVal sender As Object,
10                         ByVal e As System.EventArgs) Handles Me.Load
11
12     If IsPostBack Then
13         ' user has submitted information, so display message
14         ' and appropriate hyperlinks
15         responseLabel.Visible = True
16         idLabel.Visible = True
17         timeoutLabel.Visible = True
18         languageLink.Visible = True
19         recommendationsLink.Visible = True
20
21         ' hide other controls used to make language selection
22         promptLabel.Visible = False
23         languageList.Visible = False
24         submitButton.Visible = False
25
26         ' if the user made a selection, display it in responseLabel
27         If languageList.SelectedItem IsNot Nothing Then
28             responseLabel.Text &= " You selected " &
29                 languageList.SelectedItem.Text
30         Else
31             responseLabel.Text &= "You did not select a language."
32         End If
33
34         ' display session ID
35         idLabel.Text = "Your unique session ID is: " & Session.SessionID
36
37         ' display the timeout
38         timeoutLabel.Text = "Timeout: " & Session.Timeout & " minutes."
39     End If
40 End Sub ' Page_Load
41

```

---

**Fig. 23.28** | Process user's selection of a programming language by displaying links and writing information in an **HttpSessionState** object. (Part 1 of 2.)

---

```

42      ' record the user's selection in the Session
43  Protected Sub submitButton_Click(ByVal sender As Object,
44      ByVal e As System.EventArgs) Handles submitButton.Click
45
46      ' if the user made a selection
47      If languageList.SelectedItem IsNot Nothing Then
48          ' add name/value pair to Session
49          Session.Add(languageList.SelectedItem.Text,
50                      languageList.SelectedItem.Value)
51  End If
52 End Sub ' submitButton_Click
53 End Class ' Options

```

---

**Fig. 23.28** | Process user's selection of a programming language by displaying links and writing information in an `HttpSessionState` object. (Part 2 of 2.)

The ASP.NET application contains information about the `HttpSessionState` object (`Session`) for the current client. Property `SessionID` (displayed in line 35) contains the **unique session ID**—a sequence of random letters and numbers. The first time a client connects to the web server, a unique session ID is created for that client and a temporary cookie is written to the client so the server can identify the client on subsequent requests. When the client makes additional requests, the client's session ID from that temporary cookie is compared with the session IDs stored in the web server's memory to retrieve the client's `HttpSessionState` object. `HttpSessionState` property `Timeout` (displayed in line 38) specifies the maximum amount of time that an `HttpSessionState` object can be inactive before it's discarded. By default, if the user does not interact with this web application for 20 minutes, the `HttpSessionState` object is discarded by the server and a new one will be created if the user interacts with the application again. Figure 23.29 lists some common `HttpSessionState` properties.

| Properties                | Description  |
|---------------------------|--|
| <code>Count</code>        | Specifies the number of key/value pairs in the <code>Session</code> object.  |
| <code>IsNewSession</code> | Indicates whether this is a new session (that is, whether the session was created during loading of this page).  |
| <code>Keys</code>         | Returns a collection containing the <code>Session</code> object's keys.  |
| <code>SessionID</code>    | Returns the session's unique ID.   |
| <code>Timeout</code>      | Specifies the maximum number of minutes during which a session can be inactive (that is, no requests are made) before the session expires. By default, this property is set to 20 minutes. |

**Fig. 23.29** | `HttpSessionState` properties.

#### *Method `submitButton_Click`*

In this example, we wish to store the user's selection in an `HttpSessionState` object when the user clicks the **Submit Button**. The `submitButton_Click` event handler (lines 43–52) adds a key/value pair to the `HttpSessionState` object for the current user, specifying the

language chosen and the ISBN number for a book on that language. The `HttpSessionState` object is a dictionary—a data structure that stores **key/value pairs**. A program uses the key to store and retrieve the associated value in the dictionary.

The key/value pairs in an `HttpSessionState` object are often referred to as **session items**. They're placed in an `HttpSessionState` object by calling its `Add` method. If the user made a selection (line 47), lines 49–50 get the selection and its corresponding value from the `languageList` by accessing its `SelectedItem`'s `Text` and `Value` properties, respectively, then call `HttpSessionState` method `Add` to add this name/value pair as a session item in the `HttpSessionState` object (`Session`).

If the application adds a session item that has the same name as an item previously stored in the `HttpSessionState` object, the session item is replaced—the names in session items *must* be unique. Another common syntax for placing a session item in the `HttpSessionState` object is `Session(Name) = Value`. For example, we could have replaced lines 49–50 with

```
Session(languageList.SelectedItem.Text) =
languageList.SelectedItem.Value
```



### **Software Engineering Observation 23.1**

*A Web Form should not use instance variables to maintain client state information, because each new request or postback is handled by a new instance of the page. Instead, maintain client state information in `HttpSessionState` objects, because such objects are specific to each client.*



### **Software Engineering Observation 23.2**

*A benefit of using `HttpSessionState` objects (rather than cookies) is that `HttpSessionState` objects can store any type of object (not just Strings) as attribute values. This provides you with increased flexibility in determining the type of state information to maintain for clients.*

#### **23.7.4 Recommendations.aspx: Displaying Recommendations Based on Session Values**

After the postback of `Options.aspx`, the user may request book recommendations. The book-recommendations hyperlink forwards the user to the page `Recommendations.aspx` (Fig. 23.27(e)) to display the recommendations based on the user's language selections. The page contains the following controls arranged vertically:

1. A `Label` with its `(ID)` property set to `recommendationsLabel` and its `Text` property set to "Recommendations:". We created a CSS style for this label named `.labelStyle`, and set the `font-size` attribute to `x-large` and the `font-weight` attribute to `bold`. (See *Step 5* in Section 23.4.1 for information on creating a CSS style.)
2. A `ListBox` with its `(ID)` property set to `booksListBox`. We created a CSS style for this label named `.listBoxStyle`. In the `Position` category, we set the `width` attribute to `450px` and the `height` attribute to `125px`. The `px` indicates that the measurement is in pixels.

3. A HyperLink with its (ID) property set to languageLink and its Text property set to "Click here to choose another language". Set its NavigateUrl property by clicking the ellipsis next to the property in the **Properties** window and selecting Options.aspx from the **Select URL** dialog. When the user clicks this link, the Options.aspx page will be reloaded. Requesting the page in this manner *is not* considered a postback, so the original form in Fig. 23.27(a) will be displayed.

#### *Code-Behind File for Recommendations.aspx*

Figure 23.30 presents the code-behind file for Recommendations.aspx. Event handler Page\_Init (lines 7–27) retrieves the session information. If a user has not selected a language in the Options.aspx page, the HttpSessionState object's **Count** property will be 0 (line 11). This property provides the number of session items contained in a HttpSessionState object. If the Count is 0, then we display the text **No Recommendations** (line 20), clear the **ListBox** and hide it (lines 21–22), and update the **Text** of the **HyperLink** back to Options.aspx (line 25).

---

```

1  ' Fig. 23.30: Recommendations.aspx.vb
2  ' Creates book recommendations based on a Session object.
3  Partial Class Recommendations
4      Inherits System.Web.UI.Page
5
6      ' read Session items and populate ListBox with any book recommendations
7  Protected Sub Page_Init(ByVal sender As Object,
8      ByVal e As System.EventArgs) Handles Me.Init
9
10     ' determine whether Session contains any information
11     If Session.Count <> 0 Then
12         For Each keyName In Session.Keys
13             ' use keyName to display one of Session's name/value pairs
14             booksListBox.Items.Add(keyName &
15                 " How to Program. ISBN#: " & Session(keyName))
16         Next
17     Else
18         ' if there are no session items, no language was chosen, so
19         ' display appropriate message and clear and hide booksListBox
20         recommendationsLabel.Text = "No Recommendations"
21         booksListBox.Items.Clear()
22         booksListBox.Visible = False
23
24         ' modify languageLink because no language was selected
25         languageLink.Text = "Click here to choose a language"
26     End If
27 End Sub ' Page_Init
28 End Class ' Recommendations

```

---

**Fig. 23.30** | Session data used to provide book recommendations to the user.


If the user chose at least one language, the loop in lines 12–16 iterates through the HttpSessionState object's keys (line 12) by accessing the HttpSessionState's **Keys** property, which returns a collection containing all the keys in the session. Lines 14–15 concatenate the keyName, the String "How to Program. ISBN#: " and the key's corre-

sponding value, which is returned by `Session(keyName)`. This `String` is the recommendation that is added to the `ListBox`.

## 23.8 Case Study: Database-Driven ASP.NET Guestbook

Many websites allow users to provide feedback about the website in a guestbook. Typically, users click a link on the website's home page to request the guestbook page. This page usually consists of a form that contains fields for the user's name, e-mail address, message/feedback and so on. Data submitted on the guestbook form is then stored in a database located on the server.

In this section, we create a guestbook Web Form application. The GUI (Fig. 23.31) contains a `GridView` data control, which displays all the entries in the guestbook in tabular format. This control is located in the **Toolbox**'s **Data** section. We explain how to create and configure this data control shortly. The `GridView` displays `abc` in **Design** mode to indicate data that will be retrieved from a data source at runtime. You'll learn how to create and configure the `GridView` shortly.



**Fig. 23.31** | Guestbook application GUI in **Design** mode.

### The Guestbook Database

The application stores the guestbook information in a SQL Server database called `Guestbook.mdf` located on the web server. (We provide this database in the `databases` folder with this chapter's examples.) The database contains a single table named `Messages`.

### Testing the Application


To test this application:

1. Select **Open Web Site...** from the **File** menu.

2. In the **Open Web Site** dialog, ensure that **File System** is selected, then navigate to this chapter's examples, select the **Guestbook** folder and click the **Open** Button.
3. Select **Guestbook.aspx** in the **Solution Explorer**, then type *Ctrl + F5* to execute the web application in your default web browser.

Figure 23.32(a) shows the user submitting a new entry. Figure 23.32(b) shows the new entry as the last row in the **GridView**.


a) User enters data for the name, e-mail and message, then presses **Submit** to send the data to the server



The screenshot shows a Windows Internet Explorer window titled "Guestbook - Windows Internet Explorer". The address bar shows "91/Guestbook/Guestbook.aspx". The page content includes a heading "Please leave a message in our guestbook:", three input fields ("Name", "E-mail", "Tell the world"), and two buttons ("Submit", "Clear"). Below these is a **GridView** control displaying the following data:

| Date      | Name      | Email              | Message   |
|-----------|-----------|--------------------|---|
| 1/27/2010 | Bob Green | bgreen@bug2bug.com | Great site!                                     |
| 1/28/2010 | Sue Black | sblack@bug2bug.com | I love the site! Keep up the good work!         |
| 1/29/2010 | Liz White | lwhite@bug2bug.com | Very useful information. Will visit again soon. |

b) Server stores the data in the database, then refreshes the **GridView** with the updated data



This screenshot shows the same Windows Internet Explorer window after the user has submitted a new entry. The **GridView** now includes the new row at the bottom:

| Date      | Name       | Email              | Message   |
|-----------|------------|--------------------|---|
| 1/27/2010 | Bob Green  | bgreen@bug2bug.com | Great site!                                     |
| 1/28/2010 | Sue Black  | sblack@bug2bug.com | I love the site! Keep up the good work!         |
| 1/29/2010 | Liz White  | lwhite@bug2bug.com | Very useful information. Will visit again soon. |
| 2/2/2010  | Mike Brown | mbrown@bug2bug.com | Wonderful use of ASP.NET!                       |

**Fig. 23.32** | Sample execution of the **Guestbook** application.

### 23.8.1 Building a Web Form that Displays Data from a Database

We now explain how to build this GUI and set up the data binding between the `GridView` control and the database. We discuss the code-behind file in Section 23.8.2. To build the guestbook application, perform the following steps:

#### *Step 1: Creating the Web Site*

To begin, follow the steps in Section 23.4.1 to create an **Empty Web Site** named **Guestbook** then add a Web Form named **Guestbook.aspx** to the project. Set the document's **Title** property to "Guestbook". To ensure that **Guestbook.aspx** loads when you execute this application, right click it in the **Solution Explorer** and select **Set As Start Page**.

#### *Step 2: Creating the Form for User Input*

In **Design** mode, add the text `Please leave a message in our guestbook:`, then use the **Block Format ComboBox** in the IDE's toolbar to change the text to **Heading 3** format. Insert a table with four rows and two columns, configured so that the text in each cell aligns with the top of the cell. Place the appropriate text (see Fig. 23.31) in the top three cells in the table's left column. Then place **TextBoxes** named `nameTextBox`, `emailTextBox` and `messageTextBox` in the top three table cells in the right column. Configure the **TextBoxes** as follows:

- Set the `nameTextBox`'s width to 300px.
- Set the `emailTextBox`'s width to 300px.
- Set the `messageTextBox`'s width to 300px and height to 100px. Also set this control's **TextMode** property to **MultiLine** so the user can type a message containing multiple lines of text.

Finally, add **Buttons** named `submitButton` and `clearButton` to the bottom-right table cell. Set the buttons' **Text** properties to **Submit** and **Clear**, respectively. We discuss the buttons' event handlers when we present the code-behind file. You can create these event handlers now by double clicking each **Button** in **Design** view.

#### *Step 3: Adding a `GridView` Control to the Web Form*

Add a `GridView` named `messagesGridView` that will display the guestbook entries. This control appears in the **Data** section of the **Toolbox**. The colors for the `GridView` are specified through the **Auto Format...** link in the **GridView Tasks** smart-tag menu that opens when you place the `GridView` on the page. Clicking this link displays an **AutoFormat** dialog with several choices. In this example, we chose **Professional**. We show how to set the `GridView`'s data source (that is, where it gets the data to display in its rows and columns) shortly.

#### *Step 4: Adding a Database to an ASP.NET Web Application*

To use a SQL Server Express database file in an ASP.NET web application, you must first add the file to the project's `App_Data` folder. For security reasons, this folder can be accessed only by the web application on the server—clients cannot access this folder over a network. The web application interacts with the database on behalf of the client.

The **Empty Web Site** template does not create the `App_Data` folder. To create it, right click the project's name in the **Solution Explorer**, then select **Add ASP.NET Folder >**

**App\_Data.** Next, add the `Guestbook.mdf` file to the `App_Data` folder. You can do this in one of two ways:

- Drag the file from Windows Explorer and drop it on the `App_Data` folder.
- Right click the `App_Data` folder in the **Solution Explorer** and select **Add Existing Item...** to display the **Add Existing Item** dialog, then navigate to the databases folder with this chapter's examples, select the `Guestbook.mdf` file and click **Add**. [Note: Ensure that **Data Files** is selected in the **ComboBox** above or next to the **Add** Button in the dialog; otherwise, the database file will not be displayed in the list of files.]

#### *Step 5: Creating the LINQ to SQL Classes*


You'll use LINQ to interact with the database. To create the LINQ to SQL classes for the Guestbook database:

1. Right click the project in the **Solution Explorer** and select **Add New Item...** to display the **Add New Item** dialog.
2. In the dialog, select **LINQ to SQL Classes**, enter `Guestbook.dbml` as the **Name**, and click **Add**. A dialog appears asking if you would like to put your new LINQ to SQL classes in the `App_Code` folder; click **Yes**. The IDE will create an `App_Code` folder and place the LINQ to SQL classes information in that folder.
3. In the **Database Explorer** window, drag the Guestbook database's `Messages` table from the **Database Explorer** onto the **Object Relational Designer**. Finally, save your project by selecting **File > Save All**.

#### *Step 6: Binding the GridView to the Messages Table of the Guestbook Database*

You can now configure the `GridView` to display the database's data.

1. Open the `GridView Tasks` smart-tag menu, then select `<New data source...>` from the **Choose Data Source** `ComboBox` to display the **Data Source Configuration Wizard** dialog.
2. In this example, we use a **LinqDataSource** control that allows the application to interact with the `Guestbook.mdf` database through LINQ. Select **LINQ**, then set the ID of the data source to `messagesLinqDataSource` and click **OK** to begin the **Configure Data Source** wizard.
3. In the **Choose a Context Object** screen, ensure that `GuestbookDataContext` is selected in the `ComboBox`, then click **Next >**.
4. The **Configure Data Selection** screen (Fig. 23.33) allows you to specify which data the `LinqDataSource` should retrieve from the data context. Your choices on this page design a Select LINQ query. The **Table** drop-down list identifies a table in the data context. The Guestbook data context contains one table named `Messages`, which is selected by default. If you haven't saved your project since creating your LINQ to SQL classes (*Step 5*), the list of tables will not appear. In the **Select** pane, ensure that the checkbox marked with an asterisk (\*) is selected to indicate that you want to retrieve all the columns in the `Messages` table.



**Fig. 23.33** | Configuring the query used by the LinqDataSource to retrieve data.

5. Click the **Advanced..** button, then select the **Enable the LinqDataSource to perform automatic inserts** CheckBox and click **OK**. This configures the LinqDataSource control to automatically insert new data into the database when new data is inserted in the data context. We discuss inserting new guestbook entries based on users' form submissions shortly.
6. Click **Finish** to complete the wizard.


A control named `messagesLinqDataSource` now appears on the Web Form directly below the `GridView` (Fig. 23.34). This control is represented in **Design** mode as a gray box containing its type and name. It will *not* appear on the web page—the gray box simply provides a way to manipulate the control visually through **Design** mode—similar to how the objects in the component tray are used in **Design** mode for a Windows Forms application.

The `GridView` now has column headers that correspond to the columns in the `Messages` table. The rows each contain either a number (which signifies an autoincremented column) or `abc` (which indicates string data). The actual data from the `Guestbook.mdf` database file will appear in these rows when you view the `ASPX` file in a web browser.


#### *Step 7: Modifying the Columns of the Data Source Displayed in the GridView*

It's not necessary for site visitors to see the `MessageID` column when viewing past guestbook entries—this column is merely a unique primary key required by the `Messages` table within the database. So, let's modify the `GridView` to prevent this column from displaying on the Web Form.

1. In the `GridView Tasks` smart tag menu, click **Edit Columns** to display the **Fields** dialog (Fig. 23.35).



**Fig. 23.34** | Design mode displaying LinqDataSource control for a GridView.



**Fig. 23.35** | Removing the MessageID column from the GridView.

2. Select **MessageID** in the **Selected fields** pane, then click the button. This removes the **MessageID** column from the **GridView**.
3. Click **OK** to return to the main IDE window, then set the **Width** property of the **GridView** to **650px**.

The **GridView** should now appear as shown in Fig. 23.31.

### 23.8.2 Modifying the Code-Behind File for the Guestbook Application

After building the Web Form and configuring the data controls used in this example, double click the **Submit** and **Clear** buttons in **Design** view to create their corresponding **Click** event handlers in the code-behind file (Fig. 23.36). The IDE generates empty event handlers, so we must add the appropriate code to make these buttons work properly. The event handler for **clearButton** (lines 36–41) clears each **TextBox** by setting its **Text** property to an empty string. This resets the form for a new guestbook submission.

---

```

1  ' Fig. 23.36: Guestbook.aspx.vb
2  ' Code-behind file that defines event handlers for the guestbook.
3  Partial Class Guestbook
4      Inherits System.Web.UI.Page
5
6      ' Submit Button adds a new guestbook entry to the database,
7      ' clears the form and displays the updated list of guestbook entries
8      Protected Sub submitButton_Click(ByVal sender As Object, _
9          ByVal e As System.EventArgs) Handles submitButton.Click
10
11         ' create dictionary of parameters for inserting
12         Dim insertParameters As New ListDictionary()
13
14         ' add current date and the user's name, e-mail address and message
15         ' to dictionary of insert parameters
16         insertParameters.Add("Date", Date.Now.ToShortDateString())
17         insertParameters.Add("Name", nameTextBox.Text)
18         insertParameters.Add("Email", emailTextBox.Text)
19         insertParameters.Add("Message", messageTextBox.Text)
20
21         ' execute an INSERT LINQ statement to add a new entry to the
22         ' Messages table in the Guestbook data context that contains the
23         ' current date and the user's name, e-mail address and message
24         messagesLinqDataSource.Insert(insertParameters)
25
26         ' clear the TextBoxes
27         nameTextBox.Text = String.Empty
28         emailTextBox.Text = String.Empty
29         messageTextBox.Text = String.Empty
30
31         ' update the GridView with the new database table contents
32         messagesGridView.DataBind()
33     End Sub ' submitButton_Click
34
35     ' Clear Button clears the Web Form's TextBoxes
36     Protected Sub clearButton_Click(ByVal sender As Object, _
37         ByVal e As System.EventArgs) Handles clearButton.Click
38         nameTextBox.Text = String.Empty
39         emailTextBox.Text = String.Empty
40         messageTextBox.Text = String.Empty
41     End Sub ' clearButton_Click
42 End Class ' Guestbook

```

---

**Fig. 23.36** | Code-behind file for the guestbook application.

Lines 8–33 contain `submitButton`'s event-handling code, which adds the user's information to the `Guestbook` database's `Messages` table. To use the values of the `TextBoxes` on the Web Form as the parameter values inserted into the database, we must create a **List-Dictionary** of insert parameters that are key/value pairs.

Line 12 creates a `ListDictionary` object. Lines 16–19 used the `ListDictionary`'s `Add` method to store key/value pairs that represent each of the four insert parameters—the current date and the user's name, e-mail address, and message. Invoking the `LinqDataSource` method `Insert` (line 24) inserts the data in the data context, adding a row to the `Messages` table and automatically updating the database. We pass the `ListDictionary` object as an argument to the `Insert` method to specify the insert parameters. After the data is inserted into the database, lines 27–29 clear the `TextBoxes`, and line 32 invokes `messagesGridView`'s **.DataBind** method to refresh the data that the `GridView` displays. This causes `messagesLinqDataSource` (the `GridView`'s source) to execute its `Select` command to obtain the `Messages` table's newly updated data.

## 23.9 Online Case Study: ASP.NET AJAX

In Chapter 24 (online), you learn the difference between a traditional web application and an Ajax (Asynchronous JavaScript and XML) web application. You also learn how to use **ASP.NET AJAX** to quickly and easily improve the user experience for your web applications, giving them responsiveness comparable to that of desktop applications. To demonstrate **ASP.NET AJAX** capabilities, you enhance the validation example by displaying the submitted form information without reloading the entire page. The only modifications to this web application appear in `Validation.aspx` file. You use Ajax-enabled controls to add this feature.

## 23.10 Online Case Study: Password-Protected Books Database Application

In Chapter 24 (online), we include a web application case study in which a user logs into a password-protected website to view a list of publications by a selected author. The application consists of several pages and provides website registration and login capabilities. You'll learn about **ASP.NET** master pages, which allow you to specify a common look-and-feel for all the pages in your app. We also introduce the **Web Site Administration Tool** and use it to configure the portions of the application that can be accessed only by users who are logged into the website.

---

## Summary

### Section 23.1 Introduction

- **ASP.NET** technology is Microsoft's technology for web-application development.
- Web Form files have the file-name extension `.aspx` and contain the web page's GUI. A Web Form file represents the web page that is sent to the client browser.
- The file that contains the programming logic of a Web Form is called the code-behind file.

### **Section 23.2 Web Basics**

- URIs (Uniform Resource Identifiers) identify documents on the Internet. URIs that start with `http://` are called URLs (Uniform Resource Locators).
- A URL contains information that directs a browser to the resource that the user wishes to access. Computers that run web server software make such resources available.
- In a URL, the hostname is the name of the server on which the resource resides. This computer usually is referred to as the host, because it houses and maintains resources.
- A hostname is translated into a unique IP address that identifies the server. This translation is performed by a domain-name system (DNS) server.
- The remainder of a URL specifies the location and name of a requested resource. For security reasons, the location is normally a virtual directory. The server translates the virtual directory into a real location on the server.
- When given a URL, a web browser performs uses HTTP to retrieve and display the web page found at that address.

### **Section 23.3 Multitier Application Architecture**

- Multitier applications divide functionality into separate tiers—logical groupings of functionality—that commonly reside on separate computers for security and scalability.
- The information tier (also called the bottom tier) maintains data pertaining to the application. This tier typically stores data in a relational database management system.
- The middle tier implements business logic, controller logic and presentation logic to control interactions between the application’s clients and the application’s data. The middle tier acts as an intermediary between data in the information tier and the application’s clients.
- Business logic in the middle tier enforces business rules and ensures that data is reliable before the server application updates the database or presents the data to users.
- The client tier, or top tier, is the application’s user interface, which gathers input and displays output. Users interact directly with the application through the user interface (typically viewed in a web browser), keyboard and mouse. In response to user actions, the client tier interacts with the middle tier to make requests and to retrieve data from the information tier. The client tier then displays to the user the data retrieved from the middle tier.

### **Section 23.4.1 Building the *WebTime* Application**

- **File System** websites are created and tested on your local computer. Such websites execute in Visual Web Developer’s built-in ASP.NET Development Server and can be accessed only by web browsers running on the same computer. You can later “publish” your website to a production web server for access via a local network or the Internet.
- **HTTP** websites are created and tested on an IIS web server and use HTTP to allow you to put your website’s files on the server. If you own a website and have your own web server computer, you might use this to build a new website directly on that server computer.
- **FTP** websites use File Transfer Protocol (FTP) to allow you to put your website’s files on the server. The server administrator must first create the website on the server for you. FTP is commonly used by so called “hosting providers” to allow website owners to share a server computer that runs many websites.
- A Web Form represents one page in a web application and contains a web application’s GUI.
- You can view the Web Form’s properties by selecting DOCUMENT in the **Properties** window. The **Title** property specifies the title that will be displayed in the web browser’s title bar when the page is loaded.

- Controls and other elements are placed sequentially on a Web Form one after another in the order in which you drag-and-drop them onto the Web Form. The cursor indicates the insertion point in the page. This type of layout is known as relative positioning. You can also use absolute positioning in which controls are located exactly where you drop them on the Web Form.
- When a **Label** does not contain text, its name is displayed in square brackets in **Design** view as a placeholder for design and layout purposes. This text is not displayed at execution time.
- Formatting in a web page is performed with Cascading Style Sheets (CSS).
- A Web Form's **Init** event occurs when the page is first requested by a web browser. The event handler for this event—named **Page\_Init**—initialize the page.

#### **Section 23.4.2 Examining *WebTime.aspx*'s Code-Behind File**

- A class declaration can span multiple source-code files—the separate portions of the class declaration in each file are known as partial classes. The **Partial** modifier indicates that the class in a particular file is part of a larger class.
- Every Web Form class inherits from class **Page** in namespace **System.Web.UI**. Class **Page** represents the default capabilities of each page in a web application.
- The ASP.NET controls are defined in namespace **System.Web.UI.WebControls**.

#### **Section 23.5 Standard Web Controls: Designing a Form**

- An **Image** control's **ImageUrl** property specifies the location of the image to display.
- By default, the contents of a table cell are aligned vertically in the middle of the cell. You can change this with the cell's **valign** property.
- A **TextBox** control allows you to obtain text from the user and display text to the user.
- A **DropDownList** control is similar to the Windows Forms **ComboBox** control, but doesn't allow users to type text. You can add items to the **DropDownList** using the **ListItem Collection Editor**, which you can access by clicking the ellipsis next to the **DropDownList**'s **Items** property in the **Properties** window, or by using the **DropDownList Tasks** menu.
- A **HyperLink** control adds a hyperlink to a Web Form. The **NavigateUrl** property specifies the resource or web page that will be requested when the user clicks the **HyperLink**.
- A **RadioButtonList** control provides a series of radio buttons from which the user can select only one. The **RadioButtonList Tasks** smart-tag menu provides an **Edit Items...** link to open the **ListItem Collection Editor** so that you can create the items in the list.
- A **Button** control triggers an action when clicked.

#### **Section 23.6 Validation Controls**

- A validation control determines whether the data in another web control is in the proper format.
- When the page is sent to the client, the validator is converted into **JavaScript** that performs the validation in the client web browser.
- Some client browsers might not support scripting or the user might disable it. For this reason, you should always perform validation on the server.
- A **RequiredFieldValidator** control ensures that its **ControlToValidate** is not empty when the form is submitted. The validator's **ErrorMessage** property specifies what to display on the Web Form if the validation fails. When the validator's **Display** property is set to **Dynamic**, the validator occupies space on the Web Form only when validation fails.
- A **RegularExpressionValidator** uses a regular expression to ensure data entered by the user is in a valid format. Visual Web Developer provides several predefined regular expressions that you can

simply select to validate e-mail addresses, phone numbers and more. A `RegularExpressionValidator`'s `ValidationExpression` property specifies the regular expression to use for validation.

- A Web Form's Load event occurs each time the page loads into a web browser. The event handler for this event is `Page_Load`.
- ASP.NET pages are often designed so that the current page reloads when the user submits the form; this enables the program to receive input, process it as necessary and display the results in the same page when it's loaded the second time.
- Submitting a web form is known as a postback. Class `Page`'s `IsPostBack` property returns `True` if the page is being loaded due to a postback.
- Server-side Web Form validation must be implemented programmatically. Class `Page`'s `Validate` method validates the information in the request as specified by the Web Form's validation controls. Class `Page`'s `IsValid` property returns `True` if validation succeeded.

### ***Section 23.7 Session Tracking***

- Personalization makes it possible for e-businesses to communicate effectively with their customers and also improves users' ability to locate desired products and services.
- To provide personalized services to consumers, e-businesses must be able to recognize clients when they request information from a site.
- HTTP is a stateless protocol—it does not provide information regarding particular clients.
- Tracking individual clients is known as session tracking.

#### ***Section 23.7.1 Cookies***

- A cookie is a piece of data stored in a small text file on the user's computer. A cookie maintains information about the client during and between browser sessions.
- The expiration date of a cookie determines how long the cookie remains on the client's computer. If you do not set an expiration date for a cookie, the web browser maintains the cookie for the duration of the browsing session.

#### ***Section 23.7.2 Session Tracking with `HttpSessionState`***

- Session tracking is implemented with class `HttpSessionState`.

#### ***Section 23.7.3 `Options.aspx`: Selecting a Programming Language***

- Each radio button in a `RadioButtonList` has a `Text` property and a `Value` property. The `Text` property is displayed next to the radio button and the `Value` property represents a value that is sent to the server when the user selects that radio button and submits the form.
- Every Web Form includes a user-specific `HttpSessionState` object, which is accessible through property `Session` of class `Page`.
- `HttpSessionState` property `SessionID` contains a client's unique session ID. The first time a client connects to the web server, a unique session ID is created for that client and a temporary cookie is written to the client so the server can identify the client on subsequent requests. When the client makes additional requests, the client's session ID from that temporary cookie is compared with the session IDs stored in the web server's memory to retrieve the client's `HttpSessionState` object.
- `HttpSessionState` property `Timeout` specifies the maximum amount of time that an `HttpSessionState` object can be inactive before it's discarded. Twenty minutes is the default.
- The `HttpSessionState` object is a dictionary—a data structure that stores key/value pairs. A program uses the key to store and retrieve the associated value in the dictionary.

- The key/value pairs in an `HttpSessionState` object are often referred to as session items. They're placed in an `HttpSessionState` object by calling its `Add` method. Another common syntax for placing a session item in the `HttpSessionState` object is `Session(Name) = Value`.
- If an application adds a session item that has the same name as an item previously stored in the `HttpSessionState` object, the session item is replaced—session items names *must* be unique.

#### *Section 23.7.4 Recommendations.aspx: Displaying Recommendations Based on Session Values*

- The `Count` property returns the number of session items stored in an `HttpSessionState` object.
- `HttpSessionState`'s `Keys` property returns a collection containing all the keys in the session.

#### *Section 23.8 Case Study: Database-Driven ASP.NET Guestbook*

- A `GridView` data control displays data in tabular format. This control is located in the `Toolbox`'s `Data` section.

#### *Section 23.8.1 Building a Web Form that Displays Data from a Database*

- To use a SQL Server Express database file in an ASP.NET web application, you must first add the file to the project's `App_Data` folder. For security reasons, this folder can be accessed only by the web application on the server—clients cannot access this folder over a network. The web application interacts with the database on behalf of the client.
- A `LinqDataSource` control allows a web application to interact with a database through LINQ.

#### *Section 23.8.2 Modifying the Code-Behind File for the Guestbook Application*

- To insert data into a database using a `LinqDataSource`, you must create a `ListDictionary` of insert parameters that are formatted as key/value pairs.
- A `ListDictionary`'s `Add` method stores key/value pairs that represent each insert parameter.
- A `GridView`'s `.DataBind` method refreshes the data that the `GridView` displays.

### **Self-Review Exercises**

- 23.1** State whether each of the following is *true* or *false*. If *false*, explain why.
- Web Form file names end in `.aspx`.
  - `App.config` is a file that stores configuration settings for an ASP.NET web application.
  - A maximum of one validation control can be placed on a Web Form.
  - A `LinqDataSource` control allows a web application to interact with a database.
- 23.2** Fill in the blanks in each of the following statements:
- Web applications contain three basic tiers: \_\_\_\_\_, \_\_\_\_\_, and \_\_\_\_\_.
  - The \_\_\_\_\_ web control is similar to the `ComboBox` Windows control.
  - A control which ensures that the data in another control is in the correct format is called a(n) \_\_\_\_\_.
  - A(n) \_\_\_\_\_ occurs when a page requests itself.
  - Every ASP.NET page inherits from class \_\_\_\_\_.
  - The \_\_\_\_\_ file contains the functionality for an ASP.NET page.

### **Answers to Self-Review Exercises**

- 23.1** a) True. b) False. `Web.config` is the file that stores configuration settings for an ASP.NET web application. c) False. An unlimited number of validation controls can be placed on a Web Form. d) True.

**23.2** a) bottom (information), middle (business logic), top (client). b) `DropDownList`. c) validator. d) postback. e) `Page`. f) code-behind.

## Exercises

**23.3** (*WebTime Modification*) Modify the `WebTime` example in Section 23.4 to contain drop-down lists that allow the user to modify such `Label` properties as `BackColor`, `ForeColor` and `Font-Size`. Configure these drop-down lists so that a postback occurs whenever the user makes a selection. When the page reloads, it should reflect the specified changes to the properties of the `Label` displaying the time.

**23.4** (*Page Hit Counter*) Create an ASP.NET page that uses session tracking to keep track of how many times the client computer has visited the page. Set the `HttpSession` object's `Timeout` property to `DateTime.Now.AddDays(1)` to keep the session in effect for one day into the future. Display the number of page hits every time the page loads.

**23.5** (*Guestbook Application Modification*) Add validation to the guestbook application in Section 23.8. Use validation controls to ensure that the user provides a name, a valid e-mail address and a message.

**23.6** (*WebControls Modification*) Modify the example of Section 23.5 to add functionality to the `Register` Button. When the user clicks the `Button`, validate all of the input fields to ensure that the user has filled out the form completely, and entered a valid email address and phone number. If any of the fields are not valid, appropriate messages should be displayed by validation controls. If the fields are all valid, direct the user to another page that displays a message indicating that the registration was successful followed by the registration information that was submitted from the form.

**23.7** (*Project: Web-Based Address Book*) Using the techniques you learned in Section 23.8, create a web-based Address book. Display the address book's contents in a `GridView`. Allow the user to search for entries with a particular last name.


# A

## HTML Special Characters

The table of Fig. A.1 shows many commonly used XHTML special characters—called **character entity references** by the World Wide Web Consortium. For a complete list of character entity references, see the site [www.w3.org/TR/REC-html40/sgml/entities.html](http://www.w3.org/TR/REC-html40/sgml/entities.html).

| Character          | XHTML encoding | Character | XHTML encoding |
|--------------------|----------------|-----------|----------------|
| non-breaking space | &#160;         | ê         | &#234;         |
| §                  | &#167;         | ì         | &#236;         |
| ©                  | &#169;         | í         | &#237;         |
| ®                  | &#174;         | î         | &#238;         |
| ¼                  | &#188;         | ñ         | &#241;         |
| ½                  | &#189;         | ò         | &#242;         |
| ¾                  | &#190;         | ó         | &#243;         |
| à                  | &#224;         | ô         | &#244;         |
| á                  | &#225;         | ö         | &#245;         |
| â                  | &#226;         | ÷         | &#247;         |
| ã                  | &#227;         | ù         | &#249;         |
| å                  | &#229;         | ú         | &#250;         |
| ç                  | &#231;         | û         | &#251;         |
| è                  | &#232;         | •         | &#8226;        |
| é                  | &#233;         | ™         | &#8482;        |

**Fig. A.1** | XHTML special characters.



# HTML Colors

Colors may be specified by using a standard name (such as aqua) or a hexadecimal RGB value (such as #00FFFF for aqua). Of the six hexadecimal digits in an RGB value, the first two represent the amount of red in the color, the middle two represent the amount of green in the color, and the last two represent the amount of blue in the color. For example, black is the absence of color and is defined by #000000, whereas white is the maximum amount of red, green and blue and is defined by #FFFFFF. Pure red is #FF0000, pure green (which the standard calls lime) is #00FF00 and pure blue is #0000FF. Note that green in the standard is defined as #008000. Figure 4.2 contains the HTML standard color set. Figure B.1 contains the HTML extended color set.

| Color name     | Value   | Color name     | Value   |
|----------------|---------|----------------|---------|
| aliceblue      | #F0F8FF | cyan           | #00FFFF |
| antiquewhite   | #FAEBD7 | darkblue       | #00008B |
| aquamarine     | #7FFFAD | darkcyan       | #008B8B |
| azure          | #F0FFFF | darkgoldenrod  | #B8860B |
| beige          | #F5F5DC | darkgray       | #A9A9A9 |
| bisque         | #FFE4C4 | darkgreen      | #006400 |
| blanchedalmond | #FFEBCD | darkkhaki      | #BDB76B |
| blueviolet     | #8A2BE2 | darkmagenta    | #8B008B |
| brown          | #A52A2A | darkolivegreen | #556B2F |
| burlywood      | #DEB887 | darkorange     | #FF8C00 |
| cadetblue      | #5F9EA0 | darkorchid     | #9932CC |
| chartreuse     | #7FFF00 | darkred        | #8B0000 |
| chocolate      | #D2691E | darksalmon     | #E9967A |
| coral          | #FF7F50 | darkseagreen   | #8FBBC8 |
| cornflowerblue | #6495ED | darkslateblue  | #483D8B |
| cornsilk       | #FFF8DC | darkslategray  | #2F4F4F |
| crimson        | #DC143C | darkturquoise  | #00CED1 |

**Fig. B.1** | HTML extended colors and hexadecimal RGB values. (Part 1 of 3.)

| Color name           | Value   | Color name        | Value   |
|----------------------|---------|-------------------|---------|
| darkviolet           | #9400D3 | linen             | #FAF0E6 |
| deeppink             | #FF1493 | magenta           | #FF00FF |
| deepskyblue          | #00BFFF | mediumaquamarine  | #66CDAA |
| dimgray              | #696969 | mediumblue        | #0000CD |
| dodgerblue           | #1E90FF | mediumorchid      | #BA55D3 |
| firebrick            | #B22222 | mediumpurple      | #9370DB |
| floralwhite          | #FFFFA0 | mediumseagreen    | #3CB371 |
| forestgreen          | #228B22 | mediumslateblue   | #7B68EE |
| gainsboro            | #DCDCDC | mediumspringgreen | #00FA9A |
| ghostwhite           | #F8F8FF | mediumturquoise   | #48D1CC |
| gold                 | #FFD700 | mediumvioletred   | #C71585 |
| goldenrod            | #DAA520 | midnightblue      | #191970 |
| greenyellow          | #ADFF2F | mintcream         | #F5FFFA |
| honeydew             | #F0FFF0 | mistyrose         | #FFE4E1 |
| hotpink              | #FF69B4 | moccasin          | #FFE4B5 |
| indianred            | #CD5C5C | navajowhite       | #FFDEAD |
| indigo               | #4B0082 | oldlace           | #FDF5E6 |
| ivory                | #FFFFFF | olivedrab         | #6B8E23 |
| khaki                | #F0E68C | orange            | #FFA500 |
| lavender             | #E6E6FA | orangered         | #FF4500 |
| lavenderblush        | #FFF0F5 | orchid            | #DA70D6 |
| lawngreen            | #7CFC00 | palegoldenrod     | #EEE8AA |
| lemonchiffon         | #FFFACD | palegreen         | #98FB98 |
| lightblue            | #ADD8E6 | paleturquoise     | #AFEEEE |
| lightcoral           | #F08080 | palevioletred     | #DB7093 |
| lightcyan            | #E0FFFF | papayawhip        | #FFEF0D |
| lightgoldenrodyellow | #FAFAD2 | peachpuff         | #FFDAB9 |
| lightgreen           | #90EE90 | peru              | #CD853F |
| lightgrey            | #D3D3D3 | pink              | #FFC0CB |
| lightpink            | #FFB6C1 | plum              | #DDA0DD |
| lightsalmon          | #FFA07A | powderblue        | #B0E0E6 |
| lightseagreen        | #20B2AA | rosybrown         | #BC8F8F |
| lightskyblue         | #87CEFA | royalblue         | #4169E1 |
| lightslategray       | #778899 | saddlebrown       | #8B4513 |
| lightsteelblue       | #B0C4DE | salmon            | #FA8072 |
| lightyellow          | #FFFFE0 | sandybrown        | #F4A460 |
| limegreen            | #32CD32 | seagreen          | #2E8B57 |

**Fig. B.1** | HTML extended colors and hexadecimal RGB values. (Part 2 of 3.)

| Color name  | Value   | Color name  | Value   |
|-------------|---------|-------------|---------|
| seashell    | #FFF5EE | tan         | #D2B48C |
| sienna      | #A0522D | thistle     | #D8BFDB |
| skyblue     | #87CEEB | tomato      | #FF6347 |
| slateblue   | #6A5ACD | turquoise   | #40E0D0 |
| slategray   | #708090 | violet      | #EE82EE |
| snow        | #FFFAFA | wheat       | #F5DEB3 |
| springgreen | #00FF7F | whitesmoke  | #F5F5F5 |
| steelblue   | #4682B4 | yellowgreen | #9ACD32 |

**Fig. B.1** | HTML extended colors and hexadecimal RGB values. (Part 3 of 3.)

# C

## JavaScript Operator Precedence Chart

This appendix contains the operator precedence chart for JavaScript/ECMAScript (Fig. C.1). The operators are shown in decreasing order of precedence from top to bottom.

| Operator                | Type  | Associativity |
|-------------------------|---|---------------|
| .                       | member access                                 | left to right |
| []                      | array indexing                                |               |
| ()                      | function calls                                |               |
| ++                      | increment                                     | right to left |
| --                      | decrement                                     |               |
| -                       | unary minus                                   |               |
| ~                       | bitwise complement                            |               |
| !                       | logical NOT                                   |               |
| <code>delete</code>     | deletes an array element or object property   |               |
| <code>new</code>        | creates a new object                          |               |
| <code>typeof</code>     | returns the data type of its argument         |               |
| <code>void</code>       | prevents an expression from returning a value |               |
| *                       | multiplication                                | left to right |
| /                       | division                                      |               |
| %                       | modulus                                       |               |
| +                       | addition                                      | left to right |
| -                       | subtraction                                   |               |
| +                       | string concatenation                          |               |
| <<                      | left shift                                    | left to right |
| >>                      | right shift with sign extension               |               |
| >>>                     | right shift with zero extension               |               |
| <                       | less than                                     | left to right |
| <=                      | less than or equal                            |               |
| >                       | greater than                                  |               |
| >=                      | greater than or equal                         |               |
| <code>instanceof</code> | type comparison                               |               |

**Fig. C.1** | JavaScript/ECMAScript operator precedence and associativity. (Part I of 2.)

| Operator                   | Type  | Associativity |
|----------------------------|---|---------------|
| <code>==</code>            | equals  | left to right |
| <code>!=</code>            | does not equal                                      |               |
| <code>==</code>            | strict equals (no type conversions allowed)         |               |
| <code>!=</code>            | strict does not equal (no type conversions allowed) |               |
| <code>&amp;</code>         | bitwise AND   | left to right |
| <code>^</code>             | bitwise XOR   | left to right |
| <code> </code>             | bitwise OR  | left to right |
| <code>&amp;&amp;</code>    | logical AND   | left to right |
| <code>  </code>            | logical OR  | left to right |
| <code>?:</code>            | conditional   | right to left |
| <code>=</code>             | assignment  | right to left |
| <code>+=</code>            | addition assignment                                 |               |
| <code>-=</code>            | subtraction assignment                              |               |
| <code>*=</code>            | multiplication assignment                           |               |
| <code>/=</code>            | division assignment                                 |               |
| <code>%=</code>            | modulus assignment                                  |               |
| <code>&amp;=</code>        | bitwise AND assignment                              |               |
| <code>^=</code>            | bitwise exclusive OR assignment                     |               |
| <code> =</code>            | bitwise inclusive OR assignment                     |               |
| <code>&lt;&lt;=</code>     | bitwise left shift assignment                       |               |
| <code>&gt;&gt;=</code>     | bitwise right shift with sign extension assignment  |               |
| <code>&gt;&gt;&gt;=</code> | bitwise right shift with zero extension assignment  |               |

**Fig. C.1** | JavaScript/ECMAScript operator precedence and associativity. (Part 2 of 2.)

# D

## ASCII Character Set

In Fig. D.1, the digits at the left of the table are the left digits of the decimal equivalent (0–127) of the character code, and the digits at the top of the table are the right digits of the character code—e.g., the character code for “F” is 70, and the character code for “&” is 38.

Most users of this book are interested in the ASCII character set used to represent English characters on many computers. The ASCII character set is a subset of the Unicode character set used by scripting languages to represent characters from most of the world’s languages. For more information on the Unicode character set, see Appendix F.

| ASCII character set |     |     |     |     |     |     |     |     |     |     |
|---------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|                     | 0   | 1   | 2   | 3   | 4   | 5   | 6   | 7   | 8   | 9   |
| 0                   | nu1 | soh | stx | etx | eot | enq | ack | bel | bs  | ht  |
| 1                   | n1  | vt  | ff  | cr  | so  | si  | dle | dc1 | dc2 | dc3 |
| 2                   | dc4 | nak | syn | etb | can | em  | sub | esc | fs  | gs  |
| 3                   | rs  | us  | sp  | !   | "   | #   | \$  | %   | &   | '   |
| 4                   | (   | )   | *   | +   | ,   | -   | .   | /   | 0   | 1   |
| 5                   | 2   | 3   | 4   | 5   | 6   | 7   | 8   | 9   | :   | ;   |
| 6                   | <   | =   | >   | ?   | @   | A   | B   | C   | D   | E   |
| 7                   | F   | G   | H   | I   | J   | K   | L   | M   | N   | O   |
| 8                   | P   | Q   | R   | S   | T   | U   | V   | W   | X   | Y   |
| 9                   | Z   | [   | \   | ]   | ^   | _   | ,   | a   | b   | c   |
| 10                  | d   | e   | f   | g   | h   | i   | j   | k   | l   | m   |
| 11                  | n   | o   | p   | q   | r   | s   | t   | u   | v   | w   |
| 12                  | x   | y   | z   | {   |     | }   | ~   | del |     |     |

**Fig. D.1** | ASCII character set.

# Index

## Symbols

- range separator **712**
- subtraction operator **232**
- operator **271, 272**
- ^ metacharacter **712**
- \_ SQL wildcard character **657, 658**
- :hover pseudo-class **195**
- :nth-child selectors **203**
- ! logical NOT or logical negation operator **300, 302, 305**
- != not equal to operator **235, 709**
- !== strict does not equal operator **238**
- ? PHP quantifier **713**
- ?: conditional operator **252**
- . PHP concatenation operator **702**
- . PHP metacharacter **712**
- ' single quote **712**
- " double quote **699**
- [] for array indexing **706**
- [] for bracket expressions **712**
- {m, n} quantifier **712**
- {n, } quantifier **712**
- {n} quantifier **712**
- @XPath attribute symbol **574**
- \* multiplication **578**
- \* multiplication operator **232**
- \* quantifier **712, 713**
- \* SQL wildcard character **656**
- /\* ending comment delimiter **699**
- /\* multiline comment delimiter **227**
- \*= multiplication assignment operator **271, 702**
- / division operator **232**
- / forward slash in end tags **545**
- / XPath root selector **574**
- /\* beginning comment delimiter **699**
- /\* multiline comment delimiter **227**
- // single-line comment **699**
- = division assignment operator **271**
- \ escape character **719**
- \' single quote escape sequence **224**
- \\" double-quote escape sequence **224**
- \\\ backslash escape sequence **224**
- \n newline escape sequence **224**
- \t tab escape sequence **224**
- && logical AND operator **300, 301**
- % operator **232, 233**
- % SQL wildcard character **657**
- %= operator **271**
- + addition operator **230, 232**
- + quantifier **713**
- + string concatenation **228**
- ++ increment operator **270**
- < less than operator **709**
- <! --> XML comment tags **548**

- <? and ?> XML processing instruction delimiters **572**
- <?php ?> PHP script delimiters **698**
- <= less than or equal to operator **235, 709**
- <> angle brackets for XML elements **545**
- = assignment operator **227**
- = subtraction assignment operator **271**
- == is equal to operator **235, 709**
- ==== strict equals operator **238**
- >=> PHP associative array operator **709**
- > greater than operator **709**
- >= greater than or equal to operator **235, 709**
- || logical OR operator **300, 302**
- \$ for PHP variables **698**
- \$ metacharacter **712**
- \$\$ notation for variable variables **732**

## Numerics

- 15 Puzzle exercise **541**
- 404 error **76**

## A

- a (anchor) element **75**
  - href attribute **75, 99**
  - href property **443**
- abbreviating assignment expressions **270**
- abort event **473**
- abort method of the XMLHttpRequest object **615**
- abs **394**
- absolute addressing (XPath) **574**
- absolute attribute value (position) **150**
- absolute positioning **149, 149, 150, 751, 890**
- absolute-length measurement **146, 167**
- abstraction **409**
- Accept request header **629**
- access rule in ASP.NET **799**
- action **219, 247**
- action attribute of a form element **92, 717**
- action symbol **248**
- action/decision model of programming **251**
- Adaptive Path **609**
- add a database to a project **678**
- Add Connection dialog **678**
- Add method of class
  - HttpSessionState **775, 915**
- addColorStop method of canvas **491, 492**
- addEventListener method of a DOM node **322, 456**

- addition **233**
- addition assignment operator (+=) **270**
- addition operator (+) **230, 232**
- addition script **229**
- address in memory **371**
- address of a WCF service **823**
- advertisement **768, 907**
- Airline Reservation Web Service Modification exercise **878**
- Ajax **51**
- Ajax (Asynchronous JavaScript and XML) **53, 604, 606, 609, 784, 924**
- Ajax (Asynchronous Javascript and XML) **809**
  - toolkits **604**
    - web application **606, 784, 809, 924**
- alert dialog **223, 321**
- alert method of window object **223**
- algebraic equation marked up with MathML and displayed in the Amaya browser **567**
- algorithm **247, 263**
- all XML Schema element **565**
- alphabetical order **411**
- alt attribute of img element **79**
- Alt key **461**
- alternate background colors **414**
- altKey property of an event object **461**
- Amazon **35**
- Amazon EC2 (Amazon Elastic Compute Cloud) **37**
- Amazon Simple Storage Service (Amazon S3) **37**
- AMBER Alert **36**
- Analog Clock exercise **540**
- ancestor element **143**
- ancestor node **579**
- anchor **75**
- anchors collection of the document object **441**
  - and **357**
- AND (in SQL) **663**
- Android **59**
  - Android Market **59**
    - app **52**
    - Market **59**
      - operating system **57, 59, 67**
        - smartphone **59, 67**
  - angle bracket (<>) for XML elements **545**
  - animation **191, 540**
    - frame-by-frame **521**
  - Animation exercise **540**
  - animation property **193, 196**
  - animation-delay property **193**
  - animation-direction property **193**
  - animation-duration property **193**

- a**
- animation-iteration-count
    - property 193
  - animation-name property 193
  - animation-play-state property 193
  - animation-timing-function
    - property 193
  - anonymous function 450, 468
  - anonymous type 673
  - Any extension method of interface `IEnumerable<T>` 673
  - Apache Derby 688
  - Apache HTTP Server 45, 638, 643, 881
  - Apache Software Foundation 58, 643
  - API (application programming interface) 477
  - appendChild method of a DOM node 438
  - appendChild method of a Node 591
  - appendChild method of the document object 619
  - Apple 35
    - App Store 59
    - Apple Inc. 58
    - Apple Macintosh 58
    - Apple TV 38
  - application programming interface (API) 477
  - Apps
    - Favorite Twitter Searches** 411, 413
  - arc method of canvas 482
  - architecture of participation 50
  - arcs in canvas 482
  - argument 220, 312, 313, 393
  - arial 142
  - arithmetic assignment operators: `+=`, `-=`, `*=`, `/=` and `%=` 271
  - arithmetic calculation 232
  - arithmetic mean (average) 234
  - arithmetic operator 232
  - ARPANET 43
  - array 706
    - elements 357
    - index 357
    - name 357
    - position number 357
    - zeroth element 357
  - array data structure 357
  - array function 708
  - array manipulation 706
  - Array object 311, 359, 362, 363
    - indexOf method 376
    - join method 373
    - lastIndexOf method 376
    - length property 357, 361, 366
    - sort method 375, 375
  - array of strings containing the token 402
  - Array with 12 elements 358
  - arrow 256
  - article element 128
  - article.xml displayed by Internet Explorer 549
  - as keyword 709
  - ascending modifier of a LINQ orderby clause 668
  - ascending order 578
  - ASC in SQL 658, 659
  - ASCII (American Standard Code for Information Interchange) character set 56
  - ASCII character set 375
    - appendix 936
  - aside element 128
  - ASP.NET 605, 741, 880
    - AJAX 784, 924
    - Ajax 809
    - Ajax Control Toolkit 812
    - ASP.NET Web Site** template 791
    - Development Server 747, 826, 886
    - login 784, 924
    - membership capabilities 793
    - Page\_Init event handler 895
    - registration 784, 924
    - server control 741, 880
    - start page 755, 758, 764, 770, 779, 895, 897, 903, 911, 919
    - validation control 761, 901
  - ASP.NET Web Site template 791
  - aspect-ratio media feature 162
  - ASPX file 741, 880
  - ASPX file that takes reservation information 857
  - .aspx filename extension 741, 880
  - assembler 59
  - assembly language 59
  - assign a value to a variable 228
  - assignment 227, 228
  - assignment operator 227, 234, 273
  - assignment operator = associates right to left 239
  - associate from left to right 238, 273
  - associate from right to left 233, 239, 273
  - associative array 708
  - associativity of operators 233, 239, 273, 303
  - asterisk (\*) indicates multiplication 232
  - asterisk (\*) occurrence indicator 557
  - asterisk (\*) SQL wildcard character 656
  - Asynchronous JavaScript and XML (Ajax) 604
  - asynchronous page updates (Ajax) 609
  - asynchronous request 606, 810
  - AsyncPostBackTrigger class 814
  - ATTLIST attribute-list declaration (DTD) 557
  - Attr object 590
  - attribute 72, 78
    - in the XML 63
    - of a class 61
    - of an object 63
  - attribute element 565
  - attribute in XML 552
  - attribute-list declaration 557
  - attribute node 574
  - attribute selector 414
  - attribute value in XML 552
  - attributes (data) 220
  - attributes property of a Node 590
  - audio element 311, 333, 516
    - ended event 335
    - play method 335
    - preload attribute 333
  - audio/mpeg MIME type 333
  - audio/ogg MIME type 333
  - authenticating a user 795
  - author 143
  - author style 165
  - author style overriding user style 166
  - authorISBN table of books database 652, 653
  - authors table of books database 652
  - autocomplete attribute 119
  - autofocus attribute 112
  - autoincremented 652, 662
  - Automatic Jigsaw Puzzle Generator exercise 540
  - AutoPostBack property of a DropDownList ASP.NET control 806
  - average calculation 261
- B**
- background-attachment property 153
  - Background Audio exercise 540
  - background color 178
  - background-color property 152
  - background colors
    - alternate 414
  - background property 182
  - background-image property 152, 153
  - background-origin property 186
  - background-position property 153, 186
  - background-repeat property 153
  - backslash (\) escape character 224
  - bandwidth 44
  - base 341
    - base 2 logarithm of  $e$  394
  - base attribute of element extension 565
  - base case 342
  - base e 394
  - base of a natural logarithm 394
  - base type (XML Schema) 565
  - basic HTML colors 462
  - beginPath method of canvas 480, 489
  - behavior
    - of a class 61
  - behaviors (methods) 220
  - Berners-Lee, Tim 44
  - bevelLineJoin of canvas 480
  - Bezier curve in canvas 488
  - bezierCurveTo method of canvas 488
  - binary digit (bit) 56
  - binary format 341
  - binary operator 228, 232, 302
  - binding of a WCF service 823
  - BindingNavigator class 682
  - BindingSource class 682
    - DataSource property 684
    - EndEdit method 684
    - MoveFirst method 686
  - bit 42
  - bit (binary digit) 56
  - BlackBerry OS 57
  - blackjack 841
  - Blackjack game WCF web service 843
  - Blackjack Web Service Modification exercise 878
  - blink speed 539
  - block 237, 254, 266, 340
  - block dimension 152
  - block display value 162

- block-level element 157, 152  
 blogging 51  
**blur event** 465  
 blur radius 175, 178  
 body element 72, 313  
 body of a `for` 289  
 body of a loop 256, 288  
 body property of the document object 444  
 body section 72  
 <body> tag 219  
**bold value (font-weight property)** 142  
**bolder value (font-weight property)** 142  
 books database 652  
 table relationships 654  
 boolean expression 250  
**Boolean object** 408, 409  
**border** 155  
 border attribute of `canvas` 479  
 border attribute of `table` element 86  
 border properties 157  
 border-box 186  
 border-collapse CSS property 290  
 border-collapse property 459  
 border-color property 156, 157  
 border-image property 188  
 border-image-repeat property 190  
 border-image-slice property 190, 191  
 border-image-source 189, 191  
 border-left-color property 157  
 border-radius property 176  
 Borders of block-level elements 156  
 border-style property 156, 157  
 border-top-style property 157  
 border-width property 156, 157  
 boss function/worker function 312  
**bottom** margin 150, 153  
 bottom tier 48, 642, 743, 882  
 box model 155  
 Box model for block-level elements 156  
 box shadow 178  
 box-orient property 200  
 box-reflect property 187  
 box-shadow property 178  
 br (line break) element 89  
 braces {} 254  
 bracket expressions 712  
 brackets that enclose subscript of an array 358  
 braille media type 159  
**break statement** 295  
 break statement in a `for` statement 298, 305  
 bricks-and-mortar store 767, 907  
 Brin, Sergey 51  
 browser 39  
 browser prefix 183  
 browser request 90  
 browser window 44  
 bubbling 461  
**Build Web Site** command in Visual Web Developer 756, 895  
 building-blocks 247  
 building-block approach to creating programs 63  
 built-in data types 564  
 business letter marked up as XML 550  
 business logic 49, 642, 718, 744, 883  
 business publications 63  
 business rule 49, 642, 718, 744, 883  
**butt lineCap** of `canvas` 481, 482  
**Button** ASP.NET web control 761, 901  
**button input element** 321  
 byte 56
- C**
- C programming language 60, 70  
 C# programming language 60  
 C++ programming language 60, 70  
**cache** 48, 641  
 calculation 232  
 calculus expression marked up with MathML and displayed in the Amaya browser 568  
 callback function 606, 614, 811  
 called function 312  
 caller 312  
 Calling Attention to an Image exercise 540  
 calling function 312  
**Cancel** button 230  
 cancel event bubbling 470, 472  
**cancelBubble** property of an event object 461, 470, 472  
 Cannon Game app 514  
**canvas** element 477  
 35D 531  
 addColorStop method 491, 492  
 arc 482  
 arc method 482  
 arcs 482  
 beginPath method 480, 489  
 bevel lineJoin 480  
 Bezier curve 488  
 bezierCurveTo method 488  
 border attribute 479  
 butt lineCap 481  
**canvasID** 479  
 circle 482  
 clearRect method 503  
 closePath method 482  
 compositing 511  
 context object 479  
 create a `canvas` 479  
 createLinearGradient method 489  
 createPattern method 499  
 createRadialGradient method 491  
 drawImage method 493  
 ellipses 500  
 fallback text 479  
 fill method 499  
 fillRect method 479, 492, 509  
 fillStyle attribute 479, 492, 506  
 fillText method 507  
 font attribute 506  
 getElementById method 479  
 getImageData method 498  
 globalAlpha attribute 509  
 globalCompositeOperation attribute 511  
 image manipulation 495  
**lineCap** attribute 481  
**lineJoin** 480  
 canvas element (cont.)  
 lines 480  
 lineTo method 480  
 lineWidth attribute 479, 480  
 miter lineJoin 480, 482  
 moveTo method 480, 489  
 paths 480  
 putImageData method 499  
 quadratic curve 486  
 quadraticCurveTo method 486  
 rectangle 478  
 resize a `canvas` to fill the window 508  
 restore method 528, 530  
 rotate method 502, 503  
 round lineJoin 480, 482  
 save method 528, 530  
 scale method 501  
 shadowBlur attribute 484, 485  
 shadowColor attribute 484, 486  
 shadowOffsetX attribute 484, 486  
 shadowOffsetY attribute 484, 486  
 square lineCap 482  
 state of the `canvas` 528  
 stroke method 482  
 strokeRect method 479  
 strokeStyle attribute 479  
 strokeStyle method 482  
 subpath 480  
 textAlign attribute 507  
 textBaseline attribute 507  
 transform method 504, 504  
 transformation matrix 500, 502  
 transformations 500  
 translate method 500, 502  
 caption element (table) 86  
 caret metacharacter (^) 712  
 cascade 143  
 Cascading Style Sheets (CSS) 39, 50, 753, 892  
 Cascading Style Sheets 3 (CSS3) 39, 138  
 case label 295, 295, 304  
 case sensitive 221, 226  
 cases in which switch cases would run together 295  
 casting 701  
 catch block 613  
 catch clause 613  
 catch keyword 613  
 CDATA keyword (DTD) 557  
 ceil method 394  
 center horizontally 153  
 center value (background-position property) 153  
 center value (text-align property) 155  
 centralized control 43  
 chance 318  
 change event 473  
 character 56, 395  
 set 56  
 character classes 713  
 character data in XML 557  
 character entity reference 81, 558  
 character entity references 930  
 character-processing capabilities 395  
 character-processing methods of `String` object 397, 398  
**charAt** 397

**charAt** method of `String` object 395, 397  
**charCodeAt** method of `String` object 396, 397, 398  
**checkbox** input element 96  
**checked** attribute 97  
 Chemical Markup Language (CML) 570  
**child** 143, 428  
 child element 549, 552  
 child node (DOM tree) 579  
**childNodes** property of a Node 590  
 children (DOM tree) 579  
**Choose Data Source** dialog 678  
 Cisco 35  
**class** 62
 

- instance variable 63
- Partial** 895
- partial** 756
- partial class 756, 895

**class** 56  
**class attribute** 143, 145  
 class-average problem 257, 262  
 class-average program with counter-controlled repetition 257  
**Classes**

- BindingNavigator** 682
- BindingSource** 682, 684
- DataContext** 676, 680
- DataContractJsonSerializer** 839, 839
- DataGridView** 677
- DownloadStringCompletedE-**
- ventArgs 837
- DropDownList** 760, 806, 900
- GridView** 808
- HttpSessionState** 769, 774, 775, 776, 909, 914, 915, 916
- Image** 758, 898
- List<T>** 846
- ListDictionary** 783, 924
- Page** 756, 767, 772, 895, 907, 912
- Uri** 837
- WebClient** 836

 classified listings 44  
**clear** method of the `localStorage` object 416  
**clear** method of the `sessionStorage` object 416  
**clearInterval** method of the `window` object 445, 450  
**clearRect** method of `canvas` 503  
**click** event 322  
**click** event 321, 334, 472, 473  
 Client interacting with web server. *Step 1: The GET request* 639  
 Client interacting with web server. *Step 2: The HTTP response* 640  
 client of an object 220  
 client-side scripting 49, 643  
 Client that consumes the `WelcomeRESTXMLService` 836  
 Client that consumes the `WelcomeSOAPXMLService` 832  
 client tier 49, 67, 642, 744, 883  
**clientX** property of an `event` object 461  
**clientY** property of an `event` object 461  
 clock 540  
 close a dialog 223  
**closePath** method of `canvas` 482  
 cloud computing 37  
**cm** (centimeter) 146  
 CML (Chemical Markup Language) 545  
 code-behind file 741, 880  
 Code-behind file for a page that updates the time every minute 896  
 coin tossing 318  
 collaboration 50  
**collection** 441  
 collection initializers 675  
 collective intelligence 51  
 collision detection 521, 524  
 colon (: ) 139, 142  
 color 177  
**color** input element 112, 112  
 color manipulation 479  
 color name 139  
 color picker control 112  
**color** property 139  
 Coloring Black-and-White Photographs and Images exercise 542  
**color-stop** 180, 182  
**cols** attribute (`table`) 93  
**colspan** attribute 89  
 column 379, 651, 651, 652  
 column number in a result set 656  
**column-count** property 203, 209  
**column-gap** property 203, 209  
**column-rule** property 203, 209  
**ComboBox** control
 

- SelectedIndexChanged** event handler 686
- comma 407

 comma operator 289  
 comma-separated list 238  
 comma-separated list of variable names 226  
 comment 71  
 Common Programming Errors overview 26  
**CommonJS** 39  
 community 50  
 comparator function 375  
 comparison operators 709  
 compiler 59  
 complex content in XML Schema 564  
**complexType** XML Schema element 563  
 component 61  
 component tray 682  
 compositing in `canvas` 511  
 compound assignment operator 270  
 compound interest 290  
 computer-assisted instruction (CAI) 354, 354  
**concat** method 396  
 concatenation 395  
 concatenation operator (.) 702  
 concatenation operator (+) 396  
 condition 234, 300  
 condition is false 234  
 condition is true 234  
 conditional AND (&&) operator 673  
 conditional expression 252  
 conditional operator (?) 252, 273  
**confirm** method of the `window` object 469  
 confusing equality operator == with assignment operator = 234  
 connect to a database 677, 678  
 connector symbol 248  
 constant 393  
 constructor 405, 408, 409  
 consuming a web service 825  
 container element 549  
 containing block-level element 150  
**content** 566  
**content** attribute of `meta` element 99, 100, 104  
 Content MathML 566  
 content networks 51  
 content of a document 38  
 content page in ASP.NET 793  
**content-box** 186  
 context node (XPath) 578  
 context object of a `canvas` 479  
**continue** statement 298, 299, 305  
**continue** statement in a `for` statement 299, 300  
 contract of a WCF service 823  
 control statement 284  
 control structure 248  
 control variable 286  
 controller logic 49, 642, 744, 883  
 controlling expression of a `switch` 295  
**Controls**

- BindingNavigator** 682
- Button** 761, 901
- DataGridView** 677
- DropDownList** 760, 900
- HyperLink** 760, 900
- Image** 758, 898
- LinqDataSource** 780, 920
- RadioButtonList** 761, 900
- RegularExpressionValidator** 765, 905
- RequiredFieldValidator** 764, 765, 904, 905
- ScriptManager** 813
- TabContainer** 813
- ToolkitScriptManager** 813
- ValidatorCalloutExtender** 815

**controls** attribute of the `video` element 337  
 control-statement nesting 250  
 control-statement stacking 250  
**ControlToValidate** property of an ASP.NET validation control 765, 904, 905  
 convert to an integer 231  
 converting strings to all uppercase or lowercase letters 395  
**cookie** 410, 723, 768, 769, 908, 909
 

- deletion 769, 909
- expiration 769, 909
- expiration date 769, 909
- header 769, 909

**\$\_COOKIE** superglobal 714, 725, 726  
 coordinate system 477  
 Coordinated Universal Time (UTC) 403, 408  
 coordinates (0, 0) 478  
 coordinates of mouse cursor inside client area 461  
**&copy;**; entity reference 83  
**cos** method 394

cosine 394  
 count downward 288  
 Count extension method of interface  
*IEnumerable<T>* **673**  
 count function **706**  
 Count property of class  
*HttpSessionState* **774, 776, 916**  
 Count property of *HttpSessionState*  
 class **914**  
 counter **257**  
 counter-controlled repetition **257, 257,**  
 265, 266, 284, 285, 286, 298  
 with the *for* statement 286  
*Courier* font 142  
*Craigslist* ([www.craigslist.org](http://www.craigslist.org)) 44,  
 52  
 craps 328  
 Craps game simulation 328  
 create 518  
 create properties on an *Object* 518  
*createElement* method 591  
*createElement* method (XML DOM)  
 591  
*createElement* method of the  
 document object **437, 460, 619**  
*createLinearGradient* method of  
 canvas **489**  
*createPattern* method of canvas **499**  
*createRadialGradient* method of  
 canvas **491**  
*createTextNode* method (XML  
 DOM) 591  
*createTextNode* method of the  
 document object **437, 451**  
 Creating a WCF Service in Visual Web  
 Developer 827  
*Critter* font 142  
 cross-site scripting (XSS) **610**  
 Crossword exercise 541  
 crossword puzzle generator 426  
 CSS (Cascading Style Sheets) 50, 604  
 attribute 753, 892  
 border-collapse property **290**  
 class 753, 892  
 comment **147**  
 drop-down menu 162  
 property **139**  
 rule **141**  
 selector **141**  
 CSS3 (Cascading Style Sheets 3) **39, 70,**  
**72, 138**  
 CSS3 (Cascading Style Sheets 3) 39  
 CSS3 attribute selector 414  
 CSS3 selectors  
*:first-child* **414**  
*:nth-child* **414**  
*Ctrl* key 461  
*ctrlKey* property of an *event* object  
**461, 461**  
 curly brace *{}* 142  
*cursive* font 142  
 cursor **224**

**D**

dangling-else problem **254**  
 dashed value (*border-style* property)  
 157  
 data **220**

data binding **677**  
 data cells **88**  
 data hierarchy **55**  
 data method of a *Text* node 592  
 data source 667  
**Data Source Configuration Wizard**  
 680  
**Data Sources** window **681**  
 data tier 48, 642  
 database **57, 70, 650, 655**  
 add to a project 678  
 connection **678**  
 handle **720**  
 PHP 719  
 saving changes in LINQ to SQL 684  
 schema 676  
 table **650**  
**Database Explorer** window **678**  
 database management system (DBMS)  
**650**  
*.DataBind* method of *GridView* **784,**  
**924**  
*DataContext* class **676, 680**  
*SubmitChanges* method **676, 684**  
*DataContract* attribute **838**  
*DataContractJsonSerializer* class  
**839**  
*DataGridView* class **677**  
*datalist* element **122**  
*DataMember* attribute **838, 861**  
*DataSource* property  
*BindingSource* class **684**  
*data-type* attribute (XPath) **578**  
 date and time control 114  
 date and time manipulations 403  
 date control 114  
*date input* type **114**  
 date manipulation 311  
*Date* object **235, 403, 408, 423**  
*Date* object methods 403  
*Date* object's *get* methods for the local  
 time zone 405  
*Date* object's *set* methods for the local  
 time zone 407  
*Date.parse* **407, 408**  
*Date.UTC* **407, 408**  
*datetime* *input* type **114**  
*DateTime* structure  
*Now* property **756, 896**  
*datetime-local* *input* type **114**  
*dblclick* event 473  
 debug a web application in Visual Web  
 Developer **755, 895**  
 decimal digit **56**  
 decision making 293  
 decision symbol **249, 250**  
 declaration **225, 226**  
 declaration block **194**  
 declarative programming **667**  
 declare variables in the parameter list of a  
 function 314  
 decoration **145**  
 decreasing order of precedence 238  
 decrement 284  
 decrement operator *(--)* **271**  
 dedicated communications line 43  
 deep indentation 253  
 default action for an event 470  
 default case in a *switch* statement  
**295, 327**  
 default namespace **555**  
 default namespaces demonstration 555  
 default string to display a text field 227  
 deferred execution **675**  
*define* function **702**  
 definite repetition **257**  
*del* element **83**  
**DELETE** SQL statement **655, 663**  
 delimiter **401**  
 delimiter string **402**  
 Dell 35  
*&delta;* entity reference (MathML) 569  
 descendant elements **143**  
 descendant node **579**  
 descending modifier of a LINQ  
*orderby* clause **668**  
 descending sort (DESC) 658, 659  
 destructive read in 232  
*details* element **128, 133**  
*device-aspect-ratio* media feature  
**162**  
*device-height* media feature **162**  
*device-width* media feature **162**  
 dialog **223**  
 dialog boxes **223**  
 diamond symbol **249, 250, 251, 256, 288**  
 dictionary 775, 915  
*die* function **719, 720**  
 differences between preincrementing and  
 postincrementing 272  
 digit 395  
 Digital Clock exercise 539  
 digital divide 36  
*disabled* property of an *input* element  
**334**  
 disabling event bubbling 470, 472  
 disc (bullet for unordered lists) 83, 84  
 disk 35  
 dismiss (or hide) a dialog **223**  
*display* CSS property  
*inline-block* value **414**  
*display* property **162, 164**  
*Display* property of an ASP.NET  
 validation control **765, 905**  
 displaying the cookie's contents 726  
 displaying the *MailingList* database  
**733**  
*Distinct* extension method of interface  
*IEnumerable<T>* **673**  
 distributed computing 823  
*div* element **152**  
 divide and conquer **311, 317**  
 division 233  
 division by zero **262**  
 division operator *(/)* **232**  
 DNS (Domain Name System) server **45,**  
**639, 742, 881**  
*do...while* repetition statement 249,  
**296, 297, 298**  
 flowchart 298  
 Dock property of class *Control* **682**  
*DOCTYPE* element **71**  
*DOCTYPE* parts 551  
 document **38, 409**  
 content 38  
 structure 38

- DOCUMENT (representing a Web Form in the Visual Web Developer **Properties** window) 751
- Document** object 590
- document object 220, 230, 322
- anchors collection 441
  - appendChild method 619
  - body property 444
  - createElement method 437, 460, 619
  - createTextNode method 437, 451
  - forms collection 441
  - getElementsById method 322, 428, 436, 614
  - getElementsByName method 619
  - images collection 441
  - links collection 441, 442
  - setAttribute method 619
  - write method 221
- document object methods and properties 410
- Document Object Model (DOM) 220, 428, 604
- innerHTML property 614
  - tree 579
- DOCUMENT property of a Web Form 890
- document root 574
- document type declaration 71
- Document Type Definition (DTD) 546, 551, 556
- for a business letter 556
- document.writeln method 272
- Dojo Ajax library 604
- dollar amount 292
- dollar sign (\$) 226
- dollar-sign metacharacter 712
- DOM (Document Object Model) 604
- tree 579
- DOM API (Application Programming Interface) 580
- DOM collection
- item method 443
  - length property 442
  - namedItem method 443
- DOM element
- getAttribute method 436
  - setAttribute method 323, 436
- DOM node 428
- addEventListener method 322, 322, 456
  - appendChild method 438
  - firstChild property 589
  - innerHTML property 327, 335
  - insertBefore method 438
  - lastChild property 590
  - nextSibling property 589
  - nodeName property 589
  - nodeType property 589
  - nodeValue property 589
  - parentNode property 438, 590
  - removeChild method 439, 451
  - removeEventListener method 457
  - replaceChild method 439
- DOM parser 579
- DOM tree 428
- domain name system (DNS) server 45, 639, 742, 881
- dot (.) for accessing object properties and methods 393
- dotted value (**border-style** property) 157
- double click 473
- double data type 699
- double equals 234
- double quotation mark ("") 219, 224, 552
- double-selection structure 249, 267
- double value (**border-style** property) 157
- Dougherty, Dale 50
- downloadable fonts 198
- downloading 45
- DownloadStringCompletedEventArgs class 837
- draw text on a canvas 506
- drawImage method of canvas 493
- DropDownList ASP.NET web control 760, 900
- DTD (Document Type Definition) 546, 551
- .dtd filename extension 551
- DTD repository 556
- dummy value 260
- Dynamic Audio and Graphical Kaleidoscope exercise 540
- dynamic form using PHP 727
- dynamic style 443, 444
- dynamic web pages 224
- E**
- Eastern Standard Time 408
- eBay 35
- EBNF (Extended Backus-Naur Form) grammar 556
- Eclipse Foundation 58
- ECMA International 39, 218
- ECMAScript 39, 218
- ECMAScript standard ([www.ecma-international.org/publications/standards/ECMA-262.htm](http://www.ecma-international.org/publications/standards/ECMA-262.htm)) 218
- electronic mail 43
- element (XML) 545
- Element dimensions and text alignment 154
- ELEMENT element type declaration (DTD) 557
- element gains the focus 465
- element loses focus 465
- element name restrictions (XML) 548
- Element object 590
- element of chance 318
- element type declaration 557
- element XML Schema element 562
- Elements
- audio 311, 333
  - source 333, 337
  - video 311, 336, 337
- elements 72
- elements of an array 357, 706
- em (M-height of font) 146, 167
- em element 142
- em measurement for text size 167
- emacs text editor 70
- e-mail 37, 76
- e-mail anchor 76
- email input type 115
- embedded style sheet 140, 141, 142
- embedded system 58
- Employee class with FirstName, LastName and MonthlySalary properties 670
- employee identification number 56
- empty array 361
- empty body 220
- empty element 552
- EMPTY keyword (DTD) 558
- empty statement 238, 255
- empty string 303, 305, 395, 398
- [en.wikipedia.org/wiki/EBNF](http://en.wikipedia.org/wiki/EBNF) 557
- Enable Paging setting for an ASP.NET GridView 808
- Enable Sorting setting for an ASP.NET GridView 808
- encapsulation 63
- end of a script 220
- “end of data entry” 260
- end tag 72, 545
- ended event of an audio element 335
- Edit method of class
- BindingSource 684
- ending angle 482
- ending index 402
- endpoint (of a WCF service) 823, 872
- endpointBehaviors element in web.config 834
- Englishlike abbreviations 59
- entity
- & 558
  - > 558
  - < 558
- entity reference (MathML) 569
- entity reference &InvisibleTimes; in MathML 568
- entity-relationship diagram 654
- \$\_ENV superglobal 714
- environment variable 714
- equal priority 233
- equality and relational operators 235
- equality operator 300, 301, 305
- equality operators 234, 709
- equality operators and Strings 395
- equals equals 234
- Eratosthenes 390
- e-reader device 59
- error 404 76
- error message 221
- Error property of DownloadStringCompletedEventArgs 837
- ErrorMessage property of an ASP.NET validation control 765, 904, 905
- escape character 224, 662
- escape sequence 224, 719
- EST for Eastern Standard Time 408
- evaluate method of a Firefox 2 XML document object 595
- event 322
- event bubbling 461, 470, 472
- event-driven programming 322
- event handler 322, 456
- event handling 321
- event model 455
- event object 457, 460
- altKey property 461

event object (cont.)  
 cancelBubble property 461, 470  
 clientX property 461  
 clientY property 461  
 ctrlKey property 461  
 keyCode property 461  
 screenX property 461  
 screenY property 461  
 shiftKey property 461  
 target property (FF) 461, 465  
 type property 461  
 events  
 abort 473  
 blur 465  
 change 473  
 click 473  
 dblclick 473  
 focus 465, 473  
 inline model 457  
 keydown 473  
 keypress 473  
 load 455  
 load 473  
 mousedown 473  
 mousemove 457, 460, 473  
 mouseout 461, 473, 609  
 mouseover 461, 465, 473, 609  
 mouseup 473  
 onkeyup 473  
 reset 468, 473  
 resize 473  
 select 473  
 submit 468  
 traditional model 457  
 unload 473  
 ex ("x-height" of the font) 146  
 ex value 284  
 exception 613  
 exception handler 613  
 exception handling 613  
 exp method 394  
 expiration date of a cookie 769, 909  
 exponentiation 233  
 expression marked up with MathML and displayed in the Amaya browser 567  
 extend an XML Schema data type 565  
 Extended Backus-Naur Form (EBNF) grammar 556  
 extender 815  
 eXtensible Business Reporting Language (XBRL) 566  
 eXtensible HyperText Markup Language (XHTML) 39, 742, 881  
 eXtensible Hypertext Markup Language (XHTML) 545  
 eXtensible Markup Language (XML) 50, 829  
 eXtensible Stylesheet Language (XSL) 547, 555, 570  
 eXtensible User Interface Language (XUL) 566, 570  
 extension 50, 643  
 extension element  
 base attribute 565  
 extension method 673  
 extension XML Schema element 565  
 external DTD 551  
 external style sheet 146, 146

**F**  
 Facebook 35, 44, 51, 54, 58, 61  
 Factorial 343  
 Fahrenheit temperature 353  
 false 234  
**false 250**  
 fantasy fonts 142  
 fatal logic error 255  
**Favorite Twitter Searches** app 411, 413  
**FBLM** (Flexible Box Layout Module) 200  
**field 56**  
 field of a class 56  
 47 puzzle 452  
**figcaption element 128**  
**figure element 128**  
**file 56**  
 file transfer protocol (FTP) 37  
**fill** method of canvas 499  
**fillRect** method of canvas 479, 492  
**fillStyle** attribute of canvas 479, 492, 506  
**fillText** method of canvas 507  
 filter a collection using LINQ 667  
 final value of the control variable 284, 286, 288  
 Firefox  
 DOM Inspector add-on 428  
**firewall 823**  
 Fireworks Designer exercise 541  
**:first-child** CSS3 selector 414  
**First** extension method of interface I Enumerable<T> 673  
 first program in JavaScript 219  
 first refinement 261  
**firstChild** property of a DOM node 589  
**firstChild** property of a Node 590  
**#FIXED keyword (DTD)** 557  
**Fixedsys** font 142  
**flag value 260**  
 Flexible Box Layout Module (FBLM) 200  
 Flickr 44  
**float** property 157  
 Floating elements 158  
 floating-point number 260  
**floor** 394, 421  
**floor** method of the Math object 318, 327  
 Floor Planner exercise 541  
 flow text around div element 157  
 flowchart 248, 298  
 flowcharting JavaScript's sequence statement 248  
 flowcharting the do...while repetition statement 298  
 flowcharting the double-selection if...else statement 252  
 flowcharting the for repetition statement 288  
 flowcharting the single-selection if statement 251  
 flowcharting the while repetition statement 256  
 flowlines 248  
 focus 115, 465  
 focus event 465, 473  
**font** attribute of canvas 506  
**font-family** property 142  
 font manipulation 479  
**font-size** property 139, 142, 284  
**font-style** property 154  
**font-weight** property 142  
**@font-face** rule 198, 200  
**footer** element 130  
 for repetition statement 249, 285, 287  
 for repetition statement flowchart 288  
 for statement 706  
 for statement header 286  
 for...in repetition statement 249, 366, 366, 382, 383  
**foreach** statement 709  
 foreign key 653, 655  
 form 90, 321  
**form** element 92  
 action attribute 92  
 option element 97  
 form field 465  
 form GUI component 227  
 form handler 92  
 Form including radio buttons and a dropdown list 122  
 form resets 473  
 form to query a MySQL database 719  
 form validation 718  
 formatting percentages 327  
**formnovalidate** attribute 114  
 forms 70  
 forms authentication 794  
 forms collection of the document object 441  
 forward slash character (/) 79  
 forward slash character (/) in end tags 545, 574  
 Foursquare 35, 44, 54, 61  
**&frac14;** entity reference 83  
 fractional parts of dollars 292  
 frame-by-frame animation 521  
 from clause of a LINQ query 667  
 FROM SQL clause 655  
 fromCharCode method of the String object 396, 397, 398  
 FTP (file transfer protocol) 37  
 function 230, 311  
 function (or local) scope 338  
 function body 315  
 function call 312, 313  
 function-call operator 313  
 function parameter 314  
 function parseInt 230  
 futura 142  
  
**G**  
 G.I.M.P. 77  
 gambling casino 318  
 game of craps 328, 336  
 Game of Pool exercise 541  
 game playing 318  
 game programming 38  
 games  
*Call of Duty 2: games Modern Warfare* 38  
*Farmville* 38  
*Mafia Wars* 38  
 social gaming 38  
 Garrett, Jesse James 609

gathering data to be written as a cookie 724  
 GDI+ coordinate system 478  
 generating LINQ to SQL classes 679  
 Generating Mazes Randomly exercise 541  
 generic font family 142  
*georgia* font 142  
 Geography Markup Language (GML) 570  
*georgia* font 142  
 GET HTTP request 46, 640  
 GET method of the XMLHttpRequest object 615  
 get request (HTTP) 833  
 get request type 92  
`$_GET` superglobal 714, 717  
 getAllResponseHeaders method of the XMLHttpRequest object 615  
 getAttribute method of a DOM element 436  
 getAttribute method of an Element 591  
 getAttributeNode method of an Element 591  
 getDate method of the Date object 403  
 getDay method of the Date object 403  
 getDocumentElement method 591  
 getElementById method of the document object 322, 428, 436, 479, 589, 614  
 getElementsByTagName method of the document object 591, 619  
 getFullYear method of the Date object 403, 405  
 getHours method of the Date object 403  
 getImageData method of canvas 498  
 getItem method of the localStorage object 414  
 getItem method of the sessionStorage object 414  
 getMilliseconds method of the Date object 403  
 getMinutes method of the Date object 403  
 getMonth method of the Date object 403  
 getResponseHeader method of the XMLHttpRequest object 615  
 gets 234  
 gets the value of 234  
 getSeconds method of the Date object 403  
 getTime method of the Date object 404  
 getTimeZone method of the Date object 405  
 getTimezoneOffset method of the Date object 404  
 gettype function 701  
 getUTCDate method of the Date object 403  
 getUTCDay method of the Date object 403  
 getUTCFullYear method of the Date object 403  
 getUTCHours method of the Date object 403  
 getUTCMilliseconds method of the Date object 403  
 getUTCMinutes method of the Date object 403  
 getUTCMonth method of the Date object 403  
 getUTCSeconds method of the Date object 403  
 global functions 340  
 Global object 341  
 Global Positioning System (GPS) 37  
 global scope 338  
 global variable 338  
`globalAlpha` attribute of canvas 509  
`globalCompositeOperation` attribute of canvas 511  
`$GLOBALS` superglobal 714  
 GML (Geography Markup Language) 570  
 GML website ([www.opengis.org](http://www.opengis.org)) 570  
 GMT (Greenwich Mean Time) 403, 408  
 Good Programming Practices overview xxvi  
 Google 35, 51, 51, 52  
     Goggles 52  
     Maps 52  
     TV 38  
 Google web fonts 199  
 Gosling, James 60  
 goto elimination 248  
 goto statement 248  
 GPS (Global Positioning System) 37  
 gradient 180  
     direction 182  
     gradient-line 182  
     linear 180  
     radial 183  
 gradient line 180  
 gradient-line 182  
 graphical representation of an algorithm 248  
 Graphical User Interface (GUI) 58  
 grayscale 495  
 Greenwich Mean Time (GMT) 403, 408  
 GridView ASP.NET data control 777, 917  
 GridView class  
     DataBind method 784, 924  
 groove value (border-style property) 157  
 GROUP BY 655  
 grouping element 152  
 Groupon 35, 44, 54  
 Guestbook Application Modification exercise 789, 929  
 guestbook on a website 777, 917  
 GUI (Grahical User Interface) 58  
 GUI component 227

## H

h1-h6 heading elements 73  
 handheld media type 159  
 handle an event in a child element 470  
 hardware 59  
 <head> tag 219  
 head element 72, 141  
 head section 72  
 header cell 88  
 header element 128  
 heading element 297

heading elements 73  
 height attribute of `img` element 78  
 height media feature 162  
 height property 155  
 Hewlett Packard 35  
 hex 83  
 hexadecimal 341  
 hexadecimal code 112  
 hexadecimal value 83  
 hidden input 93  
 hidden value (border-style property) 157  
 hide global variable names 338  
 hiding of implementation details 312  
 hierarchy 548  
 high-level language 59  
 high-precision floating-point value 260  
 horizontal coordinate 478  
 horizontal positioning 153  
 horizontal rule 83, 83  
 horizontal tab 224  
 Horse Race exercise 541  
 host 45, 639, 742, 881  
 hostname 45, 639, 742, 881  
 hours since midnight 403  
 HousingMaps.com  
     ([www.housingmaps.com](http://www.housingmaps.com)) 52  
 hover pseudo-class 146, 162  
 hovering 464  
 <hr> element (horizontal rule) 83  
 href attribute of a element 75, 99  
 href property of an a node 443  
 HSL (hue, saturation and lightness) 178  
 HSL (hue, saturation, lightness, alpha) 178  
 .htm (HTML5 filename extension) 70  
 .html (HTML5 filename extension) 70  
 HTML (HyperText Markup Language) 44, 45, 638, 742, 881  
 HTML (Hypertext Markup Language) 50  
     colors 462  
     comment 71  
     comment delimiters 71  
     documents 70  
     form 90, 321  
 html element 72  
 HTML5 70, 109  
 HTML5 Elements  
     audio 311, 333  
     audio element 516  
     input types 109  
     source 333, 337  
     video 311, 336, 337  
 HTML5 Test 39  
 HTTP (HyperText Transfer Protocol) 44, 45, 638, 639, 742, 768, 881, 908  
     being used with firewalls 823  
     header 47, 640  
     method 46, 640  
     request type 47, 47, 641, 833  
 http:// 44  
<http://www.w3.org/2001/XMLSchema> (XML Schema URI) 561  
 HTTPS (HyperText Transfer Protocol Secure) 44  
 https:// 44  
 HttpSessionState class 769, 774, 775, 776, 909, 914, 915, 916

**H**

`HttpSessionState` class (cont.)  
     Add method 775, 915  
     Count property 774  
     Counts property 914  
     `IsNewSession` property 774, 914  
     Keys property 774, 776, 914, 916  
     `SessionID` property 774, 914  
     Timeout property 774, 914  
 hue 178  
 Human Genome Project 36  
 hyperlink 45, 74  
 HyperLink ASP.NET web control 760, 900  
 HyperText Markup Language (HTML) 44, 45, 638, 742, 881  
 HyperText Transfer Protocol (HTTP) 44, 45, 47, 638, 639, 641, 742, 768, 833, 881, 908  
 HyperText Transfer Protocol Secure (HTTPS) 44

**I**

IBM 35  
`id` attribute 152  
`id` CSS selector 142  
 identifier 226  
 identifier element (MathML) 568  
`IEnumerable<T>` interface 676  
`IEnumerable<T>` interface 669  
     Any extension method 673  
     Count extension method 673  
     `Distinct` extension method 673  
     First extension method 673  
 if selection statement 249, 250, 251, 254  
 if single-selection statement 234, 293  
 if...else double-selection statement 249, 251, 270, 293  
 IIS Express  
     install 646  
 IIS Express (Internet Information Services Express) 638  
 Image ASP.NET web control 758, 898  
 image format 77  
 image hyperlink 80  
 image manipulation in canvas 495  
 Image object 464  
     `src` property 465  
 images collection of the document object 441  
 images in Web pages 77  
`ImageUrl` property of an Image web control 758, 898  
`img` element 78, 79, 80, 150  
     `alt` attribute 79  
     height attribute 78  
     `src` attribute 323  
 imperative programming 667  
 implicit conversions  
     prevent 238  
 implicitly typed local variable 667, 669, 674  
 #IMPLIED keyword (DTD) 557  
 in (inches) 146  
 increment 284  
 increment control variable 284, 288  
 increment expression 287  
 increment operator (++) 271

indefinite repetition 261  
 indent statement in body of if statement 237  
 index 395  
 index in an array 357  
 index value 722  
`index.html` 76  
`indexOf` method of an `Array` object 376  
`indexOf` method of the `String` object 396, 398, 398, 399, 422  
 indices for the characters in a string 397  
 infer a local variable's type 667  
 infinite loop 256, 266, 298  
 infinity symbol 655  
 information hiding 63  
 information tier 48, 642, 743, 882  
 inherit a style 143  
 inheritance 63  
 Inheritance in style sheets 144  
 Init event of a Web Form 755, 894  
 Init event of an ASP.NET web page 756, 896  
 initial value 284  
 initial value of control variable 284, 288  
 initialization 287  
 initialization phase 262  
 initialize 259  
 initializer list 362  
 initializer method for an object 405  
 Initializing the elements of an array 364  
 Inkscape 77  
 inline-level element 152  
 inline model (events) 457  
 inline scripting 219  
 inline style 138, 142  
 inline styles override any other styles 138  
`inline-block` 462  
`inline-block` value for the `display` CSS property 414  
 inner for statement 382  
 INNER JOIN SQL clause 655, 660  
`innerHTML` property (DOM) 614  
`innerHTML` property of a DOM node 327, 335  
 input element 92, 112, 377  
     button 321  
     disabled property 334  
     `maxlength` attribute 93  
     name attribute 93  
     radio type 96  
 input type  
     `autocomplete` element 119  
     date 114  
     `datetime` 114  
     `datetime-local` 114  
     default para font> 117  
     email 115  
     month 116  
     number 116  
     search 117  
     tel 118  
     time 118  
     url 119  
     week 119  
 INSERT SQL statement 655, 661  
`insertBefore` method of a DOM node 438  
`insertBefore` method of a Node 590

inset value (`border-style` property) 157  
 install IIS Express 646  
 install WebMatrix 646  
 instance 62  
 instance variable 63  
`InstanceContextMode` property of `ServiceBehavior` attribute 842  
 instant message 37  
 &`int`; entity reference (MathML) 569  
 integer 699  
 integers 228  
 integral symbol (MathML) 568  
 Intel 35  
 IntelliSense 667, 676, 692  
 interaction between a web service client and a web service 830  
 interest rate 290  
 interface 650  
 Interface Builder 58  
 Interfaces  
     `IEnumerable` 676  
     `IEnumerable<T>` 669  
     `IQueryable` 676  
 internal hyperlink 99  
 internal linking 70, 97  
 internal pointer 708  
 Internet 42, 43  
 Internet Explorer browser 183  
 Internet Information Services (IIS) 45, 881  
 Internet Information Services Express (IIS Express) 638, 646  
 Internet Protocol (IP) 43  
 Internet Server Application Program Interface (ISAPI) 50, 643  
 Internet telephony 44  
 Internet TV 38  
 interpolation 699, 712  
 interpret 219  
 interpret `<body>` 228  
 interpret `<head>` 228  
 interpreter 60  
 interval timer 519  
 invoked 312  
 inward offset 190  
 iOS 57  
 IP (Internet Protocol) 43  
 IP address 43, 45, 639, 742, 881  
 iPhone 52, 55  
 iPod Touch 59, 65  
 IPv6 43  
 IQueryable interface 676  
 ISAPI (Internet Server Application Program Interface) 50, 643  
`isFinite` function 336, 341  
`isNaN` 409  
`isNaN` function 341  
`IsNewSession` property of class `HttpSessionState` 774, 914  
`IsPostBack` property of class `Page` 767, 907  
`isSet` function 727, 727  
`IsValid` property of class `Page` 767, 907  
 italic value (`font-style` property) 154  
 item method of a DOM collection 443  
 item method of a NodeList 591  
 iterating through the array's elements 362

iteration of the loop 284, 286  
iteration through an array **708**  
iterative solution **342**  
iTunes 38

**J**

Java DB **688**  
Java programming language 59, 60, 67, **70**  
Java Script Object Notation (JSON) **417**  
JavaScript 34, 39, 49, 60, 61, 72, 604, **643**, 761, 901  
events **455**  
interpreter **218**  
keywords 249  
libraries 34, 40  
link to a document 359  
Object **518**  
sever side 39  
JavaScript library  
  jQuery 40  
JavaScript Object Notation (JSON) **619**, **824**  
JavaScript reserved words 249  
JavaScript scripting language **218**  
JavaServer Faces (JSF) 605  
Jaxer 39  
Jobs, Steve 58  
join method of an Array object **373**  
joining database tables **653**, 660  
JPEG (Joint Photographic Experts Group) 77  
jQuery 34  
jQuery JavaScript Library 40  
.js file name extension **359**  
JSON (JavaScript Object Notation) **619**, **824**  
JSON serialization **839**

**K**

kernel **57**  
key function **708**  
key method of the localStorage object **414**  
key method of the sessionStorage object **414**  
key-value pair 410, **775**, **915**  
keyCode property of an event object 461  
keydown event 473  
@keyframes rule **193**, **194**, 197  
keypress event 473  
Keys property of HttpSessionState class **774**, **776**, 914, **916**  
keyup event 473  
keyword **225**, **249**  
Keywords  
  catch **613**  
  Partial **895**  
  partial **756**  
  try **613**  
  var **667**  
keywords 249  
keywords in PHP 704

**L**

Language Integrated Query (LINQ) **667**  
large relative font size 142  
larger 394  
larger relative font size 142  
lastChild property of a DOM node **590**  
lastChild property of a Node **590**  
lastIndexOf method of an ArrayObject **376**  
lastIndexOf method of the String object **396**, **398**, 400, 422  
LaTeX software package 566  
layer overlapping elements 150  
left margin 150, 153  
left value (`text-align` property) 155  
left-hand-side expression **273**  
legacy code 83  
length method of a Text node 592  
length property of a DOM collection **442**  
length property of a NodeList **591**  
length property of an Array **357**  
length property of an Array object **357**, 361, 366  
length property of the localStorage object **414**  
length property of the sessionStorage object **414**  
Lerdorf, Rasmus (PHP creator) 697  
let clause of a LINQ query **675**  
letter 56, 395  
letters 226  
li (list item) element **83**  
library  
  JavaScript 40  
lighter value (`font-weight` property) 142  
lightness 178  
lightweight business models 53  
LIKE operator (SQL) **657**  
LIKE SQL clause 658, 659  
limericks 422  
line break **89**  
linear gradient **180**  
  color-stop **180**  
  gradient-line **182**  
lineCap attribute of canvas **481**  
lineJoin attribute in canvas **480**  
line-through value (`text-decoration`) 145  
lineTo method of canvas **480**  
lineWidth attribute in canvas **480**  
lineWidth attribute of canvas **479**  
link a script to a document 359  
link element **147**  
linking external style sheets 146, 147  
links **74**  
links collection of the document object **441**, 442  
LINQ (Language Integrated Query) **667**  
  anonymous type **673**  
  ascending modifier **668**  
  deferred execution **675**  
  descending modifier **668**  
  from clause **667**  
  let clause **675**  
  LINQ to Objects **667**  
  orderby clause **668**  
LINQ (Language Integrated Query) (cont.)  
  query expression **667**  
  range variable **667**  
  select clause **668**  
  where clause **668**  
LINQ to Objects **667**  
  using a `List<T>` **674**  
  using an array of Employee objects **670**  
LINQ to SQL  
  data binding **677**  
  DataContext class **676**, **680**  
  Designer **676**  
  generating classes 679  
  Object data source **680**  
  saving changes back to a database **684**  
LINQ to SQL classes  
  generating **679**  
LinqDataSource ASP.NET data control **780**, **920**  
Linux 39, 57, 644  
Linux operating system 57, **58**  
list 295  
list item **83**  
List(Of T) class 846  
ListDictionary class **783**, **924**  
listen for events **322**  
list-style-type CSS property **295**  
literal characters **712**  
Load event 766  
load event **322**, 455, 473  
Load event of an ASP.NET web page **766**, **906**  
local **338**  
local time zone method **403**  
local variable **317**, 340  
local variable names 338  
local web servers **643**  
localhost **643**  
localStorage object  
  clear method 416  
  getItem method **414**  
  key method **414**  
  length property **414**  
  removeItem method **417**  
  setItem method **414**, 417  
localStorage property of the window object **410**, 413, 414  
location in memory 225, **231**  
location-based services 51  
log 394  
Log property of a data context 686  
LOG10E 394  
logarithm 394  
logic error 230, 232, **255**, 262  
logical AND (&&) operator **300**, 301, 302  
logical negation (!) operator **300**, 302, **305**  
logical NOT (!) operator **300**  
logical operator **300**, 301, 303, 305  
logical OR (||) operator **300**, 301, 302, **305**  
login (ASP.NET) 784, 924  
loop **255**  
loop-continuation condition 284, 287, 288, 296, 298, 304  
loop-continuation test 297, 299, 305  
loop counter 284

loopback address 643  
 loosely typed 699  
 loosely typed language 232  
 loose focus 473  
 lowercase letter 56, 221, 226  
 &lt;; special character 81, 83  
 lvalue 273

## M

**m**-by-*n* array 379  
 Mac OS X 57, 59, 644  
 machine language 59  
 Macintosh 58  
**mailto:** URL 76  
 manual frame-by-frame animation 521  
 many-to-many relationship 655  
 margin 155  
 margin property (block-level elements) 159  
 margin-bottom property 159  
 margin-left property 159  
 margin-right property 159  
 margins for individual sides of an element 159  
 margin-top property 159  
**mark** element 130  
 markup in XML 544, 547  
 markup language 38, 70  
 mashups 52  
 master page in ASP.NET 793  
 master pages 784, 924  
**match** attribute 574  
 Math method round 421  
 Math object 303, 305, 393, 393  
     floor method 318, 327  
     max method 317  
     pow method 311  
     random method 318, 327  
 Math object methods 393  
 Math tutor using  
     EquationGeneratorServiceXML  
         to create equations 863  
**Math.E** 394  
**Math.LN10** 394  
**Math.LN2** 394  
**Math.LOG10E** 394  
**Math.LOG2E** 394  
**Math.PI** 394, 483  
**Math.random** 389  
**Math.sqrt** 393  
**Math.SQRT1\_2** 394  
**Math.SQRT2** 394  
 mathematical calculation 311, 393  
 mathematical constant 393  
 Mathematical Markup Language (MathML) 566  
 MathML 545, 566  
     .mml filename extension 567  
     &delta;; entity reference 569  
     &int;; entity reference 569  
     entity reference 569  
     entity reference &Invisible-Times; 568  
     identifier element 568  
     integral symbol 568  
     &frac element 568  
     mi element 568  
     mn element 567

MathML (cont.)  
     mo element 567  
     mrow element 569  
     msqrt element 569  
     msubsup element 569  
     msup element 568  
     square-root symbol 568  
     symbolic representation 568  
 Matsumoto, Yukihiko "Matz" 61  
**max** 394  
**max** attribute 116, 117  
**max** method of the Math object 317  
**max-device-width** 206  
**maximum** function 315, 317  
**maxlength** attribute of input element 93  
**maxOccurs** XML Schema attribute 563  
 Maze Generator and Walker exercise 540  
 Maze Traversal Using Recursive Backtracking exercise 540  
 Mazes of Any Size exercise 541  
 mean (average) 234  
 media feature 162  
 media query 162, 205  
     @media-rule 206  
 @media rule 206  
 @media screen rule 200  
 media type 159, 160, 162, 171  
 medium relative font size 142  
 medium value 157  
 membership capabilities (ASP.NET) 793  
 memory 35  
 merge records from tables 660  
 message dialog 321  
 message window 45  
 meta 70  
**meta** element 99, 101  
     content attribute 99, 100, 104  
         name attribute 99  
 metacharacters 712  
**meter** element 129  
 method 62, 220, 230, 311, 341  
 method = "get" 92  
 method = "post" 92, 717  
 method attribute 92  
 method call 63  
 method prompt 230  
 method UTC 408  
 method writeln 230  
 metric conversion program 425  
**mfrc** MathML element 568  
**mi** MathML element 568  
 microblogging 44, 54  
 Microsoft 35  
     Image Cup 67  
 Microsoft Bing 51  
 middle tier 48, 642, 744, 883  
**MIME** (Multipurpose Internet Mail Extensions) 47, 141, 147, 170, 640, 769, 909  
 MIME types  
     audio/mpeg 333  
     audio/ogg 333  
     video/mp4 337  
     video/webm 337  
**min** attribute 116, 117  
**minInclusive** XML Schema element 565  
**minOccurs** XML Schema attribute 563

**miter** lineJoin of canvas 480, 482  
**mm** (millimeters) 146  
 .mml filename extension for MathML documents 567  
**mn** element 569  
**mn** MathML element 567  
**mo** MathML element 567  
 mobile check-in 44  
**module** 50, 311, 643  
 monetization 51  
**monospace** 142  
**month** input type 116  
 Moore's Law 35  
 Motorola 35  
 mouse button pressed down 473  
 mouse button released 473  
 mouse cursor 223, 223  
 mouse cursor over an element 146  
 mouse pointer 224  
 mousedown event 473  
 mousemove event 457, 460, 473  
 mouseout 465  
 mouseover event 461, 465, 473, 609  
 mouseup event 473  
**MoveFirst** method of class BindingSource 686  
**moveTo** method of canvas 480, 489  
 moving the mouse 455  
 Mozilla browser 183  
 Mozilla Foundation 58  
 Mozilla project 570  
**mrow** MathML element 569  
**msqrt** MathML element 569  
**msubsup** element 569  
**msubsup** MathML element 569  
**msup** MathML element 568  
 multicolumn layout 203  
 multidimensional array 379  
 multiline comment 226, 699  
 multiple background images 185  
 multiple conditions 300  
 multiple-selection structure 296  
 multiple-selection statement 249  
 multiplication assignment operator (\*=)  
     702  
 multiplication operator (\*) 232  
 Multipurpose Internet Mail Extensions (MIME) 47, 640, 769, 909  
     type 141, 147, 170  
 mult-tier application 48, 642, 743, 882  
 MySQL 664, 666, 697, 719  
     Community Edition 664  
     user account 665  
 MySQL reference manual 664  
**mysql\_close** function 722  
**mysql\_connect** function 720  
**mysql\_error** function 722  
**mysql\_fetch\_row** function 722  
**mysql\_num\_rows** function 722  
**mysql\_query** function 722  
**mysql\_real\_escape\_string** function 732  
**mysql\_select\_db** function 720

## N

*n*-tier application 48, 642, 743, 882  
 name attribute (XPath) 578

name attribute of `input` element 93  
 name attribute of `meta` element 99  
 name node-set function 578  
 name of a variable 231  
 name of an array 357  
 name of an attribute 72  
 name property of an `Attr` object 592  
 name XML Schema attribute 562  
 named constant 702  
`namedItem` method of a DOM collection 443  
 namespace 553  
`System.Linq` 667  
`System.Web.UI` 756, 895  
`System.Web.UI.WebControls` 756, 896  
 namespace prefix 553, 555, 565  
 naming collision 553  
`Nan` 341, 396, 398, 409  
`Nan` (not a number) 230, 260  
 natural logarithm 394  
`nav` element 128  
`NavigateUrl` property of a `HyperLink` control 761, 900  
 navigation bar on a website 802  
`&nbsp;`; entity reference 589  
 nested element 72, 548  
 nested for statement 383  
 nested `for...in` statement 382  
 nested `if` or `if...else` statement 300  
 nested `if` statement 237, 254  
 nested `if...else` statements 252  
 nested list 84, 146  
 .NET WCF web service client after web service reference has been added 830  
 network of networks 43  
`new Date` object 405  
`new` operator 235, 359, 362, 405  
 newline character (`\n`) 224  
`next` function 708  
 NeXT Inc. 58  
`nextSibling` property of a DOM node 589  
`nextSibling` property of a `Node` 590  
 NeXTSTEP operating system 58  
`no-repeat` property 153  
 node (DOM tree) 579  
`Node` object 590, 590  
`Node` object methods 590  
`node-set` function 578  
 node set of an `xs:1`  
     for-each element 574  
`Node.js` 39  
`NodeList` object 590, 591  
`NodeList` object methods 591  
`nodeName` property of a DOM node 589  
`nodeType` property of a `Node` 590  
`nodeType` property of a `Node` 590  
`nodeValue` property of a DOM node 589  
`nodeValue` property of a `Node` 590  
 nonbreaking space (`&nbsp;`) 589  
 non-validating XML parser 546  
`none` value (`border-style` property) 157  
`none` value (`font-style` property) 154  
 nonfatal logic error 255

`normal` value (`font-weight` property) 142  
 not a number (NaN) 230  
 not a number (NaN) 260  
 Notepad text editor 70  
`:nth-child` CSS3 selector 414  
`null` 227, 232  
`number` `input` type 116  
`Number` object 230, 292, 408  
     `toFixed` method 292  
`Number.MAX_VALUE` 409  
`Number.MIN_VALUE` 409  
`Number.NaN` 409  
`Number.NEGATIVE_INFINITY` 341, 409  
`Number.POSITIVE_INFINITY` 341, 409  
 numbered list 295  
 numeric character reference 83  
 Nutrition Information XML Document exercise 602  
 Nutrition Information XML Schema exercise 602  
 Nutrition Information XSL Style Sheet exercise 602

## O

O'Reilly Media 50  
`object` 61, 220, 341, 393  
`Object` (JavaScript) 518  
     create properties 518  
`object` (or instance) 63  
`Object` data source 680  
`object` hierarchy 428  
 object-oriented programming (OOP) 58, 60  
`Object Relational Designer` window 679  
 object wrappers 408  
 Objective-C 58  
 Objective-C programming language 60  
`oblique` value (`font-style` property) 154  
 obtaining user input through forms 717  
 occurrence indicator 557  
`octal` 341  
 Odersky, Martin 61  
 off-by-one error 286  
 offline access 410  
`offset` 187  
`OK` button 223  
`ol` element 84, 102  
`ON` clause 660  
 One-Armed Bandit exercise 541  
 One Laptop Per Child (OLPC) 36  
 one-to-many relationship 655  
`onLoad` attribute of an HTML5 element 457  
`onLoad` property of an HTML5 element 457  
`onMouseover` event 464  
`onReadyStateChange` property of the `XMLHttpRequest` object 614  
`opacity` 194  
 Open Handset Alliance 59  
`open` method of the `XMLHttpRequest` object 588, 615  
 open source 57, 59, 644, 664, 697  
 open source software 51, 53  
 open technology 544  
 OpenGIS Consortium 570  
 Opera browser 183  
 operand 228  
 operating system 57, 59  
`OperationContract` attribute 825, 827  
 operator precedence 233  
 operator precedence chart 705  
 operators  
     ! (logical NOT or logical negation)  
         operator 300  
     `==` 238  
     `&&` (logical AND) operator 300  
     `====` 238  
     `||` (logical OR) operator 300  
     conditional AND, `&&` 673  
     function-call operator 313  
     `new` 359  
 operators of equal priority 233  
`option` element (`form`) 97  
`order` attribute 578  
`ORDER BY` SQL clause 655, 658, 659  
 order in which actions are executed 247  
`orderby` clause of a LINQ query 668  
     ascending modifier 668  
     descending modifier 668  
 ordered list 84  
 ordering of records 655  
 orientation media feature 162  
 OS X 59  
`outset` value (`border-style` property) 157  
 oval symbol 248  
`overflow` 203  
 overflow boundaries 155  
`overflow` property 155  
`overline` value (`text-decoration`) 145

## P

`p` element 72  
`packet` 43  
 packet switching 43  
`padding` 155  
`padding-bottom` property 159  
 padding for individual sides of an element 159  
`padding-left` property 159  
 padding property (block-level elements) 159  
`padding-right` property 159  
`padding-top` property 159  
`Page` class 756, 767, 772, 895, 907, 912  
     `Session` property 772, 912  
`Page Hit Counter` exercise 789, 929  
`Page_Init` event handler 755, 756, 894, 896  
`Page_Init` event handler (ASP.NET) 895  
`Page_Load` event handler 766, 906  
 Page, Larry 51  
`PageSize` property of a `GridView` ASP.NET control 808  
 paragraph element 72  
`parent` 428  
`parent` element 143, 549

- parent node **579**  
 parent/child relationships between data **548**  
 parentheses **301**  
 parentheses in JavaScript **233**  
**parentNode** property of a DOM node **438, 590**  
**parentNode** property of a Node **590**  
**parse** **407, 408**  
 parsed character data **557**  
**parseFloat** function **260, 312, 317, 341**  
**parseInt** function **230, 260, 317, 341**  
 radix **231**  
**parser** **546**  
 partial class **756, 895**  
**Partial** modifier **895**  
**partial** modifier **756**  
 partial page update **606, 811**  
 pass-by-reference **371**  
 pass-by-value **371**  
 passing arrays **374**  
 Passing arrays and individual array elements to functions **374**  
**password** input **96**  
 paths in **canvas** **480**  
 pattern matching **657**  
 pattern of 33s and 32s **56**  
**pc** (picas—1 pc = 12 pt) **146**  
**#PCDATA** keyword (DTD) **557**  
**PDM** (Product Data Markup Language) **566, 566**  
**PerCall** setting of  
**InstanceContextMode** property **843**  
 percent (%) SQL wildcard character **657**  
 percent sign (%) remainder operator **232**  
 percentage **146**  
 formatting **327**  
 Perl-compatible regular expressions **710**  
**PerSession** setting of  
**InstanceContextMode** property **843**  
 persistent cookie **723**  
 personalization **768, 907**  
 Phone Book Web Service exercise **877**  
 Phone Book Web Service Modification exercise **877**  
 photo sharing **44**  
 Photoshop Express **77**  
 PHP **60, 61, 605**  
 PHP (PHP: Hypertext Preprocessor) **697**  
 .php extension **698**  
 PHP: Hypertext Preprocessor (PHP) **697**  
**PI** **394**  
**PI** (processing instruction) **572**  
 picture element (pixel) **146**  
 Pig Latin **422**  
 pixel **78**  
 place holder in an initializer list **362**  
**placeholder** attribute **115**  
**placeholder** text **115**  
 play method of an **audio** element **335**  
 plus sign (+) occurrence indicator **557**  
 PM **408**  
 PNG (Portable Network Graphics) **77**  
 Portability Tips overview **xxvi**  
 Portable Network Graphics (PNG) **77**  
 position number **357**
- position** property **148**  
**post** request (HTTP) **833**  
**post** request type **717**  
**post** request type **92**  
**\$\_POST** superglobal **714, 717**  
 postback event of an ASP.NET page **767, 907**  
 postdecrement operator **271**  
 postincrement operator **271, 273**  
**pow** method of **Math** object **292, 304, 311, 394**  
**power** **394**  
**pre** element **224**  
 precedence **233, 259, 273**  
 precedence and associativity of operators **239, 273, 303**  
 precedence chart **233**  
 Precedence of arithmetic operators **233**  
 predecrement operator **271, 271**  
 predicate **656, 668**  
 prefix **183**  
 -moz- **183**  
 -ms- **183**  
 -o- **183**  
 -webkit- **183**  
**preg\_match** function **710, 712**  
**preg\_replace** function **713**  
 preincrement operator **271, 273**  
 preload attribute of the **audio** element **333**  
 preloading images **464**  
 prepackaged function **311**  
 presentation **566**  
 presentation logic **49, 642, 744, 883**  
 Presentation MathML **566**  
 press a key **473**  
 pressing keys **455**  
 prevent implicit conversions **238**  
**previousSibling** property of a Node **590**  
 primary key **651, 655**  
**prime** **353**  
 prime integer **390**  
 principal **290**  
**print** function **699**  
**print** media type **159, 160, 162**  
 printing dates in various formats **423**  
 printing one line with separate statements **222**  
 priority **233**  
 privacy protection **768, 908**  
 probability **318**  
 procedure **247**  
 processing instruction (PI) **572**  
 processing instruction target **572**  
 processing instruction value **572**  
 processing phase **262**  
 processor **546**  
 Product Data Markup Language (PDM) **566**  
**program** **218**  
 program control **247**  
 program development tools **263**  
 programmer-defined function **311**  
 maximum **315**  
 square **313**  
 project **674**  
 prolog (XML) **548**  
 promotion **768, 907**
- prompt **227**  
 prompt box used on a welcome screen **225**  
 prompt dialog **224, 227, 228, 230, 317, 321**  
 prompt method of **window** object **227**  
 prompt to a user **227**  
 properties of the **Math** object **394**  
 properties separated by a semicolon **139**  
**Properties** window **751, 890**  
 protocol **91**  
**protocolMapping** element in  
**web.config** **835**  
 proxy class for a web service **830**  
 pseudo-class **145**  
 pseudocode **247, 263**  
 pseudocode for examination-results problem **268**  
 pseudocode *If* statement **250**  
 pseudocode *If..Else* statement **252**  
**pt** (points) **142, 146**  
**pt** measurement for text size **165**  
 publishing a web service **825**  
**putImageData** method of **canvas** **499**  
 Python programming language **61**
- ## Q
- quadratic curve in **canvas** **486**  
**quadraticCurveTo** method of **canvas** **486**  
 qualified name **661**  
 quantifier **712**  
**query** **650, 651, 667**  
 query expression (LINQ) **667**  
 query string **47, 641, 833**  
 querying a database and displaying the results **720**  
 question mark (?) occurrence indicator **557**  
 quirks mode **71**  
 quotation mark ('') **219**
- ## R
- radial gradient **183**  
**radial-gradient** property **183**  
 radians **482, 533**  
**radio** input type **96**  
**RadioButtonList** ASP.NET web control **761, 900**  
**radix** **341, 409**  
 radix of function **parseInt** **231**  
 Random image generation using arrays **370**  
 random image generator **319**  
 Random Interimage Transition exercise **540**  
**random** method of the **Math** object **318, 318, 327**  
 Randomly Erasing an Image exercise **539**  
**range** input type **117**  
 range variable of a LINQ query **667**  
 "raw" Ajax **604**  
 RDBMS (relational database management system) **48, 642, 664**  
 Reaction Time/Reaction Precision Tester exercise **542**  
 readability **71**

- readyState property of the XMLHttpRequest object 614  
 readyStateChange property of the XMLHttpRequest object **614**  
 recognizing clients 768, 908  
 record **56**  
 rectangle symbol **248**, 256  
 recursion **341**  
 Recursion Exercises  
     Generating Mazes Randomly 541  
     Maze Traversal Using Recursive Backtracking 540  
     Mazes of Any Size 541  
 recursion step **342**  
 recursive base case 342  
 recursive call **342**  
 recursive descent **578**  
 recursive function **341**  
 redundant parentheses **234**  
 refinement 261, 267  
 reflection **187**  
 registering an event handler **322**, **456**  
 registration (ASP.NET) 784, 924  
 regular expression **710**, 710  
 regular expressions in PHP 710  
**RegularExpressionValidator**  
     ASP.NET validation control **765**, **905**  
 reinventing the wheel 63  
 relational database **650**  
 relational database management system (RDBMS) 48, 642, 664, 743, 882  
 relational database table 650  
 relational operator **234**, 235, 300, 301, 305, 709  
     strings 395  
 relationship between documents **147**  
 relative addressing (XPath) **574**  
 relative-length measurement **146**, 155, 167  
 relative path **78**  
 relative positioning **150**, 751, 890  
 relative positioning of elements 151  
**relative value (position property)**  
     150  
 release a key 473  
 reload an entire web page 605  
 remainder 233  
 remainder after division 233  
 remainder operator (%) **232**  
 remote web servers **643**  
**removeAttribute** method of an Element **591**  
**removeChild** method of a DOM node **439**, **451**  
**removeChild** method of a Node **591**  
**removeEventListener** method of a DOM node **457**  
**removeItem** method of the localStorage object **417**  
**removeItem** method of the sessionStorage object **417**  
 render a webpage **70**  
**repeat value (background-repeat property)** 153  
**repeat-x value (background-repeat property)** 153  
**repeat-y value (background-repeat property)** 153  
 repeating infinitely 260  
 repetition statement 262  
 repetition structure **248**, 255, 256, 297, 298  
 replace method of the String object 396  
 replaceChild method of a DOM node **439**  
 replaceChild method of a Node **591**  
 Representational State Transfer (REST) **822**, 824  
 request method **47**, **641**, **833**  
**#REQUIRED** keyword (DTD) **557**  
**required attribute** **116**  
**RequiredFieldValidator** ASP.NET validation control **764**, **765**, **904**, **905**  
 Research Information Exchange Markup Language (RIXML) 570  
 reserved words 249  
 reset event **468**, 473  
 reset function **708**  
 reset input **93**  
 resize event 473  
 resolution 478  
 resources **70**  
 responding to user interaction 455  
**ResponseFormat** property of the WebGet attribute **837**, 867  
**responseText** property of the XMLHttpRequest object 614  
**responseXML** property of the XMLHttpRequest object 614  
 RESTful web services **824**  
**restore** method of canvas **528**, **530**  
 restriction on built-in XML Schema data type **564**, 565  
 result 656  
**Result** property of DownloadStringCompletedEventArgs **837**  
**Result** property of LinqDataSourceSelectEventArgs class **805**  
 result tree (XSLT) **571**  
 return **312**  
 return by reference 371  
**return** statement **314**, 315  
 return value of an event handler 470  
 reusability 317  
 reusable software components 61  
 reuse 62  
 RGB **177**  
 RGB to grayscale 499  
 RGBA **177**  
 Rich Internet Applications (RIAs) 51, 604, **604**  
 ridge value (border-style property) 157  
 right margin 150, 153  
 right value (text-align property) 155  
 Ritchie, Dennis 60  
 RIXML (Research Information Exchange Markup Language) 570  
 RIXML website ([www.rixml.org](http://www.rixml.org)) 570  
 robot 37  
 rolling a six-sided die 318  
 rollover effect **461**, 464  
 rollover images 461  
 root element (XML) **545**, 548, 551  
 root node **429**, **579**  
 rotate an image 195  
**rotate** method of canvas **502**, 503  
**rotate** transformation function **195**  
 Rotating Images exercise 542  
 round 394  
**round** lineJoin of canvas 480, 482  
 rounded corners **176**  
 row **379**, **651**, 654, 655, 656, 657, 658, 661, 662  
 row objects **676**  
**rows** attribute (`textarea`) **93**  
 rows to be retrieved 655  
**rowspan** attribute (`tr`) **89**  
 Ruby on Rails 61  
 Ruby programming language 61  
 rule in CSS **194**  
 Rule of Entity Integrity **654**  
 Rule of Referential Integrity **653**

## S

- Salesforce 44
- 
- same origin policy (SOP)
- 610**
- 
- sans-serif**
- fonts 142
- 
- saturation 178
- 
- save data on the iPhone 411
- 
- save**
- method of canvas
- 528**
- ,
- 530**
- 
- saving changes back to a database in LINQ to SQL 684
- 
- savings account 290
- 
- Scala programming language 61
- 
- Scalable Vector Graphics (SVG)
- 566**
- 
- scalars (scalar quantities)
- 372**
- 
- scale**
- method of canvas
- 501**
- 
- scale**
- transformation function
- 196**
- 
- scaling factor 318,
- 328**
- 
- scaling the range of random numbers 318
- 
- schema
- 546**
- , 558
- 
- schema element**
- 561**
- 
- schema invalid document
- 560**
- 
- schema repository
- 556**
- 
- schema valid XML document
- 560**
- 
- schema-valid XML document describing a list of books 560
- 
- scope
- 338**
- 
- scope rules
- 338**
- 
- scoping 338
- 
- Scoping example 338
- 
- screen coordinate system 461
- 
- screen**
- media type
- 159**
- 
- screen resolution 146
- 
- screenX**
- property of an event object 461
- 
- screenY**
- property of an event object 461
- 
- <script>**
- tag
- 219**
- 
- script
- 72**
- ,
- 218**
- 
- link to a document 359
- 
- script development tools 263
- 
- script**
- font 142
- 
- script interpreter 221
- 
- scripting host
- 49**
- ,
- 643**
- 
- scripting language
- 60**
- ,
- 218**
- ,
- 219**
- 
- script-level variables
- 338**
- 
- ScriptManager**
- control
- 813**
- 
- scroll up or down the screen 152
- 
- scroll**
- value (background-position property) 154
- 
- scroll**
- value (overflow property) 155

Scrolling Image Marquee exercise 540  
 Scrolling Marquee Sign exercise 540  
 scrolling the browser window 153  
 search engine 72, 99  
 search engine optimization (SEO) 99, **99**  
 search field 117  
**search input** type 117  
 second refinement 261, 262, 268  
 secondary storage 35  
**section** element 128  
 sectioning elements  
     **article** element 128  
     **aside** element 128  
     **details** element 128, **133**  
     **figcaption** element 128  
     **figure** element 128  
     **footer** element 130  
     **header** element 128  
     **meter** element 129  
     **nav** element 128  
     **section** element 128  
     **summary** element 128, **135**  
     **wbr** element 130  
**select** attribute (XPath) 578  
**select** attribute of `xsl:for-each` element 574  
**select** clause of a LINQ query 668  
**select** element 97  
**select** event 473  
**SELECT** SQL keyword 656, 657, 658, 659  
**selected** attribute 97  
**SelectedIndexChanged** event handler  
     **ComboBox** class 686  
 selecting data from a table 651  
**Selecting** event of `LinqDataSource`  
     ASP.NET data control 805  
 selection criteria 656  
 selection structure 248  
**selectNodes** method of `MSXML` 595  
 selector 141, 143, 194, 197, 202  
 self validation 113  
 self-documenting 226  
 Semantic Web 51  
 semicolon (;) 139, 142, **220**, 222, 226  
 semicolon on line by itself 238  
 semicolon resulting logic error 237  
 send a message to an object 63  
**send** method of the `XMLHttpRequest` object 588, 615  
 sentinel value **260**, 262, 266  
 sentinel-controlled repetition 262, 263, 265  
 sentinel-controlled repetition to calculate a class average 264  
 separation of structure from content 138  
 separator 373  
 sequence structure 248, 261  
 sequential execution 247  
**Serializable** attribute 839  
 serialization 839  
 serif fonts 142  
 server 35  
 server response 48, 641, **833**  
 server-side form handler 47, **641**, **833**  
 server-side script 49, **643**  
`$_SERVER` superglobal 714  
 server-side form handler 47, **641**, **833**  
 server-side JavaScript 39  
     CommonJS 39  
     Jaxer 39  
     Node.js 39  
 server-side proxy **610**  
 service description for a web service **829**  
 Service references  
     adding a service reference to a project in Visual C# 2010 Express 831  
**Service.svc** 825  
**ServiceBehavior** attribute 842  
**ServiceContract** attribute 825, 827  
 session 768, 908  
 session cookie 723  
 session item **775**, **915**  
**Session** property of `Page` class **772**, **912**  
 session tracking **768**, 769, **908**, 909  
     in web services 841  
**SessionID** property of  
     `HttpSessionState` class **774**, **914**  
**ServiceMode** property of  
     **ServiceContract** attribute 842  
**sessionStorage** object  
     **clear** method 416  
     **getItem** method 414  
     **key** method 414  
     **length** property 414  
     **removeItem** method 417  
     **setItem** method 414, 417  
     **sessionStorage** property of the  
         **window** object 411, 411, 413, 414  
**SET SQL** clause **663**  
**setAttribute** method of a DOM element 323, **436**  
**setAttribute** method of an `Element` 591  
**setAttribute** method of the  
     **document** object 619  
**setAttributeNode** method of an  
     **Element** 591  
**setcookie** function 723  
 **setDate** 404  
**setFullYear** 404, 407  
**setHours** 404  
**setInterval** method of the `window` object 449, 456  
**setItem** method of the `localStorage` object 414, 417  
**setItem** method of the  
     **sessionStorage** object 414, 417  
**setMilliseconds** 404  
**setMinutes** 404  
**setMonth** 404  
**setRequestHeader** method of the  
     **XMLHttpRequest** object 615  
**setSeconds** 404  
**setTime** 404  
**settype** function **699**, **701**  
**setUTCDate** 404  
**setUTCFullYear** 404  
**setUTCHours** 404  
**setUTCMilliseconds** 404  
**setUTCMinutes** 404  
**setUTCMonth** 404  
**setUTCSeconds** 404  
**shadowBlur** attribute 484, 485  
**shadowBlur** attribute of `canvas` 484  
**shadowColor** attribute of `canvas` 484, 486  
**shadowOffsetX** attribute 484, 486  
**shadowOffsetX** attribute of `canvas` 484  
**shadowOffsetY** attribute 486  
**shadowOffsetY** attribute of `canvas` 484  
 Shakespeare 423  
 Shift key 461  
 shift the range of numbers 318  
 shifted and scaled random integers 318  
 shifting value **328**  
**shiftKey** property of an event object 461  
 short-circuit evaluation **302**  
 shorthand assignments of borders 159  
 Shuffleboard exercise 541  
 sibling node 579  
 siblings 428, **549**  
 side effect 371  
 Sieve of Eratosthenes 390  
 signal value **260**  
 simple condition **300**  
 simple content in XML Schema **564**  
 simple drawing program 458  
 Simple Object Access Protocol (SOAP) 822, 824  
 simple PHP program 698  
 simple type 564  
**simpleContent** XML Schema element 565  
**simpleType** XML Schema element 565  
 simulation and game playing 318  
**sin** method 394  
 single quote ('') 220, **226**, 228, 552, 657, 699  
**Single** setting of  
     **InstanceContextMode** property 843  
 single-entry/single-exit control statement 250  
 single-entry/single-exit structure 251  
 single-selection `if` statement **249**, 250  
**Site.css** 802  
**size** attribute (`input`) 93  
 skew 196  
 skinning 146  
 Skype 44  
**slice** method of the `String` object 396  
 slider control 117  
 small circle symbol 248, 256  
 small relative font size 142  
 smaller value 394  
 smart tag menu **685**, 760, 900  
 smartphone 59  
 SMIL (Synchronized Multimedia Integration Language) 570  
 SMIL website ([www.w3.org/AudioVideo](http://www.w3.org/AudioVideo)) 570  
 SOAP (Simple Object Access Protocol) 822, **823**, 824  
     envelope 824  
     message 823  
 social commerce 44, 54  
 social networking 44, 50, 51  
 software development 51  
 Software Engineering Observations  
     overview xxvi  
 software reusability **317**  
 software reuse 63

**solid** value (*border-style* property) 157  
 Some common escape sequences 224  
 Some useful global arrays. 714  
**sort** method of an *ArrayObject* 375, 375  
 Sorting an array with **sort** 376  
 sorting data 375  
 sorting in XSL 578  
 Sorting XSLT Modification exercise 602  
**source** element 333, 337  
 source string 396  
 source tree (XSLT) 571  
 SourceForge 58  
**span** as a generic grouping element 152  
**span** element 152  
 special character 81, 83, 395, 712  
 Special Section: Advanced String-Manipulation Exercises 423  
 special symbol 56  
 specificity 144, 162  
 speech device 86  
 speechmedia type 159  
 speech synthesizer 79  
 spell checker 425  
 spinner control 114, 116  
**split** 401  
**split** 401  
**split** method of the *String* object 396  
 splitting a statement in the middle of an identifier 226  
 SQL 650, 651, 655, 656, 662  
   **DELETE** statement 655, 663  
   **FROM** clause 655  
   **GROUP BY** 655  
   **INNER JOIN** clause 655, 660  
   **INSERT** statement 655, 661  
   **LIKE** clause 658  
   **ON** clause 660  
   **ORDER BY** clause 655, 658, 659  
   **SELECT** query 656, 657, 658, 659  
   **SET** clause 663  
   **UPDATE** statement 655  
   **VALUES** clause 662  
   **WHERE** clause 656  
 .sql 666  
 SQL keyword 655  
 SQL script 666  
 SQL Server Express 678  
**sqrt** 394  
 SQRT1\_2 394  
 SQRT2 394  
 square brackets [] 357  
 square root 393  
 square-root symbol (MathML) 568  
**src** attribute 78, 80  
**src** attribute of an *img* element 323  
**src** attribute of the *script* element 359  
**src** property of an *Image* object 465  
 stacked control structures 263  
 standards mode 71  
 start page for a web application 755, 758, 764, 770, 779, 895, 897, 903, 911, 919  
 start tag 72, 545, 552  
 starting angle 482  
 starting index 402  
**StartsWith** method of class *string* 675  
 stateless protocol 768, 908  
**statement** 220  
 statement terminator 220  
**status** property of the *XMLHttpRequest* object 614  
**statusText** property of the *XMLHttpRequest* 614  
**step** attribute 116  
 StepStone 58  
 straight-line form 233  
**strcmp** function 709  
 strict does not equal (!==) operator 238  
 strict equals (==) operator 238  
**string** 219  
 string assigned to a variable in a declaration 395  
**string** class  
   **StartsWith** method 675  
   **ToUpper** method 675  
 string comparison 375  
 string concatenation 228, 259  
 string constants 395  
 string data type 699  
 string literal 219, 395  
 string manipulation 311  
**String** method *split* 422  
**String** object 395, 395, 397  
   **charAt** method 395, 397  
   **charCodeAt** method 396, 397, 398  
   **fromCharCode** method 396, 397, 398  
   **indexOf** method 396, 398, 399, 422  
   **lastIndexOf** method 396, 398, 400, 422  
   **replace** method 396  
   **slice** method 396  
   **split** method 396  
   **substr** method 396  
   **substring** method 396  
   **toLowerCase** method 396  
   **toUpperCase** method 396  
**String** object methods 395  
 string representation 261  
 string representation of the number 409  
 string XML Schema data type 563  
 string's *length* 398  
 string-concatenation operator (+) 396  
**stroke** method of *canvas* 482  
**strokeRect** method of *canvas* 479  
**strokeStyle** attribute of *canvas* 479  
**strokeStyle** method of *canvas* 482  
**strong** element 75  
 Stroustrup, Bjarne 60  
 structure of a document 38, 138  
 structured programming 247, 248  
 Structured Query Language (SQL) 650, 651, 655  
**style** attribute 138, 284  
 style class 142, 143  
 style sheet 147, 549  
**stylesheet** start tag 573  
 sub element 83  
 sub initializer list 380  
**submit** 473  
 submit event 468, 473  
 submit input 93  
**SubmitChanges** method of a LINQ to SQL *DataContext* 676, 684  
 subpath in *canvas* 480  
 subscript 83  
**substr** method of the *String* object 396  
 substring 401  
**substring** method of the *String* object 396  
 substrings of a string 395  
 subtraction 233  
 subtraction operator (-) 232  
**sum** function (XSL) 578  
**summary** attribute of a *table* element 86  
**summary** element 128, 135  
 Summation with for 289  
**sup** element 83  
 superglobal array 714  
**superscript** 83  
 SVC file 825  
 svccutil.exe 829  
 SVG (Scalable Vector Graphics) 530, 566  
**switch** multiple-selection statement 295, 296, 304, 295  
 symbolic representation (MathML) 568  
 Synchronized Multimedia Integration Language (SMIL) 570  
 synchronous request 605, 809  
 syntax error 221, 273  
 SYSTEM keyword in XML 551  
 System.Linq namespace 667  
 System.Runtime.Serialization.Json 839  
 System.Web.UI namespace 756, 895  
 System.Web.UI.WebControls namespace 756, 896

**T**

tab 224  
**Tab** key 465  
 tab stop 224  
**TabContainer** Ajax Control Toolkit control 813  
 table 650  
 table body 88  
 table column heading 292  
 table data 88  
 table data cells 88  
**table** element 86, 291  
   border attribute 86  
   caption element 86  
   summary attribute 86  
 table foot 88  
 table head 88  
 table head element 88  
**table** HTML5 element 70  
 table of event object properties 461  
 table row 88  
 tablet computer 59  
**TabPanel** class 814  
 tagging 51  
**tagName** property of an Element 591  
 tahoma font 142  
 tan method 394  
 tangent 394  
**target** property (FF) of an event object 461, 465  
**Target** property of a *HyperLink* control 761, 900

- t**  
 target property of an event object 461  
 targetNamespace XML Schema  
     attribute 562  
**tbody** (table body) element 88  
 TCP (Transmission Control Protocol) 43  
 TCP/IP 43  
 TeX 664  
**td** element 88  
 technical publications 63  
**tel** input type 118  
 telephone number as a string 422  
 terminate a loop 259, 262  
 termination phase 262  
 terminator 220  
 ternary operator 252  
 TeX software package 566  
 text analysis 423  
**Text** and **Comment** methods 592  
 text area 73, 93  
**text-decoration** property 145  
 text editor 70  
 text field 93  
 text file 579  
 Text Flasher exercise 539  
**text input** 93  
 text node-set function 578  
**Text** object 590, 592  
 text shadow 175  
 text stroke 185  
**text-align** property 155  
**textAlign** attribute of canvas 507  
**textarea** element 93  
**textBaseline** attribute of canvas 507  
 TextBox ASP.NET web control 759, 899  
**TextEdit** text editor 70  
**text-indent** property 154  
 text-only browser 79  
**text-shadow** property 175  
**text-stroke** property 185  
**tfoot** (table foot) element 88  
**th** (table header column) element 88, 292  
**thead** element 88  
**thick** border width 157  
**thin** border width 157  
**this** keyword 630  
 three-tier web application 48, 642  
 tier in a multitier application 48, 642, 743, 882  
 tile an image only horizontally 153  
 tile an image vertically and horizontally 153  
 tile the image only vertically 153  
 tiling **no-repeat** 153  
 tiling of the background image 153  
 time 235  
**time** element 128, 135  
 time function 723  
**time** input type 118  
 time manipulation 311  
**Timeout** property of  
     `HttpSessionState` class 774, 914  
 timer 455  
 times new roman font 142  
 title bar 72  
 title bar of a dialog 223  
**title** element 72  
**title** of a document 72  
**Title** property of a Web Form 751, 890  
**titles** table of books database 652, 653  
**toFixed** method of Number object 292  
 tokenization 401  
 tokenize a string 401  
 tokenizing 395  
**tokens** 401, 422  
 tokens in reverse order 422  
**toLocaleString** 404, 405  
**toLowerCase** 397, 397, 398  
**toLowerCase** method of the String  
     object 396  
**Toolbox** 751, 890  
**ToolkitScriptManager** control 813  
**top** 261, 267  
 top margin 150, 153  
 top tier 49, 642, 744, 883  
 top-down, stepwise refinement 261, 266, 267  
 Tortoise and the Hare 390  
**toString** 404, 409  
 total 259  
**ToUpper** method of class string 675  
**toUpperCase** 397, 397, 398  
**toUpperCase** method of the String  
     object 396  
**toUTCString** 404, 405  
**tr** (table row) element 88  
 tracking customers 767, 907  
 traditional model (events) 457  
 traditional web application 605  
 transfer of control 248  
**transform** method of canvas 504  
**transform** property 194, 195, 196  
 transformation functions 195  
     rotate 195  
     scale 196  
 transformation matrix in canvas 500, 502  
 transformations in canvas 500  
 transformations in CSS3 194  
**transition** property 194, 197  
 transitions in CSS3 194  
**transition-timing-function** 197, 216  
**translate** method of canvas 500, 502  
 translation 59  
 translator program 59  
 Transmission Control Protocol (TCP) 43  
 transparency 194  
 traverse an array 380  
 traversing an XML document using the  
     XML DOM 580  
 tree structure 550  
 tree structure for the document  
     `article.xml` of Fig. 14.2 580  
 trigger of UpdatePanel ASP.NET Ajax  
     Extensions control 814  
 trigonometric cosine 394  
 true 234  
**true** 250  
 truncate 260  
 trust 51  
 truth table 301  
 truth table for the && logical AND  
     operator 301  
 truth table for the || (logical OR)  
     operator 302  
 truth table for the logical negation  
     operator 303  
**try** block 613  
**try** keyword 613  
 Turtle Graphics 389  
 tutorials for WebMatrix 646  
 56-hour clock format 408  
 Twitter 35, 44, 51, 54, 61  
     search 411  
     search operators 411  
     tweet 54  
 two-dimensional array  
     representation of a maze 541  
 379, 380  
**type** 141  
**type** attribute 92, 219  
**type** attribute in a processing instruction  
 572  
**type casting** 701  
**type conversion** 700  
**type** of a variable 231  
**type** property of an event object 461  
**type** XML Schema attribute 562  
**type-ahead** 620
- U**
- ul** (unordered list) element 83  
 unary operator 271, 302, 305  
     decrement (--) 271  
     increment (++) 271  
 unbounded value 563, 563  
 undefined 232  
**underline** value (**text-decoration**)  
 145  
 underscore (\_) SQL wildcard character  
 657, 658  
 Unicode 395, 397  
 Unicode character set 56  
 Unicode value 397, 398  
 Uniform Resource Identifier (URI) 45, 554, 638, 742, 881  
 Uniform Resource Locator (URL) 44, 45, 554, 638, 742, 881  
 Uniform Resource Name (URN) 554  
 unique session ID of an ASP.NET client  
 774, 914  
 UNIX 39  
**unload** event 473  
 unnecessary parentheses 234  
 unordered list 83  
 unordered list element (**ul**) 83  
**UPDATE** SQL statement 655, 663  
**UpdatePanel** ASP.NET Ajax  
     Extensions control 814  
**UpdatePanel** trigger 814  
 up-down control 114  
 upper-left corner of a GUI component  
 477  
 uppercase letters 221, 226  
**Uri** 837  
 URI (Uniform Resource Identifier) 45, 554, 638, 742, 881  
**UriTemplate** property of **WebGet**  
     attribute 834  
 URL (Uniform Resource Locator) 44, 45, 554, 638, 638, 742, 881  
**url** input type 119  
**url(fileLocation)** 152

- URN (Uniform Resource Name) **554**  
 user **143**  
 user account (MySQL) **665**  
 user agent **143**  
 user-defined types in web services **859**  
 user input **90**  
 user interaction **455**  
 user interface **49, 67, 642, 744, 883**  
 user style sheet **164**  
 User style sheet applied with `em` measurement **168**  
 User style sheet applied with `pt` measurement **167**  
 User style sheet in Internet Explorer **7**  
   **166**  
 user styles **165, 166, 167**  
 user-defined types **564**  
 user-generated content **51**  
 using equality and relational operators  
   **235**  
 Using inline styles **139**  
 using PHP's arithmetic operators **702**  
 Using the `break` statement in a `for` statement **298**  
 Using the `continue` statement in a `for` statement **300**  
 Using the `do...while` repetition statement **297**  
 using the string-comparison operators  
   **709**  
 Using the `switch` multiple-selection statement **293**  
 using XPath to locate nodes in an XML document **592, 594**  
 UTC (Coordinated Universal Time) **403, 405, 408**
- V**
- valid XML document **546, 556**  
`Validate` property of `Page` class **767, 907**  
 validating XML parser **546**  
 validation **113**  
 validation control **761, 901**  
 validation service **73**  
 validation tools **230**  
   error messages **230**  
   warning messages **230**  
`ValidationExpression` property of a `RegularExpressionValidator` control **765, 905**  
`validator` **761, 901**  
`validator.w3.org` **73**  
`validator.w3.org/#validate-by-upload` **73**  
`ValidatorCalloutExtender` control **815**  
 value attribute **93, 116**  
 value of a variable **231**  
 value of an array element **358**  
 value of an attribute **72**  
 value property **377**  
 value property of an `Attr` object **592**  
 value property of an `input` element **377**  
`valueOf` **404**  
 VALUES SQL clause **662, 662**  
 van Rossum, Guido **61**  
 var keyword **225, 314, 667**
- variable **225**  
 variable name **225**  
 variable variables **732**  
 variables defined in body of a function  
   **335**  
 various markup languages derived from XML **570**  
 vendor prefix **180, 183, 183**  
   `-moz-` **183**  
   `-ms-` **183**  
   `-o-` **183**  
   `tools` **183**  
   `-webkit-` **183**  
 verdana **142**  
 version attribute (XSL) **573**  
 version in xml declaration **547**  
 vertical and horizontal positioning **153**  
 vertical coordinate **478**  
 vi text editor **70**  
 video element **311, 336, 337**  
   `controls` attribute **337**  
 video sharing **44**  
 video/mp4 MIME type **337**  
 video/webm MIME type **337**  
 virtual box **150**  
 virtual directory **46, 639, 742, 881**  
 Visible property of an ASP.NET web control **764, 904**  
 Visual Basic programming language **60**  
 Visual C# programming language **60, 60**  
 Visual C++ programming language **60**  
 visual inheritance **793**  
 Visual Web Developer  
   **WCF Web Service** project **826**  
 Visual Web Developer 2010 Express **741, 880**  
 vocabulary (XML) **545**  
 VoiceXML **545, 570**  
   **www.voicexml.org** **570**  
 void element **79, 89**  
 VoIP (Voice over IP) **54**
- W**
- W3C (World Wide Web Consortium) **40, 50, 50, 544**  
 W3C home page ([www.w3.org](http://www.w3.org)) **50**  
 W3C Recommendation **50**  
`wbr` element **130**  
`WCF`  
   `DataContract` attribute **838**  
   `DataMember` attribute **838**  
   `OperationContract` attribute **825**  
   `ResponseFormat` property of the `WebGet` attribute **837**  
   `Serializable` attribute **839**  
   `ServiceContract` attribute **825**  
   `UriTemplate` property of `WebGet` attribute **834**  
   `WebGet` attribute **833**  
 WCF REST service to create random equations based on a specified operation and difficulty level **862**  
 WCF service class **825**  
 WCF service endpoint **823, 872**  
 WCF web service interface that returns a welcome message through SOAP protocol and XML format **826**
- WCF Web Service** project in Visual Web Developer **826**  
**WCF Web Service** project type **825**  
 WCF web service that returns a welcome message through the SOAP protocol and XML format **826**  
 Web 1.0 **50**  
 Web 2.0 **44, 50, 50, 51**  
 web application  
   Ajax **606**  
   traditional **605**  
 Web application development **741, 880**  
 web control **741, 880**  
 Web Form **741, 748, 769, 775, 880, 887, 909, 915**  
   Init event **755, 894**  
   Load event **766**  
 web page **38**  
 web server **45, 70, 90, 638, 639, 723, 742, 742, 881**  
 web service **52, 53, 822**  
 Web Service Description Language (WSDL) **829**  
 web service host **823**  
**Web Site Administration Tool** **797**  
 web storage **410**  
`Web.config` file **825**  
`Web.config` ASP.NET configuration file **755, 895**  
 web-based application **39, 51**  
`WebClient` **836**  
   `DownloadStringAsync` method  
   **837**  
   `DownloadStringCompleted` event  
   **837**  
`WebGet` attribute **833**  
`webHttp` `Web.config` property **835**  
`webHttpBinding` `Web.config` binding setting **835**  
 WebKit browsers **183**  
`-webkit-box-reflect` property **187**  
`WebMatrix` **646**  
   install **646**  
   tutorials **646**  
`WebMessageFormat.Json` setting of `ResponseFormat` property **837, 867**  
`WebMessageFormat.Xml` setting of `ResponseFormat` property **837**  
`WebTime` Modification exercise **789, 929**  
 webtop **609**  
 week control **119**  
`week` `input` type **119**  
 well-formed XML document **546**  
 where clause of a LINQ query **668**  
 WHERE SQL clause **655, 656, 658, 659, 663, 664**  
 while repetition statement **249, 256, 262, 263, 270**  
 while statement **713**  
 white-space character **401, 408, 250, 408**  
 white-space characters in strings **219**  
 width attribute **78**  
 width media feature **162**  
 width property **155**  
 width-to-height ratio **79**  
 Wikipedia **44, 51, 61**  
`window` object **223, 230, 445**  
   `clearInterval` method **445, 450**  
   `confirm` method **469**

- w**
- window object (cont.)
    - localStorage property **410**, 413, 414
    - sessionStorage property **411**, 411, 413, 414
    - setInterval method **449**, 456
    - window object's prompt method 227
    - window.prompt method 293
  - Windows 57
  - Windows Communication Foundation (WCF) 822
  - Windows operating system **57**
  - Windows Phone 7 57
  - wire format 824
  - Wireless Markup Language (WML) **566**
  - WML (Wireless Markup Language) 566
  - word equivalent of a check amount 425
  - World Community Grid 36
  - "World Wide Wait" 605
  - World Wide Web (WWW) **44**
  - World Wide Web Consortium (W3C) **40**, **50**, **544**
  - Wozniak, Steve 58
  - write** method of the document object **221**
  - writeln** method **220**, 221
  - writing a cookie to the client 725
  - WSDL (Web Service Description Language) **829**, 831
  - [www.ecma-international.org/publications/standards/ECMA-294.htm](http://www.ecma-international.org/publications/standards/ECMA-294.htm) (ECMAScript standard) 218
  - [www.garshol.priv.no/download/text/bnf.html](http://www.garshol.priv.no/download/text/bnf.html) 557
  - [www.oasis-open.org](http://www.oasis-open.org) 556
  - [www.opengis.org](http://www.opengis.org) 570
  - [www.rixml.org](http://www.rixml.org) 570
  - [www.voicexml.org](http://www.voicexml.org) 570
  - [www.w3.org](http://www.w3.org) 50
  - [www.w3.org/2001/XMLSchema](http://www.w3.org/2001/XMLSchema) 562
  - [www.w3.org/AudioVideo](http://www.w3.org/AudioVideo) 570
  - [www.w3.org/Math](http://www.w3.org/Math) 569
  - [www.w3.org/XML/Schema](http://www.w3.org/XML/Schema) 559
  - [www.w3schools.com/schema/default.asp](http://www.w3schools.com/schema/default.asp) 559
  - [www.xml.org](http://www.xml.org) 556
  - [www zend.com](http://www zend.com) 697
- X**
- x-axis **478**
  - x-coordinate **478**
  - x-large relative font size 142
  - x-small relative font size 142
  - Xalan XSLT processor **572**
  - XAMPP 665, 697, 719, 727
  - XBRL (Extensible Business Reporting Language) **545**, **566**
  - Xerox PARC (Palo Alto Research Center) 58
  - XHR (abbreviation for XMLHttpRequest) **604**
  - XML **604**
    - attribute **552**
    - attribute value **552**
    - child element **549**
    - container element **549**
    - declaration **547**, 550
    - element **545**
    - empty element 552
    - end tag **545**
    - markup 547
    - node **550**
    - parent element **549**
    - prolog **548**
    - root **550**
    - root element **545**
    - start tag **545**
    - vocabulary **545**
  - XML (eXtensible Markup Language) **50**, **544**, 829
  - XML document containing book information 575
  - XML Document Object Model 579
  - XML document that describes various sports 571, 595
  - XML document using the laptop element defined in computer.xsd **565**
  - XML DOM 580, 584
  - XML element name requirements 548
  - .xml file extension **545**
  - XML instance document **564**, 565
  - xml namespace prefix 553
  - XML namespaces demonstration 553
  - XML parser 546
  - XML Path Language (XPath) **570**, 592
  - XML processor **546**
  - XML Resource Center ([www.deitel.com/XML/](http://www.deitel.com/XML/)) 590
  - XML Schema **555**, **559**, 563
    - complex types **563**
    - simple types **563**
  - XML Schema document defining simple and complex types **564**
  - XML Schema document for book.xml **560**
  - XML Schema URI (<http://www.w3.org/2001/XMLSchema>) **561**, 561
  - XML used to mark up an article 547
  - XML vocabularies
    - Chemical Markup Language (CML) **570**
    - Extensible User Interface Language (XUL) **570**
    - Geography Markup Language (GML) **570**
  - Research Information Exchange Markup Language (RIXML) **570**
  - Synchronized Multimedia Integration Language (SMIL) **570**
  - VoiceXML **570**
  - XML Working Group of the W3C **544**
  - XMLHttpRequest**
    - open method **588**
    - send method **588**
  - XMLHttpRequest** object **588**, **604**, 609, 610, 613, **632**, **634**
    - abort method 615
    - GET method 615
    - getAllResponseHeaders method 615
    - getResponseHeader method 615
    - onReadyStateChange property **614**
    - open method 615
    - properties and methods 614
  - readyState property 614
  - readystatechange property **614**
  - responseText property 614
  - responseXML property 614
  - send method 615
  - setRequestHeader method 615
  - status property 614
  - statusText property 614
  - xmlns** attribute in XML **554**
  - XNamespace** class 867
  - XPath **571**
    - XPath (XML Path Language) **570**, 592
    - XPath expression **592**
    - XPathResult object **595**
    - .xsd filename extension **560**
    - XSL (Extensible Stylesheet Language) **547**, 555, **570**
    - XSL document that transforms sorting.xml into XHTML **575**
    - .xsl filename extension **572**
    - XSL-FO (XSL Formatting Objects) **570**
    - XSL Formatting Objects (XSL-FO) **570**
    - XSL style sheet **571**, 578
    - XSL template **574**
      - .xsl template element **574**
      - XSL Transformations (XSLT) **570**
      - XSL variable **578**
      - .xsl:for-each element **574**
      - .xsl:output element **573**
      - .xsl:value-of element **574**
    - XSLT (XSL Transformations) **570**
    - XSLT processor 572
    - XSLT that creates elements and attributes in an XHTML document 572
  - XSS **610**
  - XSS (cross-site scripting) **610**
  - XUL (Extensible User Interface Language) **566**, 570
  - xx-large relative font size 142
  - xx-small relative font size 142
- y**
- y-axis **478**
  - y-coordinate **478**
  - Yahoo! 35
  - YouTube 44, 51, 55
  - Yukihiro 61
- Z**
- z-index** property **150**
  - Zend Engine 697
  - Zend Technologies ([www zend.com](http://www zend.com)) 697
  - zeroth element of an array **357**
  - Zynga 38